```
v8::internal::RelocIterator
    Base < RelocInfoT >
+ kAllModesMask
# pos
# end
# rinfo
# done
# mode_mask_
+ RelocIteratorBase()
 RelociteratorBase()
+ operator=()
+ done()
+ next()
+ rinfo()
# RelociteratorBase()
# SetMode()
# GetMode(
# Advance()
# AdvanceGetTag()
# AdvanceReadLongPCJump()
# AdvanceReadPC()
# AdvanceReadInt()
# ReadShortTaggedPC()
# ReadShortData()
               < RelocInfo >
v8::internal::RelocIterator
     Base < RelocInfo >
+ kAllModesMask
# pos
# end
# rinfo
# done
# mode mask
+ RelocIteratorBase()
+ RelocIteratorBase()
+ operator=()
+ done()
+ next()
+ rinfo()
# RelocIteratorBase()
# SetMode()
# GetMode()
# Advance()
# AdvanceGetTag()
# AdvanceReadLongPCJump()
# AdvanceReadPC()
# AdvanceReadInt()
# ReadShortTaggedPC()
# ReadShortData()
  v8::internal::RelocIterator
  + RelocIterator()
  + RelocIterator()
  + RelocIterator()
  + Relociterator()
+ Relociterator()
  + RelocIterator()
  + RelocIterator()
    operator=()
  RelocIterator()
```