
/mnt/d/Source/Codelon/v8/src/startup-data-util.cc
src/init/startup-data-util.h
string.h
src/sandbox/external-pointer.h
third_party/zlib/zutil.h
src/heap/heap.h
src/objects/visitors.h
src/heap/sweeper.h
src/heap/minor-gc-job.h
unordered_map
src/heap/allocation-observer.h
src/base/platform/condition-variable.h
unordered_set
src/heap/pretenuring-handler.h
src/heap/heap-allocator.h
src/objects/scheme.h
src/objects/slots-array-buffer.h
src/objects/slots-map.h
src/objects/slots-hash-table.h
src/objects/primitive-heap-object.h
torque-generated/bit-fields.h
src/objects/fixed-array.h
src/heap/allocation-result.h
src/base/export-template.h
src/heap/marking-state.h
src/objects/name-object.h
src/objects/allocation-site.h
src/objects/instance-type.h
src/objects/objects.h
src/heap/heap-symbols.h
src/heap/gc-callbacks.h
include/v8-snapshot.h
include/v8-initialization.h
include/v8-isolate.h
include/v8-embedder-heap.h
include/v8-callbacks.h
src/strings/unicode-decoder.h
src/objects/cell.h
src/handles/trusted-pointer-table.h
src/strings/unicode.h
src/utils/utils.h
src/objects/object-macros-undef.h
src/objects/object-macros.h
src/flags/flags.h
src/common/assert-scope.h
src/common/code-memory-access.h
src/handles/code-pointer-table.h
src/handles/js-dispatch-table.h
src/builtins/accessors.h
src/sandbox/external-pointer-table.h
src/utils/allocation.h
cmath
src/base/bit-field.h
src/common/globals.h
src/base/platform/mutex.h
src/base/platform/platform.h
v8-local-handle.h
v8-platform.h
src/base/platform/wrappers.h
testing/gtest/include/gtest/gtest_prod.h
stdlib.h
stdio.h
stdarg.h
src/base/small-vector.h
src/base/strings.h
src/base/atomic-utils.h
src/base/flags.h
include/cppgc/macros.h
src/base/enum-set.h
include/v8-internal.h
src/base/vector.h
atomic
src/base/numbers/double.h
src/base/strong-alias.h
src/base/bits.h
optional
algorithm
src/base/iterator.h
type_traits
limits
src/base/logging.h
utility
src/base/build_config.h
src/base/base-export.h
vector
src/base/file-utils.h
include/v8config.h
memory