```
v8::internal::torque
            ::Declarable
      - kind

    parent_scope

      - position
       - identifier_position_
      - is user defined
          ~Declarable()
      + kind()
       + IsNamespace()
      + IsMacro()
      + IsTorqueMacro()
      + IsMethod()
       + IsExternMacro()
       + IsIntrinsic()
      + IsBuiltin()
      + IsRuntimeFunction()
      and 16 more.
      # Declarable()
                  Δ
 v8::internal::torque
               ::Scope
 - declarations
 requester_
 + Scope()
 + LookupShallow()
 + Lookup()
 + AddDeclarable()
  + GetSpecializationRequester()
  + SetSpecializationRequester()
                  Δ
v8::internal::torque
              ::Callable
external_name

    readable_name_

    signature

- returns
- body
+ ExternalName()
+ ReadableName()
+ signature()
+ IsTransitioning()
+ parameter_names()
+ HasReturnValue()
+ IncrementReturns()
+ HasReturns()
+ body()
+ IsExternal()
+ ShouldBeInlined()
+ ShouldGenerateExternalCode()
+ CCName()
+ CCDebugName()
+ PrefixNameForCCOutput()
+ PrefixNameForCCDebugOutput()
# Callable()
                  Δ
v8::internal::torque
               ::Builtin
- kind

    flags

    use_counter_name

+ kind()
+ flags()
      _counter_name()
+ IsStub()
+ IsVarArgsJavaScript()
+ IsFixedArgsJavaScript()
+ IsJavaScript()
  HasCustomInterfaceDescriptor()
- Builtin()
```