iterator isolate_ - state return_address_location resolver - kisolateTag + StackFrame() + is_entry() + is_construct_entry() + is_exit() + is_optimized_js() + is_unoptimized_js() + is_interpreted() + is_baseline() + is_maglev() + is_turbofan_js() and 40 more... + TypeToMarker() + MarkerToType() + IsTypeMarker() + IsJavaScript() + unauthenticated_pc() + maybe_unauthenticated_pc() + SetReturnAddressLocation Resolver() + ReadPC() + ResolveReturnAddressLocation() # StackFrame() # GetCallerStackPointer() ComputeCallerState() - GetCallerState() v8::internal::CommonFrame + context() + position() + GetExpression() + SetExpression() + ComputeExpressionsCount() + GetCallerStackPointer() + Summarize() + cast() # CommonFrame() # HasTaggedOutgoingParams() # ComputeCallerState() # caller_fp() # caller_pc() # IterateExpressions() # IterateTurbofanJSOptimized Frame() # GetExpressionAddress() Δ v8::internal::CommonFrame WithJSLinkage + function() + receiver() + GetParameter() + ComputeParametersCount() + GetParameters() + GetActualArgumentCount() + unchecked_code() + LookupExceptionHandlerIn Table() + IsConstructor() + Summarize() # CommonFrameWithJSLinkage() # GetParameterSlot() # IsConstructFrame() v8::internal::TypedFrame WithJSLinkage + Iterate() # TypedFrameWithJSLinkage() v8::internal::JavaScript BuiltinContinuationFrame v8::internal::BuiltinFrame + type() + function() + ComputeParametersCount() + ComputeParametersCount() + GetSPToFPDelta() + context() # BuiltinFrame() + cast() # JavaScriptBuiltinContinuation Frame() Δ v8::internal::JavaScript BuiltinContinuationWithCatchFrame + type() + SetException()

+ cast()

WithCatchFrame()

JavaScriptBuiltinContinuation

+ type() + function()

+ cast()

v8::internal::StackFrame