TorqueGeneratedWeakArray List< WeakArrayList, HeapObject > v8::internal::WeakArrayList + kMaxCapacity + Compact() + Get() + Get() + get() + Set() + Set() + capacity() + data_start() + CopyElements() + IsFull() + AllocatedSize() + CountLiveWeakReferences() + CountLiveElements() + RemoveOne() + Contains() + AddToEnd() + AddToEnd() + Append() + SizeForCapacity() + CapacityForLength() + EnsureSpace() OffsetOfÉlementAt() v8::internal::DependentCode + kEmptyDependentCode + kCodeSlotOffset + kGroupsSlotOffset v8::internal::PrototypeUsers + DependencyGroupName() + kEmptySlotIndex + DependencyGroupToLazyDeopt + kFirstIndex + kNoEmptySlotsMarker + InstallDependency() + DeoptimizeDependencyGroups() + Add() + DeoptimizeDependencyGroups() + MarkSlotEmpty() + MarkCodeForDeoptimization() + Compact() + empty_dependent_code() - DISALLOW_IMPLICIT_CONSTRUCTORS() - MarkCodeForDeoptimization() empty_slot_index() - DeoptimizeDependencyGroups() set empty slot index() IterateAndCompact() ScanForEmptySlots() FillEntryFromBack() - OBJECT CONSTRUCTORS()

+ kSlotsPerEntry

- GetDependentCode() SetDependentCode() InsertWeakCode() LengthFor()

Reason()