Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KPV - 500mcg

Tested for: EnergiX US
none

PASS

Scan to verify authenticity at ils-lab.com
Access Code: 2K7CL6XP

COA #:	**COA-2026-77Q7SJ**	Analysis Date:	**09/28/2026**
Lot Number:	**SUP7-0526-KP500**	Appearance:	**Good**
Accession #:	**ACC-2026-20329**	Sample Matrix:	**Capsule/Tablet**
Labeled Content:	**500mcg**	Vial Size:	**Capsules**
		Date Received:	**09/18/2026**

Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
KPV	**99.19%**	Fentanyl Free




KPV 500mcg - SUP7-0526-KP500

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.19%**	%	**PASS**
Net Peptide Content	Report Only	**0.52**	mg	N/A
Identity (HPLC-RTM)	KPV	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



KPV 500mcg - SUP7-0526-KP500: UV Chromatogram

Notes & Methodology

1. Date Tested: 09/28/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be KPV by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
5. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
09/28/2026

COA #: **COA-2026-77Q7SJ**
Access Code: **2K7CL6XP**
Verify: portal.ils-lab.com/verify/W1Gw4mQX6XEUafc0
Issued: 09/28/2026