Title:

Certificate of Analysis (CoA)

Date: 7/9/2026
Date Tested: 7/6/2026
Customer: EnergiX
Testing material: Semaglutide
Lot Number: SUP4-0626-S5
BT Sample ID: 005000040684359
Labeled Peptide Content/Potency: 5 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, blue plastic cap.
Labeled as: Sema
Manufacturer: Supplier 4
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	69.8 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Semaglutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 5 mg	5.5 mg (110.8 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	5.5 : 64.3 mg (1:11.6)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.


Andrea Castro, AS
Scientist-II
BTLabs

Escarlet Cabrieles, AS
Scientist-II
BTLabs


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Semaglutide Lot SUP4-0626-S5



HPLC Purity and Potency Assay @ 280 nm: Semaglutide Lot SUP4-0626-S5



Semaglutide Lot SUP4-0626-S5 @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	9.431	724