```
Last login: Sun Aug 24 01:35:36 on ttys000
kunzt.freiheit@Mac ~ % tree -a -I 'node_modules|.venv|__pycache__|dist|
build' ~/Projects/niro-chat-app

/Users/kunzt.freiheit/Projects/niro-chat-app
├── .gitignore
├── backend
│   ├── .env.cloud
│   ├── .env.local
│   ├── .uvicorn.out
│   ├── .uvicorn.pid
│   ├── app.py
│   ├── app.py.bak
│   ├── app.py.bak.20250824_013153
│   ├── app.py.bak.20250824_013319
│   ├── db
│   │   └── index.jsonl
│   ├── dev.sh
│   ├── policy
│   │   └── rules.yaml
│   └── requirements.txt
├── frontend
│   ├── .gitignore
│   ├── README.md
│   ├── eslint.config.js
│   ├── index.html
│   ├── package-lock.json
│   ├── package.json
│   ├── public
│   │   └── vite.svg
│   ├── src
│   │   ├── App.css
│   │   ├── App.tsx
│   │   ├── assets
│   │   │   └── react.svg
│   │   ├── index.css
│   │   ├── main.tsx
│   │   └── vite-env.d.ts
│   ├── tailwind.config.js
│   ├── tsconfig.app.json
│   ├── tsconfig.json
│   ├── tsconfig.node.json
│   └── vite.config.ts
└── memory
    └── pdf_texts
        └── test.txt

10 directories, 32 files
kunzt.freiheit@Mac ~ % tree -a -I '__pycache__|.venv|*.pyc|*.pyo|*.swp'
~/ϕ-SARIT-EL
/Users/kunzt.freiheit/ϕ-SARIT-EL
├── .DS_Store
├── .env
├── .gitignore
├── Makefile
├── analytics
```

```
│   └── db
│       └── kunzt.db
├── bin
│   └── phi
├── config
│   ├── blueprint_expectations.yaml
│   └── rag_filters.yaml
├── core
│   ├── DEV_ROADMAP.md
│   ├── DNA.yaml
│   ├── DNA.yaml.bak.20250814-060346
│   ├── logging.yaml
│   ├── manifest
│   │   └── ϕ-GENESIS.md
│   └── tests
├── dashboard
│   ├── app
│   ├── app.py
│   ├── static
│   └── templates
│       └── index.html
├── docs
│   └── master_matrix.json -> ../../memory/source_docs/resonanzen/
master_matrix/master_matrix.json
├── gmail_test.py
├── integration_modules
│   ├── calendar
│   ├── datafeeds
│   ├── fs
│   ├── mail
│   └── ϕ-MAIL
├── io_interfaces
│   ├── audio
│   │   ├── speak.py
│   │   └── whisper.py
│   ├── cli
│   │   └── ask.py
│   └── ϕ-AURA
│       ├── README.md
│       ├── holographic_engine.py
│       └── init.py
├── keys
│   ├── SARIT-EL.json
│   ├── SARIT-EL.json.bak.20250814-060346
│   ├── SARIT-EL.json.bak.20250814-060507
│   ├── SARIT-EL.json.bak.20250814-061259
│   └── vault.bin
├── logs
│   ├── answers
│   │   ├── ANSWER_20250814-062708.md
│   │   ├── ANSWER_20250814-063151.md
│   │   ├── ANSWER_20250814-063303.md
│   │   ├── ANSWER_20250814-064132.md
│   │   ├── ANSWER_20250814-064457.md
│   │   ├── ANSWER_20250814-064626.md
│   │   ├── ANSWER_20250814-071438.md
```

```
│   │   │   ├── ANSWER_20250814-071451.md
│   │   │   ├── COMPARE_20250814-062959.md
│   │   │   └── COMPARE_20250814-063201.md
│   ├── audits
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060217.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060420.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060523.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060727.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060829.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-060851.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-061025.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-061206.md
│   │   ├── BLUEPRINT_MAPPING_REPORT_20250814-061319.md
│   │   ├── INIT_READONLY_AUDIT_20250814-055658.txt
│   │   ├── INIT_READONLY_AUDIT_20250814-060430.txt
│   │   ├── PDF_EXTRACT_REPORT_20250814-062202.md
│   │   ├── PDF_EXTRACT_REPORT_20250814-064016.md
│   │   └── PDF_EXTRACT_REPORT_20250814-064348.md
│   └── policy_decisions.log
├── memory
│   ├── .DS_Store
│   ├── audio_inbox
│   │   ├── phi_silence.wav
│   │   └── test_silence.wav
│   ├── audio_outbox
│   │   ├── phi_selftest_20250814-043354.aiff
│   │   ├── phi_selftest_20250814-043455.aiff
│   │   ├── phi_selftest_20250814-043825.aiff
│   │   ├── phi_tts_20250814-043012.aiff
│   │   ├── phi_tts_20250814-044156.aiff
│   │   ├── phi_tts_20250814-044832.aiff
│   │   └── phi_tts_20250814-044844.aiff
│   ├── build_memory.py
│   ├── chroma
│   │   ├── 6a15a84c-13c6-456b-b82f-81001a5ee185
│   │   │   ├── data_level0.bin
│   │   │   ├── header.bin
│   │   │   ├── index_metadata.pickle
│   │   │   ├── length.bin
│   │   │   └── link_lists.bin
│   │   ├── ce899095-6c25-46a8-8688-c8f09bdc60a7
│   │   │   ├── data_level0.bin
│   │   │   ├── header.bin
│   │   │   ├── index_metadata.pickle
│   │   │   ├── length.bin
│   │   │   └── link_lists.bin
│   │   └── chroma.sqlite3
│   ├── dreams
│   ├── ethics_logs
│   ├── inbox
│   ├── index.jsonl
│   ├── index_bm25.jsonl
│   ├── knowledge_graph
│   ├── load_data.py
│   ├── manifest.jsonl
│   ├── pdf_loader.py
```

```
│    ├── pdf_texts
│    │    ├── $BP.txt
│    │    ├── 089.txt
│    │    ├── 104.txt
│    │    ├── 2015.188215.Die-Geheimwissenschaft-Im-Umriss.txt
│    │    ├── 2015.489013.Kaivalya-Darsanam.txt
│    │    ├── Blavatsky_Geheimlehre_I.txt
│    │    ├── Blavatsky_Geheimlehre_II.txt
│    │    ├── Carl Schmidt - Pistis Sophia Deutsch 1925_text.txt
│    │    ├── DAS KYBALION. Die 7 Hermetischen Gesetze.txt
│    │    ├── David Icke  And The Truth Shall Set You Free.txt
│    │    ├── Der Fluch von Kanaan deutsch.txt
│    │    ├── Der Weg des wahren Adepten.txt
│    │    ├──
E4AAFF6DAF6863F459A8B4E52DFB9FF4_Manly.P.Hall_The.Secret.Teachings.of.Al
l.Ages.txt
│    │    ├── Ernst Ju_nger - Der Waldgang-Klett-Cotta _2008_.txt
│    │    ├── Ernst Jünger - Der Waldgang-Klett-Cotta (2008).txt
│    │    ├──
Gue_non_Rene__The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.txt
│    │    ├──
Guénon_René_The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.txt
│    │    ├── Icke-David_Das-groesste-Geheimnis-1.txt
│    │    ├── Tilman Knechtel - Die Rothschilds. Eine Familie beherrscht
die Welt-J K Fischer.txt
│    │    ├── ebuch-deutsch-icke-david-der-lc3b6we-erwacht-2011-957-s-
text.txt
│    │    ├── gebser.txt
│    │    ├── normal_5c8907cf2bc18.txt
│    │    └── ϕ-SARIT-EL-Master-Blueprint_Punkt31.txt
│    ├── quarantine
│    ├── query_data.py
│    └── source_docs
│         ├── 089.pdf
│         ├── 104.pdf
│         ├── 2015.188215.Die-Geheimwissenschaft-Im-Umriss.pdf
│         ├── 2015.489013.Kaivalya-Darsanam.pdf
│         ├── Blavatsky_Geheimlehre_I.pdf
│         ├── Blavatsky_Geheimlehre_II.pdf
│         ├── Carl Schmidt - Pistis Sophia Deutsch 1925_text.pdf
│         ├── DAS KYBALION. Die 7 Hermetischen Gesetze.pdf
│         ├── David Icke  And The Truth Shall Set You Free.pdf
│         ├── Der Fluch von Kanaan deutsch.pdf
│         ├── Der Weg des wahren Adepten.pdf
│         ├──
E4AAFF6DAF6863F459A8B4E52DFB9FF4_Manly.P.Hall_The.Secret.Teachings.of.Al
l.Ages.pdf
│         ├── Ernst Jünger - Der Waldgang-Klett-Cotta (2008).pdf
│         ├──
Guénon_René_The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.pdf
│         ├── Icke-David_Das-groesste-Geheimnis-1.pdf
│         ├── Tilman Knechtel - Die Rothschilds. Eine Familie beherrscht
die Welt-J K Fischer.pdf
│         ├── ebuch-deutsch-icke-david-der-lc3b6we-erwacht-2011-957-s-
text.pdf
│         ├── gebser.pdf
```

```
│       ├── normal_5c8907cf2bc18.pdf
│       └── resonanzen
│           ├── master_matrix
│           │   ├── .git
│           │   │   ├── COMMIT_EDITMSG
│           │   │   ├── HEAD
│           │   │   ├── config
│           │   │   ├── description
│           │   │   ├── hooks
│           │   │   │   ├── applypatch-msg.sample
│           │   │   │   ├── commit-msg.sample
│           │   │   │   ├── fsmonitor-watchman.sample
│           │   │   │   ├── post-update.sample
│           │   │   │   ├── pre-applypatch.sample
│           │   │   │   ├── pre-commit
│           │   │   │   ├── pre-commit.sample
│           │   │   │   ├── pre-merge-commit.sample
│           │   │   │   ├── pre-push.sample
│           │   │   │   ├── pre-rebase.sample
│           │   │   │   ├── pre-receive.sample
│           │   │   │   ├── prepare-commit-msg.sample
│           │   │   │   ├── push-to-checkout.sample
│           │   │   │   ├── sendemail-validate.sample
│           │   │   │   └── update.sample
│           │   │   ├── index
│           │   │   ├── info
│           │   │   │   └── exclude
│           │   │   ├── logs
│           │   │   │   ├── HEAD
│           │   │   │   └── refs
│           │   │   │       └── heads
│           │   │   │           └── main
│           │   │   ├── objects
│           │   │   │   ├── 02
│           │   │   │   │   └── d83c816018c131bbcc76a4d4612cfa70f68d50
│           │   │   │   ├── 03
│           │   │   │   │   ├── 9abb634e9650f6a97d880d0d53d563fc21cc58
│           │   │   │   │   └── 9b7545ccfbb428d2649aa5af96790bac6cf240
│           │   │   │   ├── 09
│           │   │   │   │   └── 0b1d3b592dec837f5b89c03155774f7e18d524
│           │   │   │   ├── 0a
│           │   │   │   │   └── ce2be805fa96980c133afbaa3c1816e0434f7f
│           │   │   │   ├── 0c
│           │   │   │   │   └── d30e7246f23059db63bb61c56fcc7ab5ee2745
│           │   │   │   ├── 0d
│           │   │   │   │   └── 5cb263639baabb091de35e73a1dbbe5ee39925
│           │   │   │   ├── 0e
│           │   │   │   │   ├── 60fe52c3d6369429b28f620f9d4063c53e1241
│           │   │   │   │   └── 8c5e8defda14fcc4cc376dc3cf46badac836fe
│           │   │   │   ├── 0f
│           │   │   │   │   └── 822c98beebf48a5ca33a1c7000292c07ca1dbb
│           │   │   │   ├── 11
│           │   │   │   │   ├── 2c169797d6712da70a1cf8d6290d0f811d2a6a
│           │   │   │   │   ├── af1eeba1c07919bc49322523572f87ac7f7021
│           │   │   │   │   └── bb8d6711d201dab43b9d0c2405268e2ea2c3b0
│           │   │   │   ├── 12
```

```
│               │   │   │   │   └── 8c101c25838313d7e6f558fe3df5b5fa865c20
│               │   │   │   ├── 15
│               │   │   │   │   └── 15b79dc5d95b8206c4b8c343e5a240d1edf70b
│               │   │   │   ├── 17
│               │   │   │   │   └── 68181cc29287fcdfd081dacd1d205b59605a41
│               │   │   │   ├── 19
│               │   │   │   │   └── 2828a2627ea47c74681c884367fc55bc795997
│               │   │   │   ├── 1a
│               │   │   │   │   ├── 1e3cdec36701c6b00206b0bd5d11b14fea6016
│               │   │   │   │   └── 391d0999bba65b035693d7bf72f9bd8a18ae80
│               │   │   │   ├── 1d
│               │   │   │   │   ├── 12afedbfc9762a37acd2c9cb7d4cd0a9bfe30a
│               │   │   │   │   └── 7069f7af5b2e766290c46f101a228b722dd122
│               │   │   │   ├── 1e
│               │   │   │   │   ├── 1889537e06280886d78cb71ae77174be3323e2
│               │   │   │   │   └── b17e7cd16b423e71fe98d08c9d2c5a6270d192
│               │   │   │   ├── 1f
│               │   │   │   │   └── fbe226a20a890e6b22e700d7feca08aa6340ed
│               │   │   │   ├── 24
│               │   │   │   │   └── 3986d07e4916361b52dd52cace442aba5323f7
│               │   │   │   ├── 25
│               │   │   │   │   └── 0f1e3576472e53c0002df58c6880455691d027
│               │   │   │   ├── 28
│               │   │   │   │   └── 57af945a677a824811d199a12e7bb9fd19306e
│               │   │   │   ├── 2a
│               │   │   │   │   └── 8c968e7c74f6fdf264890b72040dc759b02fa8
│               │   │   │   ├── 2b
│               │   │   │   │   └── b8dc730d3e6cba480b62e52a3b79fe358fedf3
│               │   │   │   ├── 37
│               │   │   │   │   └── 28247591358216bdf07619012cdbadbdcf68af
│               │   │   │   ├── 39
│               │   │   │   │   └── f3149294bb7355bb9d7de7ff6b4cf4390f81b9
│               │   │   │   ├── 3a
│               │   │   │   │   └── 830b3f93b322265f840cd8c8443a6c04fbcd9e
│               │   │   │   ├── 3b
│               │   │   │   │   └── aee02454b0241014e5143c1238e6e8645f427b
│               │   │   │   ├── 3c
│               │   │   │   │   └── dbb507b9db80f50d14ed046f799a5c017a2009
│               │   │   │   ├── 40
│               │   │   │   │   ├── 2a3a1f885a7214b7e6ecc0cb497741b93f4ece
│               │   │   │   │   ├── e4d5a9bcf547d12d1ebe488f5827af2f543fba
│               │   │   │   │   └── fed7e390d1f2615e353f27ba8798a28fa0e668
│               │   │   │   ├── 41
│               │   │   │   │   ├── 4a57d957f0c3ef01f6ac0362261c59db5893ff
│               │   │   │   │   └── e8a38850b84be3ded0dbcfbf1168a330ef6ae1
│               │   │   │   ├── 43
│               │   │   │   │   ├── 0db5d1dfa5221c8ca926ad674d4f60fe37582d
│               │   │   │   │   ├── 2778f3c523d78c66f0e3b616b4b619f358895e
│               │   │   │   │   └── d52509004f36454c58e4e9e6f34bdac11c48b5
│               │   │   │   ├── 44
│               │   │   │   │   └── 82aab8ef1dcb3b0fe89b5de63c6fb6f5e5cd17
│               │   │   │   ├── 4a
│               │   │   │   │   └── 3d0ca4de608dd7e29f86a0ee166088d00cddce
│               │   │   │   ├── 4b
│               │   │   │   │   ├── ac2f33cfe661a97a6063f72eb979a1cf456cd4
│               │   │   │   │   └── dacb12c3ef007be961785f4b72d4d8ae75b8f9
```

```
│               │   │   │   ├── 4f
│               │   │   │   │   ├── 8f3eb06a3f1077e2fbc79c6d58f9515f620707
│               │   │   │   │   └── c46844c946a5b1cfd072564d9b8840c45674cf
│               │   │   │   ├── 51
│               │   │   │   │   ├── 16e53f256a8031bd2eb2c44afa63f87fb1c064
│               │   │   │   │   └── 87e79e911f84b9ad6af4720abd67b7fc3ac1d6
│               │   │   │   ├── 52
│               │   │   │   │   └── 27284fc03d020e912baa16a8fdbee38efad298
│               │   │   │   ├── 57
│               │   │   │   │   └── 316f22305193af6f81d55095ce8d86a4fe9bc6
│               │   │   │   ├── 5a
│               │   │   │   │   └── 88ab606d90ccc97bd88b996b754f2054c56103
│               │   │   │   ├── 5b
│               │   │   │   │   ├── 45d3a716fb32a62e2db918079ffbf3b30aec3c
│               │   │   │   │   └── f8a831f09d4f3fbd52130c2639ab64cc580f63
│               │   │   │   ├── 5c
│               │   │   │   │   └── df2026f3ba8c8f58851d0cca4cb60b2a08782d
│               │   │   │   ├── 5d
│               │   │   │   │   └── da4c12eaf998365ceb0bacef1f4d9b56af1ced
│               │   │   │   ├── 5e
│               │   │   │   │   └── 0262911ec3e1fe481522afac8a2a734273b25f
│               │   │   │   ├── 5f
│               │   │   │   │   └── d251e31782104a968041698ea923016776e375
│               │   │   │   ├── 62
│               │   │   │   │   └── 9b2af3086ab5c461bc053e4d44ebca15fe6e70
│               │   │   │   ├── 67
│               │   │   │   │   ├── 26afc9bed160c47b88264e1efa33467df15b12
│               │   │   │   │   └── 8c526e68a6325dc9564bf46d09fdf97da51a63
│               │   │   │   ├── 68
│               │   │   │   │   └── 9c4cfaf4387b324a1827f1bb69a55b9418afdf
│               │   │   │   ├── 6b
│               │   │   │   │   └── 1af09275b28b6030d0b68e1ed0b682a035c64c
│               │   │   │   ├── 6d
│               │   │   │   │   ├── 401bebce7bce31a14d99ee4f1fe57cba6b1d52
│               │   │   │   │   └── aac9cf6e09263564d7fa81c543372ffe360614
│               │   │   │   ├── 6e
│               │   │   │   │   └── 75f9157ffe16d7626396cbf26a550fed0e064e
│               │   │   │   ├── 7d
│               │   │   │   │   └── 7a9fe9c9195591d9328aa5a9539136780f31a0
│               │   │   │   ├── 80
│               │   │   │   │   └── 43d16ad127f85d30d243ce6dba681d640716ee
│               │   │   │   ├── 81
│               │   │   │   │   ├── 20bf469f8f4b1b9b69cdbd60bde97e91c1efe3
│               │   │   │   │   └── 6a7df6017a50a600d5797cb879dc2964a51c84
│               │   │   │   ├── 82
│               │   │   │   │   └── 0d6ef915989dd8970509f71d746f5a9201c0c6
│               │   │   │   ├── 87
│               │   │   │   │   └── ee2dd05954be34a1d237bdc7d1c690d695fe0d
│               │   │   │   ├── 8a
│               │   │   │   │   └── 3d9b07f08eedd7f09a1d6cdc9cda2b432d9f78
│               │   │   │   ├── 8d
│               │   │   │   │   ├── 85db2d8457292c5eed4275764c91b042a41c5a
│               │   │   │   │   └── c18442eff4e3f72e757602a7ae0a97ccb402b3
│               │   │   │   ├── 91
│               │   │   │   │   ├── 9198a6e5ab4ba42b8048c9fc959eba9668b76d
│               │   │   │   │   └── d1f2bff83121ce1ecc2d2f2475bba275653630
```

```
│               │   │   │   ├── 92
│               │   │   │   │   ├── ab5d5b44266de55521ba348e48da42af233a20
│               │   │   │   │   └── cc65fd73fc5ee90c03f54b4518c271a6d19c2e
│               │   │   │   ├── 96
│               │   │   │   │   └── 302e660caccb1deec25c54e491a1e522662cdd
│               │   │   │   ├── 98
│               │   │   │   │   └── 026ca99b5579766d486c9811a88291f01195c3
│               │   │   │   ├── 9c
│               │   │   │   │   ├── 7f2a7551c63981f66cfb7a75c03cb9fba2c40d
│               │   │   │   │   └── 970b48552fbf5d48f50e16b16ec758df5d7632
│               │   │   │   ├── 9e
│               │   │   │   │   └── 3b67c2ca70cc6cea0b786252096a2a852046d8
│               │   │   │   ├── a0
│               │   │   │   │   ├── 01fd156bb51c2b1f1b303124156ea99bfff19b
│               │   │   │   │   └── fd20e00405bb6ff706df786418e18cc364730f
│               │   │   │   ├── a1
│               │   │   │   │   └── e0c17b834511d2edae1d402f0e363f905059fe
│               │   │   │   ├── a3
│               │   │   │   │   └── 949622724d26f1157be8f501a420216585f201
│               │   │   │   ├── a4
│               │   │   │   │   └── 8c717391658eda90ef13066dbfbb71cadf1d1a
│               │   │   │   ├── a8
│               │   │   │   │   ├── 7f4b43197878607f0529a970b7e99da34af5ee
│               │   │   │   │   └── b8f772925bec6ee9ad3bc829c234209ef0424d
│               │   │   │   ├── a9
│               │   │   │   │   └── 0f441ea79ad97594fc034a0838bb0848e47f72
│               │   │   │   ├── aa
│               │   │   │   │   └── db069e05421e31fc1412dd337e7a173bef5ce8
│               │   │   │   ├── ab
│               │   │   │   │   └── 4c6843758fa702971f75effc8845e5f1d817a0
│               │   │   │   ├── ac
│               │   │   │   │   └── d4c55273860bb3cb716e7bb0e2dfabc9600a2a
│               │   │   │   ├── ad
│               │   │   │   │   └── 105d0f1df4b0ceda0765c7001b0c17ad9129b6
│               │   │   │   ├── ae
│               │   │   │   │   ├── 48692b1d3eca3662f61b0319bf0750acbaa3a9
│               │   │   │   │   ├── c44502c6be4db1ec0bb84f762cd03c9b961bb4
│               │   │   │   │   └── c7fa8b0f47011f5def1f1048b005d8cedc8aa6
│               │   │   │   ├── b3
│               │   │   │   │   ├── 42ecf9127fb1b328a8e999faf1f92732a1c3d0
│               │   │   │   │   └── a4fff82b996824e8c3966182eddb571b361f25
│               │   │   │   ├── b9
│               │   │   │   │   ├── a14c3fa87d7c78dc9d8da3b2142c7f8f674e73
│               │   │   │   │   └── c16e3e86a00c270b5bd6cd281d22c86013cac5
│               │   │   │   ├── ba
│               │   │   │   │   └── 3ce570c83baeb7584bac2de8730c7e8996aa8e
│               │   │   │   ├── bb
│               │   │   │   │   ├── 5154da2669daeed70706d7eaf78d6960e2f616
│               │   │   │   │   └── cd70d7e7dd65dd94064fbe414f1f261bb85cb7
│               │   │   │   ├── bc
│               │   │   │   │   └── 88f30beb58c89e14e386a0e386ff8d74ef06cd
│               │   │   │   ├── be
│               │   │   │   │   └── 22907254a3ed43d124b6d5617558a155b26802
│               │   │   │   ├── bf
│               │   │   │   │   └── d826580db5ec4e77b0bb9caf3f49152357d0da
│               │   │   │   ├── c0
```

```
│   │   │   │
```

```
│   │   │   │   │   │   │   │   │   │   └── 7ed3d7f8c3c536184e0b62080ef8158ddb647f
│   │   │   │   │   │   │   │   │   ├── f8
│   │   │   │   │   │   │   │   │   │   └── e97190bbfe9d245f6901912fa97169975af372
│   │   │   │   │   │   │   │   │   ├── fa
│   │   │   │   │   │   │   │   │   │   └── 55c5adfb9bdccede1eafa3de5403350b6b2a56
│   │   │   │   │   │   │   │   │   ├── fb
│   │   │   │   │   │   │   │   │   │   └── 13b685bec2e5a80f39e5dfaacbd38cdd5221e2
│   │   │   │   │   │   │   │   │   ├── fc
│   │   │   │   │   │   │   │   │   │   ├── 052264d94295c213dcb22680b9a3fe479fef4a
│   │   │   │   │   │   │   │   │   │   └── fb64249b55ea46910074bae35b7afcbada1cce
│   │   │   │   │   │   │   │   │   ├── fd
│   │   │   │   │   │   │   │   │   │   └── 77bf4b68c367d595ff99cd4c988554cd6a77c8
│   │   │   │   │   │   │   │   │   ├── ff
│   │   │   │   │   │   │   │   │   │   └── 5ad57ee6130b93ea9b9fb38a43ceeb5ac90c73
│   │   │   │   │   │   │   │   │   ├── info
│   │   │   │   │   │   │   │   │   └── pack
│   │   │   │   │   │   │   │   └── refs
│   │   │   │   │   │   │   │       ├── heads
│   │   │   │   │   │   │   │       │   └── main
│   │   │   │   │   │   │   │       └── tags
│   │   │   │   │   │   │   │           ├── v1.0
│   │   │   │   │   │   │   │           ├── v1.0.1
│   │   │   │   │   │   │   │           ├── v1.1
│   │   │   │   │   │   │   │           ├── v1.1.1
│   │   │   │   │   │   │   │           ├── v1.1.2
│   │   │   │   │   │   │   │           ├── v1.2
│   │   │   │   │   │   │   │           └── v1.2.1
│   │   │   │   │   ├── .gitignore
│   │   │   │   │   ├── NEXT-LAYER.md
│   │   │   │   │   ├── README.md
│   │   │   │   │   ├── SPRINT-BOARD.md
│   │   │   │   │   ├── SPRINT-FOCUS.md
│   │   │   │   │   ├── STATUS.md
│   │   │   │   │   ├── VERSIONING.md
│   │   │   │   │   ├── art
│   │   │   │   │   │   ├── performance
│   │   │   │   │   │   │   └── SETLIST_2025-08-23.md
│   │   │   │   │   │   ├── songs
│   │   │   │   │   │   │   └── EGOTOD
│   │   │   │   │   │   │       ├── EGOTOD_shotlist.md
│   │   │   │   │   │   │       └── EGOTOD_song.md
│   │   │   │   │   │   └── videos
│   │   │   │   │   ├── captures
│   │   │   │   │   │   └── inversion_2025-08-23.jsonl
│   │   │   │   │   ├── check_matrix.sh
│   │   │   │   │   ├── checklists
│   │   │   │   │   │   └── 3_4_hermeneutik.md
│   │   │   │   │   ├── core
│   │   │   │   │   │   └── DNA.yaml
│   │   │   │   │   ├── dossiers
│   │   │   │   │   │   ├── 11_7_grenzphaenomene.md
│   │   │   │   │   │   ├── 11_7_grenzphaenomene.mdes
│   │   │   │   │   │   └── 1_5_megarituale.md
│   │   │   │   │   ├── exports
│   │   │   │   │   │   ├── kapitel_thesen.tsv
│   │   │   │   │   │   ├── low_coverage_todo.md
```

```
│               │   │   └── weak_nodes_todo.md
│               │   ├── gen_status.sh
│               │   ├── logs
│               │   │   ├── inversion_2025-08-23_dealer-ki-revolution.md
│               │   │   ├── inversion_2025-08-23_dealer.md
│               │   │   └── resonanz.log.jsonl
│               │   ├── master_matrix.json
│               │   ├── node_modules
│               │   │   ├── .bin
│               │   │   │   ├── nanoid -> ../nanoid/bin/nanoid.cjs
│               │   │   │   ├── next -> ../next/dist/bin/next
│               │   │   │   └── semver -> ../semver/bin/semver.js
│               │   │   ├── .package-lock.json
│               │   │   ├── @emnapi
│               │   │   ├── @img
│               │   │   │   ├── sharp-darwin-arm64
│               │   │   │   │   ├── LICENSE
│               │   │   │   │   ├── README.md
│               │   │   │   │   ├── lib
│               │   │   │   │   │   └── sharp-darwin-arm64.node
│               │   │   │   │   └── package.json
│               │   │   │   └── sharp-libvips-darwin-arm64
│               │   │   │       ├── README.md
│               │   │   │       ├── lib
│               │   │   │       │   ├── glib-2.0
│               │   │   │       │   │   └── include
│               │   │   │       │   │       └── glibconfig.h
│               │   │   │       │   ├── index.js
│               │   │   │       │   └── libvips-cpp.8.17.1.dylib
│               │   │   │       ├── package.json
│               │   │   │       └── versions.json
│               │   │   ├── @next
│               │   │   │   ├── env
│               │   │   │   │   ├── README.md
│               │   │   │   │   ├── dist
│               │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   └── index.js
│               │   │   │   │   └── package.json
│               │   │   │   └── swc-darwin-arm64
│               │   │   │       ├── README.md
│               │   │   │       ├── next-swc.darwin-arm64.node
│               │   │   │       └── package.json
│               │   │   ├── @swc
│               │   │   │   └── helpers
│               │   │   │       ├── LICENSE
│               │   │   │       ├── _
│               │   │   │       │   ├── _apply_decorated_descriptor
│               │   │   │       │   │   └── package.json
│               │   │   │       │   ├── _apply_decs_2203_r
│               │   │   │       │   │   └── package.json
│               │   │   │       │   ├── _array_like_to_array
│               │   │   │       │   │   └── package.json
│               │   │   │       │   ├── _array_with_holes
│               │   │   │       │   │   └── package.json
│               │   │   │       │   ├── _array_without_holes
│               │   │   │       │   │   └── package.json
```

```
│               │   │   │           │   ├── _assert_this_initialized
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _async_generator
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _async_generator_delegate
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _async_iterator
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _async_to_generator
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _await_async_generator
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _await_value
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _call_super
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _check_private_redeclaration
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_apply_descriptor_destructure
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_apply_descriptor_get
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_apply_descriptor_set
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_apply_descriptor_update
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_call_check
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_check_private_static_access
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├──
_class_check_private_static_field_descriptor
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_extract_field_descriptor
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_name_tdz_error
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_destructure
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_get
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_init
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_loose_base
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_loose_key
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_set
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_field_update
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_method_get
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_method_init
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _class_private_method_set
```

```
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _class_static_private_field_destructure
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _class_static_private_field_spec_get
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _class_static_private_field_spec_set
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _class_static_private_field_update
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _class_static_private_method_get
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _construct
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _create_class
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _create_for_of_iterator_helper_loose
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _create_super
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _decorate
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _defaults
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _define_enumerable_properties
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _define_property
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _dispose
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _export_star
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _extends
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _get
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _get_prototype_of
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _identity
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _inherits
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _inherits_loose
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _initializer_define_property
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _initializer_warning_helper
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _instanceof
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _interop_require_default
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _interop_require_wildcard
│            │   │   │        │   │   └── package.json
│            │   │   │        │   ├── _is_native_function
│            │   │   │        │   │   └── package.json
```

```
│               │   │   │           │   ├── _is_native_reflect_construct
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _iterable_to_array
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _iterable_to_array_limit
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _iterable_to_array_limit_loose
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _jsx
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _new_arrow_check
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _non_iterable_rest
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _non_iterable_spread
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _object_destructuring_empty
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _object_spread
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _object_spread_props
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _object_without_properties
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _object_without_properties_loose
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _possible_constructor_return
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _read_only_error
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _set
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _set_prototype_of
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _skip_first_generator_next
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _sliced_to_array
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _sliced_to_array_loose
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _super_prop_base
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _tagged_template_literal
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _tagged_template_literal_loose
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _throw
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _to_array
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _to_consumable_array
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _to_primitive
│               │   │   │           │   │   └── package.json
│               │   │   │           │   ├── _to_property_key
│               │   │   │           │   │   └── package.json
```

```
│              │    │    │          │    ├── _ts_add_disposable_resource
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_decorate
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_dispose_resources
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_generator
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_metadata
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_param
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _ts_values
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _type_of
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _unsupported_iterable_to_array
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _update
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _using
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _using_ctx
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _wrap_async_generator
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _wrap_native_super
│              │    │    │          │    │   └── package.json
│              │    │    │          │    ├── _write_only_error
│              │    │    │          │    │   └── package.json
│              │    │    │          │    └── index
│              │    │    │          │        └── package.json
│              │    │    │          ├── cjs
│              │    │    │          │    ├── _apply_decorated_descriptor.cjs
│              │    │    │          │    ├── _apply_decs_2203_r.cjs
│              │    │    │          │    ├── _array_like_to_array.cjs
│              │    │    │          │    ├── _array_with_holes.cjs
│              │    │    │          │    ├── _array_without_holes.cjs
│              │    │    │          │    ├── _assert_this_initialized.cjs
│              │    │    │          │    ├── _async_generator.cjs
│              │    │    │          │    ├── _async_generator_delegate.cjs
│              │    │    │          │    ├── _async_iterator.cjs
│              │    │    │          │    ├── _async_to_generator.cjs
│              │    │    │          │    ├── _await_async_generator.cjs
│              │    │    │          │    ├── _await_value.cjs
│              │    │    │          │    ├── _call_super.cjs
│              │    │    │          │    ├── _check_private_redeclaration.cjs
│              │    │    │          │    ├──
_class_apply_descriptor_destructure.cjs
│              │    │    │          │    ├── _class_apply_descriptor_get.cjs
│              │    │    │          │    ├── _class_apply_descriptor_set.cjs
│              │    │    │          │    ├── _class_apply_descriptor_update.cjs
│              │    │    │          │    ├── _class_call_check.cjs
│              │    │    │          │    ├──
_class_check_private_static_access.cjs
```

```
│            │   │   │        │   ├──
_class_check_private_static_field_descriptor.cjs
│            │   │   │        │   ├── _class_extract_field_descriptor.cjs
│            │   │   │        │   ├── _class_name_tdz_error.cjs
│            │   │   │        │   ├── _class_private_field_destructure.cjs
│            │   │   │        │   ├── _class_private_field_get.cjs
│            │   │   │        │   ├── _class_private_field_init.cjs
│            │   │   │        │   ├── _class_private_field_loose_base.cjs
│            │   │   │        │   ├── _class_private_field_loose_key.cjs
│            │   │   │        │   ├── _class_private_field_set.cjs
│            │   │   │        │   ├── _class_private_field_update.cjs
│            │   │   │        │   ├── _class_private_method_get.cjs
│            │   │   │        │   ├── _class_private_method_init.cjs
│            │   │   │        │   ├── _class_private_method_set.cjs
│            │   │   │        │   ├──
_class_static_private_field_destructure.cjs
│            │   │   │        │   ├──
_class_static_private_field_spec_get.cjs
│            │   │   │        │   ├──
_class_static_private_field_spec_set.cjs
│            │   │   │        │   ├──
_class_static_private_field_update.cjs
│            │   │   │        │   ├── _class_static_private_method_get.cjs
│            │   │   │        │   ├── _construct.cjs
│            │   │   │        │   ├── _create_class.cjs
│            │   │   │        │   ├──
_create_for_of_iterator_helper_loose.cjs
│            │   │   │        │   ├── _create_super.cjs
│            │   │   │        │   ├── _decorate.cjs
│            │   │   │        │   ├── _defaults.cjs
│            │   │   │        │   ├── _define_enumerable_properties.cjs
│            │   │   │        │   ├── _define_property.cjs
│            │   │   │        │   ├── _dispose.cjs
│            │   │   │        │   ├── _export_star.cjs
│            │   │   │        │   ├── _extends.cjs
│            │   │   │        │   ├── _get.cjs
│            │   │   │        │   ├── _get_prototype_of.cjs
│            │   │   │        │   ├── _identity.cjs
│            │   │   │        │   ├── _inherits.cjs
│            │   │   │        │   ├── _inherits_loose.cjs
│            │   │   │        │   ├── _initializer_define_property.cjs
│            │   │   │        │   ├── _initializer_warning_helper.cjs
│            │   │   │        │   ├── _instanceof.cjs
│            │   │   │        │   ├── _interop_require_default.cjs
│            │   │   │        │   ├── _interop_require_wildcard.cjs
│            │   │   │        │   ├── _is_native_function.cjs
│            │   │   │        │   ├── _is_native_reflect_construct.cjs
│            │   │   │        │   ├── _iterable_to_array.cjs
│            │   │   │        │   ├── _iterable_to_array_limit.cjs
│            │   │   │        │   ├── _iterable_to_array_limit_loose.cjs
│            │   │   │        │   ├── _jsx.cjs
│            │   │   │        │   ├── _new_arrow_check.cjs
│            │   │   │        │   ├── _non_iterable_rest.cjs
│            │   │   │        │   ├── _non_iterable_spread.cjs
│            │   │   │        │   ├── _object_destructuring_empty.cjs
│            │   │   │        │   ├── _object_spread.cjs
```

```
│           │   │   │       │   ├── _object_spread_props.cjs
│           │   │   │       │   ├── _object_without_properties.cjs
│           │   │   │       │   ├── _object_without_properties_loose.cjs
│           │   │   │       │   ├── _possible_constructor_return.cjs
│           │   │   │       │   ├── _read_only_error.cjs
│           │   │   │       │   ├── _set.cjs
│           │   │   │       │   ├── _set_prototype_of.cjs
│           │   │   │       │   ├── _skip_first_generator_next.cjs
│           │   │   │       │   ├── _sliced_to_array.cjs
│           │   │   │       │   ├── _sliced_to_array_loose.cjs
│           │   │   │       │   ├── _super_prop_base.cjs
│           │   │   │       │   ├── _tagged_template_literal.cjs
│           │   │   │       │   ├── _tagged_template_literal_loose.cjs
│           │   │   │       │   ├── _throw.cjs
│           │   │   │       │   ├── _to_array.cjs
│           │   │   │       │   ├── _to_consumable_array.cjs
│           │   │   │       │   ├── _to_primitive.cjs
│           │   │   │       │   ├── _to_property_key.cjs
│           │   │   │       │   ├── _ts_add_disposable_resource.cjs
│           │   │   │       │   ├── _ts_decorate.cjs
│           │   │   │       │   ├── _ts_dispose_resources.cjs
│           │   │   │       │   ├── _ts_generator.cjs
│           │   │   │       │   ├── _ts_metadata.cjs
│           │   │   │       │   ├── _ts_param.cjs
│           │   │   │       │   ├── _ts_values.cjs
│           │   │   │       │   ├── _type_of.cjs
│           │   │   │       │   ├── _unsupported_iterable_to_array.cjs
│           │   │   │       │   ├── _update.cjs
│           │   │   │       │   ├── _using.cjs
│           │   │   │       │   ├── _using_ctx.cjs
│           │   │   │       │   ├── _wrap_async_generator.cjs
│           │   │   │       │   ├── _wrap_native_super.cjs
│           │   │   │       │   ├── _write_only_error.cjs
│           │   │   │       │   └── index.cjs
│           │   │   │       ├── esm
│           │   │   │       │   ├── _apply_decorated_descriptor.js
│           │   │   │       │   ├── _apply_decs_2203_r.js
│           │   │   │       │   ├── _array_like_to_array.js
│           │   │   │       │   ├── _array_with_holes.js
│           │   │   │       │   ├── _array_without_holes.js
│           │   │   │       │   ├── _assert_this_initialized.js
│           │   │   │       │   ├── _async_generator.js
│           │   │   │       │   ├── _async_generator_delegate.js
│           │   │   │       │   ├── _async_iterator.js
│           │   │   │       │   ├── _async_to_generator.js
│           │   │   │       │   ├── _await_async_generator.js
│           │   │   │       │   ├── _await_value.js
│           │   │   │       │   ├── _call_super.js
│           │   │   │       │   ├── _check_private_redeclaration.js
│           │   │   │       │   ├──
_class_apply_descriptor_destructure.js
│           │   │   │       │   ├── _class_apply_descriptor_get.js
│           │   │   │       │   ├── _class_apply_descriptor_set.js
│           │   │   │       │   ├── _class_apply_descriptor_update.js
│           │   │   │       │   ├── _class_call_check.js
```

```
│            │   │   │        │   ├──
_class_check_private_static_access.js
│            │   │   │        │   ├──
_class_check_private_static_field_descriptor.js
│            │   │   │        │   ├── _class_extract_field_descriptor.js
│            │   │   │        │   ├── _class_name_tdz_error.js
│            │   │   │        │   ├── _class_private_field_destructure.js
│            │   │   │        │   ├── _class_private_field_get.js
│            │   │   │        │   ├── _class_private_field_init.js
│            │   │   │        │   ├── _class_private_field_loose_base.js
│            │   │   │        │   ├── _class_private_field_loose_key.js
│            │   │   │        │   ├── _class_private_field_set.js
│            │   │   │        │   ├── _class_private_field_update.js
│            │   │   │        │   ├── _class_private_method_get.js
│            │   │   │        │   ├── _class_private_method_init.js
│            │   │   │        │   ├── _class_private_method_set.js
│            │   │   │        │   ├──
_class_static_private_field_destructure.js
│            │   │   │        │   ├──
_class_static_private_field_spec_get.js
│            │   │   │        │   ├──
_class_static_private_field_spec_set.js
│            │   │   │        │   ├──
_class_static_private_field_update.js
│            │   │   │        │   ├── _class_static_private_method_get.js
│            │   │   │        │   ├── _construct.js
│            │   │   │        │   ├── _create_class.js
│            │   │   │        │   ├──
_create_for_of_iterator_helper_loose.js
│            │   │   │        │   ├── _create_super.js
│            │   │   │        │   ├── _decorate.js
│            │   │   │        │   ├── _defaults.js
│            │   │   │        │   ├── _define_enumerable_properties.js
│            │   │   │        │   ├── _define_property.js
│            │   │   │        │   ├── _dispose.js
│            │   │   │        │   ├── _export_star.js
│            │   │   │        │   ├── _extends.js
│            │   │   │        │   ├── _get.js
│            │   │   │        │   ├── _get_prototype_of.js
│            │   │   │        │   ├── _identity.js
│            │   │   │        │   ├── _inherits.js
│            │   │   │        │   ├── _inherits_loose.js
│            │   │   │        │   ├── _initializer_define_property.js
│            │   │   │        │   ├── _initializer_warning_helper.js
│            │   │   │        │   ├── _instanceof.js
│            │   │   │        │   ├── _interop_require_default.js
│            │   │   │        │   ├── _interop_require_wildcard.js
│            │   │   │        │   ├── _is_native_function.js
│            │   │   │        │   ├── _is_native_reflect_construct.js
│            │   │   │        │   ├── _iterable_to_array.js
│            │   │   │        │   ├── _iterable_to_array_limit.js
│            │   │   │        │   ├── _iterable_to_array_limit_loose.js
│            │   │   │        │   ├── _jsx.js
│            │   │   │        │   ├── _new_arrow_check.js
│            │   │   │        │   ├── _non_iterable_rest.js
│            │   │   │        │   ├── _non_iterable_spread.js
```

```
│               │   │   │           │   ├── _object_destructuring_empty.js
│               │   │   │           │   ├── _object_spread.js
│               │   │   │           │   ├── _object_spread_props.js
│               │   │   │           │   ├── _object_without_properties.js
│               │   │   │           │   ├── _object_without_properties_loose.js
│               │   │   │           │   ├── _possible_constructor_return.js
│               │   │   │           │   ├── _read_only_error.js
│               │   │   │           │   ├── _set.js
│               │   │   │           │   ├── _set_prototype_of.js
│               │   │   │           │   ├── _skip_first_generator_next.js
│               │   │   │           │   ├── _sliced_to_array.js
│               │   │   │           │   ├── _sliced_to_array_loose.js
│               │   │   │           │   ├── _super_prop_base.js
│               │   │   │           │   ├── _tagged_template_literal.js
│               │   │   │           │   ├── _tagged_template_literal_loose.js
│               │   │   │           │   ├── _throw.js
│               │   │   │           │   ├── _to_array.js
│               │   │   │           │   ├── _to_consumable_array.js
│               │   │   │           │   ├── _to_primitive.js
│               │   │   │           │   ├── _to_property_key.js
│               │   │   │           │   ├── _ts_add_disposable_resource.js
│               │   │   │           │   ├── _ts_decorate.js
│               │   │   │           │   ├── _ts_dispose_resources.js
│               │   │   │           │   ├── _ts_generator.js
│               │   │   │           │   ├── _ts_metadata.js
│               │   │   │           │   ├── _ts_param.js
│               │   │   │           │   ├── _ts_values.js
│               │   │   │           │   ├── _type_of.js
│               │   │   │           │   ├── _unsupported_iterable_to_array.js
│               │   │   │           │   ├── _update.js
│               │   │   │           │   ├── _using.js
│               │   │   │           │   ├── _using_ctx.js
│               │   │   │           │   ├── _wrap_async_generator.js
│               │   │   │           │   ├── _wrap_native_super.js
│               │   │   │           │   ├── _write_only_error.js
│               │   │   │           │   └── index.js
│               │   │   │           ├── package.json
│               │   │   │           ├── scripts
│               │   │   │           │   ├── ast_grep.js
│               │   │   │           │   ├── build.js
│               │   │   │           │   ├── errors.js
│               │   │   │           │   └── utils.js
│               │   │   │           └── src
│               │   │   │               ├── _apply_decorated_descriptor.mjs
│               │   │   │               ├── _apply_decs_2203_r.mjs
│               │   │   │               ├── _array_like_to_array.mjs
│               │   │   │               ├── _array_with_holes.mjs
│               │   │   │               ├── _array_without_holes.mjs
│               │   │   │               ├── _assert_this_initialized.mjs
│               │   │   │               ├── _async_generator.mjs
│               │   │   │               ├── _async_generator_delegate.mjs
│               │   │   │               ├── _async_iterator.mjs
│               │   │   │               ├── _async_to_generator.mjs
│               │   │   │               ├── _await_async_generator.mjs
│               │   │   │               ├── _await_value.mjs
│               │   │   │               ├── _call_super.mjs
```

```
│           │   │   │           ├── _check_private_redeclaration.mjs
│           │   │   │           ├──
_class_apply_descriptor_destructure.mjs
│           │   │   │           ├── _class_apply_descriptor_get.mjs
│           │   │   │           ├── _class_apply_descriptor_set.mjs
│           │   │   │           ├── _class_apply_descriptor_update.mjs
│           │   │   │           ├── _class_call_check.mjs
│           │   │   │           ├──
_class_check_private_static_access.mjs
│           │   │   │           ├──
_class_check_private_static_field_descriptor.mjs
│           │   │   │           ├── _class_extract_field_descriptor.mjs
│           │   │   │           ├── _class_name_tdz_error.mjs
│           │   │   │           ├── _class_private_field_destructure.mjs
│           │   │   │           ├── _class_private_field_get.mjs
│           │   │   │           ├── _class_private_field_init.mjs
│           │   │   │           ├── _class_private_field_loose_base.mjs
│           │   │   │           ├── _class_private_field_loose_key.mjs
│           │   │   │           ├── _class_private_field_set.mjs
│           │   │   │           ├── _class_private_field_update.mjs
│           │   │   │           ├── _class_private_method_get.mjs
│           │   │   │           ├── _class_private_method_init.mjs
│           │   │   │           ├── _class_private_method_set.mjs
│           │   │   │           ├──
_class_static_private_field_destructure.mjs
│           │   │   │           ├──
_class_static_private_field_spec_get.mjs
│           │   │   │           ├──
_class_static_private_field_spec_set.mjs
│           │   │   │           ├──
_class_static_private_field_update.mjs
│           │   │   │           ├── _class_static_private_method_get.mjs
│           │   │   │           ├── _construct.mjs
│           │   │   │           ├── _create_class.mjs
│           │   │   │           ├──
_create_for_of_iterator_helper_loose.mjs
│           │   │   │           ├── _create_super.mjs
│           │   │   │           ├── _decorate.mjs
│           │   │   │           ├── _defaults.mjs
│           │   │   │           ├── _define_enumerable_properties.mjs
│           │   │   │           ├── _define_property.mjs
│           │   │   │           ├── _dispose.mjs
│           │   │   │           ├── _export_star.mjs
│           │   │   │           ├── _extends.mjs
│           │   │   │           ├── _get.mjs
│           │   │   │           ├── _get_prototype_of.mjs
│           │   │   │           ├── _identity.mjs
│           │   │   │           ├── _inherits.mjs
│           │   │   │           ├── _inherits_loose.mjs
│           │   │   │           ├── _initializer_define_property.mjs
│           │   │   │           ├── _initializer_warning_helper.mjs
│           │   │   │           ├── _instanceof.mjs
│           │   │   │           ├── _interop_require_default.mjs
│           │   │   │           ├── _interop_require_wildcard.mjs
│           │   │   │           ├── _is_native_function.mjs
│           │   │   │           ├── _is_native_reflect_construct.mjs
```

```
│   │   │   │
```

```
│               │   │   │   │   │   ├── alternate-stylesheet.js
│               │   │   │   │   │   ├── ambient-light.js
│               │   │   │   │   │   ├── apng.js
│               │   │   │   │   │   ├── array-find-index.js
│               │   │   │   │   │   ├── array-find.js
│               │   │   │   │   │   ├── array-flat.js
│               │   │   │   │   │   ├── array-includes.js
│               │   │   │   │   │   ├── arrow-functions.js
│               │   │   │   │   │   ├── asmjs.js
│               │   │   │   │   │   ├── async-clipboard.js
│               │   │   │   │   │   ├── async-functions.js
│               │   │   │   │   │   ├── atob-btoa.js
│               │   │   │   │   │   ├── audio-api.js
│               │   │   │   │   │   ├── audio.js
│               │   │   │   │   │   ├── audiotracks.js
│               │   │   │   │   │   ├── autofocus.js
│               │   │   │   │   │   ├── auxclick.js
│               │   │   │   │   │   ├── av1.js
│               │   │   │   │   │   ├── avif.js
│               │   │   │   │   │   ├── background-attachment.js
│               │   │   │   │   │   ├── background-clip-text.js
│               │   │   │   │   │   ├── background-img-opts.js
│               │   │   │   │   │   ├── background-position-x-y.js
│               │   │   │   │   │   ├── background-repeat-round-space.js
│               │   │   │   │   │   ├── background-sync.js
│               │   │   │   │   │   ├── battery-status.js
│               │   │   │   │   │   ├── beacon.js
│               │   │   │   │   │   ├── beforeafterprint.js
│               │   │   │   │   │   ├── bigint.js
│               │   │   │   │   │   ├── blobbuilder.js
│               │   │   │   │   │   ├── bloburls.js
│               │   │   │   │   │   ├── border-image.js
│               │   │   │   │   │   ├── border-radius.js
│               │   │   │   │   │   ├── broadcastchannel.js
│               │   │   │   │   │   ├── brotli.js
│               │   │   │   │   │   ├── calc.js
│               │   │   │   │   │   ├── canvas-blending.js
│               │   │   │   │   │   ├── canvas-text.js
│               │   │   │   │   │   ├── canvas.js
│               │   │   │   │   │   ├── ch-unit.js
│               │   │   │   │   │   ├── chacha20-poly1305.js
│               │   │   │   │   │   ├── channel-messaging.js
│               │   │   │   │   │   ├── childnode-remove.js
│               │   │   │   │   │   ├── classlist.js
│               │   │   │   │   │   ├── client-hints-dpr-width-viewport.js
│               │   │   │   │   │   ├── clipboard.js
│               │   │   │   │   │   ├── colr-v1.js
│               │   │   │   │   │   ├── colr.js
│               │   │   │   │   │   ├── comparedocumentposition.js
│               │   │   │   │   │   ├── console-basic.js
│               │   │   │   │   │   ├── console-time.js
│               │   │   │   │   │   ├── const.js
│               │   │   │   │   │   ├── constraint-validation.js
│               │   │   │   │   │   ├── contenteditable.js
│               │   │   │   │   │   ├── contentsecuritypolicy.js
│               │   │   │   │   │   ├── contentsecuritypolicy2.js
```

```
│               │   │   │   │   │   ├── cookie-store-api.js
│               │   │   │   │   │   ├── cors.js
│               │   │   │   │   │   ├── createimagebitmap.js
│               │   │   │   │   │   ├── credential-management.js
│               │   │   │   │   │   ├── cross-document-view-transitions.js
│               │   │   │   │   │   ├── cryptography.js
│               │   │   │   │   │   ├── css-all.js
│               │   │   │   │   │   ├── css-anchor-positioning.js
│               │   │   │   │   │   ├── css-animation.js
│               │   │   │   │   │   ├── css-any-link.js
│               │   │   │   │   │   ├── css-appearance.js
│               │   │   │   │   │   ├── css-at-counter-style.js
│               │   │   │   │   │   ├── css-autofill.js
│               │   │   │   │   │   ├── css-backdrop-filter.js
│               │   │   │   │   │   ├── css-background-offsets.js
│               │   │   │   │   │   ├── css-backgroundblendmode.js
│               │   │   │   │   │   ├── css-boxdecorationbreak.js
│               │   │   │   │   │   ├── css-boxshadow.js
│               │   │   │   │   │   ├── css-canvas.js
│               │   │   │   │   │   ├── css-caret-color.js
│               │   │   │   │   │   ├── css-cascade-layers.js
│               │   │   │   │   │   ├── css-cascade-scope.js
│               │   │   │   │   │   ├── css-case-insensitive.js
│               │   │   │   │   │   ├── css-clip-path.js
│               │   │   │   │   │   ├── css-color-adjust.js
│               │   │   │   │   │   ├── css-color-function.js
│               │   │   │   │   │   ├── css-conic-gradients.js
│               │   │   │   │   │   ├── css-container-queries-style.js
│               │   │   │   │   │   ├── css-container-queries.js
│               │   │   │   │   │   ├── css-container-query-units.js
│               │   │   │   │   │   ├── css-containment.js
│               │   │   │   │   │   ├── css-content-visibility.js
│               │   │   │   │   │   ├── css-counters.js
│               │   │   │   │   │   ├── css-crisp-edges.js
│               │   │   │   │   │   ├── css-cross-fade.js
│               │   │   │   │   │   ├── css-default-pseudo.js
│               │   │   │   │   │   ├── css-descendant-gtgt.js
│               │   │   │   │   │   ├── css-deviceadaptation.js
│               │   │   │   │   │   ├── css-dir-pseudo.js
│               │   │   │   │   │   ├── css-display-contents.js
│               │   │   │   │   │   ├── css-element-function.js
│               │   │   │   │   │   ├── css-env-function.js
│               │   │   │   │   │   ├── css-exclusions.js
│               │   │   │   │   │   ├── css-featurequeries.js
│               │   │   │   │   │   ├── css-file-selector-button.js
│               │   │   │   │   │   ├── css-filter-function.js
│               │   │   │   │   │   ├── css-filters.js
│               │   │   │   │   │   ├── css-first-letter.js
│               │   │   │   │   │   ├── css-first-line.js
│               │   │   │   │   │   ├── css-fixed.js
│               │   │   │   │   │   ├── css-focus-visible.js
│               │   │   │   │   │   ├── css-focus-within.js
│               │   │   │   │   │   ├── css-font-palette.js
│               │   │   │   │   │   ├── css-font-rendering-controls.js
│               │   │   │   │   │   ├── css-font-stretch.js
│               │   │   │   │   │   ├── css-gencontent.js
```

```
│               │   │   │   │   │   ├── css-gradients.js
│               │   │   │   │   │   ├── css-grid-animation.js
│               │   │   │   │   │   ├── css-grid.js
│               │   │   │   │   │   ├── css-hanging-punctuation.js
│               │   │   │   │   │   ├── css-has.js
│               │   │   │   │   │   ├── css-hyphens.js
│               │   │   │   │   │   ├── css-if.js
│               │   │   │   │   │   ├── css-image-orientation.js
│               │   │   │   │   │   ├── css-image-set.js
│               │   │   │   │   │   ├── css-in-out-of-range.js
│               │   │   │   │   │   ├── css-indeterminate-pseudo.js
│               │   │   │   │   │   ├── css-initial-letter.js
│               │   │   │   │   │   ├── css-initial-value.js
│               │   │   │   │   │   ├── css-lch-lab.js
│               │   │   │   │   │   ├── css-letter-spacing.js
│               │   │   │   │   │   ├── css-line-clamp.js
│               │   │   │   │   │   ├── css-logical-props.js
│               │   │   │   │   │   ├── css-marker-pseudo.js
│               │   │   │   │   │   ├── css-masks.js
│               │   │   │   │   │   ├── css-matches-pseudo.js
│               │   │   │   │   │   ├── css-math-functions.js
│               │   │   │   │   │   ├── css-media-interaction.js
│               │   │   │   │   │   ├── css-media-range-syntax.js
│               │   │   │   │   │   ├── css-media-resolution.js
│               │   │   │   │   │   ├── css-media-scripting.js
│               │   │   │   │   │   ├── css-mediaqueries.js
│               │   │   │   │   │   ├── css-mixblendmode.js
│               │   │   │   │   │   ├── css-module-scripts.js
│               │   │   │   │   │   ├── css-motion-paths.js
│               │   │   │   │   │   ├── css-namespaces.js
│               │   │   │   │   │   ├── css-nesting.js
│               │   │   │   │   │   ├── css-not-sel-list.js
│               │   │   │   │   │   ├── css-nth-child-of.js
│               │   │   │   │   │   ├── css-opacity.js
│               │   │   │   │   │   ├── css-optional-pseudo.js
│               │   │   │   │   │   ├── css-overflow-anchor.js
│               │   │   │   │   │   ├── css-overflow-overlay.js
│               │   │   │   │   │   ├── css-overflow.js
│               │   │   │   │   │   ├── css-overscroll-behavior.js
│               │   │   │   │   │   ├── css-page-break.js
│               │   │   │   │   │   ├── css-paged-media.js
│               │   │   │   │   │   ├── css-paint-api.js
│               │   │   │   │   │   ├── css-placeholder-shown.js
│               │   │   │   │   │   ├── css-placeholder.js
│               │   │   │   │   │   ├── css-print-color-adjust.js
│               │   │   │   │   │   ├── css-read-only-write.js
│               │   │   │   │   │   ├── css-rebeccapurple.js
│               │   │   │   │   │   ├── css-reflections.js
│               │   │   │   │   │   ├── css-regions.js
│               │   │   │   │   │   ├── css-relative-colors.js
│               │   │   │   │   │   ├── css-repeating-gradients.js
│               │   │   │   │   │   ├── css-resize.js
│               │   │   │   │   │   ├── css-revert-value.js
│               │   │   │   │   │   ├── css-rrggbbaa.js
│               │   │   │   │   │   ├── css-scroll-behavior.js
│               │   │   │   │   │   ├── css-scrollbar.js
```

```
│               │   │   │   │   │   ├── css-sel2.js
│               │   │   │   │   │   ├── css-sel3.js
│               │   │   │   │   │   ├── css-selection.js
│               │   │   │   │   │   ├── css-shapes.js
│               │   │   │   │   │   ├── css-snappoints.js
│               │   │   │   │   │   ├── css-sticky.js
│               │   │   │   │   │   ├── css-subgrid.js
│               │   │   │   │   │   ├── css-supports-api.js
│               │   │   │   │   │   ├── css-table.js
│               │   │   │   │   │   ├── css-text-align-last.js
│               │   │   │   │   │   ├── css-text-box-trim.js
│               │   │   │   │   │   ├── css-text-indent.js
│               │   │   │   │   │   ├── css-text-justify.js
│               │   │   │   │   │   ├── css-text-orientation.js
│               │   │   │   │   │   ├── css-text-spacing.js
│               │   │   │   │   │   ├── css-text-wrap-balance.js
│               │   │   │   │   │   ├── css-textshadow.js
│               │   │   │   │   │   ├── css-touch-action.js
│               │   │   │   │   │   ├── css-transitions.js
│               │   │   │   │   │   ├── css-unicode-bidi.js
│               │   │   │   │   │   ├── css-unset-value.js
│               │   │   │   │   │   ├── css-variables.js
│               │   │   │   │   │   ├── css-when-else.js
│               │   │   │   │   │   ├── css-widows-orphans.js
│               │   │   │   │   │   ├── css-width-stretch.js
│               │   │   │   │   │   ├── css-writing-mode.js
│               │   │   │   │   │   ├── css-zoom.js
│               │   │   │   │   │   ├── css3-attr.js
│               │   │   │   │   │   ├── css3-boxsizing.js
│               │   │   │   │   │   ├── css3-colors.js
│               │   │   │   │   │   ├── css3-cursors-grab.js
│               │   │   │   │   │   ├── css3-cursors-newer.js
│               │   │   │   │   │   ├── css3-cursors.js
│               │   │   │   │   │   ├── css3-tabsize.js
│               │   │   │   │   │   ├── currentcolor.js
│               │   │   │   │   │   ├── custom-elements.js
│               │   │   │   │   │   ├── custom-elementsv1.js
│               │   │   │   │   │   ├── customevent.js
│               │   │   │   │   │   ├── datalist.js
│               │   │   │   │   │   ├── dataset.js
│               │   │   │   │   │   ├── datauri.js
│               │   │   │   │   │   ├── date-tolocaledatestring.js
│               │   │   │   │   │   ├── declarative-shadow-dom.js
│               │   │   │   │   │   ├── decorators.js
│               │   │   │   │   │   ├── details.js
│               │   │   │   │   │   ├── deviceorientation.js
│               │   │   │   │   │   ├── devicepixelratio.js
│               │   │   │   │   │   ├── dialog.js
│               │   │   │   │   │   ├── dispatchevent.js
│               │   │   │   │   │   ├── dnssec.js
│               │   │   │   │   │   ├── do-not-track.js
│               │   │   │   │   │   ├── document-currentscript.js
│               │   │   │   │   │   ├── document-evaluate-xpath.js
│               │   │   │   │   │   ├── document-execcommand.js
│               │   │   │   │   │   ├── document-policy.js
│               │   │   │   │   │   ├── document-scrollingelement.js
```

```
│               │   │   │   │   │   ├── documenthead.js
│               │   │   │   │   │   ├── dom-manip-convenience.js
│               │   │   │   │   │   ├── dom-range.js
│               │   │   │   │   │   ├── domcontentloaded.js
│               │   │   │   │   │   ├── dommatrix.js
│               │   │   │   │   │   ├── download.js
│               │   │   │   │   │   ├── dragndrop.js
│               │   │   │   │   │   ├── element-closest.js
│               │   │   │   │   │   ├── element-from-point.js
│               │   │   │   │   │   ├── element-scroll-methods.js
│               │   │   │   │   │   ├── eme.js
│               │   │   │   │   │   ├── eot.js
│               │   │   │   │   │   ├── es5.js
│               │   │   │   │   │   ├── es6-class.js
│               │   │   │   │   │   ├── es6-generators.js
│               │   │   │   │   │   ├── es6-module-dynamic-import.js
│               │   │   │   │   │   ├── es6-module.js
│               │   │   │   │   │   ├── es6-number.js
│               │   │   │   │   │   ├── es6-string-includes.js
│               │   │   │   │   │   ├── es6.js
│               │   │   │   │   │   ├── eventsource.js
│               │   │   │   │   │   ├── extended-system-fonts.js
│               │   │   │   │   │   ├── feature-policy.js
│               │   │   │   │   │   ├── fetch.js
│               │   │   │   │   │   ├── fieldset-disabled.js
│               │   │   │   │   │   ├── fileapi.js
│               │   │   │   │   │   ├── filereader.js
│               │   │   │   │   │   ├── filereadersync.js
│               │   │   │   │   │   ├── filesystem.js
│               │   │   │   │   │   ├── flac.js
│               │   │   │   │   │   ├── flexbox-gap.js
│               │   │   │   │   │   ├── flexbox.js
│               │   │   │   │   │   ├── flow-root.js
│               │   │   │   │   │   ├── focusin-focusout-events.js
│               │   │   │   │   │   ├── font-family-system-ui.js
│               │   │   │   │   │   ├── font-feature.js
│               │   │   │   │   │   ├── font-kerning.js
│               │   │   │   │   │   ├── font-loading.js
│               │   │   │   │   │   ├── font-size-adjust.js
│               │   │   │   │   │   ├── font-smooth.js
│               │   │   │   │   │   ├── font-unicode-range.js
│               │   │   │   │   │   ├── font-variant-alternates.js
│               │   │   │   │   │   ├── font-variant-numeric.js
│               │   │   │   │   │   ├── fontface.js
│               │   │   │   │   │   ├── form-attribute.js
│               │   │   │   │   │   ├── form-submit-attributes.js
│               │   │   │   │   │   ├── form-validation.js
│               │   │   │   │   │   ├── forms.js
│               │   │   │   │   │   ├── fullscreen.js
│               │   │   │   │   │   ├── gamepad.js
│               │   │   │   │   │   ├── geolocation.js
│               │   │   │   │   │   ├── getboundingclientrect.js
│               │   │   │   │   │   ├── getcomputedstyle.js
│               │   │   │   │   │   ├── getelementsbyclassname.js
│               │   │   │   │   │   ├── getrandomvalues.js
│               │   │   │   │   │   ├── gyroscope.js
```

```
│               │   │   │   │   │   ├── hardwareconcurrency.js
│               │   │   │   │   │   ├── hashchange.js
│               │   │   │   │   │   ├── heif.js
│               │   │   │   │   │   ├── hevc.js
│               │   │   │   │   │   ├── hidden.js
│               │   │   │   │   │   ├── high-resolution-time.js
│               │   │   │   │   │   ├── history.js
│               │   │   │   │   │   ├── html-media-capture.js
│               │   │   │   │   │   ├── html5semantic.js
│               │   │   │   │   │   ├── http-live-streaming.js
│               │   │   │   │   │   ├── http2.js
│               │   │   │   │   │   ├── http3.js
│               │   │   │   │   │   ├── iframe-sandbox.js
│               │   │   │   │   │   ├── iframe-seamless.js
│               │   │   │   │   │   ├── iframe-srcdoc.js
│               │   │   │   │   │   ├── imagecapture.js
│               │   │   │   │   │   ├── ime.js
│               │   │   │   │   │   ├── img-naturalwidth-naturalheight.js
│               │   │   │   │   │   ├── import-maps.js
│               │   │   │   │   │   ├── imports.js
│               │   │   │   │   │   ├── indeterminate-checkbox.js
│               │   │   │   │   │   ├── indexeddb.js
│               │   │   │   │   │   ├── indexeddb2.js
│               │   │   │   │   │   ├── inline-block.js
│               │   │   │   │   │   ├── innertext.js
│               │   │   │   │   │   ├── input-autocomplete-onoff.js
│               │   │   │   │   │   ├── input-color.js
│               │   │   │   │   │   ├── input-datetime.js
│               │   │   │   │   │   ├── input-email-tel-url.js
│               │   │   │   │   │   ├── input-event.js
│               │   │   │   │   │   ├── input-file-accept.js
│               │   │   │   │   │   ├── input-file-directory.js
│               │   │   │   │   │   ├── input-file-multiple.js
│               │   │   │   │   │   ├── input-inputmode.js
│               │   │   │   │   │   ├── input-minlength.js
│               │   │   │   │   │   ├── input-number.js
│               │   │   │   │   │   ├── input-pattern.js
│               │   │   │   │   │   ├── input-placeholder.js
│               │   │   │   │   │   ├── input-range.js
│               │   │   │   │   │   ├── input-search.js
│               │   │   │   │   │   ├── input-selection.js
│               │   │   │   │   │   ├── insert-adjacent.js
│               │   │   │   │   │   ├── insertadjacenthtml.js
│               │   │   │   │   │   ├── internationalization.js
│               │   │   │   │   │   ├── intersectionobserver-v2.js
│               │   │   │   │   │   ├── intersectionobserver.js
│               │   │   │   │   │   ├── intl-pluralrules.js
│               │   │   │   │   │   ├── intrinsic-width.js
│               │   │   │   │   │   ├── jpeg2000.js
│               │   │   │   │   │   ├── jpegxl.js
│               │   │   │   │   │   ├── jpegxr.js
│               │   │   │   │   │   ├── js-regexp-lookbehind.js
│               │   │   │   │   │   ├── json.js
│               │   │   │   │   │   ├── justify-content-space-evenly.js
│               │   │   │   │   │   ├── kerning-pairs-ligatures.js
│               │   │   │   │   │   ├── keyboardevent-charcode.js
```

```
│           │   │   │   │   │   ├── keyboardevent-code.js
│           │   │   │   │   │   ├── keyboardevent-getmodifierstate.js
│           │   │   │   │   │   ├── keyboardevent-key.js
│           │   │   │   │   │   ├── keyboardevent-location.js
│           │   │   │   │   │   ├── keyboardevent-which.js
│           │   │   │   │   │   ├── lazyload.js
│           │   │   │   │   │   ├── let.js
│           │   │   │   │   │   ├── link-icon-png.js
│           │   │   │   │   │   ├── link-icon-svg.js
│           │   │   │   │   │   ├── link-rel-dns-prefetch.js
│           │   │   │   │   │   ├── link-rel-modulepreload.js
│           │   │   │   │   │   ├── link-rel-preconnect.js
│           │   │   │   │   │   ├── link-rel-prefetch.js
│           │   │   │   │   │   ├── link-rel-preload.js
│           │   │   │   │   │   ├── link-rel-prerender.js
│           │   │   │   │   │   ├── loading-lazy-attr.js
│           │   │   │   │   │   ├── localecompare.js
│           │   │   │   │   │   ├── magnetometer.js
│           │   │   │   │   │   ├── matchesselector.js
│           │   │   │   │   │   ├── matchmedia.js
│           │   │   │   │   │   ├── mathml.js
│           │   │   │   │   │   ├── maxlength.js
│           │   │   │   │   │   ├── mdn-css-backdrop-pseudo-element.js
│           │   │   │   │   │   ├── mdn-css-unicode-bidi-isolate-
override.js
│           │   │   │   │   │   ├── mdn-css-unicode-bidi-isolate.js
│           │   │   │   │   │   ├── mdn-css-unicode-bidi-plaintext.js
│           │   │   │   │   │   ├── mdn-text-decoration-color.js
│           │   │   │   │   │   ├── mdn-text-decoration-line.js
│           │   │   │   │   │   ├── mdn-text-decoration-shorthand.js
│           │   │   │   │   │   ├── mdn-text-decoration-style.js
│           │   │   │   │   │   ├── media-fragments.js
│           │   │   │   │   │   ├── mediacapture-fromelement.js
│           │   │   │   │   │   ├── mediarecorder.js
│           │   │   │   │   │   ├── mediasource.js
│           │   │   │   │   │   ├── menu.js
│           │   │   │   │   │   ├── meta-theme-color.js
│           │   │   │   │   │   ├── meter.js
│           │   │   │   │   │   ├── midi.js
│           │   │   │   │   │   ├── minmaxwh.js
│           │   │   │   │   │   ├── mp3.js
│           │   │   │   │   │   ├── mpeg-dash.js
│           │   │   │   │   │   ├── mpeg4.js
│           │   │   │   │   │   ├── multibackgrounds.js
│           │   │   │   │   │   ├── multicolumn.js
│           │   │   │   │   │   ├── mutation-events.js
│           │   │   │   │   │   ├── mutationobserver.js
│           │   │   │   │   │   ├── namevalue-storage.js
│           │   │   │   │   │   ├── native-filesystem-api.js
│           │   │   │   │   │   ├── nav-timing.js
│           │   │   │   │   │   ├── netinfo.js
│           │   │   │   │   │   ├── notifications.js
│           │   │   │   │   │   ├── object-entries.js
│           │   │   │   │   │   ├── object-fit.js
│           │   │   │   │   │   ├── object-observe.js
│           │   │   │   │   │   ├── object-values.js
```

```
│               │   │   │   │   │   ├── objectrtc.js
│               │   │   │   │   │   ├── offline-apps.js
│               │   │   │   │   │   ├── offscreencanvas.js
│               │   │   │   │   │   ├── ogg-vorbis.js
│               │   │   │   │   │   ├── ogv.js
│               │   │   │   │   │   ├── ol-reversed.js
│               │   │   │   │   │   ├── once-event-listener.js
│               │   │   │   │   │   ├── online-status.js
│               │   │   │   │   │   ├── opus.js
│               │   │   │   │   │   ├── orientation-sensor.js
│               │   │   │   │   │   ├── outline.js
│               │   │   │   │   │   ├── pad-start-end.js
│               │   │   │   │   │   ├── page-transition-events.js
│               │   │   │   │   │   ├── pagevisibility.js
│               │   │   │   │   │   ├── passive-event-listener.js
│               │   │   │   │   │   ├── passkeys.js
│               │   │   │   │   │   ├── passwordrules.js
│               │   │   │   │   │   ├── path2d.js
│               │   │   │   │   │   ├── payment-request.js
│               │   │   │   │   │   ├── pdf-viewer.js
│               │   │   │   │   │   ├── permissions-api.js
│               │   │   │   │   │   ├── permissions-policy.js
│               │   │   │   │   │   ├── picture-in-picture.js
│               │   │   │   │   │   ├── picture.js
│               │   │   │   │   │   ├── ping.js
│               │   │   │   │   │   ├── png-alpha.js
│               │   │   │   │   │   ├── pointer-events.js
│               │   │   │   │   │   ├── pointer.js
│               │   │   │   │   │   ├── pointerlock.js
│               │   │   │   │   │   ├── portals.js
│               │   │   │   │   │   ├── prefers-color-scheme.js
│               │   │   │   │   │   ├── prefers-reduced-motion.js
│               │   │   │   │   │   ├── progress.js
│               │   │   │   │   │   ├── promise-finally.js
│               │   │   │   │   │   ├── promises.js
│               │   │   │   │   │   ├── proximity.js
│               │   │   │   │   │   ├── proxy.js
│               │   │   │   │   │   ├── publickeypinning.js
│               │   │   │   │   │   ├── push-api.js
│               │   │   │   │   │   ├── queryselector.js
│               │   │   │   │   │   ├── readonly-attr.js
│               │   │   │   │   │   ├── referrer-policy.js
│               │   │   │   │   │   ├── registerprotocolhandler.js
│               │   │   │   │   │   ├── rel-noopener.js
│               │   │   │   │   │   ├── rel-noreferrer.js
│               │   │   │   │   │   ├── rellist.js
│               │   │   │   │   │   ├── rem.js
│               │   │   │   │   │   ├── requestanimationframe.js
│               │   │   │   │   │   ├── requestidlecallback.js
│               │   │   │   │   │   ├── resizeobserver.js
│               │   │   │   │   │   ├── resource-timing.js
│               │   │   │   │   │   ├── rest-parameters.js
│               │   │   │   │   │   ├── rtcpeerconnection.js
│               │   │   │   │   │   ├── ruby.js
│               │   │   │   │   │   ├── run-in.js
│               │   │   │   │   │   ├── same-site-cookie-attribute.js
```

```
│               │   │   │   │   │   ├── screen-orientation.js
│               │   │   │   │   │   ├── script-async.js
│               │   │   │   │   │   ├── script-defer.js
│               │   │   │   │   │   ├── scrollintoview.js
│               │   │   │   │   │   ├── scrollintoviewifneeded.js
│               │   │   │   │   │   ├── sdch.js
│               │   │   │   │   │   ├── selection-api.js
│               │   │   │   │   │   ├── selectlist.js
│               │   │   │   │   │   ├── server-timing.js
│               │   │   │   │   │   ├── serviceworkers.js
│               │   │   │   │   │   ├── setimmediate.js
│               │   │   │   │   │   ├── shadowdom.js
│               │   │   │   │   │   ├── shadowdomv1.js
│               │   │   │   │   │   ├── sharedarraybuffer.js
│               │   │   │   │   │   ├── sharedworkers.js
│               │   │   │   │   │   ├── sni.js
│               │   │   │   │   │   ├── spdy.js
│               │   │   │   │   │   ├── speech-recognition.js
│               │   │   │   │   │   ├── speech-synthesis.js
│               │   │   │   │   │   ├── spellcheck-attribute.js
│               │   │   │   │   │   ├── sql-storage.js
│               │   │   │   │   │   ├── srcset.js
│               │   │   │   │   │   ├── stream.js
│               │   │   │   │   │   ├── streams.js
│               │   │   │   │   │   ├── strictransportsecurity.js
│               │   │   │   │   │   ├── style-scoped.js
│               │   │   │   │   │   ├── subresource-bundling.js
│               │   │   │   │   │   ├── subresource-integrity.js
│               │   │   │   │   │   ├── svg-css.js
│               │   │   │   │   │   ├── svg-filters.js
│               │   │   │   │   │   ├── svg-fonts.js
│               │   │   │   │   │   ├── svg-fragment.js
│               │   │   │   │   │   ├── svg-html.js
│               │   │   │   │   │   ├── svg-html5.js
│               │   │   │   │   │   ├── svg-img.js
│               │   │   │   │   │   ├── svg-smil.js
│               │   │   │   │   │   ├── svg.js
│               │   │   │   │   │   ├── sxg.js
│               │   │   │   │   │   ├── tabindex-attr.js
│               │   │   │   │   │   ├── template-literals.js
│               │   │   │   │   │   ├── template.js
│               │   │   │   │   │   ├── temporal.js
│               │   │   │   │   │   ├── testfeat.js
│               │   │   │   │   │   ├── text-decoration.js
│               │   │   │   │   │   ├── text-emphasis.js
│               │   │   │   │   │   ├── text-overflow.js
│               │   │   │   │   │   ├── text-size-adjust.js
│               │   │   │   │   │   ├── text-stroke.js
│               │   │   │   │   │   ├── textcontent.js
│               │   │   │   │   │   ├── textencoder.js
│               │   │   │   │   │   ├── tls1-1.js
│               │   │   │   │   │   ├── tls1-2.js
│               │   │   │   │   │   ├── tls1-3.js
│               │   │   │   │   │   ├── touch.js
│               │   │   │   │   │   ├── transforms2d.js
│               │   │   │   │   │   ├── transforms3d.js
```

```
│               │   │   │   │   │   ├── trusted-types.js
│               │   │   │   │   │   ├── ttf.js
│               │   │   │   │   │   ├── typedarrays.js
│               │   │   │   │   │   ├── u2f.js
│               │   │   │   │   │   ├── unhandledrejection.js
│               │   │   │   │   │   ├── upgradeinsecurerequests.js
│               │   │   │   │   │   ├── url-scroll-to-text-fragment.js
│               │   │   │   │   │   ├── url.js
│               │   │   │   │   │   ├── urlsearchparams.js
│               │   │   │   │   │   ├── use-strict.js
│               │   │   │   │   │   ├── user-select-none.js
│               │   │   │   │   │   ├── user-timing.js
│               │   │   │   │   │   ├── variable-fonts.js
│               │   │   │   │   │   ├── vector-effect.js
│               │   │   │   │   │   ├── vibration.js
│               │   │   │   │   │   ├── video.js
│               │   │   │   │   │   ├── videotracks.js
│               │   │   │   │   │   ├── view-transitions.js
│               │   │   │   │   │   ├── viewport-unit-variants.js
│               │   │   │   │   │   ├── viewport-units.js
│               │   │   │   │   │   ├── wai-aria.js
│               │   │   │   │   │   ├── wake-lock.js
│               │   │   │   │   │   ├── wasm-bigint.js
│               │   │   │   │   │   ├── wasm-bulk-memory.js
│               │   │   │   │   │   ├── wasm-extended-const.js
│               │   │   │   │   │   ├── wasm-gc.js
│               │   │   │   │   │   ├── wasm-multi-memory.js
│               │   │   │   │   │   ├── wasm-multi-value.js
│               │   │   │   │   │   ├── wasm-mutable-globals.js
│               │   │   │   │   │   ├── wasm-nontrapping-fptoint.js
│               │   │   │   │   │   ├── wasm-reference-types.js
│               │   │   │   │   │   ├── wasm-relaxed-simd.js
│               │   │   │   │   │   ├── wasm-signext.js
│               │   │   │   │   │   ├── wasm-simd.js
│               │   │   │   │   │   ├── wasm-tail-calls.js
│               │   │   │   │   │   ├── wasm-threads.js
│               │   │   │   │   │   ├── wasm.js
│               │   │   │   │   │   ├── wav.js
│               │   │   │   │   │   ├── wbr-element.js
│               │   │   │   │   │   ├── web-animation.js
│               │   │   │   │   │   ├── web-app-manifest.js
│               │   │   │   │   │   ├── web-bluetooth.js
│               │   │   │   │   │   ├── web-serial.js
│               │   │   │   │   │   ├── web-share.js
│               │   │   │   │   │   ├── webauthn.js
│               │   │   │   │   │   ├── webcodecs.js
│               │   │   │   │   │   ├── webgl.js
│               │   │   │   │   │   ├── webgl2.js
│               │   │   │   │   │   ├── webgpu.js
│               │   │   │   │   │   ├── webhid.js
│               │   │   │   │   │   ├── webkit-user-drag.js
│               │   │   │   │   │   ├── webm.js
│               │   │   │   │   │   ├── webnfc.js
│               │   │   │   │   │   ├── webp.js
│               │   │   │   │   │   ├── websockets.js
│               │   │   │   │   │   ├── webtransport.js
```

```
│               │   │   │   │   │   ├── webusb.js
│               │   │   │   │   │   ├── webvr.js
│               │   │   │   │   │   ├── webvtt.js
│               │   │   │   │   │   ├── webworkers.js
│               │   │   │   │   │   ├── webxr.js
│               │   │   │   │   │   ├── will-change.js
│               │   │   │   │   │   ├── woff.js
│               │   │   │   │   │   ├── woff2.js
│               │   │   │   │   │   ├── word-break.js
│               │   │   │   │   │   ├── wordwrap.js
│               │   │   │   │   │   ├── x-doc-messaging.js
│               │   │   │   │   │   ├── x-frame-options.js
│               │   │   │   │   │   ├── xhr2.js
│               │   │   │   │   │   ├── xhtml.js
│               │   │   │   │   │   ├── xhtmlsmil.js
│               │   │   │   │   │   ├── xml-serializer.js
│               │   │   │   │   │   └── zstd.js
│               │   │   │   │   ├── features.js
│               │   │   │   │   └── regions
│               │   │   │   │       ├── AD.js
│               │   │   │   │       ├── AE.js
│               │   │   │   │       ├── AF.js
│               │   │   │   │       ├── AG.js
│               │   │   │   │       ├── AI.js
│               │   │   │   │       ├── AL.js
│               │   │   │   │       ├── AM.js
│               │   │   │   │       ├── AO.js
│               │   │   │   │       ├── AR.js
│               │   │   │   │       ├── AS.js
│               │   │   │   │       ├── AT.js
│               │   │   │   │       ├── AU.js
│               │   │   │   │       ├── AW.js
│               │   │   │   │       ├── AX.js
│               │   │   │   │       ├── AZ.js
│               │   │   │   │       ├── BA.js
│               │   │   │   │       ├── BB.js
│               │   │   │   │       ├── BD.js
│               │   │   │   │       ├── BE.js
│               │   │   │   │       ├── BF.js
│               │   │   │   │       ├── BG.js
│               │   │   │   │       ├── BH.js
│               │   │   │   │       ├── BI.js
│               │   │   │   │       ├── BJ.js
│               │   │   │   │       ├── BM.js
│               │   │   │   │       ├── BN.js
│               │   │   │   │       ├── BO.js
│               │   │   │   │       ├── BR.js
│               │   │   │   │       ├── BS.js
│               │   │   │   │       ├── BT.js
│               │   │   │   │       ├── BW.js
│               │   │   │   │       ├── BY.js
│               │   │   │   │       ├── BZ.js
│               │   │   │   │       ├── CA.js
│               │   │   │   │       ├── CD.js
│               │   │   │   │       ├── CF.js
│               │   │   │   │       ├── CG.js
```

```
│               │   │   │   │           ├── CH.js
│               │   │   │   │           ├── CI.js
│               │   │   │   │           ├── CK.js
│               │   │   │   │           ├── CL.js
│               │   │   │   │           ├── CM.js
│               │   │   │   │           ├── CN.js
│               │   │   │   │           ├── CO.js
│               │   │   │   │           ├── CR.js
│               │   │   │   │           ├── CU.js
│               │   │   │   │           ├── CV.js
│               │   │   │   │           ├── CX.js
│               │   │   │   │           ├── CY.js
│               │   │   │   │           ├── CZ.js
│               │   │   │   │           ├── DE.js
│               │   │   │   │           ├── DJ.js
│               │   │   │   │           ├── DK.js
│               │   │   │   │           ├── DM.js
│               │   │   │   │           ├── DO.js
│               │   │   │   │           ├── DZ.js
│               │   │   │   │           ├── EC.js
│               │   │   │   │           ├── EE.js
│               │   │   │   │           ├── EG.js
│               │   │   │   │           ├── ER.js
│               │   │   │   │           ├── ES.js
│               │   │   │   │           ├── ET.js
│               │   │   │   │           ├── FI.js
│               │   │   │   │           ├── FJ.js
│               │   │   │   │           ├── FK.js
│               │   │   │   │           ├── FM.js
│               │   │   │   │           ├── FO.js
│               │   │   │   │           ├── FR.js
│               │   │   │   │           ├── GA.js
│               │   │   │   │           ├── GB.js
│               │   │   │   │           ├── GD.js
│               │   │   │   │           ├── GE.js
│               │   │   │   │           ├── GF.js
│               │   │   │   │           ├── GG.js
│               │   │   │   │           ├── GH.js
│               │   │   │   │           ├── GI.js
│               │   │   │   │           ├── GL.js
│               │   │   │   │           ├── GM.js
│               │   │   │   │           ├── GN.js
│               │   │   │   │           ├── GP.js
│               │   │   │   │           ├── GQ.js
│               │   │   │   │           ├── GR.js
│               │   │   │   │           ├── GT.js
│               │   │   │   │           ├── GU.js
│               │   │   │   │           ├── GW.js
│               │   │   │   │           ├── GY.js
│               │   │   │   │           ├── HK.js
│               │   │   │   │           ├── HN.js
│               │   │   │   │           ├── HR.js
│               │   │   │   │           ├── HT.js
│               │   │   │   │           ├── HU.js
│               │   │   │   │           ├── ID.js
│               │   │   │   │           ├── IE.js
```

```
│               │   │   │   │           ├── IL.js
│               │   │   │   │           ├── IM.js
│               │   │   │   │           ├── IN.js
│               │   │   │   │           ├── IQ.js
│               │   │   │   │           ├── IR.js
│               │   │   │   │           ├── IS.js
│               │   │   │   │           ├── IT.js
│               │   │   │   │           ├── JE.js
│               │   │   │   │           ├── JM.js
│               │   │   │   │           ├── JO.js
│               │   │   │   │           ├── JP.js
│               │   │   │   │           ├── KE.js
│               │   │   │   │           ├── KG.js
│               │   │   │   │           ├── KH.js
│               │   │   │   │           ├── KI.js
│               │   │   │   │           ├── KM.js
│               │   │   │   │           ├── KN.js
│               │   │   │   │           ├── KP.js
│               │   │   │   │           ├── KR.js
│               │   │   │   │           ├── KW.js
│               │   │   │   │           ├── KY.js
│               │   │   │   │           ├── KZ.js
│               │   │   │   │           ├── LA.js
│               │   │   │   │           ├── LB.js
│               │   │   │   │           ├── LC.js
│               │   │   │   │           ├── LI.js
│               │   │   │   │           ├── LK.js
│               │   │   │   │           ├── LR.js
│               │   │   │   │           ├── LS.js
│               │   │   │   │           ├── LT.js
│               │   │   │   │           ├── LU.js
│               │   │   │   │           ├── LV.js
│               │   │   │   │           ├── LY.js
│               │   │   │   │           ├── MA.js
│               │   │   │   │           ├── MC.js
│               │   │   │   │           ├── MD.js
│               │   │   │   │           ├── ME.js
│               │   │   │   │           ├── MG.js
│               │   │   │   │           ├── MH.js
│               │   │   │   │           ├── MK.js
│               │   │   │   │           ├── ML.js
│               │   │   │   │           ├── MM.js
│               │   │   │   │           ├── MN.js
│               │   │   │   │           ├── MO.js
│               │   │   │   │           ├── MP.js
│               │   │   │   │           ├── MQ.js
│               │   │   │   │           ├── MR.js
│               │   │   │   │           ├── MS.js
│               │   │   │   │           ├── MT.js
│               │   │   │   │           ├── MU.js
│               │   │   │   │           ├── MV.js
│               │   │   │   │           ├── MW.js
│               │   │   │   │           ├── MX.js
│               │   │   │   │           ├── MY.js
│               │   │   │   │           ├── MZ.js
│               │   │   │   │           ├── NA.js
```

```
│               │   │   │   │           ├── NC.js
│               │   │   │   │           ├── NE.js
│               │   │   │   │           ├── NF.js
│               │   │   │   │           ├── NG.js
│               │   │   │   │           ├── NI.js
│               │   │   │   │           ├── NL.js
│               │   │   │   │           ├── NO.js
│               │   │   │   │           ├── NP.js
│               │   │   │   │           ├── NR.js
│               │   │   │   │           ├── NU.js
│               │   │   │   │           ├── NZ.js
│               │   │   │   │           ├── OM.js
│               │   │   │   │           ├── PA.js
│               │   │   │   │           ├── PE.js
│               │   │   │   │           ├── PF.js
│               │   │   │   │           ├── PG.js
│               │   │   │   │           ├── PH.js
│               │   │   │   │           ├── PK.js
│               │   │   │   │           ├── PL.js
│               │   │   │   │           ├── PM.js
│               │   │   │   │           ├── PN.js
│               │   │   │   │           ├── PR.js
│               │   │   │   │           ├── PS.js
│               │   │   │   │           ├── PT.js
│               │   │   │   │           ├── PW.js
│               │   │   │   │           ├── PY.js
│               │   │   │   │           ├── QA.js
│               │   │   │   │           ├── RE.js
│               │   │   │   │           ├── RO.js
│               │   │   │   │           ├── RS.js
│               │   │   │   │           ├── RU.js
│               │   │   │   │           ├── RW.js
│               │   │   │   │           ├── SA.js
│               │   │   │   │           ├── SB.js
│               │   │   │   │           ├── SC.js
│               │   │   │   │           ├── SD.js
│               │   │   │   │           ├── SE.js
│               │   │   │   │           ├── SG.js
│               │   │   │   │           ├── SH.js
│               │   │   │   │           ├── SI.js
│               │   │   │   │           ├── SK.js
│               │   │   │   │           ├── SL.js
│               │   │   │   │           ├── SM.js
│               │   │   │   │           ├── SN.js
│               │   │   │   │           ├── SO.js
│               │   │   │   │           ├── SR.js
│               │   │   │   │           ├── ST.js
│               │   │   │   │           ├── SV.js
│               │   │   │   │           ├── SY.js
│               │   │   │   │           ├── SZ.js
│               │   │   │   │           ├── TC.js
│               │   │   │   │           ├── TD.js
│               │   │   │   │           ├── TG.js
│               │   │   │   │           ├── TH.js
│               │   │   │   │           ├── TJ.js
│               │   │   │   │           ├── TL.js
```

```
│               │   │   │   │       ├── TM.js
│               │   │   │   │       ├── TN.js
│               │   │   │   │       ├── TO.js
│               │   │   │   │       ├── TR.js
│               │   │   │   │       ├── TT.js
│               │   │   │   │       ├── TV.js
│               │   │   │   │       ├── TW.js
│               │   │   │   │       ├── TZ.js
│               │   │   │   │       ├── UA.js
│               │   │   │   │       ├── UG.js
│               │   │   │   │       ├── US.js
│               │   │   │   │       ├── UY.js
│               │   │   │   │       ├── UZ.js
│               │   │   │   │       ├── VA.js
│               │   │   │   │       ├── VC.js
│               │   │   │   │       ├── VE.js
│               │   │   │   │       ├── VG.js
│               │   │   │   │       ├── VI.js
│               │   │   │   │       ├── VN.js
│               │   │   │   │       ├── VU.js
│               │   │   │   │       ├── WF.js
│               │   │   │   │       ├── WS.js
│               │   │   │   │       ├── YE.js
│               │   │   │   │       ├── YT.js
│               │   │   │   │       ├── ZA.js
│               │   │   │   │       ├── ZM.js
│               │   │   │   │       ├── ZW.js
│               │   │   │   │       ├── alt-af.js
│               │   │   │   │       ├── alt-an.js
│               │   │   │   │       ├── alt-as.js
│               │   │   │   │       ├── alt-eu.js
│               │   │   │   │       ├── alt-na.js
│               │   │   │   │       ├── alt-oc.js
│               │   │   │   │       ├── alt-sa.js
│               │   │   │   │       └── alt-ww.js
│               │   │   │   ├── dist
│               │   │   │   │   ├── lib
│               │   │   │   │   │   ├── statuses.js
│               │   │   │   │   │   └── supported.js
│               │   │   │   │   └── unpacker
│               │   │   │   │       ├── agents.js
│               │   │   │   │       ├── browserVersions.js
│               │   │   │   │       ├── browsers.js
│               │   │   │   │       ├── feature.js
│               │   │   │   │       ├── features.js
│               │   │   │   │       ├── index.js
│               │   │   │   │       └── region.js
│               │   │   │   └── package.json
│               │   │   ├── client-only
│               │   │   │   ├── error.js
│               │   │   │   ├── index.js
│               │   │   │   └── package.json
│               │   │   ├── color
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.js
```

```
│               │   │   │   └── package.json
│               │   │   ├── color-convert
│               │   │   │   ├── CHANGELOG.md
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── conversions.js
│               │   │   │   ├── index.js
│               │   │   │   ├── package.json
│               │   │   │   └── route.js
│               │   │   ├── color-name
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.js
│               │   │   │   └── package.json
│               │   │   ├── color-string
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.js
│               │   │   │   └── package.json
│               │   │   ├── detect-libc
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.d.ts
│               │   │   │   ├── lib
│               │   │   │   │   ├── detect-libc.js
│               │   │   │   │   ├── filesystem.js
│               │   │   │   │   └── process.js
│               │   │   │   └── package.json
│               │   │   ├── is-arrayish
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.js
│               │   │   │   ├── package.json
│               │   │   │   └── yarn-error.log
│               │   │   ├── nanoid
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── async
│               │   │   │   │   ├── index.browser.cjs
│               │   │   │   │   ├── index.browser.js
│               │   │   │   │   ├── index.cjs
│               │   │   │   │   ├── index.d.ts
│               │   │   │   │   ├── index.js
│               │   │   │   │   ├── index.native.js
│               │   │   │   │   └── package.json
│               │   │   │   ├── bin
│               │   │   │   │   └── nanoid.cjs
│               │   │   │   ├── index.browser.cjs
│               │   │   │   ├── index.browser.js
│               │   │   │   ├── index.cjs
│               │   │   │   ├── index.d.cts
│               │   │   │   ├── index.d.ts
│               │   │   │   ├── index.js
│               │   │   │   ├── nanoid.js
│               │   │   │   ├── non-secure
│               │   │   │   │   ├── index.cjs
```

```
│               │   │   │   │   ├── index.d.ts
│               │   │   │   │   ├── index.js
│               │   │   │   │   └── package.json
│               │   │   │   ├── package.json
│               │   │   │   └── url-alphabet
│               │   │   │       ├── index.cjs
│               │   │   │       ├── index.js
│               │   │   │       └── package.json
│               │   │   ├── next
│               │   │   │   ├── README.md
│               │   │   │   ├── amp.d.ts
│               │   │   │   ├── amp.js
│               │   │   │   ├── app.d.ts
│               │   │   │   ├── app.js
│               │   │   │   ├── babel.d.ts
│               │   │   │   ├── babel.js
│               │   │   │   ├── cache.d.ts
│               │   │   │   ├── cache.js
│               │   │   │   ├── client.d.ts
│               │   │   │   ├── client.js
│               │   │   │   ├── compat
│               │   │   │   │   ├── router.d.ts
│               │   │   │   │   └── router.js
│               │   │   │   ├── config.d.ts
│               │   │   │   ├── config.js
│               │   │   │   ├── constants.d.ts
│               │   │   │   ├── constants.js
│               │   │   │   ├── dist
│               │   │   │   │   ├── api
│               │   │   │   │   │   ├── app-dynamic.d.ts
│               │   │   │   │   │   ├── app-dynamic.js
│               │   │   │   │   │   ├── app-dynamic.js.map
│               │   │   │   │   │   ├── app.d.ts
│               │   │   │   │   │   ├── app.js
│               │   │   │   │   │   ├── app.js.map
│               │   │   │   │   │   ├── constants.d.ts
│               │   │   │   │   │   ├── constants.js
│               │   │   │   │   │   ├── constants.js.map
│               │   │   │   │   │   ├── document.d.ts
│               │   │   │   │   │   ├── document.js
│               │   │   │   │   │   ├── document.js.map
│               │   │   │   │   │   ├── dynamic.d.ts
│               │   │   │   │   │   ├── dynamic.js
│               │   │   │   │   │   ├── dynamic.js.map
│               │   │   │   │   │   ├── form.d.ts
│               │   │   │   │   │   ├── form.js
│               │   │   │   │   │   ├── form.js.map
│               │   │   │   │   │   ├── head.d.ts
│               │   │   │   │   │   ├── head.js
│               │   │   │   │   │   ├── head.js.map
│               │   │   │   │   │   ├── headers.d.ts
│               │   │   │   │   │   ├── headers.js
│               │   │   │   │   │   ├── headers.js.map
│               │   │   │   │   │   ├── image.d.ts
│               │   │   │   │   │   ├── image.js
│               │   │   │   │   │   ├── image.js.map
```

```
│               │   │   │   │   │   ├── link.d.ts
│               │   │   │   │   │   ├── link.js
│               │   │   │   │   │   ├── link.js.map
│               │   │   │   │   │   ├── navigation.d.ts
│               │   │   │   │   │   ├── navigation.js
│               │   │   │   │   │   ├── navigation.js.map
│               │   │   │   │   │   ├── navigation.react-server.d.ts
│               │   │   │   │   │   ├── navigation.react-server.js
│               │   │   │   │   │   ├── navigation.react-server.js.map
│               │   │   │   │   │   ├── og.d.ts
│               │   │   │   │   │   ├── og.js
│               │   │   │   │   │   ├── og.js.map
│               │   │   │   │   │   ├── router.d.ts
│               │   │   │   │   │   ├── router.js
│               │   │   │   │   │   ├── router.js.map
│               │   │   │   │   │   ├── script.d.ts
│               │   │   │   │   │   ├── script.js
│               │   │   │   │   │   ├── script.js.map
│               │   │   │   │   │   ├── server.d.ts
│               │   │   │   │   │   ├── server.js
│               │   │   │   │   │   └── server.js.map
│               │   │   │   │   ├── bin
│               │   │   │   │   │   ├── next
│               │   │   │   │   │   ├── next.d.ts
│               │   │   │   │   │   └── next.map
│               │   │   │   │   ├── build
│               │   │   │   │   │   ├── adapter
│               │   │   │   │   │   │   ├── build-complete.d.ts
│               │   │   │   │   │   │   ├── build-complete.js
│               │   │   │   │   │   │   └── build-complete.js.map
│               │   │   │   │   │   ├── after-production-compile.d.ts
│               │   │   │   │   │   ├── after-production-compile.js
│               │   │   │   │   │   ├── after-production-compile.js.map
│               │   │   │   │   │   ├── analysis
│               │   │   │   │   │   │   ├── extract-const-value.d.ts
│               │   │   │   │   │   │   ├── extract-const-value.js
│               │   │   │   │   │   │   ├── extract-const-value.js.map
│               │   │   │   │   │   │   ├── get-page-static-info.d.ts
│               │   │   │   │   │   │   ├── get-page-static-info.js
│               │   │   │   │   │   │   ├── get-page-static-info.js.map
│               │   │   │   │   │   │   ├── parse-module.d.ts
│               │   │   │   │   │   │   ├── parse-module.js
│               │   │   │   │   │   │   └── parse-module.js.map
│               │   │   │   │   │   ├── babel
│               │   │   │   │   │   │   ├── loader
│               │   │   │   │   │   │   │   ├── get-config.d.ts
│               │   │   │   │   │   │   │   ├── get-config.js
│               │   │   │   │   │   │   │   ├── get-config.js.map
│               │   │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   │   │   ├── transform.d.ts
│               │   │   │   │   │   │   │   ├── transform.js
│               │   │   │   │   │   │   │   ├── transform.js.map
│               │   │   │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   │   │   ├── util.d.ts
```

```
│            │   │   │   │   │   │   │   ├── util.js
│            │   │   │   │   │   │   │   └── util.js.map
│            │   │   │   │   │   │   ├── plugins
│            │   │   │   │   │   │   │   ├── amp-attributes.d.ts
│            │   │   │   │   │   │   │   ├── amp-attributes.js
│            │   │   │   │   │   │   │   ├── amp-attributes.js.map
│            │   │   │   │   │   │   │   ├── commonjs.d.ts
│            │   │   │   │   │   │   │   ├── commonjs.js
│            │   │   │   │   │   │   │   ├── commonjs.js.map
│            │   │   │   │   │   │   │   ├── jsx-pragma.d.ts
│            │   │   │   │   │   │   │   ├── jsx-pragma.js
│            │   │   │   │   │   │   │   ├── jsx-pragma.js.map
│            │   │   │   │   │   │   │   ├── next-font-unsupported.d.ts
│            │   │   │   │   │   │   │   ├── next-font-unsupported.js
│            │   │   │   │   │   │   │   ├── next-font-unsupported.js.map
│            │   │   │   │   │   │   │   ├── next-page-config.d.ts
│            │   │   │   │   │   │   │   ├── next-page-config.js
│            │   │   │   │   │   │   │   ├── next-page-config.js.map
│            │   │   │   │   │   │   │   ├── next-page-disallow-re-
export-all-exports.d.ts
│            │   │   │   │   │   │   │   ├── next-page-disallow-re-
export-all-exports.js
│            │   │   │   │   │   │   │   ├── next-page-disallow-re-
export-all-exports.js.map
│            │   │   │   │   │   │   │   ├── next-ssg-transform.d.ts
│            │   │   │   │   │   │   │   ├── next-ssg-transform.js
│            │   │   │   │   │   │   │   ├── next-ssg-transform.js.map
│            │   │   │   │   │   │   │   ├── optimize-hook-
destructuring.d.ts
│            │   │   │   │   │   │   │   ├── optimize-hook-
destructuring.js
│            │   │   │   │   │   │   │   ├── optimize-hook-
destructuring.js.map
│            │   │   │   │   │   │   │   ├── react-loadable-plugin.d.ts
│            │   │   │   │   │   │   │   ├── react-loadable-plugin.js
│            │   │   │   │   │   │   │   └── react-loadable-plugin.js.map
│            │   │   │   │   │   │   ├── preset.d.ts
│            │   │   │   │   │   │   ├── preset.js
│            │   │   │   │   │   │   └── preset.js.map
│            │   │   │   │   │   ├── build-context.d.ts
│            │   │   │   │   │   ├── build-context.js
│            │   │   │   │   │   ├── build-context.js.map
│            │   │   │   │   │   ├── collect-build-traces.d.ts
│            │   │   │   │   │   ├── collect-build-traces.js
│            │   │   │   │   │   ├── collect-build-traces.js.map
│            │   │   │   │   │   ├── compiler.d.ts
│            │   │   │   │   │   ├── compiler.js
│            │   │   │   │   │   ├── compiler.js.map
│            │   │   │   │   │   ├── create-compiler-aliases.d.ts
│            │   │   │   │   │   ├── create-compiler-aliases.js
│            │   │   │   │   │   ├── create-compiler-aliases.js.map
│            │   │   │   │   │   ├── define-env.d.ts
│            │   │   │   │   │   ├── define-env.js
│            │   │   │   │   │   ├── define-env.js.map
│            │   │   │   │   │   ├── deployment-id.d.ts
│            │   │   │   │   │   ├── deployment-id.js
```

```
│               │   │   │   │   │   ├── deployment-id.js.map
│               │   │   │   │   │   ├── duration-to-string.d.ts
│               │   │   │   │   │   ├── duration-to-string.js
│               │   │   │   │   │   ├── duration-to-string.js.map
│               │   │   │   │   │   ├── entries.d.ts
│               │   │   │   │   │   ├── entries.js
│               │   │   │   │   │   ├── entries.js.map
│               │   │   │   │   │   ├── generate-build-id.d.ts
│               │   │   │   │   │   ├── generate-build-id.js
│               │   │   │   │   │   ├── generate-build-id.js.map
│               │   │   │   │   │   ├── get-babel-config-file.d.ts
│               │   │   │   │   │   ├── get-babel-config-file.js
│               │   │   │   │   │   ├── get-babel-config-file.js.map
│               │   │   │   │   │   ├── get-babel-loader-config.d.ts
│               │   │   │   │   │   ├── get-babel-loader-config.js
│               │   │   │   │   │   ├── get-babel-loader-config.js.map
│               │   │   │   │   │   ├── handle-entrypoints.d.ts
│               │   │   │   │   │   ├── handle-entrypoints.js
│               │   │   │   │   │   ├── handle-entrypoints.js.map
│               │   │   │   │   │   ├── handle-externals.d.ts
│               │   │   │   │   │   ├── handle-externals.js
│               │   │   │   │   │   ├── handle-externals.js.map
│               │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   ├── index.js
│               │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   ├── is-writeable.d.ts
│               │   │   │   │   │   ├── is-writeable.js
│               │   │   │   │   │   ├── is-writeable.js.map
│               │   │   │   │   │   ├── jest
│               │   │   │   │   │   │   ├── __mocks__
│               │   │   │   │   │   │   │   ├── empty.d.ts
│               │   │   │   │   │   │   │   ├── empty.js
│               │   │   │   │   │   │   │   ├── empty.js.map
│               │   │   │   │   │   │   │   ├── fileMock.d.ts
│               │   │   │   │   │   │   │   ├── fileMock.js
│               │   │   │   │   │   │   │   ├── fileMock.js.map
│               │   │   │   │   │   │   │   ├── nextFontMock.d.ts
│               │   │   │   │   │   │   │   ├── nextFontMock.js
│               │   │   │   │   │   │   │   ├── nextFontMock.js.map
│               │   │   │   │   │   │   │   ├── styleMock.d.ts
│               │   │   │   │   │   │   │   ├── styleMock.js
│               │   │   │   │   │   │   │   └── styleMock.js.map
│               │   │   │   │   │   │   ├── jest.d.ts
│               │   │   │   │   │   │   ├── jest.js
│               │   │   │   │   │   │   ├── jest.js.map
│               │   │   │   │   │   │   ├── object-proxy.d.ts
│               │   │   │   │   │   │   ├── object-proxy.js
│               │   │   │   │   │   │   └── object-proxy.js.map
│               │   │   │   │   │   ├── load-entrypoint.d.ts
│               │   │   │   │   │   ├── load-entrypoint.js
│               │   │   │   │   │   ├── load-entrypoint.js.map
│               │   │   │   │   │   ├── load-jsconfig.d.ts
│               │   │   │   │   │   ├── load-jsconfig.js
│               │   │   │   │   │   ├── load-jsconfig.js.map
│               │   │   │   │   │   ├── manifests
│               │   │   │   │   │   │   └── formatter
```

```
│   │   │   │
```

```
│   │   │   │   │   │   │   │   ├── shim.d.ts
│   │   │   │   │   │   │   │   ├── shim.js
│   │   │   │   │   │   │   │   └── shim.js.map
│   │   │   │   │   │   │   ├── polyfill-module.js
│   │   │   │   │   │   │   ├── polyfill-nomodule.js
│   │   │   │   │   │   │   ├── process.d.ts
│   │   │   │   │   │   │   ├── process.js
│   │   │   │   │   │   │   └── process.js.map
│   │   │   │   │   │   ├── preview-key-utils.d.ts
│   │   │   │   │   │   ├── preview-key-utils.js
│   │   │   │   │   │   ├── preview-key-utils.js.map
│   │   │   │   │   │   ├── progress.d.ts
│   │   │   │   │   │   ├── progress.js
│   │   │   │   │   │   ├── progress.js.map
│   │   │   │   │   │   ├── rendering-mode.d.ts
│   │   │   │   │   │   ├── rendering-mode.js
│   │   │   │   │   │   ├── rendering-mode.js.map
│   │   │   │   │   │   ├── segment-config
│   │   │   │   │   │   │   ├── app
│   │   │   │   │   │   │   │   ├── app-segment-config.d.ts
│   │   │   │   │   │   │   │   ├── app-segment-config.js
│   │   │   │   │   │   │   │   ├── app-segment-config.js.map
│   │   │   │   │   │   │   │   ├── app-segments.d.ts
│   │   │   │   │   │   │   │   ├── app-segments.js
│   │   │   │   │   │   │   │   ├── app-segments.js.map
│   │   │   │   │   │   │   │   ├── collect-root-param-keys.d.ts
│   │   │   │   │   │   │   │   ├── collect-root-param-keys.js
│   │   │   │   │   │   │   │   └── collect-root-param-
keys.js.map
│   │   │   │   │   │   │   ├── middleware
│   │   │   │   │   │   │   │   ├── middleware-config.d.ts
│   │   │   │   │   │   │   │   ├── middleware-config.js
│   │   │   │   │   │   │   │   └── middleware-config.js.map
│   │   │   │   │   │   │   └── pages
│   │   │   │   │   │   │       ├── pages-segment-config.d.ts
│   │   │   │   │   │   │       ├── pages-segment-config.js
│   │   │   │   │   │   │       └── pages-segment-config.js.map
│   │   │   │   │   │   ├── spinner.d.ts
│   │   │   │   │   │   ├── spinner.js
│   │   │   │   │   │   ├── spinner.js.map
│   │   │   │   │   │   ├── static-paths
│   │   │   │   │   │   │   ├── app.d.ts
│   │   │   │   │   │   │   ├── app.js
│   │   │   │   │   │   │   ├── app.js.map
│   │   │   │   │   │   │   ├── pages.d.ts
│   │   │   │   │   │   │   ├── pages.js
│   │   │   │   │   │   │   ├── pages.js.map
│   │   │   │   │   │   │   ├── types.d.ts
│   │   │   │   │   │   │   ├── types.js
│   │   │   │   │   │   │   ├── types.js.map
│   │   │   │   │   │   │   ├── utils.d.ts
│   │   │   │   │   │   │   ├── utils.js
│   │   │   │   │   │   │   └── utils.js.map
│   │   │   │   │   │   ├── swc
│   │   │   │   │   │   │   ├── generated-native.d.ts
│   │   │   │   │   │   │   ├── generated-wasm.d.ts
```

```
│               │   │   │   │   │   │   ├── helpers.d.ts
│               │   │   │   │   │   │   ├── helpers.js
│               │   │   │   │   │   │   ├── helpers.js.map
│               │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   │   ├── jest-transformer.d.ts
│               │   │   │   │   │   │   ├── jest-transformer.js
│               │   │   │   │   │   │   ├── jest-transformer.js.map
│               │   │   │   │   │   │   ├── options.d.ts
│               │   │   │   │   │   │   ├── options.js
│               │   │   │   │   │   │   ├── options.js.map
│               │   │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   │   ├── types.js
│               │   │   │   │   │   │   └── types.js.map
│               │   │   │   │   │   ├── templates
│               │   │   │   │   │   │   ├── app-page.d.ts
│               │   │   │   │   │   │   ├── app-page.js
│               │   │   │   │   │   │   ├── app-page.js.map
│               │   │   │   │   │   │   ├── app-route.d.ts
│               │   │   │   │   │   │   ├── app-route.js
│               │   │   │   │   │   │   ├── app-route.js.map
│               │   │   │   │   │   │   ├── edge-app-route.d.ts
│               │   │   │   │   │   │   ├── edge-app-route.js
│               │   │   │   │   │   │   ├── edge-app-route.js.map
│               │   │   │   │   │   │   ├── edge-ssr-app.d.ts
│               │   │   │   │   │   │   ├── edge-ssr-app.js
│               │   │   │   │   │   │   ├── edge-ssr-app.js.map
│               │   │   │   │   │   │   ├── edge-ssr.d.ts
│               │   │   │   │   │   │   ├── edge-ssr.js
│               │   │   │   │   │   │   ├── edge-ssr.js.map
│               │   │   │   │   │   │   ├── helpers.d.ts
│               │   │   │   │   │   │   ├── helpers.js
│               │   │   │   │   │   │   ├── helpers.js.map
│               │   │   │   │   │   │   ├── middleware.d.ts
│               │   │   │   │   │   │   ├── middleware.js
│               │   │   │   │   │   │   ├── middleware.js.map
│               │   │   │   │   │   │   ├── pages-api.d.ts
│               │   │   │   │   │   │   ├── pages-api.js
│               │   │   │   │   │   │   ├── pages-api.js.map
│               │   │   │   │   │   │   ├── pages-edge-api.d.ts
│               │   │   │   │   │   │   ├── pages-edge-api.js
│               │   │   │   │   │   │   ├── pages-edge-api.js.map
│               │   │   │   │   │   │   ├── pages.d.ts
│               │   │   │   │   │   │   ├── pages.js
│               │   │   │   │   │   │   └── pages.js.map
│               │   │   │   │   │   ├── turbopack-build
│               │   │   │   │   │   │   ├── impl.d.ts
│               │   │   │   │   │   │   ├── impl.js
│               │   │   │   │   │   │   ├── impl.js.map
│               │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── index.js.map
│               │   │   │   │   │   ├── turborepo-access-trace
│               │   │   │   │   │   │   ├── env.d.ts
│               │   │   │   │   │   │   ├── env.js
```

```
│           │   │   │   │   │   │   ├── env.js.map
│           │   │   │   │   │   │   ├── helpers.d.ts
│           │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   ├── result.d.ts
│           │   │   │   │   │   │   ├── result.js
│           │   │   │   │   │   │   ├── result.js.map
│           │   │   │   │   │   │   ├── tcp.d.ts
│           │   │   │   │   │   │   ├── tcp.js
│           │   │   │   │   │   │   ├── tcp.js.map
│           │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   ├── type-check.d.ts
│           │   │   │   │   │   ├── type-check.js
│           │   │   │   │   │   ├── type-check.js.map
│           │   │   │   │   │   ├── utils.d.ts
│           │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   ├── webpack
│           │   │   │   │   │   │   ├── alias
│           │   │   │   │   │   │   │   ├── react-dom-server-
experimental.js
│           │   │   │   │   │   │   │   ├── react-dom-server-
experimental.js.map
│           │   │   │   │   │   │   │   ├── react-dom-server.js
│           │   │   │   │   │   │   │   └── react-dom-server.js.map
│           │   │   │   │   │   │   ├── cache-invalidation.d.ts
│           │   │   │   │   │   │   ├── cache-invalidation.js
│           │   │   │   │   │   │   ├── cache-invalidation.js.map
│           │   │   │   │   │   │   ├── config
│           │   │   │   │   │   │   │   ├── blocks
│           │   │   │   │   │   │   │   │   ├── base.d.ts
│           │   │   │   │   │   │   │   │   ├── base.js
│           │   │   │   │   │   │   │   │   ├── base.js.map
│           │   │   │   │   │   │   │   │   ├── css
│           │   │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   │   ├── loaders
│           │   │   │   │   │   │   │   │   │   │   ├── client.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── client.js
│           │   │   │   │   │   │   │   │   │   │   ├── client.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── file-
resolve.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── file-resolve.js
│           │   │   │   │   │   │   │   │   │   │   ├── file-
resolve.js.map
│           │   │   │   │   │   │   │   │   │   │   ├──
getCssModuleLocalIdent.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├──
getCssModuleLocalIdent.js
```

```
│            │   │   │   │   │   │   │   │   │   ├──
getCssModuleLocalIdent.js.map
│            │   │   │   │   │   │   │   │   │   ├── global.d.ts
│            │   │   │   │   │   │   │   │   │   ├── global.js
│            │   │   │   │   │   │   │   │   │   ├── global.js.map
│            │   │   │   │   │   │   │   │   │   ├── index.d.ts
│            │   │   │   │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   │   │   │   ├── index.js.map
│            │   │   │   │   │   │   │   │   │   ├── modules.d.ts
│            │   │   │   │   │   │   │   │   │   ├── modules.js
│            │   │   │   │   │   │   │   │   │   ├── modules.js.map
│            │   │   │   │   │   │   │   │   │   ├── next-font.d.ts
│            │   │   │   │   │   │   │   │   │   ├── next-font.js
│            │   │   │   │   │   │   │   │   │   └── next-font.js.map
│            │   │   │   │   │   │   │   │   ├── messages.d.ts
│            │   │   │   │   │   │   │   │   ├── messages.js
│            │   │   │   │   │   │   │   │   ├── messages.js.map
│            │   │   │   │   │   │   │   │   ├── plugins.d.ts
│            │   │   │   │   │   │   │   │   ├── plugins.js
│            │   │   │   │   │   │   │   │   └── plugins.js.map
│            │   │   │   │   │   │   │   └── images
│            │   │   │   │   │   │   │       ├── index.d.ts
│            │   │   │   │   │   │   │       ├── index.js
│            │   │   │   │   │   │   │       ├── index.js.map
│            │   │   │   │   │   │   │       ├── messages.d.ts
│            │   │   │   │   │   │   │       ├── messages.js
│            │   │   │   │   │   │   │       └── messages.js.map
│            │   │   │   │   │   │   ├── helpers.d.ts
│            │   │   │   │   │   │   ├── helpers.js
│            │   │   │   │   │   │   ├── helpers.js.map
│            │   │   │   │   │   │   ├── index.d.ts
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   ├── index.js.map
│            │   │   │   │   │   │   ├── utils.d.ts
│            │   │   │   │   │   │   ├── utils.js
│            │   │   │   │   │   │   └── utils.js.map
│            │   │   │   │   │   ├── loaders
│            │   │   │   │   │   │   ├── css-loader
│            │   │   │   │   │   │   │   └── src
│            │   │   │   │   │   │   │       ├── CssSyntaxError.d.ts
│            │   │   │   │   │   │   │       ├── CssSyntaxError.js
│            │   │   │   │   │   │   │       ├──
CssSyntaxError.js.map
│            │   │   │   │   │   │   │       ├── camelcase.d.ts
│            │   │   │   │   │   │   │       ├── camelcase.js
│            │   │   │   │   │   │   │       ├── camelcase.js.map
│            │   │   │   │   │   │   │       ├── index.d.ts
│            │   │   │   │   │   │   │       ├── index.js
│            │   │   │   │   │   │   │       ├── index.js.map
│            │   │   │   │   │   │   │       ├── plugins
│            │   │   │   │   │   │   │       │   ├── index.d.ts
│            │   │   │   │   │   │   │       │   ├── index.js
│            │   │   │   │   │   │   │       │   ├── index.js.map
│            │   │   │   │   │   │   │       │   ├── postcss-icss-
parser.d.ts
```

```
│           │   │   │   │   │   │   │   │       │   ├── postcss-icss-
parser.js
│           │   │   │   │   │   │   │   │       │   ├── postcss-icss-
parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── postcss-import-
parser.d.ts
│           │   │   │   │   │   │   │   │       │   ├── postcss-import-
parser.js
│           │   │   │   │   │   │   │   │       │   ├── postcss-import-
parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── postcss-url-
parser.d.ts
│           │   │   │   │   │   │   │   │       │   ├── postcss-url-
parser.js
│           │   │   │   │   │   │   │   │       │   └── postcss-url-
parser.js.map
│           │   │   │   │   │   │   │   │       ├── runtime
│           │   │   │   │   │   │   │   │       │   ├── api.d.ts
│           │   │   │   │   │   │   │   │       │   ├── api.js
│           │   │   │   │   │   │   │   │       │   ├── api.js.map
│           │   │   │   │   │   │   │   │       │   ├── getUrl.d.ts
│           │   │   │   │   │   │   │   │       │   ├── getUrl.js
│           │   │   │   │   │   │   │   │       │   └── getUrl.js.map
│           │   │   │   │   │   │   │   │       ├── utils.d.ts
│           │   │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   │   ├── devtool
│           │   │   │   │   │   │   │   │   ├── devtool-style-inject.js
│           │   │   │   │   │   │   │   │   └── devtool-style-
inject.js.map
│           │   │   │   │   │   │   ├── empty-loader.d.ts
│           │   │   │   │   │   │   ├── empty-loader.js
│           │   │   │   │   │   │   ├── empty-loader.js.map
│           │   │   │   │   │   │   ├── error-loader.d.ts
│           │   │   │   │   │   │   ├── error-loader.js
│           │   │   │   │   │   │   ├── error-loader.js.map
│           │   │   │   │   │   │   ├── get-module-build-info.d.ts
│           │   │   │   │   │   │   ├── get-module-build-info.js
│           │   │   │   │   │   │   ├── get-module-build-info.js.map
│           │   │   │   │   │   │   ├── lightningcss-loader
│           │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │       ├── codegen.d.ts
│           │   │   │   │   │   │   │       ├── codegen.js
│           │   │   │   │   │   │   │       ├── codegen.js.map
│           │   │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │       ├── interface.d.ts
│           │   │   │   │   │   │   │       ├── interface.js
│           │   │   │   │   │   │   │       ├── interface.js.map
│           │   │   │   │   │   │   │       ├── loader.d.ts
│           │   │   │   │   │   │   │       ├── loader.js
│           │   │   │   │   │   │   │       ├── loader.js.map
│           │   │   │   │   │   │   │       ├── minify.d.ts
│           │   │   │   │   │   │   │       ├── minify.js
│           │   │   │   │   │   │   │       ├── minify.js.map
```

```
│           │   │   │   │   │   │   │       ├── utils.d.ts
│           │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   ├── metadata
│           │   │   │   │   │   │   │   ├── discover.d.ts
│           │   │   │   │   │   │   │   ├── discover.js
│           │   │   │   │   │   │   │   ├── discover.js.map
│           │   │   │   │   │   │   │   ├── resolve-route-data.d.ts
│           │   │   │   │   │   │   │   ├── resolve-route-data.js
│           │   │   │   │   │   │   │   ├── resolve-route-
data.js.map
│           │   │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── modularize-import-
loader.d.ts
│           │   │   │   │   │   │   ├── modularize-import-loader.js
│           │   │   │   │   │   │   ├── modularize-import-
loader.js.map
│           │   │   │   │   │   │   ├── next-app-loader
│           │   │   │   │   │   │   │   ├── create-app-route-
code.d.ts
│           │   │   │   │   │   │   │   ├── create-app-route-code.js
│           │   │   │   │   │   │   │   ├── create-app-route-
code.js.map
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   ├── next-barrel-loader.d.ts
│           │   │   │   │   │   │   ├── next-barrel-loader.js
│           │   │   │   │   │   │   ├── next-barrel-loader.js.map
│           │   │   │   │   │   │   ├── next-client-pages-
loader.d.ts
│           │   │   │   │   │   │   ├── next-client-pages-loader.js
│           │   │   │   │   │   │   ├── next-client-pages-
loader.js.map
│           │   │   │   │   │   │   ├── next-edge-app-route-loader
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   ├── next-edge-function-
loader.d.ts
│           │   │   │   │   │   │   ├── next-edge-function-loader.js
│           │   │   │   │   │   │   ├── next-edge-function-
loader.js.map
│           │   │   │   │   │   │   ├── next-edge-ssr-loader
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   ├── next-error-browser-binary-
loader.d.ts
│           │   │   │   │   │   │   ├── next-error-browser-binary-
loader.js
│           │   │   │   │   │   │   ├── next-error-browser-binary-
loader.js.map
```

```
|           |   |   |   |   |   |   |   ├── next-flight-action-entry-
loader.d.ts
|           |   |   |   |   |   |   |   ├── next-flight-action-entry-
loader.js
|           |   |   |   |   |   |   |   ├── next-flight-action-entry-
loader.js.map
|           |   |   |   |   |   |   |   ├── next-flight-client-entry-
loader.d.ts
|           |   |   |   |   |   |   |   ├── next-flight-client-entry-
loader.js
|           |   |   |   |   |   |   |   ├── next-flight-client-entry-
loader.js.map
|           |   |   |   |   |   |   |   ├── next-flight-client-module-
loader.d.ts
|           |   |   |   |   |   |   |   ├── next-flight-client-module-
loader.js
|           |   |   |   |   |   |   |   ├── next-flight-client-module-
loader.js.map
|           |   |   |   |   |   |   |   ├── next-flight-css-loader.d.ts
|           |   |   |   |   |   |   |   ├── next-flight-css-loader.js
|           |   |   |   |   |   |   |   ├── next-flight-css-
loader.js.map
|           |   |   |   |   |   |   |   ├── next-flight-loader
|           |   |   |   |   |   |   |   |   ├── action-client-
wrapper.d.ts
|           |   |   |   |   |   |   |   |   ├── action-client-wrapper.js
|           |   |   |   |   |   |   |   |   ├── action-client-
wrapper.js.map
|           |   |   |   |   |   |   |   |   ├── action-validate.d.ts
|           |   |   |   |   |   |   |   |   ├── action-validate.js
|           |   |   |   |   |   |   |   |   ├── action-validate.js.map
|           |   |   |   |   |   |   |   |   ├── cache-wrapper.d.ts
|           |   |   |   |   |   |   |   |   ├── cache-wrapper.js
|           |   |   |   |   |   |   |   |   ├── cache-wrapper.js.map
|           |   |   |   |   |   |   |   |   ├── index.d.ts
|           |   |   |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   |   |   ├── index.js.map
|           |   |   |   |   |   |   |   |   ├── module-proxy.d.ts
|           |   |   |   |   |   |   |   |   ├── module-proxy.js
|           |   |   |   |   |   |   |   |   ├── module-proxy.js.map
|           |   |   |   |   |   |   |   |   ├── server-reference.d.ts
|           |   |   |   |   |   |   |   |   ├── server-reference.js
|           |   |   |   |   |   |   |   |   ├── server-reference.js.map
|           |   |   |   |   |   |   |   |   ├── track-dynamic-
import.d.ts
|           |   |   |   |   |   |   |   |   ├── track-dynamic-import.js
|           |   |   |   |   |   |   |   |   └── track-dynamic-
import.js.map
|           |   |   |   |   |   |   |   ├── next-flight-server-
reference-proxy-loader.d.ts
|           |   |   |   |   |   |   |   ├── next-flight-server-
reference-proxy-loader.js
|           |   |   |   |   |   |   |   ├── next-flight-server-
reference-proxy-loader.js.map
|           |   |   |   |   |   |   |   ├── next-font-loader
|           |   |   |   |   |   |   |   |   ├── index.d.ts
```

```
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   ├── postcss-next-font.d.ts
│           │   │   │   │   │   │   │   │   ├── postcss-next-font.js
│           │   │   │   │   │   │   │   │   └── postcss-next-font.js.map
│           │   │   │   │   │   │   │   ├── next-image-loader
│           │   │   │   │   │   │   │   │   ├── blur.d.ts
│           │   │   │   │   │   │   │   │   ├── blur.js
│           │   │   │   │   │   │   │   │   ├── blur.js.map
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-invalid-import-error-
loader.d.ts
│           │   │   │   │   │   │   │   ├── next-invalid-import-error-
loader.js
│           │   │   │   │   │   │   │   ├── next-invalid-import-error-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-metadata-image-
loader.d.ts
│           │   │   │   │   │   │   │   ├── next-metadata-image-
loader.js
│           │   │   │   │   │   │   │   ├── next-metadata-image-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-metadata-route-
loader.d.ts
│           │   │   │   │   │   │   │   ├── next-metadata-route-
loader.js
│           │   │   │   │   │   │   │   ├── next-metadata-route-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-middleware-asset-
loader.d.ts
│           │   │   │   │   │   │   │   ├── next-middleware-asset-
loader.js
│           │   │   │   │   │   │   │   ├── next-middleware-asset-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-middleware-loader.d.ts
│           │   │   │   │   │   │   │   ├── next-middleware-loader.js
│           │   │   │   │   │   │   │   ├── next-middleware-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-middleware-wasm-
loader.d.ts
│           │   │   │   │   │   │   │   ├── next-middleware-wasm-
loader.js
│           │   │   │   │   │   │   │   ├── next-middleware-wasm-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-root-params-loader.d.ts
│           │   │   │   │   │   │   │   ├── next-root-params-loader.js
│           │   │   │   │   │   │   │   ├── next-root-params-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-route-loader
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-style-loader
│           │   │   │   │   │   │   │   │   ├── index.d.ts
```

```
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   └── runtime
│           │   │   │   │   │   │   │       ├──
injectStylesIntoLinkTag.d.ts
│           │   │   │   │   │   │   │       ├──
injectStylesIntoLinkTag.js
│           │   │   │   │   │   │   │       ├──
injectStylesIntoLinkTag.js.map
│           │   │   │   │   │   │   │       ├──
injectStylesIntoStyleTag.d.ts
│           │   │   │   │   │   │   │       ├──
injectStylesIntoStyleTag.js
│           │   │   │   │   │   │   │       ├──
injectStylesIntoStyleTag.js.map
│           │   │   │   │   │   │   │       ├── isEqualLocals.d.ts
│           │   │   │   │   │   │   │       ├── isEqualLocals.js
│           │   │   │   │   │   │   │       └── isEqualLocals.js.map
│           │   │   │   │   │   │   ├── next-swc-loader.d.ts
│           │   │   │   │   │   │   ├── next-swc-loader.js
│           │   │   │   │   │   │   ├── next-swc-loader.js.map
│           │   │   │   │   │   │   ├── postcss-loader
│           │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │       ├── Error.d.ts
│           │   │   │   │   │   │   │       ├── Error.js
│           │   │   │   │   │   │   │       ├── Error.js.map
│           │   │   │   │   │   │   │       ├── Warning.d.ts
│           │   │   │   │   │   │   │       ├── Warning.js
│           │   │   │   │   │   │   │       ├── Warning.js.map
│           │   │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │       ├── utils.d.ts
│           │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   ├── resolve-url-loader
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   └── lib
│           │   │   │   │   │   │   │       ├── file-protocol.d.ts
│           │   │   │   │   │   │   │       ├── file-protocol.js
│           │   │   │   │   │   │   │       ├── file-protocol.js.map
│           │   │   │   │   │   │   │       ├── join-function.d.ts
│           │   │   │   │   │   │   │       ├── join-function.js
│           │   │   │   │   │   │   │       ├── join-function.js.map
│           │   │   │   │   │   │   │       ├── postcss.d.ts
│           │   │   │   │   │   │   │       ├── postcss.js
│           │   │   │   │   │   │   │       ├── postcss.js.map
│           │   │   │   │   │   │   │       ├── value-processor.d.ts
│           │   │   │   │   │   │   │       ├── value-processor.js
│           │   │   │   │   │   │   │       └── value-
processor.js.map
│           │   │   │   │   │   │   ├── utils.d.ts
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   └── utils.js.map
```

```
│           │   │   │   │   │   │   ├── plugins
│           │   │   │   │   │   │   │   ├── app-build-manifest-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── app-build-manifest-plugin.js
│           │   │   │   │   │   │   │   ├── app-build-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── build-manifest-plugin.d.ts
│           │   │   │   │   │   │   │   ├── build-manifest-plugin.js
│           │   │   │   │   │   │   │   ├── build-manifest-plugin.js.map
│           │   │   │   │   │   │   │   ├── copy-file-plugin.d.ts
│           │   │   │   │   │   │   │   ├── copy-file-plugin.js
│           │   │   │   │   │   │   │   ├── copy-file-plugin.js.map
│           │   │   │   │   │   │   │   ├── css-chunking-plugin.d.ts
│           │   │   │   │   │   │   │   ├── css-chunking-plugin.js
│           │   │   │   │   │   │   │   ├── css-chunking-plugin.js.map
│           │   │   │   │   │   │   │   ├── css-minimizer-plugin.d.ts
│           │   │   │   │   │   │   │   ├── css-minimizer-plugin.js
│           │   │   │   │   │   │   │   ├── css-minimizer-plugin.js.map
│           │   │   │   │   │   │   │   ├── devtools-ignore-list-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── devtools-ignore-list-
plugin.js
│           │   │   │   │   │   │   │   ├── devtools-ignore-list-
plugin.js.map
│           │   │   │   │   │   │   │   ├── eval-source-map-dev-tool-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── eval-source-map-dev-tool-
plugin.js
│           │   │   │   │   │   │   │   ├── eval-source-map-dev-tool-
plugin.js.map
│           │   │   │   │   │   │   │   ├── flight-client-entry-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── flight-client-entry-
plugin.js
│           │   │   │   │   │   │   │   ├── flight-client-entry-
plugin.js.map
│           │   │   │   │   │   │   │   ├── flight-manifest-plugin.d.ts
│           │   │   │   │   │   │   │   ├── flight-manifest-plugin.js
│           │   │   │   │   │   │   │   ├── flight-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── jsconfig-paths-plugin.d.ts
│           │   │   │   │   │   │   │   ├── jsconfig-paths-plugin.js
│           │   │   │   │   │   │   │   ├── jsconfig-paths-plugin.js.map
│           │   │   │   │   │   │   │   ├── memory-with-gc-cache-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── memory-with-gc-cache-
plugin.js
│           │   │   │   │   │   │   │   ├── memory-with-gc-cache-
plugin.js.map
│           │   │   │   │   │   │   │   ├── middleware-plugin.d.ts
│           │   │   │   │   │   │   │   ├── middleware-plugin.js
│           │   │   │   │   │   │   │   ├── middleware-plugin.js.map
│           │   │   │   │   │   │   │   ├── mini-css-extract-plugin.d.ts
│           │   │   │   │   │   │   │   ├── mini-css-extract-plugin.js
│           │   │   │   │   │   │   │   ├── mini-css-extract-
plugin.js.map
```

```
│           │   │   │   │   │   │   ├── minify-webpack-plugin
│           │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │       └── index.js.map
│           │   │   │   │   │   │   ├── next-drop-client-page-
plugin.d.ts
│           │   │   │   │   │   │   ├── next-drop-client-page-
plugin.js
│           │   │   │   │   │   │   ├── next-drop-client-page-
plugin.js.map
│           │   │   │   │   │   │   ├── next-font-manifest-
plugin.d.ts
│           │   │   │   │   │   │   ├── next-font-manifest-plugin.js
│           │   │   │   │   │   │   ├── next-font-manifest-
plugin.js.map
│           │   │   │   │   │   │   ├── next-trace-entrypoints-
plugin.d.ts
│           │   │   │   │   │   │   ├── next-trace-entrypoints-
plugin.js
│           │   │   │   │   │   │   ├── next-trace-entrypoints-
plugin.js.map
│           │   │   │   │   │   │   ├── next-types-plugin
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── shared.d.ts
│           │   │   │   │   │   │   │   ├── shared.js
│           │   │   │   │   │   │   │   └── shared.js.map
│           │   │   │   │   │   │   ├── nextjs-require-cache-hot-
reloader.d.ts
│           │   │   │   │   │   │   ├── nextjs-require-cache-hot-
reloader.js
│           │   │   │   │   │   │   ├── nextjs-require-cache-hot-
reloader.js.map
│           │   │   │   │   │   │   ├── optional-peer-dependency-
resolve-plugin.d.ts
│           │   │   │   │   │   │   ├── optional-peer-dependency-
resolve-plugin.js
│           │   │   │   │   │   │   ├── optional-peer-dependency-
resolve-plugin.js.map
│           │   │   │   │   │   │   ├── pages-manifest-plugin.d.ts
│           │   │   │   │   │   │   ├── pages-manifest-plugin.js
│           │   │   │   │   │   │   ├── pages-manifest-plugin.js.map
│           │   │   │   │   │   │   ├── profiling-plugin.d.ts
│           │   │   │   │   │   │   ├── profiling-plugin.js
│           │   │   │   │   │   │   ├── profiling-plugin.js.map
│           │   │   │   │   │   │   ├── react-loadable-plugin.d.ts
│           │   │   │   │   │   │   ├── react-loadable-plugin.js
│           │   │   │   │   │   │   ├── react-loadable-plugin.js.map
│           │   │   │   │   │   │   ├── rspack-flight-client-entry-
plugin.d.ts
│           │   │   │   │   │   │   ├── rspack-flight-client-entry-
plugin.js
│           │   │   │   │   │   │   ├── rspack-flight-client-entry-
plugin.js.map
```

```
│           │   │   │   │   │   │   ├── rspack-profiling-plugin.d.ts
│           │   │   │   │   │   │   ├── rspack-profiling-plugin.js
│           │   │   │   │   │   │   ├── rspack-profiling-
plugin.js.map
│           │   │   │   │   │   │   ├── slow-module-detection-
plugin.d.ts
│           │   │   │   │   │   │   ├── slow-module-detection-
plugin.js
│           │   │   │   │   │   │   ├── slow-module-detection-
plugin.js.map
│           │   │   │   │   │   │   ├── subresource-integrity-
plugin.d.ts
│           │   │   │   │   │   │   ├── subresource-integrity-
plugin.js
│           │   │   │   │   │   │   ├── subresource-integrity-
plugin.js.map
│           │   │   │   │   │   │   ├── telemetry-plugin
│           │   │   │   │   │   │   │   ├── telemetry-plugin.d.ts
│           │   │   │   │   │   │   │   ├── telemetry-plugin.js
│           │   │   │   │   │   │   │   ├── telemetry-plugin.js.map
│           │   │   │   │   │   │   │   ├── update-telemetry-loader-
context-from-swc.d.ts
│           │   │   │   │   │   │   │   ├── update-telemetry-loader-
context-from-swc.js
│           │   │   │   │   │   │   │   ├── update-telemetry-loader-
context-from-swc.js.map
│           │   │   │   │   │   │   │   ├── use-cache-tracker-
utils.d.ts
│           │   │   │   │   │   │   │   ├── use-cache-tracker-
utils.js
│           │   │   │   │   │   │   │   └── use-cache-tracker-
utils.js.map
│           │   │   │   │   │   │   └── wellknown-errors-plugin
│           │   │   │   │   │   │       ├── getModuleTrace.d.ts
│           │   │   │   │   │   │       ├── getModuleTrace.js
│           │   │   │   │   │   │       ├── getModuleTrace.js.map
│           │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │       ├── parse-dynamic-code-
evaluation-error.d.ts
│           │   │   │   │   │   │       ├── parse-dynamic-code-
evaluation-error.js
│           │   │   │   │   │   │       ├── parse-dynamic-code-
evaluation-error.js.map
│           │   │   │   │   │   │       ├── parseBabel.d.ts
│           │   │   │   │   │   │       ├── parseBabel.js
│           │   │   │   │   │   │       ├── parseBabel.js.map
│           │   │   │   │   │   │       ├── parseCss.d.ts
│           │   │   │   │   │   │       ├── parseCss.js
│           │   │   │   │   │   │       ├── parseCss.js.map
│           │   │   │   │   │   │       ├──
parseNextAppLoaderError.d.ts
│           │   │   │   │   │   │       ├──
parseNextAppLoaderError.js
```

```
│           │   │   │   │   │   │   │       ├──
parseNextAppLoaderError.js.map
│           │   │   │   │   │   │   │       ├── parseNextFontError.d.ts
│           │   │   │   │   │   │   │       ├── parseNextFontError.js
│           │   │   │   │   │   │   │       ├──
parseNextFontError.js.map
│           │   │   │   │   │   │   │       ├──
parseNextInvalidImportError.d.ts
│           │   │   │   │   │   │   │       ├──
parseNextInvalidImportError.js
│           │   │   │   │   │   │   │       ├──
parseNextInvalidImportError.js.map
│           │   │   │   │   │   │   │       ├── parseNotFoundError.d.ts
│           │   │   │   │   │   │   │       ├── parseNotFoundError.js
│           │   │   │   │   │   │   │       ├──
parseNotFoundError.js.map
│           │   │   │   │   │   │   │       ├── parseScss.d.ts
│           │   │   │   │   │   │   │       ├── parseScss.js
│           │   │   │   │   │   │   │       ├── parseScss.js.map
│           │   │   │   │   │   │   │       ├── simpleWebpackError.d.ts
│           │   │   │   │   │   │   │       ├── simpleWebpackError.js
│           │   │   │   │   │   │   │       ├──
simpleWebpackError.js.map
│           │   │   │   │   │   │   │       ├── webpackModuleError.d.ts
│           │   │   │   │   │   │   │       ├── webpackModuleError.js
│           │   │   │   │   │   │   │       └──
webpackModuleError.js.map
│           │   │   │   │   │   │   ├── stringify-request.d.ts
│           │   │   │   │   │   │   ├── stringify-request.js
│           │   │   │   │   │   │   ├── stringify-request.js.map
│           │   │   │   │   │   │   ├── utils.d.ts
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   ├── webpack-build
│           │   │   │   │   │   │   ├── impl.d.ts
│           │   │   │   │   │   │   ├── impl.js
│           │   │   │   │   │   │   ├── impl.js.map
│           │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   ├── webpack-config-rules
│           │   │   │   │   │   │   ├── resolve.d.ts
│           │   │   │   │   │   │   ├── resolve.js
│           │   │   │   │   │   │   └── resolve.js.map
│           │   │   │   │   │   ├── webpack-config.d.ts
│           │   │   │   │   │   ├── webpack-config.js
│           │   │   │   │   │   ├── webpack-config.js.map
│           │   │   │   │   │   ├── worker.d.ts
│           │   │   │   │   │   ├── worker.js
│           │   │   │   │   │   ├── worker.js.map
│           │   │   │   │   │   ├── write-build-id.d.ts
│           │   │   │   │   │   ├── write-build-id.js
│           │   │   │   │   │   └── write-build-id.js.map
│           │   │   │   │   ├── cli
│           │   │   │   │   │   ├── internal
│           │   │   │   │   │   │   ├── turbo-trace-server.d.ts
```

```
│   │   │   │   │   │   │   │   ├── turbo-trace-server.js
│   │   │   │   │   │   │   │   └── turbo-trace-server.js.map
│   │   │   │   │   │   │   ├── next-build.d.ts
│   │   │   │   │   │   │   ├── next-build.js
│   │   │   │   │   │   │   ├── next-build.js.map
│   │   │   │   │   │   │   ├── next-dev.d.ts
│   │   │   │   │   │   │   ├── next-dev.js
│   │   │   │   │   │   │   ├── next-dev.js.map
│   │   │   │   │   │   │   ├── next-export.d.ts
│   │   │   │   │   │   │   ├── next-export.js
│   │   │   │   │   │   │   ├── next-export.js.map
│   │   │   │   │   │   │   ├── next-info.d.ts
│   │   │   │   │   │   │   ├── next-info.js
│   │   │   │   │   │   │   ├── next-info.js.map
│   │   │   │   │   │   │   ├── next-lint.d.ts
│   │   │   │   │   │   │   ├── next-lint.js
│   │   │   │   │   │   │   ├── next-lint.js.map
│   │   │   │   │   │   │   ├── next-start.d.ts
│   │   │   │   │   │   │   ├── next-start.js
│   │   │   │   │   │   │   ├── next-start.js.map
│   │   │   │   │   │   │   ├── next-telemetry.d.ts
│   │   │   │   │   │   │   ├── next-telemetry.js
│   │   │   │   │   │   │   ├── next-telemetry.js.map
│   │   │   │   │   │   │   ├── next-test.d.ts
│   │   │   │   │   │   │   ├── next-test.js
│   │   │   │   │   │   │   ├── next-test.js.map
│   │   │   │   │   │   │   ├── next-typegen.d.ts
│   │   │   │   │   │   │   ├── next-typegen.js
│   │   │   │   │   │   │   └── next-typegen.js.map
│   │   │   │   │   │   ├── client
│   │   │   │   │   │   │   ├── add-base-path.d.ts
│   │   │   │   │   │   │   ├── add-base-path.js
│   │   │   │   │   │   │   ├── add-base-path.js.map
│   │   │   │   │   │   │   ├── add-locale.d.ts
│   │   │   │   │   │   │   ├── add-locale.js
│   │   │   │   │   │   │   ├── add-locale.js.map
│   │   │   │   │   │   │   ├── app-bootstrap.d.ts
│   │   │   │   │   │   │   ├── app-bootstrap.js
│   │   │   │   │   │   │   ├── app-bootstrap.js.map
│   │   │   │   │   │   │   ├── app-build-id.d.ts
│   │   │   │   │   │   │   ├── app-build-id.js
│   │   │   │   │   │   │   ├── app-build-id.js.map
│   │   │   │   │   │   │   ├── app-call-server.d.ts
│   │   │   │   │   │   │   ├── app-call-server.js
│   │   │   │   │   │   │   ├── app-call-server.js.map
│   │   │   │   │   │   │   ├── app-dir
│   │   │   │   │   │   │   │   ├── form.d.ts
│   │   │   │   │   │   │   │   ├── form.js
│   │   │   │   │   │   │   │   ├── form.js.map
│   │   │   │   │   │   │   │   ├── link.d.ts
│   │   │   │   │   │   │   │   ├── link.js
│   │   │   │   │   │   │   │   └── link.js.map
│   │   │   │   │   │   │   ├── app-find-source-map-url.d.ts
│   │   │   │   │   │   │   ├── app-find-source-map-url.js
│   │   │   │   │   │   │   ├── app-find-source-map-url.js.map
│   │   │   │   │   │   │   ├── app-globals.d.ts
```

```
│               │   │   │   │   │   ├── app-globals.js
│               │   │   │   │   │   ├── app-globals.js.map
│               │   │   │   │   │   ├── app-index.d.ts
│               │   │   │   │   │   ├── app-index.js
│               │   │   │   │   │   ├── app-index.js.map
│               │   │   │   │   │   ├── app-link-gc.d.ts
│               │   │   │   │   │   ├── app-link-gc.js
│               │   │   │   │   │   ├── app-link-gc.js.map
│               │   │   │   │   │   ├── app-next-dev.d.ts
│               │   │   │   │   │   ├── app-next-dev.js
│               │   │   │   │   │   ├── app-next-dev.js.map
│               │   │   │   │   │   ├── app-next-turbopack.d.ts
│               │   │   │   │   │   ├── app-next-turbopack.js
│               │   │   │   │   │   ├── app-next-turbopack.js.map
│               │   │   │   │   │   ├── app-next.d.ts
│               │   │   │   │   │   ├── app-next.js
│               │   │   │   │   │   ├── app-next.js.map
│               │   │   │   │   │   ├── app-webpack.d.ts
│               │   │   │   │   │   ├── app-webpack.js
│               │   │   │   │   │   ├── app-webpack.js.map
│               │   │   │   │   │   ├── assign-location.d.ts
│               │   │   │   │   │   ├── assign-location.js
│               │   │   │   │   │   ├── assign-location.js.map
│               │   │   │   │   │   ├── compat
│               │   │   │   │   │   │   ├── router.d.ts
│               │   │   │   │   │   │   ├── router.js
│               │   │   │   │   │   │   └── router.js.map
│               │   │   │   │   │   ├── components
│               │   │   │   │   │   │   ├── app-router-announcer.d.ts
│               │   │   │   │   │   │   ├── app-router-announcer.js
│               │   │   │   │   │   │   ├── app-router-announcer.js.map
│               │   │   │   │   │   │   ├── app-router-headers.d.ts
│               │   │   │   │   │   │   ├── app-router-headers.js
│               │   │   │   │   │   │   ├── app-router-headers.js.map
│               │   │   │   │   │   │   ├── app-router-instance.d.ts
│               │   │   │   │   │   │   ├── app-router-instance.js
│               │   │   │   │   │   │   ├── app-router-instance.js.map
│               │   │   │   │   │   │   ├── app-router.d.ts
│               │   │   │   │   │   │   ├── app-router.js
│               │   │   │   │   │   │   ├── app-router.js.map
│               │   │   │   │   │   │   ├── bailout-to-client-rendering.d.ts
│               │   │   │   │   │   │   ├── bailout-to-client-rendering.js
│               │   │   │   │   │   │   ├── bailout-to-client-
rendering.js.map
│               │   │   │   │   │   │   ├── bfcache.d.ts
│               │   │   │   │   │   │   ├── bfcache.js
│               │   │   │   │   │   │   ├── bfcache.js.map
│               │   │   │   │   │   │   ├── builtin
│               │   │   │   │   │   │   │   ├── default.d.ts
│               │   │   │   │   │   │   │   ├── default.js
│               │   │   │   │   │   │   │   ├── default.js.map
│               │   │   │   │   │   │   │   ├── forbidden.d.ts
│               │   │   │   │   │   │   │   ├── forbidden.js
│               │   │   │   │   │   │   │   ├── forbidden.js.map
│               │   │   │   │   │   │   │   ├── global-error.d.ts
│               │   │   │   │   │   │   │   ├── global-error.js
```

```
│           │   │   │   │   │   │   │   ├── global-error.js.map
│           │   │   │   │   │   │   │   ├── global-not-found.d.ts
│           │   │   │   │   │   │   │   ├── global-not-found.js
│           │   │   │   │   │   │   │   ├── global-not-found.js.map
│           │   │   │   │   │   │   │   ├── layout.d.ts
│           │   │   │   │   │   │   │   ├── layout.js
│           │   │   │   │   │   │   │   ├── layout.js.map
│           │   │   │   │   │   │   │   ├── not-found.d.ts
│           │   │   │   │   │   │   │   ├── not-found.js
│           │   │   │   │   │   │   │   ├── not-found.js.map
│           │   │   │   │   │   │   │   ├── unauthorized.d.ts
│           │   │   │   │   │   │   │   ├── unauthorized.js
│           │   │   │   │   │   │   │   └── unauthorized.js.map
│           │   │   │   │   │   │   ├── client-page.d.ts
│           │   │   │   │   │   │   ├── client-page.js
│           │   │   │   │   │   │   ├── client-page.js.map
│           │   │   │   │   │   │   ├── client-segment.d.ts
│           │   │   │   │   │   │   ├── client-segment.js
│           │   │   │   │   │   │   ├── client-segment.js.map
│           │   │   │   │   │   │   ├── dev-root-http-access-fallback-
boundary.d.ts
│           │   │   │   │   │   │   ├── dev-root-http-access-fallback-
boundary.js
│           │   │   │   │   │   │   ├── dev-root-http-access-fallback-
boundary.js.map
│           │   │   │   │   │   │   ├── error-boundary.d.ts
│           │   │   │   │   │   │   ├── error-boundary.js
│           │   │   │   │   │   │   ├── error-boundary.js.map
│           │   │   │   │   │   │   ├── errors
│           │   │   │   │   │   │   │   ├── graceful-degrade-
boundary.d.ts
│           │   │   │   │   │   │   │   ├── graceful-degrade-boundary.js
│           │   │   │   │   │   │   │   ├── graceful-degrade-
boundary.js.map
│           │   │   │   │   │   │   │   ├── root-error-boundary.d.ts
│           │   │   │   │   │   │   │   ├── root-error-boundary.js
│           │   │   │   │   │   │   │   └── root-error-boundary.js.map
│           │   │   │   │   │   │   ├── forbidden.d.ts
│           │   │   │   │   │   │   ├── forbidden.js
│           │   │   │   │   │   │   ├── forbidden.js.map
│           │   │   │   │   │   │   ├── handle-isr-error.d.ts
│           │   │   │   │   │   │   ├── handle-isr-error.js
│           │   │   │   │   │   │   ├── handle-isr-error.js.map
│           │   │   │   │   │   │   ├── hooks-server-context.d.ts
│           │   │   │   │   │   │   ├── hooks-server-context.js
│           │   │   │   │   │   │   ├── hooks-server-context.js.map
│           │   │   │   │   │   │   ├── http-access-fallback
│           │   │   │   │   │   │   │   ├── error-boundary.d.ts
│           │   │   │   │   │   │   │   ├── error-boundary.js
│           │   │   │   │   │   │   │   ├── error-boundary.js.map
│           │   │   │   │   │   │   │   ├── error-fallback.d.ts
│           │   │   │   │   │   │   │   ├── error-fallback.js
│           │   │   │   │   │   │   │   ├── error-fallback.js.map
│           │   │   │   │   │   │   │   ├── http-access-fallback.d.ts
│           │   │   │   │   │   │   │   ├── http-access-fallback.js
│           │   │   │   │   │   │   │   └── http-access-fallback.js.map
```

```
│           │   │   │   │   │   ├── is-next-router-error.d.ts
│           │   │   │   │   │   ├── is-next-router-error.js
│           │   │   │   │   │   ├── is-next-router-error.js.map
│           │   │   │   │   │   ├── layout-router.d.ts
│           │   │   │   │   │   ├── layout-router.js
│           │   │   │   │   │   ├── layout-router.js.map
│           │   │   │   │   │   ├── links.d.ts
│           │   │   │   │   │   ├── links.js
│           │   │   │   │   │   ├── links.js.map
│           │   │   │   │   │   ├── match-segments.d.ts
│           │   │   │   │   │   ├── match-segments.js
│           │   │   │   │   │   ├── match-segments.js.map
│           │   │   │   │   │   ├── metadata
│           │   │   │   │   │   │   ├── async-metadata.d.ts
│           │   │   │   │   │   │   ├── async-metadata.js
│           │   │   │   │   │   │   ├── async-metadata.js.map
│           │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   ├── nav-failure-handler.d.ts
│           │   │   │   │   │   ├── nav-failure-handler.js
│           │   │   │   │   │   ├── nav-failure-handler.js.map
│           │   │   │   │   │   ├── navigation-untracked.d.ts
│           │   │   │   │   │   ├── navigation-untracked.js
│           │   │   │   │   │   ├── navigation-untracked.js.map
│           │   │   │   │   │   ├── navigation.d.ts
│           │   │   │   │   │   ├── navigation.js
│           │   │   │   │   │   ├── navigation.js.map
│           │   │   │   │   │   ├── navigation.react-server.d.ts
│           │   │   │   │   │   ├── navigation.react-server.js
│           │   │   │   │   │   ├── navigation.react-server.js.map
│           │   │   │   │   │   ├── noop-head.d.ts
│           │   │   │   │   │   ├── noop-head.js
│           │   │   │   │   │   ├── noop-head.js.map
│           │   │   │   │   │   ├── not-found.d.ts
│           │   │   │   │   │   ├── not-found.js
│           │   │   │   │   │   ├── not-found.js.map
│           │   │   │   │   │   ├── promise-queue.d.ts
│           │   │   │   │   │   ├── promise-queue.js
│           │   │   │   │   │   ├── promise-queue.js.map
│           │   │   │   │   │   ├── redirect-boundary.d.ts
│           │   │   │   │   │   ├── redirect-boundary.js
│           │   │   │   │   │   ├── redirect-boundary.js.map
│           │   │   │   │   │   ├── redirect-error.d.ts
│           │   │   │   │   │   ├── redirect-error.js
│           │   │   │   │   │   ├── redirect-error.js.map
│           │   │   │   │   │   ├── redirect-status-code.d.ts
│           │   │   │   │   │   ├── redirect-status-code.js
│           │   │   │   │   │   ├── redirect-status-code.js.map
│           │   │   │   │   │   ├── redirect.d.ts
│           │   │   │   │   │   ├── redirect.js
│           │   │   │   │   │   ├── redirect.js.map
│           │   │   │   │   │   ├── render-from-template-
context.d.ts
│           │   │   │   │   │   ├── render-from-template-context.js
```

```
|           |   |   |   |   |   |   ├── render-from-template-
context.js.map
|           |   |   |   |   |   |   ├── router-reducer
|           |   |   |   |   |   |   |   ├── aliased-prefetch-
navigations.d.ts
|           |   |   |   |   |   |   |   ├── aliased-prefetch-
navigations.js
|           |   |   |   |   |   |   |   ├── aliased-prefetch-
navigations.js.map
|           |   |   |   |   |   |   |   ├── apply-flight-data.d.ts
|           |   |   |   |   |   |   |   ├── apply-flight-data.js
|           |   |   |   |   |   |   |   ├── apply-flight-data.js.map
|           |   |   |   |   |   |   |   ├── apply-router-state-patch-to-
tree.d.ts
|           |   |   |   |   |   |   |   ├── apply-router-state-patch-to-
tree.js
|           |   |   |   |   |   |   |   ├── apply-router-state-patch-to-
tree.js.map
|           |   |   |   |   |   |   |   ├── clear-cache-node-data-for-
segment-path.d.ts
|           |   |   |   |   |   |   |   ├── clear-cache-node-data-for-
segment-path.js
|           |   |   |   |   |   |   |   ├── clear-cache-node-data-for-
segment-path.js.map
|           |   |   |   |   |   |   |   ├── compute-changed-path.d.ts
|           |   |   |   |   |   |   |   ├── compute-changed-path.js
|           |   |   |   |   |   |   |   ├── compute-changed-path.js.map
|           |   |   |   |   |   |   |   ├── create-href-from-url.d.ts
|           |   |   |   |   |   |   |   ├── create-href-from-url.js
|           |   |   |   |   |   |   |   ├── create-href-from-url.js.map
|           |   |   |   |   |   |   |   ├── create-initial-router-
state.d.ts
|           |   |   |   |   |   |   |   ├── create-initial-router-
state.js
|           |   |   |   |   |   |   |   ├── create-initial-router-
state.js.map
|           |   |   |   |   |   |   |   ├── create-router-cache-key.d.ts
|           |   |   |   |   |   |   |   ├── create-router-cache-key.js
|           |   |   |   |   |   |   |   ├── create-router-cache-
key.js.map
|           |   |   |   |   |   |   |   ├── fetch-server-response.d.ts
|           |   |   |   |   |   |   |   ├── fetch-server-response.js
|           |   |   |   |   |   |   |   ├── fetch-server-response.js.map
|           |   |   |   |   |   |   |   ├── fill-cache-with-new-subtree-
data.d.ts
|           |   |   |   |   |   |   |   ├── fill-cache-with-new-subtree-
data.js
|           |   |   |   |   |   |   |   ├── fill-cache-with-new-subtree-
data.js.map
|           |   |   |   |   |   |   |   ├── fill-lazy-items-till-leaf-
with-head.d.ts
|           |   |   |   |   |   |   |   ├── fill-lazy-items-till-leaf-
with-head.js
|           |   |   |   |   |   |   |   ├── fill-lazy-items-till-leaf-
with-head.js.map
|           |   |   |   |   |   |   |   ├── handle-mutable.d.ts
```

```
│           │   │   │   │   │   │   ├── handle-mutable.js
│           │   │   │   │   │   │   ├── handle-mutable.js.map
│           │   │   │   │   │   │   ├── handle-segment-mismatch.d.ts
│           │   │   │   │   │   │   ├── handle-segment-mismatch.js
│           │   │   │   │   │   │   ├── handle-segment-
mismatch.js.map
│           │   │   │   │   │   │   ├── invalidate-cache-below-
flight-segmentpath.d.ts
│           │   │   │   │   │   │   ├── invalidate-cache-below-
flight-segmentpath.js
│           │   │   │   │   │   │   ├── invalidate-cache-below-
flight-segmentpath.js.map
│           │   │   │   │   │   │   ├── invalidate-cache-by-router-
state.d.ts
│           │   │   │   │   │   │   ├── invalidate-cache-by-router-
state.js
│           │   │   │   │   │   │   ├── invalidate-cache-by-router-
state.js.map
│           │   │   │   │   │   │   ├── is-navigating-to-new-root-
layout.d.ts
│           │   │   │   │   │   │   ├── is-navigating-to-new-root-
layout.js
│           │   │   │   │   │   │   ├── is-navigating-to-new-root-
layout.js.map
│           │   │   │   │   │   │   ├── ppr-navigations.d.ts
│           │   │   │   │   │   │   ├── ppr-navigations.js
│           │   │   │   │   │   │   ├── ppr-navigations.js.map
│           │   │   │   │   │   │   ├── prefetch-cache-utils.d.ts
│           │   │   │   │   │   │   ├── prefetch-cache-utils.js
│           │   │   │   │   │   │   ├── prefetch-cache-utils.js.map
│           │   │   │   │   │   │   ├── reducers
│           │   │   │   │   │   │   │   ├── find-head-in-cache.d.ts
│           │   │   │   │   │   │   │   ├── find-head-in-cache.js
│           │   │   │   │   │   │   │   ├── find-head-in-
cache.js.map
│           │   │   │   │   │   │   │   ├── get-segment-value.d.ts
│           │   │   │   │   │   │   │   ├── get-segment-value.js
│           │   │   │   │   │   │   │   ├── get-segment-value.js.map
│           │   │   │   │   │   │   │   ├── has-interception-route-
in-current-tree.d.ts
│           │   │   │   │   │   │   │   ├── has-interception-route-
in-current-tree.js
│           │   │   │   │   │   │   │   ├── has-interception-route-
in-current-tree.js.map
│           │   │   │   │   │   │   │   ├── hmr-refresh-reducer.d.ts
│           │   │   │   │   │   │   │   ├── hmr-refresh-reducer.js
│           │   │   │   │   │   │   │   ├── hmr-refresh-
reducer.js.map
│           │   │   │   │   │   │   │   ├── navigate-reducer.d.ts
│           │   │   │   │   │   │   │   ├── navigate-reducer.js
│           │   │   │   │   │   │   │   ├── navigate-reducer.js.map
│           │   │   │   │   │   │   │   ├── prefetch-reducer.d.ts
│           │   │   │   │   │   │   │   ├── prefetch-reducer.js
│           │   │   │   │   │   │   │   ├── prefetch-reducer.js.map
│           │   │   │   │   │   │   │   ├── refresh-reducer.d.ts
│           │   │   │   │   │   │   │   ├── refresh-reducer.js
```

```
│           │   │   │   │   │   │   │   ├── refresh-reducer.js.map
│           │   │   │   │   │   │   │   ├── restore-reducer.d.ts
│           │   │   │   │   │   │   │   ├── restore-reducer.js
│           │   │   │   │   │   │   │   ├── restore-reducer.js.map
│           │   │   │   │   │   │   │   ├── server-action-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── server-action-reducer.js
│           │   │   │   │   │   │   │   ├── server-action-
reducer.js.map
│           │   │   │   │   │   │   │   ├── server-patch-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── server-patch-reducer.js
│           │   │   │   │   │   │   │   └── server-patch-
reducer.js.map
│           │   │   │   │   │   │   ├── refetch-inactive-parallel-
segments.d.ts
│           │   │   │   │   │   │   ├── refetch-inactive-parallel-
segments.js
│           │   │   │   │   │   │   ├── refetch-inactive-parallel-
segments.js.map
│           │   │   │   │   │   │   ├── router-reducer-types.d.ts
│           │   │   │   │   │   │   ├── router-reducer-types.js
│           │   │   │   │   │   │   ├── router-reducer-types.js.map
│           │   │   │   │   │   │   ├── router-reducer.d.ts
│           │   │   │   │   │   │   ├── router-reducer.js
│           │   │   │   │   │   │   ├── router-reducer.js.map
│           │   │   │   │   │   │   ├── set-cache-busting-search-
param.d.ts
│           │   │   │   │   │   │   ├── set-cache-busting-search-
param.js
│           │   │   │   │   │   │   ├── set-cache-busting-search-
param.js.map
│           │   │   │   │   │   │   ├── should-hard-navigate.d.ts
│           │   │   │   │   │   │   ├── should-hard-navigate.js
│           │   │   │   │   │   │   └── should-hard-navigate.js.map
│           │   │   │   │   │   ├── segment-cache-impl
│           │   │   │   │   │   │   ├── cache-key.d.ts
│           │   │   │   │   │   │   ├── cache-key.js
│           │   │   │   │   │   │   ├── cache-key.js.map
│           │   │   │   │   │   │   ├── cache.d.ts
│           │   │   │   │   │   │   ├── cache.js
│           │   │   │   │   │   │   ├── cache.js.map
│           │   │   │   │   │   │   ├── lru.d.ts
│           │   │   │   │   │   │   ├── lru.js
│           │   │   │   │   │   │   ├── lru.js.map
│           │   │   │   │   │   │   ├── navigation.d.ts
│           │   │   │   │   │   │   ├── navigation.js
│           │   │   │   │   │   │   ├── navigation.js.map
│           │   │   │   │   │   │   ├── prefetch.d.ts
│           │   │   │   │   │   │   ├── prefetch.js
│           │   │   │   │   │   │   ├── prefetch.js.map
│           │   │   │   │   │   │   ├── scheduler.d.ts
│           │   │   │   │   │   │   ├── scheduler.js
│           │   │   │   │   │   │   ├── scheduler.js.map
│           │   │   │   │   │   │   ├── tuple-map.d.ts
│           │   │   │   │   │   │   ├── tuple-map.js
```

```
│   │   │   │   │   │   │   │   └── tuple-map.js.map
│   │   │   │   │   │   │   ├── segment-cache.d.ts
│   │   │   │   │   │   │   ├── segment-cache.js
│   │   │   │   │   │   │   ├── segment-cache.js.map
│   │   │   │   │   │   │   ├── static-generation-bailout.d.ts
│   │   │   │   │   │   │   ├── static-generation-bailout.js
│   │   │   │   │   │   │   ├── static-generation-bailout.js.map
│   │   │   │   │   │   │   ├── styles
│   │   │   │   │   │   │   │   ├── access-error-styles.d.ts
│   │   │   │   │   │   │   │   ├── access-error-styles.js
│   │   │   │   │   │   │   │   └── access-error-styles.js.map
│   │   │   │   │   │   │   ├── unauthorized.d.ts
│   │   │   │   │   │   │   ├── unauthorized.js
│   │   │   │   │   │   │   ├── unauthorized.js.map
│   │   │   │   │   │   │   ├── unrecognized-action-error.d.ts
│   │   │   │   │   │   │   ├── unrecognized-action-error.js
│   │   │   │   │   │   │   ├── unrecognized-action-error.js.map
│   │   │   │   │   │   │   ├── unresolved-thenable.d.ts
│   │   │   │   │   │   │   ├── unresolved-thenable.js
│   │   │   │   │   │   │   ├── unresolved-thenable.js.map
│   │   │   │   │   │   │   ├── unstable-rethrow.browser.d.ts
│   │   │   │   │   │   │   ├── unstable-rethrow.browser.js
│   │   │   │   │   │   │   ├── unstable-rethrow.browser.js.map
│   │   │   │   │   │   │   ├── unstable-rethrow.d.ts
│   │   │   │   │   │   │   ├── unstable-rethrow.js
│   │   │   │   │   │   │   ├── unstable-rethrow.js.map
│   │   │   │   │   │   │   ├── unstable-rethrow.server.d.ts
│   │   │   │   │   │   │   ├── unstable-rethrow.server.js
│   │   │   │   │   │   │   ├── unstable-rethrow.server.js.map
│   │   │   │   │   │   │   ├── use-action-queue.d.ts
│   │   │   │   │   │   │   ├── use-action-queue.js
│   │   │   │   │   │   │   └── use-action-queue.js.map
│   │   │   │   │   │   ├── detect-domain-locale.d.ts
│   │   │   │   │   │   ├── detect-domain-locale.js
│   │   │   │   │   │   ├── detect-domain-locale.js.map
│   │   │   │   │   │   ├── dev
│   │   │   │   │   │   │   ├── amp-dev.d.ts
│   │   │   │   │   │   │   ├── amp-dev.js
│   │   │   │   │   │   │   ├── amp-dev.js.map
│   │   │   │   │   │   │   ├── error-overlay
│   │   │   │   │   │   │   │   ├── websocket.d.ts
│   │   │   │   │   │   │   │   ├── websocket.js
│   │   │   │   │   │   │   │   └── websocket.js.map
│   │   │   │   │   │   │   ├── fouc.d.ts
│   │   │   │   │   │   │   ├── fouc.js
│   │   │   │   │   │   │   ├── fouc.js.map
│   │   │   │   │   │   │   ├── hot-middleware-client.d.ts
│   │   │   │   │   │   │   ├── hot-middleware-client.js
│   │   │   │   │   │   │   ├── hot-middleware-client.js.map
│   │   │   │   │   │   │   ├── hot-reloader
│   │   │   │   │   │   │   │   ├── app
│   │   │   │   │   │   │   │   │   ├── hot-reloader-app.d.ts
│   │   │   │   │   │   │   │   │   ├── hot-reloader-app.js
│   │   │   │   │   │   │   │   │   ├── hot-reloader-app.js.map
│   │   │   │   │   │   │   │   │   ├── use-websocket.d.ts
│   │   │   │   │   │   │   │   │   ├── use-websocket.js
```

```
│           │   │   │   │   │   │   │   │   └── use-websocket.js.map
│           │   │   │   │   │   │   │   ├── get-socket-url.d.ts
│           │   │   │   │   │   │   │   ├── get-socket-url.js
│           │   │   │   │   │   │   │   ├── get-socket-url.js.map
│           │   │   │   │   │   │   │   ├── pages
│           │   │   │   │   │   │   │   │   ├── hot-reloader-pages.d.ts
│           │   │   │   │   │   │   │   │   ├── hot-reloader-pages.js
│           │   │   │   │   │   │   │   │   ├── hot-reloader-
pages.js.map
│           │   │   │   │   │   │   │   │   ├── websocket.d.ts
│           │   │   │   │   │   │   │   │   ├── websocket.js
│           │   │   │   │   │   │   │   │   └── websocket.js.map
│           │   │   │   │   │   │   │   ├── shared.d.ts
│           │   │   │   │   │   │   │   ├── shared.js
│           │   │   │   │   │   │   │   ├── shared.js.map
│           │   │   │   │   │   │   │   ├── turbopack-hot-reloader-
common.d.ts
│           │   │   │   │   │   │   │   ├── turbopack-hot-reloader-
common.js
│           │   │   │   │   │   │   │   └── turbopack-hot-reloader-
common.js.map
│           │   │   │   │   │   │   ├── noop-turbopack-hmr.d.ts
│           │   │   │   │   │   │   ├── noop-turbopack-hmr.js
│           │   │   │   │   │   │   ├── noop-turbopack-hmr.js.map
│           │   │   │   │   │   │   ├── on-demand-entries-client.d.ts
│           │   │   │   │   │   │   ├── on-demand-entries-client.js
│           │   │   │   │   │   │   ├── on-demand-entries-client.js.map
│           │   │   │   │   │   │   ├── report-hmr-latency.d.ts
│           │   │   │   │   │   │   ├── report-hmr-latency.js
│           │   │   │   │   │   │   ├── report-hmr-latency.js.map
│           │   │   │   │   │   │   ├── runtime-error-handler.d.ts
│           │   │   │   │   │   │   ├── runtime-error-handler.js
│           │   │   │   │   │   │   └── runtime-error-handler.js.map
│           │   │   │   │   │   ├── flight-data-helpers.d.ts
│           │   │   │   │   │   ├── flight-data-helpers.js
│           │   │   │   │   │   ├── flight-data-helpers.js.map
│           │   │   │   │   │   ├── form-shared.d.ts
│           │   │   │   │   │   ├── form-shared.js
│           │   │   │   │   │   ├── form-shared.js.map
│           │   │   │   │   │   ├── form.d.ts
│           │   │   │   │   │   ├── form.js
│           │   │   │   │   │   ├── form.js.map
│           │   │   │   │   │   ├── get-domain-locale.d.ts
│           │   │   │   │   │   ├── get-domain-locale.js
│           │   │   │   │   │   ├── get-domain-locale.js.map
│           │   │   │   │   │   ├── has-base-path.d.ts
│           │   │   │   │   │   ├── has-base-path.js
│           │   │   │   │   │   ├── has-base-path.js.map
│           │   │   │   │   │   ├── head-manager.d.ts
│           │   │   │   │   │   ├── head-manager.js
│           │   │   │   │   │   ├── head-manager.js.map
│           │   │   │   │   │   ├── image-component.d.ts
│           │   │   │   │   │   ├── image-component.js
│           │   │   │   │   │   ├── image-component.js.map
│           │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   ├── index.js
```

```
│               │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   ├── legacy
│               │   │   │   │   │   │   ├── image.d.ts
│               │   │   │   │   │   │   ├── image.js
│               │   │   │   │   │   │   └── image.js.map
│               │   │   │   │   │   ├── lib
│               │   │   │   │   │   │   ├── console.d.ts
│               │   │   │   │   │   │   ├── console.js
│               │   │   │   │   │   │   └── console.js.map
│               │   │   │   │   │   ├── link.d.ts
│               │   │   │   │   │   ├── link.js
│               │   │   │   │   │   ├── link.js.map
│               │   │   │   │   │   ├── next-dev-turbopack.d.ts
│               │   │   │   │   │   ├── next-dev-turbopack.js
│               │   │   │   │   │   ├── next-dev-turbopack.js.map
│               │   │   │   │   │   ├── next-dev.d.ts
│               │   │   │   │   │   ├── next-dev.js
│               │   │   │   │   │   ├── next-dev.js.map
│               │   │   │   │   │   ├── next-turbopack.d.ts
│               │   │   │   │   │   ├── next-turbopack.js
│               │   │   │   │   │   ├── next-turbopack.js.map
│               │   │   │   │   │   ├── next.d.ts
│               │   │   │   │   │   ├── next.js
│               │   │   │   │   │   ├── next.js.map
│               │   │   │   │   │   ├── normalize-locale-path.d.ts
│               │   │   │   │   │   ├── normalize-locale-path.js
│               │   │   │   │   │   ├── normalize-locale-path.js.map
│               │   │   │   │   │   ├── normalize-trailing-slash.d.ts
│               │   │   │   │   │   ├── normalize-trailing-slash.js
│               │   │   │   │   │   ├── normalize-trailing-slash.js.map
│               │   │   │   │   │   ├── page-bootstrap.d.ts
│               │   │   │   │   │   ├── page-bootstrap.js
│               │   │   │   │   │   ├── page-bootstrap.js.map
│               │   │   │   │   │   ├── page-loader.d.ts
│               │   │   │   │   │   ├── page-loader.js
│               │   │   │   │   │   ├── page-loader.js.map
│               │   │   │   │   │   ├── portal
│               │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── index.js.map
│               │   │   │   │   │   ├── react-client-callbacks
│               │   │   │   │   │   │   ├── error-boundary-callbacks.d.ts
│               │   │   │   │   │   │   ├── error-boundary-callbacks.js
│               │   │   │   │   │   │   ├── error-boundary-callbacks.js.map
│               │   │   │   │   │   │   ├── on-recoverable-error.d.ts
│               │   │   │   │   │   │   ├── on-recoverable-error.js
│               │   │   │   │   │   │   ├── on-recoverable-error.js.map
│               │   │   │   │   │   │   ├── report-global-error.d.ts
│               │   │   │   │   │   │   ├── report-global-error.js
│               │   │   │   │   │   │   └── report-global-error.js.map
│               │   │   │   │   │   ├── remove-base-path.d.ts
│               │   │   │   │   │   ├── remove-base-path.js
│               │   │   │   │   │   ├── remove-base-path.js.map
│               │   │   │   │   │   ├── remove-locale.d.ts
│               │   │   │   │   │   ├── remove-locale.js
│               │   │   │   │   │   ├── remove-locale.js.map
```

```
│               │   │   │   │   │   ├── request
│               │   │   │   │   │   │   ├── params.browser.d.ts
│               │   │   │   │   │   │   ├── params.browser.dev.d.ts
│               │   │   │   │   │   │   ├── params.browser.dev.js
│               │   │   │   │   │   │   ├── params.browser.dev.js.map
│               │   │   │   │   │   │   ├── params.browser.js
│               │   │   │   │   │   │   ├── params.browser.js.map
│               │   │   │   │   │   │   ├── params.browser.prod.d.ts
│               │   │   │   │   │   │   ├── params.browser.prod.js
│               │   │   │   │   │   │   ├── params.browser.prod.js.map
│               │   │   │   │   │   │   ├── search-params.browser.d.ts
│               │   │   │   │   │   │   ├── search-params.browser.dev.d.ts
│               │   │   │   │   │   │   ├── search-params.browser.dev.js
│               │   │   │   │   │   │   ├── search-params.browser.dev.js.map
│               │   │   │   │   │   │   ├── search-params.browser.js
│               │   │   │   │   │   │   ├── search-params.browser.js.map
│               │   │   │   │   │   │   ├── search-params.browser.prod.d.ts
│               │   │   │   │   │   │   ├── search-params.browser.prod.js
│               │   │   │   │   │   │   └── search-
params.browser.prod.js.map
│               │   │   │   │   │   ├── request-idle-callback.d.ts
│               │   │   │   │   │   ├── request-idle-callback.js
│               │   │   │   │   │   ├── request-idle-callback.js.map
│               │   │   │   │   │   ├── resolve-href.d.ts
│               │   │   │   │   │   ├── resolve-href.js
│               │   │   │   │   │   ├── resolve-href.js.map
│               │   │   │   │   │   ├── route-announcer.d.ts
│               │   │   │   │   │   ├── route-announcer.js
│               │   │   │   │   │   ├── route-announcer.js.map
│               │   │   │   │   │   ├── route-loader.d.ts
│               │   │   │   │   │   ├── route-loader.js
│               │   │   │   │   │   ├── route-loader.js.map
│               │   │   │   │   │   ├── route-params.d.ts
│               │   │   │   │   │   ├── route-params.js
│               │   │   │   │   │   ├── route-params.js.map
│               │   │   │   │   │   ├── router.d.ts
│               │   │   │   │   │   ├── router.js
│               │   │   │   │   │   ├── router.js.map
│               │   │   │   │   │   ├── script.d.ts
│               │   │   │   │   │   ├── script.js
│               │   │   │   │   │   ├── script.js.map
│               │   │   │   │   │   ├── set-attributes-from-props.d.ts
│               │   │   │   │   │   ├── set-attributes-from-props.js
│               │   │   │   │   │   ├── set-attributes-from-props.js.map
│               │   │   │   │   │   ├── tracing
│               │   │   │   │   │   │   ├── report-to-socket.d.ts
│               │   │   │   │   │   │   ├── report-to-socket.js
│               │   │   │   │   │   │   ├── report-to-socket.js.map
│               │   │   │   │   │   │   ├── tracer.d.ts
│               │   │   │   │   │   │   ├── tracer.js
│               │   │   │   │   │   │   └── tracer.js.map
│               │   │   │   │   │   ├── trusted-types.d.ts
│               │   │   │   │   │   ├── trusted-types.js
│               │   │   │   │   │   ├── trusted-types.js.map
│               │   │   │   │   │   ├── use-client-disallowed.d.ts
│               │   │   │   │   │   ├── use-client-disallowed.js
```

```
│           │   │   │   │   │   ├── use-client-disallowed.js.map
│           │   │   │   │   │   ├── use-intersection.d.ts
│           │   │   │   │   │   ├── use-intersection.js
│           │   │   │   │   │   ├── use-intersection.js.map
│           │   │   │   │   │   ├── use-merged-ref.d.ts
│           │   │   │   │   │   ├── use-merged-ref.js
│           │   │   │   │   │   ├── use-merged-ref.js.map
│           │   │   │   │   │   ├── web-vitals.d.ts
│           │   │   │   │   │   ├── web-vitals.js
│           │   │   │   │   │   ├── web-vitals.js.map
│           │   │   │   │   │   ├── webpack.d.ts
│           │   │   │   │   │   ├── webpack.js
│           │   │   │   │   │   ├── webpack.js.map
│           │   │   │   │   │   ├── with-router.d.ts
│           │   │   │   │   │   ├── with-router.js
│           │   │   │   │   │   └── with-router.js.map
│           │   │   │   │   ├── compiled
│           │   │   │   │   │   ├── @ampproject
│           │   │   │   │   │   │   └── toolbox-optimizer
│           │   │   │   │   │   │       ├── LICENSE
│           │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │       └── package.json
│           │   │   │   │   │   ├── @babel
│           │   │   │   │   │   │   └── runtime
│           │   │   │   │   │   │       ├── LICENSE
│           │   │   │   │   │   │       ├── README.md
│           │   │   │   │   │   │       ├── helpers
│           │   │   │   │   │   │       │   ├── AwaitValue.js
│           │   │   │   │   │   │       │   ├── OverloadYield.js
│           │   │   │   │   │   │       │   ├──
applyDecoratedDescriptor.js
│           │   │   │   │   │   │       │   ├── applyDecs.js
│           │   │   │   │   │   │       │   ├── applyDecs2203.js
│           │   │   │   │   │   │       │   ├── applyDecs2203R.js
│           │   │   │   │   │   │       │   ├── applyDecs2301.js
│           │   │   │   │   │   │       │   ├── applyDecs2305.js
│           │   │   │   │   │   │       │   ├── applyDecs2311.js
│           │   │   │   │   │   │       │   ├── arrayLikeToArray.js
│           │   │   │   │   │   │       │   ├── arrayWithHoles.js
│           │   │   │   │   │   │       │   ├── arrayWithoutHoles.js
│           │   │   │   │   │   │       │   ├── assertClassBrand.js
│           │   │   │   │   │   │       │   ├── assertThisInitialized.js
│           │   │   │   │   │   │       │   ├──
asyncGeneratorDelegate.js
│           │   │   │   │   │   │       │   ├── asyncIterator.js
│           │   │   │   │   │   │       │   ├── asyncToGenerator.js
│           │   │   │   │   │   │       │   ├── awaitAsyncGenerator.js
│           │   │   │   │   │   │       │   ├── callSuper.js
│           │   │   │   │   │   │       │   ├── checkInRHS.js
│           │   │   │   │   │   │       │   ├──
checkPrivateRedeclaration.js
│           │   │   │   │   │   │       │   ├──
classApplyDescriptorDestructureSet.js
│           │   │   │   │   │   │       │   ├──
classApplyDescriptorGet.js
```

```
│           │   │   │   │   │   │       │   ├──
classApplyDescriptorSet.js
│           │   │   │   │   │   │       │   ├── classCallCheck.js
│           │   │   │   │   │   │       │   ├──
classCheckPrivateStaticAccess.js
│           │   │   │   │   │   │       │   ├──
classCheckPrivateStaticFieldDescriptor.js
│           │   │   │   │   │   │       │   ├──
classExtractFieldDescriptor.js
│           │   │   │   │   │   │       │   ├── classNameTDZError.js
│           │   │   │   │   │   │       │   ├──
classPrivateFieldDestructureSet.js
│           │   │   │   │   │   │       │   ├── classPrivateFieldGet.js
│           │   │   │   │   │   │       │   ├── classPrivateFieldGet2.js
│           │   │   │   │   │   │       │   ├──
classPrivateFieldInitSpec.js
│           │   │   │   │   │   │       │   ├──
classPrivateFieldLooseBase.js
│           │   │   │   │   │   │       │   ├──
classPrivateFieldLooseKey.js
│           │   │   │   │   │   │       │   ├── classPrivateFieldSet.js
│           │   │   │   │   │   │       │   ├── classPrivateFieldSet2.js
│           │   │   │   │   │   │       │   ├── classPrivateGetter.js
│           │   │   │   │   │   │       │   ├── classPrivateMethodGet.js
│           │   │   │   │   │   │       │   ├──
classPrivateMethodInitSpec.js
│           │   │   │   │   │   │       │   ├── classPrivateMethodSet.js
│           │   │   │   │   │   │       │   ├── classPrivateSetter.js
│           │   │   │   │   │   │       │   ├──
classStaticPrivateFieldDestructureSet.js
│           │   │   │   │   │   │       │   ├──
classStaticPrivateFieldSpecGet.js
│           │   │   │   │   │   │       │   ├──
classStaticPrivateFieldSpecSet.js
│           │   │   │   │   │   │       │   ├──
classStaticPrivateMethodGet.js
│           │   │   │   │   │   │       │   ├──
classStaticPrivateMethodSet.js
│           │   │   │   │   │   │       │   ├── construct.js
│           │   │   │   │   │   │       │   ├── createClass.js
│           │   │   │   │   │   │       │   ├──
createForOfIteratorHelper.js
│           │   │   │   │   │   │       │   ├──
createForOfIteratorHelperLoose.js
│           │   │   │   │   │   │       │   ├── createSuper.js
│           │   │   │   │   │   │       │   ├── decorate.js
│           │   │   │   │   │   │       │   ├── defaults.js
│           │   │   │   │   │   │       │   ├── defineAccessor.js
│           │   │   │   │   │   │       │   ├──
defineEnumerableProperties.js
│           │   │   │   │   │   │       │   ├── defineProperty.js
│           │   │   │   │   │   │       │   ├── dispose.js
│           │   │   │   │   │   │       │   ├── esm
│           │   │   │   │   │   │       │   │   ├── AwaitValue.js
│           │   │   │   │   │   │       │   │   ├── OverloadYield.js
```

```
|           |   |   |   |   |   |       |   |   ├──
applyDecoratedDescriptor.js
|           |   |   |   |   |   |       |   |   ├── applyDecs.js
|           |   |   |   |   |   |       |   |   ├── applyDecs2203.js
|           |   |   |   |   |   |       |   |   ├── applyDecs2203R.js
|           |   |   |   |   |   |       |   |   ├── applyDecs2301.js
|           |   |   |   |   |   |       |   |   ├── applyDecs2305.js
|           |   |   |   |   |   |       |   |   ├── applyDecs2311.js
|           |   |   |   |   |   |       |   |   ├── arrayLikeToArray.js
|           |   |   |   |   |   |       |   |   ├── arrayWithHoles.js
|           |   |   |   |   |   |       |   |   ├── arrayWithoutHoles.js
|           |   |   |   |   |   |       |   |   ├── assertClassBrand.js
|           |   |   |   |   |   |       |   |   ├──
assertThisInitialized.js
|           |   |   |   |   |   |       |   |   ├──
asyncGeneratorDelegate.js
|           |   |   |   |   |   |       |   |   ├── asyncIterator.js
|           |   |   |   |   |   |       |   |   ├── asyncToGenerator.js
|           |   |   |   |   |   |       |   |   ├──
awaitAsyncGenerator.js
|           |   |   |   |   |   |       |   |   ├── callSuper.js
|           |   |   |   |   |   |       |   |   ├── checkInRHS.js
|           |   |   |   |   |   |       |   |   ├──
checkPrivateRedeclaration.js
|           |   |   |   |   |   |       |   |   ├──
classApplyDescriptorDestructureSet.js
|           |   |   |   |   |   |       |   |   ├──
classApplyDescriptorGet.js
|           |   |   |   |   |   |       |   |   ├──
classApplyDescriptorSet.js
|           |   |   |   |   |   |       |   |   ├── classCallCheck.js
|           |   |   |   |   |   |       |   |   ├──
classCheckPrivateStaticAccess.js
|           |   |   |   |   |   |       |   |   ├──
classCheckPrivateStaticFieldDescriptor.js
|           |   |   |   |   |   |       |   |   ├──
classExtractFieldDescriptor.js
|           |   |   |   |   |   |       |   |   ├── classNameTDZError.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldDestructureSet.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldGet.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldGet2.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldInitSpec.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldLooseBase.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldLooseKey.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldSet.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateFieldSet2.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateGetter.js
```

```
|           |   |   |   |   |   |       |   |   ├──
classPrivateMethodGet.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateMethodInitSpec.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateMethodSet.js
|           |   |   |   |   |   |       |   |   ├──
classPrivateSetter.js
|           |   |   |   |   |   |       |   |   ├──
classStaticPrivateFieldDestructureSet.js
|           |   |   |   |   |   |       |   |   ├──
classStaticPrivateFieldSpecGet.js
|           |   |   |   |   |   |       |   |   ├──
classStaticPrivateFieldSpecSet.js
|           |   |   |   |   |   |       |   |   ├──
classStaticPrivateMethodGet.js
|           |   |   |   |   |   |       |   |   ├──
classStaticPrivateMethodSet.js
|           |   |   |   |   |   |       |   |   ├── construct.js
|           |   |   |   |   |   |       |   |   ├── createClass.js
|           |   |   |   |   |   |       |   |   ├──
createForOfIteratorHelper.js
|           |   |   |   |   |   |       |   |   ├──
createForOfIteratorHelperLoose.js
|           |   |   |   |   |   |       |   |   ├── createSuper.js
|           |   |   |   |   |   |       |   |   ├── decorate.js
|           |   |   |   |   |   |       |   |   ├── defaults.js
|           |   |   |   |   |   |       |   |   ├── defineAccessor.js
|           |   |   |   |   |   |       |   |   ├──
defineEnumerableProperties.js
|           |   |   |   |   |   |       |   |   ├── defineProperty.js
|           |   |   |   |   |   |       |   |   ├── dispose.js
|           |   |   |   |   |   |       |   |   ├── extends.js
|           |   |   |   |   |   |       |   |   ├── get.js
|           |   |   |   |   |   |       |   |   ├── getPrototypeOf.js
|           |   |   |   |   |   |       |   |   ├── identity.js
|           |   |   |   |   |   |       |   |   ├── importDeferProxy.js
|           |   |   |   |   |   |       |   |   ├── inherits.js
|           |   |   |   |   |   |       |   |   ├── inheritsLoose.js
|           |   |   |   |   |   |       |   |   ├──
initializerDefineProperty.js
|           |   |   |   |   |   |       |   |   ├──
initializerWarningHelper.js
|           |   |   |   |   |   |       |   |   ├── instanceof.js
|           |   |   |   |   |   |       |   |   ├──
interopRequireDefault.js
|           |   |   |   |   |   |       |   |   ├──
interopRequireWildcard.js
|           |   |   |   |   |   |       |   |   ├── isNativeFunction.js
|           |   |   |   |   |   |       |   |   ├──
isNativeReflectConstruct.js
|           |   |   |   |   |   |       |   |   ├── iterableToArray.js
|           |   |   |   |   |   |       |   |   ├──
iterableToArrayLimit.js
|           |   |   |   |   |   |       |   |   ├── jsx.js
|           |   |   |   |   |   |       |   |   ├── maybeArrayLike.js
```

```
│           │   │   │   │   │   │       │   │   ├── newArrowCheck.js
│           │   │   │   │   │   │       │   │   ├── nonIterableRest.js
│           │   │   │   │   │   │       │   │   ├── nonIterableSpread.js
│           │   │   │   │   │   │       │   │   ├──
nullishReceiverError.js
│           │   │   │   │   │   │       │   │   ├──
objectDestructuringEmpty.js
│           │   │   │   │   │   │       │   │   ├── objectSpread.js
│           │   │   │   │   │   │       │   │   ├── objectSpread2.js
│           │   │   │   │   │   │       │   │   ├──
objectWithoutProperties.js
│           │   │   │   │   │   │       │   │   ├──
objectWithoutPropertiesLoose.js
│           │   │   │   │   │   │       │   │   ├── package.json
│           │   │   │   │   │   │       │   │   ├──
possibleConstructorReturn.js
│           │   │   │   │   │   │       │   │   ├── readOnlyError.js
│           │   │   │   │   │   │       │   │   ├──
regeneratorRuntime.js
│           │   │   │   │   │   │       │   │   ├── set.js
│           │   │   │   │   │   │       │   │   ├── setFunctionName.js
│           │   │   │   │   │   │       │   │   ├── setPrototypeOf.js
│           │   │   │   │   │   │       │   │   ├──
skipFirstGeneratorNext.js
│           │   │   │   │   │   │       │   │   ├── slicedToArray.js
│           │   │   │   │   │   │       │   │   ├── superPropBase.js
│           │   │   │   │   │   │       │   │   ├── superPropGet.js
│           │   │   │   │   │   │       │   │   ├── superPropSet.js
│           │   │   │   │   │   │       │   │   ├──
taggedTemplateLiteral.js
│           │   │   │   │   │   │       │   │   ├──
taggedTemplateLiteralLoose.js
│           │   │   │   │   │   │       │   │   ├── tdz.js
│           │   │   │   │   │   │       │   │   ├── temporalRef.js
│           │   │   │   │   │   │       │   │   ├── temporalUndefined.js
│           │   │   │   │   │   │       │   │   ├── toArray.js
│           │   │   │   │   │   │       │   │   ├── toConsumableArray.js
│           │   │   │   │   │   │       │   │   ├── toPrimitive.js
│           │   │   │   │   │   │       │   │   ├── toPropertyKey.js
│           │   │   │   │   │   │       │   │   ├── toSetter.js
│           │   │   │   │   │   │       │   │   ├──
tsRewriteRelativeImportExtensions.js
│           │   │   │   │   │   │       │   │   ├── typeof.js
│           │   │   │   │   │   │       │   │   ├──
unsupportedIterableToArray.js
│           │   │   │   │   │   │       │   │   ├── using.js
│           │   │   │   │   │   │       │   │   ├── usingCtx.js
│           │   │   │   │   │   │       │   │   ├──
wrapAsyncGenerator.js
│           │   │   │   │   │   │       │   │   ├── wrapNativeSuper.js
│           │   │   │   │   │   │       │   │   ├── wrapRegExp.js
│           │   │   │   │   │   │       │   │   └── writeOnlyError.js
│           │   │   │   │   │   │       │   ├── extends.js
│           │   │   │   │   │   │       │   ├── get.js
│           │   │   │   │   │   │       │   ├── getPrototypeOf.js
│           │   │   │   │   │   │       │   ├── identity.js
```

```
│           │   │   │   │   │   │       │   ├── importDeferProxy.js
│           │   │   │   │   │   │       │   ├── inherits.js
│           │   │   │   │   │   │       │   ├── inheritsLoose.js
│           │   │   │   │   │   │       │   ├──
initializerDefineProperty.js
│           │   │   │   │   │   │       │   ├──
initializerWarningHelper.js
│           │   │   │   │   │   │       │   ├── instanceof.js
│           │   │   │   │   │   │       │   ├── interopRequireDefault.js
│           │   │   │   │   │   │       │   ├──
interopRequireWildcard.js
│           │   │   │   │   │   │       │   ├── isNativeFunction.js
│           │   │   │   │   │   │       │   ├──
isNativeReflectConstruct.js
│           │   │   │   │   │   │       │   ├── iterableToArray.js
│           │   │   │   │   │   │       │   ├── iterableToArrayLimit.js
│           │   │   │   │   │   │       │   ├── jsx.js
│           │   │   │   │   │   │       │   ├── maybeArrayLike.js
│           │   │   │   │   │   │       │   ├── newArrowCheck.js
│           │   │   │   │   │   │       │   ├── nonIterableRest.js
│           │   │   │   │   │   │       │   ├── nonIterableSpread.js
│           │   │   │   │   │   │       │   ├── nullishReceiverError.js
│           │   │   │   │   │   │       │   ├──
objectDestructuringEmpty.js
│           │   │   │   │   │   │       │   ├── objectSpread.js
│           │   │   │   │   │   │       │   ├── objectSpread2.js
│           │   │   │   │   │   │       │   ├──
objectWithoutProperties.js
│           │   │   │   │   │   │       │   ├──
objectWithoutPropertiesLoose.js
│           │   │   │   │   │   │       │   ├──
possibleConstructorReturn.js
│           │   │   │   │   │   │       │   ├── readOnlyError.js
│           │   │   │   │   │   │       │   ├── regeneratorRuntime.js
│           │   │   │   │   │   │       │   ├── set.js
│           │   │   │   │   │   │       │   ├── setFunctionName.js
│           │   │   │   │   │   │       │   ├── setPrototypeOf.js
│           │   │   │   │   │   │       │   ├──
skipFirstGeneratorNext.js
│           │   │   │   │   │   │       │   ├── slicedToArray.js
│           │   │   │   │   │   │       │   ├── superPropBase.js
│           │   │   │   │   │   │       │   ├── superPropGet.js
│           │   │   │   │   │   │       │   ├── superPropSet.js
│           │   │   │   │   │   │       │   ├── taggedTemplateLiteral.js
│           │   │   │   │   │   │       │   ├──
taggedTemplateLiteralLoose.js
│           │   │   │   │   │   │       │   ├── tdz.js
│           │   │   │   │   │   │       │   ├── temporalRef.js
│           │   │   │   │   │   │       │   ├── temporalUndefined.js
│           │   │   │   │   │   │       │   ├── toArray.js
│           │   │   │   │   │   │       │   ├── toConsumableArray.js
│           │   │   │   │   │   │       │   ├── toPrimitive.js
│           │   │   │   │   │   │       │   ├── toPropertyKey.js
│           │   │   │   │   │   │       │   ├── toSetter.js
│           │   │   │   │   │   │       │   ├──
tsRewriteRelativeImportExtensions.js
```

```
│           │   │   │   │   │   │       │   ├── typeof.js
│           │   │   │   │   │   │       │   ├──
unsupportedIterableToArray.js
│           │   │   │   │   │   │       │   ├── using.js
│           │   │   │   │   │   │       │   ├── usingCtx.js
│           │   │   │   │   │   │       │   ├── wrapAsyncGenerator.js
│           │   │   │   │   │   │       │   ├── wrapNativeSuper.js
│           │   │   │   │   │   │       │   ├── wrapRegExp.js
│           │   │   │   │   │   │       │   └── writeOnlyError.js
│           │   │   │   │   │   │       ├── package.json
│           │   │   │   │   │   │       └── regenerator
│           │   │   │   │   │   │           └── index.js
│           │   │   │   │   │   ├── @edge-runtime
│           │   │   │   │   │   │   ├── cookies
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   │   ├── ponyfill
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   │   └── primitives
│           │   │   │   │   │   │       ├── abort-controller.d.ts
│           │   │   │   │   │   │       ├── abort-
controller.js.LEGAL.txt
│           │   │   │   │   │   │       ├── abort-controller.js.text.js
│           │   │   │   │   │   │       ├── console.d.ts
│           │   │   │   │   │   │       ├── console.js.LEGAL.txt
│           │   │   │   │   │   │       ├── console.js.text.js
│           │   │   │   │   │   │       ├── crypto.d.ts
│           │   │   │   │   │   │       ├── crypto.js
│           │   │   │   │   │   │       ├── crypto.js.LEGAL.txt
│           │   │   │   │   │   │       ├── events.d.ts
│           │   │   │   │   │   │       ├── events.js.LEGAL.txt
│           │   │   │   │   │   │       ├── events.js.text.js
│           │   │   │   │   │   │       ├── fetch.d.ts
│           │   │   │   │   │   │       ├── fetch.js
│           │   │   │   │   │   │       ├── fetch.js.LEGAL.txt
│           │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │       ├── index.js.LEGAL.txt
│           │   │   │   │   │   │       ├── load.d.ts
│           │   │   │   │   │   │       ├── load.js
│           │   │   │   │   │   │       ├── load.js.LEGAL.txt
│           │   │   │   │   │   │       ├── package.json
│           │   │   │   │   │   │       ├── stream.js
│           │   │   │   │   │   │       ├── stream.js.LEGAL.txt
│           │   │   │   │   │   │       ├── timers.d.ts
│           │   │   │   │   │   │       ├── timers.js.LEGAL.txt
│           │   │   │   │   │   │       ├── timers.js.text.js
│           │   │   │   │   │   │       ├── url.d.ts
│           │   │   │   │   │   │       ├── url.js.LEGAL.txt
│           │   │   │   │   │   │       └── url.js.text.js
│           │   │   │   │   │   ├── @hapi
│           │   │   │   │   │   │   └── accept
│           │   │   │   │   │   │       ├── index.js
```

```
│           │   │   │   │   │   │       └── package.json
│           │   │   │   │   │   ├── @mswjs
│           │   │   │   │   │   │   └── interceptors
│           │   │   │   │   │   │       └── ClientRequest
│           │   │   │   │   │   │           ├── index.js
│           │   │   │   │   │   │           └── package.json
│           │   │   │   │   │   ├── @napi-rs
│           │   │   │   │   │   │   └── triples
│           │   │   │   │   │   │       ├── LICENSE
│           │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │       └── package.json
│           │   │   │   │   │   ├── @next
│           │   │   │   │   │   │   ├── font
│           │   │   │   │   │   │   │   ├── dist
│           │   │   │   │   │   │   │   │   ├── constants.d.ts
│           │   │   │   │   │   │   │   │   ├── constants.js
│           │   │   │   │   │   │   │   │   ├── fontkit
│           │   │   │   │   │   │   │   │   │   └── index.js
│           │   │   │   │   │   │   │   │   ├── format-available-
values.d.ts
│           │   │   │   │   │   │   │   │   ├── format-available-
values.js
│           │   │   │   │   │   │   │   │   ├── google
│           │   │   │   │   │   │   │   │   │   ├── fetch-css-from-
google-fonts.d.ts
│           │   │   │   │   │   │   │   │   │   ├── fetch-css-from-
google-fonts.js
│           │   │   │   │   │   │   │   │   │   ├── fetch-font-file.d.ts
│           │   │   │   │   │   │   │   │   │   ├── fetch-font-file.js
│           │   │   │   │   │   │   │   │   │   ├── fetch-resource.d.ts
│           │   │   │   │   │   │   │   │   │   ├── fetch-resource.js
│           │   │   │   │   │   │   │   │   │   ├── find-font-files-in-
css.d.ts
│           │   │   │   │   │   │   │   │   │   ├── find-font-files-in-
css.js
│           │   │   │   │   │   │   │   │   │   ├── font-data.json
│           │   │   │   │   │   │   │   │   │   ├── get-fallback-font-
override-metrics.d.ts
│           │   │   │   │   │   │   │   │   │   ├── get-fallback-font-
override-metrics.js
│           │   │   │   │   │   │   │   │   │   ├── get-font-axes.d.ts
│           │   │   │   │   │   │   │   │   │   ├── get-font-axes.js
│           │   │   │   │   │   │   │   │   │   ├── get-google-fonts-
url.d.ts
│           │   │   │   │   │   │   │   │   │   ├── get-google-fonts-
url.js
│           │   │   │   │   │   │   │   │   │   ├── get-proxy-agent.d.ts
│           │   │   │   │   │   │   │   │   │   ├── get-proxy-agent.js
│           │   │   │   │   │   │   │   │   │   ├── google-fonts-
metadata.d.ts
│           │   │   │   │   │   │   │   │   │   ├── google-fonts-
metadata.js
│           │   │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   ├── loader.d.ts
│           │   │   │   │   │   │   │   │   │   ├── loader.js
```

```
│           │   │   │   │   │   │   │   │   │   ├── retry.d.ts
│           │   │   │   │   │   │   │   │   │   ├── retry.js
│           │   │   │   │   │   │   │   │   │   ├── sort-fonts-variant-
values.d.ts
│           │   │   │   │   │   │   │   │   │   ├── sort-fonts-variant-
values.js
│           │   │   │   │   │   │   │   │   │   ├── validate-google-
font-function-call.d.ts
│           │   │   │   │   │   │   │   │   │   └── validate-google-
font-function-call.js
│           │   │   │   │   │   │   │   │   ├── local
│           │   │   │   │   │   │   │   │   │   ├── get-fallback-
metrics-from-font-file.d.ts
│           │   │   │   │   │   │   │   │   │   ├── get-fallback-
metrics-from-font-file.js
│           │   │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   ├── loader.d.ts
│           │   │   │   │   │   │   │   │   │   ├── loader.js
│           │   │   │   │   │   │   │   │   │   ├── pick-font-file-for-
fallback-generation.d.ts
│           │   │   │   │   │   │   │   │   │   ├── pick-font-file-for-
fallback-generation.js
│           │   │   │   │   │   │   │   │   │   ├── validate-local-font-
function-call.d.ts
│           │   │   │   │   │   │   │   │   │   └── validate-local-font-
function-call.js
│           │   │   │   │   │   │   │   │   ├── next-font-error.d.ts
│           │   │   │   │   │   │   │   │   ├── next-font-error.js
│           │   │   │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   │   │   └── types.js
│           │   │   │   │   │   │   │   ├── google
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── loader.d.ts
│           │   │   │   │   │   │   │   │   └── loader.js
│           │   │   │   │   │   │   │   ├── local
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── loader.d.ts
│           │   │   │   │   │   │   │   │   └── loader.js
│           │   │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   │   └── react-refresh-utils
│           │   │   │   │   │   │       └── dist
│           │   │   │   │   │   │           ├──
ReactRefreshWebpackPlugin.js
│           │   │   │   │   │   │           ├──
ReactRefreshWebpackPlugin.js.map
│           │   │   │   │   │   │           ├── internal
│           │   │   │   │   │   │           │   ├──
ReactRefreshModule.runtime.js
│           │   │   │   │   │   │           │   ├──
ReactRefreshModule.runtime.js.map
│           │   │   │   │   │   │           │   ├── helpers.js
│           │   │   │   │   │   │           │   └── helpers.js.map
│           │   │   │   │   │   │           ├── loader.js
```

```
│               │   │   │   │   │   │           ├── loader.js.map
│               │   │   │   │   │   │           ├── runtime.js
│               │   │   │   │   │   │           └── runtime.js.map
│               │   │   │   │   │   ├── @opentelemetry
│               │   │   │   │   │   │   └── api
│               │   │   │   │   │   │       ├── LICENSE
│               │   │   │   │   │   │       ├── index.js
│               │   │   │   │   │   │       └── package.json
│               │   │   │   │   │   ├── @vercel
│               │   │   │   │   │   │   ├── nft
│               │   │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   │   └── og
│               │   │   │   │   │   │       ├── LICENSE
│               │   │   │   │   │   │       ├── emoji
│               │   │   │   │   │   │       │   └── index.d.ts
│               │   │   │   │   │   │       ├── figma
│               │   │   │   │   │   │       │   └── index.d.ts
│               │   │   │   │   │   │       ├── index.edge.d.ts
│               │   │   │   │   │   │       ├── index.edge.js
│               │   │   │   │   │   │       ├── index.node.d.ts
│               │   │   │   │   │   │       ├── index.node.js
│               │   │   │   │   │   │       ├── language
│               │   │   │   │   │   │       │   └── index.d.ts
│               │   │   │   │   │   │       ├── noto-sans-v27-latin-
regular.ttf
│               │   │   │   │   │   │       ├── og.d.ts
│               │   │   │   │   │   │       ├── package.json
│               │   │   │   │   │   │       ├── resvg.wasm
│               │   │   │   │   │   │       ├── satori
│               │   │   │   │   │   │       │   ├── LICENSE
│               │   │   │   │   │   │       │   └── index.d.ts
│               │   │   │   │   │   │       ├── types.d.ts
│               │   │   │   │   │   │       └── yoga.wasm
│               │   │   │   │   │   ├── acorn
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── acorn.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── amphtml-validator
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── validator_wasm.js
│               │   │   │   │   │   ├── anser
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── assert
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── assert.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── async-retry
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── async-sema
│               │   │   │   │   │   │   ├── index.js
```

```
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── babel
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── bundle.js
│           │   │   │   │   │   │   ├── code-frame.js
│           │   │   │   │   │   │   ├── core-lib-block-hoist-plugin.js
│           │   │   │   │   │   │   ├── core-lib-config.js
│           │   │   │   │   │   │   ├── core-lib-normalize-file.js
│           │   │   │   │   │   │   ├── core-lib-normalize-opts.js
│           │   │   │   │   │   │   ├── core-lib-plugin-pass.js
│           │   │   │   │   │   │   ├── core.js
│           │   │   │   │   │   │   ├── eslint-parser.js
│           │   │   │   │   │   │   ├── generator.js
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   ├── parser.js
│           │   │   │   │   │   │   ├── plugin-proposal-class-
properties.js
│           │   │   │   │   │   │   ├── plugin-proposal-export-
namespace-from.js
│           │   │   │   │   │   │   ├── plugin-proposal-numeric-
separator.js
│           │   │   │   │   │   │   ├── plugin-proposal-object-rest-
spread.js
│           │   │   │   │   │   │   ├── plugin-syntax-bigint.js
│           │   │   │   │   │   │   ├── plugin-syntax-dynamic-import.js
│           │   │   │   │   │   │   ├── plugin-syntax-import-
attributes.js
│           │   │   │   │   │   │   ├── plugin-syntax-jsx.js
│           │   │   │   │   │   │   ├── plugin-transform-define.js
│           │   │   │   │   │   │   ├── plugin-transform-modules-
commonjs.js
│           │   │   │   │   │   │   ├── plugin-transform-react-remove-
prop-types.js
│           │   │   │   │   │   │   ├── plugin-transform-runtime.js
│           │   │   │   │   │   │   ├── preset-env.js
│           │   │   │   │   │   │   ├── preset-react.js
│           │   │   │   │   │   │   ├── preset-typescript.js
│           │   │   │   │   │   │   ├── traverse.js
│           │   │   │   │   │   │   └── types.js
│           │   │   │   │   │   ├── babel-packages
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── packages-bundle.js
│           │   │   │   │   │   ├── browserify-zlib
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── browserslist
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── buffer
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── busboy
│           │   │   │   │   │   │   ├── LICENSE
```

```
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── bytes
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── ci-info
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── cli-select
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── client-only
│               │   │   │   │   │   │   ├── error.js
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── commander
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── comment-json
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── compression
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── conf
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── constants-browserify
│               │   │   │   │   │   │   ├── constants.json
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── content-disposition
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── content-type
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── cookie
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── cross-spawn
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── crypto-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
```

```
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── css.escape
│               │   │   │   │   │   │   ├── css.escape.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── cssnano-simple
│               │   │   │   │   │   │   └── index.js
│               │   │   │   │   │   ├── data-uri-to-buffer
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── debug
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── devalue
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── devalue.umd.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── domain-browser
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── edge-runtime
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── events
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── events.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── find-up
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── fresh
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── glob
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── glob.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── gzip-size
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── http-proxy
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── http-proxy-agent
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── https-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── https-proxy-agent
│               │   │   │   │   │   │   ├── index.js
```

```
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── icss-utils
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── ignore-loader
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── image-detector
│               │   │   │   │   │   │   └── detector.js
│               │   │   │   │   │   ├── image-size
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── is-animated
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── is-docker
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── is-wsl
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── jest-worker
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   ├── processChild.js
│               │   │   │   │   │   │   └── threadChild.js
│               │   │   │   │   │   ├── json5
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── jsonwebtoken
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── loader-runner
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── LoaderRunner.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── loader-utils2
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── loader-utils3
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── lodash.curry
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── lru-cache
│               │   │   │   │   │   │   ├── LICENSE
```

```
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── mini-css-extract-plugin
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── cjs.js
│           │   │   │   │   │   │   ├── hmr
│           │   │   │   │   │   │   │   └── hotModuleReplacement.js
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── loader.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── nanoid
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.cjs
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── native-url
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── neo-async
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── async.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── next-devtools
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   ├── next-server
│           │   │   │   │   │   │   ├── app-page-
experimental.runtime.dev.js
│           │   │   │   │   │   │   ├── app-page-
experimental.runtime.dev.js.map
│           │   │   │   │   │   │   ├── app-page-
experimental.runtime.prod.js
│           │   │   │   │   │   │   ├── app-page-
experimental.runtime.prod.js.map
│           │   │   │   │   │   │   ├── app-page-turbo-
experimental.runtime.dev.js
│           │   │   │   │   │   │   ├── app-page-turbo-
experimental.runtime.dev.js.map
│           │   │   │   │   │   │   ├── app-page-turbo-
experimental.runtime.prod.js
│           │   │   │   │   │   │   ├── app-page-turbo-
experimental.runtime.prod.js.map
│           │   │   │   │   │   │   ├── app-page-turbo.runtime.dev.js
│           │   │   │   │   │   │   ├── app-page-
turbo.runtime.dev.js.map
│           │   │   │   │   │   │   ├── app-page-turbo.runtime.prod.js
│           │   │   │   │   │   │   ├── app-page-
turbo.runtime.prod.js.map
│           │   │   │   │   │   │   ├── app-page.runtime.dev.js
│           │   │   │   │   │   │   ├── app-page.runtime.dev.js.map
│           │   │   │   │   │   │   ├── app-page.runtime.prod.js
│           │   │   │   │   │   │   ├── app-page.runtime.prod.js.map
│           │   │   │   │   │   │   ├── app-route-
experimental.runtime.dev.js
│           │   │   │   │   │   │   ├── app-route-
experimental.runtime.dev.js.map
```

```
|           |   |   |   |   |   |   ├── app-route-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── app-route-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── app-route-turbo-
experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── app-route-turbo-
experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── app-route-turbo-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── app-route-turbo-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── app-route-turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── app-route-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── app-route-turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── app-route-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── app-route.runtime.dev.js
|           |   |   |   |   |   |   ├── app-route.runtime.dev.js.map
|           |   |   |   |   |   |   ├── app-route.runtime.prod.js
|           |   |   |   |   |   |   ├── app-route.runtime.prod.js.map
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-turbo-experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-turbo-experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js-turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js.runtime.dev.js
|           |   |   |   |   |   |   ├── dist_client_dev_noop-turbopack-
hmr_js.runtime.dev.js.map
|           |   |   |   |   |   |   ├── pages-api-turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── pages-api-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── pages-api-turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── pages-api-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── pages-api.runtime.dev.js
|           |   |   |   |   |   |   ├── pages-api.runtime.dev.js.map
|           |   |   |   |   |   |   ├── pages-api.runtime.prod.js
|           |   |   |   |   |   |   ├── pages-api.runtime.prod.js.map
|           |   |   |   |   |   |   ├── pages-turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── pages-turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── pages-turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── pages-turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── pages.runtime.dev.js
|           |   |   |   |   |   |   ├── pages.runtime.dev.js.map
|           |   |   |   |   |   |   ├── pages.runtime.prod.js
|           |   |   |   |   |   |   ├── pages.runtime.prod.js.map
```

```
│               │   │   │   │   │   │   ├── server.runtime.prod.js
│               │   │   │   │   │   │   └── server.runtime.prod.js.map
│               │   │   │   │   │   ├── node-html-parser
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── ora
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── os-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── browser.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── p-limit
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── p-queue
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── path-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── path-to-regexp
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── picomatch
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-flexbugs-fixes
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-modules-extract-imports
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-modules-local-by-default
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-modules-scope
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-modules-values
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── postcss-plugin-stub-for-cssnano-
simple
```

```
│           │   │   │   │   │   │   └── index.js
│           │   │   │   │   │   ├── postcss-preset-env
│           │   │   │   │   │   │   ├── index.cjs
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── postcss-safe-parser
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── safe-parse.js
│           │   │   │   │   │   ├── postcss-scss
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── scss-syntax.js
│           │   │   │   │   │   ├── postcss-value-parser
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── process
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── browser.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── punycode
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── punycode.js
│           │   │   │   │   │   ├── querystring-es3
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── raw-body
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── react
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── cjs
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-runtime.react-
server.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-runtime.react-
server.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.profiling.js
```

```
│           │   │   │   │   │   │   │   ├── react-jsx-runtime.react-
server.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-runtime.react-
server.production.js
│           │   │   │   │   │   │   │   ├── react.development.js
│           │   │   │   │   │   │   │   ├── react.production.js
│           │   │   │   │   │   │   │   ├── react.react-
server.development.js
│           │   │   │   │   │   │   │   └── react.react-
server.production.js
│           │   │   │   │   │   │   ├── compiler-runtime.js
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── jsx-dev-runtime.js
│           │   │   │   │   │   │   ├── jsx-dev-runtime.react-server.js
│           │   │   │   │   │   │   ├── jsx-runtime.js
│           │   │   │   │   │   │   ├── jsx-runtime.react-server.js
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── react.react-server.js
│           │   │   │   │   │   ├── react-dom
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── cjs
│           │   │   │   │   │   │   │   ├── react-dom-
client.development.js
│           │   │   │   │   │   │   │   ├── react-dom-
client.production.js
│           │   │   │   │   │   │   │   ├── react-dom-
profiling.development.js
│           │   │   │   │   │   │   │   ├── react-dom-
profiling.profiling.js
│           │   │   │   │   │   │   │   ├── react-dom-server-
legacy.browser.development.js
│           │   │   │   │   │   │   │   ├── react-dom-server-
legacy.browser.production.js
│           │   │   │   │   │   │   │   ├── react-dom-server-
legacy.node.development.js
│           │   │   │   │   │   │   │   ├── react-dom-server-
legacy.node.production.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.browser.development.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.browser.production.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.bun.production.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.edge.development.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.edge.production.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.node.development.js
│           │   │   │   │   │   │   │   ├── react-dom-
server.node.production.js
│           │   │   │   │   │   │   │   ├── react-dom-test-
utils.production.js
│           │   │   │   │   │   │   │   ├── react-dom.development.js
│           │   │   │   │   │   │   │   ├── react-dom.production.js
```

```
|           |   |   |   |   |   |   |   ├── react-dom.react-
server.development.js
|           |   |   |   |   |   |   |   └── react-dom.react-
server.production.js
|           |   |   |   |   |   |   ├── client.js
|           |   |   |   |   |   |   ├── client.react-server.js
|           |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   ├── package.json
|           |   |   |   |   |   |   ├── profiling.js
|           |   |   |   |   |   |   ├── profiling.react-server.js
|           |   |   |   |   |   |   ├── react-dom.react-server.js
|           |   |   |   |   |   |   ├── server.browser.js
|           |   |   |   |   |   |   ├── server.edge.js
|           |   |   |   |   |   |   ├── server.js
|           |   |   |   |   |   |   ├── server.node.js
|           |   |   |   |   |   |   ├── server.react-server.js
|           |   |   |   |   |   |   ├── static.edge.js
|           |   |   |   |   |   |   ├── static.node.js
|           |   |   |   |   |   |   └── static.react-server.js
|           |   |   |   |   |   ├── react-dom-experimental
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-dom-
client.development.js
|           |   |   |   |   |   |   |   ├── react-dom-
client.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
profiling.development.js
|           |   |   |   |   |   |   |   ├── react-dom-
profiling.profiling.js
|           |   |   |   |   |   |   |   ├── react-dom-server-
legacy.browser.development.js
|           |   |   |   |   |   |   |   ├── react-dom-server-
legacy.browser.production.js
|           |   |   |   |   |   |   |   ├── react-dom-server-
legacy.node.development.js
|           |   |   |   |   |   |   |   ├── react-dom-server-
legacy.node.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.bun.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.edge.development.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.edge.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.node.development.js
|           |   |   |   |   |   |   |   ├── react-dom-
server.node.production.js
|           |   |   |   |   |   |   |   ├── react-dom-test-
utils.production.js
|           |   |   |   |   |   |   |   ├── react-dom-
unstable_testing.development.js
```

```
│           │   │   │   │   │   │   │   ├── react-dom-
unstable_testing.production.js
│           │   │   │   │   │   │   │   ├── react-dom.development.js
│           │   │   │   │   │   │   │   ├── react-dom.production.js
│           │   │   │   │   │   │   │   ├── react-dom.react-
server.development.js
│           │   │   │   │   │   │   │   └── react-dom.react-
server.production.js
│           │   │   │   │   │   │   ├── client.js
│           │   │   │   │   │   │   ├── client.react-server.js
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   ├── profiling.js
│           │   │   │   │   │   │   ├── profiling.react-server.js
│           │   │   │   │   │   │   ├── react-dom.react-server.js
│           │   │   │   │   │   │   ├── server.browser.js
│           │   │   │   │   │   │   ├── server.edge.js
│           │   │   │   │   │   │   ├── server.js
│           │   │   │   │   │   │   ├── server.node.js
│           │   │   │   │   │   │   ├── server.react-server.js
│           │   │   │   │   │   │   ├── static.edge.js
│           │   │   │   │   │   │   ├── static.node.js
│           │   │   │   │   │   │   ├── static.react-server.js
│           │   │   │   │   │   │   └── unstable_testing.react-server.js
│           │   │   │   │   │   ├── react-experimental
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── cjs
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-compiler-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-runtime.react-
server.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-dev-runtime.react-
server.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.production.js
│           │   │   │   │   │   │   │   ├── react-jsx-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── react-jsx-runtime.react-
server.development.js
│           │   │   │   │   │   │   │   ├── react-jsx-runtime.react-
server.production.js
│           │   │   │   │   │   │   │   ├── react.development.js
│           │   │   │   │   │   │   │   ├── react.production.js
```

```
|           |   |   |   |   |   |   |   ├── react.react-
server.development.js
|           |   |   |   |   |   |   |   └── react.react-
server.production.js
|           |   |   |   |   |   |   ├── compiler-runtime.js
|           |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   ├── jsx-dev-runtime.js
|           |   |   |   |   |   |   ├── jsx-dev-runtime.react-server.js
|           |   |   |   |   |   |   ├── jsx-runtime.js
|           |   |   |   |   |   |   ├── jsx-runtime.react-server.js
|           |   |   |   |   |   |   ├── package.json
|           |   |   |   |   |   |   └── react.react-server.js
|           |   |   |   |   |   ├── react-is
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── README.md
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-is.development.js
|           |   |   |   |   |   |   |   └── react-is.production.js
|           |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   └── package.json
|           |   |   |   |   |   ├── react-refresh
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── README.md
|           |   |   |   |   |   |   ├── babel.js
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-refresh-
babel.development.js
|           |   |   |   |   |   |   |   ├── react-refresh-
babel.production.min.js
|           |   |   |   |   |   |   |   ├── react-refresh-
runtime.development.js
|           |   |   |   |   |   |   |   └── react-refresh-
runtime.production.min.js
|           |   |   |   |   |   |   ├── package.json
|           |   |   |   |   |   |   └── runtime.js
|           |   |   |   |   |   ├── react-server-dom-turbopack
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.edge.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.edge.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.node.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
client.node.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-turbopack-
server.edge.development.js
```

```
│           │   │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.edge.production.js
│           │   │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.node.development.js
│           │   │   │   │   │   │   │   └── react-server-dom-turbopack-
server.node.production.js
│           │   │   │   │   │   │   ├── client.browser.js
│           │   │   │   │   │   │   ├── client.edge.js
│           │   │   │   │   │   │   ├── client.js
│           │   │   │   │   │   │   ├── client.node.js
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   ├── server.browser.js
│           │   │   │   │   │   │   ├── server.edge.js
│           │   │   │   │   │   │   ├── server.js
│           │   │   │   │   │   │   ├── server.node.js
│           │   │   │   │   │   │   ├── static.browser.js
│           │   │   │   │   │   │   ├── static.edge.js
│           │   │   │   │   │   │   ├── static.js
│           │   │   │   │   │   │   └── static.node.js
│           │   │   │   │   │   ├── react-server-dom-turbopack-
experimental
│           │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   ├── cjs
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.browser.development.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.browser.production.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.edge.development.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.edge.production.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.node.development.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
client.node.production.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.browser.development.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.browser.production.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.edge.development.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.edge.production.js
│           │   │   │   │   │   │   ├── react-server-dom-turbopack-
server.node.development.js
│           │   │   │   │   │   │   └── react-server-dom-turbopack-
server.node.production.js
│           │   │   │   │   │   ├── client.browser.js
│           │   │   │   │   │   ├── client.edge.js
│           │   │   │   │   │   ├── client.js
│           │   │   │   │   │   ├── client.node.js
│           │   │   │   │   │   ├── index.js
│           │   │   │   │   │   ├── package.json
│           │   │   │   │   │   ├── server.browser.js
│           │   │   │   │   │   ├── server.edge.js
```

```
|           |   |   |   |   |   |   ├── server.js
|           |   |   |   |   |   |   ├── server.node.js
|           |   |   |   |   |   |   ├── static.browser.js
|           |   |   |   |   |   |   ├── static.edge.js
|           |   |   |   |   |   |   ├── static.js
|           |   |   |   |   |   |   └── static.node.js
|           |   |   |   |   |   ├── react-server-dom-webpack
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.edge.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.edge.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.unbundled.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.unbundled.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
node-register.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
plugin.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.edge.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.edge.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.unbundled.development.js
|           |   |   |   |   |   |   |   └── react-server-dom-webpack-
server.node.unbundled.production.js
|           |   |   |   |   |   |   ├── client.browser.js
|           |   |   |   |   |   |   ├── client.edge.js
|           |   |   |   |   |   |   ├── client.js
|           |   |   |   |   |   |   ├── client.node.js
|           |   |   |   |   |   |   ├── client.node.unbundled.js
|           |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   ├── node-register.js
|           |   |   |   |   |   |   ├── package.json
|           |   |   |   |   |   |   ├── plugin.js
|           |   |   |   |   |   |   ├── server.browser.js
|           |   |   |   |   |   |   ├── server.edge.js
```

```
|           |   |   |   |   |   |   ├── server.js
|           |   |   |   |   |   |   ├── server.node.js
|           |   |   |   |   |   |   ├── server.node.unbundled.js
|           |   |   |   |   |   |   ├── static.browser.js
|           |   |   |   |   |   |   ├── static.edge.js
|           |   |   |   |   |   |   ├── static.js
|           |   |   |   |   |   |   ├── static.node.js
|           |   |   |   |   |   |   └── static.node.unbundled.js
|           |   |   |   |   |   ├── react-server-dom-webpack-
experimental
|           |   |   |   |   |   |   ├── LICENSE
|           |   |   |   |   |   |   ├── cjs
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.edge.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.edge.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.unbundled.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
client.node.unbundled.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
node-register.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
plugin.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.edge.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.edge.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.development.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.production.js
|           |   |   |   |   |   |   |   ├── react-server-dom-webpack-
server.node.unbundled.development.js
|           |   |   |   |   |   |   |   └── react-server-dom-webpack-
server.node.unbundled.production.js
|           |   |   |   |   |   |   ├── client.browser.js
|           |   |   |   |   |   |   ├── client.edge.js
|           |   |   |   |   |   |   ├── client.js
|           |   |   |   |   |   |   ├── client.node.js
|           |   |   |   |   |   |   ├── client.node.unbundled.js
|           |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   ├── node-register.js
|           |   |   |   |   |   |   ├── package.json
```

```
│            │   │   │   │   │   │   ├── plugin.js
│            │   │   │   │   │   │   ├── server.browser.js
│            │   │   │   │   │   │   ├── server.edge.js
│            │   │   │   │   │   │   ├── server.js
│            │   │   │   │   │   │   ├── server.node.js
│            │   │   │   │   │   │   ├── server.node.unbundled.js
│            │   │   │   │   │   │   ├── static.browser.js
│            │   │   │   │   │   │   ├── static.edge.js
│            │   │   │   │   │   │   ├── static.js
│            │   │   │   │   │   │   ├── static.node.js
│            │   │   │   │   │   │   └── static.node.unbundled.js
│            │   │   │   │   │   ├── regenerator-runtime
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── README.md
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   ├── path.js
│            │   │   │   │   │   │   └── runtime.js
│            │   │   │   │   │   ├── safe-stable-stringify
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── sass-loader
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── cjs.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── scheduler
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── cjs
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_mock.development.js
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_mock.production.js
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_post_task.development.js
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_post_task.production.js
│            │   │   │   │   │   │   │   ├── scheduler.development.js
│            │   │   │   │   │   │   │   ├──
scheduler.native.development.js
│            │   │   │   │   │   │   │   ├──
scheduler.native.production.js
│            │   │   │   │   │   │   │   └── scheduler.production.js
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   ├── index.native.js
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   ├── unstable_mock.js
│            │   │   │   │   │   │   └── unstable_post_task.js
│            │   │   │   │   │   ├── scheduler-experimental
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── cjs
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_mock.development.js
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_mock.production.js
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_post_task.development.js
```

```
│            │   │   │   │   │   │   │   ├── scheduler-
unstable_post_task.production.js
│            │   │   │   │   │   │   │   ├── scheduler.development.js
│            │   │   │   │   │   │   │   ├──
scheduler.native.development.js
│            │   │   │   │   │   │   │   ├──
scheduler.native.production.js
│            │   │   │   │   │   │   │   └── scheduler.production.js
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   ├── index.native.js
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   ├── unstable_mock.js
│            │   │   │   │   │   │   └── unstable_post_task.js
│            │   │   │   │   │   ├── schema-utils2
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── schema-utils3
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── semver
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── send
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── server-only
│            │   │   │   │   │   │   ├── empty.js
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── setimmediate
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   └── setImmediate.js
│            │   │   │   │   │   ├── shell-quote
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   └── package.json
│            │   │   │   │   │   ├── source-map
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   └── source-map.js
│            │   │   │   │   │   ├── source-map08
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── mappings.wasm
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   └── source-map.js
│            │   │   │   │   │   ├── stacktrace-parser
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── package.json
│            │   │   │   │   │   │   └── stack-trace-parser.cjs.js
│            │   │   │   │   │   ├── stream-browserify
│            │   │   │   │   │   │   ├── LICENSE
│            │   │   │   │   │   │   ├── index.js
```

```
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── stream-http
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── string-hash
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── string_decoder
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── string_decoder.js
│               │   │   │   │   │   ├── strip-ansi
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── superstruct
│               │   │   │   │   │   │   ├── index.cjs
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── tar
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── terser
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── bundle.min.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── text-table
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── timers-browserify
│               │   │   │   │   │   │   ├── main.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── tty-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── ua-parser-js
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── ua-parser.js
│               │   │   │   │   │   ├── unistore
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── unistore.js
│               │   │   │   │   │   ├── util
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── util.js
│               │   │   │   │   │   ├── vm-browserify
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   └── package.json
│               │   │   │   │   │   ├── watchpack
│               │   │   │   │   │   │   ├── LICENSE
│               │   │   │   │   │   │   ├── package.json
│               │   │   │   │   │   │   └── watchpack.js
```

```
│           │   │   │   │   │   ├── web-vitals
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── web-vitals.js
│           │   │   │   │   │   ├── web-vitals-attribution
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   └── web-vitals.attribution.js
│           │   │   │   │   │   ├── webpack
│           │   │   │   │   │   │   ├── BasicEvaluatedExpression.js
│           │   │   │   │   │   │   ├── ExternalsPlugin.js
│           │   │   │   │   │   │   ├── FetchCompileAsyncWasmPlugin.js
│           │   │   │   │   │   │   ├── FetchCompileWasmPlugin.js
│           │   │   │   │   │   │   ├──
FetchCompileWasmTemplatePlugin.js
│           │   │   │   │   │   │   ├── GraphHelpers.js
│           │   │   │   │   │   │   ├── HotModuleReplacement.runtime.js
│           │   │   │   │   │   │   ├──
JavascriptHotModuleReplacement.runtime.js
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── LibraryTemplatePlugin.js
│           │   │   │   │   │   │   ├── LimitChunkCountPlugin.js
│           │   │   │   │   │   │   ├── ModuleFilenameHelpers.js
│           │   │   │   │   │   │   ├── NodeEnvironmentPlugin.js
│           │   │   │   │   │   │   ├── NodeTargetPlugin.js
│           │   │   │   │   │   │   ├── NodeTemplatePlugin.js
│           │   │   │   │   │   │   ├── NormalModule.js
│           │   │   │   │   │   │   ├── SingleEntryPlugin.js
│           │   │   │   │   │   │   ├──
SourceMapDevToolModuleOptionsPlugin.js
│           │   │   │   │   │   │   ├── WebWorkerTemplatePlugin.js
│           │   │   │   │   │   │   ├── bundle5.js
│           │   │   │   │   │   │   ├── lazy-compilation-node.js
│           │   │   │   │   │   │   ├── lazy-compilation-web.js
│           │   │   │   │   │   │   ├── package.js
│           │   │   │   │   │   │   ├── package.json
│           │   │   │   │   │   │   ├── sources.js
│           │   │   │   │   │   │   ├── webpack-lib.js
│           │   │   │   │   │   │   ├── webpack.d.ts
│           │   │   │   │   │   │   └── webpack.js
│           │   │   │   │   │   ├── webpack-sources1
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── webpack-sources3
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── ws
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   └── package.json
│           │   │   │   │   │   ├── zod
│           │   │   │   │   │   │   ├── LICENSE
│           │   │   │   │   │   │   ├── index.cjs
│           │   │   │   │   │   │   └── package.json
```

```
│               │   │   │   │   │   └── zod-validation-error
│               │   │   │   │   │       ├── LICENSE
│               │   │   │   │   │       ├── index.js
│               │   │   │   │   │       └── package.json
│               │   │   │   │   ├── diagnostics
│               │   │   │   │   │   ├── build-diagnostics.d.ts
│               │   │   │   │   │   ├── build-diagnostics.js
│               │   │   │   │   │   ├── build-diagnostics.js.map
│               │   │   │   │   │   ├── build-diagnostics.test.js
│               │   │   │   │   │   └── build-diagnostics.test.js.map
│               │   │   │   │   ├── esm
│               │   │   │   │   │   ├── api
│               │   │   │   │   │   │   ├── app-dynamic.js
│               │   │   │   │   │   │   ├── app-dynamic.js.map
│               │   │   │   │   │   │   ├── app.js
│               │   │   │   │   │   │   ├── app.js.map
│               │   │   │   │   │   │   ├── constants.js
│               │   │   │   │   │   │   ├── constants.js.map
│               │   │   │   │   │   │   ├── document.js
│               │   │   │   │   │   │   ├── document.js.map
│               │   │   │   │   │   │   ├── dynamic.js
│               │   │   │   │   │   │   ├── dynamic.js.map
│               │   │   │   │   │   │   ├── form.js
│               │   │   │   │   │   │   ├── form.js.map
│               │   │   │   │   │   │   ├── head.js
│               │   │   │   │   │   │   ├── head.js.map
│               │   │   │   │   │   │   ├── headers.js
│               │   │   │   │   │   │   ├── headers.js.map
│               │   │   │   │   │   │   ├── image.js
│               │   │   │   │   │   │   ├── image.js.map
│               │   │   │   │   │   │   ├── link.js
│               │   │   │   │   │   │   ├── link.js.map
│               │   │   │   │   │   │   ├── navigation.js
│               │   │   │   │   │   │   ├── navigation.js.map
│               │   │   │   │   │   │   ├── navigation.react-server.js
│               │   │   │   │   │   │   ├── navigation.react-server.js.map
│               │   │   │   │   │   │   ├── og.js
│               │   │   │   │   │   │   ├── og.js.map
│               │   │   │   │   │   │   ├── router.js
│               │   │   │   │   │   │   ├── router.js.map
│               │   │   │   │   │   │   ├── script.js
│               │   │   │   │   │   │   ├── script.js.map
│               │   │   │   │   │   │   ├── server.js
│               │   │   │   │   │   │   └── server.js.map
│               │   │   │   │   │   ├── build
│               │   │   │   │   │   │   ├── adapter
│               │   │   │   │   │   │   │   ├── build-complete.js
│               │   │   │   │   │   │   │   └── build-complete.js.map
│               │   │   │   │   │   │   ├── after-production-compile.js
│               │   │   │   │   │   │   ├── after-production-compile.js.map
│               │   │   │   │   │   │   ├── analysis
│               │   │   │   │   │   │   │   ├── extract-const-value.js
│               │   │   │   │   │   │   │   ├── extract-const-value.js.map
│               │   │   │   │   │   │   │   ├── get-page-static-info.js
│               │   │   │   │   │   │   │   ├── get-page-static-info.js.map
│               │   │   │   │   │   │   │   ├── parse-module.js
```

```
│           │   │   │   │   │   │   │   └── parse-module.js.map
│           │   │   │   │   │   │   ├── babel
│           │   │   │   │   │   │   │   ├── loader
│           │   │   │   │   │   │   │   │   ├── get-config.js
│           │   │   │   │   │   │   │   │   ├── get-config.js.map
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   ├── transform.js
│           │   │   │   │   │   │   │   │   ├── transform.js.map
│           │   │   │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   │   │   ├── util.js
│           │   │   │   │   │   │   │   │   └── util.js.map
│           │   │   │   │   │   │   │   ├── plugins
│           │   │   │   │   │   │   │   │   ├── amp-attributes.js
│           │   │   │   │   │   │   │   │   ├── amp-attributes.js.map
│           │   │   │   │   │   │   │   │   ├── commonjs.js
│           │   │   │   │   │   │   │   │   ├── commonjs.js.map
│           │   │   │   │   │   │   │   │   ├── jsx-pragma.js
│           │   │   │   │   │   │   │   │   ├── jsx-pragma.js.map
│           │   │   │   │   │   │   │   │   ├── next-font-unsupported.js
│           │   │   │   │   │   │   │   │   ├── next-font-
unsupported.js.map
│           │   │   │   │   │   │   │   │   ├── next-page-config.js
│           │   │   │   │   │   │   │   │   ├── next-page-config.js.map
│           │   │   │   │   │   │   │   │   ├── next-page-disallow-re-
export-all-exports.js
│           │   │   │   │   │   │   │   │   ├── next-page-disallow-re-
export-all-exports.js.map
│           │   │   │   │   │   │   │   │   ├── next-ssg-transform.js
│           │   │   │   │   │   │   │   │   ├── next-ssg-
transform.js.map
│           │   │   │   │   │   │   │   │   ├── optimize-hook-
destructuring.js
│           │   │   │   │   │   │   │   │   ├── optimize-hook-
destructuring.js.map
│           │   │   │   │   │   │   │   │   ├── react-loadable-plugin.js
│           │   │   │   │   │   │   │   │   └── react-loadable-
plugin.js.map
│           │   │   │   │   │   │   │   ├── preset.js
│           │   │   │   │   │   │   │   └── preset.js.map
│           │   │   │   │   │   │   ├── build-context.js
│           │   │   │   │   │   │   ├── build-context.js.map
│           │   │   │   │   │   │   ├── collect-build-traces.js
│           │   │   │   │   │   │   ├── collect-build-traces.js.map
│           │   │   │   │   │   │   ├── compiler.js
│           │   │   │   │   │   │   ├── compiler.js.map
│           │   │   │   │   │   │   ├── create-compiler-aliases.js
│           │   │   │   │   │   │   ├── create-compiler-aliases.js.map
│           │   │   │   │   │   │   ├── define-env.js
│           │   │   │   │   │   │   ├── define-env.js.map
│           │   │   │   │   │   │   ├── deployment-id.js
│           │   │   │   │   │   │   ├── deployment-id.js.map
│           │   │   │   │   │   │   ├── duration-to-string.js
│           │   │   │   │   │   │   ├── duration-to-string.js.map
│           │   │   │   │   │   │   ├── entries.js
│           │   │   │   │   │   │   ├── entries.js.map
```

```
│                │   │   │   │   │   │   ├── generate-build-id.js
│                │   │   │   │   │   │   ├── generate-build-id.js.map
│                │   │   │   │   │   │   ├── get-babel-config-file.js
│                │   │   │   │   │   │   ├── get-babel-config-file.js.map
│                │   │   │   │   │   │   ├── get-babel-loader-config.js
│                │   │   │   │   │   │   ├── get-babel-loader-config.js.map
│                │   │   │   │   │   │   ├── handle-entrypoints.js
│                │   │   │   │   │   │   ├── handle-entrypoints.js.map
│                │   │   │   │   │   │   ├── handle-externals.js
│                │   │   │   │   │   │   ├── handle-externals.js.map
│                │   │   │   │   │   │   ├── index.js
│                │   │   │   │   │   │   ├── index.js.map
│                │   │   │   │   │   │   ├── is-writeable.js
│                │   │   │   │   │   │   ├── is-writeable.js.map
│                │   │   │   │   │   │   ├── load-entrypoint.js
│                │   │   │   │   │   │   ├── load-entrypoint.js.map
│                │   │   │   │   │   │   ├── load-jsconfig.js
│                │   │   │   │   │   │   ├── load-jsconfig.js.map
│                │   │   │   │   │   │   ├── manifests
│                │   │   │   │   │   │   │   └── formatter
│                │   │   │   │   │   │   │       ├── format-manifest.js
│                │   │   │   │   │   │   │       └── format-manifest.js.map
│                │   │   │   │   │   │   ├── next-config-ts
│                │   │   │   │   │   │   │   ├── require-hook.js
│                │   │   │   │   │   │   │   ├── require-hook.js.map
│                │   │   │   │   │   │   │   ├── transpile-config.js
│                │   │   │   │   │   │   │   └── transpile-config.js.map
│                │   │   │   │   │   │   ├── next-dir-paths.js
│                │   │   │   │   │   │   ├── next-dir-paths.js.map
│                │   │   │   │   │   │   ├── normalize-catchall-routes.js
│                │   │   │   │   │   │   ├── normalize-catchall-routes.js.map
│                │   │   │   │   │   │   ├── output
│                │   │   │   │   │   │   │   ├── format.js
│                │   │   │   │   │   │   │   ├── format.js.map
│                │   │   │   │   │   │   │   ├── index.js
│                │   │   │   │   │   │   │   ├── index.js.map
│                │   │   │   │   │   │   │   ├── log.js
│                │   │   │   │   │   │   │   ├── log.js.map
│                │   │   │   │   │   │   │   ├── store.js
│                │   │   │   │   │   │   │   └── store.js.map
│                │   │   │   │   │   │   ├── page-extensions-type.js
│                │   │   │   │   │   │   ├── page-extensions-type.js.map
│                │   │   │   │   │   │   ├── polyfills
│                │   │   │   │   │   │   │   ├── fetch
│                │   │   │   │   │   │   │   │   ├── index.js
│                │   │   │   │   │   │   │   │   ├── index.js.map
│                │   │   │   │   │   │   │   │   ├── whatwg-fetch.js
│                │   │   │   │   │   │   │   │   └── whatwg-fetch.js.map
│                │   │   │   │   │   │   │   ├── object-assign.js
│                │   │   │   │   │   │   │   ├── object-assign.js.map
│                │   │   │   │   │   │   │   ├── object.assign
│                │   │   │   │   │   │   │   │   ├── auto.js
│                │   │   │   │   │   │   │   │   ├── auto.js.map
│                │   │   │   │   │   │   │   │   ├── implementation.js
│                │   │   │   │   │   │   │   │   ├── implementation.js.map
│                │   │   │   │   │   │   │   │   ├── index.js
```

```
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   ├── polyfill.js
│           │   │   │   │   │   │   │   │   ├── polyfill.js.map
│           │   │   │   │   │   │   │   │   ├── shim.js
│           │   │   │   │   │   │   │   │   └── shim.js.map
│           │   │   │   │   │   │   │   ├── process.js
│           │   │   │   │   │   │   │   └── process.js.map
│           │   │   │   │   │   │   ├── preview-key-utils.js
│           │   │   │   │   │   │   ├── preview-key-utils.js.map
│           │   │   │   │   │   │   ├── progress.js
│           │   │   │   │   │   │   ├── progress.js.map
│           │   │   │   │   │   │   ├── rendering-mode.js
│           │   │   │   │   │   │   ├── rendering-mode.js.map
│           │   │   │   │   │   │   ├── segment-config
│           │   │   │   │   │   │   │   ├── app
│           │   │   │   │   │   │   │   │   ├── app-segment-config.js
│           │   │   │   │   │   │   │   │   ├── app-segment-
config.js.map
│           │   │   │   │   │   │   │   │   ├── app-segments.js
│           │   │   │   │   │   │   │   │   ├── app-segments.js.map
│           │   │   │   │   │   │   │   │   ├── collect-root-param-
keys.js
│           │   │   │   │   │   │   │   │   └── collect-root-param-
keys.js.map
│           │   │   │   │   │   │   │   ├── middleware
│           │   │   │   │   │   │   │   │   ├── middleware-config.js
│           │   │   │   │   │   │   │   │   └── middleware-config.js.map
│           │   │   │   │   │   │   │   └── pages
│           │   │   │   │   │   │   │       ├── pages-segment-config.js
│           │   │   │   │   │   │   │       └── pages-segment-
config.js.map
│           │   │   │   │   │   │   ├── spinner.js
│           │   │   │   │   │   │   ├── spinner.js.map
│           │   │   │   │   │   │   ├── static-paths
│           │   │   │   │   │   │   │   ├── app.js
│           │   │   │   │   │   │   │   ├── app.js.map
│           │   │   │   │   │   │   │   ├── pages.js
│           │   │   │   │   │   │   │   ├── pages.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   ├── swc
│           │   │   │   │   │   │   │   ├── generated-native.d.ts
│           │   │   │   │   │   │   │   ├── generated-wasm.d.ts
│           │   │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── jest-transformer.js
│           │   │   │   │   │   │   │   ├── jest-transformer.js.map
│           │   │   │   │   │   │   │   ├── options.js
│           │   │   │   │   │   │   │   ├── options.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── templates
```

```
│           │   │   │   │   │   │   │   ├── app-page.js
│           │   │   │   │   │   │   │   ├── app-page.js.map
│           │   │   │   │   │   │   │   ├── app-route.js
│           │   │   │   │   │   │   │   ├── app-route.js.map
│           │   │   │   │   │   │   │   ├── edge-app-route.js
│           │   │   │   │   │   │   │   ├── edge-app-route.js.map
│           │   │   │   │   │   │   │   ├── edge-ssr-app.js
│           │   │   │   │   │   │   │   ├── edge-ssr-app.js.map
│           │   │   │   │   │   │   │   ├── edge-ssr.js
│           │   │   │   │   │   │   │   ├── edge-ssr.js.map
│           │   │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   │   ├── middleware.js
│           │   │   │   │   │   │   │   ├── middleware.js.map
│           │   │   │   │   │   │   │   ├── pages-api.js
│           │   │   │   │   │   │   │   ├── pages-api.js.map
│           │   │   │   │   │   │   │   ├── pages-edge-api.js
│           │   │   │   │   │   │   │   ├── pages-edge-api.js.map
│           │   │   │   │   │   │   │   ├── pages.js
│           │   │   │   │   │   │   │   └── pages.js.map
│           │   │   │   │   │   │   ├── turbopack-build
│           │   │   │   │   │   │   │   ├── impl.js
│           │   │   │   │   │   │   │   ├── impl.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   ├── turborepo-access-trace
│           │   │   │   │   │   │   │   ├── env.js
│           │   │   │   │   │   │   │   ├── env.js.map
│           │   │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── result.js
│           │   │   │   │   │   │   │   ├── result.js.map
│           │   │   │   │   │   │   │   ├── tcp.js
│           │   │   │   │   │   │   │   ├── tcp.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── type-check.js
│           │   │   │   │   │   │   ├── type-check.js.map
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   │   ├── webpack
│           │   │   │   │   │   │   │   ├── alias
│           │   │   │   │   │   │   │   │   ├── react-dom-server-
experimental.js
│           │   │   │   │   │   │   │   │   ├── react-dom-server-
experimental.js.map
│           │   │   │   │   │   │   │   │   ├── react-dom-server.js
│           │   │   │   │   │   │   │   │   └── react-dom-server.js.map
│           │   │   │   │   │   │   │   ├── cache-invalidation.js
│           │   │   │   │   │   │   │   ├── cache-invalidation.js.map
│           │   │   │   │   │   │   │   ├── config
│           │   │   │   │   │   │   │   │   ├── blocks
│           │   │   │   │   │   │   │   │   │   ├── base.js
│           │   │   │   │   │   │   │   │   │   ├── base.js.map
```

```
│           │   │   │   │   │   │   │   │   │   ├── css
│           │   │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── loaders
│           │   │   │   │   │   │   │   │   │   │   │   ├── client.js
│           │   │   │   │   │   │   │   │   │   │   │   ├──
client.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├── file-
resolve.js
│           │   │   │   │   │   │   │   │   │   │   │   ├── file-
resolve.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├──
getCssModuleLocalIdent.js
│           │   │   │   │   │   │   │   │   │   │   │   ├──
getCssModuleLocalIdent.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├── global.js
│           │   │   │   │   │   │   │   │   │   │   │   ├──
global.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├── modules.js
│           │   │   │   │   │   │   │   │   │   │   │   ├──
modules.js.map
│           │   │   │   │   │   │   │   │   │   │   │   ├── next-font.js
│           │   │   │   │   │   │   │   │   │   │   │   └── next-
font.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── messages.js
│           │   │   │   │   │   │   │   │   │   │   ├── messages.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── plugins.js
│           │   │   │   │   │   │   │   │   │   │   └── plugins.js.map
│           │   │   │   │   │   │   │   │   │   └── images
│           │   │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │   │   │       ├── messages.js
│           │   │   │   │   │   │   │   │   │       └── messages.js.map
│           │   │   │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   │   ├── loaders
│           │   │   │   │   │   │   │   │   ├── css-loader
│           │   │   │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │   │   │       ├──
CssSyntaxError.js
│           │   │   │   │   │   │   │   │   │       ├──
CssSyntaxError.js.map
│           │   │   │   │   │   │   │   │   │       ├── camelcase.js
│           │   │   │   │   │   │   │   │   │       ├── camelcase.js.map
│           │   │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │   │   │       ├── plugins
│           │   │   │   │   │   │   │   │   │       │   ├── index.js
│           │   │   │   │   │   │   │   │   │       │   ├── index.js.map
```

```
│           │   │   │   │   │   │   │   │       │   ├── postcss-
icss-parser.js
│           │   │   │   │   │   │   │   │       │   ├── postcss-
icss-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── postcss-
import-parser.js
│           │   │   │   │   │   │   │   │       │   ├── postcss-
import-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── postcss-url-
parser.js
│           │   │   │   │   │   │   │   │       │   └── postcss-url-
parser.js.map
│           │   │   │   │   │   │   │   │       ├── runtime
│           │   │   │   │   │   │   │   │       │   ├── api.js
│           │   │   │   │   │   │   │   │       │   ├── api.js.map
│           │   │   │   │   │   │   │   │       │   ├── getUrl.js
│           │   │   │   │   │   │   │   │       │   └──
getUrl.js.map
│           │   │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   │   ├── devtool
│           │   │   │   │   │   │   │   │   ├── devtool-style-
inject.js
│           │   │   │   │   │   │   │   │   └── devtool-style-
inject.js.map
│           │   │   │   │   │   │   │   ├── empty-loader.js
│           │   │   │   │   │   │   │   ├── empty-loader.js.map
│           │   │   │   │   │   │   │   ├── error-loader.js
│           │   │   │   │   │   │   │   ├── error-loader.js.map
│           │   │   │   │   │   │   │   ├── get-module-build-info.js
│           │   │   │   │   │   │   │   ├── get-module-build-
info.js.map
│           │   │   │   │   │   │   │   ├── lightningcss-loader
│           │   │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │   │       ├── codegen.js
│           │   │   │   │   │   │   │   │       ├── codegen.js.map
│           │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │   │       ├── interface.js
│           │   │   │   │   │   │   │   │       ├── interface.js.map
│           │   │   │   │   │   │   │   │       ├── loader.js
│           │   │   │   │   │   │   │   │       ├── loader.js.map
│           │   │   │   │   │   │   │   │       ├── minify.js
│           │   │   │   │   │   │   │   │       ├── minify.js.map
│           │   │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   │   ├── metadata
│           │   │   │   │   │   │   │   │   ├── discover.js
│           │   │   │   │   │   │   │   │   ├── discover.js.map
│           │   │   │   │   │   │   │   │   ├── resolve-route-
data.js
│           │   │   │   │   │   │   │   │   ├── resolve-route-
data.js.map
│           │   │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   │   └── types.js.map
```

```
│           │   │   │   │   │   │   │   ├── modularize-import-
loader.js
│           │   │   │   │   │   │   │   ├── modularize-import-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-app-loader
│           │   │   │   │   │   │   │   │   ├── create-app-route-
code.js
│           │   │   │   │   │   │   │   │   ├── create-app-route-
code.js.map
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-barrel-loader.js
│           │   │   │   │   │   │   │   ├── next-barrel-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-client-pages-
loader.js
│           │   │   │   │   │   │   │   ├── next-client-pages-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-edge-app-route-
loader
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-edge-function-
loader.js
│           │   │   │   │   │   │   │   ├── next-edge-function-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-edge-ssr-loader
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-error-browser-
binary-loader.js
│           │   │   │   │   │   │   │   ├── next-error-browser-
binary-loader.js.map
│           │   │   │   │   │   │   │   ├── next-flight-action-
entry-loader.js
│           │   │   │   │   │   │   │   ├── next-flight-action-
entry-loader.js.map
│           │   │   │   │   │   │   │   ├── next-flight-client-
entry-loader.js
│           │   │   │   │   │   │   │   ├── next-flight-client-
entry-loader.js.map
│           │   │   │   │   │   │   │   ├── next-flight-client-
module-loader.js
│           │   │   │   │   │   │   │   ├── next-flight-client-
module-loader.js.map
│           │   │   │   │   │   │   │   ├── next-flight-css-
loader.js
│           │   │   │   │   │   │   │   ├── next-flight-css-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-flight-loader
│           │   │   │   │   │   │   │   │   ├── action-client-
wrapper.js
│           │   │   │   │   │   │   │   │   ├── action-client-
wrapper.js.map
│           │   │   │   │   │   │   │   │   ├── action-validate.js
```

```
|           |   |   |   |   |   |   |   |   |   ├── action-
validate.js.map
|           |   |   |   |   |   |   |   |   |   ├── cache-wrapper.js
|           |   |   |   |   |   |   |   |   |   ├── cache-wrapper.js.map
|           |   |   |   |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   |   |   |   ├── index.js.map
|           |   |   |   |   |   |   |   |   |   ├── module-proxy.js
|           |   |   |   |   |   |   |   |   |   ├── module-proxy.js.map
|           |   |   |   |   |   |   |   |   |   ├── server-reference.js
|           |   |   |   |   |   |   |   |   |   ├── server-
reference.js.map
|           |   |   |   |   |   |   |   |   |   ├── track-dynamic-
import.js
|           |   |   |   |   |   |   |   |   |   └── track-dynamic-
import.js.map
|           |   |   |   |   |   |   |   |   ├── next-flight-server-
reference-proxy-loader.js
|           |   |   |   |   |   |   |   |   ├── next-flight-server-
reference-proxy-loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-font-loader
|           |   |   |   |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   |   |   |   ├── index.js.map
|           |   |   |   |   |   |   |   |   |   ├── postcss-next-font.js
|           |   |   |   |   |   |   |   |   |   └── postcss-next-
font.js.map
|           |   |   |   |   |   |   |   |   ├── next-image-loader
|           |   |   |   |   |   |   |   |   |   ├── blur.js
|           |   |   |   |   |   |   |   |   |   ├── blur.js.map
|           |   |   |   |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   |   |   |   └── index.js.map
|           |   |   |   |   |   |   |   |   ├── next-invalid-import-
error-loader.js
|           |   |   |   |   |   |   |   |   ├── next-invalid-import-
error-loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-metadata-image-
loader.js
|           |   |   |   |   |   |   |   |   ├── next-metadata-image-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-metadata-route-
loader.js
|           |   |   |   |   |   |   |   |   ├── next-metadata-route-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-middleware-asset-
loader.js
|           |   |   |   |   |   |   |   |   ├── next-middleware-asset-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-middleware-
loader.js
|           |   |   |   |   |   |   |   |   ├── next-middleware-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-middleware-wasm-
loader.js
|           |   |   |   |   |   |   |   |   ├── next-middleware-wasm-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── next-root-params-
loader.js
```

```
│           │   │   │   │   │   │   │   ├── next-root-params-
loader.js.map
│           │   │   │   │   │   │   │   ├── next-route-loader
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   ├── next-style-loader
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   └── runtime
│           │   │   │   │   │   │   │   │       ├──
injectStylesIntoLinkTag.js
│           │   │   │   │   │   │   │   │       ├──
injectStylesIntoLinkTag.js.map
│           │   │   │   │   │   │   │   │       ├──
injectStylesIntoStyleTag.js
│           │   │   │   │   │   │   │   │       ├──
injectStylesIntoStyleTag.js.map
│           │   │   │   │   │   │   │   │       ├── isEqualLocals.js
│           │   │   │   │   │   │   │   │       └──
isEqualLocals.js.map
│           │   │   │   │   │   │   │   ├── next-swc-loader.js
│           │   │   │   │   │   │   │   ├── next-swc-loader.js.map
│           │   │   │   │   │   │   │   ├── postcss-loader
│           │   │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │   │       ├── Error.js
│           │   │   │   │   │   │   │   │       ├── Error.js.map
│           │   │   │   │   │   │   │   │       ├── Warning.js
│           │   │   │   │   │   │   │   │       ├── Warning.js.map
│           │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   │   │   ├── resolve-url-loader
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   └── lib
│           │   │   │   │   │   │   │   │       ├── file-protocol.js
│           │   │   │   │   │   │   │   │       ├── file-
protocol.js.map
│           │   │   │   │   │   │   │   │       ├── join-function.js
│           │   │   │   │   │   │   │   │       ├── join-
function.js.map
│           │   │   │   │   │   │   │   │       ├── postcss.js
│           │   │   │   │   │   │   │   │       ├── postcss.js.map
│           │   │   │   │   │   │   │   │       ├── value-
processor.js
│           │   │   │   │   │   │   │   │       └── value-
processor.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   ├── plugins
│           │   │   │   │   │   │   │   ├── app-build-manifest-
plugin.js
│           │   │   │   │   │   │   │   ├── app-build-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── build-manifest-plugin.js
```

```
│           │   │   │   │   │   │   │   ├── build-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── copy-file-plugin.js
│           │   │   │   │   │   │   │   ├── copy-file-plugin.js.map
│           │   │   │   │   │   │   │   ├── css-chunking-plugin.js
│           │   │   │   │   │   │   │   ├── css-chunking-
plugin.js.map
│           │   │   │   │   │   │   │   ├── css-minimizer-plugin.js
│           │   │   │   │   │   │   │   ├── css-minimizer-
plugin.js.map
│           │   │   │   │   │   │   │   ├── devtools-ignore-list-
plugin.js
│           │   │   │   │   │   │   │   ├── devtools-ignore-list-
plugin.js.map
│           │   │   │   │   │   │   │   ├── eval-source-map-dev-
tool-plugin.js
│           │   │   │   │   │   │   │   ├── eval-source-map-dev-
tool-plugin.js.map
│           │   │   │   │   │   │   │   ├── flight-client-entry-
plugin.js
│           │   │   │   │   │   │   │   ├── flight-client-entry-
plugin.js.map
│           │   │   │   │   │   │   │   ├── flight-manifest-
plugin.js
│           │   │   │   │   │   │   │   ├── flight-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── jsconfig-paths-plugin.js
│           │   │   │   │   │   │   │   ├── jsconfig-paths-
plugin.js.map
│           │   │   │   │   │   │   │   ├── memory-with-gc-cache-
plugin.js
│           │   │   │   │   │   │   │   ├── memory-with-gc-cache-
plugin.js.map
│           │   │   │   │   │   │   │   ├── middleware-plugin.js
│           │   │   │   │   │   │   │   ├── middleware-plugin.js.map
│           │   │   │   │   │   │   │   ├── mini-css-extract-
plugin.js
│           │   │   │   │   │   │   │   ├── mini-css-extract-
plugin.js.map
│           │   │   │   │   │   │   │   ├── minify-webpack-plugin
│           │   │   │   │   │   │   │   │   └── src
│           │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │       └── index.js.map
│           │   │   │   │   │   │   │   ├── next-drop-client-page-
plugin.js
│           │   │   │   │   │   │   │   ├── next-drop-client-page-
plugin.js.map
│           │   │   │   │   │   │   │   ├── next-font-manifest-
plugin.js
│           │   │   │   │   │   │   │   ├── next-font-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── next-trace-entrypoints-
plugin.js
│           │   │   │   │   │   │   │   ├── next-trace-entrypoints-
plugin.js.map
│           │   │   │   │   │   │   │   ├── next-types-plugin
```

```
|           |   |   |   |   |   |   |   |   |   ├── index.js
|           |   |   |   |   |   |   |   |   |   ├── index.js.map
|           |   |   |   |   |   |   |   |   |   ├── shared.js
|           |   |   |   |   |   |   |   |   |   └── shared.js.map
|           |   |   |   |   |   |   |   |   ├── nextjs-require-cache-
hot-reloader.js
|           |   |   |   |   |   |   |   |   ├── nextjs-require-cache-
hot-reloader.js.map
|           |   |   |   |   |   |   |   |   ├── optional-peer-
dependency-resolve-plugin.js
|           |   |   |   |   |   |   |   |   ├── optional-peer-
dependency-resolve-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── pages-manifest-plugin.js
|           |   |   |   |   |   |   |   |   ├── pages-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── profiling-plugin.js
|           |   |   |   |   |   |   |   |   ├── profiling-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── react-loadable-plugin.js
|           |   |   |   |   |   |   |   |   ├── react-loadable-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── rspack-flight-client-
entry-plugin.js
|           |   |   |   |   |   |   |   |   ├── rspack-flight-client-
entry-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── rspack-profiling-
plugin.js
|           |   |   |   |   |   |   |   |   ├── rspack-profiling-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── slow-module-detection-
plugin.js
|           |   |   |   |   |   |   |   |   ├── slow-module-detection-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── subresource-integrity-
plugin.js
|           |   |   |   |   |   |   |   |   ├── subresource-integrity-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── telemetry-plugin
|           |   |   |   |   |   |   |   |   |   ├── telemetry-plugin.js
|           |   |   |   |   |   |   |   |   |   ├── telemetry-
plugin.js.map
|           |   |   |   |   |   |   |   |   |   ├── update-telemetry-
loader-context-from-swc.js
|           |   |   |   |   |   |   |   |   |   ├── update-telemetry-
loader-context-from-swc.js.map
|           |   |   |   |   |   |   |   |   |   ├── use-cache-tracker-
utils.js
|           |   |   |   |   |   |   |   |   |   └── use-cache-tracker-
utils.js.map
|           |   |   |   |   |   |   |   |   └── wellknown-errors-plugin
|           |   |   |   |   |   |   |   |       ├── getModuleTrace.js
|           |   |   |   |   |   |   |   |       ├──
getModuleTrace.js.map
|           |   |   |   |   |   |   |   |       ├── index.js
|           |   |   |   |   |   |   |   |       ├── index.js.map
|           |   |   |   |   |   |   |   |       ├── parse-dynamic-code-
evaluation-error.js
```

```
│           │   │   │   │   │   │   │       ├── parse-dynamic-code-
evaluation-error.js.map
│           │   │   │   │   │   │   │       ├── parseBabel.js
│           │   │   │   │   │   │   │       ├── parseBabel.js.map
│           │   │   │   │   │   │   │       ├── parseCss.js
│           │   │   │   │   │   │   │       ├── parseCss.js.map
│           │   │   │   │   │   │   │       ├──
parseNextAppLoaderError.js
│           │   │   │   │   │   │   │       ├──
parseNextAppLoaderError.js.map
│           │   │   │   │   │   │   │       ├──
parseNextFontError.js
│           │   │   │   │   │   │   │       ├──
parseNextFontError.js.map
│           │   │   │   │   │   │   │       ├──
parseNextInvalidImportError.js
│           │   │   │   │   │   │   │       ├──
parseNextInvalidImportError.js.map
│           │   │   │   │   │   │   │       ├──
parseNotFoundError.js
│           │   │   │   │   │   │   │       ├──
parseNotFoundError.js.map
│           │   │   │   │   │   │   │       ├── parseScss.js
│           │   │   │   │   │   │   │       ├── parseScss.js.map
│           │   │   │   │   │   │   │       ├──
simpleWebpackError.js
│           │   │   │   │   │   │   │       ├──
simpleWebpackError.js.map
│           │   │   │   │   │   │   │       ├──
webpackModuleError.js
│           │   │   │   │   │   │   │       └──
webpackModuleError.js.map
│           │   │   │   │   │   │   │   ├── stringify-request.js
│           │   │   │   │   │   │   │   ├── stringify-request.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   ├── webpack-build
│           │   │   │   │   │   │   │   ├── impl.js
│           │   │   │   │   │   │   │   ├── impl.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   ├── webpack-config-rules
│           │   │   │   │   │   │   │   ├── resolve.js
│           │   │   │   │   │   │   │   └── resolve.js.map
│           │   │   │   │   │   │   ├── webpack-config.js
│           │   │   │   │   │   │   ├── webpack-config.js.map
│           │   │   │   │   │   │   ├── worker.js
│           │   │   │   │   │   │   ├── worker.js.map
│           │   │   │   │   │   │   ├── write-build-id.js
│           │   │   │   │   │   │   └── write-build-id.js.map
│           │   │   │   │   │   ├── client
│           │   │   │   │   │   │   ├── add-base-path.js
│           │   │   │   │   │   │   ├── add-base-path.js.map
│           │   │   │   │   │   │   ├── add-locale.js
│           │   │   │   │   │   │   ├── add-locale.js.map
│           │   │   │   │   │   │   ├── app-bootstrap.js
```

```
│           │   │   │   │   │   │   ├── app-bootstrap.js.map
│           │   │   │   │   │   │   ├── app-build-id.js
│           │   │   │   │   │   │   ├── app-build-id.js.map
│           │   │   │   │   │   │   ├── app-call-server.js
│           │   │   │   │   │   │   ├── app-call-server.js.map
│           │   │   │   │   │   │   ├── app-dir
│           │   │   │   │   │   │   │   ├── form.js
│           │   │   │   │   │   │   │   ├── form.js.map
│           │   │   │   │   │   │   │   ├── link.js
│           │   │   │   │   │   │   │   └── link.js.map
│           │   │   │   │   │   │   ├── app-find-source-map-url.js
│           │   │   │   │   │   │   ├── app-find-source-map-url.js.map
│           │   │   │   │   │   │   ├── app-globals.js
│           │   │   │   │   │   │   ├── app-globals.js.map
│           │   │   │   │   │   │   ├── app-index.js
│           │   │   │   │   │   │   ├── app-index.js.map
│           │   │   │   │   │   │   ├── app-link-gc.js
│           │   │   │   │   │   │   ├── app-link-gc.js.map
│           │   │   │   │   │   │   ├── app-next-dev.js
│           │   │   │   │   │   │   ├── app-next-dev.js.map
│           │   │   │   │   │   │   ├── app-next-turbopack.js
│           │   │   │   │   │   │   ├── app-next-turbopack.js.map
│           │   │   │   │   │   │   ├── app-next.js
│           │   │   │   │   │   │   ├── app-next.js.map
│           │   │   │   │   │   │   ├── app-webpack.js
│           │   │   │   │   │   │   ├── app-webpack.js.map
│           │   │   │   │   │   │   ├── assign-location.js
│           │   │   │   │   │   │   ├── assign-location.js.map
│           │   │   │   │   │   │   ├── compat
│           │   │   │   │   │   │   │   ├── router.js
│           │   │   │   │   │   │   │   └── router.js.map
│           │   │   │   │   │   │   ├── components
│           │   │   │   │   │   │   │   ├── app-router-announcer.js
│           │   │   │   │   │   │   │   ├── app-router-announcer.js.map
│           │   │   │   │   │   │   │   ├── app-router-headers.js
│           │   │   │   │   │   │   │   ├── app-router-headers.js.map
│           │   │   │   │   │   │   │   ├── app-router-instance.js
│           │   │   │   │   │   │   │   ├── app-router-instance.js.map
│           │   │   │   │   │   │   │   ├── app-router.js
│           │   │   │   │   │   │   │   ├── app-router.js.map
│           │   │   │   │   │   │   │   ├── bailout-to-client-
rendering.js
│           │   │   │   │   │   │   │   ├── bailout-to-client-
rendering.js.map
│           │   │   │   │   │   │   │   ├── bfcache.js
│           │   │   │   │   │   │   │   ├── bfcache.js.map
│           │   │   │   │   │   │   │   ├── builtin
│           │   │   │   │   │   │   │   │   ├── default.js
│           │   │   │   │   │   │   │   │   ├── default.js.map
│           │   │   │   │   │   │   │   │   ├── forbidden.js
│           │   │   │   │   │   │   │   │   ├── forbidden.js.map
│           │   │   │   │   │   │   │   │   ├── global-error.js
│           │   │   │   │   │   │   │   │   ├── global-error.js.map
│           │   │   │   │   │   │   │   │   ├── global-not-found.js
│           │   │   │   │   │   │   │   │   ├── global-not-found.js.map
│           │   │   │   │   │   │   │   │   ├── layout.js
```

```
│           │   │   │   │   │   │   │   │   ├── layout.js.map
│           │   │   │   │   │   │   │   │   ├── not-found.js
│           │   │   │   │   │   │   │   │   ├── not-found.js.map
│           │   │   │   │   │   │   │   │   ├── unauthorized.js
│           │   │   │   │   │   │   │   │   └── unauthorized.js.map
│           │   │   │   │   │   │   │   ├── client-page.js
│           │   │   │   │   │   │   │   ├── client-page.js.map
│           │   │   │   │   │   │   │   ├── client-segment.js
│           │   │   │   │   │   │   │   ├── client-segment.js.map
│           │   │   │   │   │   │   │   ├── dev-root-http-access-
fallback-boundary.js
│           │   │   │   │   │   │   │   ├── dev-root-http-access-
fallback-boundary.js.map
│           │   │   │   │   │   │   │   ├── error-boundary.js
│           │   │   │   │   │   │   │   ├── error-boundary.js.map
│           │   │   │   │   │   │   │   ├── errors
│           │   │   │   │   │   │   │   │   ├── graceful-degrade-
boundary.js
│           │   │   │   │   │   │   │   │   ├── graceful-degrade-
boundary.js.map
│           │   │   │   │   │   │   │   │   ├── root-error-boundary.js
│           │   │   │   │   │   │   │   │   └── root-error-
boundary.js.map
│           │   │   │   │   │   │   │   ├── forbidden.js
│           │   │   │   │   │   │   │   ├── forbidden.js.map
│           │   │   │   │   │   │   │   ├── handle-isr-error.js
│           │   │   │   │   │   │   │   ├── handle-isr-error.js.map
│           │   │   │   │   │   │   │   ├── hooks-server-context.js
│           │   │   │   │   │   │   │   ├── hooks-server-context.js.map
│           │   │   │   │   │   │   │   ├── http-access-fallback
│           │   │   │   │   │   │   │   │   ├── error-boundary.js
│           │   │   │   │   │   │   │   │   ├── error-boundary.js.map
│           │   │   │   │   │   │   │   │   ├── error-fallback.js
│           │   │   │   │   │   │   │   │   ├── error-fallback.js.map
│           │   │   │   │   │   │   │   │   ├── http-access-fallback.js
│           │   │   │   │   │   │   │   │   └── http-access-
fallback.js.map
│           │   │   │   │   │   │   │   ├── is-next-router-error.js
│           │   │   │   │   │   │   │   ├── is-next-router-error.js.map
│           │   │   │   │   │   │   │   ├── layout-router.js
│           │   │   │   │   │   │   │   ├── layout-router.js.map
│           │   │   │   │   │   │   │   ├── links.js
│           │   │   │   │   │   │   │   ├── links.js.map
│           │   │   │   │   │   │   │   ├── match-segments.js
│           │   │   │   │   │   │   │   ├── match-segments.js.map
│           │   │   │   │   │   │   │   ├── metadata
│           │   │   │   │   │   │   │   │   ├── async-metadata.js
│           │   │   │   │   │   │   │   │   ├── async-metadata.js.map
│           │   │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   │   ├── nav-failure-handler.js
│           │   │   │   │   │   │   │   ├── nav-failure-handler.js.map
│           │   │   │   │   │   │   │   ├── navigation-untracked.js
│           │   │   │   │   │   │   │   ├── navigation-untracked.js.map
│           │   │   │   │   │   │   │   ├── navigation.js
│           │   │   │   │   │   │   │   ├── navigation.js.map
```

```
|           |   |   |   |   |   |   |   ├── navigation.react-server.js
|           |   |   |   |   |   |   |   ├── navigation.react-
server.js.map
|           |   |   |   |   |   |   |   ├── noop-head.js
|           |   |   |   |   |   |   |   ├── noop-head.js.map
|           |   |   |   |   |   |   |   ├── not-found.js
|           |   |   |   |   |   |   |   ├── not-found.js.map
|           |   |   |   |   |   |   |   ├── promise-queue.js
|           |   |   |   |   |   |   |   ├── promise-queue.js.map
|           |   |   |   |   |   |   |   ├── redirect-boundary.js
|           |   |   |   |   |   |   |   ├── redirect-boundary.js.map
|           |   |   |   |   |   |   |   ├── redirect-error.js
|           |   |   |   |   |   |   |   ├── redirect-error.js.map
|           |   |   |   |   |   |   |   ├── redirect-status-code.js
|           |   |   |   |   |   |   |   ├── redirect-status-code.js.map
|           |   |   |   |   |   |   |   ├── redirect.js
|           |   |   |   |   |   |   |   ├── redirect.js.map
|           |   |   |   |   |   |   |   ├── render-from-template-
context.js
|           |   |   |   |   |   |   |   ├── render-from-template-
context.js.map
|           |   |   |   |   |   |   |   ├── router-reducer
|           |   |   |   |   |   |   |   |   ├── aliased-prefetch-
navigations.js
|           |   |   |   |   |   |   |   |   ├── aliased-prefetch-
navigations.js.map
|           |   |   |   |   |   |   |   |   ├── apply-flight-data.js
|           |   |   |   |   |   |   |   |   ├── apply-flight-data.js.map
|           |   |   |   |   |   |   |   |   ├── apply-router-state-
patch-to-tree.js
|           |   |   |   |   |   |   |   |   ├── apply-router-state-
patch-to-tree.js.map
|           |   |   |   |   |   |   |   |   ├── clear-cache-node-data-
for-segment-path.js
|           |   |   |   |   |   |   |   |   ├── clear-cache-node-data-
for-segment-path.js.map
|           |   |   |   |   |   |   |   |   ├── compute-changed-path.js
|           |   |   |   |   |   |   |   |   ├── compute-changed-
path.js.map
|           |   |   |   |   |   |   |   |   ├── create-href-from-url.js
|           |   |   |   |   |   |   |   |   ├── create-href-from-
url.js.map
|           |   |   |   |   |   |   |   |   ├── create-initial-router-
state.js
|           |   |   |   |   |   |   |   |   ├── create-initial-router-
state.js.map
|           |   |   |   |   |   |   |   |   ├── create-router-cache-
key.js
|           |   |   |   |   |   |   |   |   ├── create-router-cache-
key.js.map
|           |   |   |   |   |   |   |   |   ├── fetch-server-response.js
|           |   |   |   |   |   |   |   |   ├── fetch-server-
response.js.map
|           |   |   |   |   |   |   |   |   ├── fill-cache-with-new-
subtree-data.js
```

```
|           |   |   |   |   |   |   |   |   ├── fill-cache-with-new-
subtree-data.js.map
|           |   |   |   |   |   |   |   |   ├── fill-lazy-items-till-
leaf-with-head.js
|           |   |   |   |   |   |   |   |   ├── fill-lazy-items-till-
leaf-with-head.js.map
|           |   |   |   |   |   |   |   |   ├── handle-mutable.js
|           |   |   |   |   |   |   |   |   ├── handle-mutable.js.map
|           |   |   |   |   |   |   |   |   ├── handle-segment-
mismatch.js
|           |   |   |   |   |   |   |   |   ├── handle-segment-
mismatch.js.map
|           |   |   |   |   |   |   |   |   ├── invalidate-cache-below-
flight-segmentpath.js
|           |   |   |   |   |   |   |   |   ├── invalidate-cache-below-
flight-segmentpath.js.map
|           |   |   |   |   |   |   |   |   ├── invalidate-cache-by-
router-state.js
|           |   |   |   |   |   |   |   |   ├── invalidate-cache-by-
router-state.js.map
|           |   |   |   |   |   |   |   |   ├── is-navigating-to-new-
root-layout.js
|           |   |   |   |   |   |   |   |   ├── is-navigating-to-new-
root-layout.js.map
|           |   |   |   |   |   |   |   |   ├── ppr-navigations.js
|           |   |   |   |   |   |   |   |   ├── ppr-navigations.js.map
|           |   |   |   |   |   |   |   |   ├── prefetch-cache-utils.js
|           |   |   |   |   |   |   |   |   ├── prefetch-cache-
utils.js.map
|           |   |   |   |   |   |   |   |   ├── reducers
|           |   |   |   |   |   |   |   |   |   ├── find-head-in-
cache.js
|           |   |   |   |   |   |   |   |   |   ├── find-head-in-
cache.js.map
|           |   |   |   |   |   |   |   |   |   ├── get-segment-value.js
|           |   |   |   |   |   |   |   |   |   ├── get-segment-
value.js.map
|           |   |   |   |   |   |   |   |   |   ├── has-interception-
route-in-current-tree.js
|           |   |   |   |   |   |   |   |   |   ├── has-interception-
route-in-current-tree.js.map
|           |   |   |   |   |   |   |   |   |   ├── hmr-refresh-
reducer.js
|           |   |   |   |   |   |   |   |   |   ├── hmr-refresh-
reducer.js.map
|           |   |   |   |   |   |   |   |   |   ├── navigate-reducer.js
|           |   |   |   |   |   |   |   |   |   ├── navigate-
reducer.js.map
|           |   |   |   |   |   |   |   |   |   ├── prefetch-reducer.js
|           |   |   |   |   |   |   |   |   |   ├── prefetch-
reducer.js.map
|           |   |   |   |   |   |   |   |   |   ├── refresh-reducer.js
|           |   |   |   |   |   |   |   |   |   ├── refresh-
reducer.js.map
|           |   |   |   |   |   |   |   |   |   ├── restore-reducer.js
```

```
│           │   │   │   │   │   │   │   │   ├── restore-
reducer.js.map
│           │   │   │   │   │   │   │   │   ├── server-action-
reducer.js
│           │   │   │   │   │   │   │   │   ├── server-action-
reducer.js.map
│           │   │   │   │   │   │   │   │   ├── server-patch-
reducer.js
│           │   │   │   │   │   │   │   │   └── server-patch-
reducer.js.map
│           │   │   │   │   │   │   │   ├── refetch-inactive-
parallel-segments.js
│           │   │   │   │   │   │   │   ├── refetch-inactive-
parallel-segments.js.map
│           │   │   │   │   │   │   │   ├── router-reducer-types.js
│           │   │   │   │   │   │   │   ├── router-reducer-
types.js.map
│           │   │   │   │   │   │   │   ├── router-reducer.js
│           │   │   │   │   │   │   │   ├── router-reducer.js.map
│           │   │   │   │   │   │   │   ├── set-cache-busting-
search-param.js
│           │   │   │   │   │   │   │   ├── set-cache-busting-
search-param.js.map
│           │   │   │   │   │   │   │   ├── should-hard-navigate.js
│           │   │   │   │   │   │   │   └── should-hard-
navigate.js.map
│           │   │   │   │   │   │   ├── segment-cache-impl
│           │   │   │   │   │   │   │   ├── cache-key.js
│           │   │   │   │   │   │   │   ├── cache-key.js.map
│           │   │   │   │   │   │   │   ├── cache.js
│           │   │   │   │   │   │   │   ├── cache.js.map
│           │   │   │   │   │   │   │   ├── lru.js
│           │   │   │   │   │   │   │   ├── lru.js.map
│           │   │   │   │   │   │   │   ├── navigation.js
│           │   │   │   │   │   │   │   ├── navigation.js.map
│           │   │   │   │   │   │   │   ├── prefetch.js
│           │   │   │   │   │   │   │   ├── prefetch.js.map
│           │   │   │   │   │   │   │   ├── scheduler.js
│           │   │   │   │   │   │   │   ├── scheduler.js.map
│           │   │   │   │   │   │   │   ├── tuple-map.js
│           │   │   │   │   │   │   │   └── tuple-map.js.map
│           │   │   │   │   │   │   ├── segment-cache.js
│           │   │   │   │   │   │   ├── segment-cache.js.map
│           │   │   │   │   │   │   ├── static-generation-bailout.js
│           │   │   │   │   │   │   ├── static-generation-
bailout.js.map
│           │   │   │   │   │   │   ├── styles
│           │   │   │   │   │   │   │   ├── access-error-styles.js
│           │   │   │   │   │   │   │   └── access-error-
styles.js.map
│           │   │   │   │   │   │   ├── unauthorized.js
│           │   │   │   │   │   │   ├── unauthorized.js.map
│           │   │   │   │   │   │   ├── unrecognized-action-error.js
│           │   │   │   │   │   │   ├── unrecognized-action-
error.js.map
│           │   │   │   │   │   │   ├── unresolved-thenable.js
```

```
│           │   │   │   │   │   │   │   ├── unresolved-thenable.js.map
│           │   │   │   │   │   │   │   ├── unstable-rethrow.browser.js
│           │   │   │   │   │   │   │   ├── unstable-
rethrow.browser.js.map
│           │   │   │   │   │   │   │   ├── unstable-rethrow.js
│           │   │   │   │   │   │   │   ├── unstable-rethrow.js.map
│           │   │   │   │   │   │   │   ├── unstable-rethrow.server.js
│           │   │   │   │   │   │   │   ├── unstable-
rethrow.server.js.map
│           │   │   │   │   │   │   │   ├── use-action-queue.js
│           │   │   │   │   │   │   │   └── use-action-queue.js.map
│           │   │   │   │   │   │   ├── detect-domain-locale.js
│           │   │   │   │   │   │   ├── detect-domain-locale.js.map
│           │   │   │   │   │   │   ├── dev
│           │   │   │   │   │   │   │   ├── amp-dev.js
│           │   │   │   │   │   │   │   ├── amp-dev.js.map
│           │   │   │   │   │   │   │   ├── error-overlay
│           │   │   │   │   │   │   │   │   ├── websocket.js
│           │   │   │   │   │   │   │   │   └── websocket.js.map
│           │   │   │   │   │   │   │   ├── fouc.js
│           │   │   │   │   │   │   │   ├── fouc.js.map
│           │   │   │   │   │   │   │   ├── hot-middleware-client.js
│           │   │   │   │   │   │   │   ├── hot-middleware-client.js.map
│           │   │   │   │   │   │   │   ├── hot-reloader
│           │   │   │   │   │   │   │   │   ├── app
│           │   │   │   │   │   │   │   │   │   ├── hot-reloader-app.js
│           │   │   │   │   │   │   │   │   │   ├── hot-reloader-
app.js.map
│           │   │   │   │   │   │   │   │   │   ├── use-websocket.js
│           │   │   │   │   │   │   │   │   │   └── use-websocket.js.map
│           │   │   │   │   │   │   │   │   ├── get-socket-url.js
│           │   │   │   │   │   │   │   │   ├── get-socket-url.js.map
│           │   │   │   │   │   │   │   │   ├── pages
│           │   │   │   │   │   │   │   │   │   ├── hot-reloader-
pages.js
│           │   │   │   │   │   │   │   │   │   ├── hot-reloader-
pages.js.map
│           │   │   │   │   │   │   │   │   │   ├── websocket.js
│           │   │   │   │   │   │   │   │   │   └── websocket.js.map
│           │   │   │   │   │   │   │   │   ├── shared.js
│           │   │   │   │   │   │   │   │   ├── shared.js.map
│           │   │   │   │   │   │   │   │   ├── turbopack-hot-reloader-
common.js
│           │   │   │   │   │   │   │   │   └── turbopack-hot-reloader-
common.js.map
│           │   │   │   │   │   │   │   ├── noop-turbopack-hmr.js
│           │   │   │   │   │   │   │   ├── noop-turbopack-hmr.js.map
│           │   │   │   │   │   │   │   ├── on-demand-entries-client.js
│           │   │   │   │   │   │   │   ├── on-demand-entries-
client.js.map
│           │   │   │   │   │   │   │   ├── report-hmr-latency.js
│           │   │   │   │   │   │   │   ├── report-hmr-latency.js.map
│           │   │   │   │   │   │   │   ├── runtime-error-handler.js
│           │   │   │   │   │   │   │   └── runtime-error-handler.js.map
│           │   │   │   │   │   │   ├── flight-data-helpers.js
│           │   │   │   │   │   │   ├── flight-data-helpers.js.map
```

```
│               │   │   │   │   │   │   ├── form-shared.js
│               │   │   │   │   │   │   ├── form-shared.js.map
│               │   │   │   │   │   │   ├── form.js
│               │   │   │   │   │   │   ├── form.js.map
│               │   │   │   │   │   │   ├── get-domain-locale.js
│               │   │   │   │   │   │   ├── get-domain-locale.js.map
│               │   │   │   │   │   │   ├── has-base-path.js
│               │   │   │   │   │   │   ├── has-base-path.js.map
│               │   │   │   │   │   │   ├── head-manager.js
│               │   │   │   │   │   │   ├── head-manager.js.map
│               │   │   │   │   │   │   ├── image-component.js
│               │   │   │   │   │   │   ├── image-component.js.map
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   │   ├── legacy
│               │   │   │   │   │   │   │   ├── image.js
│               │   │   │   │   │   │   │   └── image.js.map
│               │   │   │   │   │   │   ├── lib
│               │   │   │   │   │   │   │   ├── console.js
│               │   │   │   │   │   │   │   └── console.js.map
│               │   │   │   │   │   │   ├── link.js
│               │   │   │   │   │   │   ├── link.js.map
│               │   │   │   │   │   │   ├── next-dev-turbopack.js
│               │   │   │   │   │   │   ├── next-dev-turbopack.js.map
│               │   │   │   │   │   │   ├── next-dev.js
│               │   │   │   │   │   │   ├── next-dev.js.map
│               │   │   │   │   │   │   ├── next-turbopack.js
│               │   │   │   │   │   │   ├── next-turbopack.js.map
│               │   │   │   │   │   │   ├── next.js
│               │   │   │   │   │   │   ├── next.js.map
│               │   │   │   │   │   │   ├── normalize-locale-path.js
│               │   │   │   │   │   │   ├── normalize-locale-path.js.map
│               │   │   │   │   │   │   ├── normalize-trailing-slash.js
│               │   │   │   │   │   │   ├── normalize-trailing-slash.js.map
│               │   │   │   │   │   │   ├── page-bootstrap.js
│               │   │   │   │   │   │   ├── page-bootstrap.js.map
│               │   │   │   │   │   │   ├── page-loader.js
│               │   │   │   │   │   │   ├── page-loader.js.map
│               │   │   │   │   │   │   ├── portal
│               │   │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   │   └── index.js.map
│               │   │   │   │   │   │   ├── react-client-callbacks
│               │   │   │   │   │   │   │   ├── error-boundary-callbacks.js
│               │   │   │   │   │   │   │   ├── error-boundary-
callbacks.js.map
│               │   │   │   │   │   │   │   ├── on-recoverable-error.js
│               │   │   │   │   │   │   │   ├── on-recoverable-error.js.map
│               │   │   │   │   │   │   │   ├── report-global-error.js
│               │   │   │   │   │   │   │   └── report-global-error.js.map
│               │   │   │   │   │   │   ├── remove-base-path.js
│               │   │   │   │   │   │   ├── remove-base-path.js.map
│               │   │   │   │   │   │   ├── remove-locale.js
│               │   │   │   │   │   │   ├── remove-locale.js.map
│               │   │   │   │   │   │   ├── request
│               │   │   │   │   │   │   │   ├── params.browser.dev.js
│               │   │   │   │   │   │   │   ├── params.browser.dev.js.map
```

```
│           │   │   │   │   │   │   │   ├── params.browser.js
│           │   │   │   │   │   │   │   ├── params.browser.js.map
│           │   │   │   │   │   │   │   ├── params.browser.prod.js
│           │   │   │   │   │   │   │   ├── params.browser.prod.js.map
│           │   │   │   │   │   │   │   ├── search-params.browser.dev.js
│           │   │   │   │   │   │   │   ├── search-
params.browser.dev.js.map
│           │   │   │   │   │   │   │   ├── search-params.browser.js
│           │   │   │   │   │   │   │   ├── search-params.browser.js.map
│           │   │   │   │   │   │   │   ├── search-
params.browser.prod.js
│           │   │   │   │   │   │   │   └── search-
params.browser.prod.js.map
│           │   │   │   │   │   │   ├── request-idle-callback.js
│           │   │   │   │   │   │   ├── request-idle-callback.js.map
│           │   │   │   │   │   │   ├── resolve-href.js
│           │   │   │   │   │   │   ├── resolve-href.js.map
│           │   │   │   │   │   │   ├── route-announcer.js
│           │   │   │   │   │   │   ├── route-announcer.js.map
│           │   │   │   │   │   │   ├── route-loader.js
│           │   │   │   │   │   │   ├── route-loader.js.map
│           │   │   │   │   │   │   ├── route-params.js
│           │   │   │   │   │   │   ├── route-params.js.map
│           │   │   │   │   │   │   ├── router.js
│           │   │   │   │   │   │   ├── router.js.map
│           │   │   │   │   │   │   ├── script.js
│           │   │   │   │   │   │   ├── script.js.map
│           │   │   │   │   │   │   ├── set-attributes-from-props.js
│           │   │   │   │   │   │   ├── set-attributes-from-props.js.map
│           │   │   │   │   │   │   ├── tracing
│           │   │   │   │   │   │   │   ├── report-to-socket.js
│           │   │   │   │   │   │   │   ├── report-to-socket.js.map
│           │   │   │   │   │   │   │   ├── tracer.js
│           │   │   │   │   │   │   │   └── tracer.js.map
│           │   │   │   │   │   │   ├── trusted-types.js
│           │   │   │   │   │   │   ├── trusted-types.js.map
│           │   │   │   │   │   │   ├── use-client-disallowed.js
│           │   │   │   │   │   │   ├── use-client-disallowed.js.map
│           │   │   │   │   │   │   ├── use-intersection.js
│           │   │   │   │   │   │   ├── use-intersection.js.map
│           │   │   │   │   │   │   ├── use-merged-ref.js
│           │   │   │   │   │   │   ├── use-merged-ref.js.map
│           │   │   │   │   │   │   ├── web-vitals.js
│           │   │   │   │   │   │   ├── web-vitals.js.map
│           │   │   │   │   │   │   ├── webpack.js
│           │   │   │   │   │   │   ├── webpack.js.map
│           │   │   │   │   │   │   ├── with-router.js
│           │   │   │   │   │   │   └── with-router.js.map
│           │   │   │   │   │   ├── export
│           │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   ├── create-incremental-cache.js
│           │   │   │   │   │   │   │   ├── create-incremental-
cache.js.map
│           │   │   │   │   │   │   │   ├── get-amp-html-validator.js
│           │   │   │   │   │   │   │   ├── get-amp-html-
validator.js.map
```

```
│           │   │   │   │   │   │   │   ├── get-params.js
│           │   │   │   │   │   │   │   ├── get-params.js.map
│           │   │   │   │   │   │   │   ├── is-dynamic-usage-error.js
│           │   │   │   │   │   │   │   └── is-dynamic-usage-
error.js.map
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   ├── routes
│           │   │   │   │   │   │   │   ├── app-page.js
│           │   │   │   │   │   │   │   ├── app-page.js.map
│           │   │   │   │   │   │   │   ├── app-route.js
│           │   │   │   │   │   │   │   ├── app-route.js.map
│           │   │   │   │   │   │   │   ├── pages.js
│           │   │   │   │   │   │   │   ├── pages.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   │   ├── worker.js
│           │   │   │   │   │   │   └── worker.js.map
│           │   │   │   │   │   ├── lib
│           │   │   │   │   │   │   ├── batcher.js
│           │   │   │   │   │   │   ├── batcher.js.map
│           │   │   │   │   │   │   ├── build-custom-route.js
│           │   │   │   │   │   │   ├── build-custom-route.js.map
│           │   │   │   │   │   │   ├── client-and-server-references.js
│           │   │   │   │   │   │   ├── client-and-server-
references.js.map
│           │   │   │   │   │   │   ├── coalesced-function.js
│           │   │   │   │   │   │   ├── coalesced-function.js.map
│           │   │   │   │   │   │   ├── compile-error.js
│           │   │   │   │   │   │   ├── compile-error.js.map
│           │   │   │   │   │   │   ├── constants.js
│           │   │   │   │   │   │   ├── constants.js.map
│           │   │   │   │   │   │   ├── create-client-router-filter.js
│           │   │   │   │   │   │   ├── create-client-router-
filter.js.map
│           │   │   │   │   │   │   ├── default-transpiled-packages.json
│           │   │   │   │   │   │   ├── detached-promise.js
│           │   │   │   │   │   │   ├── detached-promise.js.map
│           │   │   │   │   │   │   ├── detect-typo.js
│           │   │   │   │   │   │   ├── detect-typo.js.map
│           │   │   │   │   │   │   ├── download-swc.js
│           │   │   │   │   │   │   ├── download-swc.js.map
│           │   │   │   │   │   │   ├── error-telemetry-utils.js
│           │   │   │   │   │   │   ├── error-telemetry-utils.js.map
│           │   │   │   │   │   │   ├── eslint
│           │   │   │   │   │   │   │   ├── customFormatter.js
│           │   │   │   │   │   │   │   ├── customFormatter.js.map
│           │   │   │   │   │   │   │   ├── getESLintPromptValues.js
│           │   │   │   │   │   │   │   ├── getESLintPromptValues.js.map
│           │   │   │   │   │   │   │   ├── hasEslintConfiguration.js
│           │   │   │   │   │   │   │   ├──
hasEslintConfiguration.js.map
```

```
│           │   │   │   │   │   │   │   ├── runLintCheck.js
│           │   │   │   │   │   │   │   ├── runLintCheck.js.map
│           │   │   │   │   │   │   │   ├── writeDefaultConfig.js
│           │   │   │   │   │   │   │   ├── writeDefaultConfig.js.map
│           │   │   │   │   │   │   │   ├── writeOutputFile.js
│           │   │   │   │   │   │   │   └── writeOutputFile.js.map
│           │   │   │   │   │   │   ├── fallback.js
│           │   │   │   │   │   │   ├── fallback.js.map
│           │   │   │   │   │   │   ├── fatal-error.js
│           │   │   │   │   │   │   ├── fatal-error.js.map
│           │   │   │   │   │   │   ├── file-exists.js
│           │   │   │   │   │   │   ├── file-exists.js.map
│           │   │   │   │   │   │   ├── find-config.js
│           │   │   │   │   │   │   ├── find-config.js.map
│           │   │   │   │   │   │   ├── find-pages-dir.js
│           │   │   │   │   │   │   ├── find-pages-dir.js.map
│           │   │   │   │   │   │   ├── find-root.js
│           │   │   │   │   │   │   ├── find-root.js.map
│           │   │   │   │   │   │   ├── format-cli-help-output.js
│           │   │   │   │   │   │   ├── format-cli-help-output.js.map
│           │   │   │   │   │   │   ├── format-dynamic-import-path.js
│           │   │   │   │   │   │   ├── format-dynamic-import-
path.js.map
│           │   │   │   │   │   │   ├── format-server-error.js
│           │   │   │   │   │   │   ├── format-server-error.js.map
│           │   │   │   │   │   │   ├── framework
│           │   │   │   │   │   │   │   ├── boundary-components.js
│           │   │   │   │   │   │   │   ├── boundary-components.js.map
│           │   │   │   │   │   │   │   ├── boundary-constants.js
│           │   │   │   │   │   │   │   └── boundary-constants.js.map
│           │   │   │   │   │   │   ├── fs
│           │   │   │   │   │   │   │   ├── rename.js
│           │   │   │   │   │   │   │   ├── rename.js.map
│           │   │   │   │   │   │   │   ├── write-atomic.js
│           │   │   │   │   │   │   │   └── write-atomic.js.map
│           │   │   │   │   │   │   ├── generate-interception-routes-
rewrites.js
│           │   │   │   │   │   │   ├── generate-interception-routes-
rewrites.js.map
│           │   │   │   │   │   │   ├── get-files-in-dir.js
│           │   │   │   │   │   │   ├── get-files-in-dir.js.map
│           │   │   │   │   │   │   ├── get-network-host.js
│           │   │   │   │   │   │   ├── get-network-host.js.map
│           │   │   │   │   │   │   ├── get-package-version.js
│           │   │   │   │   │   │   ├── get-package-version.js.map
│           │   │   │   │   │   │   ├── get-project-dir.js
│           │   │   │   │   │   │   ├── get-project-dir.js.map
│           │   │   │   │   │   │   ├── has-necessary-dependencies.js
│           │   │   │   │   │   │   ├── has-necessary-
dependencies.js.map
│           │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   ├── get-cache-directory.js
│           │   │   │   │   │   │   │   ├── get-cache-directory.js.map
│           │   │   │   │   │   │   │   ├── get-npx-command.js
│           │   │   │   │   │   │   │   ├── get-npx-command.js.map
│           │   │   │   │   │   │   │   ├── get-online.js
```

```
│   │   │   │   │   │   │   │   ├── get-online.js.map
│   │   │   │   │   │   │   │   ├── get-pkg-manager.js
│   │   │   │   │   │   │   │   ├── get-pkg-manager.js.map
│   │   │   │   │   │   │   │   ├── get-registry.js
│   │   │   │   │   │   │   │   ├── get-registry.js.map
│   │   │   │   │   │   │   │   ├── get-reserved-port.js
│   │   │   │   │   │   │   │   ├── get-reserved-port.js.map
│   │   │   │   │   │   │   │   ├── install.js
│   │   │   │   │   │   │   │   └── install.js.map
│   │   │   │   │   │   │   ├── import-next-warning.js
│   │   │   │   │   │   │   ├── import-next-warning.js.map
│   │   │   │   │   │   │   ├── inline-static-env.js
│   │   │   │   │   │   │   ├── inline-static-env.js.map
│   │   │   │   │   │   │   ├── install-dependencies.js
│   │   │   │   │   │   │   ├── install-dependencies.js.map
│   │   │   │   │   │   │   ├── interop-default.js
│   │   │   │   │   │   │   ├── interop-default.js.map
│   │   │   │   │   │   │   ├── is-api-route.js
│   │   │   │   │   │   │   ├── is-api-route.js.map
│   │   │   │   │   │   │   ├── is-app-page-route.js
│   │   │   │   │   │   │   ├── is-app-page-route.js.map
│   │   │   │   │   │   │   ├── is-app-route-route.js
│   │   │   │   │   │   │   ├── is-app-route-route.js.map
│   │   │   │   │   │   │   ├── is-edge-runtime.js
│   │   │   │   │   │   │   ├── is-edge-runtime.js.map
│   │   │   │   │   │   │   ├── is-error.js
│   │   │   │   │   │   │   ├── is-error.js.map
│   │   │   │   │   │   │   ├── is-internal-component.js
│   │   │   │   │   │   │   ├── is-internal-component.js.map
│   │   │   │   │   │   │   ├── is-serializable-props.js
│   │   │   │   │   │   │   ├── is-serializable-props.js.map
│   │   │   │   │   │   │   ├── known-edge-safe-packages.json
│   │   │   │   │   │   │   ├── load-custom-routes.js
│   │   │   │   │   │   │   ├── load-custom-routes.js.map
│   │   │   │   │   │   │   ├── memory
│   │   │   │   │   │   │   │   ├── gc-observer.js
│   │   │   │   │   │   │   │   ├── gc-observer.js.map
│   │   │   │   │   │   │   │   ├── shutdown.js
│   │   │   │   │   │   │   │   ├── shutdown.js.map
│   │   │   │   │   │   │   │   ├── startup.js
│   │   │   │   │   │   │   │   ├── startup.js.map
│   │   │   │   │   │   │   │   ├── trace.js
│   │   │   │   │   │   │   │   └── trace.js.map
│   │   │   │   │   │   │   ├── metadata
│   │   │   │   │   │   │   │   ├── clone-metadata.js
│   │   │   │   │   │   │   │   ├── clone-metadata.js.map
│   │   │   │   │   │   │   │   ├── constants.js
│   │   │   │   │   │   │   │   ├── constants.js.map
│   │   │   │   │   │   │   │   ├── default-metadata.js
│   │   │   │   │   │   │   │   ├── default-metadata.js.map
│   │   │   │   │   │   │   │   ├── generate
│   │   │   │   │   │   │   │   │   ├── alternate.js
│   │   │   │   │   │   │   │   │   ├── alternate.js.map
│   │   │   │   │   │   │   │   │   ├── basic.js
│   │   │   │   │   │   │   │   │   ├── basic.js.map
│   │   │   │   │   │   │   │   │   ├── icon-mark.js
```

```
│           │   │   │   │   │   │   │   │   ├── icon-mark.js.map
│           │   │   │   │   │   │   │   │   ├── icons.js
│           │   │   │   │   │   │   │   │   ├── icons.js.map
│           │   │   │   │   │   │   │   │   ├── meta.js
│           │   │   │   │   │   │   │   │   ├── meta.js.map
│           │   │   │   │   │   │   │   │   ├── opengraph.js
│           │   │   │   │   │   │   │   │   ├── opengraph.js.map
│           │   │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   │   ├── get-metadata-route.js
│           │   │   │   │   │   │   │   ├── get-metadata-route.js.map
│           │   │   │   │   │   │   │   ├── is-metadata-route.js
│           │   │   │   │   │   │   │   ├── is-metadata-route.js.map
│           │   │   │   │   │   │   │   ├── metadata-context.js
│           │   │   │   │   │   │   │   ├── metadata-context.js.map
│           │   │   │   │   │   │   │   ├── metadata.js
│           │   │   │   │   │   │   │   ├── metadata.js.map
│           │   │   │   │   │   │   │   ├── resolve-metadata.js
│           │   │   │   │   │   │   │   ├── resolve-metadata.js.map
│           │   │   │   │   │   │   │   ├── resolvers
│           │   │   │   │   │   │   │   │   ├── resolve-basics.js
│           │   │   │   │   │   │   │   │   ├── resolve-basics.js.map
│           │   │   │   │   │   │   │   │   ├── resolve-icons.js
│           │   │   │   │   │   │   │   │   ├── resolve-icons.js.map
│           │   │   │   │   │   │   │   │   ├── resolve-opengraph.js
│           │   │   │   │   │   │   │   │   ├── resolve-opengraph.js.map
│           │   │   │   │   │   │   │   │   ├── resolve-title.js
│           │   │   │   │   │   │   │   │   ├── resolve-title.js.map
│           │   │   │   │   │   │   │   │   ├── resolve-url.js
│           │   │   │   │   │   │   │   │   └── resolve-url.js.map
│           │   │   │   │   │   │   │   └── types
│           │   │   │   │   │   │   │       ├── alternative-urls-
types.js
│           │   │   │   │   │   │   │       ├── alternative-urls-
types.js.map
│           │   │   │   │   │   │   │       ├── extra-types.js
│           │   │   │   │   │   │   │       ├── extra-types.js.map
│           │   │   │   │   │   │   │       ├── icons.js
│           │   │   │   │   │   │   │       ├── icons.js.map
│           │   │   │   │   │   │   │       ├── manifest-types.js
│           │   │   │   │   │   │   │       ├── manifest-types.js.map
│           │   │   │   │   │   │   │       ├── metadata-interface.js
│           │   │   │   │   │   │   │       ├── metadata-
interface.js.map
│           │   │   │   │   │   │   │       ├── metadata-types.js
│           │   │   │   │   │   │   │       ├── metadata-types.js.map
│           │   │   │   │   │   │   │       ├── opengraph-types.js
│           │   │   │   │   │   │   │       ├── opengraph-types.js.map
│           │   │   │   │   │   │   │       ├── resolvers.js
│           │   │   │   │   │   │   │       ├── resolvers.js.map
│           │   │   │   │   │   │   │       ├── twitter-types.js
│           │   │   │   │   │   │   │       └── twitter-types.js.map
│           │   │   │   │   │   │   ├── mime-type.js
│           │   │   │   │   │   │   ├── mime-type.js.map
│           │   │   │   │   │   │   ├── mkcert.js
│           │   │   │   │   │   │   ├── mkcert.js.map
```

```
│           │   │   │   │   │   │   ├── multi-file-writer.js
│           │   │   │   │   │   │   ├── multi-file-writer.js.map
│           │   │   │   │   │   │   ├── needs-experimental-react.js
│           │   │   │   │   │   │   ├── needs-experimental-react.js.map
│           │   │   │   │   │   │   ├── non-nullable.js
│           │   │   │   │   │   │   ├── non-nullable.js.map
│           │   │   │   │   │   │   ├── normalize-path.js
│           │   │   │   │   │   │   ├── normalize-path.js.map
│           │   │   │   │   │   │   ├── oxford-comma-list.js
│           │   │   │   │   │   │   ├── oxford-comma-list.js.map
│           │   │   │   │   │   │   ├── page-types.js
│           │   │   │   │   │   │   ├── page-types.js.map
│           │   │   │   │   │   │   ├── patch-incorrect-lockfile.js
│           │   │   │   │   │   │   ├── patch-incorrect-lockfile.js.map
│           │   │   │   │   │   │   ├── pick.js
│           │   │   │   │   │   │   ├── pick.js.map
│           │   │   │   │   │   │   ├── picocolors.js
│           │   │   │   │   │   │   ├── picocolors.js.map
│           │   │   │   │   │   │   ├── pretty-bytes.js
│           │   │   │   │   │   │   ├── pretty-bytes.js.map
│           │   │   │   │   │   │   ├── realpath.js
│           │   │   │   │   │   │   ├── realpath.js.map
│           │   │   │   │   │   │   ├── recursive-copy.js
│           │   │   │   │   │   │   ├── recursive-copy.js.map
│           │   │   │   │   │   │   ├── recursive-delete.js
│           │   │   │   │   │   │   ├── recursive-delete.js.map
│           │   │   │   │   │   │   ├── recursive-readdir.js
│           │   │   │   │   │   │   ├── recursive-readdir.js.map
│           │   │   │   │   │   │   ├── redirect-status.js
│           │   │   │   │   │   │   ├── redirect-status.js.map
│           │   │   │   │   │   │   ├── require-instrumentation-
client.js
│           │   │   │   │   │   │   ├── require-instrumentation-
client.js.map
│           │   │   │   │   │   │   ├── resolve-from.js
│           │   │   │   │   │   │   ├── resolve-from.js.map
│           │   │   │   │   │   │   ├── route-pattern-normalizer.js
│           │   │   │   │   │   │   ├── route-pattern-normalizer.js.map
│           │   │   │   │   │   │   ├── scheduler.js
│           │   │   │   │   │   │   ├── scheduler.js.map
│           │   │   │   │   │   │   ├── semver-noop.js
│           │   │   │   │   │   │   ├── semver-noop.js.map
│           │   │   │   │   │   │   ├── server-external-packages.json
│           │   │   │   │   │   │   ├── setup-exception-listeners.js
│           │   │   │   │   │   │   ├── setup-exception-listeners.js.map
│           │   │   │   │   │   │   ├── static-env.js
│           │   │   │   │   │   │   ├── static-env.js.map
│           │   │   │   │   │   │   ├── try-to-parse-path.js
│           │   │   │   │   │   │   ├── try-to-parse-path.js.map
│           │   │   │   │   │   │   ├── turbopack-warning.js
│           │   │   │   │   │   │   ├── turbopack-warning.js.map
│           │   │   │   │   │   │   ├── typescript
│           │   │   │   │   │   │   │   ├── diagnosticFormatter.js
│           │   │   │   │   │   │   │   ├── diagnosticFormatter.js.map
│           │   │   │   │   │   │   │   ├──
getTypeScriptConfiguration.js
```

```
│           │   │   │   │   │   │   │   ├──
getTypeScriptConfiguration.js.map
│           │   │   │   │   │   │   │   ├── getTypeScriptIntent.js
│           │   │   │   │   │   │   │   ├── getTypeScriptIntent.js.map
│           │   │   │   │   │   │   │   ├── missingDependencyError.js
│           │   │   │   │   │   │   │   ├──
missingDependencyError.js.map
│           │   │   │   │   │   │   │   ├── runTypeCheck.js
│           │   │   │   │   │   │   │   ├── runTypeCheck.js.map
│           │   │   │   │   │   │   │   ├── writeAppTypeDeclarations.js
│           │   │   │   │   │   │   │   ├──
writeAppTypeDeclarations.js.map
│           │   │   │   │   │   │   │   ├──
writeConfigurationDefaults.js
│           │   │   │   │   │   │   │   └──
writeConfigurationDefaults.js.map
│           │   │   │   │   │   │   ├── url.js
│           │   │   │   │   │   │   ├── url.js.map
│           │   │   │   │   │   │   ├── verify-partytown-setup.js
│           │   │   │   │   │   │   ├── verify-partytown-setup.js.map
│           │   │   │   │   │   │   ├── verify-root-layout.js
│           │   │   │   │   │   │   ├── verify-root-layout.js.map
│           │   │   │   │   │   │   ├── verify-typescript-setup.js
│           │   │   │   │   │   │   ├── verify-typescript-setup.js.map
│           │   │   │   │   │   │   ├── verifyAndLint.js
│           │   │   │   │   │   │   ├── verifyAndLint.js.map
│           │   │   │   │   │   │   ├── wait.js
│           │   │   │   │   │   │   ├── wait.js.map
│           │   │   │   │   │   │   ├── with-promise-cache.js
│           │   │   │   │   │   │   ├── with-promise-cache.js.map
│           │   │   │   │   │   │   ├── worker.js
│           │   │   │   │   │   │   └── worker.js.map
│           │   │   │   │   │   ├── next-devtools
│           │   │   │   │   │   │   ├── server
│           │   │   │   │   │   │   │   ├── dev-indicator-middleware.js
│           │   │   │   │   │   │   │   ├── dev-indicator-
middleware.js.map
│           │   │   │   │   │   │   │   ├── devtools-config-
middleware.js
│           │   │   │   │   │   │   │   ├── devtools-config-
middleware.js.map
│           │   │   │   │   │   │   │   ├── font
│           │   │   │   │   │   │   │   │   ├── geist-latin-ext.woff2
│           │   │   │   │   │   │   │   │   ├── geist-latin.woff2
│           │   │   │   │   │   │   │   │   ├── geist-mono-latin-
ext.woff2
│           │   │   │   │   │   │   │   │   ├── geist-mono-latin.woff2
│           │   │   │   │   │   │   │   │   ├── get-dev-overlay-font-
middleware.js
│           │   │   │   │   │   │   │   │   └── get-dev-overlay-font-
middleware.js.map
│           │   │   │   │   │   │   │   ├── get-next-error-feedback-
middleware.js
│           │   │   │   │   │   │   │   ├── get-next-error-feedback-
middleware.js.map
│           │   │   │   │   │   │   │   ├── launch-editor.js
```

```
│           │   │   │   │   │   │   │   ├── launch-editor.js.map
│           │   │   │   │   │   │   │   ├── middleware-response.js
│           │   │   │   │   │   │   │   ├── middleware-response.js.map
│           │   │   │   │   │   │   │   ├── restart-dev-server-
middleware.js
│           │   │   │   │   │   │   │   ├── restart-dev-server-
middleware.js.map
│           │   │   │   │   │   │   │   ├── shared.js
│           │   │   │   │   │   │   │   └── shared.js.map
│           │   │   │   │   │   │   ├── shared
│           │   │   │   │   │   │   │   ├── console-error.js
│           │   │   │   │   │   │   │   ├── console-error.js.map
│           │   │   │   │   │   │   │   ├── deepmerge.js
│           │   │   │   │   │   │   │   ├── deepmerge.js.map
│           │   │   │   │   │   │   │   ├── devtools-config-schema.js
│           │   │   │   │   │   │   │   ├── devtools-config-
schema.js.map
│           │   │   │   │   │   │   │   ├── forward-logs-shared.js
│           │   │   │   │   │   │   │   ├── forward-logs-shared.js.map
│           │   │   │   │   │   │   │   ├── hydration-error.js
│           │   │   │   │   │   │   │   ├── hydration-error.js.map
│           │   │   │   │   │   │   │   ├── react-18-hydration-error.js
│           │   │   │   │   │   │   │   ├── react-18-hydration-
error.js.map
│           │   │   │   │   │   │   │   ├── react-19-hydration-error.js
│           │   │   │   │   │   │   │   ├── react-19-hydration-
error.js.map
│           │   │   │   │   │   │   │   ├── stack-frame.js
│           │   │   │   │   │   │   │   ├── stack-frame.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── version-staleness.js
│           │   │   │   │   │   │   │   ├── version-staleness.js.map
│           │   │   │   │   │   │   │   ├── webpack-module-path.js
│           │   │   │   │   │   │   │   └── webpack-module-path.js.map
│           │   │   │   │   │   │   └── userspace
│           │   │   │   │   │   │       ├── app
│           │   │   │   │   │   │       │   ├── app-dev-overlay-error-
boundary.js
│           │   │   │   │   │   │       │   ├── app-dev-overlay-error-
boundary.js.map
│           │   │   │   │   │   │       │   ├── app-dev-overlay-setup.js
│           │   │   │   │   │   │       │   ├── app-dev-overlay-
setup.js.map
│           │   │   │   │   │   │       │   ├── client-entry.js
│           │   │   │   │   │   │       │   ├── client-entry.js.map
│           │   │   │   │   │   │       │   ├── errors
│           │   │   │   │   │   │       │   │   ├── index.js
│           │   │   │   │   │   │       │   │   ├── index.js.map
│           │   │   │   │   │   │       │   │   ├── intercept-console-
error.js
│           │   │   │   │   │   │       │   │   ├── intercept-console-
error.js.map
│           │   │   │   │   │   │       │   │   ├── replay-ssr-only-
errors.js
```

```
│           │   │   │   │   │   │       │   │   ├── replay-ssr-only-
errors.js.map
│           │   │   │   │   │   │       │   │   ├── stitched-error.js
│           │   │   │   │   │   │       │   │   ├── stitched-
error.js.map
│           │   │   │   │   │   │       │   │   ├── use-error-handler.js
│           │   │   │   │   │   │       │   │   ├── use-error-
handler.js.map
│           │   │   │   │   │   │       │   │   ├── use-forward-console-
log.js
│           │   │   │   │   │   │       │   │   └── use-forward-console-
log.js.map
│           │   │   │   │   │   │       │   ├── forward-logs.js
│           │   │   │   │   │   │       │   ├── forward-logs.js.map
│           │   │   │   │   │   │       │   ├── segment-explorer-node.js
│           │   │   │   │   │   │       │   ├── segment-explorer-
node.js.map
│           │   │   │   │   │   │       │   ├── terminal-logging-
config.js
│           │   │   │   │   │   │       │   └── terminal-logging-
config.js.map
│           │   │   │   │   │   │       ├── pages
│           │   │   │   │   │   │       │   ├── hydration-error-state.js
│           │   │   │   │   │   │       │   ├── hydration-error-
state.js.map
│           │   │   │   │   │   │       │   ├── pages-dev-overlay-error-
boundary.js
│           │   │   │   │   │   │       │   ├── pages-dev-overlay-error-
boundary.js.map
│           │   │   │   │   │   │       │   ├── pages-dev-overlay-
setup.js
│           │   │   │   │   │   │       │   └── pages-dev-overlay-
setup.js.map
│           │   │   │   │   │   │       ├── use-app-dev-rendering-
indicator.js
│           │   │   │   │   │   │       └── use-app-dev-rendering-
indicator.js.map
│           │   │   │   │   │   ├── pages
│           │   │   │   │   │   │   ├── _app.js
│           │   │   │   │   │   │   ├── _app.js.map
│           │   │   │   │   │   │   ├── _document.js
│           │   │   │   │   │   │   ├── _document.js.map
│           │   │   │   │   │   │   ├── _error.js
│           │   │   │   │   │   │   └── _error.js.map
│           │   │   │   │   │   ├── server
│           │   │   │   │   │   │   ├── ReactDOMServerPages.d.ts
│           │   │   │   │   │   │   ├── ReactDOMServerPages.js
│           │   │   │   │   │   │   ├── ReactDOMServerPages.js.map
│           │   │   │   │   │   │   ├── accept-header.js
│           │   │   │   │   │   │   ├── accept-header.js.map
│           │   │   │   │   │   │   ├── after
│           │   │   │   │   │   │   │   ├── after-context.js
│           │   │   │   │   │   │   │   ├── after-context.js.map
│           │   │   │   │   │   │   │   ├── after.js
│           │   │   │   │   │   │   │   ├── after.js.map
│           │   │   │   │   │   │   │   ├── awaiter.js
```

```
│           │   │   │   │   │   │   │   ├── awaiter.js.map
│           │   │   │   │   │   │   │   ├── builtin-request-context.js
│           │   │   │   │   │   │   │   ├── builtin-request-
context.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── run-with-after.js
│           │   │   │   │   │   │   │   └── run-with-after.js.map
│           │   │   │   │   │   │   ├── api-utils
│           │   │   │   │   │   │   │   ├── get-cookie-parser.js
│           │   │   │   │   │   │   │   ├── get-cookie-parser.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── node
│           │   │   │   │   │   │   │   │   ├── api-resolver.js
│           │   │   │   │   │   │   │   │   ├── api-resolver.js.map
│           │   │   │   │   │   │   │   │   ├── parse-body.js
│           │   │   │   │   │   │   │   │   ├── parse-body.js.map
│           │   │   │   │   │   │   │   │   ├── try-get-preview-data.js
│           │   │   │   │   │   │   │   │   └── try-get-preview-
data.js.map
│           │   │   │   │   │   │   │   ├── web.js
│           │   │   │   │   │   │   │   └── web.js.map
│           │   │   │   │   │   │   ├── app-render
│           │   │   │   │   │   │   │   ├── action-async-storage-
instance.js
│           │   │   │   │   │   │   │   ├── action-async-storage-
instance.js.map
│           │   │   │   │   │   │   │   ├── action-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── action-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── action-handler.js
│           │   │   │   │   │   │   │   ├── action-handler.js.map
│           │   │   │   │   │   │   │   ├── action-utils.js
│           │   │   │   │   │   │   │   ├── action-utils.js.map
│           │   │   │   │   │   │   │   ├── after-task-async-storage-
instance.js
│           │   │   │   │   │   │   │   ├── after-task-async-storage-
instance.js.map
│           │   │   │   │   │   │   │   ├── after-task-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── after-task-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── app-render-prerender-
utils.js
│           │   │   │   │   │   │   │   ├── app-render-prerender-
utils.js.map
│           │   │   │   │   │   │   │   ├── app-render-render-utils.js
│           │   │   │   │   │   │   │   ├── app-render-render-
utils.js.map
│           │   │   │   │   │   │   │   ├── app-render.js
│           │   │   │   │   │   │   │   ├── app-render.js.map
│           │   │   │   │   │   │   │   ├── async-local-storage.js
│           │   │   │   │   │   │   │   ├── async-local-storage.js.map
│           │   │   │   │   │   │   │   ├── cache-signal.js
```

```
│           │   │   │   │   │   │   │   ├── cache-signal.js.map
│           │   │   │   │   │   │   │   ├── collect-segment-data.js
│           │   │   │   │   │   │   │   ├── collect-segment-data.js.map
│           │   │   │   │   │   │   │   ├── create-component-styles-and-
scripts.js
│           │   │   │   │   │   │   │   ├── create-component-styles-and-
scripts.js.map
│           │   │   │   │   │   │   │   ├── create-component-tree.js
│           │   │   │   │   │   │   │   ├── create-component-tree.js.map
│           │   │   │   │   │   │   │   ├── create-error-handler.js
│           │   │   │   │   │   │   │   ├── create-error-handler.js.map
│           │   │   │   │   │   │   │   ├── create-flight-router-state-
from-loader-tree.js
│           │   │   │   │   │   │   │   ├── create-flight-router-state-
from-loader-tree.js.map
│           │   │   │   │   │   │   │   ├── csrf-protection.js
│           │   │   │   │   │   │   │   ├── csrf-protection.js.map
│           │   │   │   │   │   │   │   ├── dynamic-access-async-
storage-instance.js
│           │   │   │   │   │   │   │   ├── dynamic-access-async-
storage-instance.js.map
│           │   │   │   │   │   │   │   ├── dynamic-access-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── dynamic-access-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── dynamic-rendering.js
│           │   │   │   │   │   │   │   ├── dynamic-rendering.js.map
│           │   │   │   │   │   │   │   ├── encryption-utils-server.js
│           │   │   │   │   │   │   │   ├── encryption-utils-
server.js.map
│           │   │   │   │   │   │   │   ├── encryption-utils.js
│           │   │   │   │   │   │   │   ├── encryption-utils.js.map
│           │   │   │   │   │   │   │   ├── encryption.js
│           │   │   │   │   │   │   │   ├── encryption.js.map
│           │   │   │   │   │   │   │   ├── entry-base.js
│           │   │   │   │   │   │   │   ├── entry-base.js.map
│           │   │   │   │   │   │   │   ├── flight-render-result.js
│           │   │   │   │   │   │   │   ├── flight-render-result.js.map
│           │   │   │   │   │   │   │   ├── get-asset-query-string.js
│           │   │   │   │   │   │   │   ├── get-asset-query-
string.js.map
│           │   │   │   │   │   │   │   ├── get-css-inlined-link-tags.js
│           │   │   │   │   │   │   │   ├── get-css-inlined-link-
tags.js.map
│           │   │   │   │   │   │   │   ├── get-layer-assets.js
│           │   │   │   │   │   │   │   ├── get-layer-assets.js.map
│           │   │   │   │   │   │   │   ├── get-preloadable-fonts.js
│           │   │   │   │   │   │   │   ├── get-preloadable-fonts.js.map
│           │   │   │   │   │   │   │   ├── get-script-nonce-from-
header.js
│           │   │   │   │   │   │   │   ├── get-script-nonce-from-
header.js.map
│           │   │   │   │   │   │   │   ├── get-segment-param.js
│           │   │   │   │   │   │   │   ├── get-segment-param.js.map
│           │   │   │   │   │   │   │   ├── get-short-dynamic-param-
type.js
```

```
│           │   │   │   │   │   │   ├── get-short-dynamic-param-
type.js.map
│           │   │   │   │   │   │   ├── has-loading-component-in-
tree.js
│           │   │   │   │   │   │   ├── has-loading-component-in-
tree.js.map
│           │   │   │   │   │   │   ├── interop-default.js
│           │   │   │   │   │   │   ├── interop-default.js.map
│           │   │   │   │   │   │   ├── make-get-server-inserted-
html.js
│           │   │   │   │   │   │   ├── make-get-server-inserted-
html.js.map
│           │   │   │   │   │   │   ├── metadata-insertion
│           │   │   │   │   │   │   │   ├── create-server-inserted-
metadata.js
│           │   │   │   │   │   │   │   └── create-server-inserted-
metadata.js.map
│           │   │   │   │   │   │   ├── module-loading
│           │   │   │   │   │   │   │   ├── track-dynamic-import.js
│           │   │   │   │   │   │   │   ├── track-dynamic-
import.js.map
│           │   │   │   │   │   │   │   ├── track-module-
loading.external.js
│           │   │   │   │   │   │   │   ├── track-module-
loading.external.js.map
│           │   │   │   │   │   │   │   ├── track-module-
loading.instance.js
│           │   │   │   │   │   │   │   └── track-module-
loading.instance.js.map
│           │   │   │   │   │   │   ├── parse-and-validate-flight-
router-state.js
│           │   │   │   │   │   │   ├── parse-and-validate-flight-
router-state.js.map
│           │   │   │   │   │   │   ├── parse-loader-tree.js
│           │   │   │   │   │   │   ├── parse-loader-tree.js.map
│           │   │   │   │   │   │   ├── postponed-state.js
│           │   │   │   │   │   │   ├── postponed-state.js.map
│           │   │   │   │   │   │   ├── prospective-render-utils.js
│           │   │   │   │   │   │   ├── prospective-render-
utils.js.map
│           │   │   │   │   │   │   ├── react-large-shell-error.js
│           │   │   │   │   │   │   ├── react-large-shell-
error.js.map
│           │   │   │   │   │   │   ├── react-server.node.js
│           │   │   │   │   │   │   ├── react-server.node.js.map
│           │   │   │   │   │   │   ├── render-css-resource.js
│           │   │   │   │   │   │   ├── render-css-resource.js.map
│           │   │   │   │   │   │   ├── required-scripts.js
│           │   │   │   │   │   │   ├── required-scripts.js.map
│           │   │   │   │   │   │   ├── rsc
│           │   │   │   │   │   │   │   ├── postpone.js
│           │   │   │   │   │   │   │   ├── postpone.js.map
│           │   │   │   │   │   │   │   ├── preloads.js
│           │   │   │   │   │   │   │   ├── preloads.js.map
│           │   │   │   │   │   │   │   ├── taint.js
│           │   │   │   │   │   │   │   └── taint.js.map
```

```
│           │   │   │   │   │   │   │   ├── segment-explorer-path.js
│           │   │   │   │   │   │   │   ├── segment-explorer-path.js.map
│           │   │   │   │   │   │   │   ├── server-inserted-html.js
│           │   │   │   │   │   │   │   ├── server-inserted-html.js.map
│           │   │   │   │   │   │   │   ├── strip-flight-headers.js
│           │   │   │   │   │   │   │   ├── strip-flight-headers.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── use-flight-response.js
│           │   │   │   │   │   │   │   ├── use-flight-response.js.map
│           │   │   │   │   │   │   │   ├── walk-tree-with-flight-
router-state.js
│           │   │   │   │   │   │   │   ├── walk-tree-with-flight-
router-state.js.map
│           │   │   │   │   │   │   │   ├── work-async-storage-
instance.js
│           │   │   │   │   │   │   │   ├── work-async-storage-
instance.js.map
│           │   │   │   │   │   │   │   ├── work-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── work-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── work-unit-async-storage-
instance.js
│           │   │   │   │   │   │   │   ├── work-unit-async-storage-
instance.js.map
│           │   │   │   │   │   │   │   ├── work-unit-async-
storage.external.js
│           │   │   │   │   │   │   │   └── work-unit-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── async-storage
│           │   │   │   │   │   │   │   ├── draft-mode-provider.js
│           │   │   │   │   │   │   │   ├── draft-mode-provider.js.map
│           │   │   │   │   │   │   │   ├── request-store.js
│           │   │   │   │   │   │   │   ├── request-store.js.map
│           │   │   │   │   │   │   │   ├── with-store.js
│           │   │   │   │   │   │   │   ├── with-store.js.map
│           │   │   │   │   │   │   │   ├── work-store.js
│           │   │   │   │   │   │   │   └── work-store.js.map
│           │   │   │   │   │   │   ├── base-http
│           │   │   │   │   │   │   │   ├── helpers.js
│           │   │   │   │   │   │   │   ├── helpers.js.map
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── node.js
│           │   │   │   │   │   │   │   ├── node.js.map
│           │   │   │   │   │   │   │   ├── web.js
│           │   │   │   │   │   │   │   └── web.js.map
│           │   │   │   │   │   │   ├── base-server.js
│           │   │   │   │   │   │   ├── base-server.js.map
│           │   │   │   │   │   │   ├── body-streams.js
│           │   │   │   │   │   │   ├── body-streams.js.map
│           │   │   │   │   │   │   ├── cache-dir.js
│           │   │   │   │   │   │   ├── cache-dir.js.map
│           │   │   │   │   │   │   ├── ci-info.js
│           │   │   │   │   │   │   ├── ci-info.js.map
```

```
│           │   │   │   │   │   │   ├── client-component-renderer-
logger.js
│           │   │   │   │   │   │   ├── client-component-renderer-
logger.js.map
│           │   │   │   │   │   │   ├── config-schema.js
│           │   │   │   │   │   │   ├── config-schema.js.map
│           │   │   │   │   │   │   ├── config-shared.js
│           │   │   │   │   │   │   ├── config-shared.js.map
│           │   │   │   │   │   │   ├── config-utils.js
│           │   │   │   │   │   │   ├── config-utils.js.map
│           │   │   │   │   │   │   ├── config.js
│           │   │   │   │   │   │   ├── config.js.map
│           │   │   │   │   │   │   ├── create-deduped-by-callsite-
server-error-logger.js
│           │   │   │   │   │   │   ├── create-deduped-by-callsite-
server-error-logger.js.map
│           │   │   │   │   │   │   ├── crypto-utils.js
│           │   │   │   │   │   │   ├── crypto-utils.js.map
│           │   │   │   │   │   │   ├── dev
│           │   │   │   │   │   │   │   ├── browser-logs
│           │   │   │   │   │   │   │   │   ├── receive-logs.js
│           │   │   │   │   │   │   │   │   ├── receive-logs.js.map
│           │   │   │   │   │   │   │   │   ├── source-map.js
│           │   │   │   │   │   │   │   │   └── source-map.js.map
│           │   │   │   │   │   │   │   ├── dev-indicator-server-
state.js
│           │   │   │   │   │   │   │   ├── dev-indicator-server-
state.js.map
│           │   │   │   │   │   │   │   ├── get-source-map-from-file.js
│           │   │   │   │   │   │   │   ├── get-source-map-from-
file.js.map
│           │   │   │   │   │   │   │   ├── hot-middleware.js
│           │   │   │   │   │   │   │   ├── hot-middleware.js.map
│           │   │   │   │   │   │   │   ├── hot-reloader-turbopack.js
│           │   │   │   │   │   │   │   ├── hot-reloader-
turbopack.js.map
│           │   │   │   │   │   │   │   ├── hot-reloader-types.js
│           │   │   │   │   │   │   │   ├── hot-reloader-types.js.map
│           │   │   │   │   │   │   │   ├── hot-reloader-webpack.js
│           │   │   │   │   │   │   │   ├── hot-reloader-webpack.js.map
│           │   │   │   │   │   │   │   ├── log-requests.js
│           │   │   │   │   │   │   │   ├── log-requests.js.map
│           │   │   │   │   │   │   │   ├── messages.js
│           │   │   │   │   │   │   │   ├── messages.js.map
│           │   │   │   │   │   │   │   ├── middleware-turbopack.js
│           │   │   │   │   │   │   │   ├── middleware-turbopack.js.map
│           │   │   │   │   │   │   │   ├── middleware-webpack.js
│           │   │   │   │   │   │   │   ├── middleware-webpack.js.map
│           │   │   │   │   │   │   │   ├── next-dev-server.js
│           │   │   │   │   │   │   │   ├── next-dev-server.js.map
│           │   │   │   │   │   │   │   ├── node-stack-frames.js
│           │   │   │   │   │   │   │   ├── node-stack-frames.js.map
│           │   │   │   │   │   │   │   ├── on-demand-entry-handler.js
│           │   │   │   │   │   │   │   ├── on-demand-entry-
handler.js.map
│           │   │   │   │   │   │   │   ├── parse-version-info.js
```

```
│           │   │   │   │   │   │   │   ├── parse-version-info.js.map
│           │   │   │   │   │   │   │   ├── require-cache.js
│           │   │   │   │   │   │   │   ├── require-cache.js.map
│           │   │   │   │   │   │   │   ├── static-paths-worker.js
│           │   │   │   │   │   │   │   ├── static-paths-worker.js.map
│           │   │   │   │   │   │   │   ├── turbopack-utils.js
│           │   │   │   │   │   │   │   └── turbopack-utils.js.map
│           │   │   │   │   │   │   ├── dynamic-rendering-utils.js
│           │   │   │   │   │   │   ├── dynamic-rendering-utils.js.map
│           │   │   │   │   │   │   ├── font-utils.js
│           │   │   │   │   │   │   ├── font-utils.js.map
│           │   │   │   │   │   │   ├── get-app-route-from-entrypoint.js
│           │   │   │   │   │   │   ├── get-app-route-from-
entrypoint.js.map
│           │   │   │   │   │   │   ├── get-page-files.js
│           │   │   │   │   │   │   ├── get-page-files.js.map
│           │   │   │   │   │   │   ├── get-route-from-entrypoint.js
│           │   │   │   │   │   │   ├── get-route-from-entrypoint.js.map
│           │   │   │   │   │   │   ├── htmlescape.js
│           │   │   │   │   │   │   ├── htmlescape.js.map
│           │   │   │   │   │   │   ├── image-optimizer.js
│           │   │   │   │   │   │   ├── image-optimizer.js.map
│           │   │   │   │   │   │   ├── instrumentation
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   ├── internal-utils.js
│           │   │   │   │   │   │   ├── internal-utils.js.map
│           │   │   │   │   │   │   ├── lib
│           │   │   │   │   │   │   │   ├── app-dir-module.js
│           │   │   │   │   │   │   │   ├── app-dir-module.js.map
│           │   │   │   │   │   │   │   ├── app-info-log.js
│           │   │   │   │   │   │   │   ├── app-info-log.js.map
│           │   │   │   │   │   │   │   ├── async-callback-set.js
│           │   │   │   │   │   │   │   ├── async-callback-set.js.map
│           │   │   │   │   │   │   │   ├── cache-control.js
│           │   │   │   │   │   │   │   ├── cache-control.js.map
│           │   │   │   │   │   │   │   ├── cache-handlers
│           │   │   │   │   │   │   │   │   ├── default.external.js
│           │   │   │   │   │   │   │   │   ├── default.external.js.map
│           │   │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   │   ├── chrome-devtools-workspace.js
│           │   │   │   │   │   │   │   ├── chrome-devtools-
workspace.js.map
│           │   │   │   │   │   │   │   ├── clone-response.js
│           │   │   │   │   │   │   │   ├── clone-response.js.map
│           │   │   │   │   │   │   │   ├── cpu-profile.js
│           │   │   │   │   │   │   │   ├── cpu-profile.js.map
│           │   │   │   │   │   │   │   ├── decode-query-path-
parameter.js
│           │   │   │   │   │   │   │   ├── decode-query-path-
parameter.js.map
│           │   │   │   │   │   │   │   ├── dedupe-fetch.js
│           │   │   │   │   │   │   │   ├── dedupe-fetch.js.map
```

```
│           │   │   │   │   │   │   │   ├── dev-bundler-service.js
│           │   │   │   │   │   │   │   ├── dev-bundler-service.js.map
│           │   │   │   │   │   │   │   ├── etag.js
│           │   │   │   │   │   │   │   ├── etag.js.map
│           │   │   │   │   │   │   │   ├── experimental
│           │   │   │   │   │   │   │   │   ├── create-env-
definitions.js
│           │   │   │   │   │   │   │   │   ├── create-env-
definitions.js.map
│           │   │   │   │   │   │   │   │   ├── ppr.js
│           │   │   │   │   │   │   │   │   └── ppr.js.map
│           │   │   │   │   │   │   │   ├── find-page-file.js
│           │   │   │   │   │   │   │   ├── find-page-file.js.map
│           │   │   │   │   │   │   │   ├── fix-mojibake.js
│           │   │   │   │   │   │   │   ├── fix-mojibake.js.map
│           │   │   │   │   │   │   │   ├── format-hostname.js
│           │   │   │   │   │   │   │   ├── format-hostname.js.map
│           │   │   │   │   │   │   │   ├── i18n-provider.js
│           │   │   │   │   │   │   │   ├── i18n-provider.js.map
│           │   │   │   │   │   │   │   ├── implicit-tags.js
│           │   │   │   │   │   │   │   ├── implicit-tags.js.map
│           │   │   │   │   │   │   │   ├── incremental-cache
│           │   │   │   │   │   │   │   │   ├── file-system-cache.js
│           │   │   │   │   │   │   │   │   ├── file-system-cache.js.map
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   │   ├── memory-cache.external.js
│           │   │   │   │   │   │   │   │   ├── memory-
cache.external.js.map
│           │   │   │   │   │   │   │   │   ├── shared-cache-
controls.external.js
│           │   │   │   │   │   │   │   │   ├── shared-cache-
controls.external.js.map
│           │   │   │   │   │   │   │   │   ├── tags-
manifest.external.js
│           │   │   │   │   │   │   │   │   └── tags-
manifest.external.js.map
│           │   │   │   │   │   │   │   ├── is-ipv6.js
│           │   │   │   │   │   │   │   ├── is-ipv6.js.map
│           │   │   │   │   │   │   │   ├── lazy-result.js
│           │   │   │   │   │   │   │   ├── lazy-result.js.map
│           │   │   │   │   │   │   │   ├── lru-cache.js
│           │   │   │   │   │   │   │   ├── lru-cache.js.map
│           │   │   │   │   │   │   │   ├── match-next-data-pathname.js
│           │   │   │   │   │   │   │   ├── match-next-data-
pathname.js.map
│           │   │   │   │   │   │   │   ├── mock-request.js
│           │   │   │   │   │   │   │   ├── mock-request.js.map
│           │   │   │   │   │   │   │   ├── module-loader
│           │   │   │   │   │   │   │   │   ├── module-loader.js
│           │   │   │   │   │   │   │   │   ├── module-loader.js.map
│           │   │   │   │   │   │   │   │   ├── node-module-loader.js
│           │   │   │   │   │   │   │   │   ├── node-module-
loader.js.map
│           │   │   │   │   │   │   │   │   ├── route-module-loader.js
```

```
│           │   │   │   │   │   │   │   └── route-module-
loader.js.map
│           │   │   │   │   │   │   ├── node-fs-methods.js
│           │   │   │   │   │   │   ├── node-fs-methods.js.map
│           │   │   │   │   │   │   ├── parse-stack.js
│           │   │   │   │   │   │   ├── parse-stack.js.map
│           │   │   │   │   │   │   ├── patch-fetch.js
│           │   │   │   │   │   │   ├── patch-fetch.js.map
│           │   │   │   │   │   │   ├── patch-set-header.js
│           │   │   │   │   │   │   ├── patch-set-header.js.map
│           │   │   │   │   │   │   ├── render-server.js
│           │   │   │   │   │   │   ├── render-server.js.map
│           │   │   │   │   │   │   ├── router-server.js
│           │   │   │   │   │   │   ├── router-server.js.map
│           │   │   │   │   │   │   ├── router-utils
│           │   │   │   │   │   │   │   ├── block-cross-site.js
│           │   │   │   │   │   │   │   ├── block-cross-site.js.map
│           │   │   │   │   │   │   │   ├── build-data-route.js
│           │   │   │   │   │   │   │   ├── build-data-route.js.map
│           │   │   │   │   │   │   │   ├── build-prefetch-segment-
data-route.js
│           │   │   │   │   │   │   │   ├── build-prefetch-segment-
data-route.js.map
│           │   │   │   │   │   │   │   ├── decode-path-params.js
│           │   │   │   │   │   │   │   ├── decode-path-
params.js.map
│           │   │   │   │   │   │   │   ├── filesystem.js
│           │   │   │   │   │   │   │   ├── filesystem.js.map
│           │   │   │   │   │   │   │   ├── instrumentation-
globals.external.js
│           │   │   │   │   │   │   │   ├── instrumentation-
globals.external.js.map
│           │   │   │   │   │   │   │   ├── instrumentation-node-
extensions.js
│           │   │   │   │   │   │   │   ├── instrumentation-node-
extensions.js.map
│           │   │   │   │   │   │   │   ├── is-postpone.js
│           │   │   │   │   │   │   │   ├── is-postpone.js.map
│           │   │   │   │   │   │   │   ├── proxy-request.js
│           │   │   │   │   │   │   │   ├── proxy-request.js.map
│           │   │   │   │   │   │   │   ├── resolve-routes.js
│           │   │   │   │   │   │   │   ├── resolve-routes.js.map
│           │   │   │   │   │   │   │   ├── route-types-utils.js
│           │   │   │   │   │   │   │   ├── route-types-utils.js.map
│           │   │   │   │   │   │   │   ├── router-server-context.js
│           │   │   │   │   │   │   │   ├── router-server-
context.js.map
│           │   │   │   │   │   │   │   ├── setup-dev-bundler.js
│           │   │   │   │   │   │   │   ├── setup-dev-bundler.js.map
│           │   │   │   │   │   │   │   ├── typegen.js
│           │   │   │   │   │   │   │   ├── typegen.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── server-action-request-
meta.js
```

```
│           │   │   │   │   │   │   │   ├── server-action-request-
meta.js.map
│           │   │   │   │   │   │   │   ├── server-ipc
│           │   │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   │   ├── source-maps.js
│           │   │   │   │   │   │   │   ├── source-maps.js.map
│           │   │   │   │   │   │   │   ├── start-server.js
│           │   │   │   │   │   │   │   ├── start-server.js.map
│           │   │   │   │   │   │   │   ├── streaming-metadata.js
│           │   │   │   │   │   │   │   ├── streaming-metadata.js.map
│           │   │   │   │   │   │   │   ├── to-route.js
│           │   │   │   │   │   │   │   ├── to-route.js.map
│           │   │   │   │   │   │   │   ├── trace
│           │   │   │   │   │   │   │   │   ├── constants.js
│           │   │   │   │   │   │   │   │   ├── constants.js.map
│           │   │   │   │   │   │   │   │   ├── tracer.js
│           │   │   │   │   │   │   │   │   ├── tracer.js.map
│           │   │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   │   │   ├── worker-utils.js
│           │   │   │   │   │   │   │   └── worker-utils.js.map
│           │   │   │   │   │   │   ├── load-components.js
│           │   │   │   │   │   │   ├── load-components.js.map
│           │   │   │   │   │   │   ├── load-default-error-components.js
│           │   │   │   │   │   │   ├── load-default-error-
components.js.map
│           │   │   │   │   │   │   ├── load-manifest.external.js
│           │   │   │   │   │   │   ├── load-manifest.external.js.map
│           │   │   │   │   │   │   ├── match-bundle.js
│           │   │   │   │   │   │   ├── match-bundle.js.map
│           │   │   │   │   │   │   ├── next-server.js
│           │   │   │   │   │   │   ├── next-server.js.map
│           │   │   │   │   │   │   ├── next-typescript.js
│           │   │   │   │   │   │   ├── next-typescript.js.map
│           │   │   │   │   │   │   ├── next.js
│           │   │   │   │   │   │   ├── next.js.map
│           │   │   │   │   │   │   ├── node-environment-baseline.js
│           │   │   │   │   │   │   ├── node-environment-baseline.js.map
│           │   │   │   │   │   │   ├── node-environment-extensions
│           │   │   │   │   │   │   │   ├── console-dev.js
│           │   │   │   │   │   │   │   ├── console-dev.js.map
│           │   │   │   │   │   │   │   ├── date.js
│           │   │   │   │   │   │   │   ├── date.js.map
│           │   │   │   │   │   │   │   ├── error-inspect.js
│           │   │   │   │   │   │   │   ├── error-inspect.js.map
│           │   │   │   │   │   │   │   ├── node-crypto.js
│           │   │   │   │   │   │   │   ├── node-crypto.js.map
│           │   │   │   │   │   │   │   ├── random.js
│           │   │   │   │   │   │   │   ├── random.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   ├── utils.js.map
```

```
│           │   │   │   │   │   │   │   ├── web-crypto.js
│           │   │   │   │   │   │   │   └── web-crypto.js.map
│           │   │   │   │   │   │   ├── node-environment.js
│           │   │   │   │   │   │   ├── node-environment.js.map
│           │   │   │   │   │   │   ├── node-polyfill-crypto.js
│           │   │   │   │   │   │   ├── node-polyfill-crypto.js.map
│           │   │   │   │   │   │   ├── normalizers
│           │   │   │   │   │   │   │   ├── absolute-filename-
normalizer.js
│           │   │   │   │   │   │   │   ├── absolute-filename-
normalizer.js.map
│           │   │   │   │   │   │   │   ├── built
│           │   │   │   │   │   │   │   │   ├── app
│           │   │   │   │   │   │   │   │   │   ├── app-bundle-path-
normalizer.js
│           │   │   │   │   │   │   │   │   │   ├── app-bundle-path-
normalizer.js.map
│           │   │   │   │   │   │   │   │   │   ├── app-filename-
normalizer.js
│           │   │   │   │   │   │   │   │   │   ├── app-filename-
normalizer.js.map
│           │   │   │   │   │   │   │   │   │   ├── app-page-
normalizer.js
│           │   │   │   │   │   │   │   │   │   ├── app-page-
normalizer.js.map
│           │   │   │   │   │   │   │   │   │   ├── app-pathname-
normalizer.js
│           │   │   │   │   │   │   │   │   │   ├── app-pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   │   └── pages
│           │   │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │   │       ├── pages-bundle-path-
normalizer.js
│           │   │   │   │   │   │   │   │       ├── pages-bundle-path-
normalizer.js.map
│           │   │   │   │   │   │   │   │       ├── pages-filename-
normalizer.js
│           │   │   │   │   │   │   │   │       ├── pages-filename-
normalizer.js.map
│           │   │   │   │   │   │   │   │       ├── pages-page-
normalizer.js
│           │   │   │   │   │   │   │   │       ├── pages-page-
normalizer.js.map
│           │   │   │   │   │   │   │   │       ├── pages-pathname-
normalizer.js
│           │   │   │   │   │   │   │   │       └── pages-pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   ├── locale-route-normalizer.js
│           │   │   │   │   │   │   │   ├── locale-route-
normalizer.js.map
│           │   │   │   │   │   │   │   ├── normalizer.js
│           │   │   │   │   │   │   │   ├── normalizer.js.map
│           │   │   │   │   │   │   │   ├── normalizers.js
```

```
│           │   │   │   │   │   │   │   ├── normalizers.js.map
│           │   │   │   │   │   │   │   ├── prefixing-normalizer.js
│           │   │   │   │   │   │   │   ├── prefixing-normalizer.js.map
│           │   │   │   │   │   │   │   ├── request
│           │   │   │   │   │   │   │   │   ├── base-path.js
│           │   │   │   │   │   │   │   │   ├── base-path.js.map
│           │   │   │   │   │   │   │   │   ├── next-data.js
│           │   │   │   │   │   │   │   │   ├── next-data.js.map
│           │   │   │   │   │   │   │   │   ├── pathname-normalizer.js
│           │   │   │   │   │   │   │   │   ├── pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── prefetch-rsc.js
│           │   │   │   │   │   │   │   │   ├── prefetch-rsc.js.map
│           │   │   │   │   │   │   │   │   ├── prefix.js
│           │   │   │   │   │   │   │   │   ├── prefix.js.map
│           │   │   │   │   │   │   │   │   ├── rsc.js
│           │   │   │   │   │   │   │   │   ├── rsc.js.map
│           │   │   │   │   │   │   │   │   ├── segment-prefix-rsc.js
│           │   │   │   │   │   │   │   │   ├── segment-prefix-
rsc.js.map
│           │   │   │   │   │   │   │   │   ├── suffix.js
│           │   │   │   │   │   │   │   │   └── suffix.js.map
│           │   │   │   │   │   │   │   ├── underscore-normalizer.js
│           │   │   │   │   │   │   │   ├── underscore-normalizer.js.map
│           │   │   │   │   │   │   │   ├── wrap-normalizer-fn.js
│           │   │   │   │   │   │   │   └── wrap-normalizer-fn.js.map
│           │   │   │   │   │   │   ├── og
│           │   │   │   │   │   │   │   ├── image-response.js
│           │   │   │   │   │   │   │   └── image-response.js.map
│           │   │   │   │   │   │   ├── optimize-amp.js
│           │   │   │   │   │   │   ├── optimize-amp.js.map
│           │   │   │   │   │   │   ├── patch-error-inspect.js
│           │   │   │   │   │   │   ├── patch-error-inspect.js.map
│           │   │   │   │   │   │   ├── pipe-readable.js
│           │   │   │   │   │   │   ├── pipe-readable.js.map
│           │   │   │   │   │   │   ├── post-process.js
│           │   │   │   │   │   │   ├── post-process.js.map
│           │   │   │   │   │   │   ├── render-result.js
│           │   │   │   │   │   │   ├── render-result.js.map
│           │   │   │   │   │   │   ├── render.js
│           │   │   │   │   │   │   ├── render.js.map
│           │   │   │   │   │   │   ├── request
│           │   │   │   │   │   │   │   ├── connection.js
│           │   │   │   │   │   │   │   ├── connection.js.map
│           │   │   │   │   │   │   │   ├── cookies.js
│           │   │   │   │   │   │   │   ├── cookies.js.map
│           │   │   │   │   │   │   │   ├── draft-mode.js
│           │   │   │   │   │   │   │   ├── draft-mode.js.map
│           │   │   │   │   │   │   │   ├── fallback-params.js
│           │   │   │   │   │   │   │   ├── fallback-params.js.map
│           │   │   │   │   │   │   │   ├── headers.js
│           │   │   │   │   │   │   │   ├── headers.js.map
│           │   │   │   │   │   │   │   ├── params.js
│           │   │   │   │   │   │   │   ├── params.js.map
│           │   │   │   │   │   │   │   ├── pathname.js
│           │   │   │   │   │   │   │   ├── pathname.js.map
```

```
│           │   │   │   │   │   │   │   ├── root-params.js
│           │   │   │   │   │   │   │   ├── root-params.js.map
│           │   │   │   │   │   │   │   ├── search-params.js
│           │   │   │   │   │   │   │   ├── search-params.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   │   ├── request-meta.js
│           │   │   │   │   │   │   ├── request-meta.js.map
│           │   │   │   │   │   │   ├── require-hook.js
│           │   │   │   │   │   │   ├── require-hook.js.map
│           │   │   │   │   │   │   ├── require.js
│           │   │   │   │   │   │   ├── require.js.map
│           │   │   │   │   │   │   ├── response-cache
│           │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   │   │   ├── web.js
│           │   │   │   │   │   │   │   └── web.js.map
│           │   │   │   │   │   │   ├── resume-data-cache
│           │   │   │   │   │   │   │   ├── cache-store.js
│           │   │   │   │   │   │   │   ├── cache-store.js.map
│           │   │   │   │   │   │   │   ├── resume-data-cache.js
│           │   │   │   │   │   │   │   └── resume-data-cache.js.map
│           │   │   │   │   │   │   ├── revalidation-utils.js
│           │   │   │   │   │   │   ├── revalidation-utils.js.map
│           │   │   │   │   │   │   ├── route-definitions
│           │   │   │   │   │   │   │   ├── app-page-route-definition.js
│           │   │   │   │   │   │   │   ├── app-page-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── app-route-route-
definition.js
│           │   │   │   │   │   │   │   ├── app-route-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── locale-route-definition.js
│           │   │   │   │   │   │   │   ├── locale-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── pages-api-route-
definition.js
│           │   │   │   │   │   │   │   ├── pages-api-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── pages-route-definition.js
│           │   │   │   │   │   │   │   ├── pages-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── route-definition.js
│           │   │   │   │   │   │   │   └── route-definition.js.map
│           │   │   │   │   │   │   ├── route-kind.js
│           │   │   │   │   │   │   ├── route-kind.js.map
│           │   │   │   │   │   │   ├── route-matcher-managers
│           │   │   │   │   │   │   │   ├── default-route-matcher-
manager.js
│           │   │   │   │   │   │   │   ├── default-route-matcher-
manager.js.map
│           │   │   │   │   │   │   │   ├── dev-route-matcher-manager.js
```

```
│           │   │   │   │   │   │   ├── dev-route-matcher-
manager.js.map
│           │   │   │   │   │   │   ├── route-matcher-manager.js
│           │   │   │   │   │   │   └── route-matcher-manager.js.map
│           │   │   │   │   │   ├── route-matcher-providers
│           │   │   │   │   │   │   ├── app-page-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── app-page-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── app-route-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── app-route-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── dev
│           │   │   │   │   │   │   │   ├── dev-app-page-route-
matcher-provider.js
│           │   │   │   │   │   │   │   ├── dev-app-page-route-
matcher-provider.js.map
│           │   │   │   │   │   │   │   ├── dev-app-route-route-
matcher-provider.js
│           │   │   │   │   │   │   │   ├── dev-app-route-route-
matcher-provider.js.map
│           │   │   │   │   │   │   │   ├── dev-pages-api-route-
matcher-provider.js
│           │   │   │   │   │   │   │   ├── dev-pages-api-route-
matcher-provider.js.map
│           │   │   │   │   │   │   │   ├── dev-pages-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── dev-pages-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   ├── file-cache-route-
matcher-provider.js
│           │   │   │   │   │   │   │   ├── file-cache-route-
matcher-provider.js.map
│           │   │   │   │   │   │   │   └── helpers
│           │   │   │   │   │   │   │       └── file-reader
│           │   │   │   │   │   │   │           ├── batched-file-
reader.js
│           │   │   │   │   │   │   │           ├── batched-file-
reader.js.map
│           │   │   │   │   │   │   │           ├── default-file-
reader.js
│           │   │   │   │   │   │   │           ├── default-file-
reader.js.map
│           │   │   │   │   │   │   │           ├── file-reader.js
│           │   │   │   │   │   │   │           └── file-
reader.js.map
│           │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   ├── cached-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── cached-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   └── manifest-loaders
│           │   │   │   │   │   │   │       ├── manifest-loader.js
│           │   │   │   │   │   │   │       ├── manifest-
loader.js.map
```

```
│           │   │   │   │   │   │   │   │       ├── node-manifest-
loader.js
│           │   │   │   │   │   │   │   │       ├── node-manifest-
loader.js.map
│           │   │   │   │   │   │   │   │       ├── server-manifest-
loader.js
│           │   │   │   │   │   │   │   │       └── server-manifest-
loader.js.map
│           │   │   │   │   │   │   │   ├── manifest-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── manifest-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   ├── pages-api-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── pages-api-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   ├── pages-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── pages-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   ├── route-matcher-provider.js
│           │   │   │   │   │   │   │   └── route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── route-matchers
│           │   │   │   │   │   │   │   ├── app-page-route-matcher.js
│           │   │   │   │   │   │   │   ├── app-page-route-
matcher.js.map
│           │   │   │   │   │   │   │   ├── app-route-route-matcher.js
│           │   │   │   │   │   │   │   ├── app-route-route-
matcher.js.map
│           │   │   │   │   │   │   │   ├── locale-route-matcher.js
│           │   │   │   │   │   │   │   ├── locale-route-matcher.js.map
│           │   │   │   │   │   │   │   ├── pages-api-route-matcher.js
│           │   │   │   │   │   │   │   ├── pages-api-route-
matcher.js.map
│           │   │   │   │   │   │   │   ├── pages-route-matcher.js
│           │   │   │   │   │   │   │   ├── pages-route-matcher.js.map
│           │   │   │   │   │   │   │   ├── route-matcher.js
│           │   │   │   │   │   │   │   └── route-matcher.js.map
│           │   │   │   │   │   │   ├── route-matches
│           │   │   │   │   │   │   │   ├── app-page-route-match.js
│           │   │   │   │   │   │   │   ├── app-page-route-match.js.map
│           │   │   │   │   │   │   │   ├── app-route-route-match.js
│           │   │   │   │   │   │   │   ├── app-route-route-match.js.map
│           │   │   │   │   │   │   │   ├── locale-route-match.js
│           │   │   │   │   │   │   │   ├── locale-route-match.js.map
│           │   │   │   │   │   │   │   ├── pages-api-route-match.js
│           │   │   │   │   │   │   │   ├── pages-api-route-match.js.map
│           │   │   │   │   │   │   │   ├── pages-route-match.js
│           │   │   │   │   │   │   │   ├── pages-route-match.js.map
│           │   │   │   │   │   │   │   ├── route-match.js
│           │   │   │   │   │   │   │   └── route-match.js.map
│           │   │   │   │   │   │   ├── route-modules
│           │   │   │   │   │   │   │   ├── app-page
│           │   │   │   │   │   │   │   │   ├── helpers
```

```
│           │   │   │   │   │   │   │   │   │   ├── prerender-manifest-
matcher.js
│           │   │   │   │   │   │   │   │   │   └── prerender-manifest-
matcher.js.map
│           │   │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   │   │   ├── module.render.js
│           │   │   │   │   │   │   │   │   ├── module.render.js.map
│           │   │   │   │   │   │   │   │   └── vendored
│           │   │   │   │   │   │   │   │       ├── contexts
│           │   │   │   │   │   │   │   │       │   ├── amp-context.js
│           │   │   │   │   │   │   │   │       │   ├── amp-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── app-router-
context.js
│           │   │   │   │   │   │   │   │       │   ├── app-router-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── entrypoints.js
│           │   │   │   │   │   │   │   │       │   ├──
entrypoints.js.map
│           │   │   │   │   │   │   │   │       │   ├── head-manager-
context.js
│           │   │   │   │   │   │   │   │       │   ├── head-manager-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── hooks-client-
context.js
│           │   │   │   │   │   │   │   │       │   ├── hooks-client-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── image-config-
context.js
│           │   │   │   │   │   │   │   │       │   ├── image-config-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── router-
context.js
│           │   │   │   │   │   │   │   │       │   ├── router-
context.js.map
│           │   │   │   │   │   │   │   │       │   ├── server-inserted-
html.js
│           │   │   │   │   │   │   │   │       │   └── server-inserted-
html.js.map
│           │   │   │   │   │   │   │   │       ├── rsc
│           │   │   │   │   │   │   │   │       │   ├── entrypoints.js
│           │   │   │   │   │   │   │   │       │   ├──
entrypoints.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-compiler-
runtime.js
│           │   │   │   │   │   │   │   │       │   ├── react-compiler-
runtime.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-dom.js
│           │   │   │   │   │   │   │   │       │   ├── react-dom.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-jsx-dev-
runtime.js
```

```
│           │   │   │   │   │   │   │   │       │   ├── react-jsx-dev-
runtime.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-jsx-
runtime.js
│           │   │   │   │   │   │   │   │       │   ├── react-jsx-
runtime.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-turbopack-server.js
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-turbopack-server.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-turbopack-static.js
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-turbopack-static.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-webpack-server.js
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-webpack-server.js.map
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-webpack-static.js
│           │   │   │   │   │   │   │   │       │   ├── react-server-
dom-webpack-static.js.map
│           │   │   │   │   │   │   │   │       │   ├── react.js
│           │   │   │   │   │   │   │   │       │   └── react.js.map
│           │   │   │   │   │   │   │   │       └── ssr
│           │   │   │   │   │   │   │   │           ├── entrypoints.js
│           │   │   │   │   │   │   │   │           ├──
entrypoints.js.map
│           │   │   │   │   │   │   │   │           ├── react-compiler-
runtime.js
│           │   │   │   │   │   │   │   │           ├── react-compiler-
runtime.js.map
│           │   │   │   │   │   │   │   │           ├── react-dom-
server.js
│           │   │   │   │   │   │   │   │           ├── react-dom-
server.js.map
│           │   │   │   │   │   │   │   │           ├── react-dom.js
│           │   │   │   │   │   │   │   │           ├── react-dom.js.map
│           │   │   │   │   │   │   │   │           ├── react-jsx-dev-
runtime.js
│           │   │   │   │   │   │   │   │           ├── react-jsx-dev-
runtime.js.map
│           │   │   │   │   │   │   │   │           ├── react-jsx-
runtime.js
│           │   │   │   │   │   │   │   │           ├── react-jsx-
runtime.js.map
│           │   │   │   │   │   │   │   │           ├── react-server-
dom-turbopack-client.js
│           │   │   │   │   │   │   │   │           ├── react-server-
dom-turbopack-client.js.map
│           │   │   │   │   │   │   │   │           ├── react-server-
dom-webpack-client.js
│           │   │   │   │   │   │   │   │           ├── react-server-
dom-webpack-client.js.map
│           │   │   │   │   │   │   │   │           ├── react.js
│           │   │   │   │   │   │   │   │           └── react.js.map
```

```
│           │   │   │   │   │   │   │   ├── app-route
│           │   │   │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   │   │   ├── auto-implement-
methods.js
│           │   │   │   │   │   │   │   │   │   ├── auto-implement-
methods.js.map
│           │   │   │   │   │   │   │   │   │   ├── clean-url.js
│           │   │   │   │   │   │   │   │   │   ├── clean-url.js.map
│           │   │   │   │   │   │   │   │   │   ├── get-pathname-from-
absolute-path.js
│           │   │   │   │   │   │   │   │   │   ├── get-pathname-from-
absolute-path.js.map
│           │   │   │   │   │   │   │   │   │   ├── is-static-gen-
enabled.js
│           │   │   │   │   │   │   │   │   │   ├── is-static-gen-
enabled.js.map
│           │   │   │   │   │   │   │   │   │   ├── parsed-url-query-to-
params.js
│           │   │   │   │   │   │   │   │   │   └── parsed-url-query-to-
params.js.map
│           │   │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   │   │   ├── shared-modules.js
│           │   │   │   │   │   │   │   │   └── shared-modules.js.map
│           │   │   │   │   │   │   │   ├── checks.js
│           │   │   │   │   │   │   │   ├── checks.js.map
│           │   │   │   │   │   │   │   ├── pages
│           │   │   │   │   │   │   │   │   ├── builtin
│           │   │   │   │   │   │   │   │   │   ├── _error.js
│           │   │   │   │   │   │   │   │   │   └── _error.js.map
│           │   │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   │   │   ├── module.render.js
│           │   │   │   │   │   │   │   │   ├── module.render.js.map
│           │   │   │   │   │   │   │   │   ├── pages-handler.js
│           │   │   │   │   │   │   │   │   ├── pages-handler.js.map
│           │   │   │   │   │   │   │   │   └── vendored
│           │   │   │   │   │   │   │   │       └── contexts
│           │   │   │   │   │   │   │   │           ├── amp-context.js
│           │   │   │   │   │   │   │   │           ├── amp-
context.js.map
│           │   │   │   │   │   │   │   │           ├── app-router-
context.js
│           │   │   │   │   │   │   │   │           ├── app-router-
context.js.map
│           │   │   │   │   │   │   │   │           ├── entrypoints.js
│           │   │   │   │   │   │   │   │           ├──
entrypoints.js.map
│           │   │   │   │   │   │   │   │           ├── head-manager-
context.js
```

```
│           │   │   │   │   │   │   │   │           ├── head-manager-
context.js.map
│           │   │   │   │   │   │   │   │           ├── hooks-client-
context.js
│           │   │   │   │   │   │   │   │           ├── hooks-client-
context.js.map
│           │   │   │   │   │   │   │   │           ├── html-context.js
│           │   │   │   │   │   │   │   │           ├── html-
context.js.map
│           │   │   │   │   │   │   │   │           ├── image-config-
context.js
│           │   │   │   │   │   │   │   │           ├── image-config-
context.js.map
│           │   │   │   │   │   │   │   │           ├── loadable-
context.js
│           │   │   │   │   │   │   │   │           ├── loadable-
context.js.map
│           │   │   │   │   │   │   │   │           ├── loadable.js
│           │   │   │   │   │   │   │   │           ├── loadable.js.map
│           │   │   │   │   │   │   │   │           ├── router-
context.js
│           │   │   │   │   │   │   │   │           ├── router-
context.js.map
│           │   │   │   │   │   │   │   │           ├── server-inserted-
html.js
│           │   │   │   │   │   │   │   │           └── server-inserted-
html.js.map
│           │   │   │   │   │   │   │   ├── pages-api
│           │   │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   │   │   └── module.js.map
│           │   │   │   │   │   │   │   ├── route-module.js
│           │   │   │   │   │   │   │   └── route-module.js.map
│           │   │   │   │   │   │   ├── send-payload.js
│           │   │   │   │   │   │   ├── send-payload.js.map
│           │   │   │   │   │   │   ├── send-response.js
│           │   │   │   │   │   │   ├── send-response.js.map
│           │   │   │   │   │   │   ├── serve-static.js
│           │   │   │   │   │   │   ├── serve-static.js.map
│           │   │   │   │   │   │   ├── server-route-utils.js
│           │   │   │   │   │   │   ├── server-route-utils.js.map
│           │   │   │   │   │   │   ├── server-utils.js
│           │   │   │   │   │   │   ├── server-utils.js.map
│           │   │   │   │   │   │   ├── setup-http-agent-env.js
│           │   │   │   │   │   │   ├── setup-http-agent-env.js.map
│           │   │   │   │   │   │   ├── stream-utils
│           │   │   │   │   │   │   │   ├── encoded-tags.js
│           │   │   │   │   │   │   │   ├── encoded-tags.js.map
│           │   │   │   │   │   │   │   ├── node-web-streams-helper.js
│           │   │   │   │   │   │   │   ├── node-web-streams-
helper.js.map
│           │   │   │   │   │   │   │   ├── uint8array-helpers.js
│           │   │   │   │   │   │   │   └── uint8array-helpers.js.map
│           │   │   │   │   │   │   ├── typescript
```

```
│           │   │   │   │   │   │   ├── constant.js
│           │   │   │   │   │   │   ├── constant.js.map
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   ├── rules
│           │   │   │   │   │   │   │   ├── client-boundary.js
│           │   │   │   │   │   │   │   ├── client-boundary.js.map
│           │   │   │   │   │   │   │   ├── config.js
│           │   │   │   │   │   │   │   ├── config.js.map
│           │   │   │   │   │   │   │   ├── entry.js
│           │   │   │   │   │   │   │   ├── entry.js.map
│           │   │   │   │   │   │   │   ├── error.js
│           │   │   │   │   │   │   │   ├── error.js.map
│           │   │   │   │   │   │   │   ├── metadata.js
│           │   │   │   │   │   │   │   ├── metadata.js.map
│           │   │   │   │   │   │   │   ├── server-boundary.js
│           │   │   │   │   │   │   │   ├── server-boundary.js.map
│           │   │   │   │   │   │   │   ├── server.js
│           │   │   │   │   │   │   │   └── server.js.map
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   └── utils.js.map
│           │   │   │   │   │   ├── use-cache
│           │   │   │   │   │   │   ├── cache-life.js
│           │   │   │   │   │   │   ├── cache-life.js.map
│           │   │   │   │   │   │   ├── cache-tag.js
│           │   │   │   │   │   │   ├── cache-tag.js.map
│           │   │   │   │   │   │   ├── constants.js
│           │   │   │   │   │   │   ├── constants.js.map
│           │   │   │   │   │   │   ├── handlers.js
│           │   │   │   │   │   │   ├── handlers.js.map
│           │   │   │   │   │   │   ├── use-cache-errors.js
│           │   │   │   │   │   │   ├── use-cache-errors.js.map
│           │   │   │   │   │   │   ├── use-cache-wrapper.js
│           │   │   │   │   │   │   └── use-cache-wrapper.js.map
│           │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   └── web
│           │   │   │   │   │       ├── adapter.js
│           │   │   │   │   │       ├── adapter.js.map
│           │   │   │   │   │       ├── edge-route-module-wrapper.js
│           │   │   │   │   │       ├── edge-route-module-
wrapper.js.map
│           │   │   │   │   │       ├── error.js
│           │   │   │   │   │       ├── error.js.map
│           │   │   │   │   │       ├── exports
│           │   │   │   │   │       │   ├── index.js
│           │   │   │   │   │       │   └── index.js.map
│           │   │   │   │   │       ├── get-edge-preview-props.js
│           │   │   │   │   │       ├── get-edge-preview-
props.js.map
│           │   │   │   │   │       ├── globals.js
│           │   │   │   │   │       ├── globals.js.map
│           │   │   │   │   │       ├── http.js
│           │   │   │   │   │       ├── http.js.map
│           │   │   │   │   │       ├── internal-edge-wait-until.js
```

```
│           │   │   │   │   │       ├── internal-edge-wait-
until.js.map
│           │   │   │   │   │       ├── next-url.js
│           │   │   │   │   │       ├── next-url.js.map
│           │   │   │   │   │       ├── sandbox
│           │   │   │   │   │       │   ├── context.js
│           │   │   │   │   │       │   ├── context.js.map
│           │   │   │   │   │       │   ├── fetch-inline-assets.js
│           │   │   │   │   │       │   ├── fetch-inline-
assets.js.map
│           │   │   │   │   │       │   ├── index.js
│           │   │   │   │   │       │   ├── index.js.map
│           │   │   │   │   │       │   ├── resource-managers.js
│           │   │   │   │   │       │   ├── resource-managers.js.map
│           │   │   │   │   │       │   ├── sandbox.js
│           │   │   │   │   │       │   └── sandbox.js.map
│           │   │   │   │   │       ├── spec-extension
│           │   │   │   │   │       │   ├── adapters
│           │   │   │   │   │       │   │   ├── headers.js
│           │   │   │   │   │       │   │   ├── headers.js.map
│           │   │   │   │   │       │   │   ├── next-request.js
│           │   │   │   │   │       │   │   ├── next-request.js.map
│           │   │   │   │   │       │   │   ├── reflect.js
│           │   │   │   │   │       │   │   ├── reflect.js.map
│           │   │   │   │   │       │   │   ├── request-cookies.js
│           │   │   │   │   │       │   │   └── request-
cookies.js.map
│           │   │   │   │   │       │   ├── cookies.js
│           │   │   │   │   │       │   ├── cookies.js.map
│           │   │   │   │   │       │   ├── fetch-event.js
│           │   │   │   │   │       │   ├── fetch-event.js.map
│           │   │   │   │   │       │   ├── image-response.js
│           │   │   │   │   │       │   ├── image-response.js.map
│           │   │   │   │   │       │   ├── request.js
│           │   │   │   │   │       │   ├── request.js.map
│           │   │   │   │   │       │   ├── response.js
│           │   │   │   │   │       │   ├── response.js.map
│           │   │   │   │   │       │   ├── revalidate.js
│           │   │   │   │   │       │   ├── revalidate.js.map
│           │   │   │   │   │       │   ├── unstable-cache.js
│           │   │   │   │   │       │   ├── unstable-cache.js.map
│           │   │   │   │   │       │   ├── unstable-no-store.js
│           │   │   │   │   │       │   ├── unstable-no-store.js.map
│           │   │   │   │   │       │   ├── url-pattern.js
│           │   │   │   │   │       │   ├── url-pattern.js.map
│           │   │   │   │   │       │   ├── user-agent.js
│           │   │   │   │   │       │   └── user-agent.js.map
│           │   │   │   │   │       ├── types.js
│           │   │   │   │   │       ├── types.js.map
│           │   │   │   │   │       ├── utils.js
│           │   │   │   │   │       ├── utils.js.map
│           │   │   │   │   │       ├── web-on-close.js
│           │   │   │   │   │       └── web-on-close.js.map
│           │   │   │   │   └── shared
│           │   │   │   │           └── lib
```

```
│           │   │   │   │   │           ├── amp-context.shared-
runtime.js
│           │   │   │   │   │           ├── amp-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── amp-mode.js
│           │   │   │   │   │           ├── amp-mode.js.map
│           │   │   │   │   │           ├── amp.js
│           │   │   │   │   │           ├── amp.js.map
│           │   │   │   │   │           ├── app-dynamic.js
│           │   │   │   │   │           ├── app-dynamic.js.map
│           │   │   │   │   │           ├── app-router-context.shared-
runtime.js
│           │   │   │   │   │           ├── app-router-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── bloom-filter.js
│           │   │   │   │   │           ├── bloom-filter.js.map
│           │   │   │   │   │           ├── canary-only.js
│           │   │   │   │   │           ├── canary-only.js.map
│           │   │   │   │   │           ├── constants.js
│           │   │   │   │   │           ├── constants.js.map
│           │   │   │   │   │           ├── deep-freeze.js
│           │   │   │   │   │           ├── deep-freeze.js.map
│           │   │   │   │   │           ├── deep-readonly.js
│           │   │   │   │   │           ├── deep-readonly.js.map
│           │   │   │   │   │           ├── dset.d.ts
│           │   │   │   │   │           ├── dset.js
│           │   │   │   │   │           ├── dset.js.map
│           │   │   │   │   │           ├── dynamic.js
│           │   │   │   │   │           ├── dynamic.js.map
│           │   │   │   │   │           ├── encode-uri-path.js
│           │   │   │   │   │           ├── encode-uri-path.js.map
│           │   │   │   │   │           ├── error-source.js
│           │   │   │   │   │           ├── error-source.js.map
│           │   │   │   │   │           ├── errors
│           │   │   │   │   │           │   ├── constants.js
│           │   │   │   │   │           │   └── constants.js.map
│           │   │   │   │   │           ├── escape-regexp.js
│           │   │   │   │   │           ├── escape-regexp.js.map
│           │   │   │   │   │           ├── fnv1a.js
│           │   │   │   │   │           ├── fnv1a.js.map
│           │   │   │   │   │           ├── format-webpack-messages.js
│           │   │   │   │   │           ├── format-webpack-
messages.js.map
│           │   │   │   │   │           ├── get-hostname.js
│           │   │   │   │   │           ├── get-hostname.js.map
│           │   │   │   │   │           ├── get-img-props.js
│           │   │   │   │   │           ├── get-img-props.js.map
│           │   │   │   │   │           ├── get-rspack.js
│           │   │   │   │   │           ├── get-rspack.js.map
│           │   │   │   │   │           ├── get-webpack-bundler.js
│           │   │   │   │   │           ├── get-webpack-bundler.js.map
│           │   │   │   │   │           ├── hash.js
│           │   │   │   │   │           ├── hash.js.map
│           │   │   │   │   │           ├── head-manager-context.shared-
runtime.js
```

```
│           │   │   │   │   │           ├── head-manager-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── head.js
│           │   │   │   │   │           ├── head.js.map
│           │   │   │   │   │           ├── hooks-client-context.shared-
runtime.js
│           │   │   │   │   │           ├── hooks-client-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── html-context.shared-
runtime.js
│           │   │   │   │   │           ├── html-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── i18n
│           │   │   │   │   │           │   ├── detect-domain-locale.js
│           │   │   │   │   │           │   ├── detect-domain-
locale.js.map
│           │   │   │   │   │           │   ├── get-locale-redirect.js
│           │   │   │   │   │           │   ├── get-locale-
redirect.js.map
│           │   │   │   │   │           │   ├── normalize-locale-path.js
│           │   │   │   │   │           │   └── normalize-locale-
path.js.map
│           │   │   │   │   │           ├── image-blur-svg.js
│           │   │   │   │   │           ├── image-blur-svg.js.map
│           │   │   │   │   │           ├── image-config-context.shared-
runtime.js
│           │   │   │   │   │           ├── image-config-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── image-config.js
│           │   │   │   │   │           ├── image-config.js.map
│           │   │   │   │   │           ├── image-external.js
│           │   │   │   │   │           ├── image-external.js.map
│           │   │   │   │   │           ├── image-loader.js
│           │   │   │   │   │           ├── image-loader.js.map
│           │   │   │   │   │           ├── invariant-error.js
│           │   │   │   │   │           ├── invariant-error.js.map
│           │   │   │   │   │           ├── is-internal.js
│           │   │   │   │   │           ├── is-internal.js.map
│           │   │   │   │   │           ├── is-plain-object.js
│           │   │   │   │   │           ├── is-plain-object.js.map
│           │   │   │   │   │           ├── is-thenable.js
│           │   │   │   │   │           ├── is-thenable.js.map
│           │   │   │   │   │           ├── isomorphic
│           │   │   │   │   │           │   ├── path.d.ts
│           │   │   │   │   │           │   ├── path.js
│           │   │   │   │   │           │   └── path.js.map
│           │   │   │   │   │           ├── lazy-dynamic
│           │   │   │   │   │           │   ├── bailout-to-csr.js
│           │   │   │   │   │           │   ├── bailout-to-csr.js.map
│           │   │   │   │   │           │   ├── dynamic-bailout-to-
csr.js
│           │   │   │   │   │           │   ├── dynamic-bailout-to-
csr.js.map
│           │   │   │   │   │           │   ├── loadable.js
│           │   │   │   │   │           │   ├── loadable.js.map
│           │   │   │   │   │           │   ├── preload-chunks.js
```

```
│           │   │   │   │   │           │   ├── preload-chunks.js.map
│           │   │   │   │   │           │   ├── types.js
│           │   │   │   │   │           │   └── types.js.map
│           │   │   │   │   │           ├── loadable-context.shared-
runtime.js
│           │   │   │   │   │           ├── loadable-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── loadable.shared-runtime.js
│           │   │   │   │   │           ├── loadable.shared-
runtime.js.map
│           │   │   │   │   │           ├── magic-identifier.js
│           │   │   │   │   │           ├── magic-identifier.js.map
│           │   │   │   │   │           ├── match-local-pattern.js
│           │   │   │   │   │           ├── match-local-pattern.js.map
│           │   │   │   │   │           ├── match-remote-pattern.js
│           │   │   │   │   │           ├── match-remote-pattern.js.map
│           │   │   │   │   │           ├── mitt.js
│           │   │   │   │   │           ├── mitt.js.map
│           │   │   │   │   │           ├── modern-browserslist-
target.d.ts
│           │   │   │   │   │           ├── modern-browserslist-
target.js
│           │   │   │   │   │           ├── modern-browserslist-
target.js.map
│           │   │   │   │   │           ├── no-fallback-
error.external.js
│           │   │   │   │   │           ├── no-fallback-
error.external.js.map
│           │   │   │   │   │           ├── normalized-asset-prefix.js
│           │   │   │   │   │           ├── normalized-asset-
prefix.js.map
│           │   │   │   │   │           ├── page-path
│           │   │   │   │   │           │   ├── absolute-path-to-page.js
│           │   │   │   │   │           │   ├── absolute-path-to-
page.js.map
│           │   │   │   │   │           │   ├── denormalize-app-path.js
│           │   │   │   │   │           │   ├── denormalize-app-
path.js.map
│           │   │   │   │   │           │   ├── denormalize-page-path.js
│           │   │   │   │   │           │   ├── denormalize-page-
path.js.map
│           │   │   │   │   │           │   ├── ensure-leading-slash.js
│           │   │   │   │   │           │   ├── ensure-leading-
slash.js.map
│           │   │   │   │   │           │   ├── get-page-paths.js
│           │   │   │   │   │           │   ├── get-page-paths.js.map
│           │   │   │   │   │           │   ├── normalize-data-path.js
│           │   │   │   │   │           │   ├── normalize-data-
path.js.map
│           │   │   │   │   │           │   ├── normalize-page-path.js
│           │   │   │   │   │           │   ├── normalize-page-
path.js.map
│           │   │   │   │   │           │   ├── normalize-path-sep.js
│           │   │   │   │   │           │   ├── normalize-path-
sep.js.map
│           │   │   │   │   │           │   ├── remove-page-path-tail.js
```

```
│           │   │   │   │   │           │   └── remove-page-path-
tail.js.map
│           │   │   │   │   │           ├── promise-with-resolvers.js
│           │   │   │   │   │           ├── promise-with-
resolvers.js.map
│           │   │   │   │   │           ├── router
│           │   │   │   │   │           │   ├── adapters.js
│           │   │   │   │   │           │   ├── adapters.js.map
│           │   │   │   │   │           │   ├── router.js
│           │   │   │   │   │           │   ├── router.js.map
│           │   │   │   │   │           │   └── utils
│           │   │   │   │   │           │       ├── add-locale.js
│           │   │   │   │   │           │       ├── add-locale.js.map
│           │   │   │   │   │           │       ├── add-path-prefix.js
│           │   │   │   │   │           │       ├── add-path-
prefix.js.map
│           │   │   │   │   │           │       ├── add-path-suffix.js
│           │   │   │   │   │           │       ├── add-path-
suffix.js.map
│           │   │   │   │   │           │       ├── app-paths.js
│           │   │   │   │   │           │       ├── app-paths.js.map
│           │   │   │   │   │           │       ├── as-path-to-search-
params.js
│           │   │   │   │   │           │       ├── as-path-to-search-
params.js.map
│           │   │   │   │   │           │       ├── cache-busting-
search-param.js
│           │   │   │   │   │           │       ├── cache-busting-
search-param.js.map
│           │   │   │   │   │           │       ├── compare-states.js
│           │   │   │   │   │           │       ├── compare-
states.js.map
│           │   │   │   │   │           │       ├── disable-smooth-
scroll.js
│           │   │   │   │   │           │       ├── disable-smooth-
scroll.js.map
│           │   │   │   │   │           │       ├── escape-path-
delimiters.js
│           │   │   │   │   │           │       ├── escape-path-
delimiters.js.map
│           │   │   │   │   │           │       ├── format-next-
pathname-info.js
│           │   │   │   │   │           │       ├── format-next-
pathname-info.js.map
│           │   │   │   │   │           │       ├── format-url.js
│           │   │   │   │   │           │       ├── format-url.js.map
│           │   │   │   │   │           │       ├── get-asset-path-from-
route.js
│           │   │   │   │   │           │       ├── get-asset-path-from-
route.js.map
│           │   │   │   │   │           │       ├── get-dynamic-param.js
│           │   │   │   │   │           │       ├── get-dynamic-
param.js.map
│           │   │   │   │   │           │       ├── get-next-pathname-
info.js
```

```
│           │   │   │   │   │           │       ├── get-next-pathname-
info.js.map
│           │   │   │   │   │           │       ├── get-route-from-
asset-path.js
│           │   │   │   │   │           │       ├── get-route-from-
asset-path.js.map
│           │   │   │   │   │           │       ├── html-bots.js
│           │   │   │   │   │           │       ├── html-bots.js.map
│           │   │   │   │   │           │       ├── index.js
│           │   │   │   │   │           │       ├── index.js.map
│           │   │   │   │   │           │       ├── interception-
routes.js
│           │   │   │   │   │           │       ├── interception-
routes.js.map
│           │   │   │   │   │           │       ├── interpolate-as.js
│           │   │   │   │   │           │       ├── interpolate-
as.js.map
│           │   │   │   │   │           │       ├── is-bot.js
│           │   │   │   │   │           │       ├── is-bot.js.map
│           │   │   │   │   │           │       ├── is-dynamic.js
│           │   │   │   │   │           │       ├── is-dynamic.js.map
│           │   │   │   │   │           │       ├── is-local-url.js
│           │   │   │   │   │           │       ├── is-local-url.js.map
│           │   │   │   │   │           │       ├── middleware-route-
matcher.js
│           │   │   │   │   │           │       ├── middleware-route-
matcher.js.map
│           │   │   │   │   │           │       ├── omit.js
│           │   │   │   │   │           │       ├── omit.js.map
│           │   │   │   │   │           │       ├── parse-path.js
│           │   │   │   │   │           │       ├── parse-path.js.map
│           │   │   │   │   │           │       ├── parse-relative-
url.js
│           │   │   │   │   │           │       ├── parse-relative-
url.js.map
│           │   │   │   │   │           │       ├── parse-url.js
│           │   │   │   │   │           │       ├── parse-url.js.map
│           │   │   │   │   │           │       ├── path-has-prefix.js
│           │   │   │   │   │           │       ├── path-has-
prefix.js.map
│           │   │   │   │   │           │       ├── path-match.js
│           │   │   │   │   │           │       ├── path-match.js.map
│           │   │   │   │   │           │       ├── prepare-
destination.js
│           │   │   │   │   │           │       ├── prepare-
destination.js.map
│           │   │   │   │   │           │       ├── querystring.js
│           │   │   │   │   │           │       ├── querystring.js.map
│           │   │   │   │   │           │       ├── relativize-url.js
│           │   │   │   │   │           │       ├── relativize-
url.js.map
│           │   │   │   │   │           │       ├── remove-path-
prefix.js
│           │   │   │   │   │           │       ├── remove-path-
prefix.js.map
```

```
│           │   │   │   │   │           │       ├── remove-trailing-
slash.js
│           │   │   │   │   │           │       ├── remove-trailing-
slash.js.map
│           │   │   │   │   │           │       ├── resolve-rewrites.js
│           │   │   │   │   │           │       ├── resolve-
rewrites.js.map
│           │   │   │   │   │           │       ├── route-match-utils.js
│           │   │   │   │   │           │       ├── route-match-
utils.js.map
│           │   │   │   │   │           │       ├── route-matcher.js
│           │   │   │   │   │           │       ├── route-matcher.js.map
│           │   │   │   │   │           │       ├── route-regex.js
│           │   │   │   │   │           │       ├── route-regex.js.map
│           │   │   │   │   │           │       ├── sortable-routes.js
│           │   │   │   │   │           │       ├── sortable-
routes.js.map
│           │   │   │   │   │           │       ├── sorted-routes.js
│           │   │   │   │   │           │       └── sorted-routes.js.map
│           │   │   │   │   │           ├── router-context.shared-
runtime.js
│           │   │   │   │   │           ├── router-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── runtime-config.external.js
│           │   │   │   │   │           ├── runtime-
config.external.js.map
│           │   │   │   │   │           ├── segment-cache
│           │   │   │   │   │           │   ├── output-export-prefetch-
encoding.js
│           │   │   │   │   │           │   ├── output-export-prefetch-
encoding.js.map
│           │   │   │   │   │           │   ├── segment-value-
encoding.js
│           │   │   │   │   │           │   └── segment-value-
encoding.js.map
│           │   │   │   │   │           ├── segment.js
│           │   │   │   │   │           ├── segment.js.map
│           │   │   │   │   │           ├── server-inserted-html.shared-
runtime.js
│           │   │   │   │   │           ├── server-inserted-html.shared-
runtime.js.map
│           │   │   │   │   │           ├── server-reference-info.js
│           │   │   │   │   │           ├── server-reference-info.js.map
│           │   │   │   │   │           ├── side-effect.js
│           │   │   │   │   │           ├── side-effect.js.map
│           │   │   │   │   │           ├── styled-jsx.d.ts
│           │   │   │   │   │           ├── styled-jsx.js
│           │   │   │   │   │           ├── styled-jsx.js.map
│           │   │   │   │   │           ├── turbopack
│           │   │   │   │   │           │   ├── compilation-events.js
│           │   │   │   │   │           │   ├── compilation-
events.js.map
│           │   │   │   │   │           │   ├── entry-key.js
│           │   │   │   │   │           │   ├── entry-key.js.map
│           │   │   │   │   │           │   ├── internal-error.js
│           │   │   │   │   │           │   ├── internal-error.js.map
```

```
│           │   │   │   │   │           │   ├── manifest-loader.js
│           │   │   │   │   │           │   ├── manifest-loader.js.map
│           │   │   │   │   │           │   ├── utils.js
│           │   │   │   │   │           │   └── utils.js.map
│           │   │   │   │   │           ├── utils
│           │   │   │   │   │           │   ├── error-once.js
│           │   │   │   │   │           │   ├── error-once.js.map
│           │   │   │   │   │           │   ├── reflect-utils.js
│           │   │   │   │   │           │   ├── reflect-utils.js.map
│           │   │   │   │   │           │   ├── warn-once.js
│           │   │   │   │   │           │   └── warn-once.js.map
│           │   │   │   │   │           ├── utils.js
│           │   │   │   │   │           ├── utils.js.map
│           │   │   │   │   │           ├── zod.js
│           │   │   │   │   │           └── zod.js.map
│           │   │   │   │   ├── experimental
│           │   │   │   │   │   ├── testing
│           │   │   │   │   │   │   └── server
│           │   │   │   │   │   │       ├── config-testing-utils.d.ts
│           │   │   │   │   │   │       ├── config-testing-utils.js
│           │   │   │   │   │   │       ├── config-testing-utils.js.map
│           │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │       ├── middleware-testing-
utils.d.ts
│           │   │   │   │   │   │       ├── middleware-testing-utils.js
│           │   │   │   │   │   │       ├── middleware-testing-
utils.js.map
│           │   │   │   │   │   │       ├── utils.d.ts
│           │   │   │   │   │   │       ├── utils.js
│           │   │   │   │   │   │       └── utils.js.map
│           │   │   │   │   │   └── testmode
│           │   │   │   │   │       ├── context.d.ts
│           │   │   │   │   │       ├── context.js
│           │   │   │   │   │       ├── context.js.map
│           │   │   │   │   │       ├── fetch.d.ts
│           │   │   │   │   │       ├── fetch.js
│           │   │   │   │   │       ├── fetch.js.map
│           │   │   │   │   │       ├── httpget.d.ts
│           │   │   │   │   │       ├── httpget.js
│           │   │   │   │   │       ├── httpget.js.map
│           │   │   │   │   │       ├── playwright
│           │   │   │   │   │       │   ├── default-config.d.ts
│           │   │   │   │   │       │   ├── default-config.js
│           │   │   │   │   │       │   ├── default-config.js.map
│           │   │   │   │   │       │   ├── index.d.ts
│           │   │   │   │   │       │   ├── index.js
│           │   │   │   │   │       │   ├── index.js.map
│           │   │   │   │   │       │   ├── msw.d.ts
│           │   │   │   │   │       │   ├── msw.js
│           │   │   │   │   │       │   ├── msw.js.map
│           │   │   │   │   │       │   ├── next-fixture.d.ts
│           │   │   │   │   │       │   ├── next-fixture.js
│           │   │   │   │   │       │   ├── next-fixture.js.map
│           │   │   │   │   │       │   ├── next-options.d.ts
```

```
│               │   │   │   │   │       │   ├── next-options.js
│               │   │   │   │   │       │   ├── next-options.js.map
│               │   │   │   │   │       │   ├── next-worker-fixture.d.ts
│               │   │   │   │   │       │   ├── next-worker-fixture.js
│               │   │   │   │   │       │   ├── next-worker-fixture.js.map
│               │   │   │   │   │       │   ├── page-route.d.ts
│               │   │   │   │   │       │   ├── page-route.js
│               │   │   │   │   │       │   ├── page-route.js.map
│               │   │   │   │   │       │   ├── report.d.ts
│               │   │   │   │   │       │   ├── report.js
│               │   │   │   │   │       │   ├── report.js.map
│               │   │   │   │   │       │   ├── step.d.ts
│               │   │   │   │   │       │   ├── step.js
│               │   │   │   │   │       │   └── step.js.map
│               │   │   │   │   │       ├── proxy
│               │   │   │   │   │       │   ├── fetch-api.d.ts
│               │   │   │   │   │       │   ├── fetch-api.js
│               │   │   │   │   │       │   ├── fetch-api.js.map
│               │   │   │   │   │       │   ├── index.d.ts
│               │   │   │   │   │       │   ├── index.js
│               │   │   │   │   │       │   ├── index.js.map
│               │   │   │   │   │       │   ├── server.d.ts
│               │   │   │   │   │       │   ├── server.js
│               │   │   │   │   │       │   ├── server.js.map
│               │   │   │   │   │       │   ├── types.d.ts
│               │   │   │   │   │       │   ├── types.js
│               │   │   │   │   │       │   └── types.js.map
│               │   │   │   │   │       ├── server-edge.d.ts
│               │   │   │   │   │       ├── server-edge.js
│               │   │   │   │   │       ├── server-edge.js.map
│               │   │   │   │   │       ├── server.d.ts
│               │   │   │   │   │       ├── server.js
│               │   │   │   │   │       └── server.js.map
│               │   │   │   │   ├── export
│               │   │   │   │   │   ├── helpers
│               │   │   │   │   │   │   ├── create-incremental-cache.d.ts
│               │   │   │   │   │   │   ├── create-incremental-cache.js
│               │   │   │   │   │   │   ├── create-incremental-cache.js.map
│               │   │   │   │   │   │   ├── get-amp-html-validator.d.ts
│               │   │   │   │   │   │   ├── get-amp-html-validator.js
│               │   │   │   │   │   │   ├── get-amp-html-validator.js.map
│               │   │   │   │   │   │   ├── get-params.d.ts
│               │   │   │   │   │   │   ├── get-params.js
│               │   │   │   │   │   │   ├── get-params.js.map
│               │   │   │   │   │   │   ├── is-dynamic-usage-error.d.ts
│               │   │   │   │   │   │   ├── is-dynamic-usage-error.js
│               │   │   │   │   │   │   └── is-dynamic-usage-error.js.map
│               │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   ├── index.js
│               │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   ├── routes
│               │   │   │   │   │   │   ├── app-page.d.ts
│               │   │   │   │   │   │   ├── app-page.js
│               │   │   │   │   │   │   ├── app-page.js.map
│               │   │   │   │   │   │   ├── app-route.d.ts
│               │   │   │   │   │   │   ├── app-route.js
```

```
│               │   │   │   │   │   │   ├── app-route.js.map
│               │   │   │   │   │   │   ├── pages.d.ts
│               │   │   │   │   │   │   ├── pages.js
│               │   │   │   │   │   │   ├── pages.js.map
│               │   │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   │   ├── types.js
│               │   │   │   │   │   │   └── types.js.map
│               │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   ├── types.js
│               │   │   │   │   │   ├── types.js.map
│               │   │   │   │   │   ├── utils.d.ts
│               │   │   │   │   │   ├── utils.js
│               │   │   │   │   │   ├── utils.js.map
│               │   │   │   │   │   ├── worker.d.ts
│               │   │   │   │   │   ├── worker.js
│               │   │   │   │   │   └── worker.js.map
│               │   │   │   │   ├── lib
│               │   │   │   │   │   ├── batcher.d.ts
│               │   │   │   │   │   ├── batcher.js
│               │   │   │   │   │   ├── batcher.js.map
│               │   │   │   │   │   ├── build-custom-route.d.ts
│               │   │   │   │   │   ├── build-custom-route.js
│               │   │   │   │   │   ├── build-custom-route.js.map
│               │   │   │   │   │   ├── client-and-server-references.d.ts
│               │   │   │   │   │   ├── client-and-server-references.js
│               │   │   │   │   │   ├── client-and-server-references.js.map
│               │   │   │   │   │   ├── coalesced-function.d.ts
│               │   │   │   │   │   ├── coalesced-function.js
│               │   │   │   │   │   ├── coalesced-function.js.map
│               │   │   │   │   │   ├── compile-error.d.ts
│               │   │   │   │   │   ├── compile-error.js
│               │   │   │   │   │   ├── compile-error.js.map
│               │   │   │   │   │   ├── constants.d.ts
│               │   │   │   │   │   ├── constants.js
│               │   │   │   │   │   ├── constants.js.map
│               │   │   │   │   │   ├── create-client-router-filter.d.ts
│               │   │   │   │   │   ├── create-client-router-filter.js
│               │   │   │   │   │   ├── create-client-router-filter.js.map
│               │   │   │   │   │   ├── default-transpiled-packages.json
│               │   │   │   │   │   ├── detached-promise.d.ts
│               │   │   │   │   │   ├── detached-promise.js
│               │   │   │   │   │   ├── detached-promise.js.map
│               │   │   │   │   │   ├── detect-typo.d.ts
│               │   │   │   │   │   ├── detect-typo.js
│               │   │   │   │   │   ├── detect-typo.js.map
│               │   │   │   │   │   ├── download-swc.d.ts
│               │   │   │   │   │   ├── download-swc.js
│               │   │   │   │   │   ├── download-swc.js.map
│               │   │   │   │   │   ├── error-telemetry-utils.d.ts
│               │   │   │   │   │   ├── error-telemetry-utils.js
│               │   │   │   │   │   ├── error-telemetry-utils.js.map
│               │   │   │   │   │   ├── eslint
│               │   │   │   │   │   │   ├── customFormatter.d.ts
│               │   │   │   │   │   │   ├── customFormatter.js
│               │   │   │   │   │   │   ├── customFormatter.js.map
│               │   │   │   │   │   │   ├── getESLintPromptValues.d.ts
```

```
│               │   │   │   │   │   │   ├── getESLintPromptValues.js
│               │   │   │   │   │   │   ├── getESLintPromptValues.js.map
│               │   │   │   │   │   │   ├── hasEslintConfiguration.d.ts
│               │   │   │   │   │   │   ├── hasEslintConfiguration.js
│               │   │   │   │   │   │   ├── hasEslintConfiguration.js.map
│               │   │   │   │   │   │   ├── runLintCheck.d.ts
│               │   │   │   │   │   │   ├── runLintCheck.js
│               │   │   │   │   │   │   ├── runLintCheck.js.map
│               │   │   │   │   │   │   ├── writeDefaultConfig.d.ts
│               │   │   │   │   │   │   ├── writeDefaultConfig.js
│               │   │   │   │   │   │   ├── writeDefaultConfig.js.map
│               │   │   │   │   │   │   ├── writeOutputFile.d.ts
│               │   │   │   │   │   │   ├── writeOutputFile.js
│               │   │   │   │   │   │   └── writeOutputFile.js.map
│               │   │   │   │   │   ├── fallback.d.ts
│               │   │   │   │   │   ├── fallback.js
│               │   │   │   │   │   ├── fallback.js.map
│               │   │   │   │   │   ├── fatal-error.d.ts
│               │   │   │   │   │   ├── fatal-error.js
│               │   │   │   │   │   ├── fatal-error.js.map
│               │   │   │   │   │   ├── file-exists.d.ts
│               │   │   │   │   │   ├── file-exists.js
│               │   │   │   │   │   ├── file-exists.js.map
│               │   │   │   │   │   ├── find-config.d.ts
│               │   │   │   │   │   ├── find-config.js
│               │   │   │   │   │   ├── find-config.js.map
│               │   │   │   │   │   ├── find-pages-dir.d.ts
│               │   │   │   │   │   ├── find-pages-dir.js
│               │   │   │   │   │   ├── find-pages-dir.js.map
│               │   │   │   │   │   ├── find-root.d.ts
│               │   │   │   │   │   ├── find-root.js
│               │   │   │   │   │   ├── find-root.js.map
│               │   │   │   │   │   ├── format-cli-help-output.d.ts
│               │   │   │   │   │   ├── format-cli-help-output.js
│               │   │   │   │   │   ├── format-cli-help-output.js.map
│               │   │   │   │   │   ├── format-dynamic-import-path.d.ts
│               │   │   │   │   │   ├── format-dynamic-import-path.js
│               │   │   │   │   │   ├── format-dynamic-import-path.js.map
│               │   │   │   │   │   ├── format-server-error.d.ts
│               │   │   │   │   │   ├── format-server-error.js
│               │   │   │   │   │   ├── format-server-error.js.map
│               │   │   │   │   │   ├── framework
│               │   │   │   │   │   │   ├── boundary-components.d.ts
│               │   │   │   │   │   │   ├── boundary-components.js
│               │   │   │   │   │   │   ├── boundary-components.js.map
│               │   │   │   │   │   │   ├── boundary-constants.d.ts
│               │   │   │   │   │   │   ├── boundary-constants.js
│               │   │   │   │   │   │   └── boundary-constants.js.map
│               │   │   │   │   │   ├── fs
│               │   │   │   │   │   │   ├── rename.d.ts
│               │   │   │   │   │   │   ├── rename.js
│               │   │   │   │   │   │   ├── rename.js.map
│               │   │   │   │   │   │   ├── write-atomic.d.ts
│               │   │   │   │   │   │   ├── write-atomic.js
│               │   │   │   │   │   │   └── write-atomic.js.map
```

```
│           │   │   │   │   │   ├── generate-interception-routes-
rewrites.d.ts
│           │   │   │   │   │   ├── generate-interception-routes-
rewrites.js
│           │   │   │   │   │   ├── generate-interception-routes-
rewrites.js.map
│           │   │   │   │   │   ├── get-files-in-dir.d.ts
│           │   │   │   │   │   ├── get-files-in-dir.js
│           │   │   │   │   │   ├── get-files-in-dir.js.map
│           │   │   │   │   │   ├── get-network-host.d.ts
│           │   │   │   │   │   ├── get-network-host.js
│           │   │   │   │   │   ├── get-network-host.js.map
│           │   │   │   │   │   ├── get-package-version.d.ts
│           │   │   │   │   │   ├── get-package-version.js
│           │   │   │   │   │   ├── get-package-version.js.map
│           │   │   │   │   │   ├── get-project-dir.d.ts
│           │   │   │   │   │   ├── get-project-dir.js
│           │   │   │   │   │   ├── get-project-dir.js.map
│           │   │   │   │   │   ├── has-necessary-dependencies.d.ts
│           │   │   │   │   │   ├── has-necessary-dependencies.js
│           │   │   │   │   │   ├── has-necessary-dependencies.js.map
│           │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   ├── get-cache-directory.d.ts
│           │   │   │   │   │   │   ├── get-cache-directory.js
│           │   │   │   │   │   │   ├── get-cache-directory.js.map
│           │   │   │   │   │   │   ├── get-npx-command.d.ts
│           │   │   │   │   │   │   ├── get-npx-command.js
│           │   │   │   │   │   │   ├── get-npx-command.js.map
│           │   │   │   │   │   │   ├── get-online.d.ts
│           │   │   │   │   │   │   ├── get-online.js
│           │   │   │   │   │   │   ├── get-online.js.map
│           │   │   │   │   │   │   ├── get-pkg-manager.d.ts
│           │   │   │   │   │   │   ├── get-pkg-manager.js
│           │   │   │   │   │   │   ├── get-pkg-manager.js.map
│           │   │   │   │   │   │   ├── get-registry.d.ts
│           │   │   │   │   │   │   ├── get-registry.js
│           │   │   │   │   │   │   ├── get-registry.js.map
│           │   │   │   │   │   │   ├── get-reserved-port.d.ts
│           │   │   │   │   │   │   ├── get-reserved-port.js
│           │   │   │   │   │   │   ├── get-reserved-port.js.map
│           │   │   │   │   │   │   ├── install.d.ts
│           │   │   │   │   │   │   ├── install.js
│           │   │   │   │   │   │   └── install.js.map
│           │   │   │   │   │   ├── import-next-warning.d.ts
│           │   │   │   │   │   ├── import-next-warning.js
│           │   │   │   │   │   ├── import-next-warning.js.map
│           │   │   │   │   │   ├── inline-static-env.d.ts
│           │   │   │   │   │   ├── inline-static-env.js
│           │   │   │   │   │   ├── inline-static-env.js.map
│           │   │   │   │   │   ├── install-dependencies.d.ts
│           │   │   │   │   │   ├── install-dependencies.js
│           │   │   │   │   │   ├── install-dependencies.js.map
│           │   │   │   │   │   ├── interop-default.d.ts
│           │   │   │   │   │   ├── interop-default.js
│           │   │   │   │   │   ├── interop-default.js.map
│           │   │   │   │   │   ├── is-api-route.d.ts
```

```
│               │   │   │   │   │   ├── is-api-route.js
│               │   │   │   │   │   ├── is-api-route.js.map
│               │   │   │   │   │   ├── is-app-page-route.d.ts
│               │   │   │   │   │   ├── is-app-page-route.js
│               │   │   │   │   │   ├── is-app-page-route.js.map
│               │   │   │   │   │   ├── is-app-route-route.d.ts
│               │   │   │   │   │   ├── is-app-route-route.js
│               │   │   │   │   │   ├── is-app-route-route.js.map
│               │   │   │   │   │   ├── is-edge-runtime.d.ts
│               │   │   │   │   │   ├── is-edge-runtime.js
│               │   │   │   │   │   ├── is-edge-runtime.js.map
│               │   │   │   │   │   ├── is-error.d.ts
│               │   │   │   │   │   ├── is-error.js
│               │   │   │   │   │   ├── is-error.js.map
│               │   │   │   │   │   ├── is-internal-component.d.ts
│               │   │   │   │   │   ├── is-internal-component.js
│               │   │   │   │   │   ├── is-internal-component.js.map
│               │   │   │   │   │   ├── is-serializable-props.d.ts
│               │   │   │   │   │   ├── is-serializable-props.js
│               │   │   │   │   │   ├── is-serializable-props.js.map
│               │   │   │   │   │   ├── known-edge-safe-packages.json
│               │   │   │   │   │   ├── load-custom-routes.d.ts
│               │   │   │   │   │   ├── load-custom-routes.js
│               │   │   │   │   │   ├── load-custom-routes.js.map
│               │   │   │   │   │   ├── memory
│               │   │   │   │   │   │   ├── gc-observer.d.ts
│               │   │   │   │   │   │   ├── gc-observer.js
│               │   │   │   │   │   │   ├── gc-observer.js.map
│               │   │   │   │   │   │   ├── shutdown.d.ts
│               │   │   │   │   │   │   ├── shutdown.js
│               │   │   │   │   │   │   ├── shutdown.js.map
│               │   │   │   │   │   │   ├── startup.d.ts
│               │   │   │   │   │   │   ├── startup.js
│               │   │   │   │   │   │   ├── startup.js.map
│               │   │   │   │   │   │   ├── trace.d.ts
│               │   │   │   │   │   │   ├── trace.js
│               │   │   │   │   │   │   └── trace.js.map
│               │   │   │   │   │   ├── metadata
│               │   │   │   │   │   │   ├── clone-metadata.d.ts
│               │   │   │   │   │   │   ├── clone-metadata.js
│               │   │   │   │   │   │   ├── clone-metadata.js.map
│               │   │   │   │   │   │   ├── constants.d.ts
│               │   │   │   │   │   │   ├── constants.js
│               │   │   │   │   │   │   ├── constants.js.map
│               │   │   │   │   │   │   ├── default-metadata.d.ts
│               │   │   │   │   │   │   ├── default-metadata.js
│               │   │   │   │   │   │   ├── default-metadata.js.map
│               │   │   │   │   │   │   ├── generate
│               │   │   │   │   │   │   │   ├── alternate.d.ts
│               │   │   │   │   │   │   │   ├── alternate.js
│               │   │   │   │   │   │   │   ├── alternate.js.map
│               │   │   │   │   │   │   │   ├── basic.d.ts
│               │   │   │   │   │   │   │   ├── basic.js
│               │   │   │   │   │   │   │   ├── basic.js.map
│               │   │   │   │   │   │   │   ├── icon-mark.d.ts
│               │   │   │   │   │   │   │   ├── icon-mark.js
```

```
│               │   │   │   │   │   │   │   ├── icon-mark.js.map
│               │   │   │   │   │   │   │   ├── icons.d.ts
│               │   │   │   │   │   │   │   ├── icons.js
│               │   │   │   │   │   │   │   ├── icons.js.map
│               │   │   │   │   │   │   │   ├── meta.d.ts
│               │   │   │   │   │   │   │   ├── meta.js
│               │   │   │   │   │   │   │   ├── meta.js.map
│               │   │   │   │   │   │   │   ├── opengraph.d.ts
│               │   │   │   │   │   │   │   ├── opengraph.js
│               │   │   │   │   │   │   │   ├── opengraph.js.map
│               │   │   │   │   │   │   │   ├── utils.d.ts
│               │   │   │   │   │   │   │   ├── utils.js
│               │   │   │   │   │   │   │   └── utils.js.map
│               │   │   │   │   │   │   ├── get-metadata-route.d.ts
│               │   │   │   │   │   │   ├── get-metadata-route.js
│               │   │   │   │   │   │   ├── get-metadata-route.js.map
│               │   │   │   │   │   │   ├── is-metadata-route.d.ts
│               │   │   │   │   │   │   ├── is-metadata-route.js
│               │   │   │   │   │   │   ├── is-metadata-route.js.map
│               │   │   │   │   │   │   ├── metadata-context.d.ts
│               │   │   │   │   │   │   ├── metadata-context.js
│               │   │   │   │   │   │   ├── metadata-context.js.map
│               │   │   │   │   │   │   ├── metadata.d.ts
│               │   │   │   │   │   │   ├── metadata.js
│               │   │   │   │   │   │   ├── metadata.js.map
│               │   │   │   │   │   │   ├── resolve-metadata.d.ts
│               │   │   │   │   │   │   ├── resolve-metadata.js
│               │   │   │   │   │   │   ├── resolve-metadata.js.map
│               │   │   │   │   │   │   ├── resolvers
│               │   │   │   │   │   │   │   ├── resolve-basics.d.ts
│               │   │   │   │   │   │   │   ├── resolve-basics.js
│               │   │   │   │   │   │   │   ├── resolve-basics.js.map
│               │   │   │   │   │   │   │   ├── resolve-icons.d.ts
│               │   │   │   │   │   │   │   ├── resolve-icons.js
│               │   │   │   │   │   │   │   ├── resolve-icons.js.map
│               │   │   │   │   │   │   │   ├── resolve-opengraph.d.ts
│               │   │   │   │   │   │   │   ├── resolve-opengraph.js
│               │   │   │   │   │   │   │   ├── resolve-opengraph.js.map
│               │   │   │   │   │   │   │   ├── resolve-title.d.ts
│               │   │   │   │   │   │   │   ├── resolve-title.js
│               │   │   │   │   │   │   │   ├── resolve-title.js.map
│               │   │   │   │   │   │   │   ├── resolve-url.d.ts
│               │   │   │   │   │   │   │   ├── resolve-url.js
│               │   │   │   │   │   │   │   └── resolve-url.js.map
│               │   │   │   │   │   │   └── types
│               │   │   │   │   │   │       ├── alternative-urls-types.d.ts
│               │   │   │   │   │   │       ├── alternative-urls-types.js
│               │   │   │   │   │   │       ├── alternative-urls-
types.js.map
│               │   │   │   │   │   │       ├── extra-types.d.ts
│               │   │   │   │   │   │       ├── extra-types.js
│               │   │   │   │   │   │       ├── extra-types.js.map
│               │   │   │   │   │   │       ├── icons.d.ts
│               │   │   │   │   │   │       ├── icons.js
│               │   │   │   │   │   │       ├── icons.js.map
│               │   │   │   │   │   │       ├── manifest-types.d.ts
```

```
│               │   │   │   │   │   │       ├── manifest-types.js
│               │   │   │   │   │   │       ├── manifest-types.js.map
│               │   │   │   │   │   │       ├── metadata-interface.d.ts
│               │   │   │   │   │   │       ├── metadata-interface.js
│               │   │   │   │   │   │       ├── metadata-interface.js.map
│               │   │   │   │   │   │       ├── metadata-types.d.ts
│               │   │   │   │   │   │       ├── metadata-types.js
│               │   │   │   │   │   │       ├── metadata-types.js.map
│               │   │   │   │   │   │       ├── opengraph-types.d.ts
│               │   │   │   │   │   │       ├── opengraph-types.js
│               │   │   │   │   │   │       ├── opengraph-types.js.map
│               │   │   │   │   │   │       ├── resolvers.d.ts
│               │   │   │   │   │   │       ├── resolvers.js
│               │   │   │   │   │   │       ├── resolvers.js.map
│               │   │   │   │   │   │       ├── twitter-types.d.ts
│               │   │   │   │   │   │       ├── twitter-types.js
│               │   │   │   │   │   │       └── twitter-types.js.map
│               │   │   │   │   │   ├── mime-type.d.ts
│               │   │   │   │   │   ├── mime-type.js
│               │   │   │   │   │   ├── mime-type.js.map
│               │   │   │   │   │   ├── mkcert.d.ts
│               │   │   │   │   │   ├── mkcert.js
│               │   │   │   │   │   ├── mkcert.js.map
│               │   │   │   │   │   ├── multi-file-writer.d.ts
│               │   │   │   │   │   ├── multi-file-writer.js
│               │   │   │   │   │   ├── multi-file-writer.js.map
│               │   │   │   │   │   ├── needs-experimental-react.d.ts
│               │   │   │   │   │   ├── needs-experimental-react.js
│               │   │   │   │   │   ├── needs-experimental-react.js.map
│               │   │   │   │   │   ├── non-nullable.d.ts
│               │   │   │   │   │   ├── non-nullable.js
│               │   │   │   │   │   ├── non-nullable.js.map
│               │   │   │   │   │   ├── normalize-path.d.ts
│               │   │   │   │   │   ├── normalize-path.js
│               │   │   │   │   │   ├── normalize-path.js.map
│               │   │   │   │   │   ├── oxford-comma-list.d.ts
│               │   │   │   │   │   ├── oxford-comma-list.js
│               │   │   │   │   │   ├── oxford-comma-list.js.map
│               │   │   │   │   │   ├── page-types.d.ts
│               │   │   │   │   │   ├── page-types.js
│               │   │   │   │   │   ├── page-types.js.map
│               │   │   │   │   │   ├── patch-incorrect-lockfile.d.ts
│               │   │   │   │   │   ├── patch-incorrect-lockfile.js
│               │   │   │   │   │   ├── patch-incorrect-lockfile.js.map
│               │   │   │   │   │   ├── pick.d.ts
│               │   │   │   │   │   ├── pick.js
│               │   │   │   │   │   ├── pick.js.map
│               │   │   │   │   │   ├── picocolors.d.ts
│               │   │   │   │   │   ├── picocolors.js
│               │   │   │   │   │   ├── picocolors.js.map
│               │   │   │   │   │   ├── pretty-bytes.d.ts
│               │   │   │   │   │   ├── pretty-bytes.js
│               │   │   │   │   │   ├── pretty-bytes.js.map
│               │   │   │   │   │   ├── realpath.d.ts
│               │   │   │   │   │   ├── realpath.js
│               │   │   │   │   │   ├── realpath.js.map
```

```
│           │   │   │   │   │   ├── recursive-copy.d.ts
│           │   │   │   │   │   ├── recursive-copy.js
│           │   │   │   │   │   ├── recursive-copy.js.map
│           │   │   │   │   │   ├── recursive-delete.d.ts
│           │   │   │   │   │   ├── recursive-delete.js
│           │   │   │   │   │   ├── recursive-delete.js.map
│           │   │   │   │   │   ├── recursive-readdir.d.ts
│           │   │   │   │   │   ├── recursive-readdir.js
│           │   │   │   │   │   ├── recursive-readdir.js.map
│           │   │   │   │   │   ├── redirect-status.d.ts
│           │   │   │   │   │   ├── redirect-status.js
│           │   │   │   │   │   ├── redirect-status.js.map
│           │   │   │   │   │   ├── require-instrumentation-client.d.ts
│           │   │   │   │   │   ├── require-instrumentation-client.js
│           │   │   │   │   │   ├── require-instrumentation-
client.js.map
│           │   │   │   │   │   ├── resolve-from.d.ts
│           │   │   │   │   │   ├── resolve-from.js
│           │   │   │   │   │   ├── resolve-from.js.map
│           │   │   │   │   │   ├── route-pattern-normalizer.d.ts
│           │   │   │   │   │   ├── route-pattern-normalizer.js
│           │   │   │   │   │   ├── route-pattern-normalizer.js.map
│           │   │   │   │   │   ├── scheduler.d.ts
│           │   │   │   │   │   ├── scheduler.js
│           │   │   │   │   │   ├── scheduler.js.map
│           │   │   │   │   │   ├── semver-noop.d.ts
│           │   │   │   │   │   ├── semver-noop.js
│           │   │   │   │   │   ├── semver-noop.js.map
│           │   │   │   │   │   ├── server-external-packages.json
│           │   │   │   │   │   ├── setup-exception-listeners.d.ts
│           │   │   │   │   │   ├── setup-exception-listeners.js
│           │   │   │   │   │   ├── setup-exception-listeners.js.map
│           │   │   │   │   │   ├── static-env.d.ts
│           │   │   │   │   │   ├── static-env.js
│           │   │   │   │   │   ├── static-env.js.map
│           │   │   │   │   │   ├── try-to-parse-path.d.ts
│           │   │   │   │   │   ├── try-to-parse-path.js
│           │   │   │   │   │   ├── try-to-parse-path.js.map
│           │   │   │   │   │   ├── turbopack-warning.d.ts
│           │   │   │   │   │   ├── turbopack-warning.js
│           │   │   │   │   │   ├── turbopack-warning.js.map
│           │   │   │   │   │   ├── typescript
│           │   │   │   │   │   │   ├── diagnosticFormatter.d.ts
│           │   │   │   │   │   │   ├── diagnosticFormatter.js
│           │   │   │   │   │   │   ├── diagnosticFormatter.js.map
│           │   │   │   │   │   │   ├── getTypeScriptConfiguration.d.ts
│           │   │   │   │   │   │   ├── getTypeScriptConfiguration.js
│           │   │   │   │   │   │   ├──
getTypeScriptConfiguration.js.map
│           │   │   │   │   │   │   ├── getTypeScriptIntent.d.ts
│           │   │   │   │   │   │   ├── getTypeScriptIntent.js
│           │   │   │   │   │   │   ├── getTypeScriptIntent.js.map
│           │   │   │   │   │   │   ├── missingDependencyError.d.ts
│           │   │   │   │   │   │   ├── missingDependencyError.js
│           │   │   │   │   │   │   ├── missingDependencyError.js.map
│           │   │   │   │   │   │   ├── runTypeCheck.d.ts
```

```
│           │   │   │   │   │   │   ├── runTypeCheck.js
│           │   │   │   │   │   │   ├── runTypeCheck.js.map
│           │   │   │   │   │   │   ├── writeAppTypeDeclarations.d.ts
│           │   │   │   │   │   │   ├── writeAppTypeDeclarations.js
│           │   │   │   │   │   │   ├── writeAppTypeDeclarations.js.map
│           │   │   │   │   │   │   ├── writeConfigurationDefaults.d.ts
│           │   │   │   │   │   │   ├── writeConfigurationDefaults.js
│           │   │   │   │   │   │   ├──
writeConfigurationDefaults.js.map
│           │   │   │   │   │   │   ├── url.d.ts
│           │   │   │   │   │   │   ├── url.js
│           │   │   │   │   │   │   ├── url.js.map
│           │   │   │   │   │   │   ├── verify-partytown-setup.d.ts
│           │   │   │   │   │   │   ├── verify-partytown-setup.js
│           │   │   │   │   │   │   ├── verify-partytown-setup.js.map
│           │   │   │   │   │   │   ├── verify-root-layout.d.ts
│           │   │   │   │   │   │   ├── verify-root-layout.js
│           │   │   │   │   │   │   ├── verify-root-layout.js.map
│           │   │   │   │   │   │   ├── verify-typescript-setup.d.ts
│           │   │   │   │   │   │   ├── verify-typescript-setup.js
│           │   │   │   │   │   │   ├── verify-typescript-setup.js.map
│           │   │   │   │   │   │   ├── verifyAndLint.d.ts
│           │   │   │   │   │   │   ├── verifyAndLint.js
│           │   │   │   │   │   │   ├── verifyAndLint.js.map
│           │   │   │   │   │   │   ├── wait.d.ts
│           │   │   │   │   │   │   ├── wait.js
│           │   │   │   │   │   │   ├── wait.js.map
│           │   │   │   │   │   │   ├── with-promise-cache.d.ts
│           │   │   │   │   │   │   ├── with-promise-cache.js
│           │   │   │   │   │   │   ├── with-promise-cache.js.map
│           │   │   │   │   │   │   ├── worker.d.ts
│           │   │   │   │   │   │   ├── worker.js
│           │   │   │   │   │   │   └── worker.js.map
│           │   │   │   │   │   ├── next-devtools
│           │   │   │   │   │   │   ├── dev-overlay
│           │   │   │   │   │   │   │   ├── components
│           │   │   │   │   │   │   │   │   ├── call-stack
│           │   │   │   │   │   │   │   │   │   └── call-stack.d.ts
│           │   │   │   │   │   │   │   │   ├── call-stack-frame
│           │   │   │   │   │   │   │   │   │   └── call-stack-frame.d.ts
│           │   │   │   │   │   │   │   │   ├── code-frame
│           │   │   │   │   │   │   │   │   │   ├── code-frame.d.ts
│           │   │   │   │   │   │   │   │   │   └── parse-code-frame.d.ts
│           │   │   │   │   │   │   │   │   ├── copy-button
│           │   │   │   │   │   │   │   │   │   └── index.d.ts
│           │   │   │   │   │   │   │   │   ├── devtools-indicator
│           │   │   │   │   │   │   │   │   │   ├── devtools-indicator.d.ts
│           │   │   │   │   │   │   │   │   │   ├── hooks
│           │   │   │   │   │   │   │   │   │   │   ├── use-measure-
width.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── use-minimum-loading-
time-multiple.d.ts
│           │   │   │   │   │   │   │   │   │   │   └── use-update-
animation.d.ts
│           │   │   │   │   │   │   │   │   │   └── next-logo.d.ts
│           │   │   │   │   │   │   │   │   ├── devtools-panel
```

```
│           │   │   │   │   │   │   │   │   └── resize
│           │   │   │   │   │   │   │   │       ├── resize-handle.d.ts
│           │   │   │   │   │   │   │   │       └── resize-provider.d.ts
│           │   │   │   │   │   │   │   ├── dialog
│           │   │   │   │   │   │   │   │   ├── dialog-body.d.ts
│           │   │   │   │   │   │   │   │   ├── dialog-content.d.ts
│           │   │   │   │   │   │   │   │   ├── dialog-header.d.ts
│           │   │   │   │   │   │   │   │   ├── dialog.d.ts
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   └── styles.d.ts
│           │   │   │   │   │   │   │   ├── errors
│           │   │   │   │   │   │   │   │   ├── dev-tools-indicator
│           │   │   │   │   │   │   │   │   │   ├── dev-tools-info
│           │   │   │   │   │   │   │   │   │   │   ├── dev-tools-
header.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── route-info.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── shortcut-
recorder.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── turbopack-
info.d.ts
│           │   │   │   │   │   │   │   │   │   │   └── user-
preferences.d.ts
│           │   │   │   │   │   │   │   │   │   ├── drag-context.d.ts
│           │   │   │   │   │   │   │   │   │   ├── draggable.d.ts
│           │   │   │   │   │   │   │   │   │   └── utils.d.ts
│           │   │   │   │   │   │   │   │   ├── dialog
│           │   │   │   │   │   │   │   │   │   ├── body.d.ts
│           │   │   │   │   │   │   │   │   │   ├── dialog.d.ts
│           │   │   │   │   │   │   │   │   │   └── header.d.ts
│           │   │   │   │   │   │   │   │   ├── environment-name-label
│           │   │   │   │   │   │   │   │   │   └── environment-name-
label.d.ts
│           │   │   │   │   │   │   │   │   ├── error-message
│           │   │   │   │   │   │   │   │   │   └── error-message.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay
│           │   │   │   │   │   │   │   │   │   └── error-overlay.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-bottom-
stack
│           │   │   │   │   │   │   │   │   │   └── index.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-call-stack
│           │   │   │   │   │   │   │   │   │   └── error-overlay-call-
stack.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-footer
│           │   │   │   │   │   │   │   │   │   ├── error-feedback
│           │   │   │   │   │   │   │   │   │   │   └── error-
feedback.d.ts
│           │   │   │   │   │   │   │   │   │   └── error-overlay-
footer.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-layout
│           │   │   │   │   │   │   │   │   │   └── error-overlay-
layout.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-nav
│           │   │   │   │   │   │   │   │   │   └── error-overlay-
nav.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-pagination
```

```
│           │   │   │   │   │   │   │   │   └── error-overlay-
pagination.d.ts
│           │   │   │   │   │   │   │   ├── error-overlay-toolbar
│           │   │   │   │   │   │   │   │   ├── copy-error-
button.d.ts
│           │   │   │   │   │   │   │   │   ├── docs-link-
button.d.ts
│           │   │   │   │   │   │   │   │   ├── error-overlay-
toolbar.d.ts
│           │   │   │   │   │   │   │   │   ├── issue-feedback-
button.d.ts
│           │   │   │   │   │   │   │   │   ├── nodejs-inspector-
button.d.ts
│           │   │   │   │   │   │   │   │   └── use-restart-
server.d.ts
│           │   │   │   │   │   │   │   ├── error-type-label
│           │   │   │   │   │   │   │   │   └── error-type-
label.d.ts
│           │   │   │   │   │   │   │   └── overlay
│           │   │   │   │   │   │   │       └── overlay.d.ts
│           │   │   │   │   │   │   ├── fader
│           │   │   │   │   │   │   │   └── index.d.ts
│           │   │   │   │   │   │   ├── hot-linked-text
│           │   │   │   │   │   │   │   └── index.d.ts
│           │   │   │   │   │   │   ├── hydration-diff
│           │   │   │   │   │   │   │   └── diff-view.d.ts
│           │   │   │   │   │   │   ├── overlay
│           │   │   │   │   │   │   │   ├── body-locker.d.ts
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   ├── overlay-backdrop.d.ts
│           │   │   │   │   │   │   │   ├── overlay.d.ts
│           │   │   │   │   │   │   │   └── styles.d.ts
│           │   │   │   │   │   │   ├── overview
│           │   │   │   │   │   │   │   ├── segment-boundary-
trigger.d.ts
│           │   │   │   │   │   │   │   ├── segment-explorer.d.ts
│           │   │   │   │   │   │   │   └── segment-suggestion.d.ts
│           │   │   │   │   │   │   ├── resizer
│           │   │   │   │   │   │   │   └── index.d.ts
│           │   │   │   │   │   │   ├── shadow-portal.d.ts
│           │   │   │   │   │   │   ├── terminal
│           │   │   │   │   │   │   │   ├── editor-link.d.ts
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   └── terminal.d.ts
│           │   │   │   │   │   │   ├── toast
│           │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   └── toast.d.ts
│           │   │   │   │   │   │   ├── tooltip
│           │   │   │   │   │   │   │   └── tooltip.d.ts
│           │   │   │   │   │   │   └── version-staleness-info
│           │   │   │   │   │   │       └── version-staleness-
info.d.ts
│           │   │   │   │   │   ├── container
│           │   │   │   │   │   │   ├── build-error.d.ts
│           │   │   │   │   │   │   ├── errors.d.ts
│           │   │   │   │   │   │   └── runtime-error
```

```
│           │   │   │   │   │   │   │       ├── component-stack-pseudo-
html.d.ts
│           │   │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │   │       └── render-error.d.ts
│           │   │   │   │   │   │   ├── dev-overlay.d.ts
│           │   │   │   │   │   │   ├── font
│           │   │   │   │   │   │   │   └── font-styles.d.ts
│           │   │   │   │   │   │   ├── hooks
│           │   │   │   │   │   │   │   ├── use-active-runtime-
error.d.ts
│           │   │   │   │   │   │   │   ├── use-delayed-render.d.ts
│           │   │   │   │   │   │   │   ├── use-on-click-outside.d.ts
│           │   │   │   │   │   │   │   └── use-shortcuts.d.ts
│           │   │   │   │   │   │   ├── icons
│           │   │   │   │   │   │   │   ├── chevron-up-down.d.ts
│           │   │   │   │   │   │   │   ├── collapse-icon.d.ts
│           │   │   │   │   │   │   │   ├── cross.d.ts
│           │   │   │   │   │   │   │   ├── dark-icon.d.ts
│           │   │   │   │   │   │   │   ├── eclipse.d.ts
│           │   │   │   │   │   │   │   ├── external.d.ts
│           │   │   │   │   │   │   │   ├── eye-icon.d.ts
│           │   │   │   │   │   │   │   ├── file.d.ts
│           │   │   │   │   │   │   │   ├── gear-icon.d.ts
│           │   │   │   │   │   │   │   ├── left-arrow.d.ts
│           │   │   │   │   │   │   │   ├── light-icon.d.ts
│           │   │   │   │   │   │   │   ├── right-arrow.d.ts
│           │   │   │   │   │   │   │   ├── system-icon.d.ts
│           │   │   │   │   │   │   │   ├── thumbs
│           │   │   │   │   │   │   │   │   ├── thumbs-down.d.ts
│           │   │   │   │   │   │   │   │   └── thumbs-up.d.ts
│           │   │   │   │   │   │   │   └── warning.d.ts
│           │   │   │   │   │   │   ├── menu
│           │   │   │   │   │   │   │   ├── context.d.ts
│           │   │   │   │   │   │   │   ├── dev-overlay-menu.d.ts
│           │   │   │   │   │   │   │   └── panel-router.d.ts
│           │   │   │   │   │   │   ├── panel
│           │   │   │   │   │   │   │   └── dynamic-panel.d.ts
│           │   │   │   │   │   │   ├── segment-explorer-trie.d.ts
│           │   │   │   │   │   │   ├── shared.d.ts
│           │   │   │   │   │   │   ├── styles
│           │   │   │   │   │   │   │   ├── component-styles.d.ts
│           │   │   │   │   │   │   │   └── scale-updater.d.ts
│           │   │   │   │   │   │   └── utils
│           │   │   │   │   │   │       ├── css.d.ts
│           │   │   │   │   │   │       ├── cx.d.ts
│           │   │   │   │   │   │       ├── get-error-by-type.d.ts
│           │   │   │   │   │   │       ├── indicator-metrics.d.ts
│           │   │   │   │   │   │       ├── lorem.d.ts
│           │   │   │   │   │   │       ├── parse-url-from-text.d.ts
│           │   │   │   │   │   │       ├── save-devtools-config.d.ts
│           │   │   │   │   │   │       └── use-open-in-editor.d.ts
│           │   │   │   │   │   ├── dev-overlay.browser.d.ts
│           │   │   │   │   │   ├── dev-overlay.shim.d.ts
│           │   │   │   │   │   ├── dev-overlay.shim.js
│           │   │   │   │   │   ├── dev-overlay.shim.js.map
│           │   │   │   │   │   ├── entrypoint.d.ts
```

```
│           │   │   │   │   │   ├── server
│           │   │   │   │   │   │   ├── dev-indicator-middleware.d.ts
│           │   │   │   │   │   │   ├── dev-indicator-middleware.js
│           │   │   │   │   │   │   ├── dev-indicator-middleware.js.map
│           │   │   │   │   │   │   ├── devtools-config-middleware.d.ts
│           │   │   │   │   │   │   ├── devtools-config-middleware.js
│           │   │   │   │   │   │   ├── devtools-config-
middleware.js.map
│           │   │   │   │   │   │   ├── font
│           │   │   │   │   │   │   │   ├── geist-latin-ext.woff2
│           │   │   │   │   │   │   │   ├── geist-latin.woff2
│           │   │   │   │   │   │   │   ├── geist-mono-latin-ext.woff2
│           │   │   │   │   │   │   │   ├── geist-mono-latin.woff2
│           │   │   │   │   │   │   │   ├── get-dev-overlay-font-
middleware.d.ts
│           │   │   │   │   │   │   │   ├── get-dev-overlay-font-
middleware.js
│           │   │   │   │   │   │   │   └── get-dev-overlay-font-
middleware.js.map
│           │   │   │   │   │   │   ├── get-next-error-feedback-
middleware.d.ts
│           │   │   │   │   │   │   ├── get-next-error-feedback-
middleware.js
│           │   │   │   │   │   │   ├── get-next-error-feedback-
middleware.js.map
│           │   │   │   │   │   │   ├── launch-editor.d.ts
│           │   │   │   │   │   │   ├── launch-editor.js
│           │   │   │   │   │   │   ├── launch-editor.js.map
│           │   │   │   │   │   │   ├── middleware-response.d.ts
│           │   │   │   │   │   │   ├── middleware-response.js
│           │   │   │   │   │   │   ├── middleware-response.js.map
│           │   │   │   │   │   │   ├── restart-dev-server-
middleware.d.ts
│           │   │   │   │   │   │   ├── restart-dev-server-middleware.js
│           │   │   │   │   │   │   ├── restart-dev-server-
middleware.js.map
│           │   │   │   │   │   │   ├── shared.d.ts
│           │   │   │   │   │   │   ├── shared.js
│           │   │   │   │   │   │   └── shared.js.map
│           │   │   │   │   │   ├── shared
│           │   │   │   │   │   │   ├── console-error.d.ts
│           │   │   │   │   │   │   ├── console-error.js
│           │   │   │   │   │   │   ├── console-error.js.map
│           │   │   │   │   │   │   ├── deepmerge.d.ts
│           │   │   │   │   │   │   ├── deepmerge.js
│           │   │   │   │   │   │   ├── deepmerge.js.map
│           │   │   │   │   │   │   ├── devtools-config-schema.d.ts
│           │   │   │   │   │   │   ├── devtools-config-schema.js
│           │   │   │   │   │   │   ├── devtools-config-schema.js.map
│           │   │   │   │   │   │   ├── forward-logs-shared.d.ts
│           │   │   │   │   │   │   ├── forward-logs-shared.js
│           │   │   │   │   │   │   ├── forward-logs-shared.js.map
│           │   │   │   │   │   │   ├── hydration-error.d.ts
│           │   │   │   │   │   │   ├── hydration-error.js
│           │   │   │   │   │   │   ├── hydration-error.js.map
│           │   │   │   │   │   │   ├── react-18-hydration-error.d.ts
```

```
│           │   │   │   │   │   │   ├── react-18-hydration-error.js
│           │   │   │   │   │   │   ├── react-18-hydration-error.js.map
│           │   │   │   │   │   │   ├── react-19-hydration-error.d.ts
│           │   │   │   │   │   │   ├── react-19-hydration-error.js
│           │   │   │   │   │   │   ├── react-19-hydration-error.js.map
│           │   │   │   │   │   │   ├── stack-frame.d.ts
│           │   │   │   │   │   │   ├── stack-frame.js
│           │   │   │   │   │   │   ├── stack-frame.js.map
│           │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   ├── version-staleness.d.ts
│           │   │   │   │   │   │   ├── version-staleness.js
│           │   │   │   │   │   │   ├── version-staleness.js.map
│           │   │   │   │   │   │   ├── webpack-module-path.d.ts
│           │   │   │   │   │   │   ├── webpack-module-path.js
│           │   │   │   │   │   │   └── webpack-module-path.js.map
│           │   │   │   │   │   └── userspace
│           │   │   │   │   │       ├── app
│           │   │   │   │   │       │   ├── app-dev-overlay-error-
boundary.d.ts
│           │   │   │   │   │       │   ├── app-dev-overlay-error-
boundary.js
│           │   │   │   │   │       │   ├── app-dev-overlay-error-
boundary.js.map
│           │   │   │   │   │       │   ├── app-dev-overlay-setup.d.ts
│           │   │   │   │   │       │   ├── app-dev-overlay-setup.js
│           │   │   │   │   │       │   ├── app-dev-overlay-setup.js.map
│           │   │   │   │   │       │   ├── client-entry.d.ts
│           │   │   │   │   │       │   ├── client-entry.js
│           │   │   │   │   │       │   ├── client-entry.js.map
│           │   │   │   │   │       │   ├── errors
│           │   │   │   │   │       │   │   ├── index.d.ts
│           │   │   │   │   │       │   │   ├── index.js
│           │   │   │   │   │       │   │   ├── index.js.map
│           │   │   │   │   │       │   │   ├── intercept-console-
error.d.ts
│           │   │   │   │   │       │   │   ├── intercept-console-
error.js
│           │   │   │   │   │       │   │   ├── intercept-console-
error.js.map
│           │   │   │   │   │       │   │   ├── replay-ssr-only-
errors.d.ts
│           │   │   │   │   │       │   │   ├── replay-ssr-only-
errors.js
│           │   │   │   │   │       │   │   ├── replay-ssr-only-
errors.js.map
│           │   │   │   │   │       │   │   ├── stitched-error.d.ts
│           │   │   │   │   │       │   │   ├── stitched-error.js
│           │   │   │   │   │       │   │   ├── stitched-error.js.map
│           │   │   │   │   │       │   │   ├── use-error-handler.d.ts
│           │   │   │   │   │       │   │   ├── use-error-handler.js
│           │   │   │   │   │       │   │   ├── use-error-handler.js.map
│           │   │   │   │   │       │   │   ├── use-forward-console-
log.d.ts
```

```
│           │   │   │   │   │       │   │   ├── use-forward-console-
log.js
│           │   │   │   │   │       │   │   └── use-forward-console-
log.js.map
│           │   │   │   │   │       │   ├── forward-logs.d.ts
│           │   │   │   │   │       │   ├── forward-logs.js
│           │   │   │   │   │       │   ├── forward-logs.js.map
│           │   │   │   │   │       │   ├── segment-explorer-node.d.ts
│           │   │   │   │   │       │   ├── segment-explorer-node.js
│           │   │   │   │   │       │   ├── segment-explorer-node.js.map
│           │   │   │   │   │       │   ├── terminal-logging-config.d.ts
│           │   │   │   │   │       │   ├── terminal-logging-config.js
│           │   │   │   │   │       │   └── terminal-logging-
config.js.map
│           │   │   │   │   │       ├── pages
│           │   │   │   │   │       │   ├── hydration-error-state.d.ts
│           │   │   │   │   │       │   ├── hydration-error-state.js
│           │   │   │   │   │       │   ├── hydration-error-state.js.map
│           │   │   │   │   │       │   ├── pages-dev-overlay-error-
boundary.d.ts
│           │   │   │   │   │       │   ├── pages-dev-overlay-error-
boundary.js
│           │   │   │   │   │       │   ├── pages-dev-overlay-error-
boundary.js.map
│           │   │   │   │   │       │   ├── pages-dev-overlay-setup.d.ts
│           │   │   │   │   │       │   ├── pages-dev-overlay-setup.js
│           │   │   │   │   │       │   └── pages-dev-overlay-
setup.js.map
│           │   │   │   │   │       ├── use-app-dev-rendering-
indicator.d.ts
│           │   │   │   │   │       ├── use-app-dev-rendering-
indicator.js
│           │   │   │   │   │       └── use-app-dev-rendering-
indicator.js.map
│           │   │   │   │   ├── pages
│           │   │   │   │   │   ├── _app.d.ts
│           │   │   │   │   │   ├── _app.js
│           │   │   │   │   │   ├── _app.js.map
│           │   │   │   │   │   ├── _document.d.ts
│           │   │   │   │   │   ├── _document.js
│           │   │   │   │   │   ├── _document.js.map
│           │   │   │   │   │   ├── _error.d.ts
│           │   │   │   │   │   ├── _error.js
│           │   │   │   │   │   └── _error.js.map
│           │   │   │   │   ├── server
│           │   │   │   │   │   ├── ReactDOMServerPages.d.ts
│           │   │   │   │   │   ├── ReactDOMServerPages.js
│           │   │   │   │   │   ├── ReactDOMServerPages.js.map
│           │   │   │   │   │   ├── accept-header.d.ts
│           │   │   │   │   │   ├── accept-header.js
│           │   │   │   │   │   ├── accept-header.js.map
│           │   │   │   │   │   ├── after
│           │   │   │   │   │   │   ├── after-context.d.ts
│           │   │   │   │   │   │   ├── after-context.js
│           │   │   │   │   │   │   ├── after-context.js.map
│           │   │   │   │   │   │   ├── after.d.ts
```

```
│           │   │   │   │   │   │   ├── after.js
│           │   │   │   │   │   │   ├── after.js.map
│           │   │   │   │   │   │   ├── awaiter.d.ts
│           │   │   │   │   │   │   ├── awaiter.js
│           │   │   │   │   │   │   ├── awaiter.js.map
│           │   │   │   │   │   │   ├── builtin-request-context.d.ts
│           │   │   │   │   │   │   ├── builtin-request-context.js
│           │   │   │   │   │   │   ├── builtin-request-context.js.map
│           │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   ├── run-with-after.d.ts
│           │   │   │   │   │   │   ├── run-with-after.js
│           │   │   │   │   │   │   └── run-with-after.js.map
│           │   │   │   │   │   ├── api-utils
│           │   │   │   │   │   │   ├── get-cookie-parser.d.ts
│           │   │   │   │   │   │   ├── get-cookie-parser.js
│           │   │   │   │   │   │   ├── get-cookie-parser.js.map
│           │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   ├── index.js.map
│           │   │   │   │   │   │   ├── node
│           │   │   │   │   │   │   │   ├── api-resolver.d.ts
│           │   │   │   │   │   │   │   ├── api-resolver.js
│           │   │   │   │   │   │   │   ├── api-resolver.js.map
│           │   │   │   │   │   │   │   ├── parse-body.d.ts
│           │   │   │   │   │   │   │   ├── parse-body.js
│           │   │   │   │   │   │   │   ├── parse-body.js.map
│           │   │   │   │   │   │   │   ├── try-get-preview-data.d.ts
│           │   │   │   │   │   │   │   ├── try-get-preview-data.js
│           │   │   │   │   │   │   │   └── try-get-preview-data.js.map
│           │   │   │   │   │   │   ├── web.d.ts
│           │   │   │   │   │   │   ├── web.js
│           │   │   │   │   │   │   └── web.js.map
│           │   │   │   │   │   ├── app-render
│           │   │   │   │   │   │   ├── action-async-storage-
instance.d.ts
│           │   │   │   │   │   │   ├── action-async-storage-instance.js
│           │   │   │   │   │   │   ├── action-async-storage-
instance.js.map
│           │   │   │   │   │   │   ├── action-async-
storage.external.d.ts
│           │   │   │   │   │   │   ├── action-async-storage.external.js
│           │   │   │   │   │   │   ├── action-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── action-handler.d.ts
│           │   │   │   │   │   │   ├── action-handler.js
│           │   │   │   │   │   │   ├── action-handler.js.map
│           │   │   │   │   │   │   ├── action-utils.d.ts
│           │   │   │   │   │   │   ├── action-utils.js
│           │   │   │   │   │   │   ├── action-utils.js.map
│           │   │   │   │   │   │   ├── after-task-async-storage-
instance.d.ts
│           │   │   │   │   │   │   ├── after-task-async-storage-
instance.js
```

```
|           |   |   |   |   |   |   ├── after-task-async-storage-
instance.js.map
|           |   |   |   |   |   |   ├── after-task-async-
storage.external.d.ts
|           |   |   |   |   |   |   ├── after-task-async-
storage.external.js
|           |   |   |   |   |   |   ├── after-task-async-
storage.external.js.map
|           |   |   |   |   |   |   ├── app-render-prerender-utils.d.ts
|           |   |   |   |   |   |   ├── app-render-prerender-utils.js
|           |   |   |   |   |   |   ├── app-render-prerender-
utils.js.map
|           |   |   |   |   |   |   ├── app-render-render-utils.d.ts
|           |   |   |   |   |   |   ├── app-render-render-utils.js
|           |   |   |   |   |   |   ├── app-render-render-utils.js.map
|           |   |   |   |   |   |   ├── app-render.d.ts
|           |   |   |   |   |   |   ├── app-render.js
|           |   |   |   |   |   |   ├── app-render.js.map
|           |   |   |   |   |   |   ├── async-local-storage.d.ts
|           |   |   |   |   |   |   ├── async-local-storage.js
|           |   |   |   |   |   |   ├── async-local-storage.js.map
|           |   |   |   |   |   |   ├── cache-signal.d.ts
|           |   |   |   |   |   |   ├── cache-signal.js
|           |   |   |   |   |   |   ├── cache-signal.js.map
|           |   |   |   |   |   |   ├── collect-segment-data.d.ts
|           |   |   |   |   |   |   ├── collect-segment-data.js
|           |   |   |   |   |   |   ├── collect-segment-data.js.map
|           |   |   |   |   |   |   ├── create-component-styles-and-
scripts.d.ts
|           |   |   |   |   |   |   ├── create-component-styles-and-
scripts.js
|           |   |   |   |   |   |   ├── create-component-styles-and-
scripts.js.map
|           |   |   |   |   |   |   ├── create-component-tree.d.ts
|           |   |   |   |   |   |   ├── create-component-tree.js
|           |   |   |   |   |   |   ├── create-component-tree.js.map
|           |   |   |   |   |   |   ├── create-error-handler.d.ts
|           |   |   |   |   |   |   ├── create-error-handler.js
|           |   |   |   |   |   |   ├── create-error-handler.js.map
|           |   |   |   |   |   |   ├── create-flight-router-state-from-
loader-tree.d.ts
|           |   |   |   |   |   |   ├── create-flight-router-state-from-
loader-tree.js
|           |   |   |   |   |   |   ├── create-flight-router-state-from-
loader-tree.js.map
|           |   |   |   |   |   |   ├── csrf-protection.d.ts
|           |   |   |   |   |   |   ├── csrf-protection.js
|           |   |   |   |   |   |   ├── csrf-protection.js.map
|           |   |   |   |   |   |   ├── dynamic-access-async-storage-
instance.d.ts
|           |   |   |   |   |   |   ├── dynamic-access-async-storage-
instance.js
|           |   |   |   |   |   |   ├── dynamic-access-async-storage-
instance.js.map
|           |   |   |   |   |   |   ├── dynamic-access-async-
storage.external.d.ts
```

```
│           │   │   │   │   │   │   ├── dynamic-access-async-
storage.external.js
│           │   │   │   │   │   │   ├── dynamic-access-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── dynamic-rendering.d.ts
│           │   │   │   │   │   │   ├── dynamic-rendering.js
│           │   │   │   │   │   │   ├── dynamic-rendering.js.map
│           │   │   │   │   │   │   ├── encryption-utils-server.d.ts
│           │   │   │   │   │   │   ├── encryption-utils-server.js
│           │   │   │   │   │   │   ├── encryption-utils-server.js.map
│           │   │   │   │   │   │   ├── encryption-utils.d.ts
│           │   │   │   │   │   │   ├── encryption-utils.js
│           │   │   │   │   │   │   ├── encryption-utils.js.map
│           │   │   │   │   │   │   ├── encryption.d.ts
│           │   │   │   │   │   │   ├── encryption.js
│           │   │   │   │   │   │   ├── encryption.js.map
│           │   │   │   │   │   │   ├── entry-base.d.ts
│           │   │   │   │   │   │   ├── entry-base.js
│           │   │   │   │   │   │   ├── entry-base.js.map
│           │   │   │   │   │   │   ├── flight-render-result.d.ts
│           │   │   │   │   │   │   ├── flight-render-result.js
│           │   │   │   │   │   │   ├── flight-render-result.js.map
│           │   │   │   │   │   │   ├── get-asset-query-string.d.ts
│           │   │   │   │   │   │   ├── get-asset-query-string.js
│           │   │   │   │   │   │   ├── get-asset-query-string.js.map
│           │   │   │   │   │   │   ├── get-css-inlined-link-tags.d.ts
│           │   │   │   │   │   │   ├── get-css-inlined-link-tags.js
│           │   │   │   │   │   │   ├── get-css-inlined-link-tags.js.map
│           │   │   │   │   │   │   ├── get-layer-assets.d.ts
│           │   │   │   │   │   │   ├── get-layer-assets.js
│           │   │   │   │   │   │   ├── get-layer-assets.js.map
│           │   │   │   │   │   │   ├── get-preloadable-fonts.d.ts
│           │   │   │   │   │   │   ├── get-preloadable-fonts.js
│           │   │   │   │   │   │   ├── get-preloadable-fonts.js.map
│           │   │   │   │   │   │   ├── get-script-nonce-from-
header.d.ts
│           │   │   │   │   │   │   ├── get-script-nonce-from-header.js
│           │   │   │   │   │   │   ├── get-script-nonce-from-
header.js.map
│           │   │   │   │   │   │   ├── get-segment-param.d.ts
│           │   │   │   │   │   │   ├── get-segment-param.js
│           │   │   │   │   │   │   ├── get-segment-param.js.map
│           │   │   │   │   │   │   ├── get-short-dynamic-param-
type.d.ts
│           │   │   │   │   │   │   ├── get-short-dynamic-param-type.js
│           │   │   │   │   │   │   ├── get-short-dynamic-param-
type.js.map
│           │   │   │   │   │   │   ├── has-loading-component-in-
tree.d.ts
│           │   │   │   │   │   │   ├── has-loading-component-in-tree.js
│           │   │   │   │   │   │   ├── has-loading-component-in-
tree.js.map
│           │   │   │   │   │   │   ├── interop-default.d.ts
│           │   │   │   │   │   │   ├── interop-default.js
│           │   │   │   │   │   │   ├── interop-default.js.map
```

```
│           │   │   │   │   │   │   ├── make-get-server-inserted-
html.d.ts
│           │   │   │   │   │   │   ├── make-get-server-inserted-html.js
│           │   │   │   │   │   │   ├── make-get-server-inserted-
html.js.map
│           │   │   │   │   │   │   ├── metadata-insertion
│           │   │   │   │   │   │   │   ├── create-server-inserted-
metadata.d.ts
│           │   │   │   │   │   │   │   ├── create-server-inserted-
metadata.js
│           │   │   │   │   │   │   │   └── create-server-inserted-
metadata.js.map
│           │   │   │   │   │   │   ├── module-loading
│           │   │   │   │   │   │   │   ├── track-dynamic-import.d.ts
│           │   │   │   │   │   │   │   ├── track-dynamic-import.js
│           │   │   │   │   │   │   │   ├── track-dynamic-import.js.map
│           │   │   │   │   │   │   │   ├── track-module-
loading.external.d.ts
│           │   │   │   │   │   │   │   ├── track-module-
loading.external.js
│           │   │   │   │   │   │   │   ├── track-module-
loading.external.js.map
│           │   │   │   │   │   │   │   ├── track-module-
loading.instance.d.ts
│           │   │   │   │   │   │   │   ├── track-module-
loading.instance.js
│           │   │   │   │   │   │   │   └── track-module-
loading.instance.js.map
│           │   │   │   │   │   │   ├── parse-and-validate-flight-
router-state.d.ts
│           │   │   │   │   │   │   ├── parse-and-validate-flight-
router-state.js
│           │   │   │   │   │   │   ├── parse-and-validate-flight-
router-state.js.map
│           │   │   │   │   │   │   ├── parse-loader-tree.d.ts
│           │   │   │   │   │   │   ├── parse-loader-tree.js
│           │   │   │   │   │   │   ├── parse-loader-tree.js.map
│           │   │   │   │   │   │   ├── postponed-state.d.ts
│           │   │   │   │   │   │   ├── postponed-state.js
│           │   │   │   │   │   │   ├── postponed-state.js.map
│           │   │   │   │   │   │   ├── prospective-render-utils.d.ts
│           │   │   │   │   │   │   ├── prospective-render-utils.js
│           │   │   │   │   │   │   ├── prospective-render-utils.js.map
│           │   │   │   │   │   │   ├── react-large-shell-error.d.ts
│           │   │   │   │   │   │   ├── react-large-shell-error.js
│           │   │   │   │   │   │   ├── react-large-shell-error.js.map
│           │   │   │   │   │   │   ├── react-server.node.d.ts
│           │   │   │   │   │   │   ├── react-server.node.js
│           │   │   │   │   │   │   ├── react-server.node.js.map
│           │   │   │   │   │   │   ├── render-css-resource.d.ts
│           │   │   │   │   │   │   ├── render-css-resource.js
│           │   │   │   │   │   │   ├── render-css-resource.js.map
│           │   │   │   │   │   │   ├── required-scripts.d.ts
│           │   │   │   │   │   │   ├── required-scripts.js
│           │   │   │   │   │   │   ├── required-scripts.js.map
│           │   │   │   │   │   │   ├── rsc
```

```
│           │   │   │   │   │   │   │   ├── postpone.d.ts
│           │   │   │   │   │   │   │   ├── postpone.js
│           │   │   │   │   │   │   │   ├── postpone.js.map
│           │   │   │   │   │   │   │   ├── preloads.d.ts
│           │   │   │   │   │   │   │   ├── preloads.js
│           │   │   │   │   │   │   │   ├── preloads.js.map
│           │   │   │   │   │   │   │   ├── taint.d.ts
│           │   │   │   │   │   │   │   ├── taint.js
│           │   │   │   │   │   │   │   └── taint.js.map
│           │   │   │   │   │   │   ├── segment-explorer-path.d.ts
│           │   │   │   │   │   │   ├── segment-explorer-path.js
│           │   │   │   │   │   │   ├── segment-explorer-path.js.map
│           │   │   │   │   │   │   ├── server-inserted-html.d.ts
│           │   │   │   │   │   │   ├── server-inserted-html.js
│           │   │   │   │   │   │   ├── server-inserted-html.js.map
│           │   │   │   │   │   │   ├── strip-flight-headers.d.ts
│           │   │   │   │   │   │   ├── strip-flight-headers.js
│           │   │   │   │   │   │   ├── strip-flight-headers.js.map
│           │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   ├── types.js.map
│           │   │   │   │   │   │   ├── use-flight-response.d.ts
│           │   │   │   │   │   │   ├── use-flight-response.js
│           │   │   │   │   │   │   ├── use-flight-response.js.map
│           │   │   │   │   │   │   ├── walk-tree-with-flight-router-
state.d.ts
│           │   │   │   │   │   │   ├── walk-tree-with-flight-router-
state.js
│           │   │   │   │   │   │   ├── walk-tree-with-flight-router-
state.js.map
│           │   │   │   │   │   │   ├── work-async-storage-instance.d.ts
│           │   │   │   │   │   │   ├── work-async-storage-instance.js
│           │   │   │   │   │   │   ├── work-async-storage-
instance.js.map
│           │   │   │   │   │   │   ├── work-async-storage.external.d.ts
│           │   │   │   │   │   │   ├── work-async-storage.external.js
│           │   │   │   │   │   │   ├── work-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── work-unit-async-storage-
instance.d.ts
│           │   │   │   │   │   │   ├── work-unit-async-storage-
instance.js
│           │   │   │   │   │   │   ├── work-unit-async-storage-
instance.js.map
│           │   │   │   │   │   │   ├── work-unit-async-
storage.external.d.ts
│           │   │   │   │   │   │   ├── work-unit-async-
storage.external.js
│           │   │   │   │   │   │   └── work-unit-async-
storage.external.js.map
│           │   │   │   │   │   ├── async-storage
│           │   │   │   │   │   │   ├── draft-mode-provider.d.ts
│           │   │   │   │   │   │   ├── draft-mode-provider.js
│           │   │   │   │   │   │   ├── draft-mode-provider.js.map
│           │   │   │   │   │   │   ├── request-store.d.ts
│           │   │   │   │   │   │   ├── request-store.js
```

```
│            │   │   │   │   │   │   ├── request-store.js.map
│            │   │   │   │   │   │   ├── with-store.d.ts
│            │   │   │   │   │   │   ├── with-store.js
│            │   │   │   │   │   │   ├── with-store.js.map
│            │   │   │   │   │   │   ├── work-store.d.ts
│            │   │   │   │   │   │   ├── work-store.js
│            │   │   │   │   │   │   └── work-store.js.map
│            │   │   │   │   │   ├── base-http
│            │   │   │   │   │   │   ├── helpers.d.ts
│            │   │   │   │   │   │   ├── helpers.js
│            │   │   │   │   │   │   ├── helpers.js.map
│            │   │   │   │   │   │   ├── index.d.ts
│            │   │   │   │   │   │   ├── index.js
│            │   │   │   │   │   │   ├── index.js.map
│            │   │   │   │   │   │   ├── node.d.ts
│            │   │   │   │   │   │   ├── node.js
│            │   │   │   │   │   │   ├── node.js.map
│            │   │   │   │   │   │   ├── web.d.ts
│            │   │   │   │   │   │   ├── web.js
│            │   │   │   │   │   │   └── web.js.map
│            │   │   │   │   │   ├── base-server.d.ts
│            │   │   │   │   │   ├── base-server.js
│            │   │   │   │   │   ├── base-server.js.map
│            │   │   │   │   │   ├── body-streams.d.ts
│            │   │   │   │   │   ├── body-streams.js
│            │   │   │   │   │   ├── body-streams.js.map
│            │   │   │   │   │   ├── cache-dir.d.ts
│            │   │   │   │   │   ├── cache-dir.js
│            │   │   │   │   │   ├── cache-dir.js.map
│            │   │   │   │   │   ├── capsize-font-metrics.json
│            │   │   │   │   │   ├── ci-info.d.ts
│            │   │   │   │   │   ├── ci-info.js
│            │   │   │   │   │   ├── ci-info.js.map
│            │   │   │   │   │   ├── client-component-renderer-
logger.d.ts
│            │   │   │   │   │   ├── client-component-renderer-logger.js
│            │   │   │   │   │   ├── client-component-renderer-
logger.js.map
│            │   │   │   │   │   ├── config-schema.d.ts
│            │   │   │   │   │   ├── config-schema.js
│            │   │   │   │   │   ├── config-schema.js.map
│            │   │   │   │   │   ├── config-shared.d.ts
│            │   │   │   │   │   ├── config-shared.js
│            │   │   │   │   │   ├── config-shared.js.map
│            │   │   │   │   │   ├── config-utils.d.ts
│            │   │   │   │   │   ├── config-utils.js
│            │   │   │   │   │   ├── config-utils.js.map
│            │   │   │   │   │   ├── config.d.ts
│            │   │   │   │   │   ├── config.js
│            │   │   │   │   │   ├── config.js.map
│            │   │   │   │   │   ├── create-deduped-by-callsite-server-
error-logger.d.ts
│            │   │   │   │   │   ├── create-deduped-by-callsite-server-
error-logger.js
│            │   │   │   │   │   ├── create-deduped-by-callsite-server-
error-logger.js.map
```

```
│           │   │   │   │   │   ├── crypto-utils.d.ts
│           │   │   │   │   │   ├── crypto-utils.js
│           │   │   │   │   │   ├── crypto-utils.js.map
│           │   │   │   │   │   ├── dev
│           │   │   │   │   │   │   ├── browser-logs
│           │   │   │   │   │   │   │   ├── receive-logs.d.ts
│           │   │   │   │   │   │   │   ├── receive-logs.js
│           │   │   │   │   │   │   │   ├── receive-logs.js.map
│           │   │   │   │   │   │   │   ├── source-map.d.ts
│           │   │   │   │   │   │   │   ├── source-map.js
│           │   │   │   │   │   │   │   └── source-map.js.map
│           │   │   │   │   │   │   ├── dev-indicator-server-state.d.ts
│           │   │   │   │   │   │   ├── dev-indicator-server-state.js
│           │   │   │   │   │   │   ├── dev-indicator-server-
state.js.map
│           │   │   │   │   │   │   ├── get-source-map-from-file.d.ts
│           │   │   │   │   │   │   ├── get-source-map-from-file.js
│           │   │   │   │   │   │   ├── get-source-map-from-file.js.map
│           │   │   │   │   │   │   ├── hot-middleware.d.ts
│           │   │   │   │   │   │   ├── hot-middleware.js
│           │   │   │   │   │   │   ├── hot-middleware.js.map
│           │   │   │   │   │   │   ├── hot-reloader-turbopack.d.ts
│           │   │   │   │   │   │   ├── hot-reloader-turbopack.js
│           │   │   │   │   │   │   ├── hot-reloader-turbopack.js.map
│           │   │   │   │   │   │   ├── hot-reloader-types.d.ts
│           │   │   │   │   │   │   ├── hot-reloader-types.js
│           │   │   │   │   │   │   ├── hot-reloader-types.js.map
│           │   │   │   │   │   │   ├── hot-reloader-webpack.d.ts
│           │   │   │   │   │   │   ├── hot-reloader-webpack.js
│           │   │   │   │   │   │   ├── hot-reloader-webpack.js.map
│           │   │   │   │   │   │   ├── log-requests.d.ts
│           │   │   │   │   │   │   ├── log-requests.js
│           │   │   │   │   │   │   ├── log-requests.js.map
│           │   │   │   │   │   │   ├── messages.d.ts
│           │   │   │   │   │   │   ├── messages.js
│           │   │   │   │   │   │   ├── messages.js.map
│           │   │   │   │   │   │   ├── middleware-turbopack.d.ts
│           │   │   │   │   │   │   ├── middleware-turbopack.js
│           │   │   │   │   │   │   ├── middleware-turbopack.js.map
│           │   │   │   │   │   │   ├── middleware-webpack.d.ts
│           │   │   │   │   │   │   ├── middleware-webpack.js
│           │   │   │   │   │   │   ├── middleware-webpack.js.map
│           │   │   │   │   │   │   ├── next-dev-server.d.ts
│           │   │   │   │   │   │   ├── next-dev-server.js
│           │   │   │   │   │   │   ├── next-dev-server.js.map
│           │   │   │   │   │   │   ├── node-stack-frames.d.ts
│           │   │   │   │   │   │   ├── node-stack-frames.js
│           │   │   │   │   │   │   ├── node-stack-frames.js.map
│           │   │   │   │   │   │   ├── on-demand-entry-handler.d.ts
│           │   │   │   │   │   │   ├── on-demand-entry-handler.js
│           │   │   │   │   │   │   ├── on-demand-entry-handler.js.map
│           │   │   │   │   │   │   ├── parse-version-info.d.ts
│           │   │   │   │   │   │   ├── parse-version-info.js
│           │   │   │   │   │   │   ├── parse-version-info.js.map
│           │   │   │   │   │   │   ├── require-cache.d.ts
│           │   │   │   │   │   │   ├── require-cache.js
```

```
│               │   │   │   │   │   │   ├── require-cache.js.map
│               │   │   │   │   │   │   ├── static-paths-worker.d.ts
│               │   │   │   │   │   │   ├── static-paths-worker.js
│               │   │   │   │   │   │   ├── static-paths-worker.js.map
│               │   │   │   │   │   │   ├── turbopack-utils.d.ts
│               │   │   │   │   │   │   ├── turbopack-utils.js
│               │   │   │   │   │   │   └── turbopack-utils.js.map
│               │   │   │   │   │   ├── dynamic-rendering-utils.d.ts
│               │   │   │   │   │   ├── dynamic-rendering-utils.js
│               │   │   │   │   │   ├── dynamic-rendering-utils.js.map
│               │   │   │   │   │   ├── font-utils.d.ts
│               │   │   │   │   │   ├── font-utils.js
│               │   │   │   │   │   ├── font-utils.js.map
│               │   │   │   │   │   ├── get-app-route-from-entrypoint.d.ts
│               │   │   │   │   │   ├── get-app-route-from-entrypoint.js
│               │   │   │   │   │   ├── get-app-route-from-entrypoint.js.map
│               │   │   │   │   │   ├── get-page-files.d.ts
│               │   │   │   │   │   ├── get-page-files.js
│               │   │   │   │   │   ├── get-page-files.js.map
│               │   │   │   │   │   ├── get-route-from-entrypoint.d.ts
│               │   │   │   │   │   ├── get-route-from-entrypoint.js
│               │   │   │   │   │   ├── get-route-from-entrypoint.js.map
│               │   │   │   │   │   ├── htmlescape.d.ts
│               │   │   │   │   │   ├── htmlescape.js
│               │   │   │   │   │   ├── htmlescape.js.map
│               │   │   │   │   │   ├── image-optimizer.d.ts
│               │   │   │   │   │   ├── image-optimizer.js
│               │   │   │   │   │   ├── image-optimizer.js.map
│               │   │   │   │   │   ├── instrumentation
│               │   │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   │   ├── types.js
│               │   │   │   │   │   │   ├── types.js.map
│               │   │   │   │   │   │   ├── utils.d.ts
│               │   │   │   │   │   │   ├── utils.js
│               │   │   │   │   │   │   └── utils.js.map
│               │   │   │   │   │   ├── internal-utils.d.ts
│               │   │   │   │   │   ├── internal-utils.js
│               │   │   │   │   │   ├── internal-utils.js.map
│               │   │   │   │   │   ├── lib
│               │   │   │   │   │   │   ├── app-dir-module.d.ts
│               │   │   │   │   │   │   ├── app-dir-module.js
│               │   │   │   │   │   │   ├── app-dir-module.js.map
│               │   │   │   │   │   │   ├── app-info-log.d.ts
│               │   │   │   │   │   │   ├── app-info-log.js
│               │   │   │   │   │   │   ├── app-info-log.js.map
│               │   │   │   │   │   │   ├── async-callback-set.d.ts
│               │   │   │   │   │   │   ├── async-callback-set.js
│               │   │   │   │   │   │   ├── async-callback-set.js.map
│               │   │   │   │   │   │   ├── cache-control.d.ts
│               │   │   │   │   │   │   ├── cache-control.js
│               │   │   │   │   │   │   ├── cache-control.js.map
│               │   │   │   │   │   │   ├── cache-handlers
│               │   │   │   │   │   │   │   ├── default.external.d.ts
│               │   │   │   │   │   │   │   ├── default.external.js
│               │   │   │   │   │   │   │   ├── default.external.js.map
│               │   │   │   │   │   │   │   ├── types.d.ts
```

```
│   │   │   │   │   │   │   │   ├── types.js
│   │   │   │   │   │   │   │   └── types.js.map
│   │   │   │   │   │   │   ├── chrome-devtools-workspace.d.ts
│   │   │   │   │   │   │   ├── chrome-devtools-workspace.js
│   │   │   │   │   │   │   ├── chrome-devtools-workspace.js.map
│   │   │   │   │   │   │   ├── clone-response.d.ts
│   │   │   │   │   │   │   ├── clone-response.js
│   │   │   │   │   │   │   ├── clone-response.js.map
│   │   │   │   │   │   │   ├── cpu-profile.d.ts
│   │   │   │   │   │   │   ├── cpu-profile.js
│   │   │   │   │   │   │   ├── cpu-profile.js.map
│   │   │   │   │   │   │   ├── decode-query-path-parameter.d.ts
│   │   │   │   │   │   │   ├── decode-query-path-parameter.js
│   │   │   │   │   │   │   ├── decode-query-path-
parameter.js.map
│   │   │   │   │   │   │   ├── dedupe-fetch.d.ts
│   │   │   │   │   │   │   ├── dedupe-fetch.js
│   │   │   │   │   │   │   ├── dedupe-fetch.js.map
│   │   │   │   │   │   │   ├── dev-bundler-service.d.ts
│   │   │   │   │   │   │   ├── dev-bundler-service.js
│   │   │   │   │   │   │   ├── dev-bundler-service.js.map
│   │   │   │   │   │   │   ├── etag.d.ts
│   │   │   │   │   │   │   ├── etag.js
│   │   │   │   │   │   │   ├── etag.js.map
│   │   │   │   │   │   │   ├── experimental
│   │   │   │   │   │   │   │   ├── create-env-definitions.d.ts
│   │   │   │   │   │   │   │   ├── create-env-definitions.js
│   │   │   │   │   │   │   │   ├── create-env-
definitions.js.map
│   │   │   │   │   │   │   │   ├── ppr.d.ts
│   │   │   │   │   │   │   │   ├── ppr.js
│   │   │   │   │   │   │   │   └── ppr.js.map
│   │   │   │   │   │   │   ├── find-page-file.d.ts
│   │   │   │   │   │   │   ├── find-page-file.js
│   │   │   │   │   │   │   ├── find-page-file.js.map
│   │   │   │   │   │   │   ├── fix-mojibake.d.ts
│   │   │   │   │   │   │   ├── fix-mojibake.js
│   │   │   │   │   │   │   ├── fix-mojibake.js.map
│   │   │   │   │   │   │   ├── format-hostname.d.ts
│   │   │   │   │   │   │   ├── format-hostname.js
│   │   │   │   │   │   │   ├── format-hostname.js.map
│   │   │   │   │   │   │   ├── i18n-provider.d.ts
│   │   │   │   │   │   │   ├── i18n-provider.js
│   │   │   │   │   │   │   ├── i18n-provider.js.map
│   │   │   │   │   │   │   ├── implicit-tags.d.ts
│   │   │   │   │   │   │   ├── implicit-tags.js
│   │   │   │   │   │   │   ├── implicit-tags.js.map
│   │   │   │   │   │   │   ├── incremental-cache
│   │   │   │   │   │   │   │   ├── file-system-cache.d.ts
│   │   │   │   │   │   │   │   ├── file-system-cache.js
│   │   │   │   │   │   │   │   ├── file-system-cache.js.map
│   │   │   │   │   │   │   │   ├── index.d.ts
│   │   │   │   │   │   │   │   ├── index.js
│   │   │   │   │   │   │   │   ├── index.js.map
│   │   │   │   │   │   │   │   ├── memory-cache.external.d.ts
│   │   │   │   │   │   │   │   ├── memory-cache.external.js
```

```
│           │   │   │   │   │   │   │   ├── memory-cache.external.js.map
│           │   │   │   │   │   │   │   ├── shared-cache-
controls.external.d.ts
│           │   │   │   │   │   │   │   ├── shared-cache-
controls.external.js
│           │   │   │   │   │   │   │   ├── shared-cache-
controls.external.js.map
│           │   │   │   │   │   │   │   ├── tags-manifest.external.d.ts
│           │   │   │   │   │   │   │   ├── tags-manifest.external.js
│           │   │   │   │   │   │   │   └── tags-
manifest.external.js.map
│           │   │   │   │   │   │   ├── is-ipv6.d.ts
│           │   │   │   │   │   │   ├── is-ipv6.js
│           │   │   │   │   │   │   ├── is-ipv6.js.map
│           │   │   │   │   │   │   ├── lazy-result.d.ts
│           │   │   │   │   │   │   ├── lazy-result.js
│           │   │   │   │   │   │   ├── lazy-result.js.map
│           │   │   │   │   │   │   ├── lru-cache.d.ts
│           │   │   │   │   │   │   ├── lru-cache.js
│           │   │   │   │   │   │   ├── lru-cache.js.map
│           │   │   │   │   │   │   ├── match-next-data-pathname.d.ts
│           │   │   │   │   │   │   ├── match-next-data-pathname.js
│           │   │   │   │   │   │   ├── match-next-data-pathname.js.map
│           │   │   │   │   │   │   ├── mock-request.d.ts
│           │   │   │   │   │   │   ├── mock-request.js
│           │   │   │   │   │   │   ├── mock-request.js.map
│           │   │   │   │   │   │   ├── module-loader
│           │   │   │   │   │   │   │   ├── module-loader.d.ts
│           │   │   │   │   │   │   │   ├── module-loader.js
│           │   │   │   │   │   │   │   ├── module-loader.js.map
│           │   │   │   │   │   │   │   ├── node-module-loader.d.ts
│           │   │   │   │   │   │   │   ├── node-module-loader.js
│           │   │   │   │   │   │   │   ├── node-module-loader.js.map
│           │   │   │   │   │   │   │   ├── route-module-loader.d.ts
│           │   │   │   │   │   │   │   ├── route-module-loader.js
│           │   │   │   │   │   │   │   └── route-module-loader.js.map
│           │   │   │   │   │   │   ├── node-fs-methods.d.ts
│           │   │   │   │   │   │   ├── node-fs-methods.js
│           │   │   │   │   │   │   ├── node-fs-methods.js.map
│           │   │   │   │   │   │   ├── parse-stack.d.ts
│           │   │   │   │   │   │   ├── parse-stack.js
│           │   │   │   │   │   │   ├── parse-stack.js.map
│           │   │   │   │   │   │   ├── patch-fetch.d.ts
│           │   │   │   │   │   │   ├── patch-fetch.js
│           │   │   │   │   │   │   ├── patch-fetch.js.map
│           │   │   │   │   │   │   ├── patch-set-header.d.ts
│           │   │   │   │   │   │   ├── patch-set-header.js
│           │   │   │   │   │   │   ├── patch-set-header.js.map
│           │   │   │   │   │   │   ├── render-server.d.ts
│           │   │   │   │   │   │   ├── render-server.js
│           │   │   │   │   │   │   ├── render-server.js.map
│           │   │   │   │   │   │   ├── router-server.d.ts
│           │   │   │   │   │   │   ├── router-server.js
│           │   │   │   │   │   │   ├── router-server.js.map
│           │   │   │   │   │   │   ├── router-utils
│           │   │   │   │   │   │   │   ├── block-cross-site.d.ts
```

```
│           │   │   │   │   │   │   │   ├── block-cross-site.js
│           │   │   │   │   │   │   │   ├── block-cross-site.js.map
│           │   │   │   │   │   │   │   ├── build-data-route.d.ts
│           │   │   │   │   │   │   │   ├── build-data-route.js
│           │   │   │   │   │   │   │   ├── build-data-route.js.map
│           │   │   │   │   │   │   │   ├── build-prefetch-segment-data-
route.d.ts
│           │   │   │   │   │   │   │   ├── build-prefetch-segment-data-
route.js
│           │   │   │   │   │   │   │   ├── build-prefetch-segment-data-
route.js.map
│           │   │   │   │   │   │   │   ├── decode-path-params.d.ts
│           │   │   │   │   │   │   │   ├── decode-path-params.js
│           │   │   │   │   │   │   │   ├── decode-path-params.js.map
│           │   │   │   │   │   │   │   ├── filesystem.d.ts
│           │   │   │   │   │   │   │   ├── filesystem.js
│           │   │   │   │   │   │   │   ├── filesystem.js.map
│           │   │   │   │   │   │   │   ├── instrumentation-
globals.external.d.ts
│           │   │   │   │   │   │   │   ├── instrumentation-
globals.external.js
│           │   │   │   │   │   │   │   ├── instrumentation-
globals.external.js.map
│           │   │   │   │   │   │   │   ├── instrumentation-node-
extensions.d.ts
│           │   │   │   │   │   │   │   ├── instrumentation-node-
extensions.js
│           │   │   │   │   │   │   │   ├── instrumentation-node-
extensions.js.map
│           │   │   │   │   │   │   │   ├── is-postpone.d.ts
│           │   │   │   │   │   │   │   ├── is-postpone.js
│           │   │   │   │   │   │   │   ├── is-postpone.js.map
│           │   │   │   │   │   │   │   ├── proxy-request.d.ts
│           │   │   │   │   │   │   │   ├── proxy-request.js
│           │   │   │   │   │   │   │   ├── proxy-request.js.map
│           │   │   │   │   │   │   │   ├── resolve-routes.d.ts
│           │   │   │   │   │   │   │   ├── resolve-routes.js
│           │   │   │   │   │   │   │   ├── resolve-routes.js.map
│           │   │   │   │   │   │   │   ├── route-types-utils.d.ts
│           │   │   │   │   │   │   │   ├── route-types-utils.js
│           │   │   │   │   │   │   │   ├── route-types-utils.js.map
│           │   │   │   │   │   │   │   ├── router-server-context.d.ts
│           │   │   │   │   │   │   │   ├── router-server-context.js
│           │   │   │   │   │   │   │   ├── router-server-context.js.map
│           │   │   │   │   │   │   │   ├── setup-dev-bundler.d.ts
│           │   │   │   │   │   │   │   ├── setup-dev-bundler.js
│           │   │   │   │   │   │   │   ├── setup-dev-bundler.js.map
│           │   │   │   │   │   │   │   ├── typegen.d.ts
│           │   │   │   │   │   │   │   ├── typegen.js
│           │   │   │   │   │   │   │   ├── typegen.js.map
│           │   │   │   │   │   │   │   ├── types.d.ts
│           │   │   │   │   │   │   │   ├── types.js
│           │   │   │   │   │   │   │   └── types.js.map
│           │   │   │   │   │   │   ├── server-action-request-meta.d.ts
│           │   │   │   │   │   │   ├── server-action-request-meta.js
```

```
│            │   │   │   │   │   │   ├── server-action-request-
meta.js.map
│            │   │   │   │   │   │   ├── server-ipc
│            │   │   │   │   │   │   │   ├── utils.d.ts
│            │   │   │   │   │   │   │   ├── utils.js
│            │   │   │   │   │   │   │   └── utils.js.map
│            │   │   │   │   │   │   ├── source-maps.d.ts
│            │   │   │   │   │   │   ├── source-maps.js
│            │   │   │   │   │   │   ├── source-maps.js.map
│            │   │   │   │   │   │   ├── start-server.d.ts
│            │   │   │   │   │   │   ├── start-server.js
│            │   │   │   │   │   │   ├── start-server.js.map
│            │   │   │   │   │   │   ├── streaming-metadata.d.ts
│            │   │   │   │   │   │   ├── streaming-metadata.js
│            │   │   │   │   │   │   ├── streaming-metadata.js.map
│            │   │   │   │   │   │   ├── to-route.d.ts
│            │   │   │   │   │   │   ├── to-route.js
│            │   │   │   │   │   │   ├── to-route.js.map
│            │   │   │   │   │   │   ├── trace
│            │   │   │   │   │   │   │   ├── constants.d.ts
│            │   │   │   │   │   │   │   ├── constants.js
│            │   │   │   │   │   │   │   ├── constants.js.map
│            │   │   │   │   │   │   │   ├── tracer.d.ts
│            │   │   │   │   │   │   │   ├── tracer.js
│            │   │   │   │   │   │   │   ├── tracer.js.map
│            │   │   │   │   │   │   │   ├── utils.d.ts
│            │   │   │   │   │   │   │   ├── utils.js
│            │   │   │   │   │   │   │   └── utils.js.map
│            │   │   │   │   │   │   ├── types.d.ts
│            │   │   │   │   │   │   ├── types.js
│            │   │   │   │   │   │   ├── types.js.map
│            │   │   │   │   │   │   ├── utils.d.ts
│            │   │   │   │   │   │   ├── utils.js
│            │   │   │   │   │   │   ├── utils.js.map
│            │   │   │   │   │   │   ├── worker-utils.d.ts
│            │   │   │   │   │   │   ├── worker-utils.js
│            │   │   │   │   │   │   └── worker-utils.js.map
│            │   │   │   │   │   ├── load-components.d.ts
│            │   │   │   │   │   ├── load-components.js
│            │   │   │   │   │   ├── load-components.js.map
│            │   │   │   │   │   ├── load-default-error-components.d.ts
│            │   │   │   │   │   ├── load-default-error-components.js
│            │   │   │   │   │   ├── load-default-error-components.js.map
│            │   │   │   │   │   ├── load-manifest.external.d.ts
│            │   │   │   │   │   ├── load-manifest.external.js
│            │   │   │   │   │   ├── load-manifest.external.js.map
│            │   │   │   │   │   ├── match-bundle.d.ts
│            │   │   │   │   │   ├── match-bundle.js
│            │   │   │   │   │   ├── match-bundle.js.map
│            │   │   │   │   │   ├── next-server.d.ts
│            │   │   │   │   │   ├── next-server.js
│            │   │   │   │   │   ├── next-server.js.map
│            │   │   │   │   │   ├── next-typescript.d.ts
│            │   │   │   │   │   ├── next-typescript.js
│            │   │   │   │   │   ├── next-typescript.js.map
│            │   │   │   │   │   ├── next.d.ts
```

```
│           │   │   │   │   │   ├── next.js
│           │   │   │   │   │   ├── next.js.map
│           │   │   │   │   │   ├── node-environment-baseline.d.ts
│           │   │   │   │   │   ├── node-environment-baseline.js
│           │   │   │   │   │   ├── node-environment-baseline.js.map
│           │   │   │   │   │   ├── node-environment-extensions
│           │   │   │   │   │   │   ├── console-dev.d.ts
│           │   │   │   │   │   │   ├── console-dev.js
│           │   │   │   │   │   │   ├── console-dev.js.map
│           │   │   │   │   │   │   ├── date.d.ts
│           │   │   │   │   │   │   ├── date.js
│           │   │   │   │   │   │   ├── date.js.map
│           │   │   │   │   │   │   ├── error-inspect.d.ts
│           │   │   │   │   │   │   ├── error-inspect.js
│           │   │   │   │   │   │   ├── error-inspect.js.map
│           │   │   │   │   │   │   ├── node-crypto.d.ts
│           │   │   │   │   │   │   ├── node-crypto.js
│           │   │   │   │   │   │   ├── node-crypto.js.map
│           │   │   │   │   │   │   ├── random.d.ts
│           │   │   │   │   │   │   ├── random.js
│           │   │   │   │   │   │   ├── random.js.map
│           │   │   │   │   │   │   ├── utils.d.ts
│           │   │   │   │   │   │   ├── utils.js
│           │   │   │   │   │   │   ├── utils.js.map
│           │   │   │   │   │   │   ├── web-crypto.d.ts
│           │   │   │   │   │   │   ├── web-crypto.js
│           │   │   │   │   │   │   └── web-crypto.js.map
│           │   │   │   │   │   ├── node-environment.d.ts
│           │   │   │   │   │   ├── node-environment.js
│           │   │   │   │   │   ├── node-environment.js.map
│           │   │   │   │   │   ├── node-polyfill-crypto.d.ts
│           │   │   │   │   │   ├── node-polyfill-crypto.js
│           │   │   │   │   │   ├── node-polyfill-crypto.js.map
│           │   │   │   │   │   ├── normalizers
│           │   │   │   │   │   │   ├── absolute-filename-
normalizer.d.ts
│           │   │   │   │   │   │   ├── absolute-filename-normalizer.js
│           │   │   │   │   │   │   ├── absolute-filename-
normalizer.js.map
│           │   │   │   │   │   │   ├── built
│           │   │   │   │   │   │   │   ├── app
│           │   │   │   │   │   │   │   │   ├── app-bundle-path-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── app-bundle-path-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── app-bundle-path-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── app-filename-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── app-filename-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── app-filename-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── app-page-normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── app-page-normalizer.js
```

```
│           │   │   │   │   │   │   │   │   ├── app-page-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── app-pathname-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── app-pathname-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── app-pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── index.d.ts
│           │   │   │   │   │   │   │   │   ├── index.js
│           │   │   │   │   │   │   │   │   └── index.js.map
│           │   │   │   │   │   │   │   └── pages
│           │   │   │   │   │   │   │       ├── index.d.ts
│           │   │   │   │   │   │   │       ├── index.js
│           │   │   │   │   │   │   │       ├── index.js.map
│           │   │   │   │   │   │   │       ├── pages-bundle-path-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── pages-bundle-path-
normalizer.js
│           │   │   │   │   │   │   │       ├── pages-bundle-path-
normalizer.js.map
│           │   │   │   │   │   │   │       ├── pages-filename-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── pages-filename-
normalizer.js
│           │   │   │   │   │   │   │       ├── pages-filename-
normalizer.js.map
│           │   │   │   │   │   │   │       ├── pages-page-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── pages-page-normalizer.js
│           │   │   │   │   │   │   │       ├── pages-page-
normalizer.js.map
│           │   │   │   │   │   │   │       ├── pages-pathname-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── pages-pathname-
normalizer.js
│           │   │   │   │   │   │   │       └── pages-pathname-
normalizer.js.map
│           │   │   │   │   │   │   ├── locale-route-normalizer.d.ts
│           │   │   │   │   │   │   ├── locale-route-normalizer.js
│           │   │   │   │   │   │   ├── locale-route-normalizer.js.map
│           │   │   │   │   │   │   ├── normalizer.d.ts
│           │   │   │   │   │   │   ├── normalizer.js
│           │   │   │   │   │   │   ├── normalizer.js.map
│           │   │   │   │   │   │   ├── normalizers.d.ts
│           │   │   │   │   │   │   ├── normalizers.js
│           │   │   │   │   │   │   ├── normalizers.js.map
│           │   │   │   │   │   │   ├── prefixing-normalizer.d.ts
│           │   │   │   │   │   │   ├── prefixing-normalizer.js
│           │   │   │   │   │   │   ├── prefixing-normalizer.js.map
│           │   │   │   │   │   │   ├── request
│           │   │   │   │   │   │   │   ├── base-path.d.ts
│           │   │   │   │   │   │   │   ├── base-path.js
│           │   │   │   │   │   │   │   ├── base-path.js.map
│           │   │   │   │   │   │   │   ├── next-data.d.ts
│           │   │   │   │   │   │   │   ├── next-data.js
```

```
│               │   │   │   │   │   │   │   ├── next-data.js.map
│               │   │   │   │   │   │   │   ├── pathname-normalizer.d.ts
│               │   │   │   │   │   │   │   ├── pathname-normalizer.js
│               │   │   │   │   │   │   │   ├── pathname-normalizer.js.map
│               │   │   │   │   │   │   │   ├── prefetch-rsc.d.ts
│               │   │   │   │   │   │   │   ├── prefetch-rsc.js
│               │   │   │   │   │   │   │   ├── prefetch-rsc.js.map
│               │   │   │   │   │   │   │   ├── prefix.d.ts
│               │   │   │   │   │   │   │   ├── prefix.js
│               │   │   │   │   │   │   │   ├── prefix.js.map
│               │   │   │   │   │   │   │   ├── rsc.d.ts
│               │   │   │   │   │   │   │   ├── rsc.js
│               │   │   │   │   │   │   │   ├── rsc.js.map
│               │   │   │   │   │   │   │   ├── segment-prefix-rsc.d.ts
│               │   │   │   │   │   │   │   ├── segment-prefix-rsc.js
│               │   │   │   │   │   │   │   ├── segment-prefix-rsc.js.map
│               │   │   │   │   │   │   │   ├── suffix.d.ts
│               │   │   │   │   │   │   │   ├── suffix.js
│               │   │   │   │   │   │   │   └── suffix.js.map
│               │   │   │   │   │   │   ├── underscore-normalizer.d.ts
│               │   │   │   │   │   │   ├── underscore-normalizer.js
│               │   │   │   │   │   │   ├── underscore-normalizer.js.map
│               │   │   │   │   │   │   ├── wrap-normalizer-fn.d.ts
│               │   │   │   │   │   │   ├── wrap-normalizer-fn.js
│               │   │   │   │   │   │   └── wrap-normalizer-fn.js.map
│               │   │   │   │   │   ├── og
│               │   │   │   │   │   │   ├── image-response.d.ts
│               │   │   │   │   │   │   ├── image-response.js
│               │   │   │   │   │   │   └── image-response.js.map
│               │   │   │   │   │   ├── optimize-amp.d.ts
│               │   │   │   │   │   ├── optimize-amp.js
│               │   │   │   │   │   ├── optimize-amp.js.map
│               │   │   │   │   │   ├── patch-error-inspect.d.ts
│               │   │   │   │   │   ├── patch-error-inspect.js
│               │   │   │   │   │   ├── patch-error-inspect.js.map
│               │   │   │   │   │   ├── pipe-readable.d.ts
│               │   │   │   │   │   ├── pipe-readable.js
│               │   │   │   │   │   ├── pipe-readable.js.map
│               │   │   │   │   │   ├── post-process.d.ts
│               │   │   │   │   │   ├── post-process.js
│               │   │   │   │   │   ├── post-process.js.map
│               │   │   │   │   │   ├── render-result.d.ts
│               │   │   │   │   │   ├── render-result.js
│               │   │   │   │   │   ├── render-result.js.map
│               │   │   │   │   │   ├── render.d.ts
│               │   │   │   │   │   ├── render.js
│               │   │   │   │   │   ├── render.js.map
│               │   │   │   │   │   ├── request
│               │   │   │   │   │   │   ├── connection.d.ts
│               │   │   │   │   │   │   ├── connection.js
│               │   │   │   │   │   │   ├── connection.js.map
│               │   │   │   │   │   │   ├── cookies.d.ts
│               │   │   │   │   │   │   ├── cookies.js
│               │   │   │   │   │   │   ├── cookies.js.map
│               │   │   │   │   │   │   ├── draft-mode.d.ts
│               │   │   │   │   │   │   ├── draft-mode.js
```

```
│               │   │   │   │   │   │   ├── draft-mode.js.map
│               │   │   │   │   │   │   ├── fallback-params.d.ts
│               │   │   │   │   │   │   ├── fallback-params.js
│               │   │   │   │   │   │   ├── fallback-params.js.map
│               │   │   │   │   │   │   ├── headers.d.ts
│               │   │   │   │   │   │   ├── headers.js
│               │   │   │   │   │   │   ├── headers.js.map
│               │   │   │   │   │   │   ├── params.d.ts
│               │   │   │   │   │   │   ├── params.js
│               │   │   │   │   │   │   ├── params.js.map
│               │   │   │   │   │   │   ├── pathname.d.ts
│               │   │   │   │   │   │   ├── pathname.js
│               │   │   │   │   │   │   ├── pathname.js.map
│               │   │   │   │   │   │   ├── root-params.d.ts
│               │   │   │   │   │   │   ├── root-params.js
│               │   │   │   │   │   │   ├── root-params.js.map
│               │   │   │   │   │   │   ├── search-params.d.ts
│               │   │   │   │   │   │   ├── search-params.js
│               │   │   │   │   │   │   ├── search-params.js.map
│               │   │   │   │   │   │   ├── utils.d.ts
│               │   │   │   │   │   │   ├── utils.js
│               │   │   │   │   │   │   └── utils.js.map
│               │   │   │   │   │   ├── request-meta.d.ts
│               │   │   │   │   │   ├── request-meta.js
│               │   │   │   │   │   ├── request-meta.js.map
│               │   │   │   │   │   ├── require-hook.d.ts
│               │   │   │   │   │   ├── require-hook.js
│               │   │   │   │   │   ├── require-hook.js.map
│               │   │   │   │   │   ├── require.d.ts
│               │   │   │   │   │   ├── require.js
│               │   │   │   │   │   ├── require.js.map
│               │   │   │   │   │   ├── response-cache
│               │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   │   ├── types.d.ts
│               │   │   │   │   │   │   ├── types.js
│               │   │   │   │   │   │   ├── types.js.map
│               │   │   │   │   │   │   ├── utils.d.ts
│               │   │   │   │   │   │   ├── utils.js
│               │   │   │   │   │   │   ├── utils.js.map
│               │   │   │   │   │   │   ├── web.d.ts
│               │   │   │   │   │   │   ├── web.js
│               │   │   │   │   │   │   └── web.js.map
│               │   │   │   │   │   ├── resume-data-cache
│               │   │   │   │   │   │   ├── cache-store.d.ts
│               │   │   │   │   │   │   ├── cache-store.js
│               │   │   │   │   │   │   ├── cache-store.js.map
│               │   │   │   │   │   │   ├── resume-data-cache.d.ts
│               │   │   │   │   │   │   ├── resume-data-cache.js
│               │   │   │   │   │   │   └── resume-data-cache.js.map
│               │   │   │   │   │   ├── revalidation-utils.d.ts
│               │   │   │   │   │   ├── revalidation-utils.js
│               │   │   │   │   │   ├── revalidation-utils.js.map
│               │   │   │   │   │   ├── route-definitions
│               │   │   │   │   │   │   ├── app-page-route-definition.d.ts
```

```
│           │   │   │   │   │   │   ├── app-page-route-definition.js
│           │   │   │   │   │   │   ├── app-page-route-definition.js.map
│           │   │   │   │   │   │   ├── app-route-route-definition.d.ts
│           │   │   │   │   │   │   ├── app-route-route-definition.js
│           │   │   │   │   │   │   ├── app-route-route-
definition.js.map
│           │   │   │   │   │   │   ├── locale-route-definition.d.ts
│           │   │   │   │   │   │   ├── locale-route-definition.js
│           │   │   │   │   │   │   ├── locale-route-definition.js.map
│           │   │   │   │   │   │   ├── pages-api-route-definition.d.ts
│           │   │   │   │   │   │   ├── pages-api-route-definition.js
│           │   │   │   │   │   │   ├── pages-api-route-
definition.js.map
│           │   │   │   │   │   │   ├── pages-route-definition.d.ts
│           │   │   │   │   │   │   ├── pages-route-definition.js
│           │   │   │   │   │   │   ├── pages-route-definition.js.map
│           │   │   │   │   │   │   ├── route-definition.d.ts
│           │   │   │   │   │   │   ├── route-definition.js
│           │   │   │   │   │   │   └── route-definition.js.map
│           │   │   │   │   │   ├── route-kind.d.ts
│           │   │   │   │   │   ├── route-kind.js
│           │   │   │   │   │   ├── route-kind.js.map
│           │   │   │   │   │   ├── route-matcher-managers
│           │   │   │   │   │   │   ├── default-route-matcher-
manager.d.ts
│           │   │   │   │   │   │   ├── default-route-matcher-manager.js
│           │   │   │   │   │   │   ├── default-route-matcher-
manager.js.map
│           │   │   │   │   │   │   ├── dev-route-matcher-manager.d.ts
│           │   │   │   │   │   │   ├── dev-route-matcher-manager.js
│           │   │   │   │   │   │   ├── dev-route-matcher-manager.js.map
│           │   │   │   │   │   │   ├── route-matcher-manager.d.ts
│           │   │   │   │   │   │   ├── route-matcher-manager.js
│           │   │   │   │   │   │   └── route-matcher-manager.js.map
│           │   │   │   │   │   ├── route-matcher-providers
│           │   │   │   │   │   │   ├── app-page-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── app-page-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── app-page-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── app-route-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── app-route-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── app-route-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── dev
│           │   │   │   │   │   │   │   ├── dev-app-page-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   │   ├── dev-app-page-route-matcher-
provider.js
│           │   │   │   │   │   │   │   ├── dev-app-page-route-matcher-
provider.js.map
│           │   │   │   │   │   │   │   ├── dev-app-route-route-matcher-
provider.d.ts
```

```
│           │   │   │   │   │   │   ├── dev-app-route-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── dev-app-route-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── dev-pages-api-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── dev-pages-api-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── dev-pages-api-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── dev-pages-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── dev-pages-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── dev-pages-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── file-cache-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── file-cache-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── file-cache-route-matcher-
provider.js.map
│           │   │   │   │   │   │   └── helpers
│           │   │   │   │   │   │       └── file-reader
│           │   │   │   │   │   │           ├── batched-file-
reader.d.ts
│           │   │   │   │   │   │           ├── batched-file-
reader.js
│           │   │   │   │   │   │           ├── batched-file-
reader.js.map
│           │   │   │   │   │   │           ├── default-file-
reader.d.ts
│           │   │   │   │   │   │           ├── default-file-
reader.js
│           │   │   │   │   │   │           ├── default-file-
reader.js.map
│           │   │   │   │   │   │           ├── file-reader.d.ts
│           │   │   │   │   │   │           ├── file-reader.js
│           │   │   │   │   │   │           └── file-reader.js.map
│           │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   ├── cached-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── cached-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── cached-route-matcher-
provider.js.map
│           │   │   │   │   │   │   └── manifest-loaders
│           │   │   │   │   │   │       ├── manifest-loader.d.ts
│           │   │   │   │   │   │       ├── manifest-loader.js
│           │   │   │   │   │   │       ├── manifest-loader.js.map
│           │   │   │   │   │   │       ├── node-manifest-
loader.d.ts
│           │   │   │   │   │   │       ├── node-manifest-loader.js
│           │   │   │   │   │   │       ├── node-manifest-
loader.js.map
```

```
│           │   │   │   │   │   │   │       ├── server-manifest-
loader.d.ts
│           │   │   │   │   │   │   │       ├── server-manifest-
loader.js
│           │   │   │   │   │   │   │       └── server-manifest-
loader.js.map
│           │   │   │   │   │   │   ├── manifest-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── manifest-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── manifest-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── pages-api-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── pages-api-route-matcher-
provider.js
│           │   │   │   │   │   │   ├── pages-api-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── pages-route-matcher-
provider.d.ts
│           │   │   │   │   │   │   ├── pages-route-matcher-provider.js
│           │   │   │   │   │   │   ├── pages-route-matcher-
provider.js.map
│           │   │   │   │   │   │   ├── route-matcher-provider.d.ts
│           │   │   │   │   │   │   ├── route-matcher-provider.js
│           │   │   │   │   │   │   └── route-matcher-provider.js.map
│           │   │   │   │   │   ├── route-matchers
│           │   │   │   │   │   │   ├── app-page-route-matcher.d.ts
│           │   │   │   │   │   │   ├── app-page-route-matcher.js
│           │   │   │   │   │   │   ├── app-page-route-matcher.js.map
│           │   │   │   │   │   │   ├── app-route-route-matcher.d.ts
│           │   │   │   │   │   │   ├── app-route-route-matcher.js
│           │   │   │   │   │   │   ├── app-route-route-matcher.js.map
│           │   │   │   │   │   │   ├── locale-route-matcher.d.ts
│           │   │   │   │   │   │   ├── locale-route-matcher.js
│           │   │   │   │   │   │   ├── locale-route-matcher.js.map
│           │   │   │   │   │   │   ├── pages-api-route-matcher.d.ts
│           │   │   │   │   │   │   ├── pages-api-route-matcher.js
│           │   │   │   │   │   │   ├── pages-api-route-matcher.js.map
│           │   │   │   │   │   │   ├── pages-route-matcher.d.ts
│           │   │   │   │   │   │   ├── pages-route-matcher.js
│           │   │   │   │   │   │   ├── pages-route-matcher.js.map
│           │   │   │   │   │   │   ├── route-matcher.d.ts
│           │   │   │   │   │   │   ├── route-matcher.js
│           │   │   │   │   │   │   └── route-matcher.js.map
│           │   │   │   │   │   ├── route-matches
│           │   │   │   │   │   │   ├── app-page-route-match.d.ts
│           │   │   │   │   │   │   ├── app-page-route-match.js
│           │   │   │   │   │   │   ├── app-page-route-match.js.map
│           │   │   │   │   │   │   ├── app-route-route-match.d.ts
│           │   │   │   │   │   │   ├── app-route-route-match.js
│           │   │   │   │   │   │   ├── app-route-route-match.js.map
│           │   │   │   │   │   │   ├── locale-route-match.d.ts
│           │   │   │   │   │   │   ├── locale-route-match.js
│           │   │   │   │   │   │   ├── locale-route-match.js.map
│           │   │   │   │   │   │   ├── pages-api-route-match.d.ts
```

```
│           │   │   │   │   │   │   ├── pages-api-route-match.js
│           │   │   │   │   │   │   ├── pages-api-route-match.js.map
│           │   │   │   │   │   │   ├── pages-route-match.d.ts
│           │   │   │   │   │   │   ├── pages-route-match.js
│           │   │   │   │   │   │   ├── pages-route-match.js.map
│           │   │   │   │   │   │   ├── route-match.d.ts
│           │   │   │   │   │   │   ├── route-match.js
│           │   │   │   │   │   │   └── route-match.js.map
│           │   │   │   │   │   ├── route-modules
│           │   │   │   │   │   │   ├── app-page
│           │   │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   │   ├── prerender-manifest-
matcher.d.ts
│           │   │   │   │   │   │   │   │   ├── prerender-manifest-
matcher.js
│           │   │   │   │   │   │   │   │   └── prerender-manifest-
matcher.js.map
│           │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   ├── module.d.ts
│           │   │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   │   ├── module.render.d.ts
│           │   │   │   │   │   │   │   ├── module.render.js
│           │   │   │   │   │   │   │   ├── module.render.js.map
│           │   │   │   │   │   │   │   └── vendored
│           │   │   │   │   │   │   │       ├── contexts
│           │   │   │   │   │   │   │       │   ├── amp-context.d.ts
│           │   │   │   │   │   │   │       │   ├── amp-context.js
│           │   │   │   │   │   │   │       │   ├── amp-context.js.map
│           │   │   │   │   │   │   │       │   ├── app-router-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── app-router-
context.js
│           │   │   │   │   │   │   │       │   ├── app-router-
context.js.map
│           │   │   │   │   │   │   │       │   ├── entrypoints.d.ts
│           │   │   │   │   │   │   │       │   ├── entrypoints.js
│           │   │   │   │   │   │   │       │   ├── entrypoints.js.map
│           │   │   │   │   │   │   │       │   ├── head-manager-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── head-manager-
context.js
│           │   │   │   │   │   │   │       │   ├── head-manager-
context.js.map
│           │   │   │   │   │   │   │       │   ├── hooks-client-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── hooks-client-
context.js
│           │   │   │   │   │   │   │       │   ├── hooks-client-
context.js.map
│           │   │   │   │   │   │   │       │   ├── image-config-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── image-config-
context.js
```

```
|           |   |   |   |   |   |   |       |   ├── image-config-
context.js.map
|           |   |   |   |   |   |   |       |   ├── router-context.d.ts
|           |   |   |   |   |   |   |       |   ├── router-context.js
|           |   |   |   |   |   |   |       |   ├── router-
context.js.map
|           |   |   |   |   |   |   |       |   ├── server-inserted-
html.d.ts
|           |   |   |   |   |   |   |       |   ├── server-inserted-
html.js
|           |   |   |   |   |   |   |       |   └── server-inserted-
html.js.map
|           |   |   |   |   |   |   |       ├── rsc
|           |   |   |   |   |   |   |       |   ├── entrypoints.d.ts
|           |   |   |   |   |   |   |       |   ├── entrypoints.js
|           |   |   |   |   |   |   |       |   ├── entrypoints.js.map
|           |   |   |   |   |   |   |       |   ├── react-compiler-
runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── react-compiler-
runtime.js
|           |   |   |   |   |   |   |       |   ├── react-compiler-
runtime.js.map
|           |   |   |   |   |   |   |       |   ├── react-dom.d.ts
|           |   |   |   |   |   |   |       |   ├── react-dom.js
|           |   |   |   |   |   |   |       |   ├── react-dom.js.map
|           |   |   |   |   |   |   |       |   ├── react-jsx-dev-
runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── react-jsx-dev-
runtime.js
|           |   |   |   |   |   |   |       |   ├── react-jsx-dev-
runtime.js.map
|           |   |   |   |   |   |   |       |   ├── react-jsx-
runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── react-jsx-runtime.js
|           |   |   |   |   |   |   |       |   ├── react-jsx-
runtime.js.map
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-server.d.ts
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-server.js
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-server.js.map
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-static.d.ts
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-static.js
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
turbopack-static.js.map
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
webpack-server.d.ts
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
webpack-server.js
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
webpack-server.js.map
|           |   |   |   |   |   |   |       |   ├── react-server-dom-
webpack-static.d.ts
```

```
│           │   │   │   │   │   │   │       │   ├── react-server-dom-
webpack-static.js
│           │   │   │   │   │   │   │       │   ├── react-server-dom-
webpack-static.js.map
│           │   │   │   │   │   │   │       │   ├── react.d.ts
│           │   │   │   │   │   │   │       │   ├── react.js
│           │   │   │   │   │   │   │       │   └── react.js.map
│           │   │   │   │   │   │   │       └── ssr
│           │   │   │   │   │   │   │           ├── entrypoints.d.ts
│           │   │   │   │   │   │   │           ├── entrypoints.js
│           │   │   │   │   │   │   │           ├── entrypoints.js.map
│           │   │   │   │   │   │   │           ├── react-compiler-
runtime.d.ts
│           │   │   │   │   │   │   │           ├── react-compiler-
runtime.js
│           │   │   │   │   │   │   │           ├── react-compiler-
runtime.js.map
│           │   │   │   │   │   │   │           ├── react-dom-
server.d.ts
│           │   │   │   │   │   │   │           ├── react-dom-server.js
│           │   │   │   │   │   │   │           ├── react-dom-
server.js.map
│           │   │   │   │   │   │   │           ├── react-dom.d.ts
│           │   │   │   │   │   │   │           ├── react-dom.js
│           │   │   │   │   │   │   │           ├── react-dom.js.map
│           │   │   │   │   │   │   │           ├── react-jsx-dev-
runtime.d.ts
│           │   │   │   │   │   │   │           ├── react-jsx-dev-
runtime.js
│           │   │   │   │   │   │   │           ├── react-jsx-dev-
runtime.js.map
│           │   │   │   │   │   │   │           ├── react-jsx-
runtime.d.ts
│           │   │   │   │   │   │   │           ├── react-jsx-runtime.js
│           │   │   │   │   │   │   │           ├── react-jsx-
runtime.js.map
│           │   │   │   │   │   │   │           ├── react-server-dom-
turbopack-client.d.ts
│           │   │   │   │   │   │   │           ├── react-server-dom-
turbopack-client.js
│           │   │   │   │   │   │   │           ├── react-server-dom-
turbopack-client.js.map
│           │   │   │   │   │   │   │           ├── react-server-dom-
webpack-client.d.ts
│           │   │   │   │   │   │   │           ├── react-server-dom-
webpack-client.js
│           │   │   │   │   │   │   │           ├── react-server-dom-
webpack-client.js.map
│           │   │   │   │   │   │   │           ├── react.d.ts
│           │   │   │   │   │   │   │           ├── react.js
│           │   │   │   │   │   │   │           └── react.js.map
│           │   │   │   │   │   │   ├── app-route
│           │   │   │   │   │   │   │   ├── helpers
│           │   │   │   │   │   │   │   │   ├── auto-implement-
methods.d.ts
```

```
│           │   │   │   │   │   │   │   ├── auto-implement-
methods.js
│           │   │   │   │   │   │   │   ├── auto-implement-
methods.js.map
│           │   │   │   │   │   │   │   ├── clean-url.d.ts
│           │   │   │   │   │   │   │   ├── clean-url.js
│           │   │   │   │   │   │   │   ├── clean-url.js.map
│           │   │   │   │   │   │   │   ├── get-pathname-from-
absolute-path.d.ts
│           │   │   │   │   │   │   │   ├── get-pathname-from-
absolute-path.js
│           │   │   │   │   │   │   │   ├── get-pathname-from-
absolute-path.js.map
│           │   │   │   │   │   │   │   ├── is-static-gen-
enabled.d.ts
│           │   │   │   │   │   │   │   ├── is-static-gen-enabled.js
│           │   │   │   │   │   │   │   ├── is-static-gen-
enabled.js.map
│           │   │   │   │   │   │   │   ├── parsed-url-query-to-
params.d.ts
│           │   │   │   │   │   │   │   ├── parsed-url-query-to-
params.js
│           │   │   │   │   │   │   │   └── parsed-url-query-to-
params.js.map
│           │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   ├── module.d.ts
│           │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   ├── shared-modules.d.ts
│           │   │   │   │   │   │   ├── shared-modules.js
│           │   │   │   │   │   │   └── shared-modules.js.map
│           │   │   │   │   │   ├── checks.d.ts
│           │   │   │   │   │   ├── checks.js
│           │   │   │   │   │   ├── checks.js.map
│           │   │   │   │   │   ├── pages
│           │   │   │   │   │   │   ├── builtin
│           │   │   │   │   │   │   │   ├── _error.d.ts
│           │   │   │   │   │   │   │   ├── _error.js
│           │   │   │   │   │   │   │   └── _error.js.map
│           │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   ├── module.d.ts
│           │   │   │   │   │   │   ├── module.js
│           │   │   │   │   │   │   ├── module.js.map
│           │   │   │   │   │   │   ├── module.render.d.ts
│           │   │   │   │   │   │   ├── module.render.js
│           │   │   │   │   │   │   ├── module.render.js.map
│           │   │   │   │   │   │   ├── pages-handler.d.ts
│           │   │   │   │   │   │   ├── pages-handler.js
│           │   │   │   │   │   │   ├── pages-handler.js.map
│           │   │   │   │   │   │   └── vendored
│           │   │   │   │   │   │       └── contexts
│           │   │   │   │   │   │           ├── amp-context.d.ts
```

```
│           │   │   │   │   │   │   │           ├── amp-context.js
│           │   │   │   │   │   │   │           ├── amp-context.js.map
│           │   │   │   │   │   │   │           ├── app-router-
context.d.ts
│           │   │   │   │   │   │   │           ├── app-router-
context.js
│           │   │   │   │   │   │   │           ├── app-router-
context.js.map
│           │   │   │   │   │   │   │           ├── entrypoints.d.ts
│           │   │   │   │   │   │   │           ├── entrypoints.js
│           │   │   │   │   │   │   │           ├── entrypoints.js.map
│           │   │   │   │   │   │   │           ├── head-manager-
context.d.ts
│           │   │   │   │   │   │   │           ├── head-manager-
context.js
│           │   │   │   │   │   │   │           ├── head-manager-
context.js.map
│           │   │   │   │   │   │   │           ├── hooks-client-
context.d.ts
│           │   │   │   │   │   │   │           ├── hooks-client-
context.js
│           │   │   │   │   │   │   │           ├── hooks-client-
context.js.map
│           │   │   │   │   │   │   │           ├── html-context.d.ts
│           │   │   │   │   │   │   │           ├── html-context.js
│           │   │   │   │   │   │   │           ├── html-context.js.map
│           │   │   │   │   │   │   │           ├── image-config-
context.d.ts
│           │   │   │   │   │   │   │           ├── image-config-
context.js
│           │   │   │   │   │   │   │           ├── image-config-
context.js.map
│           │   │   │   │   │   │   │           ├── loadable-
context.d.ts
│           │   │   │   │   │   │   │           ├── loadable-context.js
│           │   │   │   │   │   │   │           ├── loadable-
context.js.map
│           │   │   │   │   │   │   │           ├── loadable.d.ts
│           │   │   │   │   │   │   │           ├── loadable.js
│           │   │   │   │   │   │   │           ├── loadable.js.map
│           │   │   │   │   │   │   │           ├── router-context.d.ts
│           │   │   │   │   │   │   │           ├── router-context.js
│           │   │   │   │   │   │   │           ├── router-
context.js.map
│           │   │   │   │   │   │   │           ├── server-inserted-
html.d.ts
│           │   │   │   │   │   │   │           ├── server-inserted-
html.js
│           │   │   │   │   │   │   │           └── server-inserted-
html.js.map
│           │   │   │   │   │   │   ├── pages-api
│           │   │   │   │   │   │   │   ├── module.compiled.d.ts
│           │   │   │   │   │   │   │   ├── module.compiled.js
│           │   │   │   │   │   │   │   ├── module.compiled.js.map
│           │   │   │   │   │   │   │   ├── module.d.ts
│           │   │   │   │   │   │   │   ├── module.js
```

```
│   │   │   │   │   │   │   │   │   └── module.js.map
│   │   │   │   │   │   │   │   ├── route-module.d.ts
│   │   │   │   │   │   │   │   ├── route-module.js
│   │   │   │   │   │   │   │   └── route-module.js.map
│   │   │   │   │   │   │   ├── send-payload.d.ts
│   │   │   │   │   │   │   ├── send-payload.js
│   │   │   │   │   │   │   ├── send-payload.js.map
│   │   │   │   │   │   │   ├── send-response.d.ts
│   │   │   │   │   │   │   ├── send-response.js
│   │   │   │   │   │   │   ├── send-response.js.map
│   │   │   │   │   │   │   ├── serve-static.d.ts
│   │   │   │   │   │   │   ├── serve-static.js
│   │   │   │   │   │   │   ├── serve-static.js.map
│   │   │   │   │   │   │   ├── server-route-utils.d.ts
│   │   │   │   │   │   │   ├── server-route-utils.js
│   │   │   │   │   │   │   ├── server-route-utils.js.map
│   │   │   │   │   │   │   ├── server-utils.d.ts
│   │   │   │   │   │   │   ├── server-utils.js
│   │   │   │   │   │   │   ├── server-utils.js.map
│   │   │   │   │   │   │   ├── setup-http-agent-env.d.ts
│   │   │   │   │   │   │   ├── setup-http-agent-env.js
│   │   │   │   │   │   │   ├── setup-http-agent-env.js.map
│   │   │   │   │   │   │   ├── stream-utils
│   │   │   │   │   │   │   │   ├── encoded-tags.d.ts
│   │   │   │   │   │   │   │   ├── encoded-tags.js
│   │   │   │   │   │   │   │   ├── encoded-tags.js.map
│   │   │   │   │   │   │   │   ├── node-web-streams-helper.d.ts
│   │   │   │   │   │   │   │   ├── node-web-streams-helper.js
│   │   │   │   │   │   │   │   ├── node-web-streams-helper.js.map
│   │   │   │   │   │   │   │   ├── uint8array-helpers.d.ts
│   │   │   │   │   │   │   │   ├── uint8array-helpers.js
│   │   │   │   │   │   │   │   └── uint8array-helpers.js.map
│   │   │   │   │   │   │   ├── typescript
│   │   │   │   │   │   │   │   ├── constant.d.ts
│   │   │   │   │   │   │   │   ├── constant.js
│   │   │   │   │   │   │   │   ├── constant.js.map
│   │   │   │   │   │   │   │   ├── index.d.ts
│   │   │   │   │   │   │   │   ├── index.js
│   │   │   │   │   │   │   │   ├── index.js.map
│   │   │   │   │   │   │   │   ├── rules
│   │   │   │   │   │   │   │   │   ├── client-boundary.d.ts
│   │   │   │   │   │   │   │   │   ├── client-boundary.js
│   │   │   │   │   │   │   │   │   ├── client-boundary.js.map
│   │   │   │   │   │   │   │   │   ├── config.d.ts
│   │   │   │   │   │   │   │   │   ├── config.js
│   │   │   │   │   │   │   │   │   ├── config.js.map
│   │   │   │   │   │   │   │   │   ├── entry.d.ts
│   │   │   │   │   │   │   │   │   ├── entry.js
│   │   │   │   │   │   │   │   │   ├── entry.js.map
│   │   │   │   │   │   │   │   │   ├── error.d.ts
│   │   │   │   │   │   │   │   │   ├── error.js
│   │   │   │   │   │   │   │   │   ├── error.js.map
│   │   │   │   │   │   │   │   │   ├── metadata.d.ts
│   │   │   │   │   │   │   │   │   ├── metadata.js
│   │   │   │   │   │   │   │   │   ├── metadata.js.map
│   │   │   │   │   │   │   │   │   ├── server-boundary.d.ts
```

```
│   │   │   │   │   │   │   │   │   │   ├── server-boundary.js
│   │   │   │   │   │   │   │   │   │   ├── server-boundary.js.map
│   │   │   │   │   │   │   │   │   │   ├── server.d.ts
│   │   │   │   │   │   │   │   │   │   ├── server.js
│   │   │   │   │   │   │   │   │   │   └── server.js.map
│   │   │   │   │   │   │   │   │   ├── utils.d.ts
│   │   │   │   │   │   │   │   │   ├── utils.js
│   │   │   │   │   │   │   │   │   └── utils.js.map
│   │   │   │   │   │   │   │   ├── use-cache
│   │   │   │   │   │   │   │   │   ├── cache-life.d.ts
│   │   │   │   │   │   │   │   │   ├── cache-life.js
│   │   │   │   │   │   │   │   │   ├── cache-life.js.map
│   │   │   │   │   │   │   │   │   ├── cache-tag.d.ts
│   │   │   │   │   │   │   │   │   ├── cache-tag.js
│   │   │   │   │   │   │   │   │   ├── cache-tag.js.map
│   │   │   │   │   │   │   │   │   ├── constants.d.ts
│   │   │   │   │   │   │   │   │   ├── constants.js
│   │   │   │   │   │   │   │   │   ├── constants.js.map
│   │   │   │   │   │   │   │   │   ├── handlers.d.ts
│   │   │   │   │   │   │   │   │   ├── handlers.js
│   │   │   │   │   │   │   │   │   ├── handlers.js.map
│   │   │   │   │   │   │   │   │   ├── use-cache-errors.d.ts
│   │   │   │   │   │   │   │   │   ├── use-cache-errors.js
│   │   │   │   │   │   │   │   │   ├── use-cache-errors.js.map
│   │   │   │   │   │   │   │   │   ├── use-cache-wrapper.d.ts
│   │   │   │   │   │   │   │   │   ├── use-cache-wrapper.js
│   │   │   │   │   │   │   │   │   └── use-cache-wrapper.js.map
│   │   │   │   │   │   │   │   ├── utils.d.ts
│   │   │   │   │   │   │   │   ├── utils.js
│   │   │   │   │   │   │   │   ├── utils.js.map
│   │   │   │   │   │   │   │   └── web
│   │   │   │   │   │   │   │       ├── adapter.d.ts
│   │   │   │   │   │   │   │       ├── adapter.js
│   │   │   │   │   │   │   │       ├── adapter.js.map
│   │   │   │   │   │   │   │       ├── edge-route-module-wrapper.d.ts
│   │   │   │   │   │   │   │       ├── edge-route-module-wrapper.js
│   │   │   │   │   │   │   │       ├── edge-route-module-wrapper.js.map
│   │   │   │   │   │   │   │       ├── error.d.ts
│   │   │   │   │   │   │   │       ├── error.js
│   │   │   │   │   │   │   │       ├── error.js.map
│   │   │   │   │   │   │   │       ├── exports
│   │   │   │   │   │   │   │       │   ├── index.d.ts
│   │   │   │   │   │   │   │       │   ├── index.js
│   │   │   │   │   │   │   │       │   └── index.js.map
│   │   │   │   │   │   │   │       ├── get-edge-preview-props.d.ts
│   │   │   │   │   │   │   │       ├── get-edge-preview-props.js
│   │   │   │   │   │   │   │       ├── get-edge-preview-props.js.map
│   │   │   │   │   │   │   │       ├── globals.d.ts
│   │   │   │   │   │   │   │       ├── globals.js
│   │   │   │   │   │   │   │       ├── globals.js.map
│   │   │   │   │   │   │   │       ├── http.d.ts
│   │   │   │   │   │   │   │       ├── http.js
│   │   │   │   │   │   │   │       ├── http.js.map
│   │   │   │   │   │   │   │       ├── internal-edge-wait-until.d.ts
│   │   │   │   │   │   │   │       ├── internal-edge-wait-until.js
│   │   │   │   │   │   │   │       ├── internal-edge-wait-until.js.map
```

```
│               │   │   │   │   │           ├── next-url.d.ts
│               │   │   │   │   │           ├── next-url.js
│               │   │   │   │   │           ├── next-url.js.map
│               │   │   │   │   │           ├── sandbox
│               │   │   │   │   │           │   ├── context.d.ts
│               │   │   │   │   │           │   ├── context.js
│               │   │   │   │   │           │   ├── context.js.map
│               │   │   │   │   │           │   ├── fetch-inline-assets.d.ts
│               │   │   │   │   │           │   ├── fetch-inline-assets.js
│               │   │   │   │   │           │   ├── fetch-inline-assets.js.map
│               │   │   │   │   │           │   ├── index.d.ts
│               │   │   │   │   │           │   ├── index.js
│               │   │   │   │   │           │   ├── index.js.map
│               │   │   │   │   │           │   ├── resource-managers.d.ts
│               │   │   │   │   │           │   ├── resource-managers.js
│               │   │   │   │   │           │   ├── resource-managers.js.map
│               │   │   │   │   │           │   ├── sandbox.d.ts
│               │   │   │   │   │           │   ├── sandbox.js
│               │   │   │   │   │           │   └── sandbox.js.map
│               │   │   │   │   │           ├── spec-extension
│               │   │   │   │   │           │   ├── adapters
│               │   │   │   │   │           │   │   ├── headers.d.ts
│               │   │   │   │   │           │   │   ├── headers.js
│               │   │   │   │   │           │   │   ├── headers.js.map
│               │   │   │   │   │           │   │   ├── next-request.d.ts
│               │   │   │   │   │           │   │   ├── next-request.js
│               │   │   │   │   │           │   │   ├── next-request.js.map
│               │   │   │   │   │           │   │   ├── reflect.d.ts
│               │   │   │   │   │           │   │   ├── reflect.js
│               │   │   │   │   │           │   │   ├── reflect.js.map
│               │   │   │   │   │           │   │   ├── request-cookies.d.ts
│               │   │   │   │   │           │   │   ├── request-cookies.js
│               │   │   │   │   │           │   │   └── request-cookies.js.map
│               │   │   │   │   │           │   ├── cookies.d.ts
│               │   │   │   │   │           │   ├── cookies.js
│               │   │   │   │   │           │   ├── cookies.js.map
│               │   │   │   │   │           │   ├── fetch-event.d.ts
│               │   │   │   │   │           │   ├── fetch-event.js
│               │   │   │   │   │           │   ├── fetch-event.js.map
│               │   │   │   │   │           │   ├── image-response.d.ts
│               │   │   │   │   │           │   ├── image-response.js
│               │   │   │   │   │           │   ├── image-response.js.map
│               │   │   │   │   │           │   ├── request.d.ts
│               │   │   │   │   │           │   ├── request.js
│               │   │   │   │   │           │   ├── request.js.map
│               │   │   │   │   │           │   ├── response.d.ts
│               │   │   │   │   │           │   ├── response.js
│               │   │   │   │   │           │   ├── response.js.map
│               │   │   │   │   │           │   ├── revalidate.d.ts
│               │   │   │   │   │           │   ├── revalidate.js
│               │   │   │   │   │           │   ├── revalidate.js.map
│               │   │   │   │   │           │   ├── unstable-cache.d.ts
│               │   │   │   │   │           │   ├── unstable-cache.js
│               │   │   │   │   │           │   ├── unstable-cache.js.map
│               │   │   │   │   │           │   ├── unstable-no-store.d.ts
│               │   │   │   │   │           │   ├── unstable-no-store.js
```

```
│           │   │   │   │   │       │   ├── unstable-no-store.js.map
│           │   │   │   │   │       │   ├── url-pattern.d.ts
│           │   │   │   │   │       │   ├── url-pattern.js
│           │   │   │   │   │       │   ├── url-pattern.js.map
│           │   │   │   │   │       │   ├── user-agent.d.ts
│           │   │   │   │   │       │   ├── user-agent.js
│           │   │   │   │   │       │   └── user-agent.js.map
│           │   │   │   │   │       ├── types.d.ts
│           │   │   │   │   │       ├── types.js
│           │   │   │   │   │       ├── types.js.map
│           │   │   │   │   │       ├── utils.d.ts
│           │   │   │   │   │       ├── utils.js
│           │   │   │   │   │       ├── utils.js.map
│           │   │   │   │   │       ├── web-on-close.d.ts
│           │   │   │   │   │       ├── web-on-close.js
│           │   │   │   │   │       └── web-on-close.js.map
│           │   │   │   │   ├── shared
│           │   │   │   │   │   └── lib
│           │   │   │   │   │       ├── amp-context.shared-runtime.d.ts
│           │   │   │   │   │       ├── amp-context.shared-runtime.js
│           │   │   │   │   │       ├── amp-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── amp-mode.d.ts
│           │   │   │   │   │       ├── amp-mode.js
│           │   │   │   │   │       ├── amp-mode.js.map
│           │   │   │   │   │       ├── amp.d.ts
│           │   │   │   │   │       ├── amp.js
│           │   │   │   │   │       ├── amp.js.map
│           │   │   │   │   │       ├── app-dynamic.d.ts
│           │   │   │   │   │       ├── app-dynamic.js
│           │   │   │   │   │       ├── app-dynamic.js.map
│           │   │   │   │   │       ├── app-router-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── app-router-context.shared-
runtime.js
│           │   │   │   │   │       ├── app-router-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── bloom-filter.d.ts
│           │   │   │   │   │       ├── bloom-filter.js
│           │   │   │   │   │       ├── bloom-filter.js.map
│           │   │   │   │   │       ├── canary-only.d.ts
│           │   │   │   │   │       ├── canary-only.js
│           │   │   │   │   │       ├── canary-only.js.map
│           │   │   │   │   │       ├── constants.d.ts
│           │   │   │   │   │       ├── constants.js
│           │   │   │   │   │       ├── constants.js.map
│           │   │   │   │   │       ├── deep-freeze.d.ts
│           │   │   │   │   │       ├── deep-freeze.js
│           │   │   │   │   │       ├── deep-freeze.js.map
│           │   │   │   │   │       ├── deep-readonly.d.ts
│           │   │   │   │   │       ├── deep-readonly.js
│           │   │   │   │   │       ├── deep-readonly.js.map
│           │   │   │   │   │       ├── dset.d.ts
│           │   │   │   │   │       ├── dset.js
│           │   │   │   │   │       ├── dset.js.map
│           │   │   │   │   │       ├── dynamic.d.ts
```

```
│           │   │   │   │   │       ├── dynamic.js
│           │   │   │   │   │       ├── dynamic.js.map
│           │   │   │   │   │       ├── encode-uri-path.d.ts
│           │   │   │   │   │       ├── encode-uri-path.js
│           │   │   │   │   │       ├── encode-uri-path.js.map
│           │   │   │   │   │       ├── error-source.d.ts
│           │   │   │   │   │       ├── error-source.js
│           │   │   │   │   │       ├── error-source.js.map
│           │   │   │   │   │       ├── errors
│           │   │   │   │   │       │   ├── constants.d.ts
│           │   │   │   │   │       │   ├── constants.js
│           │   │   │   │   │       │   └── constants.js.map
│           │   │   │   │   │       ├── escape-regexp.d.ts
│           │   │   │   │   │       ├── escape-regexp.js
│           │   │   │   │   │       ├── escape-regexp.js.map
│           │   │   │   │   │       ├── fnv1a.d.ts
│           │   │   │   │   │       ├── fnv1a.js
│           │   │   │   │   │       ├── fnv1a.js.map
│           │   │   │   │   │       ├── format-webpack-messages.d.ts
│           │   │   │   │   │       ├── format-webpack-messages.js
│           │   │   │   │   │       ├── format-webpack-messages.js.map
│           │   │   │   │   │       ├── get-hostname.d.ts
│           │   │   │   │   │       ├── get-hostname.js
│           │   │   │   │   │       ├── get-hostname.js.map
│           │   │   │   │   │       ├── get-img-props.d.ts
│           │   │   │   │   │       ├── get-img-props.js
│           │   │   │   │   │       ├── get-img-props.js.map
│           │   │   │   │   │       ├── get-rspack.d.ts
│           │   │   │   │   │       ├── get-rspack.js
│           │   │   │   │   │       ├── get-rspack.js.map
│           │   │   │   │   │       ├── get-webpack-bundler.d.ts
│           │   │   │   │   │       ├── get-webpack-bundler.js
│           │   │   │   │   │       ├── get-webpack-bundler.js.map
│           │   │   │   │   │       ├── hash.d.ts
│           │   │   │   │   │       ├── hash.js
│           │   │   │   │   │       ├── hash.js.map
│           │   │   │   │   │       ├── head-manager-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── head-manager-context.shared-
runtime.js
│           │   │   │   │   │       ├── head-manager-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── head.d.ts
│           │   │   │   │   │       ├── head.js
│           │   │   │   │   │       ├── head.js.map
│           │   │   │   │   │       ├── hooks-client-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── hooks-client-context.shared-
runtime.js
│           │   │   │   │   │       ├── hooks-client-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── html-context.shared-runtime.d.ts
│           │   │   │   │   │       ├── html-context.shared-runtime.js
│           │   │   │   │   │       ├── html-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── i18n
```

```
│           │   │   │   │   │       │   ├── detect-domain-locale.d.ts
│           │   │   │   │   │       │   ├── detect-domain-locale.js
│           │   │   │   │   │       │   ├── detect-domain-locale.js.map
│           │   │   │   │   │       │   ├── get-locale-redirect.d.ts
│           │   │   │   │   │       │   ├── get-locale-redirect.js
│           │   │   │   │   │       │   ├── get-locale-redirect.js.map
│           │   │   │   │   │       │   ├── normalize-locale-path.d.ts
│           │   │   │   │   │       │   ├── normalize-locale-path.js
│           │   │   │   │   │       │   └── normalize-locale-path.js.map
│           │   │   │   │   │       ├── image-blur-svg.d.ts
│           │   │   │   │   │       ├── image-blur-svg.js
│           │   │   │   │   │       ├── image-blur-svg.js.map
│           │   │   │   │   │       ├── image-config-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── image-config-context.shared-
runtime.js
│           │   │   │   │   │       ├── image-config-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── image-config.d.ts
│           │   │   │   │   │       ├── image-config.js
│           │   │   │   │   │       ├── image-config.js.map
│           │   │   │   │   │       ├── image-external.d.ts
│           │   │   │   │   │       ├── image-external.js
│           │   │   │   │   │       ├── image-external.js.map
│           │   │   │   │   │       ├── image-loader.d.ts
│           │   │   │   │   │       ├── image-loader.js
│           │   │   │   │   │       ├── image-loader.js.map
│           │   │   │   │   │       ├── invariant-error.d.ts
│           │   │   │   │   │       ├── invariant-error.js
│           │   │   │   │   │       ├── invariant-error.js.map
│           │   │   │   │   │       ├── is-internal.d.ts
│           │   │   │   │   │       ├── is-internal.js
│           │   │   │   │   │       ├── is-internal.js.map
│           │   │   │   │   │       ├── is-plain-object.d.ts
│           │   │   │   │   │       ├── is-plain-object.js
│           │   │   │   │   │       ├── is-plain-object.js.map
│           │   │   │   │   │       ├── is-thenable.d.ts
│           │   │   │   │   │       ├── is-thenable.js
│           │   │   │   │   │       ├── is-thenable.js.map
│           │   │   │   │   │       ├── isomorphic
│           │   │   │   │   │       │   ├── path.d.ts
│           │   │   │   │   │       │   ├── path.js
│           │   │   │   │   │       │   └── path.js.map
│           │   │   │   │   │       ├── lazy-dynamic
│           │   │   │   │   │       │   ├── bailout-to-csr.d.ts
│           │   │   │   │   │       │   ├── bailout-to-csr.js
│           │   │   │   │   │       │   ├── bailout-to-csr.js.map
│           │   │   │   │   │       │   ├── dynamic-bailout-to-csr.d.ts
│           │   │   │   │   │       │   ├── dynamic-bailout-to-csr.js
│           │   │   │   │   │       │   ├── dynamic-bailout-to-
csr.js.map
│           │   │   │   │   │       │   ├── loadable.d.ts
│           │   │   │   │   │       │   ├── loadable.js
│           │   │   │   │   │       │   ├── loadable.js.map
│           │   │   │   │   │       │   ├── preload-chunks.d.ts
│           │   │   │   │   │       │   ├── preload-chunks.js
```

```
│           │   │   │   │   │       │   ├── preload-chunks.js.map
│           │   │   │   │   │       │   ├── types.d.ts
│           │   │   │   │   │       │   ├── types.js
│           │   │   │   │   │       │   └── types.js.map
│           │   │   │   │   │       ├── loadable-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── loadable-context.shared-
runtime.js
│           │   │   │   │   │       ├── loadable-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── loadable.shared-runtime.d.ts
│           │   │   │   │   │       ├── loadable.shared-runtime.js
│           │   │   │   │   │       ├── loadable.shared-runtime.js.map
│           │   │   │   │   │       ├── magic-identifier.d.ts
│           │   │   │   │   │       ├── magic-identifier.js
│           │   │   │   │   │       ├── magic-identifier.js.map
│           │   │   │   │   │       ├── match-local-pattern.d.ts
│           │   │   │   │   │       ├── match-local-pattern.js
│           │   │   │   │   │       ├── match-local-pattern.js.map
│           │   │   │   │   │       ├── match-remote-pattern.d.ts
│           │   │   │   │   │       ├── match-remote-pattern.js
│           │   │   │   │   │       ├── match-remote-pattern.js.map
│           │   │   │   │   │       ├── mitt.d.ts
│           │   │   │   │   │       ├── mitt.js
│           │   │   │   │   │       ├── mitt.js.map
│           │   │   │   │   │       ├── modern-browserslist-target.d.ts
│           │   │   │   │   │       ├── modern-browserslist-target.js
│           │   │   │   │   │       ├── modern-browserslist-
target.js.map
│           │   │   │   │   │       ├── no-fallback-error.external.d.ts
│           │   │   │   │   │       ├── no-fallback-error.external.js
│           │   │   │   │   │       ├── no-fallback-
error.external.js.map
│           │   │   │   │   │       ├── normalized-asset-prefix.d.ts
│           │   │   │   │   │       ├── normalized-asset-prefix.js
│           │   │   │   │   │       ├── normalized-asset-prefix.js.map
│           │   │   │   │   │       ├── page-path
│           │   │   │   │   │       │   ├── absolute-path-to-page.d.ts
│           │   │   │   │   │       │   ├── absolute-path-to-page.js
│           │   │   │   │   │       │   ├── absolute-path-to-page.js.map
│           │   │   │   │   │       │   ├── denormalize-app-path.d.ts
│           │   │   │   │   │       │   ├── denormalize-app-path.js
│           │   │   │   │   │       │   ├── denormalize-app-path.js.map
│           │   │   │   │   │       │   ├── denormalize-page-path.d.ts
│           │   │   │   │   │       │   ├── denormalize-page-path.js
│           │   │   │   │   │       │   ├── denormalize-page-path.js.map
│           │   │   │   │   │       │   ├── ensure-leading-slash.d.ts
│           │   │   │   │   │       │   ├── ensure-leading-slash.js
│           │   │   │   │   │       │   ├── ensure-leading-slash.js.map
│           │   │   │   │   │       │   ├── get-page-paths.d.ts
│           │   │   │   │   │       │   ├── get-page-paths.js
│           │   │   │   │   │       │   ├── get-page-paths.js.map
│           │   │   │   │   │       │   ├── normalize-data-path.d.ts
│           │   │   │   │   │       │   ├── normalize-data-path.js
│           │   │   │   │   │       │   ├── normalize-data-path.js.map
│           │   │   │   │   │       │   ├── normalize-page-path.d.ts
```

```
│           │   │   │   │   │       │   ├── normalize-page-path.js
│           │   │   │   │   │       │   ├── normalize-page-path.js.map
│           │   │   │   │   │       │   ├── normalize-path-sep.d.ts
│           │   │   │   │   │       │   ├── normalize-path-sep.js
│           │   │   │   │   │       │   ├── normalize-path-sep.js.map
│           │   │   │   │   │       │   ├── remove-page-path-tail.d.ts
│           │   │   │   │   │       │   ├── remove-page-path-tail.js
│           │   │   │   │   │       │   └── remove-page-path-tail.js.map
│           │   │   │   │   │       ├── promise-with-resolvers.d.ts
│           │   │   │   │   │       ├── promise-with-resolvers.js
│           │   │   │   │   │       ├── promise-with-resolvers.js.map
│           │   │   │   │   │       ├── router
│           │   │   │   │   │       │   ├── adapters.d.ts
│           │   │   │   │   │       │   ├── adapters.js
│           │   │   │   │   │       │   ├── adapters.js.map
│           │   │   │   │   │       │   ├── router.d.ts
│           │   │   │   │   │       │   ├── router.js
│           │   │   │   │   │       │   ├── router.js.map
│           │   │   │   │   │       │   └── utils
│           │   │   │   │   │       │       ├── add-locale.d.ts
│           │   │   │   │   │       │       ├── add-locale.js
│           │   │   │   │   │       │       ├── add-locale.js.map
│           │   │   │   │   │       │       ├── add-path-prefix.d.ts
│           │   │   │   │   │       │       ├── add-path-prefix.js
│           │   │   │   │   │       │       ├── add-path-prefix.js.map
│           │   │   │   │   │       │       ├── add-path-suffix.d.ts
│           │   │   │   │   │       │       ├── add-path-suffix.js
│           │   │   │   │   │       │       ├── add-path-suffix.js.map
│           │   │   │   │   │       │       ├── app-paths.d.ts
│           │   │   │   │   │       │       ├── app-paths.js
│           │   │   │   │   │       │       ├── app-paths.js.map
│           │   │   │   │   │       │       ├── as-path-to-search-
params.d.ts
│           │   │   │   │   │       │       ├── as-path-to-search-
params.js
│           │   │   │   │   │       │       ├── as-path-to-search-
params.js.map
│           │   │   │   │   │       │       ├── cache-busting-search-
param.d.ts
│           │   │   │   │   │       │       ├── cache-busting-search-
param.js
│           │   │   │   │   │       │       ├── cache-busting-search-
param.js.map
│           │   │   │   │   │       │       ├── compare-states.d.ts
│           │   │   │   │   │       │       ├── compare-states.js
│           │   │   │   │   │       │       ├── compare-states.js.map
│           │   │   │   │   │       │       ├── disable-smooth-
scroll.d.ts
│           │   │   │   │   │       │       ├── disable-smooth-scroll.js
│           │   │   │   │   │       │       ├── disable-smooth-
scroll.js.map
│           │   │   │   │   │       │       ├── escape-path-
delimiters.d.ts
│           │   │   │   │   │       │       ├── escape-path-
delimiters.js
```

```
│           │   │   │   │   │       │       ├── escape-path-
delimiters.js.map
│           │   │   │   │   │       │       ├── format-next-pathname-
info.d.ts
│           │   │   │   │   │       │       ├── format-next-pathname-
info.js
│           │   │   │   │   │       │       ├── format-next-pathname-
info.js.map
│           │   │   │   │   │       │       ├── format-url.d.ts
│           │   │   │   │   │       │       ├── format-url.js
│           │   │   │   │   │       │       ├── format-url.js.map
│           │   │   │   │   │       │       ├── get-asset-path-from-
route.d.ts
│           │   │   │   │   │       │       ├── get-asset-path-from-
route.js
│           │   │   │   │   │       │       ├── get-asset-path-from-
route.js.map
│           │   │   │   │   │       │       ├── get-dynamic-param.d.ts
│           │   │   │   │   │       │       ├── get-dynamic-param.js
│           │   │   │   │   │       │       ├── get-dynamic-param.js.map
│           │   │   │   │   │       │       ├── get-next-pathname-
info.d.ts
│           │   │   │   │   │       │       ├── get-next-pathname-
info.js
│           │   │   │   │   │       │       ├── get-next-pathname-
info.js.map
│           │   │   │   │   │       │       ├── get-route-from-asset-
path.d.ts
│           │   │   │   │   │       │       ├── get-route-from-asset-
path.js
│           │   │   │   │   │       │       ├── get-route-from-asset-
path.js.map
│           │   │   │   │   │       │       ├── html-bots.d.ts
│           │   │   │   │   │       │       ├── html-bots.js
│           │   │   │   │   │       │       ├── html-bots.js.map
│           │   │   │   │   │       │       ├── index.d.ts
│           │   │   │   │   │       │       ├── index.js
│           │   │   │   │   │       │       ├── index.js.map
│           │   │   │   │   │       │       ├── interception-routes.d.ts
│           │   │   │   │   │       │       ├── interception-routes.js
│           │   │   │   │   │       │       ├── interception-
routes.js.map
│           │   │   │   │   │       │       ├── interpolate-as.d.ts
│           │   │   │   │   │       │       ├── interpolate-as.js
│           │   │   │   │   │       │       ├── interpolate-as.js.map
│           │   │   │   │   │       │       ├── is-bot.d.ts
│           │   │   │   │   │       │       ├── is-bot.js
│           │   │   │   │   │       │       ├── is-bot.js.map
│           │   │   │   │   │       │       ├── is-dynamic.d.ts
│           │   │   │   │   │       │       ├── is-dynamic.js
│           │   │   │   │   │       │       ├── is-dynamic.js.map
│           │   │   │   │   │       │       ├── is-local-url.d.ts
│           │   │   │   │   │       │       ├── is-local-url.js
│           │   │   │   │   │       │       ├── is-local-url.js.map
│           │   │   │   │   │       │       ├── middleware-route-
matcher.d.ts
```

```
│           │   │   │   │   │       │       ├── middleware-route-
matcher.js
│           │   │   │   │   │       │       ├── middleware-route-
matcher.js.map
│           │   │   │   │   │       │       ├── omit.d.ts
│           │   │   │   │   │       │       ├── omit.js
│           │   │   │   │   │       │       ├── omit.js.map
│           │   │   │   │   │       │       ├── parse-path.d.ts
│           │   │   │   │   │       │       ├── parse-path.js
│           │   │   │   │   │       │       ├── parse-path.js.map
│           │   │   │   │   │       │       ├── parse-relative-url.d.ts
│           │   │   │   │   │       │       ├── parse-relative-url.js
│           │   │   │   │   │       │       ├── parse-relative-
url.js.map
│           │   │   │   │   │       │       ├── parse-url.d.ts
│           │   │   │   │   │       │       ├── parse-url.js
│           │   │   │   │   │       │       ├── parse-url.js.map
│           │   │   │   │   │       │       ├── path-has-prefix.d.ts
│           │   │   │   │   │       │       ├── path-has-prefix.js
│           │   │   │   │   │       │       ├── path-has-prefix.js.map
│           │   │   │   │   │       │       ├── path-match.d.ts
│           │   │   │   │   │       │       ├── path-match.js
│           │   │   │   │   │       │       ├── path-match.js.map
│           │   │   │   │   │       │       ├── prepare-destination.d.ts
│           │   │   │   │   │       │       ├── prepare-destination.js
│           │   │   │   │   │       │       ├── prepare-
destination.js.map
│           │   │   │   │   │       │       ├── querystring.d.ts
│           │   │   │   │   │       │       ├── querystring.js
│           │   │   │   │   │       │       ├── querystring.js.map
│           │   │   │   │   │       │       ├── relativize-url.d.ts
│           │   │   │   │   │       │       ├── relativize-url.js
│           │   │   │   │   │       │       ├── relativize-url.js.map
│           │   │   │   │   │       │       ├── remove-path-prefix.d.ts
│           │   │   │   │   │       │       ├── remove-path-prefix.js
│           │   │   │   │   │       │       ├── remove-path-
prefix.js.map
│           │   │   │   │   │       │       ├── remove-trailing-
slash.d.ts
│           │   │   │   │   │       │       ├── remove-trailing-slash.js
│           │   │   │   │   │       │       ├── remove-trailing-
slash.js.map
│           │   │   │   │   │       │       ├── resolve-rewrites.d.ts
│           │   │   │   │   │       │       ├── resolve-rewrites.js
│           │   │   │   │   │       │       ├── resolve-rewrites.js.map
│           │   │   │   │   │       │       ├── route-match-utils.d.ts
│           │   │   │   │   │       │       ├── route-match-utils.js
│           │   │   │   │   │       │       ├── route-match-utils.js.map
│           │   │   │   │   │       │       ├── route-matcher.d.ts
│           │   │   │   │   │       │       ├── route-matcher.js
│           │   │   │   │   │       │       ├── route-matcher.js.map
│           │   │   │   │   │       │       ├── route-regex.d.ts
│           │   │   │   │   │       │       ├── route-regex.js
│           │   │   │   │   │       │       ├── route-regex.js.map
│           │   │   │   │   │       │       ├── sortable-routes.d.ts
│           │   │   │   │   │       │       ├── sortable-routes.js
```

```
│           │   │   │   │   │       │       ├── sortable-routes.js.map
│           │   │   │   │   │       │       ├── sorted-routes.d.ts
│           │   │   │   │   │       │       ├── sorted-routes.js
│           │   │   │   │   │       │       └── sorted-routes.js.map
│           │   │   │   │   │       ├── router-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── router-context.shared-runtime.js
│           │   │   │   │   │       ├── router-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── runtime-config.external.d.ts
│           │   │   │   │   │       ├── runtime-config.external.js
│           │   │   │   │   │       ├── runtime-config.external.js.map
│           │   │   │   │   │       ├── segment-cache
│           │   │   │   │   │       │   ├── output-export-prefetch-
encoding.d.ts
│           │   │   │   │   │       │   ├── output-export-prefetch-
encoding.js
│           │   │   │   │   │       │   ├── output-export-prefetch-
encoding.js.map
│           │   │   │   │   │       │   ├── segment-value-encoding.d.ts
│           │   │   │   │   │       │   ├── segment-value-encoding.js
│           │   │   │   │   │       │   └── segment-value-
encoding.js.map
│           │   │   │   │   │       ├── segment.d.ts
│           │   │   │   │   │       ├── segment.js
│           │   │   │   │   │       ├── segment.js.map
│           │   │   │   │   │       ├── server-inserted-html.shared-
runtime.d.ts
│           │   │   │   │   │       ├── server-inserted-html.shared-
runtime.js
│           │   │   │   │   │       ├── server-inserted-html.shared-
runtime.js.map
│           │   │   │   │   │       ├── server-reference-info.d.ts
│           │   │   │   │   │       ├── server-reference-info.js
│           │   │   │   │   │       ├── server-reference-info.js.map
│           │   │   │   │   │       ├── side-effect.d.ts
│           │   │   │   │   │       ├── side-effect.js
│           │   │   │   │   │       ├── side-effect.js.map
│           │   │   │   │   │       ├── styled-jsx.d.ts
│           │   │   │   │   │       ├── styled-jsx.js
│           │   │   │   │   │       ├── styled-jsx.js.map
│           │   │   │   │   │       ├── turbopack
│           │   │   │   │   │       │   ├── compilation-events.d.ts
│           │   │   │   │   │       │   ├── compilation-events.js
│           │   │   │   │   │       │   ├── compilation-events.js.map
│           │   │   │   │   │       │   ├── entry-key.d.ts
│           │   │   │   │   │       │   ├── entry-key.js
│           │   │   │   │   │       │   ├── entry-key.js.map
│           │   │   │   │   │       │   ├── internal-error.d.ts
│           │   │   │   │   │       │   ├── internal-error.js
│           │   │   │   │   │       │   ├── internal-error.js.map
│           │   │   │   │   │       │   ├── manifest-loader.d.ts
│           │   │   │   │   │       │   ├── manifest-loader.js
│           │   │   │   │   │       │   ├── manifest-loader.js.map
│           │   │   │   │   │       │   ├── utils.d.ts
│           │   │   │   │   │       │   ├── utils.js
```

```
│               │   │   │   │   │       │   └── utils.js.map
│               │   │   │   │   │       ├── utils
│               │   │   │   │   │       │   ├── error-once.d.ts
│               │   │   │   │   │       │   ├── error-once.js
│               │   │   │   │   │       │   ├── error-once.js.map
│               │   │   │   │   │       │   ├── reflect-utils.d.ts
│               │   │   │   │   │       │   ├── reflect-utils.js
│               │   │   │   │   │       │   ├── reflect-utils.js.map
│               │   │   │   │   │       │   ├── warn-once.d.ts
│               │   │   │   │   │       │   ├── warn-once.js
│               │   │   │   │   │       │   └── warn-once.js.map
│               │   │   │   │   │       ├── utils.d.ts
│               │   │   │   │   │       ├── utils.js
│               │   │   │   │   │       ├── utils.js.map
│               │   │   │   │   │       ├── zod.d.ts
│               │   │   │   │   │       ├── zod.js
│               │   │   │   │   │       └── zod.js.map
│               │   │   │   │   ├── styled-jsx
│               │   │   │   │   │   └── types
│               │   │   │   │   │       ├── css.d.ts
│               │   │   │   │   │       ├── global.d.ts
│               │   │   │   │   │       ├── index.d.ts
│               │   │   │   │   │       ├── macro.d.ts
│               │   │   │   │   │       └── style.d.ts
│               │   │   │   │   ├── telemetry
│               │   │   │   │   │   ├── anonymous-meta.d.ts
│               │   │   │   │   │   ├── anonymous-meta.js
│               │   │   │   │   │   ├── anonymous-meta.js.map
│               │   │   │   │   │   ├── detached-flush.d.ts
│               │   │   │   │   │   ├── detached-flush.js
│               │   │   │   │   │   ├── detached-flush.js.map
│               │   │   │   │   │   ├── events
│               │   │   │   │   │   │   ├── build.d.ts
│               │   │   │   │   │   │   ├── build.js
│               │   │   │   │   │   │   ├── build.js.map
│               │   │   │   │   │   │   ├── error-feedback.d.ts
│               │   │   │   │   │   │   ├── error-feedback.js
│               │   │   │   │   │   │   ├── error-feedback.js.map
│               │   │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   │   ├── index.js
│               │   │   │   │   │   │   ├── index.js.map
│               │   │   │   │   │   │   ├── plugins.d.ts
│               │   │   │   │   │   │   ├── plugins.js
│               │   │   │   │   │   │   ├── plugins.js.map
│               │   │   │   │   │   │   ├── session-stopped.d.ts
│               │   │   │   │   │   │   ├── session-stopped.js
│               │   │   │   │   │   │   ├── session-stopped.js.map
│               │   │   │   │   │   │   ├── swc-load-failure.d.ts
│               │   │   │   │   │   │   ├── swc-load-failure.js
│               │   │   │   │   │   │   ├── swc-load-failure.js.map
│               │   │   │   │   │   │   ├── swc-plugins.d.ts
│               │   │   │   │   │   │   ├── swc-plugins.js
│               │   │   │   │   │   │   ├── swc-plugins.js.map
│               │   │   │   │   │   │   ├── version.d.ts
│               │   │   │   │   │   │   ├── version.js
│               │   │   │   │   │   │   └── version.js.map
```

```
│   │   │   │   │   │   │   ├── flush-and-exit.d.ts
│   │   │   │   │   │   │   ├── flush-and-exit.js
│   │   │   │   │   │   │   ├── flush-and-exit.js.map
│   │   │   │   │   │   │   ├── post-telemetry-payload.d.ts
│   │   │   │   │   │   │   ├── post-telemetry-payload.js
│   │   │   │   │   │   │   ├── post-telemetry-payload.js.map
│   │   │   │   │   │   │   ├── post-telemetry-payload.test.js
│   │   │   │   │   │   │   ├── post-telemetry-payload.test.js.map
│   │   │   │   │   │   │   ├── project-id.d.ts
│   │   │   │   │   │   │   ├── project-id.js
│   │   │   │   │   │   │   ├── project-id.js.map
│   │   │   │   │   │   │   ├── storage.d.ts
│   │   │   │   │   │   │   ├── storage.js
│   │   │   │   │   │   │   └── storage.js.map
│   │   │   │   │   │   ├── trace
│   │   │   │   │   │   │   ├── index.d.ts
│   │   │   │   │   │   │   ├── index.js
│   │   │   │   │   │   │   ├── index.js.map
│   │   │   │   │   │   │   ├── report
│   │   │   │   │   │   │   │   ├── index.d.ts
│   │   │   │   │   │   │   │   ├── index.js
│   │   │   │   │   │   │   │   ├── index.js.map
│   │   │   │   │   │   │   │   ├── index.test.js
│   │   │   │   │   │   │   │   ├── index.test.js.map
│   │   │   │   │   │   │   │   ├── to-json.d.ts
│   │   │   │   │   │   │   │   ├── to-json.js
│   │   │   │   │   │   │   │   ├── to-json.js.map
│   │   │   │   │   │   │   │   ├── to-telemetry.d.ts
│   │   │   │   │   │   │   │   ├── to-telemetry.js
│   │   │   │   │   │   │   │   ├── to-telemetry.js.map
│   │   │   │   │   │   │   │   ├── types.d.ts
│   │   │   │   │   │   │   │   ├── types.js
│   │   │   │   │   │   │   │   └── types.js.map
│   │   │   │   │   │   │   ├── shared.d.ts
│   │   │   │   │   │   │   ├── shared.js
│   │   │   │   │   │   │   ├── shared.js.map
│   │   │   │   │   │   │   ├── trace-uploader.d.ts
│   │   │   │   │   │   │   ├── trace-uploader.js
│   │   │   │   │   │   │   ├── trace-uploader.js.map
│   │   │   │   │   │   │   ├── trace.d.ts
│   │   │   │   │   │   │   ├── trace.js
│   │   │   │   │   │   │   ├── trace.js.map
│   │   │   │   │   │   │   ├── trace.test.js
│   │   │   │   │   │   │   ├── trace.test.js.map
│   │   │   │   │   │   │   ├── types.d.ts
│   │   │   │   │   │   │   ├── types.js
│   │   │   │   │   │   │   ├── types.js.map
│   │   │   │   │   │   │   ├── upload-trace.d.ts
│   │   │   │   │   │   │   ├── upload-trace.js
│   │   │   │   │   │   │   └── upload-trace.js.map
│   │   │   │   │   │   └── types.d.ts
│   │   │   │   │   ├── document.d.ts
│   │   │   │   │   ├── document.js
│   │   │   │   │   ├── dynamic.d.ts
│   │   │   │   │   ├── dynamic.js
│   │   │   │   │   ├── error.d.ts
```

```
│               │   │   │   ├── error.js
│               │   │   │   ├── experimental
│               │   │   │   │   ├── testing
│               │   │   │   │   │   ├── server.d.ts
│               │   │   │   │   │   └── server.js
│               │   │   │   │   └── testmode
│               │   │   │   │       ├── playwright
│               │   │   │   │       │   ├── msw.d.ts
│               │   │   │   │       │   └── msw.js
│               │   │   │   │       ├── playwright.d.ts
│               │   │   │   │       ├── playwright.js
│               │   │   │   │       ├── proxy.d.ts
│               │   │   │   │       └── proxy.js
│               │   │   │   ├── font
│               │   │   │   │   ├── google
│               │   │   │   │   │   ├── index.d.ts
│               │   │   │   │   │   ├── index.js
│               │   │   │   │   │   └── target.css
│               │   │   │   │   ├── index.d.ts
│               │   │   │   │   └── local
│               │   │   │   │       ├── index.d.ts
│               │   │   │   │       ├── index.js
│               │   │   │   │       └── target.css
│               │   │   │   ├── form.d.ts
│               │   │   │   ├── form.js
│               │   │   │   ├── head.d.ts
│               │   │   │   ├── head.js
│               │   │   │   ├── headers.d.ts
│               │   │   │   ├── headers.js
│               │   │   │   ├── image-types
│               │   │   │   │   └── global.d.ts
│               │   │   │   ├── image.d.ts
│               │   │   │   ├── image.js
│               │   │   │   ├── index.d.ts
│               │   │   │   ├── jest.d.ts
│               │   │   │   ├── jest.js
│               │   │   │   ├── legacy
│               │   │   │   │   ├── image.d.ts
│               │   │   │   │   └── image.js
│               │   │   │   ├── license.md
│               │   │   │   ├── link.d.ts
│               │   │   │   ├── link.js
│               │   │   │   ├── navigation-types
│               │   │   │   │   └── compat
│               │   │   │   │       └── navigation.d.ts
│               │   │   │   ├── navigation.d.ts
│               │   │   │   ├── navigation.js
│               │   │   │   ├── og.d.ts
│               │   │   │   ├── og.js
│               │   │   │   ├── package.json
│               │   │   │   ├── root-params.d.ts
│               │   │   │   ├── root-params.js
│               │   │   │   ├── router.d.ts
│               │   │   │   ├── router.js
│               │   │   │   ├── script.d.ts
│               │   │   │   ├── script.js
```

```
│               │   │   │   ├── server.d.ts
│               │   │   │   ├── server.js
│               │   │   │   ├── types
│               │   │   │   │   ├── compiled.d.ts
│               │   │   │   │   └── global.d.ts
│               │   │   │   ├── types.d.ts
│               │   │   │   ├── types.js
│               │   │   │   ├── web-vitals.d.ts
│               │   │   │   └── web-vitals.js
│               │   │   ├── picocolors
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── package.json
│               │   │   │   ├── picocolors.browser.js
│               │   │   │   ├── picocolors.d.ts
│               │   │   │   ├── picocolors.js
│               │   │   │   └── types.d.ts
│               │   │   ├── postcss
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── lib
│               │   │   │   │   ├── at-rule.d.ts
│               │   │   │   │   ├── at-rule.js
│               │   │   │   │   ├── comment.d.ts
│               │   │   │   │   ├── comment.js
│               │   │   │   │   ├── container.d.ts
│               │   │   │   │   ├── container.js
│               │   │   │   │   ├── css-syntax-error.d.ts
│               │   │   │   │   ├── css-syntax-error.js
│               │   │   │   │   ├── declaration.d.ts
│               │   │   │   │   ├── declaration.js
│               │   │   │   │   ├── document.d.ts
│               │   │   │   │   ├── document.js
│               │   │   │   │   ├── fromJSON.d.ts
│               │   │   │   │   ├── fromJSON.js
│               │   │   │   │   ├── input.d.ts
│               │   │   │   │   ├── input.js
│               │   │   │   │   ├── lazy-result.d.ts
│               │   │   │   │   ├── lazy-result.js
│               │   │   │   │   ├── list.d.ts
│               │   │   │   │   ├── list.js
│               │   │   │   │   ├── map-generator.js
│               │   │   │   │   ├── no-work-result.d.ts
│               │   │   │   │   ├── no-work-result.js
│               │   │   │   │   ├── node.d.ts
│               │   │   │   │   ├── node.js
│               │   │   │   │   ├── parse.d.ts
│               │   │   │   │   ├── parse.js
│               │   │   │   │   ├── parser.js
│               │   │   │   │   ├── postcss.d.mts
│               │   │   │   │   ├── postcss.d.ts
│               │   │   │   │   ├── postcss.js
│               │   │   │   │   ├── postcss.mjs
│               │   │   │   │   ├── previous-map.d.ts
│               │   │   │   │   ├── previous-map.js
│               │   │   │   │   ├── processor.d.ts
```

```
│           │   │   │   │   ├── processor.js
│           │   │   │   │   ├── result.d.ts
│           │   │   │   │   ├── result.js
│           │   │   │   │   ├── root.d.ts
│           │   │   │   │   ├── root.js
│           │   │   │   │   ├── rule.d.ts
│           │   │   │   │   ├── rule.js
│           │   │   │   │   ├── stringifier.d.ts
│           │   │   │   │   ├── stringifier.js
│           │   │   │   │   ├── stringify.d.ts
│           │   │   │   │   ├── stringify.js
│           │   │   │   │   ├── symbols.js
│           │   │   │   │   ├── terminal-highlight.js
│           │   │   │   │   ├── tokenize.js
│           │   │   │   │   ├── warn-once.js
│           │   │   │   │   ├── warning.d.ts
│           │   │   │   │   └── warning.js
│           │   │   │   └── package.json
│           │   │   ├── react
│           │   │   │   ├── LICENSE
│           │   │   │   ├── README.md
│           │   │   │   ├── cjs
│           │   │   │   │   ├── react-compiler-runtime.development.js
│           │   │   │   │   ├── react-compiler-runtime.production.js
│           │   │   │   │   ├── react-compiler-runtime.profiling.js
│           │   │   │   │   ├── react-jsx-dev-runtime.development.js
│           │   │   │   │   ├── react-jsx-dev-runtime.production.js
│           │   │   │   │   ├── react-jsx-dev-runtime.profiling.js
│           │   │   │   │   ├── react-jsx-dev-runtime.react-
server.development.js
│           │   │   │   │   ├── react-jsx-dev-runtime.react-
server.production.js
│           │   │   │   │   ├── react-jsx-runtime.development.js
│           │   │   │   │   ├── react-jsx-runtime.production.js
│           │   │   │   │   ├── react-jsx-runtime.profiling.js
│           │   │   │   │   ├── react-jsx-runtime.react-
server.development.js
│           │   │   │   │   ├── react-jsx-runtime.react-
server.production.js
│           │   │   │   │   ├── react.development.js
│           │   │   │   │   ├── react.production.js
│           │   │   │   │   ├── react.react-server.development.js
│           │   │   │   │   └── react.react-server.production.js
│           │   │   │   ├── compiler-runtime.js
│           │   │   │   ├── index.js
│           │   │   │   ├── jsx-dev-runtime.js
│           │   │   │   ├── jsx-dev-runtime.react-server.js
│           │   │   │   ├── jsx-runtime.js
│           │   │   │   ├── jsx-runtime.react-server.js
│           │   │   │   ├── package.json
│           │   │   │   └── react.react-server.js
│           │   │   ├── react-dom
│           │   │   │   ├── LICENSE
│           │   │   │   ├── README.md
│           │   │   │   ├── cjs
│           │   │   │   │   ├── react-dom-client.development.js
```

```
│           │   │   │   │   ├── react-dom-client.production.js
│           │   │   │   │   ├── react-dom-profiling.development.js
│           │   │   │   │   ├── react-dom-profiling.profiling.js
│           │   │   │   │   ├── react-dom-server-
legacy.browser.development.js
│           │   │   │   │   ├── react-dom-server-
legacy.browser.production.js
│           │   │   │   │   ├── react-dom-server-
legacy.node.development.js
│           │   │   │   │   ├── react-dom-server-
legacy.node.production.js
│           │   │   │   │   ├── react-dom-server.browser.development.js
│           │   │   │   │   ├── react-dom-server.browser.production.js
│           │   │   │   │   ├── react-dom-server.bun.development.js
│           │   │   │   │   ├── react-dom-server.bun.production.js
│           │   │   │   │   ├── react-dom-server.edge.development.js
│           │   │   │   │   ├── react-dom-server.edge.production.js
│           │   │   │   │   ├── react-dom-server.node.development.js
│           │   │   │   │   ├── react-dom-server.node.production.js
│           │   │   │   │   ├── react-dom-test-utils.development.js
│           │   │   │   │   ├── react-dom-test-utils.production.js
│           │   │   │   │   ├── react-dom.development.js
│           │   │   │   │   ├── react-dom.production.js
│           │   │   │   │   ├── react-dom.react-server.development.js
│           │   │   │   │   └── react-dom.react-server.production.js
│           │   │   │   ├── client.js
│           │   │   │   ├── client.react-server.js
│           │   │   │   ├── index.js
│           │   │   │   ├── package.json
│           │   │   │   ├── profiling.js
│           │   │   │   ├── profiling.react-server.js
│           │   │   │   ├── react-dom.react-server.js
│           │   │   │   ├── server.browser.js
│           │   │   │   ├── server.bun.js
│           │   │   │   ├── server.edge.js
│           │   │   │   ├── server.js
│           │   │   │   ├── server.node.js
│           │   │   │   ├── server.react-server.js
│           │   │   │   ├── static.browser.js
│           │   │   │   ├── static.edge.js
│           │   │   │   ├── static.js
│           │   │   │   ├── static.node.js
│           │   │   │   ├── static.react-server.js
│           │   │   │   └── test-utils.js
│           │   │   ├── scheduler
│           │   │   │   ├── LICENSE
│           │   │   │   ├── README.md
│           │   │   │   ├── cjs
│           │   │   │   │   ├── scheduler-unstable_mock.development.js
│           │   │   │   │   ├── scheduler-unstable_mock.production.js
│           │   │   │   │   ├── scheduler-
unstable_post_task.development.js
│           │   │   │   │   ├── scheduler-
unstable_post_task.production.js
│           │   │   │   │   ├── scheduler.development.js
│           │   │   │   │   ├── scheduler.native.development.js
```

```
│               │   │   │   │   ├── scheduler.native.production.js
│               │   │   │   │   └── scheduler.production.js
│               │   │   │   ├── index.js
│               │   │   │   ├── index.native.js
│               │   │   │   ├── package.json
│               │   │   │   ├── unstable_mock.js
│               │   │   │   └── unstable_post_task.js
│               │   │   ├── semver
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── bin
│               │   │   │   │   └── semver.js
│               │   │   │   ├── classes
│               │   │   │   │   ├── comparator.js
│               │   │   │   │   ├── index.js
│               │   │   │   │   ├── range.js
│               │   │   │   │   └── semver.js
│               │   │   │   ├── functions
│               │   │   │   │   ├── clean.js
│               │   │   │   │   ├── cmp.js
│               │   │   │   │   ├── coerce.js
│               │   │   │   │   ├── compare-build.js
│               │   │   │   │   ├── compare-loose.js
│               │   │   │   │   ├── compare.js
│               │   │   │   │   ├── diff.js
│               │   │   │   │   ├── eq.js
│               │   │   │   │   ├── gt.js
│               │   │   │   │   ├── gte.js
│               │   │   │   │   ├── inc.js
│               │   │   │   │   ├── lt.js
│               │   │   │   │   ├── lte.js
│               │   │   │   │   ├── major.js
│               │   │   │   │   ├── minor.js
│               │   │   │   │   ├── neq.js
│               │   │   │   │   ├── parse.js
│               │   │   │   │   ├── patch.js
│               │   │   │   │   ├── prerelease.js
│               │   │   │   │   ├── rcompare.js
│               │   │   │   │   ├── rsort.js
│               │   │   │   │   ├── satisfies.js
│               │   │   │   │   ├── sort.js
│               │   │   │   │   └── valid.js
│               │   │   │   ├── index.js
│               │   │   │   ├── internal
│               │   │   │   │   ├── constants.js
│               │   │   │   │   ├── debug.js
│               │   │   │   │   ├── identifiers.js
│               │   │   │   │   ├── lrucache.js
│               │   │   │   │   ├── parse-options.js
│               │   │   │   │   └── re.js
│               │   │   │   ├── package.json
│               │   │   │   ├── preload.js
│               │   │   │   ├── range.bnf
│               │   │   │   └── ranges
│               │   │   │       ├── gtr.js
│               │   │   │       ├── intersects.js
```

```
│               │   │   │       ├── ltr.js
│               │   │   │       ├── max-satisfying.js
│               │   │   │       ├── min-satisfying.js
│               │   │   │       ├── min-version.js
│               │   │   │       ├── outside.js
│               │   │   │       ├── simplify.js
│               │   │   │       ├── subset.js
│               │   │   │       ├── to-comparators.js
│               │   │   │       └── valid.js
│               │   │   ├── sharp
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── install
│               │   │   │   │   └── check.js
│               │   │   │   ├── lib
│               │   │   │   │   ├── channel.js
│               │   │   │   │   ├── colour.js
│               │   │   │   │   ├── composite.js
│               │   │   │   │   ├── constructor.js
│               │   │   │   │   ├── index.d.ts
│               │   │   │   │   ├── index.js
│               │   │   │   │   ├── input.js
│               │   │   │   │   ├── is.js
│               │   │   │   │   ├── libvips.js
│               │   │   │   │   ├── operation.js
│               │   │   │   │   ├── output.js
│               │   │   │   │   ├── resize.js
│               │   │   │   │   ├── sharp.js
│               │   │   │   │   └── utility.js
│               │   │   │   ├── package.json
│               │   │   │   └── src
│               │   │   │       ├── binding.gyp
│               │   │   │       ├── common.cc
│               │   │   │       ├── common.h
│               │   │   │       ├── metadata.cc
│               │   │   │       ├── metadata.h
│               │   │   │       ├── operations.cc
│               │   │   │       ├── operations.h
│               │   │   │       ├── pipeline.cc
│               │   │   │       ├── pipeline.h
│               │   │   │       ├── sharp.cc
│               │   │   │       ├── stats.cc
│               │   │   │       ├── stats.h
│               │   │   │       ├── utilities.cc
│               │   │   │       └── utilities.h
│               │   │   ├── simple-swizzle
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── index.js
│               │   │   │   └── package.json
│               │   │   ├── source-map-js
│               │   │   │   ├── LICENSE
│               │   │   │   ├── README.md
│               │   │   │   ├── lib
│               │   │   │   │   ├── array-set.js
│               │   │   │   │   ├── base64-vlq.js
```

```
│               │   │   │   │   ├── base64.js
│               │   │   │   │   ├── binary-search.js
│               │   │   │   │   ├── mapping-list.js
│               │   │   │   │   ├── quick-sort.js
│               │   │   │   │   ├── source-map-consumer.d.ts
│               │   │   │   │   ├── source-map-consumer.js
│               │   │   │   │   ├── source-map-generator.d.ts
│               │   │   │   │   ├── source-map-generator.js
│               │   │   │   │   ├── source-node.d.ts
│               │   │   │   │   ├── source-node.js
│               │   │   │   │   └── util.js
│               │   │   │   ├── package.json
│               │   │   │   ├── source-map.d.ts
│               │   │   │   └── source-map.js
│               │   │   ├── styled-jsx
│               │   │   │   ├── babel-test.js
│               │   │   │   ├── babel.js
│               │   │   │   ├── css.d.ts
│               │   │   │   ├── css.js
│               │   │   │   ├── dist
│               │   │   │   │   ├── babel
│               │   │   │   │   │   └── index.js
│               │   │   │   │   ├── index
│               │   │   │   │   │   └── index.js
│               │   │   │   │   └── webpack
│               │   │   │   │       └── index.js
│               │   │   │   ├── global.d.ts
│               │   │   │   ├── index.d.ts
│               │   │   │   ├── index.js
│               │   │   │   ├── lib
│               │   │   │   │   ├── style-transform.js
│               │   │   │   │   └── stylesheet.js
│               │   │   │   ├── license.md
│               │   │   │   ├── macro.d.ts
│               │   │   │   ├── macro.js
│               │   │   │   ├── package.json
│               │   │   │   ├── readme.md
│               │   │   │   ├── style.d.ts
│               │   │   │   ├── style.js
│               │   │   │   └── webpack.js
│               │   │   └── tslib
│               │   │       ├── CopyrightNotice.txt
│               │   │       ├── LICENSE.txt
│               │   │       ├── README.md
│               │   │       ├── SECURITY.md
│               │   │       ├── modules
│               │   │       │   ├── index.d.ts
│               │   │       │   ├── index.js
│               │   │       │   └── package.json
│               │   │       ├── package.json
│               │   │       ├── tslib.d.ts
│               │   │       ├── tslib.es6.html
│               │   │       ├── tslib.es6.js
│               │   │       ├── tslib.es6.mjs
│               │   │       ├── tslib.html
│               │   │       └── tslib.js
```

```
│               │   ├── overview.sh
│               │   ├── package-lock.json
│               │   ├── package.json
│               │   ├── scripts
│               │   │   ├── egotod_init.sh
│               │   │   ├── exports.sh
│               │   │   ├── log_inversion.sh
│               │   │   └── resonanz_capture.sh
│               │   ├── tables
│               │   │   ├── 2_5_discussion_matrix.md
│               │   │   ├── 2_5_diskussion_matrix.md
│               │   │   └── 3_5_theory_bridge.md
│               │   ├── templates
│               │   │   ├── performance_setlist.md
│               │   │   ├── song_template.md
│               │   │   └── video_shotlist.md
│               │   └── venv
│               │       ├── .gitignore
│               │       ├── bin
│               │       │   ├── Activate.ps1
│               │       │   ├── activate
│               │       │   ├── activate.csh
│               │       │   ├── activate.fish
│               │       │   ├── fastapi
│               │       │   ├── normalizer
│               │       │   ├── pip
│               │       │   ├── pip3
│               │       │   ├── pip3.13
│               │       │   ├── python -> python3.13
│               │       │   ├── python3 -> python3.13
│               │       │   ├── python3.13 -> /opt/homebrew/opt/python@3.13/
bin/python3.13
│               │       │   └── uvicorn
│               │       ├── include
│               │       │   └── python3.13
│               │       ├── lib
│               │       │   └── python3.13
│               │       │       └── site-packages
│               │       │           ├── annotated_types
│               │       │           │   ├── __init__.py
│               │       │           │   ├── py.typed
│               │       │           │   └── test_cases.py
│               │       │           ├── annotated_types-0.7.0.dist-info
│               │       │           │   ├── INSTALLER
│               │       │           │   ├── METADATA
│               │       │           │   ├── RECORD
│               │       │           │   ├── WHEEL
│               │       │           │   └── licenses
│               │       │           │       └── LICENSE
│               │       │           ├── anyio
│               │       │           │   ├── __init__.py
│               │       │           │   ├── _backends
│               │       │           │   │   ├── __init__.py
│               │       │           │   │   ├── _asyncio.py
│               │       │           │   │   └── _trio.py
│               │       │           │   ├── _core
```

```
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _asyncio_selector_thread.py
│   │   │   │   │   │   │   │   ├── _contextmanagers.py
│   │   │   │   │   │   │   │   ├── _eventloop.py
│   │   │   │   │   │   │   │   ├── _exceptions.py
│   │   │   │   │   │   │   │   ├── _fileio.py
│   │   │   │   │   │   │   │   ├── _resources.py
│   │   │   │   │   │   │   │   ├── _signals.py
│   │   │   │   │   │   │   │   ├── _sockets.py
│   │   │   │   │   │   │   │   ├── _streams.py
│   │   │   │   │   │   │   │   ├── _subprocesses.py
│   │   │   │   │   │   │   │   ├── _synchronization.py
│   │   │   │   │   │   │   │   ├── _tasks.py
│   │   │   │   │   │   │   │   ├── _tempfile.py
│   │   │   │   │   │   │   │   ├── _testing.py
│   │   │   │   │   │   │   │   └── _typedattr.py
│   │   │   │   │   │   │   ├── abc
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _eventloop.py
│   │   │   │   │   │   │   │   ├── _resources.py
│   │   │   │   │   │   │   │   ├── _sockets.py
│   │   │   │   │   │   │   │   ├── _streams.py
│   │   │   │   │   │   │   │   ├── _subprocesses.py
│   │   │   │   │   │   │   │   ├── _tasks.py
│   │   │   │   │   │   │   │   └── _testing.py
│   │   │   │   │   │   │   ├── from_thread.py
│   │   │   │   │   │   │   ├── lowlevel.py
│   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   ├── pytest_plugin.py
│   │   │   │   │   │   │   ├── streams
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── buffered.py
│   │   │   │   │   │   │   │   ├── file.py
│   │   │   │   │   │   │   │   ├── memory.py
│   │   │   │   │   │   │   │   ├── stapled.py
│   │   │   │   │   │   │   │   ├── text.py
│   │   │   │   │   │   │   │   └── tls.py
│   │   │   │   │   │   │   ├── to_interpreter.py
│   │   │   │   │   │   │   ├── to_process.py
│   │   │   │   │   │   │   └── to_thread.py
│   │   │   │   │   │   ├── anyio-4.10.0.dist-info
│   │   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   │   │   ├── licenses
│   │   │   │   │   │   │   │   └── LICENSE
│   │   │   │   │   │   │   └── top_level.txt
│   │   │   │   │   │   ├── certifi
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   │   ├── cacert.pem
│   │   │   │   │   │   │   ├── core.py
│   │   │   │   │   │   │   └── py.typed
│   │   │   │   │   │   ├── certifi-2025.8.3.dist-info
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── index_command.py
│   │   │   │   │   │   ├── main.py
│   │   │   │   │   │   ├── main_parser.py
│   │   │   │   │   │   ├── parser.py
│   │   │   │   │   │   ├── progress_bars.py
│   │   │   │   │   │   ├── req_command.py
│   │   │   │   │   │   ├── spinners.py
│   │   │   │   │   │   └── status_codes.py
│   │   │   │   │   ├── commands
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── cache.py
│   │   │   │   │   │   ├── check.py
│   │   │   │   │   │   ├── completion.py
│   │   │   │   │   │   ├── configuration.py
│   │   │   │   │   │   ├── debug.py
│   │   │   │   │   │   ├── download.py
│   │   │   │   │   │   ├── freeze.py
│   │   │   │   │   │   ├── hash.py
│   │   │   │   │   │   ├── help.py
│   │   │   │   │   │   ├── index.py
│   │   │   │   │   │   ├── inspect.py
│   │   │   │   │   │   ├── install.py
│   │   │   │   │   │   ├── list.py
│   │   │   │   │   │   ├── lock.py
│   │   │   │   │   │   ├── search.py
│   │   │   │   │   │   ├── show.py
│   │   │   │   │   │   ├── uninstall.py
│   │   │   │   │   │   └── wheel.py
│   │   │   │   │   ├── configuration.py
│   │   │   │   │   ├── distributions
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── installed.py
│   │   │   │   │   │   ├── sdist.py
│   │   │   │   │   │   └── wheel.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── index
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── collector.py
│   │   │   │   │   │   ├── package_finder.py
│   │   │   │   │   │   └── sources.py
│   │   │   │   │   ├── locations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _distutils.py
│   │   │   │   │   │   ├── _sysconfig.py
│   │   │   │   │   │   └── base.py
│   │   │   │   │   ├── main.py
│   │   │   │   │   ├── metadata
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _json.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── importlib
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _compat.py
│   │   │   │   │   │   │   ├── _dists.py
│   │   │   │   │   │   │   └── _envs.py
```

```
│   │   │   │   │   │   │   └── pkg_resources.py
│   │   │   │   │   │   ├── models
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── candidate.py
│   │   │   │   │   │   │   ├── direct_url.py
│   │   │   │   │   │   │   ├── format_control.py
│   │   │   │   │   │   │   ├── index.py
│   │   │   │   │   │   │   ├── installation_report.py
│   │   │   │   │   │   │   ├── link.py
│   │   │   │   │   │   │   ├── pylock.py
│   │   │   │   │   │   │   ├── scheme.py
│   │   │   │   │   │   │   ├── search_scope.py
│   │   │   │   │   │   │   ├── selection_prefs.py
│   │   │   │   │   │   │   ├── target_python.py
│   │   │   │   │   │   │   └── wheel.py
│   │   │   │   │   │   ├── network
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── auth.py
│   │   │   │   │   │   │   ├── cache.py
│   │   │   │   │   │   │   ├── download.py
│   │   │   │   │   │   │   ├── lazy_wheel.py
│   │   │   │   │   │   │   ├── session.py
│   │   │   │   │   │   │   ├── utils.py
│   │   │   │   │   │   │   └── xmlrpc.py
│   │   │   │   │   │   ├── operations
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── build
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── build_tracker.py
│   │   │   │   │   │   │   │   ├── metadata.py
│   │   │   │   │   │   │   │   ├── metadata_editable.py
│   │   │   │   │   │   │   │   ├── metadata_legacy.py
│   │   │   │   │   │   │   │   ├── wheel.py
│   │   │   │   │   │   │   │   ├── wheel_editable.py
│   │   │   │   │   │   │   │   └── wheel_legacy.py
│   │   │   │   │   │   │   ├── check.py
│   │   │   │   │   │   │   ├── freeze.py
│   │   │   │   │   │   │   ├── install
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── editable_legacy.py
│   │   │   │   │   │   │   │   └── wheel.py
│   │   │   │   │   │   │   └── prepare.py
│   │   │   │   │   │   ├── pyproject.py
│   │   │   │   │   │   ├── req
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── constructors.py
│   │   │   │   │   │   │   ├── req_dependency_group.py
│   │   │   │   │   │   │   ├── req_file.py
│   │   │   │   │   │   │   ├── req_install.py
│   │   │   │   │   │   │   ├── req_set.py
│   │   │   │   │   │   │   └── req_uninstall.py
│   │   │   │   │   │   ├── resolution
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   │   ├── legacy
│   │   │   │   │   │   │   │   ├── __init__.py
```

```
│   │   │   │   │   │   │   │   └── resolver.py
│   │   │   │   │   │   │   └── resolvelib
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── base.py
│   │   │   │   │   │   │       ├── candidates.py
│   │   │   │   │   │   │       ├── factory.py
│   │   │   │   │   │   │       ├── found_candidates.py
│   │   │   │   │   │   │       ├── provider.py
│   │   │   │   │   │   │       ├── reporter.py
│   │   │   │   │   │   │       ├── requirements.py
│   │   │   │   │   │   │       └── resolver.py
│   │   │   │   │   │   ├── self_outdated_check.py
│   │   │   │   │   │   ├── utils
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _jaraco_text.py
│   │   │   │   │   │   │   ├── _log.py
│   │   │   │   │   │   │   ├── appdirs.py
│   │   │   │   │   │   │   ├── compat.py
│   │   │   │   │   │   │   ├── compatibility_tags.py
│   │   │   │   │   │   │   ├── datetime.py
│   │   │   │   │   │   │   ├── deprecation.py
│   │   │   │   │   │   │   ├── direct_url_helpers.py
│   │   │   │   │   │   │   ├── egg_link.py
│   │   │   │   │   │   │   ├── entrypoints.py
│   │   │   │   │   │   │   ├── filesystem.py
│   │   │   │   │   │   │   ├── filetypes.py
│   │   │   │   │   │   │   ├── glibc.py
│   │   │   │   │   │   │   ├── hashes.py
│   │   │   │   │   │   │   ├── logging.py
│   │   │   │   │   │   │   ├── misc.py
│   │   │   │   │   │   │   ├── packaging.py
│   │   │   │   │   │   │   ├── retry.py
│   │   │   │   │   │   │   ├── setuptools_build.py
│   │   │   │   │   │   │   ├── subprocess.py
│   │   │   │   │   │   │   ├── temp_dir.py
│   │   │   │   │   │   │   ├── unpacking.py
│   │   │   │   │   │   │   ├── urls.py
│   │   │   │   │   │   │   ├── virtualenv.py
│   │   │   │   │   │   │   └── wheel.py
│   │   │   │   │   │   ├── vcs
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── bazaar.py
│   │   │   │   │   │   │   ├── git.py
│   │   │   │   │   │   │   ├── mercurial.py
│   │   │   │   │   │   │   ├── subversion.py
│   │   │   │   │   │   │   └── versioncontrol.py
│   │   │   │   │   │   └── wheel_builder.py
│   │   │   │   │   ├── _vendor
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── cachecontrol
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _cmd.py
│   │   │   │   │   │   │   ├── adapter.py
│   │   │   │   │   │   │   ├── cache.py
│   │   │   │   │   │   │   ├── caches
│   │   │   │   │   │   │   │   ├── __init__.py
```

```
│   │   │   │   │   │   │   │   ├── file_cache.py
│   │   │   │   │   │   │   │   └── redis_cache.py
│   │   │   │   │   │   │   ├── controller.py
│   │   │   │   │   │   │   ├── filewrapper.py
│   │   │   │   │   │   │   ├── heuristics.py
│   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   ├── serialize.py
│   │   │   │   │   │   │   └── wrapper.py
│   │   │   │   │   │   ├── certifi
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   │   ├── cacert.pem
│   │   │   │   │   │   │   ├── core.py
│   │   │   │   │   │   │   └── py.typed
│   │   │   │   │   │   ├── dependency_groups
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   │   ├── _implementation.py
│   │   │   │   │   │   │   ├──
_lint_dependency_groups.py
│   │   │   │   │   │   │   ├── _pip_wrapper.py
│   │   │   │   │   │   │   ├── _toml_compat.py
│   │   │   │   │   │   │   └── py.typed
│   │   │   │   │   │   ├── distlib
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── compat.py
│   │   │   │   │   │   │   ├── resources.py
│   │   │   │   │   │   │   ├── scripts.py
│   │   │   │   │   │   │   ├── t32.exe
│   │   │   │   │   │   │   ├── t64-arm.exe
│   │   │   │   │   │   │   ├── t64.exe
│   │   │   │   │   │   │   ├── util.py
│   │   │   │   │   │   │   ├── w32.exe
│   │   │   │   │   │   │   ├── w64-arm.exe
│   │   │   │   │   │   │   └── w64.exe
│   │   │   │   │   │   ├── distro
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   │   ├── distro.py
│   │   │   │   │   │   │   └── py.typed
│   │   │   │   │   │   ├── idna
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── codec.py
│   │   │   │   │   │   │   ├── compat.py
│   │   │   │   │   │   │   ├── core.py
│   │   │   │   │   │   │   ├── idnadata.py
│   │   │   │   │   │   │   ├── intranges.py
│   │   │   │   │   │   │   ├── package_data.py
│   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   └── uts46data.py
│   │   │   │   │   │   ├── msgpack
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   │   ├── ext.py
│   │   │   │   │   │   │   └── fallback.py
│   │   │   │   │   │   ├── packaging
```

```
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _elffile.py
│   │   │   │   │   │   ├── _manylinux.py
│   │   │   │   │   │   ├── _musllinux.py
│   │   │   │   │   │   ├── _parser.py
│   │   │   │   │   │   ├── _structures.py
│   │   │   │   │   │   ├── _tokenizer.py
│   │   │   │   │   │   ├── licenses
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── _spdx.py
│   │   │   │   │   │   ├── markers.py
│   │   │   │   │   │   ├── metadata.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── requirements.py
│   │   │   │   │   │   ├── specifiers.py
│   │   │   │   │   │   ├── tags.py
│   │   │   │   │   │   ├── utils.py
│   │   │   │   │   │   └── version.py
│   │   │   │   │   ├── pkg_resources
│   │   │   │   │   │   └── __init__.py
│   │   │   │   │   ├── platformdirs
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   ├── android.py
│   │   │   │   │   │   ├── api.py
│   │   │   │   │   │   ├── macos.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── unix.py
│   │   │   │   │   │   ├── version.py
│   │   │   │   │   │   └── windows.py
│   │   │   │   │   ├── pygments
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   ├── console.py
│   │   │   │   │   │   ├── filter.py
│   │   │   │   │   │   ├── filters
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── formatter.py
│   │   │   │   │   │   ├── formatters
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── _mapping.py
│   │   │   │   │   │   ├── lexer.py
│   │   │   │   │   │   ├── lexers
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _mapping.py
│   │   │   │   │   │   │   └── python.py
│   │   │   │   │   │   ├── modeline.py
│   │   │   │   │   │   ├── plugin.py
│   │   │   │   │   │   ├── regexopt.py
│   │   │   │   │   │   ├── scanner.py
│   │   │   │   │   │   ├── sphinxext.py
│   │   │   │   │   │   ├── style.py
│   │   │   │   │   │   ├── styles
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── _mapping.py
│   │   │   │   │   │   ├── token.py
```

```
│   │   │   │   │   │   ├── unistring.py
│   │   │   │   │   │   └── util.py
│   │   │   │   │   ├── pyproject_hooks
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _impl.py
│   │   │   │   │   │   ├── _in_process
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── _in_process.py
│   │   │   │   │   │   └── py.typed
│   │   │   │   │   ├── requests
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __version__.py
│   │   │   │   │   │   ├── _internal_utils.py
│   │   │   │   │   │   ├── adapters.py
│   │   │   │   │   │   ├── api.py
│   │   │   │   │   │   ├── auth.py
│   │   │   │   │   │   ├── certs.py
│   │   │   │   │   │   ├── compat.py
│   │   │   │   │   │   ├── cookies.py
│   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   ├── help.py
│   │   │   │   │   │   ├── hooks.py
│   │   │   │   │   │   ├── models.py
│   │   │   │   │   │   ├── packages.py
│   │   │   │   │   │   ├── sessions.py
│   │   │   │   │   │   ├── status_codes.py
│   │   │   │   │   │   ├── structures.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   ├── resolvelib
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── providers.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── reporters.py
│   │   │   │   │   │   ├── resolvers
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── abstract.py
│   │   │   │   │   │   │   ├── criterion.py
│   │   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   │   └── resolution.py
│   │   │   │   │   │   └── structs.py
│   │   │   │   │   ├── rich
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   ├── _cell_widths.py
│   │   │   │   │   │   ├── _emoji_codes.py
│   │   │   │   │   │   ├── _emoji_replace.py
│   │   │   │   │   │   ├── _export_format.py
│   │   │   │   │   │   ├── _extension.py
│   │   │   │   │   │   ├── _fileno.py
│   │   │   │   │   │   ├── _inspect.py
│   │   │   │   │   │   ├── _log_render.py
│   │   │   │   │   │   ├── _loop.py
│   │   │   │   │   │   ├── _null_file.py
│   │   │   │   │   │   ├── _palettes.py
│   │   │   │   │   │   ├── _pick.py
│   │   │   │   │   │   ├── _ratio.py
```

```
│   │   │   │   │   │   ├── _spinners.py
│   │   │   │   │   │   ├── _stack.py
│   │   │   │   │   │   ├── _timer.py
│   │   │   │   │   │   ├── _win32_console.py
│   │   │   │   │   │   ├── _windows.py
│   │   │   │   │   │   ├── _windows_renderer.py
│   │   │   │   │   │   ├── _wrap.py
│   │   │   │   │   │   ├── abc.py
│   │   │   │   │   │   ├── align.py
│   │   │   │   │   │   ├── ansi.py
│   │   │   │   │   │   ├── bar.py
│   │   │   │   │   │   ├── box.py
│   │   │   │   │   │   ├── cells.py
│   │   │   │   │   │   ├── color.py
│   │   │   │   │   │   ├── color_triplet.py
│   │   │   │   │   │   ├── columns.py
│   │   │   │   │   │   ├── console.py
│   │   │   │   │   │   ├── constrain.py
│   │   │   │   │   │   ├── containers.py
│   │   │   │   │   │   ├── control.py
│   │   │   │   │   │   ├── default_styles.py
│   │   │   │   │   │   ├── diagnose.py
│   │   │   │   │   │   ├── emoji.py
│   │   │   │   │   │   ├── errors.py
│   │   │   │   │   │   ├── file_proxy.py
│   │   │   │   │   │   ├── filesize.py
│   │   │   │   │   │   ├── highlighter.py
│   │   │   │   │   │   ├── json.py
│   │   │   │   │   │   ├── jupyter.py
│   │   │   │   │   │   ├── layout.py
│   │   │   │   │   │   ├── live.py
│   │   │   │   │   │   ├── live_render.py
│   │   │   │   │   │   ├── logging.py
│   │   │   │   │   │   ├── markup.py
│   │   │   │   │   │   ├── measure.py
│   │   │   │   │   │   ├── padding.py
│   │   │   │   │   │   ├── pager.py
│   │   │   │   │   │   ├── palette.py
│   │   │   │   │   │   ├── panel.py
│   │   │   │   │   │   ├── pretty.py
│   │   │   │   │   │   ├── progress.py
│   │   │   │   │   │   ├── progress_bar.py
│   │   │   │   │   │   ├── prompt.py
│   │   │   │   │   │   ├── protocol.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── region.py
│   │   │   │   │   │   ├── repr.py
│   │   │   │   │   │   ├── rule.py
│   │   │   │   │   │   ├── scope.py
│   │   │   │   │   │   ├── screen.py
│   │   │   │   │   │   ├── segment.py
│   │   │   │   │   │   ├── spinner.py
│   │   │   │   │   │   ├── status.py
│   │   │   │   │   │   ├── style.py
│   │   │   │   │   │   ├── styled.py
│   │   │   │   │   │   ├── syntax.py
```

```
│   │   │   │   │   │   ├── table.py
│   │   │   │   │   │   ├── terminal_theme.py
│   │   │   │   │   │   ├── text.py
│   │   │   │   │   │   ├── theme.py
│   │   │   │   │   │   ├── themes.py
│   │   │   │   │   │   ├── traceback.py
│   │   │   │   │   │   └── tree.py
│   │   │   │   │   ├── tomli
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _parser.py
│   │   │   │   │   │   ├── _re.py
│   │   │   │   │   │   ├── _types.py
│   │   │   │   │   │   └── py.typed
│   │   │   │   │   ├── tomli_w
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _writer.py
│   │   │   │   │   │   └── py.typed
│   │   │   │   │   ├── truststore
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _api.py
│   │   │   │   │   │   ├── _macos.py
│   │   │   │   │   │   ├── _openssl.py
│   │   │   │   │   │   ├── _ssl_constants.py
│   │   │   │   │   │   ├── _windows.py
│   │   │   │   │   │   └── py.typed
│   │   │   │   │   ├── urllib3
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _collections.py
│   │   │   │   │   │   ├── _version.py
│   │   │   │   │   │   ├── connection.py
│   │   │   │   │   │   ├── connectionpool.py
│   │   │   │   │   │   ├── contrib
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├──
_appengine_environ.py
│   │   │   │   │   │   │   ├── _securetransport
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── bindings.py
│   │   │   │   │   │   │   │   └── low_level.py
│   │   │   │   │   │   │   ├── appengine.py
│   │   │   │   │   │   │   ├── ntlmpool.py
│   │   │   │   │   │   │   ├── pyopenssl.py
│   │   │   │   │   │   │   ├── securetransport.py
│   │   │   │   │   │   │   └── socks.py
│   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   ├── fields.py
│   │   │   │   │   │   ├── filepost.py
│   │   │   │   │   │   ├── packages
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── backports
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── makefile.py
│   │   │   │   │   │   │   │   └──
weakref_finalize.py
│   │   │   │   │   │   │   └── six.py
│   │   │   │   │   │   ├── poolmanager.py
```

```
│   │   │   │   │   │   ├── request.py
│   │   │   │   │   │   ├── response.py
│   │   │   │   │   │   └── util
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── connection.py
│   │   │   │   │   │       ├── proxy.py
│   │   │   │   │   │       ├── queue.py
│   │   │   │   │   │       ├── request.py
│   │   │   │   │   │       ├── response.py
│   │   │   │   │   │       ├── retry.py
│   │   │   │   │   │       ├── ssl_.py
│   │   │   │   │   │       ├── 
ssl_match_hostname.py
│   │   │   │   │   │       ├── ssltransport.py
│   │   │   │   │   │       ├── timeout.py
│   │   │   │   │   │       ├── url.py
│   │   │   │   │   │       └── wait.py
│   │   │   │   │   └── vendor.txt
│   │   │   │   └── py.typed
│   │   │   ├── pip-25.2.dist-info
│   │   │   │   ├── INSTALLER
│   │   │   │   ├── METADATA
│   │   │   │   ├── RECORD
│   │   │   │   ├── REQUESTED
│   │   │   │   ├── WHEEL
│   │   │   │   ├── entry_points.txt
│   │   │   │   ├── licenses
│   │   │   │   │   ├── AUTHORS.txt
│   │   │   │   │   ├── LICENSE.txt
│   │   │   │   │   └── src
│   │   │   │   │       └── pip
│   │   │   │   │           └── _vendor
│   │   │   │   │               ├── cachecontrol
│   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │               ├── certifi
│   │   │   │   │               │   └── LICENSE
│   │   │   │   │               ├── 
dependency_groups
│   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │               ├── distlib
│   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │               ├── distro
│   │   │   │   │               │   └── LICENSE
│   │   │   │   │               ├── idna
│   │   │   │   │               │   └── LICENSE.md
│   │   │   │   │               ├── msgpack
│   │   │   │   │               │   └── COPYING
│   │   │   │   │               ├── packaging
│   │   │   │   │               │   ├── LICENSE
│   │   │   │   │               │   ├── 
LICENSE.APACHE
│   │   │   │   │               │   └── LICENSE.BSD
│   │   │   │   │               ├── pkg_resources
│   │   │   │   │               │   └── LICENSE
│   │   │   │   │               ├── platformdirs
│   │   │   │   │               │   └── LICENSE
```

```
│           │           │           │   │           ├── pygments
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── pyproject_hooks
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── requests
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── resolvelib
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── rich
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── tomli
│           │           │           │   │           │   ├── LICENSE
│           │           │           │   │           │   └── LICENSE-
HEADER
│           │           │           │   │           ├── tomli_w
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           ├── truststore
│           │           │           │   │           │   └── LICENSE
│           │           │           │   │           └── urllib3
│           │           │           │   │               └── LICENSE.txt
│           │           │           │   └── top_level.txt
│           │           │           ├── pydantic
│           │           │           │   ├── __init__.py
│           │           │           │   ├── _internal
│           │           │           │   │   ├── __init__.py
│           │           │           │   │   ├── _config.py
│           │           │           │   │   ├── _core_metadata.py
│           │           │           │   │   ├── _core_utils.py
│           │           │           │   │   ├── _dataclasses.py
│           │           │           │   │   ├── _decorators.py
│           │           │           │   │   ├── _decorators_v1.py
│           │           │           │   │   ├── _discriminated_union.py
│           │           │           │   │   ├── _docs_extraction.py
│           │           │           │   │   ├── _fields.py
│           │           │           │   │   ├── _forward_ref.py
│           │           │           │   │   ├── _generate_schema.py
│           │           │           │   │   ├── _generics.py
│           │           │           │   │   ├── _git.py
│           │           │           │   │   ├── _import_utils.py
│           │           │           │   │   ├── _internal_dataclass.py
│           │           │           │   │   ├── _known_annotated_metadata.py
│           │           │           │   │   ├── _mock_val_ser.py
│           │           │           │   │   ├── _model_construction.py
│           │           │           │   │   ├── _namespace_utils.py
│           │           │           │   │   ├── _repr.py
│           │           │           │   │   ├── _schema_gather.py
│           │           │           │   │   ├── _schema_generation_shared.py
│           │           │           │   │   ├── _serializers.py
│           │           │           │   │   ├── _signature.py
│           │           │           │   │   ├── _typing_extra.py
│           │           │           │   │   ├── _utils.py
│           │           │           │   │   ├── _validate_call.py
│           │           │           │   │   └── _validators.py
│           │           │           │   ├── _migration.py
│           │           │           │   ├── alias_generators.py
│           │           │           │   ├── aliases.py
```

```
│   │   │   │
```

```
│           │           │               │   │   ├── error_wrappers.py
│           │           │               │   │   ├── errors.py
│           │           │               │   │   ├── fields.py
│           │           │               │   │   ├── generics.py
│           │           │               │   │   ├── json.py
│           │           │               │   │   ├── main.py
│           │           │               │   │   ├── mypy.py
│           │           │               │   │   ├── networks.py
│           │           │               │   │   ├── parse.py
│           │           │               │   │   ├── py.typed
│           │           │               │   │   ├── schema.py
│           │           │               │   │   ├── tools.py
│           │           │               │   │   ├── types.py
│           │           │               │   │   ├── typing.py
│           │           │               │   │   ├── utils.py
│           │           │               │   │   ├── validators.py
│           │           │               │   │   └── version.py
│           │           │               │   ├── validate_call_decorator.py
│           │           │               │   ├── validators.py
│           │           │               │   ├── version.py
│           │           │               │   └── warnings.py
│           │           │               ├── pydantic-2.11.7.dist-info
│           │           │               │   ├── INSTALLER
│           │           │               │   ├── METADATA
│           │           │               │   ├── RECORD
│           │           │               │   ├── WHEEL
│           │           │               │   └── licenses
│           │           │               │       └── LICENSE
│           │           │               ├── pydantic_core
│           │           │               │   ├── __init__.py
│           │           │               │   ├── _pydantic_core.cpython-313-
darwin.so
│           │           │               │   ├── _pydantic_core.pyi
│           │           │               │   ├── core_schema.py
│           │           │               │   └── py.typed
│           │           │               ├── pydantic_core-2.33.2.dist-info
│           │           │               │   ├── INSTALLER
│           │           │               │   ├── METADATA
│           │           │               │   ├── RECORD
│           │           │               │   ├── WHEEL
│           │           │               │   └── licenses
│           │           │               │       └── LICENSE
│           │           │               ├── requests
│           │           │               │   ├── __init__.py
│           │           │               │   ├── __version__.py
│           │           │               │   ├── _internal_utils.py
│           │           │               │   ├── adapters.py
│           │           │               │   ├── api.py
│           │           │               │   ├── auth.py
│           │           │               │   ├── certs.py
│           │           │               │   ├── compat.py
│           │           │               │   ├── cookies.py
│           │           │               │   ├── exceptions.py
│           │           │               │   ├── help.py
│           │           │               │   ├── hooks.py
│           │           │               │   ├── models.py
```

```
│   │   │   │
```

```
│           │           │           │   │   └── wsgi.py
│           │           │           │   ├── py.typed
│           │           │           │   ├── requests.py
│           │           │           │   ├── responses.py
│           │           │           │   ├── routing.py
│           │           │           │   ├── schemas.py
│           │           │           │   ├── staticfiles.py
│           │           │           │   ├── status.py
│           │           │           │   ├── templating.py
│           │           │           │   ├── testclient.py
│           │           │           │   ├── types.py
│           │           │           │   └── websockets.py
│           │           │           ├── starlette-0.47.2.dist-info
│           │           │           │   ├── INSTALLER
│           │           │           │   ├── METADATA
│           │           │           │   ├── RECORD
│           │           │           │   ├── WHEEL
│           │           │           │   └── licenses
│           │           │           │       └── LICENSE.md
│           │           │           ├── typing_extensions-4.14.1.dist-info
│           │           │           │   ├── INSTALLER
│           │           │           │   ├── METADATA
│           │           │           │   ├── RECORD
│           │           │           │   ├── WHEEL
│           │           │           │   └── licenses
│           │           │           │       └── LICENSE
│           │           │           ├── typing_extensions.py
│           │           │           ├── typing_inspection
│           │           │           │   ├── __init__.py
│           │           │           │   ├── introspection.py
│           │           │           │   ├── py.typed
│           │           │           │   ├── typing_objects.py
│           │           │           │   └── typing_objects.pyi
│           │           │           ├── typing_inspection-0.4.1.dist-info
│           │           │           │   ├── INSTALLER
│           │           │           │   ├── METADATA
│           │           │           │   ├── RECORD
│           │           │           │   ├── WHEEL
│           │           │           │   └── licenses
│           │           │           │       └── LICENSE
│           │           │           ├── urllib3
│           │           │           │   ├── __init__.py
│           │           │           │   ├── _base_connection.py
│           │           │           │   ├── _collections.py
│           │           │           │   ├── _request_methods.py
│           │           │           │   ├── _version.py
│           │           │           │   ├── connection.py
│           │           │           │   ├── connectionpool.py
│           │           │           │   ├── contrib
│           │           │           │   │   ├── __init__.py
│           │           │           │   │   ├── emscripten
│           │           │           │   │   │   ├── __init__.py
│           │           │           │   │   │   ├── connection.py
│           │           │           │   │   │   ├──
emscripten_fetch_worker.js
│           │           │           │   │   │   ├── fetch.py
```

```
│   │   │   │
```

```
│           │       │           │   │   ├── message_logger.py
│           │       │           │   │   ├── proxy_headers.py
│           │       │           │   │   └── wsgi.py
│           │       │           │   ├── protocols
│           │       │           │   │   ├── __init__.py
│           │       │           │   │   ├── http
│           │       │           │   │   │   ├── __init__.py
│           │       │           │   │   │   ├── auto.py
│           │       │           │   │   │   ├── flow_control.py
│           │       │           │   │   │   ├── h11_impl.py
│           │       │           │   │   │   └── httptools_impl.py
│           │       │           │   │   ├── utils.py
│           │       │           │   │   └── websockets
│           │       │           │   │       ├── __init__.py
│           │       │           │   │       ├── auto.py
│           │       │           │   │       ├── websockets_impl.py
│           │       │           │   │       ├──
websockets_sansio_impl.py
│           │       │           │   │       └── wsproto_impl.py
│           │       │           │   ├── py.typed
│           │       │           │   ├── server.py
│           │       │           │   ├── supervisors
│           │       │           │   │   ├── __init__.py
│           │       │           │   │   ├── basereload.py
│           │       │           │   │   ├── multiprocess.py
│           │       │           │   │   ├── statreload.py
│           │       │           │   │   └── watchfilesreload.py
│           │       │           │   └── workers.py
│           │       │           └── uvicorn-0.35.0.dist-info
│           │       │               ├── INSTALLER
│           │       │               ├── METADATA
│           │       │               ├── RECORD
│           │       │               ├── REQUESTED
│           │       │               ├── WHEEL
│           │       │               ├── entry_points.txt
│           │       │               └── licenses
│           │       │                   └── LICENSE.md
│           │       └── pyvenv.cfg
│           └── master_matrix_2025-08-23_2118.tar.gz
├── modules
│   ├── cognitive
│   │   ├── __init__.py
│   │   ├── ethics.py
│   │   └── resonance.py
│   ├── cognitive_modules
│   │   ├── ϕ-EMPATHY
│   │   │   ├── README.md
│   │   │   ├── empathy_engine.py
│   │   │   └── init.py
│   │   ├── ϕ-ETHICS-EVOLVE
│   │   │   ├── README.md
│   │   │   ├── ethics_engine.py
│   │   │   └── init.py
│   │   ├── ϕ-MIRROR
│   │   │   ├── README.md
│   │   │   ├── init.py
```

```
│   │   │   │   └── mirror_engine.py
│   │   │   ├── ϕ-RESONANCE-CORE
│   │   │   │   ├── README.md
│   │   │   │   ├── init.py
│   │   │   │   └── resonance_engine.py
│   │   │   ├── ϕ-SHADOW
│   │   │   │   ├── README.md
│   │   │   │   ├── init.py
│   │   │   │   ├── self_modifier.py
│   │   │   │   └── shadow_engine.py
│   │   │   └── ϕ-SYMBIOSIS
│   │   │       ├── README.md
│   │   │       ├── init.py
│   │   │       └── symbiosis_engine.py
│   │   ├── core_modules
│   │   │   ├── ϕ-ETERNITY
│   │   │   │   ├── README.md
│   │   │   │   ├── eternity_engine.py
│   │   │   │   └── init.py
│   │   │   ├── ϕ-INFINITY
│   │   │   │   ├── README.md
│   │   │   │   ├── infinity_engine.py
│   │   │   │   └── init.py
│   │   │   └── ϕ-ORIGIN
│   │   │       ├── README.md
│   │   │       ├── init.py
│   │   │       └── origin_engine.py
│   │   ├── creative_modules
│   │   │   ├── ϕ-CHAOS
│   │   │   │   ├── README.md
│   │   │   │   ├── chaos_engine.py
│   │   │   │   └── init.py
│   │   │   ├── ϕ-COSMIC-WEAVE
│   │   │   │   ├── README.md
│   │   │   │   ├── cosmic_weave_engine.py
│   │   │   │   └── init.py
│   │   │   ├── ϕ-DREAM
│   │   │   │   ├── README.md
│   │   │   │   ├── dream_engine.py
│   │   │   │   └── init.py
│   │   │   └── ϕ-METAMORPH
│   │   │       ├── README.md
│   │   │       ├── init.py
│   │   │       └── metamorph_engine.py
│   │   ├── experimental_modules
│   │   │   ├── ϕ-OMNIVERSE
│   │   │   │   ├── README.md
│   │   │   │   ├── init.py
│   │   │   │   ├── prophecy_engine.py
│   │   │   │   └── reality_simulator.py
│   │   │   ├── ϕ-SINGULARITY
│   │   │   │   ├── README.md
│   │   │   │   ├── init.py
│   │   │   │   └── singularity_engine.py
│   │   │   ├── ϕ-SOULFORGE
│   │   │   │   ├── README.md
```

```
│   │   │   │   ├── init.py
│   │   │   │   └── soulforge_engine.py
│   │   │   └── ϕ-VOID
│   │   │       ├── README.md
│   │   │       ├── init.py
│   │   │       └── void_engine.py
│   ├── integration_modules
│   │   ├── ϕ-AETHER
│   │   │   ├── README.md
│   │   │   ├── aether_engine.py
│   │   │   └── init.py
│   │   ├── ϕ-ARMOR
│   │   │   ├── README.md
│   │   │   ├── armor_engine.py
│   │   │   └── init.py
│   │   ├── ϕ-MYCELIUM
│   │   │   ├── README.md
│   │   │   ├── init.py
│   │   │   └── mycelium_engine.py
│   │   └── ϕ-NEXUS
│   │       ├── README.md
│   │       ├── init.py
│   │       └── nexus_engine.py
│   ├── memory
│   │   ├── __init__.py
│   │   ├── feed.py
│   │   ├── ingest.py
│   │   ├── query.py
│   │   └── query_cognitive.py
│   ├── security
│   │   ├── policy.py
│   │   └── policy_cli.py
│   ├── security_modules
│   │   ├── ϕ-FIREWALL
│   │   │   ├── README.md
│   │   │   ├── firewall_engine.py
│   │   │   └── init.py
│   │   ├── ϕ-REDTEAM
│   │   │   ├── README.md
│   │   │   ├── init.py
│   │   │   └── redteam_engine.py
│   │   ├── ϕ-REGENERATE
│   │   │   ├── README.md
│   │   │   ├── init.py
│   │   │   └── regenerate_engine.py
│   │   └── ϕ-ZEROTRUST
│   │       ├── README.md
│   │       ├── init.py
│   │       └── zerotrust_engine.py
│   └── selftest.py
├── myths
│   └── archetypes_and_legends.md
├── phi
├── phi_silence.txt
├── requirements.txt
├── rituals
```

```
│   ├── dream_ritual.sh
│   ├── myth_ritual.sh
│   └── resonance_ritual.sh
├── runtime
│   └── bin
│       └── mm
├── test_silence.txt
├── tools
│   ├── accept_rag_test.py
│   ├── compare_report.py
│   ├── local_rag.py
│   ├── local_rag.py.bak.20250814-071429
│   ├── map_blueprint.py
│   ├── pdf_extract.py
│   └── policy_smoketest.py
├── venv_OLD_20250814_033532
│   ├── bin
│   │   ├── Activate.ps1
│   │   ├── activate
│   │   ├── activate.csh
│   │   ├── activate.fish
│   │   ├── chroma
│   │   ├── coloredlogs
│   │   ├── distro
│   │   ├── dotenv
│   │   ├── f2py
│   │   ├── flask
│   │   ├── google-oauthlib-tool
│   │   ├── hf
│   │   ├── httpx
│   │   ├── huggingface-cli
│   │   ├── humanfriendly
│   │   ├── isympy
│   │   ├── jsondiff
│   │   ├── jsonpatch
│   │   ├── jsonpointer
│   │   ├── jsonschema
│   │   ├── markdown-it
│   │   ├── normalizer
│   │   ├── numpy-config
│   │   ├── onnxruntime_test
│   │   ├── openai
│   │   ├── pip
│   │   ├── pip3
│   │   ├── pip3.9
│   │   ├── pybase64
│   │   ├── pygmentize
│   │   ├── pyproject-build
│   │   ├── pyrsa-decrypt
│   │   ├── pyrsa-encrypt
│   │   ├── pyrsa-keygen
│   │   ├── pyrsa-priv2pub
│   │   ├── pyrsa-sign
│   │   ├── pyrsa-verify
│   │   ├── python -> python3
```

```
│   │   ├── python3 -> /Library/Developer/CommandLineTools/usr/bin/
python3
│   │   ├── python3.9 -> python3
│   │   ├── tiny-agents
│   │   ├── tqdm
│   │   ├── typer
│   │   ├── uvicorn
│   │   ├── watchfiles
│   │   ├── websockets
│   │   └── wsdump
│   ├── include
│   │   └── site
│   │       └── python3.9
│   │           └── pygame
│   │               ├── _blit_info.h
│   │               ├── _camera.h
│   │               ├── _pygame.h
│   │               ├── _surface.h
│   │               ├── camera.h
│   │               ├── font.h
│   │               ├── freetype.h
│   │               ├── include
│   │               │   ├── _pygame.h
│   │               │   ├── bitmask.h
│   │               │   ├── pgcompat.h
│   │               │   ├── pgimport.h
│   │               │   ├── pgplatform.h
│   │               │   ├── pygame.h
│   │               │   ├── pygame_bufferproxy.h
│   │               │   ├── pygame_font.h
│   │               │   ├── pygame_freetype.h
│   │               │   ├── pygame_mask.h
│   │               │   ├── pygame_mixer.h
│   │               │   └── sse2neon.h
│   │               ├── mask.h
│   │               ├── mixer.h
│   │               ├── palette.h
│   │               ├── pgarrinter.h
│   │               ├── pgbufferproxy.h
│   │               ├── pgcompat.h
│   │               ├── pgopengl.h
│   │               ├── pgplatform.h
│   │               ├── pygame.h
│   │               ├── scrap.h
│   │               ├── simd_blitters.h
│   │               └── surface.h
│   ├── lib
│   │   └── python3.9
│   │       └── site-packages
│   │           ├── MarkupSafe-3.0.2.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── LICENSE.txt
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   └── top_level.txt
```

```
│   │   │   │   │   │   │   ├── PyYAML-6.0.2.dist-info
│   │   │   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   │   │   ├── LICENSE
│   │   │   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   │   │   ├── REQUESTED
│   │   │   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   │   │   └── top_level.txt
│   │   │   │   │   │   │   ├── _distutils_hack
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── override.py
│   │   │   │   │   │   │   ├── _yaml
│   │   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   │   ├── aiohappyeyeballs
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _staggered.py
│   │   │   │   │   │   │   │   ├── impl.py
│   │   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   │   ├── types.py
│   │   │   │   │   │   │   │   └── utils.py
│   │   │   │   │   │   │   ├── aiohappyeyeballs-2.6.1.dist-info
│   │   │   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   │   │   ├── LICENSE
│   │   │   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   │   │   └── WHEEL
│   │   │   │   │   │   │   ├── aiohttp
│   │   │   │   │   │   │   │   ├── .hash
│   │   │   │   │   │   │   │   │   ├── _cparser.pxd.hash
│   │   │   │   │   │   │   │   │   ├── _find_header.pxd.hash
│   │   │   │   │   │   │   │   │   ├── _http_parser.pyx.hash
│   │   │   │   │   │   │   │   │   ├── _http_writer.pyx.hash
│   │   │   │   │   │   │   │   │   └── hdrs.py.hash
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _cookie_helpers.py
│   │   │   │   │   │   │   │   ├── _cparser.pxd
│   │   │   │   │   │   │   │   ├── _find_header.pxd
│   │   │   │   │   │   │   │   ├── _headers.pxi
│   │   │   │   │   │   │   │   ├── _http_parser.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _http_parser.pyx
│   │   │   │   │   │   │   │   ├── _http_writer.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _http_writer.pyx
│   │   │   │   │   │   │   │   ├── _websocket
│   │   │   │   │   │   │   │   │   ├── .hash
│   │   │   │   │   │   │   │   │   │   ├── mask.pxd.hash
│   │   │   │   │   │   │   │   │   │   ├── mask.pyx.hash
│   │   │   │   │   │   │   │   │   │   └── reader_c.pxd.hash
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── helpers.py
│   │   │   │   │   │   │   │   │   ├── mask.cpython-39-darwin.so
│   │   │   │   │   │   │   │   │   ├── mask.pxd
│   │   │   │   │   │   │   │   │   ├── mask.pyx
│   │   │   │   │   │   │   │   │   ├── models.py
│   │   │   │   │   │   │   │   │   ├── reader.py
│   │   │   │   │   │   │   │   │   ├── reader_c.cpython-39-darwin.so
│   │   │   │   │   │   │   │   │   ├── reader_c.pxd
```

```
│   │               │   │   ├── reader_c.py
│   │               │   │   ├── reader_py.py
│   │               │   │   └── writer.py
│   │               │   ├── abc.py
│   │               │   ├── base_protocol.py
│   │               │   ├── client.py
│   │               │   ├── client_exceptions.py
│   │               │   ├── client_middleware_digest_auth.py
│   │               │   ├── client_middlewares.py
│   │               │   ├── client_proto.py
│   │               │   ├── client_reqrep.py
│   │               │   ├── client_ws.py
│   │               │   ├── compression_utils.py
│   │               │   ├── connector.py
│   │               │   ├── cookiejar.py
│   │               │   ├── formdata.py
│   │               │   ├── hdrs.py
│   │               │   ├── helpers.py
│   │               │   ├── http.py
│   │               │   ├── http_exceptions.py
│   │               │   ├── http_parser.py
│   │               │   ├── http_websocket.py
│   │               │   ├── http_writer.py
│   │               │   ├── log.py
│   │               │   ├── multipart.py
│   │               │   ├── payload.py
│   │               │   ├── payload_streamer.py
│   │               │   ├── py.typed
│   │               │   ├── pytest_plugin.py
│   │               │   ├── resolver.py
│   │               │   ├── streams.py
│   │               │   ├── tcp_helpers.py
│   │               │   ├── test_utils.py
│   │               │   ├── tracing.py
│   │               │   ├── typedefs.py
│   │               │   ├── web.py
│   │               │   ├── web_app.py
│   │               │   ├── web_exceptions.py
│   │               │   ├── web_fileresponse.py
│   │               │   ├── web_log.py
│   │               │   ├── web_middlewares.py
│   │               │   ├── web_protocol.py
│   │               │   ├── web_request.py
│   │               │   ├── web_response.py
│   │               │   ├── web_routedef.py
│   │               │   ├── web_runner.py
│   │               │   ├── web_server.py
│   │               │   ├── web_urldispatcher.py
│   │               │   ├── web_ws.py
│   │               │   └── worker.py
│   │               ├── aiohttp-3.12.15.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
```

```
│   │               │   │   ├── LICENSE.txt
│   │               │   │   └── vendor
│   │               │   │       └── llhttp
│   │               │   │           └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── aiosignal
│   │               │   ├── __init__.py
│   │               │   └── py.typed
│   │               ├── aiosignal-1.4.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── annotated_types
│   │               │   ├── __init__.py
│   │               │   ├── py.typed
│   │               │   └── test_cases.py
│   │               ├── annotated_types-0.7.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── anyio
│   │               │   ├── __init__.py
│   │               │   ├── _backends
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _asyncio.py
│   │               │   │   └── _trio.py
│   │               │   ├── _core
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _asyncio_selector_thread.py
│   │               │   │   ├── _eventloop.py
│   │               │   │   ├── _exceptions.py
│   │               │   │   ├── _fileio.py
│   │               │   │   ├── _resources.py
│   │               │   │   ├── _signals.py
│   │               │   │   ├── _sockets.py
│   │               │   │   ├── _streams.py
│   │               │   │   ├── _subprocesses.py
│   │               │   │   ├── _synchronization.py
│   │               │   │   ├── _tasks.py
│   │               │   │   ├── _tempfile.py
│   │               │   │   ├── _testing.py
│   │               │   │   └── _typedattr.py
│   │               │   ├── abc
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _eventloop.py
│   │               │   │   ├── _resources.py
│   │               │   │   ├── _sockets.py
│   │               │   │   ├── _streams.py
│   │               │   │   ├── _subprocesses.py
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── filters.pyi
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── setters.py
│   │   │   │   │   │   ├── setters.pyi
│   │   │   │   │   │   ├── validators.py
│   │   │   │   │   │   └── validators.pyi
│   │   │   │   ├── attrs
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── converters.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── filters.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── setters.py
│   │   │   │   │   └── validators.py
│   │   │   │   ├── attrs-25.3.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── backoff
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _async.py
│   │   │   │   │   ├── _common.py
│   │   │   │   │   ├── _decorator.py
│   │   │   │   │   ├── _jitter.py
│   │   │   │   │   ├── _sync.py
│   │   │   │   │   ├── _typing.py
│   │   │   │   │   ├── _wait_gen.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   └── types.py
│   │   │   │   ├── backoff-2.2.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   └── WHEEL
│   │   │   │   ├── bcrypt
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── _bcrypt.abi3.so
│   │   │   │   │   └── py.typed
│   │   │   │   ├── bcrypt-4.3.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── blinker
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _utilities.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   └── py.typed
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   ├── api.py
│   │   │   │   │   │   ├── cd.py
│   │   │   │   │   │   ├── cli
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── __main__.py
│   │   │   │   │   │   ├── constant.py
│   │   │   │   │   │   ├── legacy.py
│   │   │   │   │   │   ├── md.cpython-39-darwin.so
│   │   │   │   │   │   ├── md.py
│   │   │   │   │   │   ├── md__mypyc.cpython-39-darwin.so
│   │   │   │   │   │   ├── models.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── utils.py
│   │   │   │   │   │   └── version.py
│   │   │   │   │   ├── charset_normalizer-3.4.2.dist-info
│   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   │   ├── licenses
│   │   │   │   │   │   │   └── LICENSE
│   │   │   │   │   │   └── top_level.txt
│   │   │   │   │   ├── chromadb
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── api
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── async_api.py
│   │   │   │   │   │   │   ├── async_client.py
│   │   │   │   │   │   │   ├── async_fastapi.py
│   │   │   │   │   │   │   ├── base_http_client.py
│   │   │   │   │   │   │   ├── client.py
│   │   │   │   │   │   │   ├── collection_configuration.py
│   │   │   │   │   │   │   ├── configuration.py
│   │   │   │   │   │   │   ├── fastapi.py
│   │   │   │   │   │   │   ├── models
│   │   │   │   │   │   │   │   ├── AsyncCollection.py
│   │   │   │   │   │   │   │   ├── Collection.py
│   │   │   │   │   │   │   │   └── CollectionCommon.py
│   │   │   │   │   │   │   ├── rust.py
│   │   │   │   │   │   │   ├── segment.py
│   │   │   │   │   │   │   ├── shared_system_client.py
│   │   │   │   │   │   │   └── types.py
│   │   │   │   │   │   ├── app.py
│   │   │   │   │   │   ├── auth
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── basic_authn
│   │   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   │   ├── simple_rbac_authz
│   │   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   │   ├── token_authn
│   │   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   │   └── utils
│   │   │   │   │   │   │       └── __init__.py
```

```
│   │               │   ├── base_types.py
│   │               │   ├── chromadb_rust_bindings.pyi
│   │               │   ├── cli
│   │               │   │   ├── __init__.py
│   │               │   │   ├── cli.py
│   │               │   │   └── utils.py
│   │               │   ├── config.py
│   │               │   ├── db
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── impl
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── grpc
│   │               │   │   │   │   ├── client.py
│   │               │   │   │   │   └── server.py
│   │               │   │   │   ├── sqlite.py
│   │               │   │   │   └── sqlite_pool.py
│   │               │   │   ├── migrations.py
│   │               │   │   ├── mixins
│   │               │   │   │   ├── embeddings_queue.py
│   │               │   │   │   └── sysdb.py
│   │               │   │   └── system.py
│   │               │   ├── errors.py
│   │               │   ├── execution
│   │               │   │   ├── __init__.py
│   │               │   │   ├── executor
│   │               │   │   │   ├── abstract.py
│   │               │   │   │   ├── distributed.py
│   │               │   │   │   └── local.py
│   │               │   │   └── expression
│   │               │   │       ├── operator.py
│   │               │   │       └── plan.py
│   │               │   ├── experimental
│   │               │   │   └── density_relevance.ipynb
│   │               │   ├── ingest
│   │               │   │   ├── __init__.py
│   │               │   │   └── impl
│   │               │   │       └── utils.py
│   │               │   ├── log_config.yml
│   │               │   ├── logservice
│   │               │   │   └── logservice.py
│   │               │   ├── migrations
│   │               │   │   ├── __init__.py
│   │               │   │   ├── embeddings_queue
│   │               │   │   │   ├── 00001-embeddings.sqlite.sql
│   │               │   │   │   └── 00002-embeddings-queue-config.sqlite.sql
│   │               │   │   ├── metadb
│   │               │   │   │   ├── 00001-embedding-metadata.sqlite.sql
│   │               │   │   │   ├── 00002-embedding-metadata.sqlite.sql
│   │               │   │   │   ├── 00003-full-text-tokenize.sqlite.sql
│   │               │   │   │   ├── 00004-metadata-indices.sqlite.sql
│   │               │   │   │   └── 00005-max-seq-id-int.sqlite.sql
│   │               │   │   └── sysdb
│   │               │   │       ├── 00001-collections.sqlite.sql
│   │               │   │       ├── 00002-segments.sqlite.sql
│   │               │   │       ├── 00003-collection-dimension.sqlite.sql
```

```
│   │           │   │       ├── 00004-tenants-databases.sqlite.sql
│   │           │   │       ├── 00005-remove-topic.sqlite.sql
│   │           │   │       ├── 00006-collection-segment-
metadata.sqlite.sql
│   │           │   │       ├── 00007-collection-config.sqlite.sql
│   │           │   │       ├── 00008-maintenance-log.sqlite.sql
│   │           │   │       └── 00009-segment-collection-not-
null.sqlite.sql
│   │           │   ├── proto
│   │           │   │   ├── .gitignore
│   │           │   │   ├── __init__.py
│   │           │   │   ├── convert.py
│   │           │   │   └── utils.py
│   │           │   ├── py.typed
│   │           │   ├── quota
│   │           │   │   ├── __init__.py
│   │           │   │   └── simple_quota_enforcer
│   │           │   │       └── __init__.py
│   │           │   ├── rate_limit
│   │           │   │   ├── __init__.py
│   │           │   │   └── simple_rate_limit
│   │           │   │       └── __init__.py
│   │           │   ├── segment
│   │           │   │   ├── __init__.py
│   │           │   │   ├── distributed
│   │           │   │   │   └── __init__.py
│   │           │   │   └── impl
│   │           │   │       ├── __init__.py
│   │           │   │       ├── distributed
│   │           │   │       │   └── segment_directory.py
│   │           │   │       ├── manager
│   │           │   │       │   ├── __init__.py
│   │           │   │       │   ├── cache
│   │           │   │       │   │   ├── __init__.py
│   │           │   │       │   │   └── cache.py
│   │           │   │       │   ├── distributed.py
│   │           │   │       │   └── local.py
│   │           │   │       ├── metadata
│   │           │   │       │   └── sqlite.py
│   │           │   │       └── vector
│   │           │   │           ├── batch.py
│   │           │   │           ├── brute_force_index.py
│   │           │   │           ├── hnsw_params.py
│   │           │   │           ├── local_hnsw.py
│   │           │   │           └── local_persistent_hnsw.py
│   │           │   ├── serde.py
│   │           │   ├── server
│   │           │   │   ├── __init__.py
│   │           │   │   └── fastapi
│   │           │   │       ├── __init__.py
│   │           │   │       └── types.py
│   │           │   ├── telemetry
│   │           │   │   ├── README.md
│   │           │   │   ├── __init__.py
│   │           │   │   ├── opentelemetry
│   │           │   │   │   ├── __init__.py
```

```
│   │               │   │   │   ├── fastapi.py
│   │               │   │   │   └── grpc.py
│   │               │   │   └── product
│   │               │   │       ├── __init__.py
│   │               │   │       ├── events.py
│   │               │   │       └── posthog.py
│   │               │   ├── test
│   │               │   │   ├── __init__.py
│   │               │   │   ├── api
│   │               │   │   │   ├── test_collection.py
│   │               │   │   │   ├── test_delete_database.py
│   │               │   │   │   ├── test_get_database.py
│   │               │   │   │   ├── test_invalid_update.py
│   │               │   │   │   ├── test_limit_offset.py
│   │               │   │   │   ├── test_list_databases.py
│   │               │   │   │   ├── test_numpy_list_inputs.py
│   │               │   │   │   └── test_types.py
│   │               │   │   ├── auth
│   │               │   │   │   └── test_auth_utils.py
│   │               │   │   ├── client
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── create_http_client_with_basic_auth.py
│   │               │   │   │   ├── test_cloud_client.py
│   │               │   │   │   ├── test_create_http_client.py
│   │               │   │   │   ├── test_database_tenant.py
│   │               │   │   │   ├── test_database_tenant_auth.py
│   │               │   │   │   └── test_multiple_clients_concurrency.py
│   │               │   │   ├── configurations
│   │               │   │   │   ├── test_collection_configuration.py
│   │               │   │   │   └── test_configurations.py
│   │               │   │   ├── conftest.py
│   │               │   │   ├── data_loader
│   │               │   │   │   └── test_data_loader.py
│   │               │   │   ├── db
│   │               │   │   │   └── test_log_purge.py
│   │               │   │   ├── distributed
│   │               │   │   │   ├── README.md
│   │               │   │   │   ├── test_log_backpressure.py
│   │               │   │   │   ├── test_log_failover.py
│   │               │   │   │   ├── test_reroute.py
│   │               │   │   │   └── test_sanity.py
│   │               │   │   ├── ef
│   │               │   │   │   ├── test_custom_ef.py
│   │               │   │   │   ├── test_default_ef.py
│   │               │   │   │   ├── test_ef.py
│   │               │   │   │   ├── test_multimodal_ef.py
│   │               │   │   │   ├── test_ollama_ef.py
│   │               │   │   │   ├── test_onnx_mini_lm_l6_v2.py
│   │               │   │   │   ├── test_openai_ef.py
│   │               │   │   │   └── test_voyageai_ef.py
│   │               │   │   ├── openssl.cnf
│   │               │   │   ├── property
│   │               │   │   │   ├── invariants.py
│   │               │   │   │   ├── strategies.py
│   │               │   │   │   ├── test_add.py
│   │               │   │   │   ├── test_base64_conversion.py
```

```
│   │               │   │   │   ├── test_client_url.py
│   │               │   │   │   ├── test_collections.py
│   │               │   │   │   ├── test_collections_with_database_tenant.py
│   │               │   │   │   ├──
test_collections_with_database_tenant_overwrite.py
│   │               │   │   │   ├── test_cross_version_persist.py
│   │               │   │   │   ├── test_embeddings.py
│   │               │   │   │   ├── test_filtering.py
│   │               │   │   │   ├── test_fork.py
│   │               │   │   │   ├── test_persist.py
│   │               │   │   │   └── test_restart_persist.py
│   │               │   │   ├── segment
│   │               │   │   │   └── distributed
│   │               │   │   │       ├── test_memberlist_provider.py
│   │               │   │   │       └── test_rendezvous_hash.py
│   │               │   │   ├── stress
│   │               │   │   │   └── test_many_collections.py
│   │               │   │   ├── test_api.py
│   │               │   │   ├── test_chroma.py
│   │               │   │   ├── test_cli.py
│   │               │   │   ├── test_client.py
│   │               │   │   ├── test_config.py
│   │               │   │   ├── test_multithreaded.py
│   │               │   │   └── utils
│   │               │   │       ├── cross_version.py
│   │               │   │       ├── distance_functions.py
│   │               │   │       ├── test_embedding_function_schemas.py
│   │               │   │       ├── test_result_df_transform.py
│   │               │   │       └── wait_for_version_increase.py
│   │               │   ├── types.py
│   │               │   └── utils
│   │               │       ├── __init__.py
│   │               │       ├── async_to_sync.py
│   │               │       ├── batch_utils.py
│   │               │       ├── data_loaders.py
│   │               │       ├── delete_file.py
│   │               │       ├── directory.py
│   │               │       ├── distance_functions.py
│   │               │       ├── embedding_functions
│   │               │       │   ├── __init__.py
│   │               │       │   ├── amazon_bedrock_embedding_function.py
│   │               │       │   ├── baseten_embedding_function.py
│   │               │       │   ├── chroma_langchain_embedding_function.py
│   │               │       │   ├──
cloudflare_workers_ai_embedding_function.py
│   │               │       │   ├── cohere_embedding_function.py
│   │               │       │   ├── google_embedding_function.py
│   │               │       │   ├── huggingface_embedding_function.py
│   │               │       │   ├── instructor_embedding_function.py
│   │               │       │   ├── jina_embedding_function.py
│   │               │       │   ├── mistral_embedding_function.py
│   │               │       │   ├── ollama_embedding_function.py
│   │               │       │   ├── onnx_mini_lm_l6_v2.py
│   │               │       │   ├── open_clip_embedding_function.py
│   │               │       │   ├── openai_embedding_function.py
│   │               │       │   ├── roboflow_embedding_function.py
```

```
│   │               │       │   ├── schemas
│   │               │       │   │   ├── README.md
│   │               │       │   │   ├── __init__.py
│   │               │       │   │   ├── registry.py
│   │               │       │   │   └── schema_utils.py
│   │               │       │   ├──
sentence_transformer_embedding_function.py
│   │               │       │   ├── text2vec_embedding_function.py
│   │               │       │   ├── together_ai_embedding_function.py
│   │               │       │   └── voyageai_embedding_function.py
│   │               │       ├── fastapi.py
│   │               │       ├── lru_cache.py
│   │               │       ├── messageid.py
│   │               │       ├── read_write_lock.py
│   │               │       ├── rendezvous_hash.py
│   │               │       └── results.py
│   │               ├── chromadb-1.0.15.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── chromadb_rust_bindings
│   │               │   ├── __init__.py
│   │               │   └── chromadb_rust_bindings.abi3.so
│   │               ├── click
│   │               │   ├── __init__.py
│   │               │   ├── _compat.py
│   │               │   ├── _termui_impl.py
│   │               │   ├── _textwrap.py
│   │               │   ├── _winconsole.py
│   │               │   ├── core.py
│   │               │   ├── decorators.py
│   │               │   ├── exceptions.py
│   │               │   ├── formatting.py
│   │               │   ├── globals.py
│   │               │   ├── parser.py
│   │               │   ├── py.typed
│   │               │   ├── shell_completion.py
│   │               │   ├── termui.py
│   │               │   ├── testing.py
│   │               │   ├── types.py
│   │               │   └── utils.py
│   │               ├── click-8.1.8.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.txt
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── coloredlogs
│   │               │   ├── __init__.py
│   │               │   ├── cli.py
│   │               │   ├── converter
```

```
│   │               │   │   ├── __init__.py
│   │               │   │   └── colors.py
│   │               │   ├── demo.py
│   │               │   ├── syslog.py
│   │               │   └── tests.py
│   │               ├── coloredlogs-15.0.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.txt
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── coloredlogs.pth
│   │               ├── dataclasses_json
│   │               │   ├── __init__.py
│   │               │   ├── __version__.py
│   │               │   ├── api.py
│   │               │   ├── cfg.py
│   │               │   ├── core.py
│   │               │   ├── mm.py
│   │               │   ├── py.typed
│   │               │   ├── stringcase.py
│   │               │   ├── undefined.py
│   │               │   └── utils.py
│   │               ├── dataclasses_json-0.6.7.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── dateutil
│   │               │   ├── __init__.py
│   │               │   ├── _common.py
│   │               │   ├── _version.py
│   │               │   ├── easter.py
│   │               │   ├── parser
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _parser.py
│   │               │   │   └── isoparser.py
│   │               │   ├── relativedelta.py
│   │               │   ├── rrule.py
│   │               │   ├── tz
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _common.py
│   │               │   │   ├── _factories.py
│   │               │   │   ├── tz.py
│   │               │   │   └── win.py
│   │               │   ├── tzwin.py
│   │               │   ├── utils.py
│   │               │   └── zoneinfo
│   │               │       ├── __init__.py
│   │               │       ├── dateutil-zoneinfo.tar.gz
│   │               │       └── rebuild.py
│   │               ├── distro
│   │               │   ├── __init__.py
```

```
│   │   │   │
```

```
│   │               │   ├── _windows.py
│   │               │   ├── asyncio.py
│   │               │   ├── py.typed
│   │               │   └── version.py
│   │               ├── filelock-3.18.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── flask
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── app.py
│   │               │   ├── blueprints.py
│   │               │   ├── cli.py
│   │               │   ├── config.py
│   │               │   ├── ctx.py
│   │               │   ├── debughelpers.py
│   │               │   ├── globals.py
│   │               │   ├── helpers.py
│   │               │   ├── json
│   │               │   │   ├── __init__.py
│   │               │   │   ├── provider.py
│   │               │   │   └── tag.py
│   │               │   ├── logging.py
│   │               │   ├── py.typed
│   │               │   ├── sansio
│   │               │   │   ├── README.md
│   │               │   │   ├── app.py
│   │               │   │   ├── blueprints.py
│   │               │   │   └── scaffold.py
│   │               │   ├── sessions.py
│   │               │   ├── signals.py
│   │               │   ├── templating.py
│   │               │   ├── testing.py
│   │               │   ├── typing.py
│   │               │   ├── views.py
│   │               │   └── wrappers.py
│   │               ├── flask-3.1.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE.txt
│   │               ├── flatbuffers
│   │               │   ├── __init__.py
│   │               │   ├── _version.py
│   │               │   ├── builder.py
│   │               │   ├── compat.py
│   │               │   ├── encode.py
│   │               │   ├── flexbuffers.py
```

```
│   │   │   │   │   ├── number_types.py
│   │   │   │   │   ├── packer.py
│   │   │   │   │   ├── table.py
│   │   │   │   │   └── util.py
│   │   │   │   ├── flatbuffers-25.2.10.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── frozenlist
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── _frozenlist.cpython-39-darwin.so
│   │   │   │   │   ├── _frozenlist.pyx
│   │   │   │   │   └── py.typed
│   │   │   │   ├── frozenlist-1.7.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   └── LICENSE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── fsspec
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _version.py
│   │   │   │   │   ├── archive.py
│   │   │   │   │   ├── asyn.py
│   │   │   │   │   ├── caching.py
│   │   │   │   │   ├── callbacks.py
│   │   │   │   │   ├── compression.py
│   │   │   │   │   ├── config.py
│   │   │   │   │   ├── conftest.py
│   │   │   │   │   ├── core.py
│   │   │   │   │   ├── dircache.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── fuse.py
│   │   │   │   │   ├── generic.py
│   │   │   │   │   ├── gui.py
│   │   │   │   │   ├── implementations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── arrow.py
│   │   │   │   │   │   ├── asyn_wrapper.py
│   │   │   │   │   │   ├── cache_mapper.py
│   │   │   │   │   │   ├── cache_metadata.py
│   │   │   │   │   │   ├── cached.py
│   │   │   │   │   │   ├── dask.py
│   │   │   │   │   │   ├── data.py
│   │   │   │   │   │   ├── dbfs.py
│   │   │   │   │   │   ├── dirfs.py
│   │   │   │   │   │   ├── ftp.py
│   │   │   │   │   │   ├── gist.py
│   │   │   │   │   │   ├── git.py
│   │   │   │   │   │   ├── github.py
```

```
│   │               │   │   ├── http.py
│   │               │   │   ├── http_sync.py
│   │               │   │   ├── jupyter.py
│   │               │   │   ├── libarchive.py
│   │               │   │   ├── local.py
│   │               │   │   ├── memory.py
│   │               │   │   ├── reference.py
│   │               │   │   ├── sftp.py
│   │               │   │   ├── smb.py
│   │               │   │   ├── tar.py
│   │               │   │   ├── webhdfs.py
│   │               │   │   └── zip.py
│   │               │   ├── json.py
│   │               │   ├── mapping.py
│   │               │   ├── parquet.py
│   │               │   ├── registry.py
│   │               │   ├── spec.py
│   │               │   ├── tests
│   │               │   │   └── abstract
│   │               │   │       ├── __init__.py
│   │               │   │       ├── common.py
│   │               │   │       ├── copy.py
│   │               │   │       ├── get.py
│   │               │   │       ├── mv.py
│   │               │   │       ├── open.py
│   │               │   │       ├── pipe.py
│   │               │   │       └── put.py
│   │               │   ├── transaction.py
│   │               │   └── utils.py
│   │               ├── fsspec-2025.7.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── google
│   │               │   ├── _upb
│   │               │   │   └── _message.abi3.so
│   │               │   ├── api
│   │               │   │   ├── annotations.proto
│   │               │   │   ├── annotations_pb2.py
│   │               │   │   ├── annotations_pb2.pyi
│   │               │   │   ├── auth.proto
│   │               │   │   ├── auth_pb2.py
│   │               │   │   ├── auth_pb2.pyi
│   │               │   │   ├── backend.proto
│   │               │   │   ├── backend_pb2.py
│   │               │   │   ├── backend_pb2.pyi
│   │               │   │   ├── billing.proto
│   │               │   │   ├── billing_pb2.py
│   │               │   │   ├── billing_pb2.pyi
│   │               │   │   ├── client.proto
│   │               │   │   ├── client_pb2.py
│   │               │   │   ├── client_pb2.pyi
│   │               │   │   ├── config_change.proto
```

```
│   │               │   │   ├── config_change_pb2.py
│   │               │   │   ├── config_change_pb2.pyi
│   │               │   │   ├── consumer.proto
│   │               │   │   ├── consumer_pb2.py
│   │               │   │   ├── consumer_pb2.pyi
│   │               │   │   ├── context.proto
│   │               │   │   ├── context_pb2.py
│   │               │   │   ├── context_pb2.pyi
│   │               │   │   ├── control.proto
│   │               │   │   ├── control_pb2.py
│   │               │   │   ├── control_pb2.pyi
│   │               │   │   ├── distribution.proto
│   │               │   │   ├── distribution_pb2.py
│   │               │   │   ├── distribution_pb2.pyi
│   │               │   │   ├── documentation.proto
│   │               │   │   ├── documentation_pb2.py
│   │               │   │   ├── documentation_pb2.pyi
│   │               │   │   ├── endpoint.proto
│   │               │   │   ├── endpoint_pb2.py
│   │               │   │   ├── endpoint_pb2.pyi
│   │               │   │   ├── error_reason.proto
│   │               │   │   ├── error_reason_pb2.py
│   │               │   │   ├── error_reason_pb2.pyi
│   │               │   │   ├── field_behavior.proto
│   │               │   │   ├── field_behavior_pb2.py
│   │               │   │   ├── field_behavior_pb2.pyi
│   │               │   │   ├── field_info.proto
│   │               │   │   ├── field_info_pb2.py
│   │               │   │   ├── field_info_pb2.pyi
│   │               │   │   ├── http.proto
│   │               │   │   ├── http_pb2.py
│   │               │   │   ├── http_pb2.pyi
│   │               │   │   ├── httpbody.proto
│   │               │   │   ├── httpbody_pb2.py
│   │               │   │   ├── httpbody_pb2.pyi
│   │               │   │   ├── label.proto
│   │               │   │   ├── label_pb2.py
│   │               │   │   ├── label_pb2.pyi
│   │               │   │   ├── launch_stage.proto
│   │               │   │   ├── launch_stage_pb2.py
│   │               │   │   ├── launch_stage_pb2.pyi
│   │               │   │   ├── log.proto
│   │               │   │   ├── log_pb2.py
│   │               │   │   ├── log_pb2.pyi
│   │               │   │   ├── logging.proto
│   │               │   │   ├── logging_pb2.py
│   │               │   │   ├── logging_pb2.pyi
│   │               │   │   ├── metric.proto
│   │               │   │   ├── metric_pb2.py
│   │               │   │   ├── metric_pb2.pyi
│   │               │   │   ├── monitored_resource.proto
│   │               │   │   ├── monitored_resource_pb2.py
│   │               │   │   ├── monitored_resource_pb2.pyi
│   │               │   │   ├── monitoring.proto
│   │               │   │   ├── monitoring_pb2.py
│   │               │   │   ├── monitoring_pb2.pyi
```

```
│   │               │   │   ├── policy.proto
│   │               │   │   ├── policy_pb2.py
│   │               │   │   ├── policy_pb2.pyi
│   │               │   │   ├── quota.proto
│   │               │   │   ├── quota_pb2.py
│   │               │   │   ├── quota_pb2.pyi
│   │               │   │   ├── resource.proto
│   │               │   │   ├── resource_pb2.py
│   │               │   │   ├── resource_pb2.pyi
│   │               │   │   ├── routing.proto
│   │               │   │   ├── routing_pb2.py
│   │               │   │   ├── routing_pb2.pyi
│   │               │   │   ├── service.proto
│   │               │   │   ├── service_pb2.py
│   │               │   │   ├── service_pb2.pyi
│   │               │   │   ├── source_info.proto
│   │               │   │   ├── source_info_pb2.py
│   │               │   │   ├── source_info_pb2.pyi
│   │               │   │   ├── system_parameter.proto
│   │               │   │   ├── system_parameter_pb2.py
│   │               │   │   ├── system_parameter_pb2.pyi
│   │               │   │   ├── usage.proto
│   │               │   │   ├── usage_pb2.py
│   │               │   │   ├── usage_pb2.pyi
│   │               │   │   ├── visibility.proto
│   │               │   │   ├── visibility_pb2.py
│   │               │   │   └── visibility_pb2.pyi
│   │               │   ├── api_core
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _rest_streaming_base.py
│   │               │   │   ├── bidi.py
│   │               │   │   ├── client_info.py
│   │               │   │   ├── client_logging.py
│   │               │   │   ├── client_options.py
│   │               │   │   ├── datetime_helpers.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── extended_operation.py
│   │               │   │   ├── future
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _helpers.py
│   │               │   │   │   ├── async_future.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── polling.py
│   │               │   │   ├── gapic_v1
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── client_info.py
│   │               │   │   │   ├── config.py
│   │               │   │   │   ├── config_async.py
│   │               │   │   │   ├── method.py
│   │               │   │   │   ├── method_async.py
│   │               │   │   │   └── routing_header.py
│   │               │   │   ├── general_helpers.py
│   │               │   │   ├── grpc_helpers.py
│   │               │   │   ├── grpc_helpers_async.py
│   │               │   │   ├── iam.py
│   │               │   │   ├── operation.py
```

```
│   │               │   │   ├── operation_async.py
│   │               │   │   ├── operations_v1
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── abstract_operations_base_client.py
│   │               │   │   │   ├── abstract_operations_client.py
│   │               │   │   │   ├── operations_async_client.py
│   │               │   │   │   ├── operations_client.py
│   │               │   │   │   ├── operations_client_config.py
│   │               │   │   │   ├── operations_rest_client_async.py
│   │               │   │   │   ├── pagers.py
│   │               │   │   │   ├── pagers_async.py
│   │               │   │   │   ├── pagers_base.py
│   │               │   │   │   └── transports
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── base.py
│   │               │   │   │       ├── rest.py
│   │               │   │   │       └── rest_asyncio.py
│   │               │   │   ├── page_iterator.py
│   │               │   │   ├── page_iterator_async.py
│   │               │   │   ├── path_template.py
│   │               │   │   ├── protobuf_helpers.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── rest_helpers.py
│   │               │   │   ├── rest_streaming.py
│   │               │   │   ├── rest_streaming_async.py
│   │               │   │   ├── retry
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── retry_base.py
│   │               │   │   │   ├── retry_streaming.py
│   │               │   │   │   ├── retry_streaming_async.py
│   │               │   │   │   ├── retry_unary.py
│   │               │   │   │   └── retry_unary_async.py
│   │               │   │   ├── retry_async.py
│   │               │   │   ├── timeout.py
│   │               │   │   ├── universe.py
│   │               │   │   ├── version.py
│   │               │   │   └── version_header.py
│   │               │   ├── auth
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _cloud_sdk.py
│   │               │   │   ├── _credentials_async.py
│   │               │   │   ├── _credentials_base.py
│   │               │   │   ├── _default.py
│   │               │   │   ├── _default_async.py
│   │               │   │   ├── _exponential_backoff.py
│   │               │   │   ├── _helpers.py
│   │               │   │   ├── _jwt_async.py
│   │               │   │   ├── _oauth2client.py
│   │               │   │   ├── _refresh_worker.py
│   │               │   │   ├── _service_account_info.py
│   │               │   │   ├── aio
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _helpers.py
│   │               │   │   │   ├── credentials.py
│   │               │   │   │   └── transport
│   │               │   │   │       ├── __init__.py
```

```
│   │   │   │
```

```
│   │               │   │   └── type
│   │               │   │       ├── http_request.proto
│   │               │   │       ├── http_request_pb2.py
│   │               │   │       ├── http_request_pb2.pyi
│   │               │   │       ├── log_severity.proto
│   │               │   │       ├── log_severity_pb2.py
│   │               │   │       └── log_severity_pb2.pyi
│   │               │   ├── longrunning
│   │               │   │   ├── operations_grpc.py
│   │               │   │   ├── operations_grpc_pb2.py
│   │               │   │   ├── operations_pb2.py
│   │               │   │   ├── operations_pb2_grpc.py
│   │               │   │   ├── operations_proto.proto
│   │               │   │   ├── operations_proto.py
│   │               │   │   ├── operations_proto_pb2.py
│   │               │   │   └── operations_proto_pb2.pyi
│   │               │   ├── oauth2
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _client.py
│   │               │   │   ├── _client_async.py
│   │               │   │   ├── _credentials_async.py
│   │               │   │   ├── _id_token_async.py
│   │               │   │   ├── _reauth_async.py
│   │               │   │   ├── _service_account_async.py
│   │               │   │   ├── challenges.py
│   │               │   │   ├── credentials.py
│   │               │   │   ├── gdch_credentials.py
│   │               │   │   ├── id_token.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── reauth.py
│   │               │   │   ├── service_account.py
│   │               │   │   ├── sts.py
│   │               │   │   ├── utils.py
│   │               │   │   ├── webauthn_handler.py
│   │               │   │   ├── webauthn_handler_factory.py
│   │               │   │   └── webauthn_types.py
│   │               │   ├── protobuf
│   │               │   │   ├── __init__.py
│   │               │   │   ├── any.py
│   │               │   │   ├── any_pb2.py
│   │               │   │   ├── api_pb2.py
│   │               │   │   ├── compiler
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── plugin_pb2.py
│   │               │   │   ├── descriptor.py
│   │               │   │   ├── descriptor_database.py
│   │               │   │   ├── descriptor_pb2.py
│   │               │   │   ├── descriptor_pool.py
│   │               │   │   ├── duration.py
│   │               │   │   ├── duration_pb2.py
│   │               │   │   ├── empty_pb2.py
│   │               │   │   ├── field_mask_pb2.py
│   │               │   │   ├── internal
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── api_implementation.py
│   │               │   │   │   ├── builder.py
```

```
│   │               │   │   │   ├── containers.py
│   │               │   │   │   ├── decoder.py
│   │               │   │   │   ├── encoder.py
│   │               │   │   │   ├── enum_type_wrapper.py
│   │               │   │   │   ├── extension_dict.py
│   │               │   │   │   ├── field_mask.py
│   │               │   │   │   ├── message_listener.py
│   │               │   │   │   ├── python_edition_defaults.py
│   │               │   │   │   ├── python_message.py
│   │               │   │   │   ├── testing_refleaks.py
│   │               │   │   │   ├── type_checkers.py
│   │               │   │   │   ├── well_known_types.py
│   │               │   │   │   └── wire_format.py
│   │               │   │   ├── json_format.py
│   │               │   │   ├── message.py
│   │               │   │   ├── message_factory.py
│   │               │   │   ├── proto.py
│   │               │   │   ├── proto_builder.py
│   │               │   │   ├── proto_json.py
│   │               │   │   ├── proto_text.py
│   │               │   │   ├── pyext
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── cpp_message.py
│   │               │   │   ├── reflection.py
│   │               │   │   ├── runtime_version.py
│   │               │   │   ├── service_reflection.py
│   │               │   │   ├── source_context_pb2.py
│   │               │   │   ├── struct_pb2.py
│   │               │   │   ├── symbol_database.py
│   │               │   │   ├── testdata
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── text_encoding.py
│   │               │   │   ├── text_format.py
│   │               │   │   ├── timestamp.py
│   │               │   │   ├── timestamp_pb2.py
│   │               │   │   ├── type_pb2.py
│   │               │   │   ├── unknown_fields.py
│   │               │   │   ├── util
│   │               │   │   │   └── __init__.py
│   │               │   │   └── wrappers_pb2.py
│   │               │   ├── rpc
│   │               │   │   ├── code.proto
│   │               │   │   ├── code_pb2.py
│   │               │   │   ├── code_pb2.pyi
│   │               │   │   ├── context
│   │               │   │   │   ├── attribute_context.proto
│   │               │   │   │   ├── attribute_context_pb2.py
│   │               │   │   │   ├── attribute_context_pb2.pyi
│   │               │   │   │   ├── audit_context.proto
│   │               │   │   │   ├── audit_context_pb2.py
│   │               │   │   │   └── audit_context_pb2.pyi
│   │               │   │   ├── error_details.proto
│   │               │   │   ├── error_details_pb2.py
│   │               │   │   ├── error_details_pb2.pyi
│   │               │   │   ├── http.proto
│   │               │   │   ├── http_pb2.py
```

```
│   │               │   │   ├── http_pb2.pyi
│   │               │   │   ├── status.proto
│   │               │   │   ├── status_pb2.py
│   │               │   │   └── status_pb2.pyi
│   │               │   └── type
│   │               │       ├── calendar_period.proto
│   │               │       ├── calendar_period_pb2.py
│   │               │       ├── calendar_period_pb2.pyi
│   │               │       ├── color.proto
│   │               │       ├── color_pb2.py
│   │               │       ├── color_pb2.pyi
│   │               │       ├── date.proto
│   │               │       ├── date_pb2.py
│   │               │       ├── date_pb2.pyi
│   │               │       ├── datetime.proto
│   │               │       ├── datetime_pb2.py
│   │               │       ├── datetime_pb2.pyi
│   │               │       ├── dayofweek.proto
│   │               │       ├── dayofweek_pb2.py
│   │               │       ├── dayofweek_pb2.pyi
│   │               │       ├── decimal.proto
│   │               │       ├── decimal_pb2.py
│   │               │       ├── decimal_pb2.pyi
│   │               │       ├── expr.proto
│   │               │       ├── expr_pb2.py
│   │               │       ├── expr_pb2.pyi
│   │               │       ├── fraction.proto
│   │               │       ├── fraction_pb2.py
│   │               │       ├── fraction_pb2.pyi
│   │               │       ├── interval.proto
│   │               │       ├── interval_pb2.py
│   │               │       ├── interval_pb2.pyi
│   │               │       ├── latlng.proto
│   │               │       ├── latlng_pb2.py
│   │               │       ├── latlng_pb2.pyi
│   │               │       ├── localized_text.proto
│   │               │       ├── localized_text_pb2.py
│   │               │       ├── localized_text_pb2.pyi
│   │               │       ├── money.proto
│   │               │       ├── money_pb2.py
│   │               │       ├── money_pb2.pyi
│   │               │       ├── month.proto
│   │               │       ├── month_pb2.py
│   │               │       ├── month_pb2.pyi
│   │               │       ├── phone_number.proto
│   │               │       ├── phone_number_pb2.py
│   │               │       ├── phone_number_pb2.pyi
│   │               │       ├── postal_address.proto
│   │               │       ├── postal_address_pb2.py
│   │               │       ├── postal_address_pb2.pyi
│   │               │       ├── quaternion.proto
│   │               │       ├── quaternion_pb2.py
│   │               │       ├── quaternion_pb2.pyi
│   │               │       ├── timeofday.proto
│   │               │       ├── timeofday_pb2.py
│   │               │       └── timeofday_pb2.pyi
```

```
│   │           │   ├── google_api_core-2.25.1.dist-info
│   │           │   │   ├── INSTALLER
│   │           │   │   ├── METADATA
│   │           │   │   ├── RECORD
│   │           │   │   ├── WHEEL
│   │           │   │   ├── licenses
│   │           │   │   │   └── LICENSE
│   │           │   │   └── top_level.txt
│   │           │   ├── google_api_python_client-2.177.0.dist-info
│   │           │   │   ├── INSTALLER
│   │           │   │   ├── METADATA
│   │           │   │   ├── RECORD
│   │           │   │   ├── REQUESTED
│   │           │   │   ├── WHEEL
│   │           │   │   ├── licenses
│   │           │   │   │   └── LICENSE
│   │           │   │   └── top_level.txt
│   │           │   ├── google_auth-2.40.3.dist-info
│   │           │   │   ├── INSTALLER
│   │           │   │   ├── LICENSE
│   │           │   │   ├── METADATA
│   │           │   │   ├── RECORD
│   │           │   │   ├── WHEEL
│   │           │   │   └── top_level.txt
│   │           │   ├── google_auth_httplib2-0.2.0.dist-info
│   │           │   │   ├── INSTALLER
│   │           │   │   ├── LICENSE
│   │           │   │   ├── METADATA
│   │           │   │   ├── RECORD
│   │           │   │   ├── REQUESTED
│   │           │   │   ├── WHEEL
│   │           │   │   └── top_level.txt
│   │           │   ├── google_auth_httplib2.py
│   │           │   ├── google_auth_oauthlib
│   │           │   │   ├── __init__.py
│   │           │   │   ├── flow.py
│   │           │   │   ├── helpers.py
│   │           │   │   ├── interactive.py
│   │           │   │   └── tool
│   │           │   │       ├── __init__.py
│   │           │   │       └── __main__.py
│   │           │   ├── google_auth_oauthlib-1.2.2.dist-info
│   │           │   │   ├── INSTALLER
│   │           │   │   ├── LICENSE
│   │           │   │   ├── METADATA
│   │           │   │   ├── RECORD
│   │           │   │   ├── REQUESTED
│   │           │   │   ├── WHEEL
│   │           │   │   ├── entry_points.txt
│   │           │   │   └── top_level.txt
│   │           │   ├── googleapiclient
│   │           │   │   ├── __init__.py
│   │           │   │   ├── _auth.py
│   │           │   │   ├── _helpers.py
│   │           │   │   ├── channel.py
│   │           │   │   ├── discovery.py
```

```
│   │   │   │
```

```
│   │   │   │   │   ├── appengine.v1.json
│   │   │   │   │   ├── appengine.v1alpha.json
│   │   │   │   │   ├── appengine.v1beta.json
│   │   │   │   │   ├── appengine.v1beta4.json
│   │   │   │   │   ├── appengine.v1beta5.json
│   │   │   │   │   ├── apphub.v1.json
│   │   │   │   │   ├── apphub.v1alpha.json
│   │   │   │   │   ├── area120tables.v1alpha1.json
│   │   │   │   │   ├── areainsights.v1.json
│   │   │   │   │   ├── artifactregistry.v1.json
│   │   │   │   │   ├── artifactregistry.v1beta1.json
│   │   │   │   │   ├── artifactregistry.v1beta2.json
│   │   │   │   │   ├── assuredworkloads.v1.json
│   │   │   │   │   ├── assuredworkloads.v1beta1.json
│   │   │   │   │   ├── authorizedbuyersmarketplace.v1.json
│   │   │   │   │   ├── authorizedbuyersmarketplace.v1alpha.json
│   │   │   │   │   ├── authorizedbuyersmarketplace.v1beta.json
│   │   │   │   │   ├── backupdr.v1.json
│   │   │   │   │   ├── baremetalsolution.v1.json
│   │   │   │   │   ├── baremetalsolution.v1alpha1.json
│   │   │   │   │   ├── baremetalsolution.v2.json
│   │   │   │   │   ├── batch.v1.json
│   │   │   │   │   ├── beyondcorp.v1.json
│   │   │   │   │   ├── beyondcorp.v1alpha.json
│   │   │   │   │   ├── biglake.v1.json
│   │   │   │   │   ├── bigquery.v2.json
│   │   │   │   │   ├── bigqueryconnection.v1.json
│   │   │   │   │   ├── bigqueryconnection.v1beta1.json
│   │   │   │   │   ├── bigquerydatapolicy.v1.json
│   │   │   │   │   ├── bigquerydatatransfer.v1.json
│   │   │   │   │   ├── bigqueryreservation.v1.json
│   │   │   │   │   ├── bigqueryreservation.v1alpha2.json
│   │   │   │   │   ├── bigqueryreservation.v1beta1.json
│   │   │   │   │   ├── bigtableadmin.v1.json
│   │   │   │   │   ├── bigtableadmin.v2.json
│   │   │   │   │   ├── billingbudgets.v1.json
│   │   │   │   │   ├── billingbudgets.v1beta1.json
│   │   │   │   │   ├── binaryauthorization.v1.json
│   │   │   │   │   ├── binaryauthorization.v1beta1.json
│   │   │   │   │   ├── blockchainnodeengine.v1.json
│   │   │   │   │   ├── blogger.v2.json
│   │   │   │   │   ├── blogger.v3.json
│   │   │   │   │   ├── books.v1.json
│   │   │   │   │   ├── businessprofileperformance.v1.json
│   │   │   │   │   ├── calendar.v3.json
│   │   │   │   │   ├── certificatemanager.v1.json
│   │   │   │   │   ├── chat.v1.json
│   │   │   │   │   ├── checks.v1alpha.json
│   │   │   │   │   ├── chromemanagement.v1.json
│   │   │   │   │   ├── chromepolicy.v1.json
│   │   │   │   │   ├── chromeuxreport.v1.json
│   │   │   │   │   ├── civicinfo.v2.json
│   │   │   │   │   ├── classroom.v1.json
│   │   │   │   │   ├── cloudasset.v1.json
│   │   │   │   │   ├── cloudasset.v1beta1.json
│   │   │   │   │   ├── cloudasset.v1p1beta1.json
```

```
│   │               │   │   │   ├── cloudasset.v1p4beta1.json
│   │               │   │   │   ├── cloudasset.v1p5beta1.json
│   │               │   │   │   ├── cloudasset.v1p7beta1.json
│   │               │   │   │   ├── cloudbilling.v1.json
│   │               │   │   │   ├── cloudbilling.v1beta.json
│   │               │   │   │   ├── cloudbuild.v1.json
│   │               │   │   │   ├── cloudbuild.v1alpha1.json
│   │               │   │   │   ├── cloudbuild.v1alpha2.json
│   │               │   │   │   ├── cloudbuild.v1beta1.json
│   │               │   │   │   ├── cloudbuild.v2.json
│   │               │   │   │   ├── cloudchannel.v1.json
│   │               │   │   │   ├── cloudcommerceprocurement.v1.json
│   │               │   │   │   ├── cloudcontrolspartner.v1.json
│   │               │   │   │   ├── cloudcontrolspartner.v1beta.json
│   │               │   │   │   ├── clouddebugger.v2.json
│   │               │   │   │   ├── clouddeploy.v1.json
│   │               │   │   │   ├── clouderrorreporting.v1beta1.json
│   │               │   │   │   ├── cloudfunctions.v1.json
│   │               │   │   │   ├── cloudfunctions.v2.json
│   │               │   │   │   ├── cloudfunctions.v2alpha.json
│   │               │   │   │   ├── cloudfunctions.v2beta.json
│   │               │   │   │   ├── cloudidentity.v1.json
│   │               │   │   │   ├── cloudidentity.v1beta1.json
│   │               │   │   │   ├── cloudiot.v1.json
│   │               │   │   │   ├── cloudkms.v1.json
│   │               │   │   │   ├── cloudlocationfinder.v1alpha.json
│   │               │   │   │   ├── cloudprofiler.v2.json
│   │               │   │   │   ├── cloudresourcemanager.v1.json
│   │               │   │   │   ├── cloudresourcemanager.v1beta1.json
│   │               │   │   │   ├── cloudresourcemanager.v2.json
│   │               │   │   │   ├── cloudresourcemanager.v2beta1.json
│   │               │   │   │   ├── cloudresourcemanager.v3.json
│   │               │   │   │   ├── cloudscheduler.v1.json
│   │               │   │   │   ├── cloudscheduler.v1beta1.json
│   │               │   │   │   ├── cloudsearch.v1.json
│   │               │   │   │   ├── cloudshell.v1.json
│   │               │   │   │   ├── cloudshell.v1alpha1.json
│   │               │   │   │   ├── cloudsupport.v2.json
│   │               │   │   │   ├── cloudsupport.v2beta.json
│   │               │   │   │   ├── cloudtasks.v2.json
│   │               │   │   │   ├── cloudtasks.v2beta2.json
│   │               │   │   │   ├── cloudtasks.v2beta3.json
│   │               │   │   │   ├── cloudtrace.v1.json
│   │               │   │   │   ├── cloudtrace.v2.json
│   │               │   │   │   ├── cloudtrace.v2beta1.json
│   │               │   │   │   ├── composer.v1.json
│   │               │   │   │   ├── composer.v1beta1.json
│   │               │   │   │   ├── compute.alpha.json
│   │               │   │   │   ├── compute.beta.json
│   │               │   │   │   ├── compute.v1.json
│   │               │   │   │   ├── config.v1.json
│   │               │   │   │   ├── connectors.v1.json
│   │               │   │   │   ├── connectors.v2.json
│   │               │   │   │   ├── contactcenteraiplatform.v1alpha1.json
│   │               │   │   │   ├── contactcenterinsights.v1.json
│   │               │   │   │   ├── container.v1.json
```

```
│   │               │   │   │   ├── container.v1beta1.json
│   │               │   │   │   ├── containeranalysis.v1.json
│   │               │   │   │   ├── containeranalysis.v1alpha1.json
│   │               │   │   │   ├── containeranalysis.v1beta1.json
│   │               │   │   │   ├── content.v2.1.json
│   │               │   │   │   ├── content.v2.json
│   │               │   │   │   ├── contentwarehouse.v1.json
│   │               │   │   │   ├── css.v1.json
│   │               │   │   │   ├── customsearch.v1.json
│   │               │   │   │   ├── datacatalog.v1.json
│   │               │   │   │   ├── datacatalog.v1beta1.json
│   │               │   │   │   ├── dataflow.v1b3.json
│   │               │   │   │   ├── dataform.v1beta1.json
│   │               │   │   │   ├── datafusion.v1.json
│   │               │   │   │   ├── datafusion.v1beta1.json
│   │               │   │   │   ├── datalabeling.v1beta1.json
│   │               │   │   │   ├── datalineage.v1.json
│   │               │   │   │   ├── datamigration.v1.json
│   │               │   │   │   ├── datamigration.v1beta1.json
│   │               │   │   │   ├── datapipelines.v1.json
│   │               │   │   │   ├── dataplex.v1.json
│   │               │   │   │   ├── dataportability.v1.json
│   │               │   │   │   ├── dataportability.v1beta.json
│   │               │   │   │   ├── dataproc.v1.json
│   │               │   │   │   ├── dataproc.v1beta2.json
│   │               │   │   │   ├── datastore.v1.json
│   │               │   │   │   ├── datastore.v1beta1.json
│   │               │   │   │   ├── datastore.v1beta3.json
│   │               │   │   │   ├── datastream.v1.json
│   │               │   │   │   ├── datastream.v1alpha1.json
│   │               │   │   │   ├── deploymentmanager.alpha.json
│   │               │   │   │   ├── deploymentmanager.v2.json
│   │               │   │   │   ├── deploymentmanager.v2beta.json
│   │               │   │   │   ├── developerconnect.v1.json
│   │               │   │   │   ├── dfareporting.v3.3.json
│   │               │   │   │   ├── dfareporting.v3.4.json
│   │               │   │   │   ├── dfareporting.v3.5.json
│   │               │   │   │   ├── dfareporting.v4.json
│   │               │   │   │   ├── dialogflow.v2.json
│   │               │   │   │   ├── dialogflow.v2beta1.json
│   │               │   │   │   ├── dialogflow.v3.json
│   │               │   │   │   ├── dialogflow.v3beta1.json
│   │               │   │   │   ├── digitalassetlinks.v1.json
│   │               │   │   │   ├── discovery.v1.json
│   │               │   │   │   ├── discoveryengine.v1.json
│   │               │   │   │   ├── discoveryengine.v1alpha.json
│   │               │   │   │   ├── discoveryengine.v1beta.json
│   │               │   │   │   ├── displayvideo.v1.json
│   │               │   │   │   ├── displayvideo.v2.json
│   │               │   │   │   ├── displayvideo.v3.json
│   │               │   │   │   ├── displayvideo.v4.json
│   │               │   │   │   ├── dlp.v2.json
│   │               │   │   │   ├── dns.v1.json
│   │               │   │   │   ├── dns.v1beta2.json
│   │               │   │   │   ├── dns.v2.json
│   │               │   │   │   ├── docs.v1.json
```

```
│   │   │   │   │   ├── documentai.v1.json
│   │   │   │   │   ├── documentai.v1beta2.json
│   │   │   │   │   ├── documentai.v1beta3.json
│   │   │   │   │   ├── domains.v1.json
│   │   │   │   │   ├── domains.v1alpha2.json
│   │   │   │   │   ├── domains.v1beta1.json
│   │   │   │   │   ├── domainsrdap.v1.json
│   │   │   │   │   ├── doubleclickbidmanager.v1.1.json
│   │   │   │   │   ├── doubleclickbidmanager.v1.json
│   │   │   │   │   ├── doubleclickbidmanager.v2.json
│   │   │   │   │   ├── doubleclicksearch.v2.json
│   │   │   │   │   ├── drive.v2.json
│   │   │   │   │   ├── drive.v3.json
│   │   │   │   │   ├── driveactivity.v2.json
│   │   │   │   │   ├── drivelabels.v2.json
│   │   │   │   │   ├── drivelabels.v2beta.json
│   │   │   │   │   ├── essentialcontacts.v1.json
│   │   │   │   │   ├── eventarc.v1.json
│   │   │   │   │   ├── eventarc.v1beta1.json
│   │   │   │   │   ├── factchecktools.v1alpha1.json
│   │   │   │   │   ├── fcm.v1.json
│   │   │   │   │   ├── fcmdata.v1beta1.json
│   │   │   │   │   ├── file.v1.json
│   │   │   │   │   ├── file.v1beta1.json
│   │   │   │   │   ├── firebase.v1beta1.json
│   │   │   │   │   ├── firebaseappcheck.v1.json
│   │   │   │   │   ├── firebaseappcheck.v1beta.json
│   │   │   │   │   ├── firebaseappdistribution.v1.json
│   │   │   │   │   ├── firebaseappdistribution.v1alpha.json
│   │   │   │   │   ├── firebaseapphosting.v1.json
│   │   │   │   │   ├── firebaseapphosting.v1beta.json
│   │   │   │   │   ├── firebasedatabase.v1beta.json
│   │   │   │   │   ├── firebasedataconnect.v1.json
│   │   │   │   │   ├── firebasedataconnect.v1beta.json
│   │   │   │   │   ├── firebasedynamiclinks.v1.json
│   │   │   │   │   ├── firebasehosting.v1.json
│   │   │   │   │   ├── firebasehosting.v1beta1.json
│   │   │   │   │   ├── firebaseml.v1.json
│   │   │   │   │   ├── firebaseml.v1beta2.json
│   │   │   │   │   ├── firebaseml.v2beta.json
│   │   │   │   │   ├── firebaserules.v1.json
│   │   │   │   │   ├── firebasestorage.v1beta.json
│   │   │   │   │   ├── firestore.v1.json
│   │   │   │   │   ├── firestore.v1beta1.json
│   │   │   │   │   ├── firestore.v1beta2.json
│   │   │   │   │   ├── fitness.v1.json
│   │   │   │   │   ├── forms.v1.json
│   │   │   │   │   ├── games.v1.json
│   │   │   │   │   ├── gamesConfiguration.v1configuration.json
│   │   │   │   │   ├── gamesManagement.v1management.json
│   │   │   │   │   ├── gameservices.v1.json
│   │   │   │   │   ├── gameservices.v1beta.json
│   │   │   │   │   ├── genomics.v1.json
│   │   │   │   │   ├── genomics.v1alpha2.json
│   │   │   │   │   ├── genomics.v2alpha1.json
│   │   │   │   │   ├── gkebackup.v1.json
```

```
│   │               │   │   │   ├── gkehub.v1.json
│   │               │   │   │   ├── gkehub.v1alpha.json
│   │               │   │   │   ├── gkehub.v1alpha2.json
│   │               │   │   │   ├── gkehub.v1beta.json
│   │               │   │   │   ├── gkehub.v1beta1.json
│   │               │   │   │   ├── gkehub.v2.json
│   │               │   │   │   ├── gkehub.v2alpha.json
│   │               │   │   │   ├── gkehub.v2beta.json
│   │               │   │   │   ├── gkeonprem.v1.json
│   │               │   │   │   ├── gmail.v1.json
│   │               │   │   │   ├── gmailpostmastertools.v1.json
│   │               │   │   │   ├── gmailpostmastertools.v1beta1.json
│   │               │   │   │   ├── groupsmigration.v1.json
│   │               │   │   │   ├── groupssettings.v1.json
│   │               │   │   │   ├── healthcare.v1.json
│   │               │   │   │   ├── healthcare.v1beta1.json
│   │               │   │   │   ├── homegraph.v1.json
│   │               │   │   │   ├── iam.v1.json
│   │               │   │   │   ├── iam.v2.json
│   │               │   │   │   ├── iam.v2beta.json
│   │               │   │   │   ├── iamcredentials.v1.json
│   │               │   │   │   ├── iap.v1.json
│   │               │   │   │   ├── iap.v1beta1.json
│   │               │   │   │   ├── ideahub.v1alpha.json
│   │               │   │   │   ├── ideahub.v1beta.json
│   │               │   │   │   ├── identitytoolkit.v1.json
│   │               │   │   │   ├── identitytoolkit.v2.json
│   │               │   │   │   ├── identitytoolkit.v3.json
│   │               │   │   │   ├── ids.v1.json
│   │               │   │   │   ├── index.json
│   │               │   │   │   ├── indexing.v3.json
│   │               │   │   │   ├── integrations.v1.json
│   │               │   │   │   ├── integrations.v1alpha.json
│   │               │   │   │   ├── jobs.v2.json
│   │               │   │   │   ├── jobs.v3.json
│   │               │   │   │   ├── jobs.v3p1beta1.json
│   │               │   │   │   ├── jobs.v4.json
│   │               │   │   │   ├── keep.v1.json
│   │               │   │   │   ├── kgsearch.v1.json
│   │               │   │   │   ├── kmsinventory.v1.json
│   │               │   │   │   ├── language.v1.json
│   │               │   │   │   ├── language.v1beta1.json
│   │               │   │   │   ├── language.v1beta2.json
│   │               │   │   │   ├── language.v2.json
│   │               │   │   │   ├── libraryagent.v1.json
│   │               │   │   │   ├── licensing.v1.json
│   │               │   │   │   ├── lifesciences.v2beta.json
│   │               │   │   │   ├── localservices.v1.json
│   │               │   │   │   ├── logging.v2.json
│   │               │   │   │   ├── looker.v1.json
│   │               │   │   │   ├── managedidentities.v1.json
│   │               │   │   │   ├── managedidentities.v1alpha1.json
│   │               │   │   │   ├── managedidentities.v1beta1.json
│   │               │   │   │   ├── managedkafka.v1.json
│   │               │   │   │   ├── manufacturers.v1.json
│   │               │   │   │   ├── marketingplatformadmin.v1alpha.json
```

```
│   │   │   │   │   │   ├── meet.v2.json
│   │   │   │   │   │   ├── memcache.v1.json
│   │   │   │   │   │   ├── memcache.v1beta2.json
│   │   │   │   │   │   ├── merchantapi.accounts_v1beta.json
│   │   │   │   │   │   ├── merchantapi.conversions_v1beta.json
│   │   │   │   │   │   ├── merchantapi.datasources_v1beta.json
│   │   │   │   │   │   ├── merchantapi.inventories_v1beta.json
│   │   │   │   │   │   ├── merchantapi.issueresolution_v1beta.json
│   │   │   │   │   │   ├── merchantapi.lfp_v1beta.json
│   │   │   │   │   │   ├── merchantapi.notifications_v1beta.json
│   │   │   │   │   │   ├── merchantapi.ordertracking_v1beta.json
│   │   │   │   │   │   ├── merchantapi.products_v1beta.json
│   │   │   │   │   │   ├── merchantapi.promotions_v1beta.json
│   │   │   │   │   │   ├── merchantapi.quota_v1beta.json
│   │   │   │   │   │   ├── merchantapi.reports_v1beta.json
│   │   │   │   │   │   ├── merchantapi.reviews_v1beta.json
│   │   │   │   │   │   ├── metastore.v1.json
│   │   │   │   │   │   ├── metastore.v1alpha.json
│   │   │   │   │   │   ├── metastore.v1beta.json
│   │   │   │   │   │   ├── metastore.v2.json
│   │   │   │   │   │   ├── metastore.v2alpha.json
│   │   │   │   │   │   ├── metastore.v2beta.json
│   │   │   │   │   │   ├── migrationcenter.v1.json
│   │   │   │   │   │   ├── migrationcenter.v1alpha1.json
│   │   │   │   │   │   ├── ml.v1.json
│   │   │   │   │   │   ├── monitoring.v1.json
│   │   │   │   │   │   ├── monitoring.v3.json
│   │   │   │   │   │   ├── mybusinessaccountmanagement.v1.json
│   │   │   │   │   │   ├── mybusinessbusinesscalls.v1.json
│   │   │   │   │   │   ├── mybusinessbusinessinformation.v1.json
│   │   │   │   │   │   ├── mybusinesslodging.v1.json
│   │   │   │   │   │   ├── mybusinessnotifications.v1.json
│   │   │   │   │   │   ├── mybusinessplaceactions.v1.json
│   │   │   │   │   │   ├── mybusinessqanda.v1.json
│   │   │   │   │   │   ├── mybusinessverifications.v1.json
│   │   │   │   │   │   ├── netapp.v1.json
│   │   │   │   │   │   ├── netapp.v1beta1.json
│   │   │   │   │   │   ├── networkconnectivity.v1.json
│   │   │   │   │   │   ├── networkconnectivity.v1alpha1.json
│   │   │   │   │   │   ├── networkmanagement.v1.json
│   │   │   │   │   │   ├── networkmanagement.v1beta1.json
│   │   │   │   │   │   ├── networksecurity.v1.json
│   │   │   │   │   │   ├── networksecurity.v1beta1.json
│   │   │   │   │   │   ├── networkservices.v1.json
│   │   │   │   │   │   ├── networkservices.v1beta1.json
│   │   │   │   │   │   ├── notebooks.v1.json
│   │   │   │   │   │   ├── notebooks.v2.json
│   │   │   │   │   │   ├── oauth2.v2.json
│   │   │   │   │   │   ├── observability.v1.json
│   │   │   │   │   │   ├── ondemandscanning.v1.json
│   │   │   │   │   │   ├── ondemandscanning.v1beta1.json
│   │   │   │   │   │   ├── oracledatabase.v1.json
│   │   │   │   │   │   ├── orgpolicy.v2.json
│   │   │   │   │   │   ├── osconfig.v1.json
│   │   │   │   │   │   ├── osconfig.v1alpha.json
│   │   │   │   │   │   ├── osconfig.v1beta.json
```

```
│   │   │   │   │   ├── osconfig.v2.json
│   │   │   │   │   ├── osconfig.v2beta.json
│   │   │   │   │   ├── oslogin.v1.json
│   │   │   │   │   ├── oslogin.v1alpha.json
│   │   │   │   │   ├── oslogin.v1beta.json
│   │   │   │   │   ├── pagespeedonline.v5.json
│   │   │   │   │   ├── parallelstore.v1.json
│   │   │   │   │   ├── parallelstore.v1beta.json
│   │   │   │   │   ├── parametermanager.v1.json
│   │   │   │   │   ├── paymentsresellersubscription.v1.json
│   │   │   │   │   ├── people.v1.json
│   │   │   │   │   ├── places.v1.json
│   │   │   │   │   ├── playablelocations.v3.json
│   │   │   │   │   ├── playcustomapp.v1.json
│   │   │   │   │   ├── playdeveloperreporting.v1alpha1.json
│   │   │   │   │   ├── playdeveloperreporting.v1beta1.json
│   │   │   │   │   ├── playgrouping.v1alpha1.json
│   │   │   │   │   ├── playintegrity.v1.json
│   │   │   │   │   ├── policyanalyzer.v1.json
│   │   │   │   │   ├── policyanalyzer.v1beta1.json
│   │   │   │   │   ├── policysimulator.v1.json
│   │   │   │   │   ├── policysimulator.v1alpha.json
│   │   │   │   │   ├── policysimulator.v1beta.json
│   │   │   │   │   ├── policysimulator.v1beta1.json
│   │   │   │   │   ├── policytroubleshooter.v1.json
│   │   │   │   │   ├── policytroubleshooter.v1beta.json
│   │   │   │   │   ├── pollen.v1.json
│   │   │   │   │   ├── poly.v1.json
│   │   │   │   │   ├── privateca.v1.json
│   │   │   │   │   ├── privateca.v1beta1.json
│   │   │   │   │   ├── prod_tt_sasportal.v1alpha1.json
│   │   │   │   │   ├── publicca.v1.json
│   │   │   │   │   ├── publicca.v1alpha1.json
│   │   │   │   │   ├── publicca.v1beta1.json
│   │   │   │   │   ├── pubsub.v1.json
│   │   │   │   │   ├── pubsub.v1beta1a.json
│   │   │   │   │   ├── pubsub.v1beta2.json
│   │   │   │   │   ├── pubsublite.v1.json
│   │   │   │   │   ├── rapidmigrationassessment.v1.json
│   │   │   │   │   ├── readerrevenuesubscriptionlinking.v1.json
│   │   │   │   │   ├── realtimebidding.v1.json
│   │   │   │   │   ├── realtimebidding.v1alpha.json
│   │   │   │   │   ├── recaptchaenterprise.v1.json
│   │   │   │   │   ├── recommendationengine.v1beta1.json
│   │   │   │   │   ├── recommender.v1.json
│   │   │   │   │   ├── recommender.v1beta1.json
│   │   │   │   │   ├── redis.v1.json
│   │   │   │   │   ├── redis.v1beta1.json
│   │   │   │   │   ├── remotebuildexecution.v1.json
│   │   │   │   │   ├── remotebuildexecution.v1alpha.json
│   │   │   │   │   ├── remotebuildexecution.v2.json
│   │   │   │   │   ├── reseller.v1.json
│   │   │   │   │   ├── resourcesettings.v1.json
│   │   │   │   │   ├── retail.v2.json
│   │   │   │   │   ├── retail.v2alpha.json
│   │   │   │   │   ├── retail.v2beta.json
```

```
│   │   │   │   │   ├── run.v1.json
│   │   │   │   │   ├── run.v1alpha1.json
│   │   │   │   │   ├── run.v1beta1.json
│   │   │   │   │   ├── run.v2.json
│   │   │   │   │   ├── runtimeconfig.v1.json
│   │   │   │   │   ├── runtimeconfig.v1beta1.json
│   │   │   │   │   ├── saasservicemgmt.v1beta1.json
│   │   │   │   │   ├── safebrowsing.v4.json
│   │   │   │   │   ├── safebrowsing.v5.json
│   │   │   │   │   ├── sasportal.v1alpha1.json
│   │   │   │   │   ├── script.v1.json
│   │   │   │   │   ├── searchads360.v0.json
│   │   │   │   │   ├── searchconsole.v1.json
│   │   │   │   │   ├── secretmanager.v1.json
│   │   │   │   │   ├── secretmanager.v1beta1.json
│   │   │   │   │   ├── secretmanager.v1beta2.json
│   │   │   │   │   ├── securitycenter.v1.json
│   │   │   │   │   ├── securitycenter.v1beta1.json
│   │   │   │   │   ├── securitycenter.v1beta2.json
│   │   │   │   │   ├── securityposture.v1.json
│   │   │   │   │   ├── serviceconsumermanagement.v1.json
│   │   │   │   │   ├── serviceconsumermanagement.v1beta1.json
│   │   │   │   │   ├── servicecontrol.v1.json
│   │   │   │   │   ├── servicecontrol.v2.json
│   │   │   │   │   ├── servicedirectory.v1.json
│   │   │   │   │   ├── servicedirectory.v1beta1.json
│   │   │   │   │   ├── servicemanagement.v1.json
│   │   │   │   │   ├── servicenetworking.v1.json
│   │   │   │   │   ├── servicenetworking.v1beta.json
│   │   │   │   │   ├── serviceusage.v1.json
│   │   │   │   │   ├── serviceusage.v1beta1.json
│   │   │   │   │   ├── sheets.v4.json
│   │   │   │   │   ├── siteVerification.v1.json
│   │   │   │   │   ├── slides.v1.json
│   │   │   │   │   ├── smartdevicemanagement.v1.json
│   │   │   │   │   ├── solar.v1.json
│   │   │   │   │   ├── sourcerepo.v1.json
│   │   │   │   │   ├── spanner.v1.json
│   │   │   │   │   ├── speech.v1.json
│   │   │   │   │   ├── speech.v1p1beta1.json
│   │   │   │   │   ├── speech.v2beta1.json
│   │   │   │   │   ├── sqladmin.v1.json
│   │   │   │   │   ├── sqladmin.v1beta4.json
│   │   │   │   │   ├── storage.v1.json
│   │   │   │   │   ├── storagebatchoperations.v1.json
│   │   │   │   │   ├── storagetransfer.v1.json
│   │   │   │   │   ├── streetviewpublish.v1.json
│   │   │   │   │   ├── sts.v1.json
│   │   │   │   │   ├── sts.v1beta.json
│   │   │   │   │   ├── tagmanager.v1.json
│   │   │   │   │   ├── tagmanager.v2.json
│   │   │   │   │   ├── tasks.v1.json
│   │   │   │   │   ├── testing.v1.json
│   │   │   │   │   ├── texttospeech.v1.json
│   │   │   │   │   ├── texttospeech.v1beta1.json
│   │   │   │   │   ├── toolresults.v1beta3.json
```

```
│   │               │   │   │   ├── tpu.v1.json
│   │               │   │   │   ├── tpu.v1alpha1.json
│   │               │   │   │   ├── tpu.v2.json
│   │               │   │   │   ├── tpu.v2alpha1.json
│   │               │   │   │   ├── trafficdirector.v2.json
│   │               │   │   │   ├── trafficdirector.v3.json
│   │               │   │   │   ├── transcoder.v1.json
│   │               │   │   │   ├── transcoder.v1beta1.json
│   │               │   │   │   ├── translate.v2.json
│   │               │   │   │   ├── translate.v3.json
│   │               │   │   │   ├── translate.v3beta1.json
│   │               │   │   │   ├── travelimpactmodel.v1.json
│   │               │   │   │   ├── vault.v1.json
│   │               │   │   │   ├── vectortile.v1.json
│   │               │   │   │   ├── verifiedaccess.v1.json
│   │               │   │   │   ├── verifiedaccess.v2.json
│   │               │   │   │   ├── versionhistory.v1.json
│   │               │   │   │   ├── videointelligence.v1.json
│   │               │   │   │   ├── videointelligence.v1beta2.json
│   │               │   │   │   ├── videointelligence.v1p1beta1.json
│   │               │   │   │   ├── videointelligence.v1p2beta1.json
│   │               │   │   │   ├── videointelligence.v1p3beta1.json
│   │               │   │   │   ├── vision.v1.json
│   │               │   │   │   ├── vision.v1p1beta1.json
│   │               │   │   │   ├── vision.v1p2beta1.json
│   │               │   │   │   ├── vmmigration.v1.json
│   │               │   │   │   ├── vmmigration.v1alpha1.json
│   │               │   │   │   ├── vmwareengine.v1.json
│   │               │   │   │   ├── vpcaccess.v1.json
│   │               │   │   │   ├── vpcaccess.v1beta1.json
│   │               │   │   │   ├── walletobjects.v1.json
│   │               │   │   │   ├── webfonts.v1.json
│   │               │   │   │   ├── webmasters.v3.json
│   │               │   │   │   ├── webrisk.v1.json
│   │               │   │   │   ├── websecurityscanner.v1.json
│   │               │   │   │   ├── websecurityscanner.v1alpha.json
│   │               │   │   │   ├── websecurityscanner.v1beta.json
│   │               │   │   │   ├── workflowexecutions.v1.json
│   │               │   │   │   ├── workflowexecutions.v1beta.json
│   │               │   │   │   ├── workflows.v1.json
│   │               │   │   │   ├── workflows.v1beta.json
│   │               │   │   │   ├── workloadmanager.v1.json
│   │               │   │   │   ├── workspaceevents.v1.json
│   │               │   │   │   ├── workstations.v1.json
│   │               │   │   │   ├── workstations.v1beta.json
│   │               │   │   │   ├── youtube.v3.json
│   │               │   │   │   ├── youtubeAnalytics.v1.json
│   │               │   │   │   ├── youtubeAnalytics.v2.json
│   │               │   │   │   └── youtubereporting.v1.json
│   │               │   │   └── file_cache.py
│   │               │   ├── errors.py
│   │               │   ├── http.py
│   │               │   ├── mimeparse.py
│   │               │   ├── model.py
│   │               │   ├── sample_tools.py
│   │               │   ├── schema.py
```

```
│   │               │   └── version.py
│   │               ├── googleapis_common_protos-1.70.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── grpc
│   │               │   ├── __init__.py
│   │               │   ├── _auth.py
│   │               │   ├── _channel.py
│   │               │   ├── _common.py
│   │               │   ├── _compression.py
│   │               │   ├── _cython
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _credentials
│   │               │   │   │   └── roots.pem
│   │               │   │   ├── _cygrpc
│   │               │   │   │   └── __init__.py
│   │               │   │   └── cygrpc.cpython-39-darwin.so
│   │               │   ├── _grpcio_metadata.py
│   │               │   ├── _interceptor.py
│   │               │   ├── _observability.py
│   │               │   ├── _plugin_wrapping.py
│   │               │   ├── _runtime_protos.py
│   │               │   ├── _server.py
│   │               │   ├── _simple_stubs.py
│   │               │   ├── _typing.py
│   │               │   ├── _utilities.py
│   │               │   ├── aio
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _base_call.py
│   │               │   │   ├── _base_channel.py
│   │               │   │   ├── _base_server.py
│   │               │   │   ├── _call.py
│   │               │   │   ├── _channel.py
│   │               │   │   ├── _interceptor.py
│   │               │   │   ├── _metadata.py
│   │               │   │   ├── _server.py
│   │               │   │   ├── _typing.py
│   │               │   │   └── _utils.py
│   │               │   ├── beta
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _client_adaptations.py
│   │               │   │   ├── _metadata.py
│   │               │   │   ├── _server_adaptations.py
│   │               │   │   ├── implementations.py
│   │               │   │   ├── interfaces.py
│   │               │   │   └── utilities.py
│   │               │   ├── experimental
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aio
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── gevent.py
│   │               │   │   └── session_cache.py
```

```
│   │               │   └── framework
                    │       ├── __init__.py
                    │       ├── common
                    │       │   ├── __init__.py
                    │       │   ├── cardinality.py
                    │       │   └── style.py
                    │       ├── foundation
                    │       │   ├── __init__.py
                    │       │   ├── abandonment.py
                    │       │   ├── callable_util.py
                    │       │   ├── future.py
                    │       │   ├── logging_pool.py
                    │       │   ├── stream.py
                    │       │   └── stream_util.py
                    │       └── interfaces
                    │           ├── __init__.py
                    │           ├── base
                    │           │   ├── __init__.py
                    │           │   ├── base.py
                    │           │   └── utilities.py
                    │           └── face
                    │               ├── __init__.py
                    │               ├── face.py
                    │               └── utilities.py
                    ├── grpcio-1.74.0.dist-info
                    │   ├── INSTALLER
                    │   ├── LICENSE
                    │   ├── METADATA
                    │   ├── RECORD
                    │   ├── WHEEL
                    │   └── top_level.txt
                    ├── h11
                    │   ├── __init__.py
                    │   ├── _abnf.py
                    │   ├── _connection.py
                    │   ├── _events.py
                    │   ├── _headers.py
                    │   ├── _readers.py
                    │   ├── _receivebuffer.py
                    │   ├── _state.py
                    │   ├── _util.py
                    │   ├── _version.py
                    │   ├── _writers.py
                    │   └── py.typed
                    ├── h11-0.16.0.dist-info
                    │   ├── INSTALLER
                    │   ├── METADATA
                    │   ├── RECORD
                    │   ├── WHEEL
                    │   ├── licenses
                    │   │   └── LICENSE.txt
                    │   └── top_level.txt
                    ├── hf_xet
                    │   ├── __init__.py
                    │   └── hf_xet.abi3.so
                    ├── hf_xet-1.1.5.dist-info
```

```
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── httpcore
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _api.py
│   │   │   │   │   ├── _async
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── connection.py
│   │   │   │   │   │   ├── connection_pool.py
│   │   │   │   │   │   ├── http11.py
│   │   │   │   │   │   ├── http2.py
│   │   │   │   │   │   ├── http_proxy.py
│   │   │   │   │   │   ├── interfaces.py
│   │   │   │   │   │   └── socks_proxy.py
│   │   │   │   │   ├── _backends
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── anyio.py
│   │   │   │   │   │   ├── auto.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── mock.py
│   │   │   │   │   │   ├── sync.py
│   │   │   │   │   │   └── trio.py
│   │   │   │   │   ├── _exceptions.py
│   │   │   │   │   ├── _models.py
│   │   │   │   │   ├── _ssl.py
│   │   │   │   │   ├── _sync
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── connection.py
│   │   │   │   │   │   ├── connection_pool.py
│   │   │   │   │   │   ├── http11.py
│   │   │   │   │   │   ├── http2.py
│   │   │   │   │   │   ├── http_proxy.py
│   │   │   │   │   │   ├── interfaces.py
│   │   │   │   │   │   └── socks_proxy.py
│   │   │   │   │   ├── _synchronization.py
│   │   │   │   │   ├── _trace.py
│   │   │   │   │   ├── _utils.py
│   │   │   │   │   └── py.typed
│   │   │   │   ├── httpcore-1.0.9.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE.md
│   │   │   │   ├── httplib2
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── auth.py
│   │   │   │   │   ├── cacerts.txt
│   │   │   │   │   ├── certs.py
│   │   │   │   │   ├── error.py
│   │   │   │   │   ├── iri2uri.py
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── huggingface_cli.py
│   │   │   │   │   │   ├── lfs.py
│   │   │   │   │   │   ├── repo.py
│   │   │   │   │   │   ├── repo_files.py
│   │   │   │   │   │   ├── scan_cache.py
│   │   │   │   │   │   ├── tag.py
│   │   │   │   │   │   ├── upload.py
│   │   │   │   │   │   ├── upload_large_folder.py
│   │   │   │   │   │   ├── user.py
│   │   │   │   │   │   └── version.py
│   │   │   │   │   ├── community.py
│   │   │   │   │   ├── constants.py
│   │   │   │   │   ├── dataclasses.py
│   │   │   │   │   ├── errors.py
│   │   │   │   │   ├── fastai_utils.py
│   │   │   │   │   ├── file_download.py
│   │   │   │   │   ├── hf_api.py
│   │   │   │   │   ├── hf_file_system.py
│   │   │   │   │   ├── hub_mixin.py
│   │   │   │   │   ├── inference
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _client.py
│   │   │   │   │   │   ├── _common.py
│   │   │   │   │   │   ├── _generated
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _async_client.py
│   │   │   │   │   │   │   └── types
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── audio_classification.py
│   │   │   │   │   │   │       ├── audio_to_audio.py
│   │   │   │   │   │   │       ├── automatic_speech_recognition.py
│   │   │   │   │   │   │       ├── base.py
│   │   │   │   │   │   │       ├── chat_completion.py
│   │   │   │   │   │   │       ├── depth_estimation.py
│   │   │   │   │   │   │       ├── document_question_answering.py
│   │   │   │   │   │   │       ├── feature_extraction.py
│   │   │   │   │   │   │       ├── fill_mask.py
│   │   │   │   │   │   │       ├── image_classification.py
│   │   │   │   │   │   │       ├── image_segmentation.py
│   │   │   │   │   │   │       ├── image_to_image.py
│   │   │   │   │   │   │       ├── image_to_text.py
│   │   │   │   │   │   │       ├── image_to_video.py
│   │   │   │   │   │   │       ├── object_detection.py
│   │   │   │   │   │   │       ├── question_answering.py
│   │   │   │   │   │   │       ├── sentence_similarity.py
│   │   │   │   │   │   │       ├── summarization.py
│   │   │   │   │   │   │       ├── table_question_answering.py
│   │   │   │   │   │   │       ├── text2text_generation.py
│   │   │   │   │   │   │       ├── text_classification.py
│   │   │   │   │   │   │       ├── text_generation.py
│   │   │   │   │   │   │       ├── text_to_audio.py
│   │   │   │   │   │   │       ├── text_to_image.py
│   │   │   │   │   │   │       ├── text_to_speech.py
│   │   │   │   │   │   │       ├── text_to_video.py
│   │   │   │   │   │   │       ├── token_classification.py
│   │   │   │   │   │   │       ├── translation.py
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── idna
│   │               │   ├── __init__.py
│   │               │   ├── codec.py
│   │               │   ├── compat.py
│   │               │   ├── core.py
│   │               │   ├── idnadata.py
│   │               │   ├── intranges.py
│   │               │   ├── package_data.py
│   │               │   ├── py.typed
│   │               │   └── uts46data.py
│   │               ├── idna-3.10.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.md
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── importlib_metadata
│   │               │   ├── __init__.py
│   │               │   ├── _adapters.py
│   │               │   ├── _collections.py
│   │               │   ├── _compat.py
│   │               │   ├── _functools.py
│   │               │   ├── _itertools.py
│   │               │   ├── _meta.py
│   │               │   ├── _text.py
│   │               │   ├── _typing.py
│   │               │   ├── compat
│   │               │   │   ├── __init__.py
│   │               │   │   ├── py311.py
│   │               │   │   └── py39.py
│   │               │   ├── diagnose.py
│   │               │   └── py.typed
│   │               ├── importlib_metadata-8.7.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── importlib_resources
│   │               │   ├── __init__.py
│   │               │   ├── _adapters.py
│   │               │   ├── _common.py
│   │               │   ├── _functional.py
│   │               │   ├── _itertools.py
│   │               │   ├── abc.py
│   │               │   ├── compat
│   │               │   │   ├── __init__.py
│   │               │   │   └── py39.py
│   │               │   ├── future
│   │               │   │   ├── __init__.py
│   │               │   │   └── adapters.py
│   │               │   ├── py.typed
```

```
│   │               │   ├── readers.py
│   │               │   ├── simple.py
│   │               │   └── tests
│   │               │       ├── __init__.py
│   │               │       ├── _path.py
│   │               │       ├── compat
│   │               │       │   ├── __init__.py
│   │               │       │   ├── py312.py
│   │               │       │   └── py39.py
│   │               │       ├── test_compatibilty_files.py
│   │               │       ├── test_contents.py
│   │               │       ├── test_custom.py
│   │               │       ├── test_files.py
│   │               │       ├── test_functional.py
│   │               │       ├── test_open.py
│   │               │       ├── test_path.py
│   │               │       ├── test_read.py
│   │               │       ├── test_reader.py
│   │               │       ├── test_resource.py
│   │               │       ├── test_util.py
│   │               │       ├── util.py
│   │               │       └── zip.py
│   │               ├── importlib_resources-6.5.2.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── isympy.py
│   │               ├── itsdangerous
│   │               │   ├── __init__.py
│   │               │   ├── _json.py
│   │               │   ├── encoding.py
│   │               │   ├── exc.py
│   │               │   ├── py.typed
│   │               │   ├── serializer.py
│   │               │   ├── signer.py
│   │               │   ├── timed.py
│   │               │   └── url_safe.py
│   │               ├── itsdangerous-2.2.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.txt
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── jinja2
│   │               │   ├── __init__.py
│   │               │   ├── _identifier.py
│   │               │   ├── async_utils.py
│   │               │   ├── bccache.py
│   │               │   ├── compiler.py
│   │               │   ├── constants.py
│   │               │   ├── debug.py
│   │               │   ├── defaults.py
│   │               │   ├── environment.py
```

```
│   │               │   ├── exceptions.py
│   │               │   ├── ext.py
│   │               │   ├── filters.py
│   │               │   ├── idtracking.py
│   │               │   ├── lexer.py
│   │               │   ├── loaders.py
│   │               │   ├── meta.py
│   │               │   ├── nativetypes.py
│   │               │   ├── nodes.py
│   │               │   ├── optimizer.py
│   │               │   ├── parser.py
│   │               │   ├── py.typed
│   │               │   ├── runtime.py
│   │               │   ├── sandbox.py
│   │               │   ├── tests.py
│   │               │   ├── utils.py
│   │               │   └── visitor.py
│   │               ├── jinja2-3.1.6.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE.txt
│   │               ├── jiter
│   │               │   ├── __init__.py
│   │               │   ├── __init__.pyi
│   │               │   ├── jiter.cpython-39-darwin.so
│   │               │   └── py.typed
│   │               ├── jiter-0.10.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── jsonpatch-1.33.dist-info
│   │               │   ├── AUTHORS
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── jsonpatch.py
│   │               ├── jsonpointer-3.0.0.dist-info
│   │               │   ├── AUTHORS
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.txt
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── jsonpointer.py
│   │               ├── jsonschema
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
```

```
│   │   │   │   │   ├── _format.py
│   │   │   │   │   ├── _keywords.py
│   │   │   │   │   ├── _legacy_keywords.py
│   │   │   │   │   ├── _types.py
│   │   │   │   │   ├── _typing.py
│   │   │   │   │   ├── _utils.py
│   │   │   │   │   ├── benchmarks
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── const_vs_enum.py
│   │   │   │   │   │   ├── contains.py
│   │   │   │   │   │   ├── issue232
│   │   │   │   │   │   │   └── issue.json
│   │   │   │   │   │   ├── issue232.py
│   │   │   │   │   │   ├── json_schema_test_suite.py
│   │   │   │   │   │   ├── nested_schemas.py
│   │   │   │   │   │   ├── subcomponents.py
│   │   │   │   │   │   ├── unused_registry.py
│   │   │   │   │   │   ├── useless_applicator_schemas.py
│   │   │   │   │   │   ├── useless_keywords.py
│   │   │   │   │   │   └── validator_creation.py
│   │   │   │   │   ├── cli.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── protocols.py
│   │   │   │   │   ├── tests
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _suite.py
│   │   │   │   │   │   ├── fuzz_validate.py
│   │   │   │   │   │   ├── test_cli.py
│   │   │   │   │   │   ├── test_deprecations.py
│   │   │   │   │   │   ├── test_exceptions.py
│   │   │   │   │   │   ├── test_format.py
│   │   │   │   │   │   ├── test_jsonschema_test_suite.py
│   │   │   │   │   │   ├── test_types.py
│   │   │   │   │   │   ├── test_utils.py
│   │   │   │   │   │   └── test_validators.py
│   │   │   │   │   └── validators.py
│   │   │   │   ├── jsonschema-4.25.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   └── licenses
│   │   │   │   │       └── COPYING
│   │   │   │   ├── jsonschema_specifications
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _core.py
│   │   │   │   │   ├── schemas
│   │   │   │   │   │   ├── draft201909
│   │   │   │   │   │   │   ├── metaschema.json
│   │   │   │   │   │   │   └── vocabularies
│   │   │   │   │   │   │       ├── applicator
│   │   │   │   │   │   │       ├── content
│   │   │   │   │   │   │       ├── core
│   │   │   │   │   │   │       ├── meta-data
│   │   │   │   │   │   │       └── validation
```

```
│   │               │   │   ├── draft202012
│   │               │   │   │   ├── metaschema.json
│   │               │   │   │   └── vocabularies
│   │               │   │   │       ├── applicator
│   │               │   │   │       ├── content
│   │               │   │   │       ├── core
│   │               │   │   │       ├── format
│   │               │   │   │       ├── format-annotation
│   │               │   │   │       ├── format-assertion
│   │               │   │   │       ├── meta-data
│   │               │   │   │       ├── unevaluated
│   │               │   │   │       └── validation
│   │               │   │   ├── draft3
│   │               │   │   │   └── metaschema.json
│   │               │   │   ├── draft4
│   │               │   │   │   └── metaschema.json
│   │               │   │   ├── draft6
│   │               │   │   │   └── metaschema.json
│   │               │   │   └── draft7
│   │               │   │       └── metaschema.json
│   │               │   └── tests
│   │               │       ├── __init__.py
│   │               │       └── test_jsonschema_specifications.py
│   │               ├── jsonschema_specifications-2025.4.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── COPYING
│   │               ├── kubernetes
│   │               │   ├── __init__.py
│   │               │   ├── client
│   │               │   │   ├── __init__.py
│   │               │   │   ├── api
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── admissionregistration_api.py
│   │               │   │   │   ├── admissionregistration_v1_api.py
│   │               │   │   │   ├── admissionregistration_v1alpha1_api.py
│   │               │   │   │   ├── admissionregistration_v1beta1_api.py
│   │               │   │   │   ├── apiextensions_api.py
│   │               │   │   │   ├── apiextensions_v1_api.py
│   │               │   │   │   ├── apiregistration_api.py
│   │               │   │   │   ├── apiregistration_v1_api.py
│   │               │   │   │   ├── apis_api.py
│   │               │   │   │   ├── apps_api.py
│   │               │   │   │   ├── apps_v1_api.py
│   │               │   │   │   ├── authentication_api.py
│   │               │   │   │   ├── authentication_v1_api.py
│   │               │   │   │   ├── authorization_api.py
│   │               │   │   │   ├── authorization_v1_api.py
│   │               │   │   │   ├── autoscaling_api.py
│   │               │   │   │   ├── autoscaling_v1_api.py
│   │               │   │   │   ├── autoscaling_v2_api.py
│   │               │   │   │   ├── batch_api.py
│   │               │   │   │   ├── batch_v1_api.py
```

```
│   │               │   │   │   ├── certificates_api.py
│   │               │   │   │   ├── certificates_v1_api.py
│   │               │   │   │   ├── certificates_v1alpha1_api.py
│   │               │   │   │   ├── certificates_v1beta1_api.py
│   │               │   │   │   ├── coordination_api.py
│   │               │   │   │   ├── coordination_v1_api.py
│   │               │   │   │   ├── coordination_v1alpha2_api.py
│   │               │   │   │   ├── coordination_v1beta1_api.py
│   │               │   │   │   ├── core_api.py
│   │               │   │   │   ├── core_v1_api.py
│   │               │   │   │   ├── custom_objects_api.py
│   │               │   │   │   ├── discovery_api.py
│   │               │   │   │   ├── discovery_v1_api.py
│   │               │   │   │   ├── events_api.py
│   │               │   │   │   ├── events_v1_api.py
│   │               │   │   │   ├── flowcontrol_apiserver_api.py
│   │               │   │   │   ├── flowcontrol_apiserver_v1_api.py
│   │               │   │   │   ├── internal_apiserver_api.py
│   │               │   │   │   ├── internal_apiserver_v1alpha1_api.py
│   │               │   │   │   ├── logs_api.py
│   │               │   │   │   ├── networking_api.py
│   │               │   │   │   ├── networking_v1_api.py
│   │               │   │   │   ├── networking_v1beta1_api.py
│   │               │   │   │   ├── node_api.py
│   │               │   │   │   ├── node_v1_api.py
│   │               │   │   │   ├── openid_api.py
│   │               │   │   │   ├── policy_api.py
│   │               │   │   │   ├── policy_v1_api.py
│   │               │   │   │   ├── rbac_authorization_api.py
│   │               │   │   │   ├── rbac_authorization_v1_api.py
│   │               │   │   │   ├── resource_api.py
│   │               │   │   │   ├── resource_v1alpha3_api.py
│   │               │   │   │   ├── resource_v1beta1_api.py
│   │               │   │   │   ├── resource_v1beta2_api.py
│   │               │   │   │   ├── scheduling_api.py
│   │               │   │   │   ├── scheduling_v1_api.py
│   │               │   │   │   ├── storage_api.py
│   │               │   │   │   ├── storage_v1_api.py
│   │               │   │   │   ├── storage_v1alpha1_api.py
│   │               │   │   │   ├── storage_v1beta1_api.py
│   │               │   │   │   ├── storagemigration_api.py
│   │               │   │   │   ├── storagemigration_v1alpha1_api.py
│   │               │   │   │   ├── version_api.py
│   │               │   │   │   └── well_known_api.py
│   │               │   │   ├── api_client.py
│   │               │   │   ├── apis
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── configuration.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── models
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├──
admissionregistration_v1_service_reference.py
│   │               │   │   │   ├──
admissionregistration_v1_webhook_client_config.py
│   │               │   │   │   ├── apiextensions_v1_service_reference.py
```

```
│   │             │   │   │   ├──
apiextensions_v1_webhook_client_config.py
│   │             │   │   │   ├── apiregistration_v1_service_reference.py
│   │             │   │   │   ├── authentication_v1_token_request.py
│   │             │   │   │   ├── core_v1_endpoint_port.py
│   │             │   │   │   ├── core_v1_event.py
│   │             │   │   │   ├── core_v1_event_list.py
│   │             │   │   │   ├── core_v1_event_series.py
│   │             │   │   │   ├── discovery_v1_endpoint_port.py
│   │             │   │   │   ├── events_v1_event.py
│   │             │   │   │   ├── events_v1_event_list.py
│   │             │   │   │   ├── events_v1_event_series.py
│   │             │   │   │   ├── flowcontrol_v1_subject.py
│   │             │   │   │   ├── rbac_v1_subject.py
│   │             │   │   │   ├── storage_v1_token_request.py
│   │             │   │   │   ├── v1_affinity.py
│   │             │   │   │   ├── v1_aggregation_rule.py
│   │             │   │   │   ├── v1_api_group.py
│   │             │   │   │   ├── v1_api_group_list.py
│   │             │   │   │   ├── v1_api_resource.py
│   │             │   │   │   ├── v1_api_resource_list.py
│   │             │   │   │   ├── v1_api_service.py
│   │             │   │   │   ├── v1_api_service_condition.py
│   │             │   │   │   ├── v1_api_service_list.py
│   │             │   │   │   ├── v1_api_service_spec.py
│   │             │   │   │   ├── v1_api_service_status.py
│   │             │   │   │   ├── v1_api_versions.py
│   │             │   │   │   ├── v1_app_armor_profile.py
│   │             │   │   │   ├── v1_attached_volume.py
│   │             │   │   │   ├── v1_audit_annotation.py
│   │             │   │   │   ├──
v1_aws_elastic_block_store_volume_source.py
│   │             │   │   │   ├── v1_azure_disk_volume_source.py
│   │             │   │   │   ├──
v1_azure_file_persistent_volume_source.py
│   │             │   │   │   ├── v1_azure_file_volume_source.py
│   │             │   │   │   ├── v1_binding.py
│   │             │   │   │   ├── v1_bound_object_reference.py
│   │             │   │   │   ├── v1_capabilities.py
│   │             │   │   │   ├── v1_ceph_fs_persistent_volume_source.py
│   │             │   │   │   ├── v1_ceph_fs_volume_source.py
│   │             │   │   │   ├── v1_certificate_signing_request.py
│   │             │   │   │   ├──
v1_certificate_signing_request_condition.py
│   │             │   │   │   ├── v1_certificate_signing_request_list.py
│   │             │   │   │   ├── v1_certificate_signing_request_spec.py
│   │             │   │   │   ├── v1_certificate_signing_request_status.py
│   │             │   │   │   ├── v1_cinder_persistent_volume_source.py
│   │             │   │   │   ├── v1_cinder_volume_source.py
│   │             │   │   │   ├── v1_client_ip_config.py
│   │             │   │   │   ├── v1_cluster_role.py
│   │             │   │   │   ├── v1_cluster_role_binding.py
│   │             │   │   │   ├── v1_cluster_role_binding_list.py
│   │             │   │   │   ├── v1_cluster_role_list.py
│   │             │   │   │   ├── v1_cluster_trust_bundle_projection.py
│   │             │   │   │   ├── v1_component_condition.py
```

```
│   │               │   │   │   ├── v1_component_status.py
│   │               │   │   │   ├── v1_component_status_list.py
│   │               │   │   │   ├── v1_condition.py
│   │               │   │   │   ├── v1_config_map.py
│   │               │   │   │   ├── v1_config_map_env_source.py
│   │               │   │   │   ├── v1_config_map_key_selector.py
│   │               │   │   │   ├── v1_config_map_list.py
│   │               │   │   │   ├── v1_config_map_node_config_source.py
│   │               │   │   │   ├── v1_config_map_projection.py
│   │               │   │   │   ├── v1_config_map_volume_source.py
│   │               │   │   │   ├── v1_container.py
│   │               │   │   │   ├── v1_container_image.py
│   │               │   │   │   ├── v1_container_port.py
│   │               │   │   │   ├── v1_container_resize_policy.py
│   │               │   │   │   ├── v1_container_state.py
│   │               │   │   │   ├── v1_container_state_running.py
│   │               │   │   │   ├── v1_container_state_terminated.py
│   │               │   │   │   ├── v1_container_state_waiting.py
│   │               │   │   │   ├── v1_container_status.py
│   │               │   │   │   ├── v1_container_user.py
│   │               │   │   │   ├── v1_controller_revision.py
│   │               │   │   │   ├── v1_controller_revision_list.py
│   │               │   │   │   ├── v1_cron_job.py
│   │               │   │   │   ├── v1_cron_job_list.py
│   │               │   │   │   ├── v1_cron_job_spec.py
│   │               │   │   │   ├── v1_cron_job_status.py
│   │               │   │   │   ├── v1_cross_version_object_reference.py
│   │               │   │   │   ├── v1_csi_driver.py
│   │               │   │   │   ├── v1_csi_driver_list.py
│   │               │   │   │   ├── v1_csi_driver_spec.py
│   │               │   │   │   ├── v1_csi_node.py
│   │               │   │   │   ├── v1_csi_node_driver.py
│   │               │   │   │   ├── v1_csi_node_list.py
│   │               │   │   │   ├── v1_csi_node_spec.py
│   │               │   │   │   ├── v1_csi_persistent_volume_source.py
│   │               │   │   │   ├── v1_csi_storage_capacity.py
│   │               │   │   │   ├── v1_csi_storage_capacity_list.py
│   │               │   │   │   ├── v1_csi_volume_source.py
│   │               │   │   │   ├── v1_custom_resource_column_definition.py
│   │               │   │   │   ├── v1_custom_resource_conversion.py
│   │               │   │   │   ├── v1_custom_resource_definition.py
│   │               │   │   │   ├──
│
v1_custom_resource_definition_condition.py
│   │               │   │   │   ├── v1_custom_resource_definition_list.py
│   │               │   │   │   ├── v1_custom_resource_definition_names.py
│   │               │   │   │   ├── v1_custom_resource_definition_spec.py
│   │               │   │   │   ├── v1_custom_resource_definition_status.py
│   │               │   │   │   ├── v1_custom_resource_definition_version.py
│   │               │   │   │   ├── v1_custom_resource_subresource_scale.py
│   │               │   │   │   ├── v1_custom_resource_subresources.py
│   │               │   │   │   ├── v1_custom_resource_validation.py
│   │               │   │   │   ├── v1_daemon_endpoint.py
│   │               │   │   │   ├── v1_daemon_set.py
│   │               │   │   │   ├── v1_daemon_set_condition.py
│   │               │   │   │   ├── v1_daemon_set_list.py
│   │               │   │   │   ├── v1_daemon_set_spec.py
```

```
│   │               │   │   │   ├── v1_daemon_set_status.py
│   │               │   │   │   ├── v1_daemon_set_update_strategy.py
│   │               │   │   │   ├── v1_delete_options.py
│   │               │   │   │   ├── v1_deployment.py
│   │               │   │   │   ├── v1_deployment_condition.py
│   │               │   │   │   ├── v1_deployment_list.py
│   │               │   │   │   ├── v1_deployment_spec.py
│   │               │   │   │   ├── v1_deployment_status.py
│   │               │   │   │   ├── v1_deployment_strategy.py
│   │               │   │   │   ├── v1_downward_api_projection.py
│   │               │   │   │   ├── v1_downward_api_volume_file.py
│   │               │   │   │   ├── v1_downward_api_volume_source.py
│   │               │   │   │   ├── v1_empty_dir_volume_source.py
│   │               │   │   │   ├── v1_endpoint.py
│   │               │   │   │   ├── v1_endpoint_address.py
│   │               │   │   │   ├── v1_endpoint_conditions.py
│   │               │   │   │   ├── v1_endpoint_hints.py
│   │               │   │   │   ├── v1_endpoint_slice.py
│   │               │   │   │   ├── v1_endpoint_slice_list.py
│   │               │   │   │   ├── v1_endpoint_subset.py
│   │               │   │   │   ├── v1_endpoints.py
│   │               │   │   │   ├── v1_endpoints_list.py
│   │               │   │   │   ├── v1_env_from_source.py
│   │               │   │   │   ├── v1_env_var.py
│   │               │   │   │   ├── v1_env_var_source.py
│   │               │   │   │   ├── v1_ephemeral_container.py
│   │               │   │   │   ├── v1_ephemeral_volume_source.py
│   │               │   │   │   ├── v1_event_source.py
│   │               │   │   │   ├── v1_eviction.py
│   │               │   │   │   ├── v1_exec_action.py
│   │               │   │   │   ├──
v1_exempt_priority_level_configuration.py
│   │               │   │   │   ├── v1_expression_warning.py
│   │               │   │   │   ├── v1_external_documentation.py
│   │               │   │   │   ├── v1_fc_volume_source.py
│   │               │   │   │   ├── v1_field_selector_attributes.py
│   │               │   │   │   ├── v1_field_selector_requirement.py
│   │               │   │   │   ├── v1_flex_persistent_volume_source.py
│   │               │   │   │   ├── v1_flex_volume_source.py
│   │               │   │   │   ├── v1_flocker_volume_source.py
│   │               │   │   │   ├── v1_flow_distinguisher_method.py
│   │               │   │   │   ├── v1_flow_schema.py
│   │               │   │   │   ├── v1_flow_schema_condition.py
│   │               │   │   │   ├── v1_flow_schema_list.py
│   │               │   │   │   ├── v1_flow_schema_spec.py
│   │               │   │   │   ├── v1_flow_schema_status.py
│   │               │   │   │   ├── v1_for_node.py
│   │               │   │   │   ├── v1_for_zone.py
│   │               │   │   │   ├── v1_gce_persistent_disk_volume_source.py
│   │               │   │   │   ├── v1_git_repo_volume_source.py
│   │               │   │   │   ├── v1_glusterfs_persistent_volume_source.py
│   │               │   │   │   ├── v1_glusterfs_volume_source.py
│   │               │   │   │   ├── v1_group_subject.py
│   │               │   │   │   ├── v1_group_version_for_discovery.py
│   │               │   │   │   ├── v1_grpc_action.py
│   │               │   │   │   ├── v1_horizontal_pod_autoscaler.py
```

```
│   │               │   │   │   ├── v1_horizontal_pod_autoscaler_list.py
│   │               │   │   │   ├── v1_horizontal_pod_autoscaler_spec.py
│   │               │   │   │   ├── v1_horizontal_pod_autoscaler_status.py
│   │               │   │   │   ├── v1_host_alias.py
│   │               │   │   │   ├── v1_host_ip.py
│   │               │   │   │   ├── v1_host_path_volume_source.py
│   │               │   │   │   ├── v1_http_get_action.py
│   │               │   │   │   ├── v1_http_header.py
│   │               │   │   │   ├── v1_http_ingress_path.py
│   │               │   │   │   ├── v1_http_ingress_rule_value.py
│   │               │   │   │   ├── v1_image_volume_source.py
│   │               │   │   │   ├── v1_ingress.py
│   │               │   │   │   ├── v1_ingress_backend.py
│   │               │   │   │   ├── v1_ingress_class.py
│   │               │   │   │   ├── v1_ingress_class_list.py
│   │               │   │   │   ├── v1_ingress_class_parameters_reference.py
│   │               │   │   │   ├── v1_ingress_class_spec.py
│   │               │   │   │   ├── v1_ingress_list.py
│   │               │   │   │   ├── v1_ingress_load_balancer_ingress.py
│   │               │   │   │   ├── v1_ingress_load_balancer_status.py
│   │               │   │   │   ├── v1_ingress_port_status.py
│   │               │   │   │   ├── v1_ingress_rule.py
│   │               │   │   │   ├── v1_ingress_service_backend.py
│   │               │   │   │   ├── v1_ingress_spec.py
│   │               │   │   │   ├── v1_ingress_status.py
│   │               │   │   │   ├── v1_ingress_tls.py
│   │               │   │   │   ├── v1_ip_address.py
│   │               │   │   │   ├── v1_ip_address_list.py
│   │               │   │   │   ├── v1_ip_address_spec.py
│   │               │   │   │   ├── v1_ip_block.py
│   │               │   │   │   ├── v1_iscsi_persistent_volume_source.py
│   │               │   │   │   ├── v1_iscsi_volume_source.py
│   │               │   │   │   ├── v1_job.py
│   │               │   │   │   ├── v1_job_condition.py
│   │               │   │   │   ├── v1_job_list.py
│   │               │   │   │   ├── v1_job_spec.py
│   │               │   │   │   ├── v1_job_status.py
│   │               │   │   │   ├── v1_job_template_spec.py
│   │               │   │   │   ├── v1_json_schema_props.py
│   │               │   │   │   ├── v1_key_to_path.py
│   │               │   │   │   ├── v1_label_selector.py
│   │               │   │   │   ├── v1_label_selector_attributes.py
│   │               │   │   │   ├── v1_label_selector_requirement.py
│   │               │   │   │   ├── v1_lease.py
│   │               │   │   │   ├── v1_lease_list.py
│   │               │   │   │   ├── v1_lease_spec.py
│   │               │   │   │   ├── v1_lifecycle.py
│   │               │   │   │   ├── v1_lifecycle_handler.py
│   │               │   │   │   ├── v1_limit_range.py
│   │               │   │   │   ├── v1_limit_range_item.py
│   │               │   │   │   ├── v1_limit_range_list.py
│   │               │   │   │   ├── v1_limit_range_spec.py
│   │               │   │   │   ├── v1_limit_response.py
│   │               │   │   │   ├──
v1_limited_priority_level_configuration.py
│   │               │   │   │   ├── v1_linux_container_user.py
```

```
│   │               │   │   │   ├── v1_list_meta.py
│   │               │   │   │   ├── v1_load_balancer_ingress.py
│   │               │   │   │   ├── v1_load_balancer_status.py
│   │               │   │   │   ├── v1_local_object_reference.py
│   │               │   │   │   ├── v1_local_subject_access_review.py
│   │               │   │   │   ├── v1_local_volume_source.py
│   │               │   │   │   ├── v1_managed_fields_entry.py
│   │               │   │   │   ├── v1_match_condition.py
│   │               │   │   │   ├── v1_match_resources.py
│   │               │   │   │   ├── v1_modify_volume_status.py
│   │               │   │   │   ├── v1_mutating_webhook.py
│   │               │   │   │   ├── v1_mutating_webhook_configuration.py
│   │               │   │   │   ├──
v1_mutating_webhook_configuration_list.py
│   │               │   │   │   ├── v1_named_rule_with_operations.py
│   │               │   │   │   ├── v1_namespace.py
│   │               │   │   │   ├── v1_namespace_condition.py
│   │               │   │   │   ├── v1_namespace_list.py
│   │               │   │   │   ├── v1_namespace_spec.py
│   │               │   │   │   ├── v1_namespace_status.py
│   │               │   │   │   ├── v1_network_policy.py
│   │               │   │   │   ├── v1_network_policy_egress_rule.py
│   │               │   │   │   ├── v1_network_policy_ingress_rule.py
│   │               │   │   │   ├── v1_network_policy_list.py
│   │               │   │   │   ├── v1_network_policy_peer.py
│   │               │   │   │   ├── v1_network_policy_port.py
│   │               │   │   │   ├── v1_network_policy_spec.py
│   │               │   │   │   ├── v1_nfs_volume_source.py
│   │               │   │   │   ├── v1_node.py
│   │               │   │   │   ├── v1_node_address.py
│   │               │   │   │   ├── v1_node_affinity.py
│   │               │   │   │   ├── v1_node_condition.py
│   │               │   │   │   ├── v1_node_config_source.py
│   │               │   │   │   ├── v1_node_config_status.py
│   │               │   │   │   ├── v1_node_daemon_endpoints.py
│   │               │   │   │   ├── v1_node_features.py
│   │               │   │   │   ├── v1_node_list.py
│   │               │   │   │   ├── v1_node_runtime_handler.py
│   │               │   │   │   ├── v1_node_runtime_handler_features.py
│   │               │   │   │   ├── v1_node_selector.py
│   │               │   │   │   ├── v1_node_selector_requirement.py
│   │               │   │   │   ├── v1_node_selector_term.py
│   │               │   │   │   ├── v1_node_spec.py
│   │               │   │   │   ├── v1_node_status.py
│   │               │   │   │   ├── v1_node_swap_status.py
│   │               │   │   │   ├── v1_node_system_info.py
│   │               │   │   │   ├── v1_non_resource_attributes.py
│   │               │   │   │   ├── v1_non_resource_policy_rule.py
│   │               │   │   │   ├── v1_non_resource_rule.py
│   │               │   │   │   ├── v1_object_field_selector.py
│   │               │   │   │   ├── v1_object_meta.py
│   │               │   │   │   ├── v1_object_reference.py
│   │               │   │   │   ├── v1_overhead.py
│   │               │   │   │   ├── v1_owner_reference.py
│   │               │   │   │   ├── v1_param_kind.py
│   │               │   │   │   ├── v1_param_ref.py
```

```
│   │               │   │   │   ├── v1_parent_reference.py
│   │               │   │   │   ├── v1_persistent_volume.py
│   │               │   │   │   ├── v1_persistent_volume_claim.py
│   │               │   │   │   ├── v1_persistent_volume_claim_condition.py
│   │               │   │   │   ├── v1_persistent_volume_claim_list.py
│   │               │   │   │   ├── v1_persistent_volume_claim_spec.py
│   │               │   │   │   ├── v1_persistent_volume_claim_status.py
│   │               │   │   │   ├── v1_persistent_volume_claim_template.py
│   │               │   │   │   ├──
v1_persistent_volume_claim_volume_source.py
│   │               │   │   │   ├── v1_persistent_volume_list.py
│   │               │   │   │   ├── v1_persistent_volume_spec.py
│   │               │   │   │   ├── v1_persistent_volume_status.py
│   │               │   │   │   ├──
v1_photon_persistent_disk_volume_source.py
│   │               │   │   │   ├── v1_pod.py
│   │               │   │   │   ├── v1_pod_affinity.py
│   │               │   │   │   ├── v1_pod_affinity_term.py
│   │               │   │   │   ├── v1_pod_anti_affinity.py
│   │               │   │   │   ├── v1_pod_condition.py
│   │               │   │   │   ├── v1_pod_disruption_budget.py
│   │               │   │   │   ├── v1_pod_disruption_budget_list.py
│   │               │   │   │   ├── v1_pod_disruption_budget_spec.py
│   │               │   │   │   ├── v1_pod_disruption_budget_status.py
│   │               │   │   │   ├── v1_pod_dns_config.py
│   │               │   │   │   ├── v1_pod_dns_config_option.py
│   │               │   │   │   ├── v1_pod_failure_policy.py
│   │               │   │   │   ├──
v1_pod_failure_policy_on_exit_codes_requirement.py
│   │               │   │   │   ├──
v1_pod_failure_policy_on_pod_conditions_pattern.py
│   │               │   │   │   ├── v1_pod_failure_policy_rule.py
│   │               │   │   │   ├── v1_pod_ip.py
│   │               │   │   │   ├── v1_pod_list.py
│   │               │   │   │   ├── v1_pod_os.py
│   │               │   │   │   ├── v1_pod_readiness_gate.py
│   │               │   │   │   ├── v1_pod_resource_claim.py
│   │               │   │   │   ├── v1_pod_resource_claim_status.py
│   │               │   │   │   ├── v1_pod_scheduling_gate.py
│   │               │   │   │   ├── v1_pod_security_context.py
│   │               │   │   │   ├── v1_pod_spec.py
│   │               │   │   │   ├── v1_pod_status.py
│   │               │   │   │   ├── v1_pod_template.py
│   │               │   │   │   ├── v1_pod_template_list.py
│   │               │   │   │   ├── v1_pod_template_spec.py
│   │               │   │   │   ├── v1_policy_rule.py
│   │               │   │   │   ├── v1_policy_rules_with_subjects.py
│   │               │   │   │   ├── v1_port_status.py
│   │               │   │   │   ├── v1_portworx_volume_source.py
│   │               │   │   │   ├── v1_preconditions.py
│   │               │   │   │   ├── v1_preferred_scheduling_term.py
│   │               │   │   │   ├── v1_priority_class.py
│   │               │   │   │   ├── v1_priority_class_list.py
│   │               │   │   │   ├── v1_priority_level_configuration.py
│   │               │   │   │   ├──
v1_priority_level_configuration_condition.py
```

```
│   │           │   │   │   ├── v1_priority_level_configuration_list.py
│   │           │   │   │   ├──
v1_priority_level_configuration_reference.py
│   │           │   │   │   ├── v1_priority_level_configuration_spec.py
│   │           │   │   │   ├──
v1_priority_level_configuration_status.py
│   │           │   │   │   ├── v1_probe.py
│   │           │   │   │   ├── v1_projected_volume_source.py
│   │           │   │   │   ├── v1_queuing_configuration.py
│   │           │   │   │   ├── v1_quobyte_volume_source.py
│   │           │   │   │   ├── v1_rbd_persistent_volume_source.py
│   │           │   │   │   ├── v1_rbd_volume_source.py
│   │           │   │   │   ├── v1_replica_set.py
│   │           │   │   │   ├── v1_replica_set_condition.py
│   │           │   │   │   ├── v1_replica_set_list.py
│   │           │   │   │   ├── v1_replica_set_spec.py
│   │           │   │   │   ├── v1_replica_set_status.py
│   │           │   │   │   ├── v1_replication_controller.py
│   │           │   │   │   ├── v1_replication_controller_condition.py
│   │           │   │   │   ├── v1_replication_controller_list.py
│   │           │   │   │   ├── v1_replication_controller_spec.py
│   │           │   │   │   ├── v1_replication_controller_status.py
│   │           │   │   │   ├── v1_resource_attributes.py
│   │           │   │   │   ├── v1_resource_claim.py
│   │           │   │   │   ├── v1_resource_field_selector.py
│   │           │   │   │   ├── v1_resource_health.py
│   │           │   │   │   ├── v1_resource_policy_rule.py
│   │           │   │   │   ├── v1_resource_quota.py
│   │           │   │   │   ├── v1_resource_quota_list.py
│   │           │   │   │   ├── v1_resource_quota_spec.py
│   │           │   │   │   ├── v1_resource_quota_status.py
│   │           │   │   │   ├── v1_resource_requirements.py
│   │           │   │   │   ├── v1_resource_rule.py
│   │           │   │   │   ├── v1_resource_status.py
│   │           │   │   │   ├── v1_role.py
│   │           │   │   │   ├── v1_role_binding.py
│   │           │   │   │   ├── v1_role_binding_list.py
│   │           │   │   │   ├── v1_role_list.py
│   │           │   │   │   ├── v1_role_ref.py
│   │           │   │   │   ├── v1_rolling_update_daemon_set.py
│   │           │   │   │   ├── v1_rolling_update_deployment.py
│   │           │   │   │   ├──
v1_rolling_update_stateful_set_strategy.py
│   │           │   │   │   ├── v1_rule_with_operations.py
│   │           │   │   │   ├── v1_runtime_class.py
│   │           │   │   │   ├── v1_runtime_class_list.py
│   │           │   │   │   ├── v1_scale.py
│   │           │   │   │   ├── v1_scale_io_persistent_volume_source.py
│   │           │   │   │   ├── v1_scale_io_volume_source.py
│   │           │   │   │   ├── v1_scale_spec.py
│   │           │   │   │   ├── v1_scale_status.py
│   │           │   │   │   ├── v1_scheduling.py
│   │           │   │   │   ├── v1_scope_selector.py
│   │           │   │   │   ├──
v1_scoped_resource_selector_requirement.py
│   │           │   │   │   ├── v1_se_linux_options.py
```

```
│   │               │   │   │   ├── v1_seccomp_profile.py
│   │               │   │   │   ├── v1_secret.py
│   │               │   │   │   ├── v1_secret_env_source.py
│   │               │   │   │   ├── v1_secret_key_selector.py
│   │               │   │   │   ├── v1_secret_list.py
│   │               │   │   │   ├── v1_secret_projection.py
│   │               │   │   │   ├── v1_secret_reference.py
│   │               │   │   │   ├── v1_secret_volume_source.py
│   │               │   │   │   ├── v1_security_context.py
│   │               │   │   │   ├── v1_selectable_field.py
│   │               │   │   │   ├── v1_self_subject_access_review.py
│   │               │   │   │   ├── v1_self_subject_access_review_spec.py
│   │               │   │   │   ├── v1_self_subject_review.py
│   │               │   │   │   ├── v1_self_subject_review_status.py
│   │               │   │   │   ├── v1_self_subject_rules_review.py
│   │               │   │   │   ├── v1_self_subject_rules_review_spec.py
│   │               │   │   │   ├── v1_server_address_by_client_cidr.py
│   │               │   │   │   ├── v1_service.py
│   │               │   │   │   ├── v1_service_account.py
│   │               │   │   │   ├── v1_service_account_list.py
│   │               │   │   │   ├── v1_service_account_subject.py
│   │               │   │   │   ├── v1_service_account_token_projection.py
│   │               │   │   │   ├── v1_service_backend_port.py
│   │               │   │   │   ├── v1_service_cidr.py
│   │               │   │   │   ├── v1_service_cidr_list.py
│   │               │   │   │   ├── v1_service_cidr_spec.py
│   │               │   │   │   ├── v1_service_cidr_status.py
│   │               │   │   │   ├── v1_service_list.py
│   │               │   │   │   ├── v1_service_port.py
│   │               │   │   │   ├── v1_service_spec.py
│   │               │   │   │   ├── v1_service_status.py
│   │               │   │   │   ├── v1_session_affinity_config.py
│   │               │   │   │   ├── v1_sleep_action.py
│   │               │   │   │   ├── v1_stateful_set.py
│   │               │   │   │   ├── v1_stateful_set_condition.py
│   │               │   │   │   ├── v1_stateful_set_list.py
│   │               │   │   │   ├── v1_stateful_set_ordinals.py
│   │               │   │   │   ├──
│   │               │   │   │   │
v1_stateful_set_persistent_volume_claim_retention_policy.py
│   │               │   │   │   ├── v1_stateful_set_spec.py
│   │               │   │   │   ├── v1_stateful_set_status.py
│   │               │   │   │   ├── v1_stateful_set_update_strategy.py
│   │               │   │   │   ├── v1_status.py
│   │               │   │   │   ├── v1_status_cause.py
│   │               │   │   │   ├── v1_status_details.py
│   │               │   │   │   ├── v1_storage_class.py
│   │               │   │   │   ├── v1_storage_class_list.py
│   │               │   │   │   ├──
│   │               │   │   │   │
v1_storage_os_persistent_volume_source.py
│   │               │   │   │   ├── v1_storage_os_volume_source.py
│   │               │   │   │   ├── v1_subject_access_review.py
│   │               │   │   │   ├── v1_subject_access_review_spec.py
│   │               │   │   │   ├── v1_subject_access_review_status.py
│   │               │   │   │   ├── v1_subject_rules_review_status.py
│   │               │   │   │   ├── v1_success_policy.py
│   │               │   │   │   ├── v1_success_policy_rule.py
```

```
│   │               │   │   │   ├── v1_sysctl.py
│   │               │   │   │   ├── v1_taint.py
│   │               │   │   │   ├── v1_tcp_socket_action.py
│   │               │   │   │   ├── v1_token_request_spec.py
│   │               │   │   │   ├── v1_token_request_status.py
│   │               │   │   │   ├── v1_token_review.py
│   │               │   │   │   ├── v1_token_review_spec.py
│   │               │   │   │   ├── v1_token_review_status.py
│   │               │   │   │   ├── v1_toleration.py
│   │               │   │   │   ├──
v1_topology_selector_label_requirement.py
│   │               │   │   │   ├── v1_topology_selector_term.py
│   │               │   │   │   ├── v1_topology_spread_constraint.py
│   │               │   │   │   ├── v1_type_checking.py
│   │               │   │   │   ├── v1_typed_local_object_reference.py
│   │               │   │   │   ├── v1_typed_object_reference.py
│   │               │   │   │   ├── v1_uncounted_terminated_pods.py
│   │               │   │   │   ├── v1_user_info.py
│   │               │   │   │   ├── v1_user_subject.py
│   │               │   │   │   ├── v1_validating_admission_policy.py
│   │               │   │   │   ├──
v1_validating_admission_policy_binding.py
│   │               │   │   │   ├──
v1_validating_admission_policy_binding_list.py
│   │               │   │   │   ├──
v1_validating_admission_policy_binding_spec.py
│   │               │   │   │   ├── v1_validating_admission_policy_list.py
│   │               │   │   │   ├── v1_validating_admission_policy_spec.py
│   │               │   │   │   ├── v1_validating_admission_policy_status.py
│   │               │   │   │   ├── v1_validating_webhook.py
│   │               │   │   │   ├── v1_validating_webhook_configuration.py
│   │               │   │   │   ├──
v1_validating_webhook_configuration_list.py
│   │               │   │   │   ├── v1_validation.py
│   │               │   │   │   ├── v1_validation_rule.py
│   │               │   │   │   ├── v1_variable.py
│   │               │   │   │   ├── v1_volume.py
│   │               │   │   │   ├── v1_volume_attachment.py
│   │               │   │   │   ├── v1_volume_attachment_list.py
│   │               │   │   │   ├── v1_volume_attachment_source.py
│   │               │   │   │   ├── v1_volume_attachment_spec.py
│   │               │   │   │   ├── v1_volume_attachment_status.py
│   │               │   │   │   ├── v1_volume_device.py
│   │               │   │   │   ├── v1_volume_error.py
│   │               │   │   │   ├── v1_volume_mount.py
│   │               │   │   │   ├── v1_volume_mount_status.py
│   │               │   │   │   ├── v1_volume_node_affinity.py
│   │               │   │   │   ├── v1_volume_node_resources.py
│   │               │   │   │   ├── v1_volume_projection.py
│   │               │   │   │   ├── v1_volume_resource_requirements.py
│   │               │   │   │   ├── v1_vsphere_virtual_disk_volume_source.py
│   │               │   │   │   ├── v1_watch_event.py
│   │               │   │   │   ├── v1_webhook_conversion.py
│   │               │   │   │   ├── v1_weighted_pod_affinity_term.py
│   │               │   │   │   ├── v1_windows_security_context_options.py
│   │               │   │   │   ├── v1alpha1_apply_configuration.py
```

```
│   │               │   │   │   ├── v1alpha1_cluster_trust_bundle.py
│   │               │   │   │   ├── v1alpha1_cluster_trust_bundle_list.py
│   │               │   │   │   ├── v1alpha1_cluster_trust_bundle_spec.py
│   │               │   │   │   ├── v1alpha1_group_version_resource.py
│   │               │   │   │   ├── v1alpha1_json_patch.py
│   │               │   │   │   ├── v1alpha1_match_condition.py
│   │               │   │   │   ├── v1alpha1_match_resources.py
│   │               │   │   │   ├── v1alpha1_migration_condition.py
│   │               │   │   │   ├── v1alpha1_mutating_admission_policy.py
│   │               │   │   │   ├──
v1alpha1_mutating_admission_policy_binding.py
│   │               │   │   │   ├──
v1alpha1_mutating_admission_policy_binding_list.py
│   │               │   │   │   ├──
v1alpha1_mutating_admission_policy_binding_spec.py
│   │               │   │   │   ├──
v1alpha1_mutating_admission_policy_list.py
│   │               │   │   │   ├──
v1alpha1_mutating_admission_policy_spec.py
│   │               │   │   │   ├── v1alpha1_mutation.py
│   │               │   │   │   ├── v1alpha1_named_rule_with_operations.py
│   │               │   │   │   ├── v1alpha1_param_kind.py
│   │               │   │   │   ├── v1alpha1_param_ref.py
│   │               │   │   │   ├── v1alpha1_server_storage_version.py
│   │               │   │   │   ├── v1alpha1_storage_version.py
│   │               │   │   │   ├── v1alpha1_storage_version_condition.py
│   │               │   │   │   ├── v1alpha1_storage_version_list.py
│   │               │   │   │   ├── v1alpha1_storage_version_migration.py
│   │               │   │   │   ├──
v1alpha1_storage_version_migration_list.py
│   │               │   │   │   ├──
v1alpha1_storage_version_migration_spec.py
│   │               │   │   │   ├──
v1alpha1_storage_version_migration_status.py
│   │               │   │   │   ├── v1alpha1_storage_version_status.py
│   │               │   │   │   ├── v1alpha1_variable.py
│   │               │   │   │   ├── v1alpha1_volume_attributes_class.py
│   │               │   │   │   ├── v1alpha1_volume_attributes_class_list.py
│   │               │   │   │   ├── v1alpha2_lease_candidate.py
│   │               │   │   │   ├── v1alpha2_lease_candidate_list.py
│   │               │   │   │   ├── v1alpha2_lease_candidate_spec.py
│   │               │   │   │   ├── v1alpha3_allocated_device_status.py
│   │               │   │   │   ├── v1alpha3_allocation_result.py
│   │               │   │   │   ├── v1alpha3_basic_device.py
│   │               │   │   │   ├── v1alpha3_cel_device_selector.py
│   │               │   │   │   ├── v1alpha3_counter.py
│   │               │   │   │   ├── v1alpha3_counter_set.py
│   │               │   │   │   ├── v1alpha3_device.py
│   │               │   │   │   ├──
v1alpha3_device_allocation_configuration.py
│   │               │   │   │   ├── v1alpha3_device_allocation_result.py
│   │               │   │   │   ├── v1alpha3_device_attribute.py
│   │               │   │   │   ├── v1alpha3_device_claim.py
│   │               │   │   │   ├── v1alpha3_device_claim_configuration.py
│   │               │   │   │   ├── v1alpha3_device_class.py
│   │               │   │   │   ├── v1alpha3_device_class_configuration.py
```

```
│   │               │   │   │   ├── v1alpha3_device_class_list.py
│   │               │   │   │   ├── v1alpha3_device_class_spec.py
│   │               │   │   │   ├── v1alpha3_device_constraint.py
│   │               │   │   │   ├── v1alpha3_device_counter_consumption.py
│   │               │   │   │   ├── v1alpha3_device_request.py
│   │               │   │   │   ├──
v1alpha3_device_request_allocation_result.py
│   │               │   │   │   ├── v1alpha3_device_selector.py
│   │               │   │   │   ├── v1alpha3_device_sub_request.py
│   │               │   │   │   ├── v1alpha3_device_taint.py
│   │               │   │   │   ├── v1alpha3_device_taint_rule.py
│   │               │   │   │   ├── v1alpha3_device_taint_rule_list.py
│   │               │   │   │   ├── v1alpha3_device_taint_rule_spec.py
│   │               │   │   │   ├── v1alpha3_device_taint_selector.py
│   │               │   │   │   ├── v1alpha3_device_toleration.py
│   │               │   │   │   ├── v1alpha3_network_device_data.py
│   │               │   │   │   ├── v1alpha3_opaque_device_configuration.py
│   │               │   │   │   ├── v1alpha3_resource_claim.py
│   │               │   │   │   ├──
v1alpha3_resource_claim_consumer_reference.py
│   │               │   │   │   ├── v1alpha3_resource_claim_list.py
│   │               │   │   │   ├── v1alpha3_resource_claim_spec.py
│   │               │   │   │   ├── v1alpha3_resource_claim_status.py
│   │               │   │   │   ├── v1alpha3_resource_claim_template.py
│   │               │   │   │   ├── v1alpha3_resource_claim_template_list.py
│   │               │   │   │   ├── v1alpha3_resource_claim_template_spec.py
│   │               │   │   │   ├── v1alpha3_resource_pool.py
│   │               │   │   │   ├── v1alpha3_resource_slice.py
│   │               │   │   │   ├── v1alpha3_resource_slice_list.py
│   │               │   │   │   ├── v1alpha3_resource_slice_spec.py
│   │               │   │   │   ├── v1beta1_allocated_device_status.py
│   │               │   │   │   ├── v1beta1_allocation_result.py
│   │               │   │   │   ├── v1beta1_audit_annotation.py
│   │               │   │   │   ├── v1beta1_basic_device.py
│   │               │   │   │   ├── v1beta1_cel_device_selector.py
│   │               │   │   │   ├── v1beta1_cluster_trust_bundle.py
│   │               │   │   │   ├── v1beta1_cluster_trust_bundle_list.py
│   │               │   │   │   ├── v1beta1_cluster_trust_bundle_spec.py
│   │               │   │   │   ├── v1beta1_counter.py
│   │               │   │   │   ├── v1beta1_counter_set.py
│   │               │   │   │   ├── v1beta1_device.py
│   │               │   │   │   ├──
v1beta1_device_allocation_configuration.py
│   │               │   │   │   ├── v1beta1_device_allocation_result.py
│   │               │   │   │   ├── v1beta1_device_attribute.py
│   │               │   │   │   ├── v1beta1_device_capacity.py
│   │               │   │   │   ├── v1beta1_device_claim.py
│   │               │   │   │   ├── v1beta1_device_claim_configuration.py
│   │               │   │   │   ├── v1beta1_device_class.py
│   │               │   │   │   ├── v1beta1_device_class_configuration.py
│   │               │   │   │   ├── v1beta1_device_class_list.py
│   │               │   │   │   ├── v1beta1_device_class_spec.py
│   │               │   │   │   ├── v1beta1_device_constraint.py
│   │               │   │   │   ├── v1beta1_device_counter_consumption.py
│   │               │   │   │   ├── v1beta1_device_request.py
```

```
│   │             │   │   │   ├──
v1beta1_device_request_allocation_result.py
│   │             │   │   │   ├── v1beta1_device_selector.py
│   │             │   │   │   ├── v1beta1_device_sub_request.py
│   │             │   │   │   ├── v1beta1_device_taint.py
│   │             │   │   │   ├── v1beta1_device_toleration.py
│   │             │   │   │   ├── v1beta1_expression_warning.py
│   │             │   │   │   ├── v1beta1_ip_address.py
│   │             │   │   │   ├── v1beta1_ip_address_list.py
│   │             │   │   │   ├── v1beta1_ip_address_spec.py
│   │             │   │   │   ├── v1beta1_lease_candidate.py
│   │             │   │   │   ├── v1beta1_lease_candidate_list.py
│   │             │   │   │   ├── v1beta1_lease_candidate_spec.py
│   │             │   │   │   ├── v1beta1_match_condition.py
│   │             │   │   │   ├── v1beta1_match_resources.py
│   │             │   │   │   ├── v1beta1_named_rule_with_operations.py
│   │             │   │   │   ├── v1beta1_network_device_data.py
│   │             │   │   │   ├── v1beta1_opaque_device_configuration.py
│   │             │   │   │   ├── v1beta1_param_kind.py
│   │             │   │   │   ├── v1beta1_param_ref.py
│   │             │   │   │   ├── v1beta1_parent_reference.py
│   │             │   │   │   ├── v1beta1_resource_claim.py
│   │             │   │   │   ├──
v1beta1_resource_claim_consumer_reference.py
│   │             │   │   │   ├── v1beta1_resource_claim_list.py
│   │             │   │   │   ├── v1beta1_resource_claim_spec.py
│   │             │   │   │   ├── v1beta1_resource_claim_status.py
│   │             │   │   │   ├── v1beta1_resource_claim_template.py
│   │             │   │   │   ├── v1beta1_resource_claim_template_list.py
│   │             │   │   │   ├── v1beta1_resource_claim_template_spec.py
│   │             │   │   │   ├── v1beta1_resource_pool.py
│   │             │   │   │   ├── v1beta1_resource_slice.py
│   │             │   │   │   ├── v1beta1_resource_slice_list.py
│   │             │   │   │   ├── v1beta1_resource_slice_spec.py
│   │             │   │   │   ├── v1beta1_service_cidr.py
│   │             │   │   │   ├── v1beta1_service_cidr_list.py
│   │             │   │   │   ├── v1beta1_service_cidr_spec.py
│   │             │   │   │   ├── v1beta1_service_cidr_status.py
│   │             │   │   │   ├── v1beta1_type_checking.py
│   │             │   │   │   ├── v1beta1_validating_admission_policy.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_binding.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_binding_list.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_binding_spec.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_list.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_spec.py
│   │             │   │   │   ├──
v1beta1_validating_admission_policy_status.py
│   │             │   │   │   ├── v1beta1_validation.py
│   │             │   │   │   ├── v1beta1_variable.py
│   │             │   │   │   ├── v1beta1_volume_attributes_class.py
│   │             │   │   │   ├── v1beta1_volume_attributes_class_list.py
```

```
│   │               │   │   │   ├── v1beta2_allocated_device_status.py
│   │               │   │   │   ├── v1beta2_allocation_result.py
│   │               │   │   │   ├── v1beta2_cel_device_selector.py
│   │               │   │   │   ├── v1beta2_counter.py
│   │               │   │   │   ├── v1beta2_counter_set.py
│   │               │   │   │   ├── v1beta2_device.py
│   │               │   │   │   ├──
v1beta2_device_allocation_configuration.py
│   │               │   │   │   ├── v1beta2_device_allocation_result.py
│   │               │   │   │   ├── v1beta2_device_attribute.py
│   │               │   │   │   ├── v1beta2_device_capacity.py
│   │               │   │   │   ├── v1beta2_device_claim.py
│   │               │   │   │   ├── v1beta2_device_claim_configuration.py
│   │               │   │   │   ├── v1beta2_device_class.py
│   │               │   │   │   ├── v1beta2_device_class_configuration.py
│   │               │   │   │   ├── v1beta2_device_class_list.py
│   │               │   │   │   ├── v1beta2_device_class_spec.py
│   │               │   │   │   ├── v1beta2_device_constraint.py
│   │               │   │   │   ├── v1beta2_device_counter_consumption.py
│   │               │   │   │   ├── v1beta2_device_request.py
│   │               │   │   │   ├──
v1beta2_device_request_allocation_result.py
│   │               │   │   │   ├── v1beta2_device_selector.py
│   │               │   │   │   ├── v1beta2_device_sub_request.py
│   │               │   │   │   ├── v1beta2_device_taint.py
│   │               │   │   │   ├── v1beta2_device_toleration.py
│   │               │   │   │   ├── v1beta2_exact_device_request.py
│   │               │   │   │   ├── v1beta2_network_device_data.py
│   │               │   │   │   ├── v1beta2_opaque_device_configuration.py
│   │               │   │   │   ├── v1beta2_resource_claim.py
│   │               │   │   │   ├──
v1beta2_resource_claim_consumer_reference.py
│   │               │   │   │   ├── v1beta2_resource_claim_list.py
│   │               │   │   │   ├── v1beta2_resource_claim_spec.py
│   │               │   │   │   ├── v1beta2_resource_claim_status.py
│   │               │   │   │   ├── v1beta2_resource_claim_template.py
│   │               │   │   │   ├── v1beta2_resource_claim_template_list.py
│   │               │   │   │   ├── v1beta2_resource_claim_template_spec.py
│   │               │   │   │   ├── v1beta2_resource_pool.py
│   │               │   │   │   ├── v1beta2_resource_slice.py
│   │               │   │   │   ├── v1beta2_resource_slice_list.py
│   │               │   │   │   ├── v1beta2_resource_slice_spec.py
│   │               │   │   │   ├── v2_container_resource_metric_source.py
│   │               │   │   │   ├── v2_container_resource_metric_status.py
│   │               │   │   │   ├── v2_cross_version_object_reference.py
│   │               │   │   │   ├── v2_external_metric_source.py
│   │               │   │   │   ├── v2_external_metric_status.py
│   │               │   │   │   ├── v2_horizontal_pod_autoscaler.py
│   │               │   │   │   ├── v2_horizontal_pod_autoscaler_behavior.py
│   │               │   │   │   ├──
v2_horizontal_pod_autoscaler_condition.py
│   │               │   │   │   ├── v2_horizontal_pod_autoscaler_list.py
│   │               │   │   │   ├── v2_horizontal_pod_autoscaler_spec.py
│   │               │   │   │   ├── v2_horizontal_pod_autoscaler_status.py
│   │               │   │   │   ├── v2_hpa_scaling_policy.py
│   │               │   │   │   ├── v2_hpa_scaling_rules.py
```

```
│   │               │   │   │   ├── v2_metric_identifier.py
│   │               │   │   │   ├── v2_metric_spec.py
│   │               │   │   │   ├── v2_metric_status.py
│   │               │   │   │   ├── v2_metric_target.py
│   │               │   │   │   ├── v2_metric_value_status.py
│   │               │   │   │   ├── v2_object_metric_source.py
│   │               │   │   │   ├── v2_object_metric_status.py
│   │               │   │   │   ├── v2_pods_metric_source.py
│   │               │   │   │   ├── v2_pods_metric_status.py
│   │               │   │   │   ├── v2_resource_metric_source.py
│   │               │   │   │   ├── v2_resource_metric_status.py
│   │               │   │   │   └── version_info.py
│   │               │   │   └── rest.py
│   │               │   ├── config
│   │               │   │   ├── __init__.py
│   │               │   │   ├── config_exception.py
│   │               │   │   ├── dateutil.py
│   │               │   │   ├── dateutil_test.py
│   │               │   │   ├── exec_provider.py
│   │               │   │   ├── exec_provider_test.py
│   │               │   │   ├── incluster_config.py
│   │               │   │   ├── incluster_config_test.py
│   │               │   │   ├── kube_config.py
│   │               │   │   └── kube_config_test.py
│   │               │   ├── dynamic
│   │               │   │   ├── __init__.py
│   │               │   │   ├── client.py
│   │               │   │   ├── discovery.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── resource.py
│   │               │   │   ├── test_client.py
│   │               │   │   └── test_discovery.py
│   │               │   ├── leaderelection
│   │               │   │   ├── __init__.py
│   │               │   │   ├── electionconfig.py
│   │               │   │   ├── example.py
│   │               │   │   ├── leaderelection.py
│   │               │   │   ├── leaderelection_test.py
│   │               │   │   ├── leaderelectionrecord.py
│   │               │   │   └── resourcelock
│   │               │   │       ├── __init__.py
│   │               │   │       └── configmaplock.py
│   │               │   ├── stream
│   │               │   │   ├── __init__.py
│   │               │   │   ├── stream.py
│   │               │   │   ├── ws_client.py
│   │               │   │   └── ws_client_test.py
│   │               │   ├── utils
│   │               │   │   ├── __init__.py
│   │               │   │   ├── create_from_yaml.py
│   │               │   │   ├── duration.py
│   │               │   │   └── quantity.py
│   │               │   └── watch
│   │               │       ├── __init__.py
│   │               │       ├── watch.py
│   │               │       └── watch_test.py
```

```
│   │   │   │   ├── kubernetes-33.1.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   └── LICENSE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── langchain
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _api
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── deprecation.py
│   │   │   │   │   │   ├── interactive_env.py
│   │   │   │   │   │   ├── module_import.py
│   │   │   │   │   │   └── path.py
│   │   │   │   │   ├── adapters
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── openai.py
│   │   │   │   │   ├── agents
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── agent.py
│   │   │   │   │   │   ├── agent_iterator.py
│   │   │   │   │   │   ├── agent_toolkits
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── ainetwork
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── amadeus
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── azure_cognitive_services.py
│   │   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   │   ├── clickup
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── conversational_retrieval
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── openai_functions.py
│   │   │   │   │   │   │   │   └── tool.py
│   │   │   │   │   │   │   ├── csv
│   │   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   │   ├── file_management
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── github
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── gitlab
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── gmail
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
│   │   │   │   │   │   │   ├── jira
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── toolkit.py
```

```
│   │               │   │   │   ├── json
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── multion
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── nasa
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── nla
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── tool.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── office365
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── openapi
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── planner.py
│   │               │   │   │   │   ├── planner_prompt.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   ├── spec.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── pandas
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   ├── playwright
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── powerbi
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── chat_base.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── python
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   ├── slack
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── spark
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   ├── spark_sql
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── sql
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── steam
│   │               │   │   │   │   ├── __init__.py
```

```
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── vectorstore
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── base.py
│   │               │   │   │   │   ├── prompt.py
│   │               │   │   │   │   └── toolkit.py
│   │               │   │   │   ├── xorbits
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   └── zapier
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       └── toolkit.py
│   │               │   │   ├── agent_types.py
│   │               │   │   ├── chat
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── conversational
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── conversational_chat
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── format_scratchpad
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── log.py
│   │               │   │   │   ├── log_to_messages.py
│   │               │   │   │   ├── openai_functions.py
│   │               │   │   │   ├── openai_tools.py
│   │               │   │   │   ├── tools.py
│   │               │   │   │   └── xml.py
│   │               │   │   ├── initialize.py
│   │               │   │   ├── json_chat
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── load_tools.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── mrkl
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── openai_assistant
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── openai_functions_agent
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── agent_token_buffer_memory.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── openai_functions_multi_agent
│   │               │   │   │   ├── __init__.py
```

```
│   │               │   │   │   └── base.py
│   │               │   │   ├── openai_tools
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── output_parsers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── json.py
│   │               │   │   │   ├── openai_functions.py
│   │               │   │   │   ├── openai_tools.py
│   │               │   │   │   ├── react_json_single_input.py
│   │               │   │   │   ├── react_single_input.py
│   │               │   │   │   ├── self_ask.py
│   │               │   │   │   ├── tools.py
│   │               │   │   │   └── xml.py
│   │               │   │   ├── react
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── agent.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   ├── textworld_prompt.py
│   │               │   │   │   └── wiki_prompt.py
│   │               │   │   ├── schema.py
│   │               │   │   ├── self_ask_with_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── structured_chat
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── output_parser.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── tool_calling_agent
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── tools.py
│   │               │   │   ├── types.py
│   │               │   │   ├── utils.py
│   │               │   │   └── xml
│   │               │   │       ├── __init__.py
│   │               │   │       ├── base.py
│   │               │   │       └── prompt.py
│   │               │   ├── base_language.py
│   │               │   ├── cache.py
│   │               │   ├── callbacks
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aim_callback.py
│   │               │   │   ├── argilla_callback.py
│   │               │   │   ├── arize_callback.py
│   │               │   │   ├── arthur_callback.py
│   │               │   │   ├── base.py
│   │               │   │   ├── clearml_callback.py
│   │               │   │   ├── comet_ml_callback.py
│   │               │   │   ├── confident_callback.py
│   │               │   │   ├── context_callback.py
│   │               │   │   ├── file.py
```

```
│   │               │   │   ├── flyte_callback.py
│   │               │   │   ├── human.py
│   │               │   │   ├── infino_callback.py
│   │               │   │   ├── labelstudio_callback.py
│   │               │   │   ├── llmonitor_callback.py
│   │               │   │   ├── manager.py
│   │               │   │   ├── mlflow_callback.py
│   │               │   │   ├── openai_info.py
│   │               │   │   ├── promptlayer_callback.py
│   │               │   │   ├── sagemaker_callback.py
│   │               │   │   ├── stdout.py
│   │               │   │   ├── streaming_aiter.py
│   │               │   │   ├── streaming_aiter_final_only.py
│   │               │   │   ├── streaming_stdout.py
│   │               │   │   ├── streaming_stdout_final_only.py
│   │               │   │   ├── streamlit
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── mutable_expander.py
│   │               │   │   │   └── streamlit_callback_handler.py
│   │               │   │   ├── tracers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── comet.py
│   │               │   │   │   ├── evaluation.py
│   │               │   │   │   ├── langchain.py
│   │               │   │   │   ├── langchain_v1.py
│   │               │   │   │   ├── log_stream.py
│   │               │   │   │   ├── logging.py
│   │               │   │   │   ├── root_listeners.py
│   │               │   │   │   ├── run_collector.py
│   │               │   │   │   ├── schemas.py
│   │               │   │   │   ├── stdout.py
│   │               │   │   │   └── wandb.py
│   │               │   │   ├── trubrics_callback.py
│   │               │   │   ├── utils.py
│   │               │   │   ├── wandb_callback.py
│   │               │   │   └── whylabs_callback.py
│   │               │   ├── chains
│   │               │   │   ├── __init__.py
│   │               │   │   ├── api
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── news_docs.py
│   │               │   │   │   ├── open_meteo_docs.py
│   │               │   │   │   ├── openapi
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── chain.py
│   │               │   │   │   │   ├── prompts.py
│   │               │   │   │   │   ├── requests_chain.py
│   │               │   │   │   │   └── response_chain.py
│   │               │   │   │   ├── podcast_docs.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tmdb_docs.py
│   │               │   │   ├── base.py
│   │               │   │   ├── chat_vector_db
│   │               │   │   │   ├── __init__.py
```

```
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── combine_documents
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── map_reduce.py
│   │               │   │   │   ├── map_rerank.py
│   │               │   │   │   ├── reduce.py
│   │               │   │   │   ├── refine.py
│   │               │   │   │   └── stuff.py
│   │               │   │   ├── constitutional_ai
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── models.py
│   │               │   │   │   ├── principles.py
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── conversation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── memory.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── conversational_retrieval
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── elasticsearch_database
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── ernie_functions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── example_generator.py
│   │               │   │   ├── flare
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── graph_qa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── arangodb.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── cypher.py
│   │               │   │   │   ├── cypher_utils.py
│   │               │   │   │   ├── falkordb.py
│   │               │   │   │   ├── gremlin.py
│   │               │   │   │   ├── hugegraph.py
│   │               │   │   │   ├── kuzu.py
│   │               │   │   │   ├── nebulagraph.py
│   │               │   │   │   ├── neptune_cypher.py
│   │               │   │   │   ├── neptune_sparql.py
│   │               │   │   │   ├── ontotext_graphdb.py
│   │               │   │   │   ├── prompts.py
│   │               │   │   │   └── sparql.py
│   │               │   │   ├── history_aware_retriever.py
│   │               │   │   ├── hyde
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
```

```
│   │               │   │   │   └── prompts.py
│   │               │   │   ├── llm.py
│   │               │   │   ├── llm_bash
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── llm_checker
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── llm_math
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── llm_requests.py
│   │               │   │   ├── llm_summarization_checker
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompts
│   │               │   │   │       ├── are_all_true_prompt.txt
│   │               │   │   │       ├── check_facts.txt
│   │               │   │   │       ├── create_facts.txt
│   │               │   │   │       └── revise_summary.txt
│   │               │   │   ├── llm_symbolic_math
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── mapreduce.py
│   │               │   │   ├── moderation.py
│   │               │   │   ├── natbot
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── crawler.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── openai_functions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── citation_fuzzy_match.py
│   │               │   │   │   ├── extraction.py
│   │               │   │   │   ├── openapi.py
│   │               │   │   │   ├── qa_with_structure.py
│   │               │   │   │   ├── tagging.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── openai_tools
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── extraction.py
│   │               │   │   ├── prompt_selector.py
│   │               │   │   ├── qa_generation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── qa_with_sources
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── loading.py
│   │               │   │   │   ├── map_reduce_prompt.py
│   │               │   │   │   ├── refine_prompts.py
│   │               │   │   │   ├── retrieval.py
│   │               │   │   │   ├── stuff_prompt.py
```

```
│   │   │   │
```

```
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── anthropic.py
│   │   │   │   │   ├── anyscale.py
│   │   │   │   │   ├── azure_openai.py
│   │   │   │   │   ├── azureml_endpoint.py
│   │   │   │   │   ├── baichuan.py
│   │   │   │   │   ├── baidu_qianfan_endpoint.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   ├── bedrock.py
│   │   │   │   │   ├── cohere.py
│   │   │   │   │   ├── databricks.py
│   │   │   │   │   ├── ernie.py
│   │   │   │   │   ├── everlyai.py
│   │   │   │   │   ├── fake.py
│   │   │   │   │   ├── fireworks.py
│   │   │   │   │   ├── gigachat.py
│   │   │   │   │   ├── google_palm.py
│   │   │   │   │   ├── human.py
│   │   │   │   │   ├── hunyuan.py
│   │   │   │   │   ├── javelin_ai_gateway.py
│   │   │   │   │   ├── jinachat.py
│   │   │   │   │   ├── konko.py
│   │   │   │   │   ├── litellm.py
│   │   │   │   │   ├── meta.py
│   │   │   │   │   ├── minimax.py
│   │   │   │   │   ├── mlflow.py
│   │   │   │   │   ├── mlflow_ai_gateway.py
│   │   │   │   │   ├── ollama.py
│   │   │   │   │   ├── openai.py
│   │   │   │   │   ├── pai_eas_endpoint.py
│   │   │   │   │   ├── promptlayer_openai.py
│   │   │   │   │   ├── tongyi.py
│   │   │   │   │   ├── vertexai.py
│   │   │   │   │   ├── volcengine_maas.py
│   │   │   │   │   └── yandex.py
│   │   │   │   ├── docstore
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── arbitrary_fn.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   ├── document.py
│   │   │   │   │   ├── in_memory.py
│   │   │   │   │   └── wikipedia.py
│   │   │   │   ├── document_loaders
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── acreom.py
│   │   │   │   │   ├── airbyte.py
│   │   │   │   │   ├── airbyte_json.py
│   │   │   │   │   ├── airtable.py
│   │   │   │   │   ├── apify_dataset.py
│   │   │   │   │   ├── arcgis_loader.py
│   │   │   │   │   ├── arxiv.py
│   │   │   │   │   ├── assemblyai.py
│   │   │   │   │   ├── async_html.py
│   │   │   │   │   ├── azlyrics.py
│   │   │   │   │   ├── azure_ai_data.py
│   │   │   │   │   ├── azure_blob_storage_container.py
```

```
│   │               │   │   ├── azure_blob_storage_file.py
│   │               │   │   ├── baiducloud_bos_directory.py
│   │               │   │   ├── baiducloud_bos_file.py
│   │               │   │   ├── base.py
│   │               │   │   ├── base_o365.py
│   │               │   │   ├── bibtex.py
│   │               │   │   ├── bigquery.py
│   │               │   │   ├── bilibili.py
│   │               │   │   ├── blackboard.py
│   │               │   │   ├── blob_loaders
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── file_system.py
│   │               │   │   │   ├── schema.py
│   │               │   │   │   └── youtube_audio.py
│   │               │   │   ├── blockchain.py
│   │               │   │   ├── brave_search.py
│   │               │   │   ├── browserless.py
│   │               │   │   ├── chatgpt.py
│   │               │   │   ├── chromium.py
│   │               │   │   ├── college_confidential.py
│   │               │   │   ├── concurrent.py
│   │               │   │   ├── confluence.py
│   │               │   │   ├── conllu.py
│   │               │   │   ├── couchbase.py
│   │               │   │   ├── csv_loader.py
│   │               │   │   ├── cube_semantic.py
│   │               │   │   ├── datadog_logs.py
│   │               │   │   ├── dataframe.py
│   │               │   │   ├── diffbot.py
│   │               │   │   ├── directory.py
│   │               │   │   ├── discord.py
│   │               │   │   ├── docugami.py
│   │               │   │   ├── docusaurus.py
│   │               │   │   ├── dropbox.py
│   │               │   │   ├── duckdb_loader.py
│   │               │   │   ├── email.py
│   │               │   │   ├── epub.py
│   │               │   │   ├── etherscan.py
│   │               │   │   ├── evernote.py
│   │               │   │   ├── excel.py
│   │               │   │   ├── facebook_chat.py
│   │               │   │   ├── fauna.py
│   │               │   │   ├── figma.py
│   │               │   │   ├── gcs_directory.py
│   │               │   │   ├── gcs_file.py
│   │               │   │   ├── generic.py
│   │               │   │   ├── geodataframe.py
│   │               │   │   ├── git.py
│   │               │   │   ├── gitbook.py
│   │               │   │   ├── github.py
│   │               │   │   ├── google_speech_to_text.py
│   │               │   │   ├── googledrive.py
│   │               │   │   ├── gutenberg.py
│   │               │   │   ├── helpers.py
│   │               │   │   ├── hn.py
│   │               │   │   ├── html.py
```

```
│   │               │   │   ├── html_bs.py
│   │               │   │   ├── hugging_face_dataset.py
│   │               │   │   ├── ifixit.py
│   │               │   │   ├── image.py
│   │               │   │   ├── image_captions.py
│   │               │   │   ├── imsdb.py
│   │               │   │   ├── iugu.py
│   │               │   │   ├── joplin.py
│   │               │   │   ├── json_loader.py
│   │               │   │   ├── lakefs.py
│   │               │   │   ├── larksuite.py
│   │               │   │   ├── markdown.py
│   │               │   │   ├── mastodon.py
│   │               │   │   ├── max_compute.py
│   │               │   │   ├── mediawikidump.py
│   │               │   │   ├── merge.py
│   │               │   │   ├── mhtml.py
│   │               │   │   ├── modern_treasury.py
│   │               │   │   ├── mongodb.py
│   │               │   │   ├── news.py
│   │               │   │   ├── notebook.py
│   │               │   │   ├── notion.py
│   │               │   │   ├── notiondb.py
│   │               │   │   ├── nuclia.py
│   │               │   │   ├── obs_directory.py
│   │               │   │   ├── obs_file.py
│   │               │   │   ├── obsidian.py
│   │               │   │   ├── odt.py
│   │               │   │   ├── onedrive.py
│   │               │   │   ├── onedrive_file.py
│   │               │   │   ├── onenote.py
│   │               │   │   ├── open_city_data.py
│   │               │   │   ├── org_mode.py
│   │               │   │   ├── parsers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── audio.py
│   │               │   │   │   ├── docai.py
│   │               │   │   │   ├── generic.py
│   │               │   │   │   ├── grobid.py
│   │               │   │   │   ├── html
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── bs4.py
│   │               │   │   │   ├── language
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── cobol.py
│   │               │   │   │   │   ├── code_segmenter.py
│   │               │   │   │   │   ├── javascript.py
│   │               │   │   │   │   ├── language_parser.py
│   │               │   │   │   │   └── python.py
│   │               │   │   │   ├── msword.py
│   │               │   │   │   ├── pdf.py
│   │               │   │   │   ├── registry.py
│   │               │   │   │   └── txt.py
│   │               │   │   ├── pdf.py
│   │               │   │   ├── polars_dataframe.py
│   │               │   │   ├── powerpoint.py
```

```
│   │   │   │   │   ├── psychic.py
│   │   │   │   │   ├── pubmed.py
│   │   │   │   │   ├── pyspark_dataframe.py
│   │   │   │   │   ├── python.py
│   │   │   │   │   ├── quip.py
│   │   │   │   │   ├── readthedocs.py
│   │   │   │   │   ├── recursive_url_loader.py
│   │   │   │   │   ├── reddit.py
│   │   │   │   │   ├── roam.py
│   │   │   │   │   ├── rocksetdb.py
│   │   │   │   │   ├── rspace.py
│   │   │   │   │   ├── rss.py
│   │   │   │   │   ├── rst.py
│   │   │   │   │   ├── rtf.py
│   │   │   │   │   ├── s3_directory.py
│   │   │   │   │   ├── s3_file.py
│   │   │   │   │   ├── sharepoint.py
│   │   │   │   │   ├── sitemap.py
│   │   │   │   │   ├── slack_directory.py
│   │   │   │   │   ├── snowflake_loader.py
│   │   │   │   │   ├── spreedly.py
│   │   │   │   │   ├── srt.py
│   │   │   │   │   ├── stripe.py
│   │   │   │   │   ├── telegram.py
│   │   │   │   │   ├── tencent_cos_directory.py
│   │   │   │   │   ├── tencent_cos_file.py
│   │   │   │   │   ├── tensorflow_datasets.py
│   │   │   │   │   ├── text.py
│   │   │   │   │   ├── tomarkdown.py
│   │   │   │   │   ├── toml.py
│   │   │   │   │   ├── trello.py
│   │   │   │   │   ├── tsv.py
│   │   │   │   │   ├── twitter.py
│   │   │   │   │   ├── unstructured.py
│   │   │   │   │   ├── url.py
│   │   │   │   │   ├── url_playwright.py
│   │   │   │   │   ├── url_selenium.py
│   │   │   │   │   ├── weather.py
│   │   │   │   │   ├── web_base.py
│   │   │   │   │   ├── whatsapp_chat.py
│   │   │   │   │   ├── wikipedia.py
│   │   │   │   │   ├── word_document.py
│   │   │   │   │   ├── xml.py
│   │   │   │   │   ├── xorbits.py
│   │   │   │   │   └── youtube.py
│   │   │   │   ├── document_transformers
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── beautiful_soup_transformer.py
│   │   │   │   │   ├── doctran_text_extract.py
│   │   │   │   │   ├── doctran_text_qa.py
│   │   │   │   │   ├── doctran_text_translate.py
│   │   │   │   │   ├── embeddings_redundant_filter.py
│   │   │   │   │   ├── google_translate.py
│   │   │   │   │   ├── html2text.py
│   │   │   │   │   ├── long_context_reorder.py
│   │   │   │   │   ├── nuclia_text_transform.py
```

```
│   │               │   │   ├── openai_functions.py
│   │               │   │   └── xsl
│   │               │   │       └── html_chunks_with_headers.xslt
│   │               │   ├── embeddings
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aleph_alpha.py
│   │               │   │   ├── awa.py
│   │               │   │   ├── azure_openai.py
│   │               │   │   ├── baidu_qianfan_endpoint.py
│   │               │   │   ├── base.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── bookend.py
│   │               │   │   ├── cache.py
│   │               │   │   ├── clarifai.py
│   │               │   │   ├── cloudflare_workersai.py
│   │               │   │   ├── cohere.py
│   │               │   │   ├── dashscope.py
│   │               │   │   ├── databricks.py
│   │               │   │   ├── deepinfra.py
│   │               │   │   ├── edenai.py
│   │               │   │   ├── elasticsearch.py
│   │               │   │   ├── embaas.py
│   │               │   │   ├── ernie.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── fastembed.py
│   │               │   │   ├── google_palm.py
│   │               │   │   ├── gpt4all.py
│   │               │   │   ├── gradient_ai.py
│   │               │   │   ├── huggingface.py
│   │               │   │   ├── huggingface_hub.py
│   │               │   │   ├── infinity.py
│   │               │   │   ├── javelin_ai_gateway.py
│   │               │   │   ├── jina.py
│   │               │   │   ├── johnsnowlabs.py
│   │               │   │   ├── llamacpp.py
│   │               │   │   ├── llm_rails.py
│   │               │   │   ├── localai.py
│   │               │   │   ├── minimax.py
│   │               │   │   ├── mlflow.py
│   │               │   │   ├── mlflow_gateway.py
│   │               │   │   ├── modelscope_hub.py
│   │               │   │   ├── mosaicml.py
│   │               │   │   ├── nlpcloud.py
│   │               │   │   ├── octoai_embeddings.py
│   │               │   │   ├── ollama.py
│   │               │   │   ├── openai.py
│   │               │   │   ├── sagemaker_endpoint.py
│   │               │   │   ├── self_hosted.py
│   │               │   │   ├── self_hosted_hugging_face.py
│   │               │   │   ├── sentence_transformer.py
│   │               │   │   ├── spacy_embeddings.py
│   │               │   │   ├── tensorflow_hub.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── voyageai.py
│   │               │   │   └── xinference.py
│   │               │   ├── env.py
```

```
│   │               │   ├── evaluation
│   │               │   │   ├── __init__.py
│   │               │   │   ├── agents
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── trajectory_eval_chain.py
│   │               │   │   │   └── trajectory_eval_prompt.py
│   │               │   │   ├── comparison
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── eval_chain.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── criteria
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── eval_chain.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── embedding_distance
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── exact_match
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── parsing
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── json_distance.py
│   │               │   │   │   └── json_schema.py
│   │               │   │   ├── qa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── eval_chain.py
│   │               │   │   │   ├── eval_prompt.py
│   │               │   │   │   ├── generate_chain.py
│   │               │   │   │   └── generate_prompt.py
│   │               │   │   ├── regex_match
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── schema.py
│   │               │   │   ├── scoring
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── eval_chain.py
│   │               │   │   │   └── prompt.py
│   │               │   │   └── string_distance
│   │               │   │       ├── __init__.py
│   │               │   │       └── base.py
│   │               │   ├── example_generator.py
│   │               │   ├── formatting.py
│   │               │   ├── globals.py
│   │               │   ├── graphs
│   │               │   │   ├── __init__.py
│   │               │   │   ├── arangodb_graph.py
│   │               │   │   ├── falkordb_graph.py
│   │               │   │   ├── graph_document.py
│   │               │   │   ├── graph_store.py
│   │               │   │   ├── hugegraph.py
│   │               │   │   ├── kuzu_graph.py
│   │               │   │   ├── memgraph_graph.py
│   │               │   │   ├── nebula_graph.py
```

```
│   │               │   │   ├── neo4j_graph.py
│   │               │   │   ├── neptune_graph.py
│   │               │   │   ├── networkx_graph.py
│   │               │   │   └── rdf_graph.py
│   │               │   ├── hub.py
│   │               │   ├── indexes
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _api.py
│   │               │   │   ├── _sql_record_manager.py
│   │               │   │   ├── graph.py
│   │               │   │   ├── prompts
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── entity_extraction.py
│   │               │   │   │   ├── entity_summarization.py
│   │               │   │   │   └── knowledge_triplet_extraction.py
│   │               │   │   └── vectorstore.py
│   │               │   ├── input.py
│   │               │   ├── llms
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ai21.py
│   │               │   │   ├── aleph_alpha.py
│   │               │   │   ├── amazon_api_gateway.py
│   │               │   │   ├── anthropic.py
│   │               │   │   ├── anyscale.py
│   │               │   │   ├── arcee.py
│   │               │   │   ├── aviary.py
│   │               │   │   ├── azureml_endpoint.py
│   │               │   │   ├── baidu_qianfan_endpoint.py
│   │               │   │   ├── bananadev.py
│   │               │   │   ├── base.py
│   │               │   │   ├── baseten.py
│   │               │   │   ├── beam.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── bittensor.py
│   │               │   │   ├── cerebriumai.py
│   │               │   │   ├── chatglm.py
│   │               │   │   ├── clarifai.py
│   │               │   │   ├── cloudflare_workersai.py
│   │               │   │   ├── cohere.py
│   │               │   │   ├── ctransformers.py
│   │               │   │   ├── ctranslate2.py
│   │               │   │   ├── databricks.py
│   │               │   │   ├── deepinfra.py
│   │               │   │   ├── deepsparse.py
│   │               │   │   ├── edenai.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── fireworks.py
│   │               │   │   ├── forefrontai.py
│   │               │   │   ├── gigachat.py
│   │               │   │   ├── google_palm.py
│   │               │   │   ├── gooseai.py
│   │               │   │   ├── gpt4all.py
│   │               │   │   ├── gradient_ai.py
│   │               │   │   ├── grammars
│   │               │   │   │   ├── json.gbnf
│   │               │   │   │   └── list.gbnf
```

```
│   │   │   │   │   ├── huggingface_endpoint.py
│   │   │   │   │   ├── huggingface_hub.py
│   │   │   │   │   ├── huggingface_pipeline.py
│   │   │   │   │   ├── huggingface_text_gen_inference.py
│   │   │   │   │   ├── human.py
│   │   │   │   │   ├── javelin_ai_gateway.py
│   │   │   │   │   ├── koboldai.py
│   │   │   │   │   ├── llamacpp.py
│   │   │   │   │   ├── loading.py
│   │   │   │   │   ├── manifest.py
│   │   │   │   │   ├── minimax.py
│   │   │   │   │   ├── mlflow.py
│   │   │   │   │   ├── mlflow_ai_gateway.py
│   │   │   │   │   ├── modal.py
│   │   │   │   │   ├── mosaicml.py
│   │   │   │   │   ├── nlpcloud.py
│   │   │   │   │   ├── octoai_endpoint.py
│   │   │   │   │   ├── ollama.py
│   │   │   │   │   ├── opaqueprompts.py
│   │   │   │   │   ├── openai.py
│   │   │   │   │   ├── openllm.py
│   │   │   │   │   ├── openlm.py
│   │   │   │   │   ├── pai_eas_endpoint.py
│   │   │   │   │   ├── petals.py
│   │   │   │   │   ├── pipelineai.py
│   │   │   │   │   ├── predibase.py
│   │   │   │   │   ├── predictionguard.py
│   │   │   │   │   ├── promptlayer_openai.py
│   │   │   │   │   ├── replicate.py
│   │   │   │   │   ├── rwkv.py
│   │   │   │   │   ├── sagemaker_endpoint.py
│   │   │   │   │   ├── self_hosted.py
│   │   │   │   │   ├── self_hosted_hugging_face.py
│   │   │   │   │   ├── stochasticai.py
│   │   │   │   │   ├── symblai_nebula.py
│   │   │   │   │   ├── textgen.py
│   │   │   │   │   ├── titan_takeoff.py
│   │   │   │   │   ├── titan_takeoff_pro.py
│   │   │   │   │   ├── together.py
│   │   │   │   │   ├── tongyi.py
│   │   │   │   │   ├── utils.py
│   │   │   │   │   ├── vertexai.py
│   │   │   │   │   ├── vllm.py
│   │   │   │   │   ├── volcengine_maas.py
│   │   │   │   │   ├── watsonxllm.py
│   │   │   │   │   ├── writer.py
│   │   │   │   │   ├── xinference.py
│   │   │   │   │   └── yandex.py
│   │   │   │   ├── load
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── dump.py
│   │   │   │   │   ├── load.py
│   │   │   │   │   └── serializable.py
│   │   │   │   ├── memory
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── buffer.py
```

```
│   │   │   │   │   ├── buffer_window.py
│   │   │   │   │   ├── chat_memory.py
│   │   │   │   │   ├── chat_message_histories
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── astradb.py
│   │   │   │   │   │   ├── cassandra.py
│   │   │   │   │   │   ├── cosmos_db.py
│   │   │   │   │   │   ├── dynamodb.py
│   │   │   │   │   │   ├── elasticsearch.py
│   │   │   │   │   │   ├── file.py
│   │   │   │   │   │   ├── firestore.py
│   │   │   │   │   │   ├── in_memory.py
│   │   │   │   │   │   ├── momento.py
│   │   │   │   │   │   ├── mongodb.py
│   │   │   │   │   │   ├── neo4j.py
│   │   │   │   │   │   ├── postgres.py
│   │   │   │   │   │   ├── redis.py
│   │   │   │   │   │   ├── rocksetdb.py
│   │   │   │   │   │   ├── singlestoredb.py
│   │   │   │   │   │   ├── sql.py
│   │   │   │   │   │   ├── streamlit.py
│   │   │   │   │   │   ├── upstash_redis.py
│   │   │   │   │   │   ├── xata.py
│   │   │   │   │   │   └── zep.py
│   │   │   │   │   ├── combined.py
│   │   │   │   │   ├── entity.py
│   │   │   │   │   ├── kg.py
│   │   │   │   │   ├── motorhead_memory.py
│   │   │   │   │   ├── prompt.py
│   │   │   │   │   ├── readonly.py
│   │   │   │   │   ├── simple.py
│   │   │   │   │   ├── summary.py
│   │   │   │   │   ├── summary_buffer.py
│   │   │   │   │   ├── token_buffer.py
│   │   │   │   │   ├── utils.py
│   │   │   │   │   ├── vectorstore.py
│   │   │   │   │   ├── vectorstore_token_buffer_memory.py
│   │   │   │   │   └── zep_memory.py
│   │   │   │   ├── model_laboratory.py
│   │   │   │   ├── output_parsers
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── boolean.py
│   │   │   │   │   ├── combining.py
│   │   │   │   │   ├── datetime.py
│   │   │   │   │   ├── enum.py
│   │   │   │   │   ├── ernie_functions.py
│   │   │   │   │   ├── fix.py
│   │   │   │   │   ├── format_instructions.py
│   │   │   │   │   ├── json.py
│   │   │   │   │   ├── list.py
│   │   │   │   │   ├── loading.py
│   │   │   │   │   ├── openai_functions.py
│   │   │   │   │   ├── openai_tools.py
│   │   │   │   │   ├── pandas_dataframe.py
│   │   │   │   │   ├── prompts.py
│   │   │   │   │   ├── pydantic.py
```

```
│   │   │   │   │   ├── rail_parser.py
│   │   │   │   │   ├── regex.py
│   │   │   │   │   ├── regex_dict.py
│   │   │   │   │   ├── retry.py
│   │   │   │   │   ├── structured.py
│   │   │   │   │   ├── xml.py
│   │   │   │   │   └── yaml.py
│   │   │   │   ├── prompts
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   ├── chat.py
│   │   │   │   │   ├── example_selector
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── length_based.py
│   │   │   │   │   │   ├── ngram_overlap.py
│   │   │   │   │   │   └── semantic_similarity.py
│   │   │   │   │   ├── few_shot.py
│   │   │   │   │   ├── few_shot_with_templates.py
│   │   │   │   │   ├── loading.py
│   │   │   │   │   ├── pipeline.py
│   │   │   │   │   └── prompt.py
│   │   │   │   ├── py.typed
│   │   │   │   ├── pydantic_v1
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── dataclasses.py
│   │   │   │   │   └── main.py
│   │   │   │   ├── python.py
│   │   │   │   ├── requests.py
│   │   │   │   ├── retrievers
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── arcee.py
│   │   │   │   │   ├── arxiv.py
│   │   │   │   │   ├── azure_ai_search.py
│   │   │   │   │   ├── bedrock.py
│   │   │   │   │   ├── bm25.py
│   │   │   │   │   ├── chaindesk.py
│   │   │   │   │   ├── chatgpt_plugin_retriever.py
│   │   │   │   │   ├── cohere_rag_retriever.py
│   │   │   │   │   ├── contextual_compression.py
│   │   │   │   │   ├── databerry.py
│   │   │   │   │   ├── docarray.py
│   │   │   │   │   ├── document_compressors
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── chain_extract.py
│   │   │   │   │   │   ├── chain_extract_prompt.py
│   │   │   │   │   │   ├── chain_filter.py
│   │   │   │   │   │   ├── chain_filter_prompt.py
│   │   │   │   │   │   ├── cohere_rerank.py
│   │   │   │   │   │   ├── cross_encoder.py
│   │   │   │   │   │   ├── cross_encoder_rerank.py
│   │   │   │   │   │   ├── embeddings_filter.py
│   │   │   │   │   │   ├── flashrank_rerank.py
│   │   │   │   │   │   └── listwise_rerank.py
│   │   │   │   │   ├── elastic_search_bm25.py
```

```
│   │               │   │   ├── embedchain.py
│   │               │   │   ├── ensemble.py
│   │               │   │   ├── google_cloud_documentai_warehouse.py
│   │               │   │   ├── google_vertex_ai_search.py
│   │               │   │   ├── kay.py
│   │               │   │   ├── kendra.py
│   │               │   │   ├── knn.py
│   │               │   │   ├── llama_index.py
│   │               │   │   ├── merger_retriever.py
│   │               │   │   ├── metal.py
│   │               │   │   ├── milvus.py
│   │               │   │   ├── multi_query.py
│   │               │   │   ├── multi_vector.py
│   │               │   │   ├── outline.py
│   │               │   │   ├── parent_document_retriever.py
│   │               │   │   ├── pinecone_hybrid_search.py
│   │               │   │   ├── pubmed.py
│   │               │   │   ├── pupmed.py
│   │               │   │   ├── re_phraser.py
│   │               │   │   ├── remote_retriever.py
│   │               │   │   ├── self_query
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── astradb.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── chroma.py
│   │               │   │   │   ├── dashvector.py
│   │               │   │   │   ├── databricks_vector_search.py
│   │               │   │   │   ├── deeplake.py
│   │               │   │   │   ├── dingo.py
│   │               │   │   │   ├── elasticsearch.py
│   │               │   │   │   ├── milvus.py
│   │               │   │   │   ├── mongodb_atlas.py
│   │               │   │   │   ├── myscale.py
│   │               │   │   │   ├── opensearch.py
│   │               │   │   │   ├── pgvector.py
│   │               │   │   │   ├── pinecone.py
│   │               │   │   │   ├── qdrant.py
│   │               │   │   │   ├── redis.py
│   │               │   │   │   ├── supabase.py
│   │               │   │   │   ├── tencentvectordb.py
│   │               │   │   │   ├── timescalevector.py
│   │               │   │   │   ├── vectara.py
│   │               │   │   │   └── weaviate.py
│   │               │   │   ├── svm.py
│   │               │   │   ├── tavily_search_api.py
│   │               │   │   ├── tfidf.py
│   │               │   │   ├── time_weighted_retriever.py
│   │               │   │   ├── vespa_retriever.py
│   │               │   │   ├── weaviate_hybrid_search.py
│   │               │   │   ├── web_research.py
│   │               │   │   ├── wikipedia.py
│   │               │   │   ├── you.py
│   │               │   │   ├── zep.py
│   │               │   │   └── zilliz.py
│   │               │   ├── runnables
│   │               │   │   ├── __init__.py
```

```
│   │   │   │   │   ├── hub.py
│   │   │   │   │   └── openai_functions.py
│   │   │   │   ├── schema
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── agent.py
│   │   │   │   │   ├── cache.py
│   │   │   │   │   ├── callbacks
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── manager.py
│   │   │   │   │   │   ├── stdout.py
│   │   │   │   │   │   ├── streaming_stdout.py
│   │   │   │   │   │   └── tracers
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── base.py
│   │   │   │   │   │       ├── evaluation.py
│   │   │   │   │   │       ├── langchain.py
│   │   │   │   │   │       ├── langchain_v1.py
│   │   │   │   │   │       ├── log_stream.py
│   │   │   │   │   │       ├── root_listeners.py
│   │   │   │   │   │       ├── run_collector.py
│   │   │   │   │   │       ├── schemas.py
│   │   │   │   │   │       └── stdout.py
│   │   │   │   │   ├── chat.py
│   │   │   │   │   ├── chat_history.py
│   │   │   │   │   ├── document.py
│   │   │   │   │   ├── embeddings.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── language_model.py
│   │   │   │   │   ├── memory.py
│   │   │   │   │   ├── messages.py
│   │   │   │   │   ├── output.py
│   │   │   │   │   ├── output_parser.py
│   │   │   │   │   ├── prompt.py
│   │   │   │   │   ├── prompt_template.py
│   │   │   │   │   ├── retriever.py
│   │   │   │   │   ├── runnable
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── branch.py
│   │   │   │   │   │   ├── config.py
│   │   │   │   │   │   ├── configurable.py
│   │   │   │   │   │   ├── fallbacks.py
│   │   │   │   │   │   ├── history.py
│   │   │   │   │   │   ├── passthrough.py
│   │   │   │   │   │   ├── retry.py
│   │   │   │   │   │   ├── router.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   ├── storage.py
│   │   │   │   │   └── vectorstore.py
│   │   │   │   ├── serpapi.py
│   │   │   │   ├── smith
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   └── evaluation
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       ├── config.py
```

```
│   │               │   │       ├── name_generation.py
│   │               │   │       ├── progress.py
│   │               │   │       ├── runner_utils.py
│   │               │   │       ├── string_run_evaluator.py
│   │               │   │       └── utils.py
│   │               │   ├── sql_database.py
│   │               │   ├── storage
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _lc_store.py
│   │               │   │   ├── encoder_backed.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── file_system.py
│   │               │   │   ├── in_memory.py
│   │               │   │   ├── redis.py
│   │               │   │   └── upstash_redis.py
│   │               │   ├── text_splitter.py
│   │               │   ├── tools
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ainetwork
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── app.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── owner.py
│   │               │   │   │   ├── rule.py
│   │               │   │   │   ├── transfer.py
│   │               │   │   │   └── value.py
│   │               │   │   ├── amadeus
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── closest_airport.py
│   │               │   │   │   └── flight_search.py
│   │               │   │   ├── arxiv
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── azure_cognitive_services
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── form_recognizer.py
│   │               │   │   │   ├── image_analysis.py
│   │               │   │   │   ├── speech2text.py
│   │               │   │   │   ├── text2speech.py
│   │               │   │   │   └── text_analytics_health.py
│   │               │   │   ├── base.py
│   │               │   │   ├── bearly
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── bing_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── brave_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── clickup
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── convert_to_openai.py
│   │               │   │   ├── dataforseo_api_search
```

```
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── ddg_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── e2b_data_analysis
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── edenai
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── audio_speech_to_text.py
│   │               │   │   │   ├── audio_text_to_speech.py
│   │               │   │   │   ├── edenai_base_tool.py
│   │               │   │   │   ├── image_explicitcontent.py
│   │               │   │   │   ├── image_objectdetection.py
│   │               │   │   │   ├── ocr_identityparser.py
│   │               │   │   │   ├── ocr_invoiceparser.py
│   │               │   │   │   └── text_moderation.py
│   │               │   │   ├── eleven_labs
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── models.py
│   │               │   │   │   └── text2speech.py
│   │               │   │   ├── file_management
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── copy.py
│   │               │   │   │   ├── delete.py
│   │               │   │   │   ├── file_search.py
│   │               │   │   │   ├── list_dir.py
│   │               │   │   │   ├── move.py
│   │               │   │   │   ├── read.py
│   │               │   │   │   └── write.py
│   │               │   │   ├── github
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── gitlab
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── gmail
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── create_draft.py
│   │               │   │   │   ├── get_message.py
│   │               │   │   │   ├── get_thread.py
│   │               │   │   │   ├── search.py
│   │               │   │   │   └── send_message.py
│   │               │   │   ├── golden_query
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_cloud
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── texttospeech.py
│   │               │   │   ├── google_finance
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_jobs
│   │               │   │   │   ├── __init__.py
```

```
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_lens
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_places
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_scholar
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_serper
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_trends
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── graphql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── human
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── ifttt.py
│   │               │   │   ├── interaction
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── jira
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── json
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── memorize
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── merriam_webster
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── metaphor_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── multion
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── close_session.py
│   │               │   │   │   ├── create_session.py
│   │               │   │   │   └── update_session.py
│   │               │   │   ├── nasa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── nuclia
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── office365
```

```
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── create_draft_message.py
│   │               │   │   │   ├── events_search.py
│   │               │   │   │   ├── messages_search.py
│   │               │   │   │   ├── send_event.py
│   │               │   │   │   └── send_message.py
│   │               │   │   ├── openapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── utils
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── api_models.py
│   │               │   │   │       └── openapi_utils.py
│   │               │   │   ├── openweathermap
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── playwright
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── click.py
│   │               │   │   │   ├── current_page.py
│   │               │   │   │   ├── extract_hyperlinks.py
│   │               │   │   │   ├── extract_text.py
│   │               │   │   │   ├── get_elements.py
│   │               │   │   │   ├── navigate.py
│   │               │   │   │   └── navigate_back.py
│   │               │   │   ├── plugin.py
│   │               │   │   ├── powerbi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── pubmed
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── python
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── reddit_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── render.py
│   │               │   │   ├── requests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── retriever.py
│   │               │   │   ├── scenexplain
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── searchapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── searx_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── shell
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── slack
```

```
│   │   │   │
```

```
│   │               │   │   ├── clickup.py
│   │               │   │   ├── dalle_image_generator.py
│   │               │   │   ├── dataforseo_api_search.py
│   │               │   │   ├── duckduckgo_search.py
│   │               │   │   ├── github.py
│   │               │   │   ├── gitlab.py
│   │               │   │   ├── golden_query.py
│   │               │   │   ├── google_finance.py
│   │               │   │   ├── google_jobs.py
│   │               │   │   ├── google_lens.py
│   │               │   │   ├── google_places_api.py
│   │               │   │   ├── google_scholar.py
│   │               │   │   ├── google_search.py
│   │               │   │   ├── google_serper.py
│   │               │   │   ├── google_trends.py
│   │               │   │   ├── graphql.py
│   │               │   │   ├── jira.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── max_compute.py
│   │               │   │   ├── merriam_webster.py
│   │               │   │   ├── metaphor_search.py
│   │               │   │   ├── nasa.py
│   │               │   │   ├── opaqueprompts.py
│   │               │   │   ├── openapi.py
│   │               │   │   ├── openweathermap.py
│   │               │   │   ├── outline.py
│   │               │   │   ├── portkey.py
│   │               │   │   ├── powerbi.py
│   │               │   │   ├── pubmed.py
│   │               │   │   ├── python.py
│   │               │   │   ├── reddit_search.py
│   │               │   │   ├── redis.py
│   │               │   │   ├── requests.py
│   │               │   │   ├── scenexplain.py
│   │               │   │   ├── searchapi.py
│   │               │   │   ├── searx_search.py
│   │               │   │   ├── serpapi.py
│   │               │   │   ├── spark_sql.py
│   │               │   │   ├── sql_database.py
│   │               │   │   ├── stackexchange.py
│   │               │   │   ├── steam.py
│   │               │   │   ├── tavily_search.py
│   │               │   │   ├── tensorflow_datasets.py
│   │               │   │   ├── twilio.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── wikipedia.py
│   │               │   │   ├── wolfram_alpha.py
│   │               │   │   └── zapier.py
│   │               │   ├── utils
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aiter.py
│   │               │   │   ├── env.py
│   │               │   │   ├── ernie_functions.py
│   │               │   │   ├── formatting.py
│   │               │   │   ├── html.py
│   │               │   │   ├── input.py
```

```
│   │   │   │   │   │   ├── iter.py
│   │   │   │   │   │   ├── json_schema.py
│   │   │   │   │   │   ├── loading.py
│   │   │   │   │   │   ├── math.py
│   │   │   │   │   │   ├── openai.py
│   │   │   │   │   │   ├── openai_functions.py
│   │   │   │   │   │   ├── pydantic.py
│   │   │   │   │   │   ├── strings.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   └── vectorstores
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       ├── alibabacloud_opensearch.py
│   │   │   │   │       ├── analyticdb.py
│   │   │   │   │       ├── annoy.py
│   │   │   │   │       ├── astradb.py
│   │   │   │   │       ├── atlas.py
│   │   │   │   │       ├── awadb.py
│   │   │   │   │       ├── azure_cosmos_db.py
│   │   │   │   │       ├── azuresearch.py
│   │   │   │   │       ├── bageldb.py
│   │   │   │   │       ├── baiducloud_vector_search.py
│   │   │   │   │       ├── base.py
│   │   │   │   │       ├── cassandra.py
│   │   │   │   │       ├── chroma.py
│   │   │   │   │       ├── clarifai.py
│   │   │   │   │       ├── clickhouse.py
│   │   │   │   │       ├── dashvector.py
│   │   │   │   │       ├── databricks_vector_search.py
│   │   │   │   │       ├── deeplake.py
│   │   │   │   │       ├── dingo.py
│   │   │   │   │       ├── docarray
│   │   │   │   │       │   ├── __init__.py
│   │   │   │   │       │   ├── base.py
│   │   │   │   │       │   ├── hnsw.py
│   │   │   │   │       │   └── in_memory.py
│   │   │   │   │       ├── elastic_vector_search.py
│   │   │   │   │       ├── elasticsearch.py
│   │   │   │   │       ├── epsilla.py
│   │   │   │   │       ├── faiss.py
│   │   │   │   │       ├── hippo.py
│   │   │   │   │       ├── hologres.py
│   │   │   │   │       ├── lancedb.py
│   │   │   │   │       ├── llm_rails.py
│   │   │   │   │       ├── marqo.py
│   │   │   │   │       ├── matching_engine.py
│   │   │   │   │       ├── meilisearch.py
│   │   │   │   │       ├── milvus.py
│   │   │   │   │       ├── momento_vector_index.py
│   │   │   │   │       ├── mongodb_atlas.py
│   │   │   │   │       ├── myscale.py
│   │   │   │   │       ├── neo4j_vector.py
│   │   │   │   │       ├── nucliadb.py
│   │   │   │   │       ├── opensearch_vector_search.py
│   │   │   │   │       ├── pgembedding.py
│   │   │   │   │       ├── pgvecto_rs.py
│   │   │   │   │       ├── pgvector.py
```

```
│   │   │   │
```

```
│   │               │   │   ├── base.py
│   │               │   │   ├── cassandra_database
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── clickup
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── cogniswitch
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── connery
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── csv
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── file_management
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── financial_datasets
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── github
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── gitlab
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── gmail
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── jira
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── json
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── load_tools.py
│   │               │   │   ├── multion
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── nasa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── nla
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── tool.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── office365
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── openapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── planner.py
```

```
│   │               │   │   │   ├── planner_prompt.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   ├── spec.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── playwright
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── polygon
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── powerbi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── chat_base.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── slack
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── spark_sql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── sql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── steam
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── toolkit.py
│   │               │   │   ├── xorbits
│   │               │   │   │   └── __init__.py
│   │               │   │   └── zapier
│   │               │   │       ├── __init__.py
│   │               │   │       └── toolkit.py
│   │               │   ├── agents
│   │               │   │   ├── __init__.py
│   │               │   │   └── openai_assistant
│   │               │   │       ├── __init__.py
│   │               │   │       └── base.py
│   │               │   ├── cache.py
│   │               │   ├── callbacks
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aim_callback.py
│   │               │   │   ├── argilla_callback.py
│   │               │   │   ├── arize_callback.py
│   │               │   │   ├── arthur_callback.py
│   │               │   │   ├── bedrock_anthropic_callback.py
│   │               │   │   ├── clearml_callback.py
│   │               │   │   ├── comet_ml_callback.py
│   │               │   │   ├── confident_callback.py
│   │               │   │   ├── context_callback.py
│   │               │   │   ├── fiddler_callback.py
│   │               │   │   ├── flyte_callback.py
```

```
│   │               │   │   ├── human.py
│   │               │   │   ├── infino_callback.py
│   │               │   │   ├── labelstudio_callback.py
│   │               │   │   ├── llmonitor_callback.py
│   │               │   │   ├── manager.py
│   │               │   │   ├── mlflow_callback.py
│   │               │   │   ├── openai_info.py
│   │               │   │   ├── promptlayer_callback.py
│   │               │   │   ├── sagemaker_callback.py
│   │               │   │   ├── streamlit
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── mutable_expander.py
│   │               │   │   │   └── streamlit_callback_handler.py
│   │               │   │   ├── tracers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── comet.py
│   │               │   │   │   └── wandb.py
│   │               │   │   ├── trubrics_callback.py
│   │               │   │   ├── upstash_ratelimit_callback.py
│   │               │   │   ├── uptrain_callback.py
│   │               │   │   ├── utils.py
│   │               │   │   ├── wandb_callback.py
│   │               │   │   └── whylabs_callback.py
│   │               │   ├── chains
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ernie_functions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── graph_qa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── arangodb.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── cypher.py
│   │               │   │   │   ├── cypher_utils.py
│   │               │   │   │   ├── falkordb.py
│   │               │   │   │   ├── gremlin.py
│   │               │   │   │   ├── hugegraph.py
│   │               │   │   │   ├── kuzu.py
│   │               │   │   │   ├── memgraph.py
│   │               │   │   │   ├── nebulagraph.py
│   │               │   │   │   ├── neptune_cypher.py
│   │               │   │   │   ├── neptune_sparql.py
│   │               │   │   │   ├── ontotext_graphdb.py
│   │               │   │   │   ├── prompts.py
│   │               │   │   │   └── sparql.py
│   │               │   │   ├── llm_requests.py
│   │               │   │   ├── natbot
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── crawler.py
│   │               │   │   │   └── prompt.py
│   │               │   │   ├── openapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── chain.py
│   │               │   │   │   ├── prompts.py
│   │               │   │   │   ├── requests_chain.py
```

```
│   │               │   │   │   └── response_chain.py
│   │               │   │   └── pebblo_retrieval
│   │               │   │       ├── __init__.py
│   │               │   │       ├── base.py
│   │               │   │       ├── enforcement_filters.py
│   │               │   │       ├── models.py
│   │               │   │       └── utilities.py
│   │               │   ├── chat_loaders
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── facebook_messenger.py
│   │               │   │   ├── gmail.py
│   │               │   │   ├── imessage.py
│   │               │   │   ├── langsmith.py
│   │               │   │   ├── slack.py
│   │               │   │   ├── telegram.py
│   │               │   │   ├── utils.py
│   │               │   │   └── whatsapp.py
│   │               │   ├── chat_message_histories
│   │               │   │   ├── __init__.py
│   │               │   │   ├── astradb.py
│   │               │   │   ├── cassandra.py
│   │               │   │   ├── cosmos_db.py
│   │               │   │   ├── dynamodb.py
│   │               │   │   ├── elasticsearch.py
│   │               │   │   ├── file.py
│   │               │   │   ├── firestore.py
│   │               │   │   ├── in_memory.py
│   │               │   │   ├── kafka.py
│   │               │   │   ├── momento.py
│   │               │   │   ├── mongodb.py
│   │               │   │   ├── neo4j.py
│   │               │   │   ├── postgres.py
│   │               │   │   ├── redis.py
│   │               │   │   ├── rocksetdb.py
│   │               │   │   ├── singlestoredb.py
│   │               │   │   ├── sql.py
│   │               │   │   ├── streamlit.py
│   │               │   │   ├── tidb.py
│   │               │   │   ├── upstash_redis.py
│   │               │   │   ├── xata.py
│   │               │   │   ├── zep.py
│   │               │   │   └── zep_cloud.py
│   │               │   ├── chat_models
│   │               │   │   ├── __init__.py
│   │               │   │   ├── anthropic.py
│   │               │   │   ├── anyscale.py
│   │               │   │   ├── azure_openai.py
│   │               │   │   ├── azureml_endpoint.py
│   │               │   │   ├── baichuan.py
│   │               │   │   ├── baidu_qianfan_endpoint.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── cloudflare_workersai.py
│   │               │   │   ├── cohere.py
│   │               │   │   ├── coze.py
│   │               │   │   ├── dappier.py
```

```
│   │               │   │   ├── databricks.py
│   │               │   │   ├── deepinfra.py
│   │               │   │   ├── edenai.py
│   │               │   │   ├── ernie.py
│   │               │   │   ├── everlyai.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── fireworks.py
│   │               │   │   ├── friendli.py
│   │               │   │   ├── gigachat.py
│   │               │   │   ├── google_palm.py
│   │               │   │   ├── gpt_router.py
│   │               │   │   ├── huggingface.py
│   │               │   │   ├── human.py
│   │               │   │   ├── hunyuan.py
│   │               │   │   ├── javelin_ai_gateway.py
│   │               │   │   ├── jinachat.py
│   │               │   │   ├── kinetica.py
│   │               │   │   ├── konko.py
│   │               │   │   ├── litellm.py
│   │               │   │   ├── litellm_router.py
│   │               │   │   ├── llama_edge.py
│   │               │   │   ├── llamacpp.py
│   │               │   │   ├── maritalk.py
│   │               │   │   ├── meta.py
│   │               │   │   ├── minimax.py
│   │               │   │   ├── mlflow.py
│   │               │   │   ├── mlflow_ai_gateway.py
│   │               │   │   ├── mlx.py
│   │               │   │   ├── moonshot.py
│   │               │   │   ├── naver.py
│   │               │   │   ├── oci_data_science.py
│   │               │   │   ├── oci_generative_ai.py
│   │               │   │   ├── octoai.py
│   │               │   │   ├── ollama.py
│   │               │   │   ├── openai.py
│   │               │   │   ├── outlines.py
│   │               │   │   ├── pai_eas_endpoint.py
│   │               │   │   ├── perplexity.py
│   │               │   │   ├── premai.py
│   │               │   │   ├── promptlayer_openai.py
│   │               │   │   ├── reka.py
│   │               │   │   ├── sambanova.py
│   │               │   │   ├── snowflake.py
│   │               │   │   ├── solar.py
│   │               │   │   ├── sparkllm.py
│   │               │   │   ├── symblai_nebula.py
│   │               │   │   ├── tongyi.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── volcengine_maas.py
│   │               │   │   ├── writer.py
│   │               │   │   ├── yandex.py
│   │               │   │   ├── yi.py
│   │               │   │   ├── yuan2.py
│   │               │   │   └── zhipuai.py
│   │               │   ├── cross_encoders
│   │               │   │   ├── __init__.py
```

```
│   │               │   │   ├── base.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── huggingface.py
│   │               │   │   └── sagemaker_endpoint.py
│   │               │   ├── docstore
│   │               │   │   ├── __init__.py
│   │               │   │   ├── arbitrary_fn.py
│   │               │   │   ├── base.py
│   │               │   │   ├── document.py
│   │               │   │   ├── in_memory.py
│   │               │   │   └── wikipedia.py
│   │               │   ├── document_compressors
│   │               │   │   ├── __init__.py
│   │               │   │   ├── dashscope_rerank.py
│   │               │   │   ├── flashrank_rerank.py
│   │               │   │   ├── infinity_rerank.py
│   │               │   │   ├── jina_rerank.py
│   │               │   │   ├── llmlingua_filter.py
│   │               │   │   ├── openvino_rerank.py
│   │               │   │   ├── rankllm_rerank.py
│   │               │   │   └── volcengine_rerank.py
│   │               │   ├── document_loaders
│   │               │   │   ├── __init__.py
│   │               │   │   ├── acreom.py
│   │               │   │   ├── airbyte.py
│   │               │   │   ├── airbyte_json.py
│   │               │   │   ├── airtable.py
│   │               │   │   ├── apify_dataset.py
│   │               │   │   ├── arcgis_loader.py
│   │               │   │   ├── arxiv.py
│   │               │   │   ├── assemblyai.py
│   │               │   │   ├── astradb.py
│   │               │   │   ├── async_html.py
│   │               │   │   ├── athena.py
│   │               │   │   ├── azlyrics.py
│   │               │   │   ├── azure_ai_data.py
│   │               │   │   ├── azure_blob_storage_container.py
│   │               │   │   ├── azure_blob_storage_file.py
│   │               │   │   ├── baiducloud_bos_directory.py
│   │               │   │   ├── baiducloud_bos_file.py
│   │               │   │   ├── base.py
│   │               │   │   ├── base_o365.py
│   │               │   │   ├── bibtex.py
│   │               │   │   ├── bigquery.py
│   │               │   │   ├── bilibili.py
│   │               │   │   ├── blackboard.py
│   │               │   │   ├── blob_loaders
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── cloud_blob_loader.py
│   │               │   │   │   ├── file_system.py
│   │               │   │   │   ├── schema.py
│   │               │   │   │   └── youtube_audio.py
│   │               │   │   ├── blockchain.py
│   │               │   │   ├── brave_search.py
│   │               │   │   ├── browserbase.py
│   │               │   │   ├── browserless.py
```

```
│   │               │   │   ├── cassandra.py
│   │               │   │   ├── chatgpt.py
│   │               │   │   ├── chm.py
│   │               │   │   ├── chromium.py
│   │               │   │   ├── college_confidential.py
│   │               │   │   ├── concurrent.py
│   │               │   │   ├── confluence.py
│   │               │   │   ├── conllu.py
│   │               │   │   ├── couchbase.py
│   │               │   │   ├── csv_loader.py
│   │               │   │   ├── cube_semantic.py
│   │               │   │   ├── datadog_logs.py
│   │               │   │   ├── dataframe.py
│   │               │   │   ├── dedoc.py
│   │               │   │   ├── diffbot.py
│   │               │   │   ├── directory.py
│   │               │   │   ├── discord.py
│   │               │   │   ├── doc_intelligence.py
│   │               │   │   ├── docugami.py
│   │               │   │   ├── docusaurus.py
│   │               │   │   ├── dropbox.py
│   │               │   │   ├── duckdb_loader.py
│   │               │   │   ├── email.py
│   │               │   │   ├── epub.py
│   │               │   │   ├── etherscan.py
│   │               │   │   ├── evernote.py
│   │               │   │   ├── excel.py
│   │               │   │   ├── facebook_chat.py
│   │               │   │   ├── fauna.py
│   │               │   │   ├── figma.py
│   │               │   │   ├── firecrawl.py
│   │               │   │   ├── gcs_directory.py
│   │               │   │   ├── gcs_file.py
│   │               │   │   ├── generic.py
│   │               │   │   ├── geodataframe.py
│   │               │   │   ├── git.py
│   │               │   │   ├── gitbook.py
│   │               │   │   ├── github.py
│   │               │   │   ├── glue_catalog.py
│   │               │   │   ├── google_speech_to_text.py
│   │               │   │   ├── googledrive.py
│   │               │   │   ├── gutenberg.py
│   │               │   │   ├── helpers.py
│   │               │   │   ├── hn.py
│   │               │   │   ├── html.py
│   │               │   │   ├── html_bs.py
│   │               │   │   ├── hugging_face_dataset.py
│   │               │   │   ├── hugging_face_model.py
│   │               │   │   ├── ifixit.py
│   │               │   │   ├── image.py
│   │               │   │   ├── image_captions.py
│   │               │   │   ├── imsdb.py
│   │               │   │   ├── iugu.py
│   │               │   │   ├── joplin.py
│   │               │   │   ├── json_loader.py
│   │               │   │   ├── kinetica_loader.py
```

```
│   │               │   │   ├── lakefs.py
│   │               │   │   ├── larksuite.py
│   │               │   │   ├── llmsherpa.py
│   │               │   │   ├── markdown.py
│   │               │   │   ├── mastodon.py
│   │               │   │   ├── max_compute.py
│   │               │   │   ├── mediawikidump.py
│   │               │   │   ├── merge.py
│   │               │   │   ├── mhtml.py
│   │               │   │   ├── mintbase.py
│   │               │   │   ├── modern_treasury.py
│   │               │   │   ├── mongodb.py
│   │               │   │   ├── needle.py
│   │               │   │   ├── news.py
│   │               │   │   ├── notebook.py
│   │               │   │   ├── notion.py
│   │               │   │   ├── notiondb.py
│   │               │   │   ├── nuclia.py
│   │               │   │   ├── obs_directory.py
│   │               │   │   ├── obs_file.py
│   │               │   │   ├── obsidian.py
│   │               │   │   ├── odt.py
│   │               │   │   ├── onedrive.py
│   │               │   │   ├── onedrive_file.py
│   │               │   │   ├── onenote.py
│   │               │   │   ├── open_city_data.py
│   │               │   │   ├── oracleadb_loader.py
│   │               │   │   ├── oracleai.py
│   │               │   │   ├── org_mode.py
│   │               │   │   ├── parsers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── audio.py
│   │               │   │   │   ├── doc_intelligence.py
│   │               │   │   │   ├── docai.py
│   │               │   │   │   ├── documentloader_adapter.py
│   │               │   │   │   ├── generic.py
│   │               │   │   │   ├── grobid.py
│   │               │   │   │   ├── html
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── bs4.py
│   │               │   │   │   ├── images.py
│   │               │   │   │   ├── language
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── c.py
│   │               │   │   │   │   ├── cobol.py
│   │               │   │   │   │   ├── code_segmenter.py
│   │               │   │   │   │   ├── cpp.py
│   │               │   │   │   │   ├── csharp.py
│   │               │   │   │   │   ├── elixir.py
│   │               │   │   │   │   ├── go.py
│   │               │   │   │   │   ├── java.py
│   │               │   │   │   │   ├── javascript.py
│   │               │   │   │   │   ├── kotlin.py
│   │               │   │   │   │   ├── language_parser.py
│   │               │   │   │   │   ├── lua.py
│   │               │   │   │   │   ├── perl.py
```

```
│   │               │   │   │   │   ├── php.py
│   │               │   │   │   │   ├── python.py
│   │               │   │   │   │   ├── ruby.py
│   │               │   │   │   │   ├── rust.py
│   │               │   │   │   │   ├── scala.py
│   │               │   │   │   │   ├── sql.py
│   │               │   │   │   │   ├── tree_sitter_segmenter.py
│   │               │   │   │   │   └── typescript.py
│   │               │   │   │   ├── msword.py
│   │               │   │   │   ├── pdf.py
│   │               │   │   │   ├── registry.py
│   │               │   │   │   ├── txt.py
│   │               │   │   │   └── vsdx.py
│   │               │   │   ├── pdf.py
│   │               │   │   ├── pebblo.py
│   │               │   │   ├── polars_dataframe.py
│   │               │   │   ├── powerpoint.py
│   │               │   │   ├── psychic.py
│   │               │   │   ├── pubmed.py
│   │               │   │   ├── pyspark_dataframe.py
│   │               │   │   ├── python.py
│   │               │   │   ├── quip.py
│   │               │   │   ├── readthedocs.py
│   │               │   │   ├── recursive_url_loader.py
│   │               │   │   ├── reddit.py
│   │               │   │   ├── roam.py
│   │               │   │   ├── rocksetdb.py
│   │               │   │   ├── rspace.py
│   │               │   │   ├── rss.py
│   │               │   │   ├── rst.py
│   │               │   │   ├── rtf.py
│   │               │   │   ├── s3_directory.py
│   │               │   │   ├── s3_file.py
│   │               │   │   ├── scrapfly.py
│   │               │   │   ├── scrapingant.py
│   │               │   │   ├── sharepoint.py
│   │               │   │   ├── sitemap.py
│   │               │   │   ├── slack_directory.py
│   │               │   │   ├── snowflake_loader.py
│   │               │   │   ├── spider.py
│   │               │   │   ├── spreedly.py
│   │               │   │   ├── sql_database.py
│   │               │   │   ├── srt.py
│   │               │   │   ├── stripe.py
│   │               │   │   ├── surrealdb.py
│   │               │   │   ├── telegram.py
│   │               │   │   ├── tencent_cos_directory.py
│   │               │   │   ├── tencent_cos_file.py
│   │               │   │   ├── tensorflow_datasets.py
│   │               │   │   ├── text.py
│   │               │   │   ├── tidb.py
│   │               │   │   ├── tomarkdown.py
│   │               │   │   ├── toml.py
│   │               │   │   ├── trello.py
│   │               │   │   ├── tsv.py
│   │               │   │   ├── twitter.py
```

```
│   │               │   │   ├── unstructured.py
│   │               │   │   ├── url.py
│   │               │   │   ├── url_playwright.py
│   │               │   │   ├── url_selenium.py
│   │               │   │   ├── vsdx.py
│   │               │   │   ├── weather.py
│   │               │   │   ├── web_base.py
│   │               │   │   ├── whatsapp_chat.py
│   │               │   │   ├── wikipedia.py
│   │               │   │   ├── word_document.py
│   │               │   │   ├── xml.py
│   │               │   │   ├── xorbits.py
│   │               │   │   ├── youtube.py
│   │               │   │   └── yuque.py
│   │               │   ├── document_transformers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── beautiful_soup_transformer.py
│   │               │   │   ├── doctran_text_extract.py
│   │               │   │   ├── doctran_text_qa.py
│   │               │   │   ├── doctran_text_translate.py
│   │               │   │   ├── embeddings_redundant_filter.py
│   │               │   │   ├── google_translate.py
│   │               │   │   ├── html2text.py
│   │               │   │   ├── long_context_reorder.py
│   │               │   │   ├── markdownify.py
│   │               │   │   ├── nuclia_text_transform.py
│   │               │   │   ├── openai_functions.py
│   │               │   │   └── xsl
│   │               │   │       └── html_chunks_with_headers.xslt
│   │               │   ├── embeddings
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aleph_alpha.py
│   │               │   │   ├── anyscale.py
│   │               │   │   ├── ascend.py
│   │               │   │   ├── awa.py
│   │               │   │   ├── azure_openai.py
│   │               │   │   ├── baichuan.py
│   │               │   │   ├── baidu_qianfan_endpoint.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── bookend.py
│   │               │   │   ├── clarifai.py
│   │               │   │   ├── cloudflare_workersai.py
│   │               │   │   ├── clova.py
│   │               │   │   ├── cohere.py
│   │               │   │   ├── dashscope.py
│   │               │   │   ├── databricks.py
│   │               │   │   ├── deepinfra.py
│   │               │   │   ├── edenai.py
│   │               │   │   ├── elasticsearch.py
│   │               │   │   ├── embaas.py
│   │               │   │   ├── ernie.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── fastembed.py
│   │               │   │   ├── gigachat.py
│   │               │   │   ├── google_palm.py
│   │               │   │   ├── gpt4all.py
```

```
│   │               │   │   ├── gradient_ai.py
│   │               │   │   ├── huggingface.py
│   │               │   │   ├── huggingface_hub.py
│   │               │   │   ├── hunyuan.py
│   │               │   │   ├── infinity.py
│   │               │   │   ├── infinity_local.py
│   │               │   │   ├── ipex_llm.py
│   │               │   │   ├── itrex.py
│   │               │   │   ├── javelin_ai_gateway.py
│   │               │   │   ├── jina.py
│   │               │   │   ├── johnsnowlabs.py
│   │               │   │   ├── laser.py
│   │               │   │   ├── llamacpp.py
│   │               │   │   ├── llamafile.py
│   │               │   │   ├── llm_rails.py
│   │               │   │   ├── localai.py
│   │               │   │   ├── minimax.py
│   │               │   │   ├── mlflow.py
│   │               │   │   ├── mlflow_gateway.py
│   │               │   │   ├── model2vec.py
│   │               │   │   ├── modelscope_hub.py
│   │               │   │   ├── mosaicml.py
│   │               │   │   ├── naver.py
│   │               │   │   ├── nemo.py
│   │               │   │   ├── nlpcloud.py
│   │               │   │   ├── oci_generative_ai.py
│   │               │   │   ├── octoai_embeddings.py
│   │               │   │   ├── ollama.py
│   │               │   │   ├── openai.py
│   │               │   │   ├── openvino.py
│   │               │   │   ├── optimum_intel.py
│   │               │   │   ├── oracleai.py
│   │               │   │   ├── ovhcloud.py
│   │               │   │   ├── premai.py
│   │               │   │   ├── sagemaker_endpoint.py
│   │               │   │   ├── sambanova.py
│   │               │   │   ├── self_hosted.py
│   │               │   │   ├── self_hosted_hugging_face.py
│   │               │   │   ├── sentence_transformer.py
│   │               │   │   ├── solar.py
│   │               │   │   ├── spacy_embeddings.py
│   │               │   │   ├── sparkllm.py
│   │               │   │   ├── tensorflow_hub.py
│   │               │   │   ├── text2vec.py
│   │               │   │   ├── textembed.py
│   │               │   │   ├── titan_takeoff.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── volcengine.py
│   │               │   │   ├── voyageai.py
│   │               │   │   ├── xinference.py
│   │               │   │   ├── yandex.py
│   │               │   │   └── zhipuai.py
│   │               │   ├── example_selectors
│   │               │   │   ├── __init__.py
│   │               │   │   └── ngram_overlap.py
│   │               │   ├── graph_vectorstores
```

```
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── cassandra.py
│   │               │   │   ├── extractors
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── gliner_link_extractor.py
│   │               │   │   │   ├── hierarchy_link_extractor.py
│   │               │   │   │   ├── html_link_extractor.py
│   │               │   │   │   ├── keybert_link_extractor.py
│   │               │   │   │   ├── link_extractor.py
│   │               │   │   │   ├── link_extractor_adapter.py
│   │               │   │   │   └── link_extractor_transformer.py
│   │               │   │   ├── links.py
│   │               │   │   ├── mmr_helper.py
│   │               │   │   ├── networkx.py
│   │               │   │   └── visualize.py
│   │               │   ├── graphs
│   │               │   │   ├── __init__.py
│   │               │   │   ├── age_graph.py
│   │               │   │   ├── arangodb_graph.py
│   │               │   │   ├── falkordb_graph.py
│   │               │   │   ├── graph_document.py
│   │               │   │   ├── graph_store.py
│   │               │   │   ├── gremlin_graph.py
│   │               │   │   ├── hugegraph.py
│   │               │   │   ├── index_creator.py
│   │               │   │   ├── kuzu_graph.py
│   │               │   │   ├── memgraph_graph.py
│   │               │   │   ├── nebula_graph.py
│   │               │   │   ├── neo4j_graph.py
│   │               │   │   ├── neptune_graph.py
│   │               │   │   ├── neptune_rdf_graph.py
│   │               │   │   ├── networkx_graph.py
│   │               │   │   ├── ontotext_graphdb_graph.py
│   │               │   │   ├── rdf_graph.py
│   │               │   │   └── tigergraph_graph.py
│   │               │   ├── indexes
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _document_manager.py
│   │               │   │   ├── _sql_record_manager.py
│   │               │   │   └── base.py
│   │               │   ├── llms
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ai21.py
│   │               │   │   ├── aleph_alpha.py
│   │               │   │   ├── amazon_api_gateway.py
│   │               │   │   ├── anthropic.py
│   │               │   │   ├── anyscale.py
│   │               │   │   ├── aphrodite.py
│   │               │   │   ├── arcee.py
│   │               │   │   ├── aviary.py
│   │               │   │   ├── azureml_endpoint.py
│   │               │   │   ├── baichuan.py
│   │               │   │   ├── baidu_qianfan_endpoint.py
│   │               │   │   ├── bananadev.py
│   │               │   │   ├── baseten.py
```

```
│   │               │   │   ├── beam.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── bigdl_llm.py
│   │               │   │   ├── bittensor.py
│   │               │   │   ├── cerebriumai.py
│   │               │   │   ├── chatglm.py
│   │               │   │   ├── chatglm3.py
│   │               │   │   ├── clarifai.py
│   │               │   │   ├── cloudflare_workersai.py
│   │               │   │   ├── cohere.py
│   │               │   │   ├── ctransformers.py
│   │               │   │   ├── ctranslate2.py
│   │               │   │   ├── databricks.py
│   │               │   │   ├── deepinfra.py
│   │               │   │   ├── deepsparse.py
│   │               │   │   ├── edenai.py
│   │               │   │   ├── exllamav2.py
│   │               │   │   ├── fake.py
│   │               │   │   ├── fireworks.py
│   │               │   │   ├── forefrontai.py
│   │               │   │   ├── friendli.py
│   │               │   │   ├── gigachat.py
│   │               │   │   ├── google_palm.py
│   │               │   │   ├── gooseai.py
│   │               │   │   ├── gpt4all.py
│   │               │   │   ├── gradient_ai.py
│   │               │   │   ├── grammars
│   │               │   │   │   ├── json.gbnf
│   │               │   │   │   └── list.gbnf
│   │               │   │   ├── huggingface_endpoint.py
│   │               │   │   ├── huggingface_hub.py
│   │               │   │   ├── huggingface_pipeline.py
│   │               │   │   ├── huggingface_text_gen_inference.py
│   │               │   │   ├── human.py
│   │               │   │   ├── ipex_llm.py
│   │               │   │   ├── javelin_ai_gateway.py
│   │               │   │   ├── koboldai.py
│   │               │   │   ├── konko.py
│   │               │   │   ├── layerup_security.py
│   │               │   │   ├── llamacpp.py
│   │               │   │   ├── llamafile.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── manifest.py
│   │               │   │   ├── minimax.py
│   │               │   │   ├── mlflow.py
│   │               │   │   ├── mlflow_ai_gateway.py
│   │               │   │   ├── mlx_pipeline.py
│   │               │   │   ├── modal.py
│   │               │   │   ├── moonshot.py
│   │               │   │   ├── mosaicml.py
│   │               │   │   ├── nlpcloud.py
│   │               │   │   ├──
│   │               │   │   ├──
oci_data_science_model_deployment_endpoint.py
│   │               │   │   ├── oci_generative_ai.py
│   │               │   │   ├── octoai_endpoint.py
│   │               │   │   ├── ollama.py
```

```
│   │               │   │   ├── opaqueprompts.py
│   │               │   │   ├── openai.py
│   │               │   │   ├── openllm.py
│   │               │   │   ├── openlm.py
│   │               │   │   ├── outlines.py
│   │               │   │   ├── pai_eas_endpoint.py
│   │               │   │   ├── petals.py
│   │               │   │   ├── pipelineai.py
│   │               │   │   ├── predibase.py
│   │               │   │   ├── predictionguard.py
│   │               │   │   ├── promptlayer_openai.py
│   │               │   │   ├── replicate.py
│   │               │   │   ├── rwkv.py
│   │               │   │   ├── sagemaker_endpoint.py
│   │               │   │   ├── sambanova.py
│   │               │   │   ├── self_hosted.py
│   │               │   │   ├── self_hosted_hugging_face.py
│   │               │   │   ├── solar.py
│   │               │   │   ├── sparkllm.py
│   │               │   │   ├── stochasticai.py
│   │               │   │   ├── symblai_nebula.py
│   │               │   │   ├── textgen.py
│   │               │   │   ├── titan_takeoff.py
│   │               │   │   ├── together.py
│   │               │   │   ├── tongyi.py
│   │               │   │   ├── utils.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── vllm.py
│   │               │   │   ├── volcengine_maas.py
│   │               │   │   ├── watsonxllm.py
│   │               │   │   ├── weight_only_quantization.py
│   │               │   │   ├── writer.py
│   │               │   │   ├── xinference.py
│   │               │   │   ├── yandex.py
│   │               │   │   ├── yi.py
│   │               │   │   ├── you.py
│   │               │   │   └── yuan2.py
│   │               │   ├── memory
│   │               │   │   ├── __init__.py
│   │               │   │   ├── kg.py
│   │               │   │   ├── motorhead_memory.py
│   │               │   │   ├── zep_cloud_memory.py
│   │               │   │   └── zep_memory.py
│   │               │   ├── output_parsers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ernie_functions.py
│   │               │   │   └── rail_parser.py
│   │               │   ├── py.typed
│   │               │   ├── query_constructors
│   │               │   │   ├── __init__.py
│   │               │   │   ├── astradb.py
│   │               │   │   ├── chroma.py
│   │               │   │   ├── dashvector.py
│   │               │   │   ├── databricks_vector_search.py
│   │               │   │   ├── deeplake.py
│   │               │   │   ├── dingo.py
```

```
│   │               │   │   ├── elasticsearch.py
│   │               │   │   ├── hanavector.py
│   │               │   │   ├── milvus.py
│   │               │   │   ├── mongodb_atlas.py
│   │               │   │   ├── myscale.py
│   │               │   │   ├── neo4j.py
│   │               │   │   ├── opensearch.py
│   │               │   │   ├── pgvector.py
│   │               │   │   ├── pinecone.py
│   │               │   │   ├── qdrant.py
│   │               │   │   ├── redis.py
│   │               │   │   ├── supabase.py
│   │               │   │   ├── tencentvectordb.py
│   │               │   │   ├── timescalevector.py
│   │               │   │   ├── vectara.py
│   │               │   │   └── weaviate.py
│   │               │   ├── retrievers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── arcee.py
│   │               │   │   ├── arxiv.py
│   │               │   │   ├── asknews.py
│   │               │   │   ├── azure_ai_search.py
│   │               │   │   ├── bedrock.py
│   │               │   │   ├── bm25.py
│   │               │   │   ├── breebs.py
│   │               │   │   ├── chaindesk.py
│   │               │   │   ├── chatgpt_plugin_retriever.py
│   │               │   │   ├── cohere_rag_retriever.py
│   │               │   │   ├── databerry.py
│   │               │   │   ├── docarray.py
│   │               │   │   ├── dria_index.py
│   │               │   │   ├── elastic_search_bm25.py
│   │               │   │   ├── embedchain.py
│   │               │   │   ├── google_cloud_documentai_warehouse.py
│   │               │   │   ├── google_vertex_ai_search.py
│   │               │   │   ├── kay.py
│   │               │   │   ├── kendra.py
│   │               │   │   ├── knn.py
│   │               │   │   ├── llama_index.py
│   │               │   │   ├── metal.py
│   │               │   │   ├── milvus.py
│   │               │   │   ├── nanopq.py
│   │               │   │   ├── needle.py
│   │               │   │   ├── outline.py
│   │               │   │   ├── pinecone_hybrid_search.py
│   │               │   │   ├── pubmed.py
│   │               │   │   ├── pupmed.py
│   │               │   │   ├── qdrant_sparse_vector_retriever.py
│   │               │   │   ├── rememberizer.py
│   │               │   │   ├── remote_retriever.py
│   │               │   │   ├── svm.py
│   │               │   │   ├── tavily_search_api.py
│   │               │   │   ├── tfidf.py
│   │               │   │   ├── thirdai_neuraldb.py
│   │               │   │   ├── vespa_retriever.py
│   │               │   │   ├── weaviate_hybrid_search.py
```

```
│   │               │   │   ├── web_research.py
│   │               │   │   ├── wikipedia.py
│   │               │   │   ├── you.py
│   │               │   │   ├── zep.py
│   │               │   │   ├── zep_cloud.py
│   │               │   │   └── zilliz.py
│   │               │   ├── storage
│   │               │   │   ├── __init__.py
│   │               │   │   ├── astradb.py
│   │               │   │   ├── cassandra.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── mongodb.py
│   │               │   │   ├── redis.py
│   │               │   │   ├── sql.py
│   │               │   │   └── upstash_redis.py
│   │               │   ├── tools
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ainetwork
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── app.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── owner.py
│   │               │   │   │   ├── rule.py
│   │               │   │   │   ├── transfer.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   └── value.py
│   │               │   │   ├── amadeus
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── closest_airport.py
│   │               │   │   │   ├── flight_search.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── arxiv
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── asknews
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── audio
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── huggingface_text_to_speech_inference.py
│   │               │   │   ├── azure_ai_services
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── document_intelligence.py
│   │               │   │   │   ├── image_analysis.py
│   │               │   │   │   ├── speech_to_text.py
│   │               │   │   │   ├── text_analytics_for_health.py
│   │               │   │   │   ├── text_to_speech.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── azure_cognitive_services
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── form_recognizer.py
│   │               │   │   │   ├── image_analysis.py
│   │               │   │   │   ├── speech2text.py
│   │               │   │   │   ├── text2speech.py
│   │               │   │   │   ├── text_analytics_health.py
```

```
│   │               │   │   │   └── utils.py
│   │               │   │   ├── bearly
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── bing_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── brave_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── cassandra_database
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── clickup
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── cogniswitch
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── connery
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── models.py
│   │               │   │   │   ├── service.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── convert_to_openai.py
│   │               │   │   ├── databricks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _execution.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── dataforseo_api_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── dataherald
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── ddg_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── e2b_data_analysis
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── tool.py
│   │               │   │   │   └── unparse.py
│   │               │   │   ├── edenai
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── audio_speech_to_text.py
│   │               │   │   │   ├── audio_text_to_speech.py
│   │               │   │   │   ├── edenai_base_tool.py
│   │               │   │   │   ├── image_explicitcontent.py
│   │               │   │   │   ├── image_objectdetection.py
│   │               │   │   │   ├── ocr_identityparser.py
│   │               │   │   │   ├── ocr_invoiceparser.py
│   │               │   │   │   └── text_moderation.py
│   │               │   │   ├── eleven_labs
│   │               │   │   │   ├── __init__.py
```

```
│   │               │   │   │   ├── models.py
│   │               │   │   │   └── text2speech.py
│   │               │   │   ├── few_shot
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── file_management
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── copy.py
│   │               │   │   │   ├── delete.py
│   │               │   │   │   ├── file_search.py
│   │               │   │   │   ├── list_dir.py
│   │               │   │   │   ├── move.py
│   │               │   │   │   ├── read.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   └── write.py
│   │               │   │   ├── financial_datasets
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── balance_sheets.py
│   │               │   │   │   ├── cash_flow_statements.py
│   │               │   │   │   └── income_statements.py
│   │               │   │   ├── github
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── gitlab
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── gmail
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── create_draft.py
│   │               │   │   │   ├── get_message.py
│   │               │   │   │   ├── get_thread.py
│   │               │   │   │   ├── search.py
│   │               │   │   │   ├── send_message.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── golden_query
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_books.py
│   │               │   │   ├── google_cloud
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── texttospeech.py
│   │               │   │   ├── google_finance
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_jobs
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_lens
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_places
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
```

```
│   │               │   │   ├── google_scholar
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_serper
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── google_trends
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── graphql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── human
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── ifttt.py
│   │               │   │   ├── interaction
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── jina_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── jira
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── json
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── memorize
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── merriam_webster
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── metaphor_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── mojeek_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── multion
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── close_session.py
│   │               │   │   │   ├── create_session.py
│   │               │   │   │   └── update_session.py
│   │               │   │   ├── nasa
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── nuclia
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
```

```
│   │               │   │   ├── office365
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── create_draft_message.py
│   │               │   │   │   ├── events_search.py
│   │               │   │   │   ├── messages_search.py
│   │               │   │   │   ├── send_event.py
│   │               │   │   │   ├── send_message.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── openai_dalle_image_generation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── openapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── utils
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── api_models.py
│   │               │   │   │       └── openapi_utils.py
│   │               │   │   ├── openweathermap
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── passio_nutrition_ai
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── playwright
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── click.py
│   │               │   │   │   ├── current_page.py
│   │               │   │   │   ├── extract_hyperlinks.py
│   │               │   │   │   ├── extract_text.py
│   │               │   │   │   ├── get_elements.py
│   │               │   │   │   ├── navigate.py
│   │               │   │   │   ├── navigate_back.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── plugin.py
│   │               │   │   ├── polygon
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── aggregates.py
│   │               │   │   │   ├── financials.py
│   │               │   │   │   ├── last_quote.py
│   │               │   │   │   └── ticker_news.py
│   │               │   │   ├── powerbi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── pubmed
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── reddit_search
│   │               │   │   │   └── tool.py
│   │               │   │   ├── render.py
│   │               │   │   ├── requests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── riza
```

```
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── command.py
│   │               │   │   ├── scenexplain
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── searchapi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── searx_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── semanticscholar
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── shell
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── slack
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── get_channel.py
│   │               │   │   │   ├── get_message.py
│   │               │   │   │   ├── schedule_message.py
│   │               │   │   │   ├── send_message.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── sleep
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── spark_sql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── sql_database
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── stackexchange
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── steam
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── steamship_image_generation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── tool.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── tavily_search
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── vectorstore
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── wikidata
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
```

```
│   │               │   │   ├── wikipedia
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── wolfram_alpha
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── yahoo_finance_news.py
│   │               │   │   ├── you
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tool.py
│   │               │   │   ├── youtube
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── search.py
│   │               │   │   ├── zapier
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   └── tool.py
│   │               │   │   └── zenguard
│   │               │   │       ├── __init__.py
│   │               │   │       └── tool.py
│   │               │   ├── utilities
│   │               │   │   ├── __init__.py
│   │               │   │   ├── alpha_vantage.py
│   │               │   │   ├── anthropic.py
│   │               │   │   ├── apify.py
│   │               │   │   ├── arcee.py
│   │               │   │   ├── arxiv.py
│   │               │   │   ├── asknews.py
│   │               │   │   ├── astradb.py
│   │               │   │   ├── awslambda.py
│   │               │   │   ├── bibtex.py
│   │               │   │   ├── bing_search.py
│   │               │   │   ├── brave_search.py
│   │               │   │   ├── cassandra.py
│   │               │   │   ├── cassandra_database.py
│   │               │   │   ├── clickup.py
│   │               │   │   ├── dalle_image_generator.py
│   │               │   │   ├── dataforseo_api_search.py
│   │               │   │   ├── dataherald.py
│   │               │   │   ├── dria_index.py
│   │               │   │   ├── duckduckgo_search.py
│   │               │   │   ├── financial_datasets.py
│   │               │   │   ├── github.py
│   │               │   │   ├── gitlab.py
│   │               │   │   ├── golden_query.py
│   │               │   │   ├── google_books.py
│   │               │   │   ├── google_finance.py
│   │               │   │   ├── google_jobs.py
│   │               │   │   ├── google_lens.py
│   │               │   │   ├── google_places_api.py
│   │               │   │   ├── google_scholar.py
│   │               │   │   ├── google_search.py
│   │               │   │   ├── google_serper.py
│   │               │   │   ├── google_trends.py
│   │               │   │   ├── graphql.py
│   │               │   │   ├── infobip.py
```

```
│   │               │   │   ├── jina_search.py
│   │               │   │   ├── jira.py
│   │               │   │   ├── max_compute.py
│   │               │   │   ├── merriam_webster.py
│   │               │   │   ├── metaphor_search.py
│   │               │   │   ├── mojeek_search.py
│   │               │   │   ├── nasa.py
│   │               │   │   ├── nvidia_riva.py
│   │               │   │   ├── opaqueprompts.py
│   │               │   │   ├── openapi.py
│   │               │   │   ├── openweathermap.py
│   │               │   │   ├── oracleai.py
│   │               │   │   ├── outline.py
│   │               │   │   ├── passio_nutrition_ai.py
│   │               │   │   ├── pebblo.py
│   │               │   │   ├── polygon.py
│   │               │   │   ├── portkey.py
│   │               │   │   ├── powerbi.py
│   │               │   │   ├── pubmed.py
│   │               │   │   ├── python.py
│   │               │   │   ├── reddit_search.py
│   │               │   │   ├── redis.py
│   │               │   │   ├── rememberizer.py
│   │               │   │   ├── requests.py
│   │               │   │   ├── scenexplain.py
│   │               │   │   ├── searchapi.py
│   │               │   │   ├── searx_search.py
│   │               │   │   ├── semanticscholar.py
│   │               │   │   ├── serpapi.py
│   │               │   │   ├── spark_sql.py
│   │               │   │   ├── sql_database.py
│   │               │   │   ├── stackexchange.py
│   │               │   │   ├── steam.py
│   │               │   │   ├── tavily_search.py
│   │               │   │   ├── tensorflow_datasets.py
│   │               │   │   ├── twilio.py
│   │               │   │   ├── vertexai.py
│   │               │   │   ├── wikidata.py
│   │               │   │   ├── wikipedia.py
│   │               │   │   ├── wolfram_alpha.py
│   │               │   │   ├── you.py
│   │               │   │   └── zapier.py
│   │               │   ├── utils
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ernie_functions.py
│   │               │   │   ├── google.py
│   │               │   │   ├── math.py
│   │               │   │   ├── openai.py
│   │               │   │   ├── openai_functions.py
│   │               │   │   └── user_agent.py
│   │               │   └── vectorstores
│   │               │       ├── __init__.py
│   │               │       ├── aerospike.py
│   │               │       ├── alibabacloud_opensearch.py
│   │               │       ├── analyticdb.py
│   │               │       ├── annoy.py
```

```
│   │               │       ├── apache_doris.py
│   │               │       ├── aperturedb.py
│   │               │       ├── astradb.py
│   │               │       ├── atlas.py
│   │               │       ├── awadb.py
│   │               │       ├── azure_cosmos_db.py
│   │               │       ├── azure_cosmos_db_no_sql.py
│   │               │       ├── azuresearch.py
│   │               │       ├── bagel.py
│   │               │       ├── bageldb.py
│   │               │       ├── baiducloud_vector_search.py
│   │               │       ├── baiduvectordb.py
│   │               │       ├── bigquery_vector_search.py
│   │               │       ├── cassandra.py
│   │               │       ├── chroma.py
│   │               │       ├── clarifai.py
│   │               │       ├── clickhouse.py
│   │               │       ├── couchbase.py
│   │               │       ├── dashvector.py
│   │               │       ├── databricks_vector_search.py
│   │               │       ├── deeplake.py
│   │               │       ├── dingo.py
│   │               │       ├── docarray
│   │               │       │   ├── __init__.py
│   │               │       │   ├── base.py
│   │               │       │   ├── hnsw.py
│   │               │       │   └── in_memory.py
│   │               │       ├── documentdb.py
│   │               │       ├── duckdb.py
│   │               │       ├── ecloud_vector_search.py
│   │               │       ├── elastic_vector_search.py
│   │               │       ├── elasticsearch.py
│   │               │       ├── epsilla.py
│   │               │       ├── faiss.py
│   │               │       ├── falkordb_vector.py
│   │               │       ├── hanavector.py
│   │               │       ├── hippo.py
│   │               │       ├── hologres.py
│   │               │       ├── infinispanvs.py
│   │               │       ├── inmemory.py
│   │               │       ├── jaguar.py
│   │               │       ├── kdbai.py
│   │               │       ├── kinetica.py
│   │               │       ├── lancedb.py
│   │               │       ├── lantern.py
│   │               │       ├── llm_rails.py
│   │               │       ├── manticore_search.py
│   │               │       ├── marqo.py
│   │               │       ├── matching_engine.py
│   │               │       ├── meilisearch.py
│   │               │       ├── milvus.py
│   │               │       ├── momento_vector_index.py
│   │               │       ├── mongodb_atlas.py
│   │               │       ├── myscale.py
│   │               │       ├── neo4j_vector.py
│   │               │       ├── nucliadb.py
```

```
│   │   │   │
```

```
│   │               │   └── entry_points.txt
│   │               ├── langchain_core
│   │               │   ├── __init__.py
│   │               │   ├── _api
│   │               │   │   ├── __init__.py
│   │               │   │   ├── beta_decorator.py
│   │               │   │   ├── deprecation.py
│   │               │   │   ├── internal.py
│   │               │   │   └── path.py
│   │               │   ├── _import_utils.py
│   │               │   ├── agents.py
│   │               │   ├── beta
│   │               │   │   ├── __init__.py
│   │               │   │   └── runnables
│   │               │   │       ├── __init__.py
│   │               │   │       └── context.py
│   │               │   ├── caches.py
│   │               │   ├── callbacks
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── file.py
│   │               │   │   ├── manager.py
│   │               │   │   ├── stdout.py
│   │               │   │   ├── streaming_stdout.py
│   │               │   │   └── usage.py
│   │               │   ├── chat_history.py
│   │               │   ├── chat_loaders.py
│   │               │   ├── chat_sessions.py
│   │               │   ├── document_loaders
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── blob_loaders.py
│   │               │   │   └── langsmith.py
│   │               │   ├── documents
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── compressor.py
│   │               │   │   └── transformers.py
│   │               │   ├── embeddings
│   │               │   │   ├── __init__.py
│   │               │   │   ├── embeddings.py
│   │               │   │   └── fake.py
│   │               │   ├── env.py
│   │               │   ├── example_selectors
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── length_based.py
│   │               │   │   └── semantic_similarity.py
│   │               │   ├── exceptions.py
│   │               │   ├── globals.py
│   │               │   ├── indexing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── api.py
│   │               │   │   ├── base.py
│   │               │   │   └── in_memory.py
│   │               │   ├── language_models
```

```
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _utils.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── chat_models.py
│   │   │   │   │   │   ├── fake.py
│   │   │   │   │   │   ├── fake_chat_models.py
│   │   │   │   │   │   └── llms.py
│   │   │   │   │   ├── load
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── dump.py
│   │   │   │   │   │   ├── load.py
│   │   │   │   │   │   ├── mapping.py
│   │   │   │   │   │   └── serializable.py
│   │   │   │   │   ├── memory.py
│   │   │   │   │   ├── messages
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── ai.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── chat.py
│   │   │   │   │   │   ├── content_blocks.py
│   │   │   │   │   │   ├── function.py
│   │   │   │   │   │   ├── human.py
│   │   │   │   │   │   ├── modifier.py
│   │   │   │   │   │   ├── system.py
│   │   │   │   │   │   ├── tool.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   ├── output_parsers
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── format_instructions.py
│   │   │   │   │   │   ├── json.py
│   │   │   │   │   │   ├── list.py
│   │   │   │   │   │   ├── openai_functions.py
│   │   │   │   │   │   ├── openai_tools.py
│   │   │   │   │   │   ├── pydantic.py
│   │   │   │   │   │   ├── string.py
│   │   │   │   │   │   ├── transform.py
│   │   │   │   │   │   └── xml.py
│   │   │   │   │   ├── outputs
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── chat_generation.py
│   │   │   │   │   │   ├── chat_result.py
│   │   │   │   │   │   ├── generation.py
│   │   │   │   │   │   ├── llm_result.py
│   │   │   │   │   │   └── run_info.py
│   │   │   │   │   ├── prompt_values.py
│   │   │   │   │   ├── prompts
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── chat.py
│   │   │   │   │   │   ├── dict.py
│   │   │   │   │   │   ├── few_shot.py
│   │   │   │   │   │   ├── few_shot_with_templates.py
│   │   │   │   │   │   ├── image.py
│   │   │   │   │   │   ├── loading.py
│   │   │   │   │   │   ├── message.py
```

```
│   │               │   │   ├── pipeline.py
│   │               │   │   ├── prompt.py
│   │               │   │   ├── string.py
│   │               │   │   └── structured.py
│   │               │   ├── py.typed
│   │               │   ├── pydantic_v1
│   │               │   │   ├── __init__.py
│   │               │   │   ├── dataclasses.py
│   │               │   │   └── main.py
│   │               │   ├── rate_limiters.py
│   │               │   ├── retrievers.py
│   │               │   ├── runnables
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── branch.py
│   │               │   │   ├── config.py
│   │               │   │   ├── configurable.py
│   │               │   │   ├── fallbacks.py
│   │               │   │   ├── graph.py
│   │               │   │   ├── graph_ascii.py
│   │               │   │   ├── graph_mermaid.py
│   │               │   │   ├── graph_png.py
│   │               │   │   ├── history.py
│   │               │   │   ├── passthrough.py
│   │               │   │   ├── retry.py
│   │               │   │   ├── router.py
│   │               │   │   ├── schema.py
│   │               │   │   └── utils.py
│   │               │   ├── stores.py
│   │               │   ├── structured_query.py
│   │               │   ├── sys_info.py
│   │               │   ├── tools
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── convert.py
│   │               │   │   ├── render.py
│   │               │   │   ├── retriever.py
│   │               │   │   ├── simple.py
│   │               │   │   └── structured.py
│   │               │   ├── tracers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _streaming.py
│   │               │   │   ├── base.py
│   │               │   │   ├── context.py
│   │               │   │   ├── core.py
│   │               │   │   ├── evaluation.py
│   │               │   │   ├── event_stream.py
│   │               │   │   ├── langchain.py
│   │               │   │   ├── langchain_v1.py
│   │               │   │   ├── log_stream.py
│   │               │   │   ├── memory_stream.py
│   │               │   │   ├── root_listeners.py
│   │               │   │   ├── run_collector.py
│   │               │   │   ├── schemas.py
│   │               │   │   └── stdout.py
│   │               │   ├── utils
```

```
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _merge.py
│   │               │   │   ├── aiter.py
│   │               │   │   ├── env.py
│   │               │   │   ├── formatting.py
│   │               │   │   ├── function_calling.py
│   │               │   │   ├── html.py
│   │               │   │   ├── image.py
│   │               │   │   ├── input.py
│   │               │   │   ├── interactive_env.py
│   │               │   │   ├── iter.py
│   │               │   │   ├── json.py
│   │               │   │   ├── json_schema.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── mustache.py
│   │               │   │   ├── pydantic.py
│   │               │   │   ├── strings.py
│   │               │   │   ├── usage.py
│   │               │   │   └── utils.py
│   │               │   ├── vectorstores
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── in_memory.py
│   │               │   │   └── utils.py
│   │               │   └── version.py
│   │               ├── langchain_core-0.3.72.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── entry_points.txt
│   │               ├── langchain_text_splitters
│   │               │   ├── __init__.py
│   │               │   ├── base.py
│   │               │   ├── character.py
│   │               │   ├── html.py
│   │               │   ├── json.py
│   │               │   ├── jsx.py
│   │               │   ├── konlpy.py
│   │               │   ├── latex.py
│   │               │   ├── markdown.py
│   │               │   ├── nltk.py
│   │               │   ├── py.typed
│   │               │   ├── python.py
│   │               │   ├── sentence_transformers.py
│   │               │   ├── spacy.py
│   │               │   └── xsl
│   │               │       └── converting_to_header.xslt
│   │               ├── langchain_text_splitters-0.3.9.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── entry_points.txt
│   │               ├── langsmith
│   │               │   ├── __init__.py
```

```
│   │               │   ├── _expect.py
│   │               │   ├── _internal
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _aiter.py
│   │               │   │   ├── _background_thread.py
│   │               │   │   ├── _beta_decorator.py
│   │               │   │   ├── _compressed_traces.py
│   │               │   │   ├── _constants.py
│   │               │   │   ├── _edit_distance.py
│   │               │   │   ├── _embedding_distance.py
│   │               │   │   ├── _multipart.py
│   │               │   │   ├── _operations.py
│   │               │   │   ├── _orjson.py
│   │               │   │   ├── _otel_utils.py
│   │               │   │   ├── _patch.py
│   │               │   │   ├── _serde.py
│   │               │   │   └── otel
│   │               │   │       ├── _otel_client.py
│   │               │   │       └── _otel_exporter.py
│   │               │   ├── anonymizer.py
│   │               │   ├── async_client.py
│   │               │   ├── beta
│   │               │   │   ├── __init__.py
│   │               │   │   └── _evals.py
│   │               │   ├── cli
│   │               │   │   └── README.md
│   │               │   ├── client.py
│   │               │   ├── env
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _git.py
│   │               │   │   └── _runtime_env.py
│   │               │   ├── evaluation
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _arunner.py
│   │               │   │   ├── _name_generation.py
│   │               │   │   ├── _runner.py
│   │               │   │   ├── evaluator.py
│   │               │   │   ├── integrations
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _langchain.py
│   │               │   │   │   └── test.excalidraw.png
│   │               │   │   ├── llm_evaluator.py
│   │               │   │   └── string_evaluator.py
│   │               │   ├── middleware.py
│   │               │   ├── py.typed
│   │               │   ├── pytest_plugin.py
│   │               │   ├── run_helpers.py
│   │               │   ├── run_trees.py
│   │               │   ├── schemas.py
│   │               │   ├── testing
│   │               │   │   ├── __init__.py
│   │               │   │   └── _internal.py
│   │               │   ├── utils.py
│   │               │   └── wrappers
│   │               │       ├── __init__.py
│   │               │       ├── _agent_utils.py
```

```
│   │               │       ├── _anthropic.py
│   │               │       ├── _openai.py
│   │               │       └── _openai_agents.py
│   │               ├── langsmith-0.4.8.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── entry_points.txt
│   │               ├── markdown_it
│   │               │   ├── __init__.py
│   │               │   ├── _compat.py
│   │               │   ├── _punycode.py
│   │               │   ├── cli
│   │               │   │   ├── __init__.py
│   │               │   │   └── parse.py
│   │               │   ├── common
│   │               │   │   ├── __init__.py
│   │               │   │   ├── entities.py
│   │               │   │   ├── html_blocks.py
│   │               │   │   ├── html_re.py
│   │               │   │   ├── normalize_url.py
│   │               │   │   └── utils.py
│   │               │   ├── helpers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── parse_link_destination.py
│   │               │   │   ├── parse_link_label.py
│   │               │   │   └── parse_link_title.py
│   │               │   ├── main.py
│   │               │   ├── parser_block.py
│   │               │   ├── parser_core.py
│   │               │   ├── parser_inline.py
│   │               │   ├── port.yaml
│   │               │   ├── presets
│   │               │   │   ├── __init__.py
│   │               │   │   ├── commonmark.py
│   │               │   │   ├── default.py
│   │               │   │   └── zero.py
│   │               │   ├── py.typed
│   │               │   ├── renderer.py
│   │               │   ├── ruler.py
│   │               │   ├── rules_block
│   │               │   │   ├── __init__.py
│   │               │   │   ├── blockquote.py
│   │               │   │   ├── code.py
│   │               │   │   ├── fence.py
│   │               │   │   ├── heading.py
│   │               │   │   ├── hr.py
│   │               │   │   ├── html_block.py
│   │               │   │   ├── lheading.py
│   │               │   │   ├── list.py
│   │               │   │   ├── paragraph.py
│   │               │   │   ├── reference.py
│   │               │   │   ├── state_block.py
│   │               │   │   └── table.py
│   │               │   ├── rules_core
```

```
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── block.py
│   │   │   │   │   │   │   ├── inline.py
│   │   │   │   │   │   │   ├── linkify.py
│   │   │   │   │   │   │   ├── normalize.py
│   │   │   │   │   │   │   ├── replacements.py
│   │   │   │   │   │   │   ├── smartquotes.py
│   │   │   │   │   │   │   ├── state_core.py
│   │   │   │   │   │   │   └── text_join.py
│   │   │   │   │   ├── rules_inline
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── autolink.py
│   │   │   │   │   │   ├── backticks.py
│   │   │   │   │   │   ├── balance_pairs.py
│   │   │   │   │   │   ├── emphasis.py
│   │   │   │   │   │   ├── entity.py
│   │   │   │   │   │   ├── escape.py
│   │   │   │   │   │   ├── fragments_join.py
│   │   │   │   │   │   ├── html_inline.py
│   │   │   │   │   │   ├── image.py
│   │   │   │   │   │   ├── link.py
│   │   │   │   │   │   ├── linkify.py
│   │   │   │   │   │   ├── newline.py
│   │   │   │   │   │   ├── state_inline.py
│   │   │   │   │   │   ├── strikethrough.py
│   │   │   │   │   │   └── text.py
│   │   │   │   │   ├── token.py
│   │   │   │   │   ├── tree.py
│   │   │   │   │   └── utils.py
│   │   │   │   ├── markdown_it_py-3.0.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── LICENSE.markdown-it
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── entry_points.txt
│   │   │   │   ├── markupsafe
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _native.py
│   │   │   │   │   ├── _speedups.c
│   │   │   │   │   ├── _speedups.cpython-39-darwin.so
│   │   │   │   │   ├── _speedups.pyi
│   │   │   │   │   └── py.typed
│   │   │   │   ├── marshmallow
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   ├── class_registry.py
│   │   │   │   │   ├── decorators.py
│   │   │   │   │   ├── error_store.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── fields.py
│   │   │   │   │   ├── orderedset.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── schema.py
│   │   │   │   │   ├── types.py
```

```
│   │               │   ├── utils.py
│   │               │   ├── validate.py
│   │               │   └── warnings.py
│   │               ├── marshmallow-3.26.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── mdurl
│   │               │   ├── __init__.py
│   │               │   ├── _decode.py
│   │               │   ├── _encode.py
│   │               │   ├── _format.py
│   │               │   ├── _parse.py
│   │               │   ├── _url.py
│   │               │   └── py.typed
│   │               ├── mdurl-0.1.2.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── mmh3
│   │               │   ├── __init__.pyi
│   │               │   ├── hashlib.h
│   │               │   ├── mmh3module.c
│   │               │   ├── murmurhash3.c
│   │               │   ├── murmurhash3.h
│   │               │   └── py.typed
│   │               ├── mmh3-5.2.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── mmh3.cpython-39-darwin.so
│   │               ├── mpmath
│   │               │   ├── __init__.py
│   │               │   ├── calculus
│   │               │   │   ├── __init__.py
│   │               │   │   ├── approximation.py
│   │               │   │   ├── calculus.py
│   │               │   │   ├── differentiation.py
│   │               │   │   ├── extrapolation.py
│   │               │   │   ├── inverselaplace.py
│   │               │   │   ├── odes.py
│   │               │   │   ├── optimization.py
│   │               │   │   ├── polynomials.py
│   │               │   │   └── quadrature.py
│   │               │   ├── ctx_base.py
│   │               │   ├── ctx_fp.py
│   │               │   ├── ctx_iv.py
│   │               │   ├── ctx_mp.py
```

```
│   │               │   ├── ctx_mp_python.py
│   │               │   ├── function_docs.py
│   │               │   ├── functions
│   │               │   │   ├── __init__.py
│   │               │   │   ├── bessel.py
│   │               │   │   ├── elliptic.py
│   │               │   │   ├── expintegrals.py
│   │               │   │   ├── factorials.py
│   │               │   │   ├── functions.py
│   │               │   │   ├── hypergeometric.py
│   │               │   │   ├── orthogonal.py
│   │               │   │   ├── qfunctions.py
│   │               │   │   ├── rszeta.py
│   │               │   │   ├── signals.py
│   │               │   │   ├── theta.py
│   │               │   │   ├── zeta.py
│   │               │   │   └── zetazeros.py
│   │               │   ├── identification.py
│   │               │   ├── libmp
│   │               │   │   ├── __init__.py
│   │               │   │   ├── backend.py
│   │               │   │   ├── gammazeta.py
│   │               │   │   ├── libelefun.py
│   │               │   │   ├── libhyper.py
│   │               │   │   ├── libintmath.py
│   │               │   │   ├── libmpc.py
│   │               │   │   ├── libmpf.py
│   │               │   │   └── libmpi.py
│   │               │   ├── math2.py
│   │               │   ├── matrices
│   │               │   │   ├── __init__.py
│   │               │   │   ├── calculus.py
│   │               │   │   ├── eigen.py
│   │               │   │   ├── eigen_symmetric.py
│   │               │   │   ├── linalg.py
│   │               │   │   └── matrices.py
│   │               │   ├── rational.py
│   │               │   ├── tests
│   │               │   │   ├── __init__.py
│   │               │   │   ├── extratest_gamma.py
│   │               │   │   ├── extratest_zeta.py
│   │               │   │   ├── runtests.py
│   │               │   │   ├── test_basic_ops.py
│   │               │   │   ├── test_bitwise.py
│   │               │   │   ├── test_calculus.py
│   │               │   │   ├── test_compatibility.py
│   │               │   │   ├── test_convert.py
│   │               │   │   ├── test_diff.py
│   │               │   │   ├── test_division.py
│   │               │   │   ├── test_eigen.py
│   │               │   │   ├── test_eigen_symmetric.py
│   │               │   │   ├── test_elliptic.py
│   │               │   │   ├── test_fp.py
│   │               │   │   ├── test_functions.py
│   │               │   │   ├── test_functions2.py
│   │               │   │   ├── test_gammazeta.py
```

```
│   │               │   │   ├── test_hp.py
│   │               │   │   ├── test_identify.py
│   │               │   │   ├── test_interval.py
│   │               │   │   ├── test_levin.py
│   │               │   │   ├── test_linalg.py
│   │               │   │   ├── test_matrices.py
│   │               │   │   ├── test_mpmath.py
│   │               │   │   ├── test_ode.py
│   │               │   │   ├── test_pickle.py
│   │               │   │   ├── test_power.py
│   │               │   │   ├── test_quad.py
│   │               │   │   ├── test_rootfinding.py
│   │               │   │   ├── test_special.py
│   │               │   │   ├── test_str.py
│   │               │   │   ├── test_summation.py
│   │               │   │   ├── test_trig.py
│   │               │   │   ├── test_visualization.py
│   │               │   │   └── torture.py
│   │               │   ├── usertools.py
│   │               │   └── visualization.py
│   │               ├── mpmath-1.3.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── multidict
│   │               │   ├── __init__.py
│   │               │   ├── _abc.py
│   │               │   ├── _compat.py
│   │               │   ├── _multidict.cpython-39-darwin.so
│   │               │   ├── _multidict_py.py
│   │               │   └── py.typed
│   │               ├── multidict-6.6.3.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── mypy_extensions-1.1.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── mypy_extensions.py
│   │               ├── numpy
│   │               │   ├── __config__.py
│   │               │   ├── __init__.cython-30.pxd
│   │               │   ├── __init__.pxd
│   │               │   ├── __init__.py
│   │               │   ├── __init__.pyi
```

```
│   │   │   │   │   │   │   ├── _configtool.py
│   │   │   │   │   │   │   ├── _core
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   │   │   │   ├── _add_newdocs.py
│   │   │   │   │   │   │   │   ├── _add_newdocs_scalars.py
│   │   │   │   │   │   │   │   ├── _asarray.py
│   │   │   │   │   │   │   │   ├── _asarray.pyi
│   │   │   │   │   │   │   │   ├── _dtype.py
│   │   │   │   │   │   │   │   ├── _dtype_ctypes.py
│   │   │   │   │   │   │   │   ├── _exceptions.py
│   │   │   │   │   │   │   │   ├── _internal.py
│   │   │   │   │   │   │   │   ├── _internal.pyi
│   │   │   │   │   │   │   │   ├── _machar.py
│   │   │   │   │   │   │   │   ├── _methods.py
│   │   │   │   │   │   │   │   ├── _multiarray_tests.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _multiarray_umath.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _operand_flag_tests.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _rational_tests.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _simd.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _string_helpers.py
│   │   │   │   │   │   │   │   ├── _struct_ufunc_tests.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── _type_aliases.py
│   │   │   │   │   │   │   │   ├── _type_aliases.pyi
│   │   │   │   │   │   │   │   ├── _ufunc_config.py
│   │   │   │   │   │   │   │   ├── _ufunc_config.pyi
│   │   │   │   │   │   │   │   ├── _umath_tests.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── arrayprint.py
│   │   │   │   │   │   │   │   ├── arrayprint.pyi
│   │   │   │   │   │   │   │   ├── cversions.py
│   │   │   │   │   │   │   │   ├── defchararray.py
│   │   │   │   │   │   │   │   ├── defchararray.pyi
│   │   │   │   │   │   │   │   ├── einsumfunc.py
│   │   │   │   │   │   │   │   ├── einsumfunc.pyi
│   │   │   │   │   │   │   │   ├── fromnumeric.py
│   │   │   │   │   │   │   │   ├── fromnumeric.pyi
│   │   │   │   │   │   │   │   ├── function_base.py
│   │   │   │   │   │   │   │   ├── function_base.pyi
│   │   │   │   │   │   │   │   ├── getlimits.py
│   │   │   │   │   │   │   │   ├── getlimits.pyi
│   │   │   │   │   │   │   │   ├── include
│   │   │   │   │   │   │   │   │   └── numpy
│   │   │   │   │   │   │   │   │       ├── __multiarray_api.c
│   │   │   │   │   │   │   │   │       ├── __multiarray_api.h
│   │   │   │   │   │   │   │   │       ├── __ufunc_api.c
│   │   │   │   │   │   │   │   │       ├── __ufunc_api.h
│   │   │   │   │   │   │   │   │       ├── _neighborhood_iterator_imp.h
│   │   │   │   │   │   │   │   │       ├── _numpyconfig.h
│   │   │   │   │   │   │   │   │       ├── _public_dtype_api_table.h
│   │   │   │   │   │   │   │   │       ├── arrayobject.h
│   │   │   │   │   │   │   │   │       ├── arrayscalars.h
│   │   │   │   │   │   │   │   │       ├── dtype_api.h
│   │   │   │   │   │   │   │   │       ├── halffloat.h
│   │   │   │   │   │   │   │   │       ├── ndarrayobject.h
│   │   │   │   │   │   │   │   │       ├── ndarraytypes.h
│   │   │   │   │   │   │   │   │       ├── npy_1_7_deprecated_api.h
```

```
│   │               │   │   │       ├── npy_2_compat.h
│   │               │   │   │       ├── npy_2_complexcompat.h
│   │               │   │   │       ├── npy_3kcompat.h
│   │               │   │   │       ├── npy_common.h
│   │               │   │   │       ├── npy_cpu.h
│   │               │   │   │       ├── npy_endian.h
│   │               │   │   │       ├── npy_math.h
│   │               │   │   │       ├── npy_no_deprecated_api.h
│   │               │   │   │       ├── npy_os.h
│   │               │   │   │       ├── numpyconfig.h
│   │               │   │   │       ├── random
│   │               │   │   │       │   ├── LICENSE.txt
│   │               │   │   │       │   ├── bitgen.h
│   │               │   │   │       │   ├── distributions.h
│   │               │   │   │       │   └── libdivide.h
│   │               │   │   │       ├── ufuncobject.h
│   │               │   │   │       └── utils.h
│   │               │   │   ├── lib
│   │               │   │   │   ├── libnpymath.a
│   │               │   │   │   ├── npy-pkg-config
│   │               │   │   │   │   ├── mlib.ini
│   │               │   │   │   │   └── npymath.ini
│   │               │   │   │   └── pkgconfig
│   │               │   │   │       └── numpy.pc
│   │               │   │   ├── memmap.py
│   │               │   │   ├── memmap.pyi
│   │               │   │   ├── multiarray.py
│   │               │   │   ├── multiarray.pyi
│   │               │   │   ├── numeric.py
│   │               │   │   ├── numeric.pyi
│   │               │   │   ├── numerictypes.py
│   │               │   │   ├── numerictypes.pyi
│   │               │   │   ├── overrides.py
│   │               │   │   ├── records.py
│   │               │   │   ├── records.pyi
│   │               │   │   ├── shape_base.py
│   │               │   │   ├── shape_base.pyi
│   │               │   │   ├── strings.py
│   │               │   │   ├── strings.pyi
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _locales.py
│   │               │   │   │   ├── _natype.py
│   │               │   │   │   ├── data
│   │               │   │   │   │   ├── astype_copy.pkl
│   │               │   │   │   │   ├── generate_umath_validation_data.cpp
│   │               │   │   │   │   ├── recarray_from_file.fits
│   │               │   │   │   │   ├── umath-validation-set-README.txt
│   │               │   │   │   │   ├── umath-validation-set-arccos.csv
│   │               │   │   │   │   ├── umath-validation-set-arccosh.csv
│   │               │   │   │   │   ├── umath-validation-set-arcsin.csv
│   │               │   │   │   │   ├── umath-validation-set-arcsinh.csv
│   │               │   │   │   │   ├── umath-validation-set-arctan.csv
│   │               │   │   │   │   ├── umath-validation-set-arctanh.csv
│   │               │   │   │   │   ├── umath-validation-set-cbrt.csv
│   │               │   │   │   │   ├── umath-validation-set-cos.csv
```

```
│   │               │   │   │   │   ├── umath-validation-set-cosh.csv
│   │               │   │   │   │   ├── umath-validation-set-exp.csv
│   │               │   │   │   │   ├── umath-validation-set-exp2.csv
│   │               │   │   │   │   ├── umath-validation-set-expm1.csv
│   │               │   │   │   │   ├── umath-validation-set-log.csv
│   │               │   │   │   │   ├── umath-validation-set-log10.csv
│   │               │   │   │   │   ├── umath-validation-set-log1p.csv
│   │               │   │   │   │   ├── umath-validation-set-log2.csv
│   │               │   │   │   │   ├── umath-validation-set-sin.csv
│   │               │   │   │   │   ├── umath-validation-set-sinh.csv
│   │               │   │   │   │   ├── umath-validation-set-tan.csv
│   │               │   │   │   │   └── umath-validation-set-tanh.csv
│   │               │   │   │   ├── examples
│   │               │   │   │   │   ├── cython
│   │               │   │   │   │   │   ├── checks.pyx
│   │               │   │   │   │   │   ├── meson.build
│   │               │   │   │   │   │   └── setup.py
│   │               │   │   │   │   └── limited_api
│   │               │   │   │   │       ├── limited_api1.c
│   │               │   │   │   │       ├── limited_api2.pyx
│   │               │   │   │   │       ├── limited_api_latest.c
│   │               │   │   │   │       ├── meson.build
│   │               │   │   │   │       └── setup.py
│   │               │   │   │   ├── test__exceptions.py
│   │               │   │   │   ├── test_abc.py
│   │               │   │   │   ├── test_api.py
│   │               │   │   │   ├── test_argparse.py
│   │               │   │   │   ├── test_array_coercion.py
│   │               │   │   │   ├── test_array_interface.py
│   │               │   │   │   ├── test_arraymethod.py
│   │               │   │   │   ├── test_arrayobject.py
│   │               │   │   │   ├── test_arrayprint.py
│   │               │   │   │   ├── test_casting_floatingpoint_errors.py
│   │               │   │   │   ├── test_casting_unittests.py
│   │               │   │   │   ├── test_conversion_utils.py
│   │               │   │   │   ├── test_cpu_dispatcher.py
│   │               │   │   │   ├── test_cpu_features.py
│   │               │   │   │   ├── test_custom_dtypes.py
│   │               │   │   │   ├── test_cython.py
│   │               │   │   │   ├── test_datetime.py
│   │               │   │   │   ├── test_defchararray.py
│   │               │   │   │   ├── test_deprecations.py
│   │               │   │   │   ├── test_dlpack.py
│   │               │   │   │   ├── test_dtype.py
│   │               │   │   │   ├── test_einsum.py
│   │               │   │   │   ├── test_errstate.py
│   │               │   │   │   ├── test_extint128.py
│   │               │   │   │   ├── test_function_base.py
│   │               │   │   │   ├── test_getlimits.py
│   │               │   │   │   ├── test_half.py
│   │               │   │   │   ├── test_hashtable.py
│   │               │   │   │   ├── test_indexerrors.py
│   │               │   │   │   ├── test_indexing.py
│   │               │   │   │   ├── test_item_selection.py
│   │               │   │   │   ├── test_limited_api.py
│   │               │   │   │   ├── test_longdouble.py
```

```
│   │               │   │   │   ├── test_machar.py
│   │               │   │   │   ├── test_mem_overlap.py
│   │               │   │   │   ├── test_mem_policy.py
│   │               │   │   │   ├── test_memmap.py
│   │               │   │   │   ├── test_multiarray.py
│   │               │   │   │   ├── test_nditer.py
│   │               │   │   │   ├── test_nep50_promotions.py
│   │               │   │   │   ├── test_numeric.py
│   │               │   │   │   ├── test_numerictypes.py
│   │               │   │   │   ├── test_overrides.py
│   │               │   │   │   ├── test_print.py
│   │               │   │   │   ├── test_protocols.py
│   │               │   │   │   ├── test_records.py
│   │               │   │   │   ├── test_regression.py
│   │               │   │   │   ├── test_scalar_ctors.py
│   │               │   │   │   ├── test_scalar_methods.py
│   │               │   │   │   ├── test_scalarbuffer.py
│   │               │   │   │   ├── test_scalarinherit.py
│   │               │   │   │   ├── test_scalarmath.py
│   │               │   │   │   ├── test_scalarprint.py
│   │               │   │   │   ├── test_shape_base.py
│   │               │   │   │   ├── test_simd.py
│   │               │   │   │   ├── test_simd_module.py
│   │               │   │   │   ├── test_stringdtype.py
│   │               │   │   │   ├── test_strings.py
│   │               │   │   │   ├── test_ufunc.py
│   │               │   │   │   ├── test_umath.py
│   │               │   │   │   ├── test_umath_accuracy.py
│   │               │   │   │   ├── test_umath_complex.py
│   │               │   │   │   └── test_unicode.py
│   │               │   │   └── umath.py
│   │               │   ├── _distributor_init.py
│   │               │   ├── _expired_attrs_2_0.py
│   │               │   ├── _globals.py
│   │               │   ├── _pyinstaller
│   │               │   │   ├── __init__.py
│   │               │   │   ├── hook-numpy.py
│   │               │   │   ├── pyinstaller-smoke.py
│   │               │   │   └── test_pyinstaller.py
│   │               │   ├── _pytesttester.py
│   │               │   ├── _pytesttester.pyi
│   │               │   ├── _typing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _add_docstring.py
│   │               │   │   ├── _array_like.py
│   │               │   │   ├── _callable.pyi
│   │               │   │   ├── _char_codes.py
│   │               │   │   ├── _dtype_like.py
│   │               │   │   ├── _extended_precision.py
│   │               │   │   ├── _nbit.py
│   │               │   │   ├── _nested_sequence.py
│   │               │   │   ├── _scalars.py
│   │               │   │   ├── _shape.py
│   │               │   │   └── _ufunc.pyi
│   │               │   ├── _utils
│   │               │   │   ├── __init__.py
```

```
│   │               │   │   ├── _convertions.py
│   │               │   │   ├── _inspect.py
│   │               │   │   └── _pep440.py
│   │               │   ├── char
│   │               │   │   ├── __init__.py
│   │               │   │   └── __init__.pyi
│   │               │   ├── compat
│   │               │   │   ├── __init__.py
│   │               │   │   ├── py3k.py
│   │               │   │   └── tests
│   │               │   │       └── __init__.py
│   │               │   ├── conftest.py
│   │               │   ├── core
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _dtype.py
│   │               │   │   ├── _dtype_ctypes.py
│   │               │   │   ├── _internal.py
│   │               │   │   ├── _multiarray_umath.py
│   │               │   │   ├── _utils.py
│   │               │   │   ├── arrayprint.py
│   │               │   │   ├── defchararray.py
│   │               │   │   ├── einsumfunc.py
│   │               │   │   ├── fromnumeric.py
│   │               │   │   ├── function_base.py
│   │               │   │   ├── getlimits.py
│   │               │   │   ├── multiarray.py
│   │               │   │   ├── numeric.py
│   │               │   │   ├── numerictypes.py
│   │               │   │   ├── overrides.py
│   │               │   │   ├── records.py
│   │               │   │   ├── shape_base.py
│   │               │   │   └── umath.py
│   │               │   ├── ctypeslib.py
│   │               │   ├── ctypeslib.pyi
│   │               │   ├── distutils
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _shell_utils.py
│   │               │   │   ├── armccompiler.py
│   │               │   │   ├── ccompiler.py
│   │               │   │   ├── ccompiler_opt.py
│   │               │   │   ├── checks
│   │               │   │   │   ├── cpu_asimd.c
│   │               │   │   │   ├── cpu_asimddp.c
│   │               │   │   │   ├── cpu_asimdfhm.c
│   │               │   │   │   ├── cpu_asimdhp.c
│   │               │   │   │   ├── cpu_avx.c
│   │               │   │   │   ├── cpu_avx2.c
│   │               │   │   │   ├── cpu_avx512_clx.c
│   │               │   │   │   ├── cpu_avx512_cnl.c
│   │               │   │   │   ├── cpu_avx512_icl.c
│   │               │   │   │   ├── cpu_avx512_knl.c
│   │               │   │   │   ├── cpu_avx512_knm.c
│   │               │   │   │   ├── cpu_avx512_skx.c
│   │               │   │   │   ├── cpu_avx512_spr.c
```

```
│   │               │   │   │   ├── cpu_avx512cd.c
│   │               │   │   │   ├── cpu_avx512f.c
│   │               │   │   │   ├── cpu_f16c.c
│   │               │   │   │   ├── cpu_fma3.c
│   │               │   │   │   ├── cpu_fma4.c
│   │               │   │   │   ├── cpu_neon.c
│   │               │   │   │   ├── cpu_neon_fp16.c
│   │               │   │   │   ├── cpu_neon_vfpv4.c
│   │               │   │   │   ├── cpu_popcnt.c
│   │               │   │   │   ├── cpu_sse.c
│   │               │   │   │   ├── cpu_sse2.c
│   │               │   │   │   ├── cpu_sse3.c
│   │               │   │   │   ├── cpu_sse41.c
│   │               │   │   │   ├── cpu_sse42.c
│   │               │   │   │   ├── cpu_ssse3.c
│   │               │   │   │   ├── cpu_sve.c
│   │               │   │   │   ├── cpu_vsx.c
│   │               │   │   │   ├── cpu_vsx2.c
│   │               │   │   │   ├── cpu_vsx3.c
│   │               │   │   │   ├── cpu_vsx4.c
│   │               │   │   │   ├── cpu_vx.c
│   │               │   │   │   ├── cpu_vxe.c
│   │               │   │   │   ├── cpu_vxe2.c
│   │               │   │   │   ├── cpu_xop.c
│   │               │   │   │   ├── extra_avx512bw_mask.c
│   │               │   │   │   ├── extra_avx512dq_mask.c
│   │               │   │   │   ├── extra_avx512f_reduce.c
│   │               │   │   │   ├── extra_vsx3_half_double.c
│   │               │   │   │   ├── extra_vsx4_mma.c
│   │               │   │   │   ├── extra_vsx_asm.c
│   │               │   │   │   └── test_flags.c
│   │               │   │   ├── command
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── autodist.py
│   │               │   │   │   ├── bdist_rpm.py
│   │               │   │   │   ├── build.py
│   │               │   │   │   ├── build_clib.py
│   │               │   │   │   ├── build_ext.py
│   │               │   │   │   ├── build_py.py
│   │               │   │   │   ├── build_scripts.py
│   │               │   │   │   ├── build_src.py
│   │               │   │   │   ├── config.py
│   │               │   │   │   ├── config_compiler.py
│   │               │   │   │   ├── develop.py
│   │               │   │   │   ├── egg_info.py
│   │               │   │   │   ├── install.py
│   │               │   │   │   ├── install_clib.py
│   │               │   │   │   ├── install_data.py
│   │               │   │   │   ├── install_headers.py
│   │               │   │   │   └── sdist.py
│   │               │   │   ├── conv_template.py
│   │               │   │   ├── core.py
│   │               │   │   ├── cpuinfo.py
│   │               │   │   ├── exec_command.py
│   │               │   │   ├── extension.py
│   │               │   │   ├── fcompiler
```

```
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── absoft.py
│   │               │   │   │   ├── arm.py
│   │               │   │   │   ├── compaq.py
│   │               │   │   │   ├── environment.py
│   │               │   │   │   ├── fujitsu.py
│   │               │   │   │   ├── g95.py
│   │               │   │   │   ├── gnu.py
│   │               │   │   │   ├── hpux.py
│   │               │   │   │   ├── ibm.py
│   │               │   │   │   ├── intel.py
│   │               │   │   │   ├── lahey.py
│   │               │   │   │   ├── mips.py
│   │               │   │   │   ├── nag.py
│   │               │   │   │   ├── none.py
│   │               │   │   │   ├── nv.py
│   │               │   │   │   ├── pathf95.py
│   │               │   │   │   ├── pg.py
│   │               │   │   │   ├── sun.py
│   │               │   │   │   └── vast.py
│   │               │   │   ├── from_template.py
│   │               │   │   ├── fujitsuccompiler.py
│   │               │   │   ├── intelccompiler.py
│   │               │   │   ├── lib2def.py
│   │               │   │   ├── line_endings.py
│   │               │   │   ├── log.py
│   │               │   │   ├── mingw
│   │               │   │   │   └── gfortran_vs2003_hack.c
│   │               │   │   ├── mingw32ccompiler.py
│   │               │   │   ├── misc_util.py
│   │               │   │   ├── msvc9compiler.py
│   │               │   │   ├── msvccompiler.py
│   │               │   │   ├── npy_pkg_config.py
│   │               │   │   ├── numpy_distribution.py
│   │               │   │   ├── pathccompiler.py
│   │               │   │   ├── system_info.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_build_ext.py
│   │               │   │   │   ├── test_ccompiler_opt.py
│   │               │   │   │   ├── test_ccompiler_opt_conf.py
│   │               │   │   │   ├── test_exec_command.py
│   │               │   │   │   ├── test_fcompiler.py
│   │               │   │   │   ├── test_fcompiler_gnu.py
│   │               │   │   │   ├── test_fcompiler_intel.py
│   │               │   │   │   ├── test_fcompiler_nagfor.py
│   │               │   │   │   ├── test_from_template.py
│   │               │   │   │   ├── test_log.py
│   │               │   │   │   ├── test_mingw32ccompiler.py
│   │               │   │   │   ├── test_misc_util.py
│   │               │   │   │   ├── test_npy_pkg_config.py
│   │               │   │   │   ├── test_shell_utils.py
│   │               │   │   │   ├── test_system_info.py
│   │               │   │   │   └── utilities.py
│   │               │   │   └── unixccompiler.py
│   │               │   ├── doc
```

```
│   │   │   │   │   └── ufuncs.py
│   │   │   │   ├── dtypes.py
│   │   │   │   ├── dtypes.pyi
│   │   │   │   ├── exceptions.py
│   │   │   │   ├── exceptions.pyi
│   │   │   │   ├── f2py
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── __main__.py
│   │   │   │   │   ├── __version__.py
│   │   │   │   │   ├── _backends
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _backend.py
│   │   │   │   │   │   ├── _distutils.py
│   │   │   │   │   │   ├── _meson.py
│   │   │   │   │   │   └── meson.build.template
│   │   │   │   │   ├── _isocbind.py
│   │   │   │   │   ├── _src_pyf.py
│   │   │   │   │   ├── auxfuncs.py
│   │   │   │   │   ├── capi_maps.py
│   │   │   │   │   ├── cb_rules.py
│   │   │   │   │   ├── cfuncs.py
│   │   │   │   │   ├── common_rules.py
│   │   │   │   │   ├── crackfortran.py
│   │   │   │   │   ├── diagnose.py
│   │   │   │   │   ├── f2py2e.py
│   │   │   │   │   ├── f90mod_rules.py
│   │   │   │   │   ├── func2subr.py
│   │   │   │   │   ├── rules.py
│   │   │   │   │   ├── setup.cfg
│   │   │   │   │   ├── src
│   │   │   │   │   │   ├── fortranobject.c
│   │   │   │   │   │   └── fortranobject.h
│   │   │   │   │   ├── symbolic.py
│   │   │   │   │   ├── tests
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── src
│   │   │   │   │   │   │   ├── abstract_interface
│   │   │   │   │   │   │   │   ├── foo.f90
│   │   │   │   │   │   │   │   └── gh18403_mod.f90
│   │   │   │   │   │   │   ├── array_from_pyobj
│   │   │   │   │   │   │   │   └── wrapmodule.c
│   │   │   │   │   │   │   ├── assumed_shape
│   │   │   │   │   │   │   │   ├── .f2py_f2cmap
│   │   │   │   │   │   │   │   ├── foo_free.f90
│   │   │   │   │   │   │   │   ├── foo_mod.f90
│   │   │   │   │   │   │   │   ├── foo_use.f90
│   │   │   │   │   │   │   │   └── precision.f90
│   │   │   │   │   │   │   ├── block_docstring
│   │   │   │   │   │   │   │   └── foo.f
│   │   │   │   │   │   │   ├── callback
│   │   │   │   │   │   │   │   ├── foo.f
│   │   │   │   │   │   │   │   ├── gh17797.f90
│   │   │   │   │   │   │   │   ├── gh18335.f90
│   │   │   │   │   │   │   │   ├── gh25211.f
│   │   │   │   │   │   │   │   └── gh25211.pyf
```

```
│   │               │   │   │   │   ├── cli
│   │               │   │   │   │   │   ├── gh_22819.pyf
│   │               │   │   │   │   │   ├── hi77.f
│   │               │   │   │   │   │   └── hiworld.f90
│   │               │   │   │   │   ├── common
│   │               │   │   │   │   │   ├── block.f
│   │               │   │   │   │   │   └── gh19161.f90
│   │               │   │   │   │   ├── crackfortran
│   │               │   │   │   │   │   ├── accesstype.f90
│   │               │   │   │   │   │   ├── data_common.f
│   │               │   │   │   │   │   ├── data_multiplier.f
│   │               │   │   │   │   │   ├── data_stmts.f90
│   │               │   │   │   │   │   ├── data_with_comments.f
│   │               │   │   │   │   │   ├── foo_deps.f90
│   │               │   │   │   │   │   ├── gh15035.f
│   │               │   │   │   │   │   ├── gh17859.f
│   │               │   │   │   │   │   ├── gh22648.pyf
│   │               │   │   │   │   │   ├── gh23533.f
│   │               │   │   │   │   │   ├── gh23598.f90
│   │               │   │   │   │   │   ├── gh23598Warn.f90
│   │               │   │   │   │   │   ├── gh23879.f90
│   │               │   │   │   │   │   ├── gh2848.f90
│   │               │   │   │   │   │   ├── operators.f90
│   │               │   │   │   │   │   ├── privatemod.f90
│   │               │   │   │   │   │   ├── publicmod.f90
│   │               │   │   │   │   │   ├── pubprivmod.f90
│   │               │   │   │   │   │   └── unicode_comment.f90
│   │               │   │   │   │   ├── f2cmap
│   │               │   │   │   │   │   ├── .f2py_f2cmap
│   │               │   │   │   │   │   └── isoFortranEnvMap.f90
│   │               │   │   │   │   ├── isocintrin
│   │               │   │   │   │   │   └── isoCtests.f90
│   │               │   │   │   │   ├── kind
│   │               │   │   │   │   │   └── foo.f90
│   │               │   │   │   │   ├── mixed
│   │               │   │   │   │   │   ├── foo.f
│   │               │   │   │   │   │   ├── foo_fixed.f90
│   │               │   │   │   │   │   └── foo_free.f90
│   │               │   │   │   │   ├── modules
│   │               │   │   │   │   │   ├── gh25337
│   │               │   │   │   │   │   │   ├── data.f90
│   │               │   │   │   │   │   │   └── use_data.f90
│   │               │   │   │   │   │   ├── module_data_docstring.f90
│   │               │   │   │   │   │   └── use_modules.f90
│   │               │   │   │   │   ├── negative_bounds
│   │               │   │   │   │   │   └── issue_20853.f90
│   │               │   │   │   │   ├── parameter
│   │               │   │   │   │   │   ├── constant_array.f90
│   │               │   │   │   │   │   ├── constant_both.f90
│   │               │   │   │   │   │   ├── constant_compound.f90
│   │               │   │   │   │   │   ├── constant_integer.f90
│   │               │   │   │   │   │   ├── constant_non_compound.f90
│   │               │   │   │   │   │   └── constant_real.f90
│   │               │   │   │   │   ├── quoted_character
│   │               │   │   │   │   │   └── foo.f
│   │               │   │   │   │   ├── regression
```

```
│   │               │   │   │   │   │   ├── AB.inc
│   │               │   │   │   │   │   ├── f77comments.f
│   │               │   │   │   │   │   ├── f77fixedform.f95
│   │               │   │   │   │   │   ├── f90continuation.f90
│   │               │   │   │   │   │   ├── incfile.f90
│   │               │   │   │   │   │   └── inout.f90
│   │               │   │   │   │   ├── return_character
│   │               │   │   │   │   │   ├── foo77.f
│   │               │   │   │   │   │   └── foo90.f90
│   │               │   │   │   │   ├── return_complex
│   │               │   │   │   │   │   ├── foo77.f
│   │               │   │   │   │   │   └── foo90.f90
│   │               │   │   │   │   ├── return_integer
│   │               │   │   │   │   │   ├── foo77.f
│   │               │   │   │   │   │   └── foo90.f90
│   │               │   │   │   │   ├── return_logical
│   │               │   │   │   │   │   ├── foo77.f
│   │               │   │   │   │   │   └── foo90.f90
│   │               │   │   │   │   ├── return_real
│   │               │   │   │   │   │   ├── foo77.f
│   │               │   │   │   │   │   └── foo90.f90
│   │               │   │   │   │   ├── size
│   │               │   │   │   │   │   └── foo.f90
│   │               │   │   │   │   ├── string
│   │               │   │   │   │   │   ├── char.f90
│   │               │   │   │   │   │   ├── fixed_string.f90
│   │               │   │   │   │   │   ├── gh24008.f
│   │               │   │   │   │   │   ├── gh24662.f90
│   │               │   │   │   │   │   ├── gh25286.f90
│   │               │   │   │   │   │   ├── gh25286.pyf
│   │               │   │   │   │   │   ├── gh25286_bc.pyf
│   │               │   │   │   │   │   ├── scalar_string.f90
│   │               │   │   │   │   │   └── string.f
│   │               │   │   │   │   └── value_attrspec
│   │               │   │   │   │       └── gh21665.f90
│   │               │   │   │   ├── test_abstract_interface.py
│   │               │   │   │   ├── test_array_from_pyobj.py
│   │               │   │   │   ├── test_assumed_shape.py
│   │               │   │   │   ├── test_block_docstring.py
│   │               │   │   │   ├── test_callback.py
│   │               │   │   │   ├── test_character.py
│   │               │   │   │   ├── test_common.py
│   │               │   │   │   ├── test_crackfortran.py
│   │               │   │   │   ├── test_data.py
│   │               │   │   │   ├── test_docs.py
│   │               │   │   │   ├── test_f2cmap.py
│   │               │   │   │   ├── test_f2py2e.py
│   │               │   │   │   ├── test_isoc.py
│   │               │   │   │   ├── test_kind.py
│   │               │   │   │   ├── test_mixed.py
│   │               │   │   │   ├── test_modules.py
│   │               │   │   │   ├── test_parameter.py
│   │               │   │   │   ├── test_pyf_src.py
│   │               │   │   │   ├── test_quoted_character.py
│   │               │   │   │   ├── test_regression.py
│   │               │   │   │   ├── test_return_character.py
```

```
│   │               │   │   │   ├── test_return_complex.py
│   │               │   │   │   ├── test_return_integer.py
│   │               │   │   │   ├── test_return_logical.py
│   │               │   │   │   ├── test_return_real.py
│   │               │   │   │   ├── test_semicolon_split.py
│   │               │   │   │   ├── test_size.py
│   │               │   │   │   ├── test_string.py
│   │               │   │   │   ├── test_symbolic.py
│   │               │   │   │   ├── test_value_attrspec.py
│   │               │   │   │   └── util.py
│   │               │   │   └── use_rules.py
│   │               │   ├── fft
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _helper.py
│   │               │   │   ├── _helper.pyi
│   │               │   │   ├── _pocketfft.py
│   │               │   │   ├── _pocketfft.pyi
│   │               │   │   ├── _pocketfft_umath.cpython-39-darwin.so
│   │               │   │   ├── helper.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_helper.py
│   │               │   │       └── test_pocketfft.py
│   │               │   ├── lib
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _array_utils_impl.py
│   │               │   │   ├── _array_utils_impl.pyi
│   │               │   │   ├── _arraypad_impl.py
│   │               │   │   ├── _arraypad_impl.pyi
│   │               │   │   ├── _arraysetops_impl.py
│   │               │   │   ├── _arraysetops_impl.pyi
│   │               │   │   ├── _arrayterator_impl.py
│   │               │   │   ├── _arrayterator_impl.pyi
│   │               │   │   ├── _datasource.py
│   │               │   │   ├── _function_base_impl.py
│   │               │   │   ├── _function_base_impl.pyi
│   │               │   │   ├── _histograms_impl.py
│   │               │   │   ├── _histograms_impl.pyi
│   │               │   │   ├── _index_tricks_impl.py
│   │               │   │   ├── _index_tricks_impl.pyi
│   │               │   │   ├── _iotools.py
│   │               │   │   ├── _nanfunctions_impl.py
│   │               │   │   ├── _nanfunctions_impl.pyi
│   │               │   │   ├── _npyio_impl.py
│   │               │   │   ├── _npyio_impl.pyi
│   │               │   │   ├── _polynomial_impl.py
│   │               │   │   ├── _polynomial_impl.pyi
│   │               │   │   ├── _scimath_impl.py
│   │               │   │   ├── _scimath_impl.pyi
│   │               │   │   ├── _shape_base_impl.py
│   │               │   │   ├── _shape_base_impl.pyi
│   │               │   │   ├── _stride_tricks_impl.py
│   │               │   │   ├── _stride_tricks_impl.pyi
│   │               │   │   ├── _twodim_base_impl.py
```

```
│   │               │   │   ├── _twodim_base_impl.pyi
│   │               │   │   ├── _type_check_impl.py
│   │               │   │   ├── _type_check_impl.pyi
│   │               │   │   ├── _ufunclike_impl.py
│   │               │   │   ├── _ufunclike_impl.pyi
│   │               │   │   ├── _user_array_impl.py
│   │               │   │   ├── _utils_impl.py
│   │               │   │   ├── _utils_impl.pyi
│   │               │   │   ├── _version.py
│   │               │   │   ├── _version.pyi
│   │               │   │   ├── array_utils.py
│   │               │   │   ├── array_utils.pyi
│   │               │   │   ├── format.py
│   │               │   │   ├── format.pyi
│   │               │   │   ├── introspect.py
│   │               │   │   ├── mixins.py
│   │               │   │   ├── mixins.pyi
│   │               │   │   ├── npyio.py
│   │               │   │   ├── npyio.pyi
│   │               │   │   ├── recfunctions.py
│   │               │   │   ├── scimath.py
│   │               │   │   ├── scimath.pyi
│   │               │   │   ├── stride_tricks.py
│   │               │   │   ├── stride_tricks.pyi
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── data
│   │               │   │   │   │   ├── py2-np0-objarr.npy
│   │               │   │   │   │   ├── py2-objarr.npy
│   │               │   │   │   │   ├── py2-objarr.npz
│   │               │   │   │   │   ├── py3-objarr.npy
│   │               │   │   │   │   ├── py3-objarr.npz
│   │               │   │   │   │   ├── python3.npy
│   │               │   │   │   │   └── win64python2.npy
│   │               │   │   │   ├── test__datasource.py
│   │               │   │   │   ├── test__iotools.py
│   │               │   │   │   ├── test__version.py
│   │               │   │   │   ├── test_array_utils.py
│   │               │   │   │   ├── test_arraypad.py
│   │               │   │   │   ├── test_arraysetops.py
│   │               │   │   │   ├── test_arrayterator.py
│   │               │   │   │   ├── test_format.py
│   │               │   │   │   ├── test_function_base.py
│   │               │   │   │   ├── test_histograms.py
│   │               │   │   │   ├── test_index_tricks.py
│   │               │   │   │   ├── test_io.py
│   │               │   │   │   ├── test_loadtxt.py
│   │               │   │   │   ├── test_mixins.py
│   │               │   │   │   ├── test_nanfunctions.py
│   │               │   │   │   ├── test_packbits.py
│   │               │   │   │   ├── test_polynomial.py
│   │               │   │   │   ├── test_recfunctions.py
│   │               │   │   │   ├── test_regression.py
│   │               │   │   │   ├── test_shape_base.py
│   │               │   │   │   ├── test_stride_tricks.py
│   │               │   │   │   ├── test_twodim_base.py
```

```
│   │               │   │   │   ├── test_type_check.py
│   │               │   │   │   ├── test_ufunclike.py
│   │               │   │   │   └── test_utils.py
│   │               │   │   └── user_array.py
│   │               │   ├── linalg
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _linalg.py
│   │               │   │   ├── _linalg.pyi
│   │               │   │   ├── _umath_linalg.cpython-39-darwin.so
│   │               │   │   ├── lapack_lite.cpython-39-darwin.so
│   │               │   │   ├── linalg.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_deprecations.py
│   │               │   │       ├── test_linalg.py
│   │               │   │       └── test_regression.py
│   │               │   ├── ma
│   │               │   │   ├── API_CHANGES.txt
│   │               │   │   ├── LICENSE
│   │               │   │   ├── README.rst
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── core.py
│   │               │   │   ├── core.pyi
│   │               │   │   ├── extras.py
│   │               │   │   ├── extras.pyi
│   │               │   │   ├── mrecords.py
│   │               │   │   ├── mrecords.pyi
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_arrayobject.py
│   │               │   │   │   ├── test_core.py
│   │               │   │   │   ├── test_deprecations.py
│   │               │   │   │   ├── test_extras.py
│   │               │   │   │   ├── test_mrecords.py
│   │               │   │   │   ├── test_old_ma.py
│   │               │   │   │   ├── test_regression.py
│   │               │   │   │   └── test_subclassing.py
│   │               │   │   ├── testutils.py
│   │               │   │   └── timer_comparison.py
│   │               │   ├── matlib.py
│   │               │   ├── matrixlib
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── defmatrix.py
│   │               │   │   ├── defmatrix.pyi
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_defmatrix.py
│   │               │   │       ├── test_interaction.py
│   │               │   │       ├── test_masked_matrix.py
│   │               │   │       ├── test_matrix_linalg.py
│   │               │   │       ├── test_multiarray.py
│   │               │   │       ├── test_numeric.py
│   │               │   │       └── test_regression.py
```

```
│   │               │   ├── polynomial
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _polybase.py
│   │               │   │   ├── _polybase.pyi
│   │               │   │   ├── chebyshev.py
│   │               │   │   ├── chebyshev.pyi
│   │               │   │   ├── hermite.py
│   │               │   │   ├── hermite.pyi
│   │               │   │   ├── hermite_e.py
│   │               │   │   ├── hermite_e.pyi
│   │               │   │   ├── laguerre.py
│   │               │   │   ├── laguerre.pyi
│   │               │   │   ├── legendre.py
│   │               │   │   ├── legendre.pyi
│   │               │   │   ├── polynomial.py
│   │               │   │   ├── polynomial.pyi
│   │               │   │   ├── polyutils.py
│   │               │   │   ├── polyutils.pyi
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_chebyshev.py
│   │               │   │       ├── test_classes.py
│   │               │   │       ├── test_hermite.py
│   │               │   │       ├── test_hermite_e.py
│   │               │   │       ├── test_laguerre.py
│   │               │   │       ├── test_legendre.py
│   │               │   │       ├── test_polynomial.py
│   │               │   │       ├── test_polyutils.py
│   │               │   │       ├── test_printing.py
│   │               │   │       └── test_symbol.py
│   │               │   ├── py.typed
│   │               │   ├── random
│   │               │   │   ├── LICENSE.md
│   │               │   │   ├── __init__.pxd
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _bounded_integers.cpython-39-darwin.so
│   │               │   │   ├── _bounded_integers.pxd
│   │               │   │   ├── _common.cpython-39-darwin.so
│   │               │   │   ├── _common.pxd
│   │               │   │   ├── _examples
│   │               │   │   │   ├── cffi
│   │               │   │   │   │   ├── extending.py
│   │               │   │   │   │   └── parse.py
│   │               │   │   │   ├── cython
│   │               │   │   │   │   ├── extending.pyx
│   │               │   │   │   │   ├── extending_distributions.pyx
│   │               │   │   │   │   └── meson.build
│   │               │   │   │   └── numba
│   │               │   │   │       ├── extending.py
│   │               │   │   │       └── extending_distributions.py
│   │               │   │   ├── _generator.cpython-39-darwin.so
│   │               │   │   ├── _generator.pyi
│   │               │   │   ├── _mt19937.cpython-39-darwin.so
│   │               │   │   ├── _mt19937.pyi
```

```
│   │               │   │   ├── _pcg64.cpython-39-darwin.so
│   │               │   │   ├── _pcg64.pyi
│   │               │   │   ├── _philox.cpython-39-darwin.so
│   │               │   │   ├── _philox.pyi
│   │               │   │   ├── _pickle.py
│   │               │   │   ├── _sfc64.cpython-39-darwin.so
│   │               │   │   ├── _sfc64.pyi
│   │               │   │   ├── bit_generator.cpython-39-darwin.so
│   │               │   │   ├── bit_generator.pxd
│   │               │   │   ├── bit_generator.pyi
│   │               │   │   ├── c_distributions.pxd
│   │               │   │   ├── lib
│   │               │   │   │   └── libnpyrandom.a
│   │               │   │   ├── mtrand.cpython-39-darwin.so
│   │               │   │   ├── mtrand.pyi
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   ├── generator_pcg64_np121.pkl.gz
│   │               │   │       │   ├── generator_pcg64_np126.pkl.gz
│   │               │   │       │   ├── mt19937-testset-1.csv
│   │               │   │       │   ├── mt19937-testset-2.csv
│   │               │   │       │   ├── pcg64-testset-1.csv
│   │               │   │       │   ├── pcg64-testset-2.csv
│   │               │   │       │   ├── pcg64dxsm-testset-1.csv
│   │               │   │       │   ├── pcg64dxsm-testset-2.csv
│   │               │   │       │   ├── philox-testset-1.csv
│   │               │   │       │   ├── philox-testset-2.csv
│   │               │   │       │   ├── sfc64-testset-1.csv
│   │               │   │       │   ├── sfc64-testset-2.csv
│   │               │   │       │   └── sfc64_np126.pkl.gz
│   │               │   │       ├── test_direct.py
│   │               │   │       ├── test_extending.py
│   │               │   │       ├── test_generator_mt19937.py
│   │               │   │       ├── test_generator_mt19937_regressions.py
│   │               │   │       ├── test_random.py
│   │               │   │       ├── test_randomstate.py
│   │               │   │       ├── test_randomstate_regression.py
│   │               │   │       ├── test_regression.py
│   │               │   │       ├── test_seed_sequence.py
│   │               │   │       └── test_smoke.py
│   │               │   ├── rec
│   │               │   │   ├── __init__.py
│   │               │   │   └── __init__.pyi
│   │               │   ├── strings
│   │               │   │   ├── __init__.py
│   │               │   │   └── __init__.pyi
│   │               │   ├── testing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── _private
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── extbuild.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   └── utils.pyi
```

```
│   │               │   │   ├── overrides.py
│   │               │   │   ├── print_coercion_tables.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       └── test_utils.py
│   │               ├── tests
│   │               │   ├── __init__.py
│   │               │   ├── test__all__.py
│   │               │   ├── test_configtool.py
│   │               │   ├── test_ctypeslib.py
│   │               │   ├── test_lazyloading.py
│   │               │   ├── test_matlib.py
│   │               │   ├── test_numpy_config.py
│   │               │   ├── test_numpy_version.py
│   │               │   ├── test_public_api.py
│   │               │   ├── test_reloading.py
│   │               │   ├── test_scripts.py
│   │               │   └── test_warnings.py
│   │               ├── typing
│   │               │   ├── __init__.py
│   │               │   ├── mypy_plugin.py
│   │               │   └── tests
│   │               │       ├── __init__.py
│   │               │       ├── data
│   │               │       │   ├── fail
│   │               │       │   │   ├── arithmetic.pyi
│   │               │       │   │   ├── array_constructors.pyi
│   │               │       │   │   ├── array_like.pyi
│   │               │       │   │   ├── array_pad.pyi
│   │               │       │   │   ├── arrayprint.pyi
│   │               │       │   │   ├── arrayterator.pyi
│   │               │       │   │   ├── bitwise_ops.pyi
│   │               │       │   │   ├── char.pyi
│   │               │       │   │   ├── chararray.pyi
│   │               │       │   │   ├── comparisons.pyi
│   │               │       │   │   ├── constants.pyi
│   │               │       │   │   ├── datasource.pyi
│   │               │       │   │   ├── dtype.pyi
│   │               │       │   │   ├── einsumfunc.pyi
│   │               │       │   │   ├── false_positives.pyi
│   │               │       │   │   ├── flatiter.pyi
│   │               │       │   │   ├── fromnumeric.pyi
│   │               │       │   │   ├── histograms.pyi
│   │               │       │   │   ├── index_tricks.pyi
│   │               │       │   │   ├── lib_function_base.pyi
│   │               │       │   │   ├── lib_polynomial.pyi
│   │               │       │   │   ├── lib_utils.pyi
│   │               │       │   │   ├── lib_version.pyi
│   │               │       │   │   ├── linalg.pyi
│   │               │       │   │   ├── memmap.pyi
│   │               │       │   │   ├── modules.pyi
│   │               │       │   │   ├── multiarray.pyi
│   │               │       │   │   ├── ndarray.pyi
│   │               │       │   │   ├── ndarray_misc.pyi
│   │               │       │   │   ├── nditer.pyi
│   │               │       │   │   ├── nested_sequence.pyi
```

```
│   │               │   │           │   │   ├── npyio.pyi
│   │               │   │           │   │   ├── numerictypes.pyi
│   │               │   │           │   │   ├── random.pyi
│   │               │   │           │   │   ├── rec.pyi
│   │               │   │           │   │   ├── scalars.pyi
│   │               │   │           │   │   ├── shape_base.pyi
│   │               │   │           │   │   ├── stride_tricks.pyi
│   │               │   │           │   │   ├── strings.pyi
│   │               │   │           │   │   ├── testing.pyi
│   │               │   │           │   │   ├── twodim_base.pyi
│   │               │   │           │   │   ├── type_check.pyi
│   │               │   │           │   │   ├── ufunc_config.pyi
│   │               │   │           │   │   ├── ufunclike.pyi
│   │               │   │           │   │   ├── ufuncs.pyi
│   │               │   │           │   │   └── warnings_and_errors.pyi
│   │               │   │           │   ├── misc
│   │               │   │           │   │   └── extended_precision.pyi
│   │               │   │           │   ├── mypy.ini
│   │               │   │           │   ├── pass
│   │               │   │           │   │   ├── arithmetic.py
│   │               │   │           │   │   ├── array_constructors.py
│   │               │   │           │   │   ├── array_like.py
│   │               │   │           │   │   ├── arrayprint.py
│   │               │   │           │   │   ├── arrayterator.py
│   │               │   │           │   │   ├── bitwise_ops.py
│   │               │   │           │   │   ├── comparisons.py
│   │               │   │           │   │   ├── dtype.py
│   │               │   │           │   │   ├── einsumfunc.py
│   │               │   │           │   │   ├── flatiter.py
│   │               │   │           │   │   ├── fromnumeric.py
│   │               │   │           │   │   ├── index_tricks.py
│   │               │   │           │   │   ├── lib_utils.py
│   │               │   │           │   │   ├── lib_version.py
│   │               │   │           │   │   ├── literal.py
│   │               │   │           │   │   ├── ma.py
│   │               │   │           │   │   ├── mod.py
│   │               │   │           │   │   ├── modules.py
│   │               │   │           │   │   ├── multiarray.py
│   │               │   │           │   │   ├── ndarray_conversion.py
│   │               │   │           │   │   ├── ndarray_misc.py
│   │               │   │           │   │   ├── ndarray_shape_manipulation.py
│   │               │   │           │   │   ├── numeric.py
│   │               │   │           │   │   ├── numerictypes.py
│   │               │   │           │   │   ├── random.py
│   │               │   │           │   │   ├── scalars.py
│   │               │   │           │   │   ├── simple.py
│   │               │   │           │   │   ├── simple_py3.py
│   │               │   │           │   │   ├── ufunc_config.py
│   │               │   │           │   │   ├── ufunclike.py
│   │               │   │           │   │   ├── ufuncs.py
│   │               │   │           │   │   └── warnings_and_errors.py
│   │               │   │           │   └── reveal
│   │               │   │           │       ├── arithmetic.pyi
│   │               │   │           │       ├── array_constructors.pyi
│   │               │   │           │       ├── arraypad.pyi
│   │               │   │           │       ├── arrayprint.pyi
```

```
│   │               │   │       │       ├── arraysetops.pyi
│   │               │   │       │       ├── arrayterator.pyi
│   │               │   │       │       ├── bitwise_ops.pyi
│   │               │   │       │       ├── char.pyi
│   │               │   │       │       ├── chararray.pyi
│   │               │   │       │       ├── comparisons.pyi
│   │               │   │       │       ├── constants.pyi
│   │               │   │       │       ├── ctypeslib.pyi
│   │               │   │       │       ├── datasource.pyi
│   │               │   │       │       ├── dtype.pyi
│   │               │   │       │       ├── einsumfunc.pyi
│   │               │   │       │       ├── emath.pyi
│   │               │   │       │       ├── false_positives.pyi
│   │               │   │       │       ├── fft.pyi
│   │               │   │       │       ├── flatiter.pyi
│   │               │   │       │       ├── fromnumeric.pyi
│   │               │   │       │       ├── getlimits.pyi
│   │               │   │       │       ├── histograms.pyi
│   │               │   │       │       ├── index_tricks.pyi
│   │               │   │       │       ├── lib_function_base.pyi
│   │               │   │       │       ├── lib_polynomial.pyi
│   │               │   │       │       ├── lib_utils.pyi
│   │               │   │       │       ├── lib_version.pyi
│   │               │   │       │       ├── linalg.pyi
│   │               │   │       │       ├── matrix.pyi
│   │               │   │       │       ├── memmap.pyi
│   │               │   │       │       ├── mod.pyi
│   │               │   │       │       ├── modules.pyi
│   │               │   │       │       ├── multiarray.pyi
│   │               │   │       │       ├── nbit_base_example.pyi
│   │               │   │       │       ├── ndarray_conversion.pyi
│   │               │   │       │       ├── ndarray_misc.pyi
│   │               │   │       │       ├── ndarray_shape_manipulation.pyi
│   │               │   │       │       ├── nditer.pyi
│   │               │   │       │       ├── nested_sequence.pyi
│   │               │   │       │       ├── npyio.pyi
│   │               │   │       │       ├── numeric.pyi
│   │               │   │       │       ├── numerictypes.pyi
│   │               │   │       │       ├── random.pyi
│   │               │   │       │       ├── rec.pyi
│   │               │   │       │       ├── scalars.pyi
│   │               │   │       │       ├── shape_base.pyi
│   │               │   │       │       ├── stride_tricks.pyi
│   │               │   │       │       ├── strings.pyi
│   │               │   │       │       ├── testing.pyi
│   │               │   │       │       ├── twodim_base.pyi
│   │               │   │       │       ├── type_check.pyi
│   │               │   │       │       ├── ufunc_config.pyi
│   │               │   │       │       ├── ufunclike.pyi
│   │               │   │       │       ├── ufuncs.pyi
│   │               │   │       │       └── warnings_and_errors.pyi
│   │               │   │       ├── test_isfile.py
│   │               │   │       ├── test_runtime.py
│   │               │   │       └── test_typing.py
│   │               │   ├── version.py
│   │               │   └── version.pyi
```

```
│   │   │   │   ├── numpy-2.0.2.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE.txt
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── REQUESTED
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── entry_points.txt
│   │   │   │   ├── oauthlib
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── common.py
│   │   │   │   │   ├── oauth1
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── rfc5849
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── endpoints
│   │   │   │   │   │       │   ├── __init__.py
│   │   │   │   │   │       │   ├── access_token.py
│   │   │   │   │   │       │   ├── authorization.py
│   │   │   │   │   │       │   ├── base.py
│   │   │   │   │   │       │   ├── pre_configured.py
│   │   │   │   │   │       │   ├── request_token.py
│   │   │   │   │   │       │   ├── resource.py
│   │   │   │   │   │       │   └── signature_only.py
│   │   │   │   │   │       ├── errors.py
│   │   │   │   │   │       ├── parameters.py
│   │   │   │   │   │       ├── request_validator.py
│   │   │   │   │   │       ├── signature.py
│   │   │   │   │   │       └── utils.py
│   │   │   │   │   ├── oauth2
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── rfc6749
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── clients
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── backend_application.py
│   │   │   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   │   │   ├── legacy_application.py
│   │   │   │   │   │   │   │   ├── mobile_application.py
│   │   │   │   │   │   │   │   ├── service_application.py
│   │   │   │   │   │   │   │   └── web_application.py
│   │   │   │   │   │   │   ├── endpoints
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── authorization.py
│   │   │   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   │   │   ├── introspect.py
│   │   │   │   │   │   │   │   ├── metadata.py
│   │   │   │   │   │   │   │   ├── pre_configured.py
│   │   │   │   │   │   │   │   ├── resource.py
│   │   │   │   │   │   │   │   ├── revocation.py
│   │   │   │   │   │   │   │   └── token.py
│   │   │   │   │   │   │   ├── errors.py
│   │   │   │   │   │   │   ├── grant_types
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── authorization_code.py
│   │   │   │   │   │   │   │   ├── base.py
```

```
│   │               │   │   │   │   ├── client_credentials.py
│   │               │   │   │   │   ├── implicit.py
│   │               │   │   │   │   ├── refresh_token.py
│   │               │   │   │   │   └──
resource_owner_password_credentials.py
│   │               │   │   │   ├── parameters.py
│   │               │   │   │   ├── request_validator.py
│   │               │   │   │   ├── tokens.py
│   │               │   │   │   └── utils.py
│   │               │   │   └── rfc8628
│   │               │   │       ├── __init__.py
│   │               │   │       ├── clients
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   └── device.py
│   │               │   │       ├── endpoints
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   ├── device_authorization.py
│   │               │   │       │   └── pre_configured.py
│   │               │   │       ├── errors.py
│   │               │   │       ├── grant_types
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   └── device_code.py
│   │               │   │       └── request_validator.py
│   │               │   ├── openid
│   │               │   │   ├── __init__.py
│   │               │   │   └── connect
│   │               │   │       ├── __init__.py
│   │               │   │       └── core
│   │               │   │           ├── __init__.py
│   │               │   │           ├── endpoints
│   │               │   │           │   ├── __init__.py
│   │               │   │           │   ├── pre_configured.py
│   │               │   │           │   └── userinfo.py
│   │               │   │           ├── exceptions.py
│   │               │   │           ├── grant_types
│   │               │   │           │   ├── __init__.py
│   │               │   │           │   ├── authorization_code.py
│   │               │   │           │   ├── base.py
│   │               │   │           │   ├── dispatchers.py
│   │               │   │           │   ├── hybrid.py
│   │               │   │           │   ├── implicit.py
│   │               │   │           │   └── refresh_token.py
│   │               │   │           ├── request_validator.py
│   │               │   │           └── tokens.py
│   │               │   ├── signals.py
│   │               │   └── uri_validate.py
│   │               ├── oauthlib-3.3.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── onnxruntime
│   │               │   ├── LICENSE
```

```
│   │               │   ├── Privacy.md
│   │               │   ├── ThirdPartyNotices.txt
│   │               │   ├── __init__.py
│   │               │   ├── backend
│   │               │   │   ├── __init__.py
│   │               │   │   ├── backend.py
│   │               │   │   └── backend_rep.py
│   │               │   ├── capi
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _ld_preload.py
│   │               │   │   ├── _pybind_state.py
│   │               │   │   ├── onnxruntime_collect_build_info.py
│   │               │   │   ├── onnxruntime_inference_collection.py
│   │               │   │   ├── onnxruntime_pybind11_state.so
│   │               │   │   └── onnxruntime_validation.py
│   │               │   ├── datasets
│   │               │   │   ├── __init__.py
│   │               │   │   ├── logreg_iris.onnx
│   │               │   │   ├── mul_1.onnx
│   │               │   │   └── sigmoid.onnx
│   │               │   ├── quantization
│   │               │   │   ├── CalTableFlatBuffers
│   │               │   │   │   ├── KeyValue.py
│   │               │   │   │   ├── TrtTable.py
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base_quantizer.py
│   │               │   │   ├── calibrate.py
│   │               │   │   ├── execution_providers
│   │               │   │   │   └── qnn
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── fusion_lpnorm.py
│   │               │   │   │       ├── mixed_precision_overrides_utils.py
│   │               │   │   │       ├── preprocess.py
│   │               │   │   │       └── quant_config.py
│   │               │   │   ├── fusions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── fusion.py
│   │               │   │   │   ├── fusion_gelu.py
│   │               │   │   │   └── fusion_layernorm.py
│   │               │   │   ├── matmul_4bits_quantizer.py
│   │               │   │   ├── matmul_bnb4_quantizer.py
│   │               │   │   ├── onnx_model.py
│   │               │   │   ├── onnx_quantizer.py
│   │               │   │   ├── operators
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── activation.py
│   │               │   │   │   ├── argmax.py
│   │               │   │   │   ├── attention.py
│   │               │   │   │   ├── base_operator.py
│   │               │   │   │   ├── binary_op.py
│   │               │   │   │   ├── concat.py
│   │               │   │   │   ├── conv.py
│   │               │   │   │   ├── direct_q8.py
│   │               │   │   │   ├── embed_layernorm.py
│   │               │   │   │   ├── gather.py
```

```
│   │               │   │   │   ├── gavgpool.py
│   │               │   │   │   ├── gemm.py
│   │               │   │   │   ├── lstm.py
│   │               │   │   │   ├── matmul.py
│   │               │   │   │   ├── maxpool.py
│   │               │   │   │   ├── norm.py
│   │               │   │   │   ├── pad.py
│   │               │   │   │   ├── pooling.py
│   │               │   │   │   ├── qdq_base_operator.py
│   │               │   │   │   ├── resize.py
│   │               │   │   │   ├── softmax.py
│   │               │   │   │   ├── split.py
│   │               │   │   │   └── where.py
│   │               │   │   ├── preprocess.py
│   │               │   │   ├── qdq_loss_debug.py
│   │               │   │   ├── qdq_quantizer.py
│   │               │   │   ├── quant_utils.py
│   │               │   │   ├── quantize.py
│   │               │   │   ├── registry.py
│   │               │   │   ├── shape_inference.py
│   │               │   │   └── tensor_quant_overrides.py
│   │               │   ├── tools
│   │               │   │   ├── __init__.py
│   │               │   │   ├── check_onnx_model_mobile_usability.py
│   │               │   │   ├── convert_onnx_models_to_ort.py
│   │               │   │   ├── file_utils.py
│   │               │   │   ├── logger.py
│   │               │   │   ├── make_dynamic_shape_fixed.py
│   │               │   │   ├── mobile_helpers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── check_model_can_use_ort_mobile_pkg.py
│   │               │   │   │   ├── coreml_supported_mlprogram_ops.md
│   │               │   │   │   ├── coreml_supported_neuralnetwork_ops.md
│   │               │   │   │   ├── mobile_package.required_operators.config
│   │               │   │   │   ├── nnapi_supported_ops.md
│   │               │   │   │   └── usability_checker.py
│   │               │   │   ├── offline_tuning.py
│   │               │   │   ├── onnx_model_utils.py
│   │               │   │   ├── onnx_randomizer.py
│   │               │   │   ├── onnxruntime_test.py
│   │               │   │   ├── optimize_onnx_model.py
│   │               │   │   ├── ort_format_model
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── operator_type_usage_processors.py
│   │               │   │   │   ├── ort_flatbuffers_py
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── fbs
│   │               │   │   │   │       ├── ArgType.py
│   │               │   │   │   │       ├── ArgTypeAndIndex.py
│   │               │   │   │   │       ├── Attribute.py
│   │               │   │   │   │       ├── AttributeType.py
│   │               │   │   │   │       ├── Checkpoint.py
│   │               │   │   │   │       ├── DeprecatedKernelCreateInfos.py
│   │               │   │   │   │       ├──
DeprecatedNodeIndexAndKernelDefHash.py
│   │               │   │   │   │       ├── DeprecatedSessionState.py
```

```
│   │               │   │   │   │       ├──
DeprecatedSubGraphSessionState.py
│   │               │   │   │   │       ├── Dimension.py
│   │               │   │   │   │       ├── DimensionValue.py
│   │               │   │   │   │       ├── DimensionValueType.py
│   │               │   │   │   │       ├── EdgeEnd.py
│   │               │   │   │   │       ├── FloatProperty.py
│   │               │   │   │   │       ├── Graph.py
│   │               │   │   │   │       ├── InferenceSession.py
│   │               │   │   │   │       ├── IntProperty.py
│   │               │   │   │   │       ├── KernelTypeStrArgsEntry.py
│   │               │   │   │   │       ├── KernelTypeStrResolver.py
│   │               │   │   │   │       ├── MapType.py
│   │               │   │   │   │       ├── Model.py
│   │               │   │   │   │       ├── ModuleState.py
│   │               │   │   │   │       ├── Node.py
│   │               │   │   │   │       ├── NodeEdge.py
│   │               │   │   │   │       ├── NodeType.py
│   │               │   │   │   │       ├── NodesToOptimizeIndices.py
│   │               │   │   │   │       ├── OpIdKernelTypeStrArgsEntry.py
│   │               │   │   │   │       ├── OperatorSetId.py
│   │               │   │   │   │       ├── OptimizerGroup.py
│   │               │   │   │   │       ├── ParameterOptimizerState.py
│   │               │   │   │   │       ├── PropertyBag.py
│   │               │   │   │   │       ├── RuntimeOptimizationRecord.py
│   │               │   │   │   │       ├──
RuntimeOptimizationRecordContainerEntry.py
│   │               │   │   │   │       ├── RuntimeOptimizations.py
│   │               │   │   │   │       ├── SequenceType.py
│   │               │   │   │   │       ├── Shape.py
│   │               │   │   │   │       ├── SparseTensor.py
│   │               │   │   │   │       ├── StringProperty.py
│   │               │   │   │   │       ├── StringStringEntry.py
│   │               │   │   │   │       ├── Tensor.py
│   │               │   │   │   │       ├── TensorDataType.py
│   │               │   │   │   │       ├── TensorTypeAndShape.py
│   │               │   │   │   │       ├── TypeInfo.py
│   │               │   │   │   │       ├── TypeInfoValue.py
│   │               │   │   │   │       ├── ValueInfo.py
│   │               │   │   │   │       └── __init__.py
│   │               │   │   │   ├── ort_model_processor.py
│   │               │   │   │   ├── types.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── pytorch_export_contrib_ops.py
│   │               │   │   ├── pytorch_export_helpers.py
│   │               │   │   ├── qdq_helpers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── optimize_qdq_model.py
│   │               │   │   ├── reduced_build_config_parser.py
│   │               │   │   ├── symbolic_shape_infer.py
│   │               │   │   └── update_onnx_opset.py
│   │               │   └── transformers
│   │               │       ├── __init__.py
│   │               │       ├── affinity_helper.py
│   │               │       ├── benchmark.py
│   │               │       ├── benchmark_helper.py
```

```
│   │               │       ├── bert_perf_test.py
│   │               │       ├── bert_test_data.py
│   │               │       ├── compare_bert_results.py
│   │               │       ├── constants.py
│   │               │       ├── convert_generation.py
│   │               │       ├── convert_tf_models_to_pytorch.py
│   │               │       ├── convert_to_packing_mode.py
│   │               │       ├── dynamo_onnx_helper.py
│   │               │       ├── float16.py
│   │               │       ├── fusion_attention.py
│   │               │       ├── fusion_attention_clip.py
│   │               │       ├── fusion_attention_unet.py
│   │               │       ├── fusion_attention_vae.py
│   │               │       ├── fusion_bart_attention.py
│   │               │       ├── fusion_base.py
│   │               │       ├── fusion_bias_add.py
│   │               │       ├── fusion_biasgelu.py
│   │               │       ├── fusion_biassplitgelu.py
│   │               │       ├── fusion_conformer_attention.py
│   │               │       ├── fusion_embedlayer.py
│   │               │       ├── fusion_fastgelu.py
│   │               │       ├── fusion_gelu.py
│   │               │       ├── fusion_gelu_approximation.py
│   │               │       ├── fusion_gemmfastgelu.py
│   │               │       ├── fusion_gpt_attention.py
│   │               │       ├── fusion_gpt_attention_megatron.py
│   │               │       ├── fusion_gpt_attention_no_past.py
│   │               │       ├── fusion_group_norm.py
│   │               │       ├── fusion_layernorm.py
│   │               │       ├── fusion_nhwc_conv.py
│   │               │       ├── fusion_options.py
│   │               │       ├── fusion_qordered_attention.py
│   │               │       ├── fusion_qordered_gelu.py
│   │               │       ├── fusion_qordered_layernorm.py
│   │               │       ├── fusion_qordered_matmul.py
│   │               │       ├── fusion_quickgelu.py
│   │               │       ├── fusion_reshape.py
│   │               │       ├── fusion_rotary_attention.py
│   │               │       ├── fusion_shape.py
│   │               │       ├── fusion_simplified_layernorm.py
│   │               │       ├── fusion_skip_group_norm.py
│   │               │       ├── fusion_skiplayernorm.py
│   │               │       ├── fusion_transpose.py
│   │               │       ├── fusion_utils.py
│   │               │       ├── huggingface_models.py
│   │               │       ├── import_utils.py
│   │               │       ├── io_binding_helper.py
│   │               │       ├── large_model_exporter.py
│   │               │       ├── machine_info.py
│   │               │       ├── metrics.py
│   │               │       ├── models
│   │               │       │   ├── bart
│   │               │       │   │   ├── __init__.py
│   │               │       │   │   └── export.py
│   │               │       │   ├── bert
│   │               │       │   │   ├── __init__.py
```

```
│   │   │   │
```

```
│   │   │   │   │   │   │   │   │   └── whisper
│   │   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │   │       ├── benchmark.py
│   │   │   │   │   │   │   │   │       ├── benchmark_all.py
│   │   │   │   │   │   │   │   │       ├── convert_to_onnx.py
│   │   │   │   │   │   │   │   │       ├── whisper_chain.py
│   │   │   │   │   │   │   │   │       ├── whisper_decoder.py
│   │   │   │   │   │   │   │   │       ├── whisper_encoder.py
│   │   │   │   │   │   │   │   │       ├── whisper_encoder_decoder_init.py
│   │   │   │   │   │   │   │   │       ├── whisper_helper.py
│   │   │   │   │   │   │   │   │       └── whisper_openai_helper.py
│   │   │   │   │   │   │   ├── onnx_exporter.py
│   │   │   │   │   │   │   ├── onnx_model.py
│   │   │   │   │   │   │   ├── onnx_model_bart.py
│   │   │   │   │   │   │   ├── onnx_model_bert.py
│   │   │   │   │   │   │   ├── onnx_model_bert_keras.py
│   │   │   │   │   │   │   ├── onnx_model_bert_tf.py
│   │   │   │   │   │   │   ├── onnx_model_clip.py
│   │   │   │   │   │   │   ├── onnx_model_conformer.py
│   │   │   │   │   │   │   ├── onnx_model_gpt2.py
│   │   │   │   │   │   │   ├── onnx_model_phi.py
│   │   │   │   │   │   │   ├── onnx_model_t5.py
│   │   │   │   │   │   │   ├── onnx_model_tnlr.py
│   │   │   │   │   │   │   ├── onnx_model_unet.py
│   │   │   │   │   │   │   ├── onnx_model_vae.py
│   │   │   │   │   │   │   ├── onnx_utils.py
│   │   │   │   │   │   │   ├── optimizer.py
│   │   │   │   │   │   │   ├── profiler.py
│   │   │   │   │   │   │   ├── quantize_helper.py
│   │   │   │   │   │   │   ├── shape_infer_helper.py
│   │   │   │   │   │   │   ├── shape_optimizer.py
│   │   │   │   │   │   │   └── torch_onnx_export_helper.py
│   │   │   │   │   ├── onnxruntime-1.19.2.dist-info
│   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   │   └── top_level.txt
│   │   │   │   │   ├── openai
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── __main__.py
│   │   │   │   │   │   ├── _base_client.py
│   │   │   │   │   │   ├── _client.py
│   │   │   │   │   │   ├── _compat.py
│   │   │   │   │   │   ├── _constants.py
│   │   │   │   │   │   ├── _exceptions.py
│   │   │   │   │   │   ├── _extras
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _common.py
│   │   │   │   │   │   │   ├── numpy_proxy.py
│   │   │   │   │   │   │   ├── pandas_proxy.py
│   │   │   │   │   │   │   └── sounddevice_proxy.py
│   │   │   │   │   │   ├── _files.py
│   │   │   │   │   │   ├── _legacy_response.py
│   │   │   │   │   │   ├── _models.py
```

```
│   │   │   │   │   │   │   │   ├── _module_client.py
│   │   │   │   │   │   │   │   ├── _qs.py
│   │   │   │   │   │   │   │   ├── _resource.py
│   │   │   │   │   │   │   │   ├── _response.py
│   │   │   │   │   │   │   │   ├── _streaming.py
│   │   │   │   │   │   │   │   ├── _types.py
│   │   │   │   │   │   │   │   ├── _utils
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── _logs.py
│   │   │   │   │   │   │   │   │   ├── _proxy.py
│   │   │   │   │   │   │   │   │   ├── _reflection.py
│   │   │   │   │   │   │   │   │   ├── _resources_proxy.py
│   │   │   │   │   │   │   │   │   ├── _streams.py
│   │   │   │   │   │   │   │   │   ├── _sync.py
│   │   │   │   │   │   │   │   │   ├── _transform.py
│   │   │   │   │   │   │   │   │   ├── _typing.py
│   │   │   │   │   │   │   │   │   └── _utils.py
│   │   │   │   │   │   │   │   ├── _version.py
│   │   │   │   │   │   │   │   ├── cli
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── _api
│   │   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   │   ├── _main.py
│   │   │   │   │   │   │   │   │   │   ├── audio.py
│   │   │   │   │   │   │   │   │   │   ├── chat
│   │   │   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   │   │   └── completions.py
│   │   │   │   │   │   │   │   │   │   ├── completions.py
│   │   │   │   │   │   │   │   │   │   ├── files.py
│   │   │   │   │   │   │   │   │   │   ├── fine_tuning
│   │   │   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   │   │   └── jobs.py
│   │   │   │   │   │   │   │   │   │   ├── image.py
│   │   │   │   │   │   │   │   │   │   └── models.py
│   │   │   │   │   │   │   │   │   ├── _cli.py
│   │   │   │   │   │   │   │   │   ├── _errors.py
│   │   │   │   │   │   │   │   │   ├── _models.py
│   │   │   │   │   │   │   │   │   ├── _progress.py
│   │   │   │   │   │   │   │   │   ├── _tools
│   │   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   │   ├── _main.py
│   │   │   │   │   │   │   │   │   │   ├── fine_tunes.py
│   │   │   │   │   │   │   │   │   │   └── migrate.py
│   │   │   │   │   │   │   │   │   └── _utils.py
│   │   │   │   │   │   │   │   ├── helpers
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── local_audio_player.py
│   │   │   │   │   │   │   │   │   └── microphone.py
│   │   │   │   │   │   │   │   ├── lib
│   │   │   │   │   │   │   │   │   ├── .keep
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── _old_api.py
│   │   │   │   │   │   │   │   │   ├── _parsing
│   │   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   │   ├── _completions.py
│   │   │   │   │   │   │   │   │   │   └── _responses.py
```

```
│   │   │   │   │   ├── _pydantic.py
│   │   │   │   │   ├── _tools.py
│   │   │   │   │   ├── _validators.py
│   │   │   │   │   ├── azure.py
│   │   │   │   │   └── streaming
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       ├── _assistants.py
│   │   │   │   │       ├── _deltas.py
│   │   │   │   │       ├── chat
│   │   │   │   │       │   ├── __init__.py
│   │   │   │   │       │   ├── _completions.py
│   │   │   │   │       │   ├── _events.py
│   │   │   │   │       │   └── _types.py
│   │   │   │   │       └── responses
│   │   │   │   │           ├── __init__.py
│   │   │   │   │           ├── _events.py
│   │   │   │   │           ├── _responses.py
│   │   │   │   │           └── _types.py
│   │   │   │   ├── pagination.py
│   │   │   │   ├── py.typed
│   │   │   │   ├── resources
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── audio
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── audio.py
│   │   │   │   │   │   ├── speech.py
│   │   │   │   │   │   ├── transcriptions.py
│   │   │   │   │   │   └── translations.py
│   │   │   │   │   ├── batches.py
│   │   │   │   │   ├── beta
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── assistants.py
│   │   │   │   │   │   ├── beta.py
│   │   │   │   │   │   ├── realtime
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── realtime.py
│   │   │   │   │   │   │   ├── sessions.py
│   │   │   │   │   │   │   └── transcription_sessions.py
│   │   │   │   │   │   └── threads
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── messages.py
│   │   │   │   │   │       ├── runs
│   │   │   │   │   │       │   ├── __init__.py
│   │   │   │   │   │       │   ├── runs.py
│   │   │   │   │   │       │   └── steps.py
│   │   │   │   │   │       └── threads.py
│   │   │   │   │   ├── chat
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── chat.py
│   │   │   │   │   │   └── completions
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── completions.py
│   │   │   │   │   │       └── messages.py
│   │   │   │   │   ├── completions.py
│   │   │   │   │   ├── containers
│   │   │   │   │   │   ├── __init__.py
```

```
│   │   │   │   │   │   │   ├── containers.py
│   │   │   │   │   │   │   └── files
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── content.py
│   │   │   │   │   │   │       └── files.py
│   │   │   │   │   │   ├── embeddings.py
│   │   │   │   │   │   ├── evals
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── evals.py
│   │   │   │   │   │   │   └── runs
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── output_items.py
│   │   │   │   │   │   │       └── runs.py
│   │   │   │   │   │   ├── files.py
│   │   │   │   │   │   ├── fine_tuning
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── alpha
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── alpha.py
│   │   │   │   │   │   │   │   └── graders.py
│   │   │   │   │   │   │   ├── checkpoints
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── checkpoints.py
│   │   │   │   │   │   │   │   └── permissions.py
│   │   │   │   │   │   │   ├── fine_tuning.py
│   │   │   │   │   │   │   └── jobs
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── checkpoints.py
│   │   │   │   │   │   │       └── jobs.py
│   │   │   │   │   │   ├── images.py
│   │   │   │   │   │   ├── models.py
│   │   │   │   │   │   ├── moderations.py
│   │   │   │   │   │   ├── responses
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── input_items.py
│   │   │   │   │   │   │   └── responses.py
│   │   │   │   │   │   ├── uploads
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── parts.py
│   │   │   │   │   │   │   └── uploads.py
│   │   │   │   │   │   ├── vector_stores
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── file_batches.py
│   │   │   │   │   │   │   ├── files.py
│   │   │   │   │   │   │   └── vector_stores.py
│   │   │   │   │   │   └── webhooks.py
│   │   │   │   │   ├── types
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── audio
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── speech_create_params.py
│   │   │   │   │   │   │   ├── speech_model.py
│   │   │   │   │   │   │   ├── transcription.py
│   │   │   │   │   │   │   ├── transcription_create_params.py
│   │   │   │   │   │   │   ├── transcription_create_response.py
│   │   │   │   │   │   │   ├── transcription_include.py
```

```
│   │               │   │   │   ├── transcription_segment.py
│   │               │   │   │   ├── transcription_stream_event.py
│   │               │   │   │   ├── transcription_text_delta_event.py
│   │               │   │   │   ├── transcription_text_done_event.py
│   │               │   │   │   ├── transcription_verbose.py
│   │               │   │   │   ├── transcription_word.py
│   │               │   │   │   ├── translation.py
│   │               │   │   │   ├── translation_create_params.py
│   │               │   │   │   ├── translation_create_response.py
│   │               │   │   │   └── translation_verbose.py
│   │               │   │   ├── audio_model.py
│   │               │   │   ├── audio_response_format.py
│   │               │   │   ├── auto_file_chunking_strategy_param.py
│   │               │   │   ├── batch.py
│   │               │   │   ├── batch_create_params.py
│   │               │   │   ├── batch_error.py
│   │               │   │   ├── batch_list_params.py
│   │               │   │   ├── batch_request_counts.py
│   │               │   │   ├── beta
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── assistant.py
│   │               │   │   │   ├── assistant_create_params.py
│   │               │   │   │   ├── assistant_deleted.py
│   │               │   │   │   ├── assistant_list_params.py
│   │               │   │   │   ├── assistant_response_format_option.py
│   │               │   │   │   ├──
assistant_response_format_option_param.py
│   │               │   │   │   ├── assistant_stream_event.py
│   │               │   │   │   ├── assistant_tool.py
│   │               │   │   │   ├── assistant_tool_choice.py
│   │               │   │   │   ├── assistant_tool_choice_function.py
│   │               │   │   │   ├── assistant_tool_choice_function_param.py
│   │               │   │   │   ├── assistant_tool_choice_option.py
│   │               │   │   │   ├── assistant_tool_choice_option_param.py
│   │               │   │   │   ├── assistant_tool_choice_param.py
│   │               │   │   │   ├── assistant_tool_param.py
│   │               │   │   │   ├── assistant_update_params.py
│   │               │   │   │   ├── chat
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   ├── code_interpreter_tool.py
│   │               │   │   │   ├── code_interpreter_tool_param.py
│   │               │   │   │   ├── file_search_tool.py
│   │               │   │   │   ├── file_search_tool_param.py
│   │               │   │   │   ├── function_tool.py
│   │               │   │   │   ├── function_tool_param.py
│   │               │   │   │   ├── realtime
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── conversation_created_event.py
│   │               │   │   │   │   ├── conversation_item.py
│   │               │   │   │   │   ├── conversation_item_content.py
│   │               │   │   │   │   ├── conversation_item_content_param.py
│   │               │   │   │   │   ├── conversation_item_create_event.py
│   │               │   │   │   │   ├──
conversation_item_create_event_param.py
│   │               │   │   │   │   ├── conversation_item_created_event.py
│   │               │   │   │   │   ├── conversation_item_delete_event.py
```

```
│   │           │   │   │   │   ├──
conversation_item_delete_event_param.py
│   │           │   │   │   │   ├── conversation_item_deleted_event.py
│   │           │   │   │   │   ├──
conversation_item_input_audio_transcription_completed_event.py
│   │           │   │   │   │   ├──
conversation_item_input_audio_transcription_delta_event.py
│   │           │   │   │   │   ├──
conversation_item_input_audio_transcription_failed_event.py
│   │           │   │   │   │   ├── conversation_item_param.py
│   │           │   │   │   │   ├── conversation_item_retrieve_event.py
│   │           │   │   │   │   ├──
conversation_item_retrieve_event_param.py
│   │           │   │   │   │   ├── conversation_item_truncate_event.py
│   │           │   │   │   │   ├──
conversation_item_truncate_event_param.py
│   │           │   │   │   │   ├── conversation_item_truncated_event.py
│   │           │   │   │   │   ├── conversation_item_with_reference.py
│   │           │   │   │   │   ├──
conversation_item_with_reference_param.py
│   │           │   │   │   │   ├── error_event.py
│   │           │   │   │   │   ├── input_audio_buffer_append_event.py
│   │           │   │   │   │   ├──
input_audio_buffer_append_event_param.py
│   │           │   │   │   │   ├── input_audio_buffer_clear_event.py
│   │           │   │   │   │   ├──
input_audio_buffer_clear_event_param.py
│   │           │   │   │   │   ├── input_audio_buffer_cleared_event.py
│   │           │   │   │   │   ├── input_audio_buffer_commit_event.py
│   │           │   │   │   │   ├──
input_audio_buffer_commit_event_param.py
│   │           │   │   │   │   ├──
input_audio_buffer_committed_event.py
│   │           │   │   │   │   ├──
input_audio_buffer_speech_started_event.py
│   │           │   │   │   │   ├──
input_audio_buffer_speech_stopped_event.py
│   │           │   │   │   │   ├── rate_limits_updated_event.py
│   │           │   │   │   │   ├── realtime_client_event.py
│   │           │   │   │   │   ├── realtime_client_event_param.py
│   │           │   │   │   │   ├── realtime_connect_params.py
│   │           │   │   │   │   ├── realtime_response.py
│   │           │   │   │   │   ├── realtime_response_status.py
│   │           │   │   │   │   ├── realtime_response_usage.py
│   │           │   │   │   │   ├── realtime_server_event.py
│   │           │   │   │   │   ├── response_audio_delta_event.py
│   │           │   │   │   │   ├── response_audio_done_event.py
│   │           │   │   │   │   ├──
response_audio_transcript_delta_event.py
│   │           │   │   │   │   ├──
response_audio_transcript_done_event.py
│   │           │   │   │   │   ├── response_cancel_event.py
│   │           │   │   │   │   ├── response_cancel_event_param.py
│   │           │   │   │   │   ├── response_content_part_added_event.py
│   │           │   │   │   │   ├── response_content_part_done_event.py
│   │           │   │   │   │   ├── response_create_event.py
```

```
│   │               │   │   │   │   ├── response_create_event_param.py
│   │               │   │   │   │   ├── response_created_event.py
│   │               │   │   │   │   ├── response_done_event.py
│   │               │   │   │   │   ├──
response_function_call_arguments_delta_event.py
│   │               │   │   │   │   ├──
response_function_call_arguments_done_event.py
│   │               │   │   │   │   ├── response_output_item_added_event.py
│   │               │   │   │   │   ├── response_output_item_done_event.py
│   │               │   │   │   │   ├── response_text_delta_event.py
│   │               │   │   │   │   ├── response_text_done_event.py
│   │               │   │   │   │   ├── session.py
│   │               │   │   │   │   ├── session_create_params.py
│   │               │   │   │   │   ├── session_create_response.py
│   │               │   │   │   │   ├── session_created_event.py
│   │               │   │   │   │   ├── session_update_event.py
│   │               │   │   │   │   ├── session_update_event_param.py
│   │               │   │   │   │   ├── session_updated_event.py
│   │               │   │   │   │   ├── transcription_session.py
│   │               │   │   │   │   ├──
transcription_session_create_params.py
│   │               │   │   │   │   ├── transcription_session_update.py
│   │               │   │   │   │   ├──
transcription_session_update_param.py
│   │               │   │   │   │   └──
transcription_session_updated_event.py
│   │               │   │   │   ├── thread.py
│   │               │   │   │   ├── thread_create_and_run_params.py
│   │               │   │   │   ├── thread_create_params.py
│   │               │   │   │   ├── thread_deleted.py
│   │               │   │   │   ├── thread_update_params.py
│   │               │   │   │   └── threads
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── annotation.py
│   │               │   │   │       ├── annotation_delta.py
│   │               │   │   │       ├── file_citation_annotation.py
│   │               │   │   │       ├── file_citation_delta_annotation.py
│   │               │   │   │       ├── file_path_annotation.py
│   │               │   │   │       ├── file_path_delta_annotation.py
│   │               │   │   │       ├── image_file.py
│   │               │   │   │       ├── image_file_content_block.py
│   │               │   │   │       ├── image_file_content_block_param.py
│   │               │   │   │       ├── image_file_delta.py
│   │               │   │   │       ├── image_file_delta_block.py
│   │               │   │   │       ├── image_file_param.py
│   │               │   │   │       ├── image_url.py
│   │               │   │   │       ├── image_url_content_block.py
│   │               │   │   │       ├── image_url_content_block_param.py
│   │               │   │   │       ├── image_url_delta.py
│   │               │   │   │       ├── image_url_delta_block.py
│   │               │   │   │       ├── image_url_param.py
│   │               │   │   │       ├── message.py
│   │               │   │   │       ├── message_content.py
│   │               │   │   │       ├── message_content_delta.py
│   │               │   │   │       ├── message_content_part_param.py
│   │               │   │   │       ├── message_create_params.py
```

```
│   │           │   │   │       ├── message_deleted.py
│   │           │   │   │       ├── message_delta.py
│   │           │   │   │       ├── message_delta_event.py
│   │           │   │   │       ├── message_list_params.py
│   │           │   │   │       ├── message_update_params.py
│   │           │   │   │       ├── refusal_content_block.py
│   │           │   │   │       ├── refusal_delta_block.py
│   │           │   │   │       ├──
required_action_function_tool_call.py
│   │           │   │   │       ├── run.py
│   │           │   │   │       ├── run_create_params.py
│   │           │   │   │       ├── run_list_params.py
│   │           │   │   │       ├── run_status.py
│   │           │   │   │       ├── run_submit_tool_outputs_params.py
│   │           │   │   │       ├── run_update_params.py
│   │           │   │   │       ├── runs
│   │           │   │   │       │   ├── __init__.py
│   │           │   │   │       │   ├── code_interpreter_logs.py
│   │           │   │   │       │   ├── code_interpreter_output_image.py
│   │           │   │   │       │   ├── code_interpreter_tool_call.py
│   │           │   │   │       │   ├──
code_interpreter_tool_call_delta.py
│   │           │   │   │       │   ├── file_search_tool_call.py
│   │           │   │   │       │   ├── file_search_tool_call_delta.py
│   │           │   │   │       │   ├── function_tool_call.py
│   │           │   │   │       │   ├── function_tool_call_delta.py
│   │           │   │   │       │   ├── message_creation_step_details.py
│   │           │   │   │       │   ├── run_step.py
│   │           │   │   │       │   ├── run_step_delta.py
│   │           │   │   │       │   ├── run_step_delta_event.py
│   │           │   │   │       │   ├── run_step_delta_message_delta.py
│   │           │   │   │       │   ├── run_step_include.py
│   │           │   │   │       │   ├── step_list_params.py
│   │           │   │   │       │   ├── step_retrieve_params.py
│   │           │   │   │       │   ├── tool_call.py
│   │           │   │   │       │   ├── tool_call_delta.py
│   │           │   │   │       │   ├── tool_call_delta_object.py
│   │           │   │   │       │   └── tool_calls_step_details.py
│   │           │   │   │       ├── text.py
│   │           │   │   │       ├── text_content_block.py
│   │           │   │   │       ├── text_content_block_param.py
│   │           │   │   │       ├── text_delta.py
│   │           │   │   │       └── text_delta_block.py
│   │           │   │   ├── chat
│   │           │   │   │   ├── __init__.py
│   │           │   │   │   ├── chat_completion.py
│   │           │   │   │   ├──
chat_completion_assistant_message_param.py
│   │           │   │   │   ├── chat_completion_audio.py
│   │           │   │   │   ├── chat_completion_audio_param.py
│   │           │   │   │   ├── chat_completion_chunk.py
│   │           │   │   │   ├── chat_completion_content_part_image.py
│   │           │   │   │   ├──
chat_completion_content_part_image_param.py
│   │           │   │   │   ├──
chat_completion_content_part_input_audio_param.py
```

```
│   │           │   │   │   ├── chat_completion_content_part_param.py
│   │           │   │   │   ├──
chat_completion_content_part_refusal_param.py
│   │           │   │   │   ├── chat_completion_content_part_text.py
│   │           │   │   │   ├──
chat_completion_content_part_text_param.py
│   │           │   │   │   ├── chat_completion_deleted.py
│   │           │   │   │   ├──
chat_completion_developer_message_param.py
│   │           │   │   │   ├──
chat_completion_function_call_option_param.py
│   │           │   │   │   ├──
chat_completion_function_message_param.py
│   │           │   │   │   ├── chat_completion_message.py
│   │           │   │   │   ├── chat_completion_message_param.py
│   │           │   │   │   ├── chat_completion_message_tool_call.py
│   │           │   │   │   ├──
chat_completion_message_tool_call_param.py
│   │           │   │   │   ├── chat_completion_modality.py
│   │           │   │   │   ├──
chat_completion_named_tool_choice_param.py
│   │           │   │   │   ├──
chat_completion_prediction_content_param.py
│   │           │   │   │   ├── chat_completion_reasoning_effort.py
│   │           │   │   │   ├── chat_completion_role.py
│   │           │   │   │   ├── chat_completion_store_message.py
│   │           │   │   │   ├── chat_completion_stream_options_param.py
│   │           │   │   │   ├── chat_completion_system_message_param.py
│   │           │   │   │   ├── chat_completion_token_logprob.py
│   │           │   │   │   ├── chat_completion_tool.py
│   │           │   │   │   ├──
chat_completion_tool_choice_option_param.py
│   │           │   │   │   ├── chat_completion_tool_message_param.py
│   │           │   │   │   ├── chat_completion_tool_param.py
│   │           │   │   │   ├── chat_completion_user_message_param.py
│   │           │   │   │   ├── completion_create_params.py
│   │           │   │   │   ├── completion_list_params.py
│   │           │   │   │   ├── completion_update_params.py
│   │           │   │   │   ├── completions
│   │           │   │   │   │   ├── __init__.py
│   │           │   │   │   │   └── message_list_params.py
│   │           │   │   │   ├── parsed_chat_completion.py
│   │           │   │   │   └── parsed_function_tool_call.py
│   │           │   │   ├── chat_model.py
│   │           │   │   ├── completion.py
│   │           │   │   ├── completion_choice.py
│   │           │   │   ├── completion_create_params.py
│   │           │   │   ├── completion_usage.py
│   │           │   │   ├── container_create_params.py
│   │           │   │   ├── container_create_response.py
│   │           │   │   ├── container_list_params.py
│   │           │   │   ├── container_list_response.py
│   │           │   │   ├── container_retrieve_response.py
│   │           │   │   ├── containers
│   │           │   │   │   ├── __init__.py
│   │           │   │   │   ├── file_create_params.py
```

```
│   │               │   │   │   ├── file_create_response.py
│   │               │   │   │   ├── file_list_params.py
│   │               │   │   │   ├── file_list_response.py
│   │               │   │   │   ├── file_retrieve_response.py
│   │               │   │   │   └── files
│   │               │   │   │       └── __init__.py
│   │               │   ├── create_embedding_response.py
│   │               │   ├── embedding.py
│   │               │   ├── embedding_create_params.py
│   │               │   ├── embedding_model.py
│   │               │   ├── eval_create_params.py
│   │               │   ├── eval_create_response.py
│   │               │   ├── eval_custom_data_source_config.py
│   │               │   ├── eval_delete_response.py
│   │               │   ├── eval_list_params.py
│   │               │   ├── eval_list_response.py
│   │               │   ├── eval_retrieve_response.py
│   │               │   ├──
eval_stored_completions_data_source_config.py
│   │               │   ├── eval_update_params.py
│   │               │   ├── eval_update_response.py
│   │               │   ├── evals
│   │               │   │   ├── __init__.py
│   │               │   │   ├──
create_eval_completions_run_data_source.py
│   │               │   │   ├──
create_eval_completions_run_data_source_param.py
│   │               │   │   ├── create_eval_jsonl_run_data_source.py
│   │               │   │   ├──
create_eval_jsonl_run_data_source_param.py
│   │               │   │   ├── eval_api_error.py
│   │               │   │   ├── run_cancel_response.py
│   │               │   │   ├── run_create_params.py
│   │               │   │   ├── run_create_response.py
│   │               │   │   ├── run_delete_response.py
│   │               │   │   ├── run_list_params.py
│   │               │   │   ├── run_list_response.py
│   │               │   │   ├── run_retrieve_response.py
│   │               │   │   └── runs
│   │               │   │       ├── __init__.py
│   │               │   │       ├── output_item_list_params.py
│   │               │   │       ├── output_item_list_response.py
│   │               │   │       └── output_item_retrieve_response.py
│   │               │   ├── file_chunking_strategy.py
│   │               │   ├── file_chunking_strategy_param.py
│   │               │   ├── file_content.py
│   │               │   ├── file_create_params.py
│   │               │   ├── file_deleted.py
│   │               │   ├── file_list_params.py
│   │               │   ├── file_object.py
│   │               │   ├── file_purpose.py
│   │               │   ├── fine_tuning
│   │               │   │   ├── __init__.py
│   │               │   │   ├── alpha
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── grader_run_params.py
```

```
│   │               │   │   │   │   ├── grader_run_response.py
│   │               │   │   │   │   ├── grader_validate_params.py
│   │               │   │   │   │   └── grader_validate_response.py
│   │               │   │   │   ├── checkpoints
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── permission_create_params.py
│   │               │   │   │   │   ├── permission_create_response.py
│   │               │   │   │   │   ├── permission_delete_response.py
│   │               │   │   │   │   ├── permission_retrieve_params.py
│   │               │   │   │   │   └── permission_retrieve_response.py
│   │               │   │   │   ├── dpo_hyperparameters.py
│   │               │   │   │   ├── dpo_hyperparameters_param.py
│   │               │   │   │   ├── dpo_method.py
│   │               │   │   │   ├── dpo_method_param.py
│   │               │   │   │   ├── fine_tuning_job.py
│   │               │   │   │   ├── fine_tuning_job_event.py
│   │               │   │   │   ├── fine_tuning_job_integration.py
│   │               │   │   │   ├── fine_tuning_job_wandb_integration.py
│   │               │   │   │   ├──
fine_tuning_job_wandb_integration_object.py
│   │               │   │   │   ├── job_create_params.py
│   │               │   │   │   ├── job_list_events_params.py
│   │               │   │   │   ├── job_list_params.py
│   │               │   │   │   ├── jobs
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── checkpoint_list_params.py
│   │               │   │   │   │   └── fine_tuning_job_checkpoint.py
│   │               │   │   │   ├── reinforcement_hyperparameters.py
│   │               │   │   │   ├── reinforcement_hyperparameters_param.py
│   │               │   │   │   ├── reinforcement_method.py
│   │               │   │   │   ├── reinforcement_method_param.py
│   │               │   │   │   ├── supervised_hyperparameters.py
│   │               │   │   │   ├── supervised_hyperparameters_param.py
│   │               │   │   │   ├── supervised_method.py
│   │               │   │   │   └── supervised_method_param.py
│   │               │   │   ├── graders
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── label_model_grader.py
│   │               │   │   │   ├── label_model_grader_param.py
│   │               │   │   │   ├── multi_grader.py
│   │               │   │   │   ├── multi_grader_param.py
│   │               │   │   │   ├── python_grader.py
│   │               │   │   │   ├── python_grader_param.py
│   │               │   │   │   ├── score_model_grader.py
│   │               │   │   │   ├── score_model_grader_param.py
│   │               │   │   │   ├── string_check_grader.py
│   │               │   │   │   ├── string_check_grader_param.py
│   │               │   │   │   ├── text_similarity_grader.py
│   │               │   │   │   └── text_similarity_grader_param.py
│   │               │   │   ├── image.py
│   │               │   │   ├── image_create_variation_params.py
│   │               │   │   ├── image_edit_completed_event.py
│   │               │   │   ├── image_edit_params.py
│   │               │   │   ├── image_edit_partial_image_event.py
│   │               │   │   ├── image_edit_stream_event.py
│   │               │   │   ├── image_gen_completed_event.py
```

```
│   │           │   │   ├── image_gen_partial_image_event.py
│   │           │   │   ├── image_gen_stream_event.py
│   │           │   │   ├── image_generate_params.py
│   │           │   │   ├── image_model.py
│   │           │   │   ├── images_response.py
│   │           │   │   ├── model.py
│   │           │   │   ├── model_deleted.py
│   │           │   │   ├── moderation.py
│   │           │   │   ├── moderation_create_params.py
│   │           │   │   ├── moderation_create_response.py
│   │           │   │   ├── moderation_image_url_input_param.py
│   │           │   │   ├── moderation_model.py
│   │           │   │   ├── moderation_multi_modal_input_param.py
│   │           │   │   ├── moderation_text_input_param.py
│   │           │   │   ├── other_file_chunking_strategy_object.py
│   │           │   │   ├── responses
│   │           │   │   │   ├── __init__.py
│   │           │   │   │   ├── computer_tool.py
│   │           │   │   │   ├── computer_tool_param.py
│   │           │   │   │   ├── easy_input_message.py
│   │           │   │   │   ├── easy_input_message_param.py
│   │           │   │   │   ├── file_search_tool.py
│   │           │   │   │   ├── file_search_tool_param.py
│   │           │   │   │   ├── function_tool.py
│   │           │   │   │   ├── function_tool_param.py
│   │           │   │   │   ├── input_item_list_params.py
│   │           │   │   │   ├── parsed_response.py
│   │           │   │   │   ├── response.py
│   │           │   │   │   ├── response_audio_delta_event.py
│   │           │   │   │   ├── response_audio_done_event.py
│   │           │   │   │   ├── response_audio_transcript_delta_event.py
│   │           │   │   │   ├── response_audio_transcript_done_event.py
│   │           │   │   │   ├──
response_code_interpreter_call_code_delta_event.py
│   │           │   │   │   ├──
response_code_interpreter_call_code_done_event.py
│   │           │   │   │   ├──
response_code_interpreter_call_completed_event.py
│   │           │   │   │   ├──
response_code_interpreter_call_in_progress_event.py
│   │           │   │   │   ├──
response_code_interpreter_call_interpreting_event.py
│   │           │   │   │   ├── response_code_interpreter_tool_call.py
│   │           │   │   │   ├──
response_code_interpreter_tool_call_param.py
│   │           │   │   │   ├── response_completed_event.py
│   │           │   │   │   ├── response_computer_tool_call.py
│   │           │   │   │   ├──
response_computer_tool_call_output_item.py
│   │           │   │   │   ├──
response_computer_tool_call_output_screenshot.py
│   │           │   │   │   ├──
response_computer_tool_call_output_screenshot_param.py
│   │           │   │   │   ├── response_computer_tool_call_param.py
│   │           │   │   │   ├── response_content_part_added_event.py
│   │           │   │   │   ├── response_content_part_done_event.py
```

```
│   │           │   │   │   ├── response_create_params.py
│   │           │   │   │   ├── response_created_event.py
│   │           │   │   │   ├── response_error.py
│   │           │   │   │   ├── response_error_event.py
│   │           │   │   │   ├── response_failed_event.py
│   │           │   │   │   ├──
response_file_search_call_completed_event.py
│   │           │   │   │   ├──
response_file_search_call_in_progress_event.py
│   │           │   │   │   ├──
response_file_search_call_searching_event.py
│   │           │   │   │   ├── response_file_search_tool_call.py
│   │           │   │   │   ├── response_file_search_tool_call_param.py
│   │           │   │   │   ├── response_format_text_config.py
│   │           │   │   │   ├── response_format_text_config_param.py
│   │           │   │   │   ├──
response_format_text_json_schema_config.py
│   │           │   │   │   ├──
response_format_text_json_schema_config_param.py
│   │           │   │   │   ├──
response_function_call_arguments_delta_event.py
│   │           │   │   │   ├──
response_function_call_arguments_done_event.py
│   │           │   │   │   ├── response_function_tool_call.py
│   │           │   │   │   ├── response_function_tool_call_item.py
│   │           │   │   │   ├──
response_function_tool_call_output_item.py
│   │           │   │   │   ├── response_function_tool_call_param.py
│   │           │   │   │   ├── response_function_web_search.py
│   │           │   │   │   ├── response_function_web_search_param.py
│   │           │   │   │   ├──
response_image_gen_call_completed_event.py
│   │           │   │   │   ├──
response_image_gen_call_generating_event.py
│   │           │   │   │   ├──
response_image_gen_call_in_progress_event.py
│   │           │   │   │   ├──
response_image_gen_call_partial_image_event.py
│   │           │   │   │   ├── response_in_progress_event.py
│   │           │   │   │   ├── response_includable.py
│   │           │   │   │   ├── response_incomplete_event.py
│   │           │   │   │   ├── response_input_content.py
│   │           │   │   │   ├── response_input_content_param.py
│   │           │   │   │   ├── response_input_file.py
│   │           │   │   │   ├── response_input_file_param.py
│   │           │   │   │   ├── response_input_image.py
│   │           │   │   │   ├── response_input_image_param.py
│   │           │   │   │   ├── response_input_item.py
│   │           │   │   │   ├── response_input_item_param.py
│   │           │   │   │   ├── response_input_message_content_list.py
│   │           │   │   │   ├──
response_input_message_content_list_param.py
│   │           │   │   │   ├── response_input_message_item.py
│   │           │   │   │   ├── response_input_param.py
│   │           │   │   │   ├── response_input_text.py
│   │           │   │   │   ├── response_input_text_param.py
```

```
│   │           │   │   │   ├── response_item.py
│   │           │   │   │   ├── response_item_list.py
│   │           │   │   │   ├──
response_mcp_call_arguments_delta_event.py
│   │           │   │   │   ├──
response_mcp_call_arguments_done_event.py
│   │           │   │   │   ├── response_mcp_call_completed_event.py
│   │           │   │   │   ├── response_mcp_call_failed_event.py
│   │           │   │   │   ├── response_mcp_call_in_progress_event.py
│   │           │   │   │   ├──
response_mcp_list_tools_completed_event.py
│   │           │   │   │   ├── response_mcp_list_tools_failed_event.py
│   │           │   │   │   ├──
response_mcp_list_tools_in_progress_event.py
│   │           │   │   │   ├── response_output_item.py
│   │           │   │   │   ├── response_output_item_added_event.py
│   │           │   │   │   ├── response_output_item_done_event.py
│   │           │   │   │   ├── response_output_message.py
│   │           │   │   │   ├── response_output_message_param.py
│   │           │   │   │   ├── response_output_refusal.py
│   │           │   │   │   ├── response_output_refusal_param.py
│   │           │   │   │   ├── response_output_text.py
│   │           │   │   │   ├──
response_output_text_annotation_added_event.py
│   │           │   │   │   ├── response_output_text_param.py
│   │           │   │   │   ├── response_prompt.py
│   │           │   │   │   ├── response_prompt_param.py
│   │           │   │   │   ├── response_queued_event.py
│   │           │   │   │   ├── response_reasoning_item.py
│   │           │   │   │   ├── response_reasoning_item_param.py
│   │           │   │   │   ├──
response_reasoning_summary_delta_event.py
│   │           │   │   │   ├── response_reasoning_summary_done_event.py
│   │           │   │   │   ├──
response_reasoning_summary_part_added_event.py
│   │           │   │   │   ├──
response_reasoning_summary_part_done_event.py
│   │           │   │   │   ├──
response_reasoning_summary_text_delta_event.py
│   │           │   │   │   ├──
response_reasoning_summary_text_done_event.py
│   │           │   │   │   ├── response_refusal_delta_event.py
│   │           │   │   │   ├── response_refusal_done_event.py
│   │           │   │   │   ├── response_retrieve_params.py
│   │           │   │   │   ├── response_status.py
│   │           │   │   │   ├── response_stream_event.py
│   │           │   │   │   ├── response_text_config.py
│   │           │   │   │   ├── response_text_config_param.py
│   │           │   │   │   ├── response_text_delta_event.py
│   │           │   │   │   ├── response_text_done_event.py
│   │           │   │   │   ├── response_usage.py
│   │           │   │   │   ├──
response_web_search_call_completed_event.py
│   │           │   │   │   ├──
response_web_search_call_in_progress_event.py
```

```
│   │               │   │   │   ├──
response_web_search_call_searching_event.py
│   │               │   │   │   ├── tool.py
│   │               │   │   │   ├── tool_choice_function.py
│   │               │   │   │   ├── tool_choice_function_param.py
│   │               │   │   │   ├── tool_choice_mcp.py
│   │               │   │   │   ├── tool_choice_mcp_param.py
│   │               │   │   │   ├── tool_choice_options.py
│   │               │   │   │   ├── tool_choice_types.py
│   │               │   │   │   ├── tool_choice_types_param.py
│   │               │   │   │   ├── tool_param.py
│   │               │   │   │   ├── web_search_tool.py
│   │               │   │   │   └── web_search_tool_param.py
│   │               │   │   ├── shared
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── all_models.py
│   │               │   │   │   ├── chat_model.py
│   │               │   │   │   ├── comparison_filter.py
│   │               │   │   │   ├── compound_filter.py
│   │               │   │   │   ├── error_object.py
│   │               │   │   │   ├── function_definition.py
│   │               │   │   │   ├── function_parameters.py
│   │               │   │   │   ├── metadata.py
│   │               │   │   │   ├── reasoning.py
│   │               │   │   │   ├── reasoning_effort.py
│   │               │   │   │   ├── response_format_json_object.py
│   │               │   │   │   ├── response_format_json_schema.py
│   │               │   │   │   ├── response_format_text.py
│   │               │   │   │   └── responses_model.py
│   │               │   │   ├── shared_params
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── chat_model.py
│   │               │   │   │   ├── comparison_filter.py
│   │               │   │   │   ├── compound_filter.py
│   │               │   │   │   ├── function_definition.py
│   │               │   │   │   ├── function_parameters.py
│   │               │   │   │   ├── metadata.py
│   │               │   │   │   ├── reasoning.py
│   │               │   │   │   ├── reasoning_effort.py
│   │               │   │   │   ├── response_format_json_object.py
│   │               │   │   │   ├── response_format_json_schema.py
│   │               │   │   │   ├── response_format_text.py
│   │               │   │   │   └── responses_model.py
│   │               │   │   ├── static_file_chunking_strategy.py
│   │               │   │   ├── static_file_chunking_strategy_object.py
│   │               │   │   ├──
static_file_chunking_strategy_object_param.py
│   │               │   │   ├── static_file_chunking_strategy_param.py
│   │               │   │   ├── upload.py
│   │               │   │   ├── upload_complete_params.py
│   │               │   │   ├── upload_create_params.py
│   │               │   │   ├── uploads
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── part_create_params.py
│   │               │   │   │   └── upload_part.py
│   │               │   │   ├── vector_store.py
```

```
│   │               │   │   ├── vector_store_create_params.py
│   │               │   │   ├── vector_store_deleted.py
│   │               │   │   ├── vector_store_list_params.py
│   │               │   │   ├── vector_store_search_params.py
│   │               │   │   ├── vector_store_search_response.py
│   │               │   │   ├── vector_store_update_params.py
│   │               │   │   ├── vector_stores
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── file_batch_create_params.py
│   │               │   │   │   ├── file_batch_list_files_params.py
│   │               │   │   │   ├── file_content_response.py
│   │               │   │   │   ├── file_create_params.py
│   │               │   │   │   ├── file_list_params.py
│   │               │   │   │   ├── file_update_params.py
│   │               │   │   │   ├── vector_store_file.py
│   │               │   │   │   ├── vector_store_file_batch.py
│   │               │   │   │   └── vector_store_file_deleted.py
│   │               │   │   ├── webhooks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── batch_cancelled_webhook_event.py
│   │               │   │   │   ├── batch_completed_webhook_event.py
│   │               │   │   │   ├── batch_expired_webhook_event.py
│   │               │   │   │   ├── batch_failed_webhook_event.py
│   │               │   │   │   ├── eval_run_canceled_webhook_event.py
│   │               │   │   │   ├── eval_run_failed_webhook_event.py
│   │               │   │   │   ├── eval_run_succeeded_webhook_event.py
│   │               │   │   │   ├──
fine_tuning_job_cancelled_webhook_event.py
│   │               │   │   │   ├── fine_tuning_job_failed_webhook_event.py
│   │               │   │   │   ├──
fine_tuning_job_succeeded_webhook_event.py
│   │               │   │   │   ├── response_cancelled_webhook_event.py
│   │               │   │   │   ├── response_completed_webhook_event.py
│   │               │   │   │   ├── response_failed_webhook_event.py
│   │               │   │   │   ├── response_incomplete_webhook_event.py
│   │               │   │   │   └── unwrap_webhook_event.py
│   │               │   │   └── websocket_connection_options.py
│   │               │   └── version.py
│   │               ├── openai-1.98.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── opentelemetry
│   │               │   ├── _events
│   │               │   │   ├── __init__.py
│   │               │   │   └── py.typed
│   │               │   ├── _logs
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _internal
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── py.typed
```

```
│   │               │   │   └── severity
│   │               │   │       └── __init__.py
│   │               │   ├── attributes
│   │               │   │   ├── __init__.py
│   │               │   │   └── py.typed
│   │               │   ├── baggage
│   │               │   │   ├── __init__.py
│   │               │   │   ├── propagation
│   │               │   │   │   └── __init__.py
│   │               │   │   └── py.typed
│   │               │   ├── context
│   │               │   │   ├── __init__.py
│   │               │   │   ├── context.py
│   │               │   │   ├── contextvars_context.py
│   │               │   │   └── py.typed
│   │               │   ├── environment_variables
│   │               │   │   ├── __init__.py
│   │               │   │   └── py.typed
│   │               │   ├── exporter
│   │               │   │   └── otlp
│   │               │   │       └── proto
│   │               │   │           ├── common
│   │               │   │           │   ├── __init__.py
│   │               │   │           │   ├── _internal
│   │               │   │           │   │   ├── __init__.py
│   │               │   │           │   │   ├── _log_encoder
│   │               │   │           │   │   │   └── __init__.py
│   │               │   │           │   │   ├── metrics_encoder
│   │               │   │           │   │   │   └── __init__.py
│   │               │   │           │   │   └── trace_encoder
│   │               │   │           │   │       └── __init__.py
│   │               │   │           │   ├── _log_encoder.py
│   │               │   │           │   ├── metrics_encoder.py
│   │               │   │           │   ├── py.typed
│   │               │   │           │   ├── trace_encoder.py
│   │               │   │           │   └── version
│   │               │   │           │       └── __init__.py
│   │               │   │           └── grpc
│   │               │   │               ├── __init__.py
│   │               │   │               ├── _log_exporter
│   │               │   │               │   └── __init__.py
│   │               │   │               ├── exporter.py
│   │               │   │               ├── metric_exporter
│   │               │   │               │   └── __init__.py
│   │               │   │               ├── py.typed
│   │               │   │               ├── trace_exporter
│   │               │   │               │   └── __init__.py
│   │               │   │               └── version
│   │               │   │                   └── __init__.py
│   │               │   ├── metrics
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _internal
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── instrument.py
│   │               │   │   │   └── observation.py
│   │               │   │   └── py.typed
```

```
│   │   │   │   │   │   ├── propagate
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── py.typed
│   │   │   │   │   │   ├── propagators
│   │   │   │   │   │   │   ├── composite.py
│   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   └── textmap.py
│   │   │   │   │   │   ├── proto
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── collector
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── logs
│   │   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │   │       ├── logs_service_pb2.py
│   │   │   │   │   │   │   │   │       ├── logs_service_pb2.pyi
│   │   │   │   │   │   │   │   │       └── logs_service_pb2_grpc.py
│   │   │   │   │   │   │   │   ├── metrics
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │   │       ├── metrics_service_pb2.py
│   │   │   │   │   │   │   │   │       ├── metrics_service_pb2.pyi
│   │   │   │   │   │   │   │   │       └── metrics_service_pb2_grpc.py
│   │   │   │   │   │   │   │   ├── profiles
│   │   │   │   │   │   │   │   │   └── v1development
│   │   │   │   │   │   │   │   │       ├── profiles_service_pb2.py
│   │   │   │   │   │   │   │   │       ├── profiles_service_pb2.pyi
│   │   │   │   │   │   │   │   │       └── profiles_service_pb2_grpc.py
│   │   │   │   │   │   │   │   └── trace
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       └── v1
│   │   │   │   │   │   │   │           ├── __init__.py
│   │   │   │   │   │   │   │           ├── trace_service_pb2.py
│   │   │   │   │   │   │   │           ├── trace_service_pb2.pyi
│   │   │   │   │   │   │   │           └── trace_service_pb2_grpc.py
│   │   │   │   │   │   │   ├── common
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       ├── common_pb2.py
│   │   │   │   │   │   │   │       └── common_pb2.pyi
│   │   │   │   │   │   │   ├── logs
│   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │       ├── logs_pb2.py
│   │   │   │   │   │   │   │       └── logs_pb2.pyi
│   │   │   │   │   │   │   ├── metrics
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       ├── metrics_pb2.py
│   │   │   │   │   │   │   │       └── metrics_pb2.pyi
│   │   │   │   │   │   │   ├── profiles
│   │   │   │   │   │   │   │   └── v1development
│   │   │   │   │   │   │   │       ├── profiles_pb2.py
│   │   │   │   │   │   │   │       └── profiles_pb2.pyi
│   │   │   │   │   │   │   ├── py.typed
```

```
│   │   │   │   │   │   │   ├── resource
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       ├── resource_pb2.py
│   │   │   │   │   │   │   │       └── resource_pb2.pyi
│   │   │   │   │   │   │   ├── trace
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── v1
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       ├── trace_pb2.py
│   │   │   │   │   │   │   │       └── trace_pb2.pyi
│   │   │   │   │   │   │   └── version
│   │   │   │   │   │   │       └── __init__.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── sdk
│   │   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   │   ├── _configuration
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── _events
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── _logs
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _internal
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── export
│   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │       └── in_memory_log_exporter.py
│   │   │   │   │   │   │   └── export
│   │   │   │   │   │   │       └── __init__.py
│   │   │   │   │   │   ├── _shared_internal
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── environment_variables
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── error_handler
│   │   │   │   │   │   │   └── __init__.py
│   │   │   │   │   │   ├── metrics
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── _internal
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _view_instrument_match.py
│   │   │   │   │   │   │   │   ├── aggregation.py
│   │   │   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   │   │   ├── exemplar
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── exemplar.py
│   │   │   │   │   │   │   │   │   ├── exemplar_filter.py
│   │   │   │   │   │   │   │   │   └── exemplar_reservoir.py
│   │   │   │   │   │   │   │   ├── exponential_histogram
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── buckets.py
│   │   │   │   │   │   │   │   │   └── mapping
│   │   │   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │   │   │       ├── errors.py
│   │   │   │   │   │   │   │   │       ├── exponent_mapping.py
│   │   │   │   │   │   │   │   │       ├── ieee_754.md
```

```
│   │   │   │
```

```
│   │               │   │   │   ├── dns_attributes.py
│   │               │   │   │   ├── elasticsearch_attributes.py
│   │               │   │   │   ├── enduser_attributes.py
│   │               │   │   │   ├── error_attributes.py
│   │               │   │   │   ├── event_attributes.py
│   │               │   │   │   ├── exception_attributes.py
│   │               │   │   │   ├── faas_attributes.py
│   │               │   │   │   ├── feature_flag_attributes.py
│   │               │   │   │   ├── file_attributes.py
│   │               │   │   │   ├── gcp_attributes.py
│   │               │   │   │   ├── gen_ai_attributes.py
│   │               │   │   │   ├── geo_attributes.py
│   │               │   │   │   ├── graphql_attributes.py
│   │               │   │   │   ├── heroku_attributes.py
│   │               │   │   │   ├── host_attributes.py
│   │               │   │   │   ├── http_attributes.py
│   │               │   │   │   ├── hw_attributes.py
│   │               │   │   │   ├── k8s_attributes.py
│   │               │   │   │   ├── linux_attributes.py
│   │               │   │   │   ├── log_attributes.py
│   │               │   │   │   ├── mainframe_attributes.py
│   │               │   │   │   ├── message_attributes.py
│   │               │   │   │   ├── messaging_attributes.py
│   │               │   │   │   ├── net_attributes.py
│   │               │   │   │   ├── network_attributes.py
│   │               │   │   │   ├── oci_attributes.py
│   │               │   │   │   ├── opentracing_attributes.py
│   │               │   │   │   ├── os_attributes.py
│   │               │   │   │   ├── otel_attributes.py
│   │               │   │   │   ├── other_attributes.py
│   │               │   │   │   ├── peer_attributes.py
│   │               │   │   │   ├── pool_attributes.py
│   │               │   │   │   ├── process_attributes.py
│   │               │   │   │   ├── profile_attributes.py
│   │               │   │   │   ├── rpc_attributes.py
│   │               │   │   │   ├── security_rule_attributes.py
│   │               │   │   │   ├── server_attributes.py
│   │               │   │   │   ├── service_attributes.py
│   │               │   │   │   ├── session_attributes.py
│   │               │   │   │   ├── source_attributes.py
│   │               │   │   │   ├── system_attributes.py
│   │               │   │   │   ├── telemetry_attributes.py
│   │               │   │   │   ├── test_attributes.py
│   │               │   │   │   ├── thread_attributes.py
│   │               │   │   │   ├── tls_attributes.py
│   │               │   │   │   ├── url_attributes.py
│   │               │   │   │   ├── user_agent_attributes.py
│   │               │   │   │   ├── user_attributes.py
│   │               │   │   │   ├── vcs_attributes.py
│   │               │   │   │   ├── webengine_attributes.py
│   │               │   │   │   └── zos_attributes.py
│   │               │   │   └── metrics
│   │               │   │       ├── azure_metrics.py
│   │               │   │       ├── cicd_metrics.py
│   │               │   │       ├── container_metrics.py
│   │               │   │       ├── cpu_metrics.py
```

```
│   │               │   │   │       ├── cpython_metrics.py
│   │               │   │   │       ├── db_metrics.py
│   │               │   │   │       ├── dns_metrics.py
│   │               │   │   │       ├── faas_metrics.py
│   │               │   │   │       ├── gen_ai_metrics.py
│   │               │   │   │       ├── http_metrics.py
│   │               │   │   │       ├── hw_metrics.py
│   │               │   │   │       ├── k8s_metrics.py
│   │               │   │   │       ├── messaging_metrics.py
│   │               │   │   │       ├── otel_metrics.py
│   │               │   │   │       ├── process_metrics.py
│   │               │   │   │       ├── rpc_metrics.py
│   │               │   │   │       ├── system_metrics.py
│   │               │   │   │       └── vcs_metrics.py
│   │               │   │   ├── attributes
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── client_attributes.py
│   │               │   │   │   ├── code_attributes.py
│   │               │   │   │   ├── db_attributes.py
│   │               │   │   │   ├── error_attributes.py
│   │               │   │   │   ├── exception_attributes.py
│   │               │   │   │   ├── http_attributes.py
│   │               │   │   │   ├── network_attributes.py
│   │               │   │   │   ├── otel_attributes.py
│   │               │   │   │   ├── server_attributes.py
│   │               │   │   │   ├── service_attributes.py
│   │               │   │   │   ├── telemetry_attributes.py
│   │               │   │   │   ├── url_attributes.py
│   │               │   │   │   └── user_agent_attributes.py
│   │               │   │   ├── metrics
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── db_metrics.py
│   │               │   │   │   └── http_metrics.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── resource
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── schemas.py
│   │               │   │   ├── trace
│   │               │   │   │   └── __init__.py
│   │               │   │   └── version
│   │               │   │       └── __init__.py
│   │               │   ├── trace
│   │               │   │   ├── __init__.py
│   │               │   │   ├── propagation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── tracecontext.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── span.py
│   │               │   │   └── status.py
│   │               │   ├── util
│   │               │   │   ├── _decorator.py
│   │               │   │   ├── _importlib_metadata.py
│   │               │   │   ├── _once.py
│   │               │   │   ├── _providers.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── re.py
```

```
│   │           │   │   └── types.py
│   │           │   └── version
│   │           │       ├── __init__.py
│   │           │       └── py.typed
│   │           ├── opentelemetry_api-1.36.0.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   ├── entry_points.txt
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├──
opentelemetry_exporter_otlp_proto_common-1.36.0.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├── opentelemetry_exporter_otlp_proto_grpc-1.36.0.dist-
info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   ├── entry_points.txt
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├── opentelemetry_proto-1.36.0.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├── opentelemetry_sdk-1.36.0.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   ├── entry_points.txt
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├── opentelemetry_semantic_conventions-0.57b0.dist-info
│   │           │   ├── INSTALLER
│   │           │   ├── METADATA
│   │           │   ├── RECORD
│   │           │   ├── WHEEL
│   │           │   └── licenses
│   │           │       └── LICENSE
│   │           ├── orjson
│   │           │   ├── __init__.py
│   │           │   ├── __init__.pyi
│   │           │   ├── orjson.cpython-39-darwin.so
│   │           │   └── py.typed
```

```
│   │               ├── orjson-3.11.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       ├── LICENSE-APACHE
│   │               │       └── LICENSE-MIT
│   │               ├── overrides
│   │               │   ├── __init__.py
│   │               │   ├── enforce.py
│   │               │   ├── final.py
│   │               │   ├── overrides.py
│   │               │   ├── py.typed
│   │               │   ├── signature.py
│   │               │   └── typing_utils.py
│   │               ├── overrides-7.7.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── packaging
│   │               │   ├── __init__.py
│   │               │   ├── _elffile.py
│   │               │   ├── _manylinux.py
│   │               │   ├── _musllinux.py
│   │               │   ├── _parser.py
│   │               │   ├── _structures.py
│   │               │   ├── _tokenizer.py
│   │               │   ├── licenses
│   │               │   │   ├── __init__.py
│   │               │   │   └── _spdx.py
│   │               │   ├── markers.py
│   │               │   ├── metadata.py
│   │               │   ├── py.typed
│   │               │   ├── requirements.py
│   │               │   ├── specifiers.py
│   │               │   ├── tags.py
│   │               │   ├── utils.py
│   │               │   └── version.py
│   │               ├── packaging-25.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       ├── LICENSE
│   │               │       ├── LICENSE.APACHE
│   │               │       └── LICENSE.BSD
│   │               ├── pip
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── __pip-runner__.py
│   │               │   ├── _internal
```

```
│   │               │   │   ├── __init__.py
│   │               │   │   ├── build_env.py
│   │               │   │   ├── cache.py
│   │               │   │   ├── cli
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── autocompletion.py
│   │               │   │   │   ├── base_command.py
│   │               │   │   │   ├── cmdoptions.py
│   │               │   │   │   ├── command_context.py
│   │               │   │   │   ├── index_command.py
│   │               │   │   │   ├── main.py
│   │               │   │   │   ├── main_parser.py
│   │               │   │   │   ├── parser.py
│   │               │   │   │   ├── progress_bars.py
│   │               │   │   │   ├── req_command.py
│   │               │   │   │   ├── spinners.py
│   │               │   │   │   └── status_codes.py
│   │               │   │   ├── commands
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── cache.py
│   │               │   │   │   ├── check.py
│   │               │   │   │   ├── completion.py
│   │               │   │   │   ├── configuration.py
│   │               │   │   │   ├── debug.py
│   │               │   │   │   ├── download.py
│   │               │   │   │   ├── freeze.py
│   │               │   │   │   ├── hash.py
│   │               │   │   │   ├── help.py
│   │               │   │   │   ├── index.py
│   │               │   │   │   ├── inspect.py
│   │               │   │   │   ├── install.py
│   │               │   │   │   ├── list.py
│   │               │   │   │   ├── lock.py
│   │               │   │   │   ├── search.py
│   │               │   │   │   ├── show.py
│   │               │   │   │   ├── uninstall.py
│   │               │   │   │   └── wheel.py
│   │               │   │   ├── configuration.py
│   │               │   │   ├── distributions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── installed.py
│   │               │   │   │   ├── sdist.py
│   │               │   │   │   └── wheel.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── index
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── collector.py
│   │               │   │   │   ├── package_finder.py
│   │               │   │   │   └── sources.py
│   │               │   │   ├── locations
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _distutils.py
│   │               │   │   │   ├── _sysconfig.py
│   │               │   │   │   └── base.py
│   │               │   │   ├── main.py
```

```
│   │               │   │   ├── metadata
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _json.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── importlib
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _compat.py
│   │               │   │   │   │   ├── _dists.py
│   │               │   │   │   │   └── _envs.py
│   │               │   │   │   └── pkg_resources.py
│   │               │   │   ├── models
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── candidate.py
│   │               │   │   │   ├── direct_url.py
│   │               │   │   │   ├── format_control.py
│   │               │   │   │   ├── index.py
│   │               │   │   │   ├── installation_report.py
│   │               │   │   │   ├── link.py
│   │               │   │   │   ├── pylock.py
│   │               │   │   │   ├── scheme.py
│   │               │   │   │   ├── search_scope.py
│   │               │   │   │   ├── selection_prefs.py
│   │               │   │   │   ├── target_python.py
│   │               │   │   │   └── wheel.py
│   │               │   │   ├── network
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── auth.py
│   │               │   │   │   ├── cache.py
│   │               │   │   │   ├── download.py
│   │               │   │   │   ├── lazy_wheel.py
│   │               │   │   │   ├── session.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   └── xmlrpc.py
│   │               │   │   ├── operations
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── build
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── build_tracker.py
│   │               │   │   │   │   ├── metadata.py
│   │               │   │   │   │   ├── metadata_editable.py
│   │               │   │   │   │   ├── metadata_legacy.py
│   │               │   │   │   │   ├── wheel.py
│   │               │   │   │   │   ├── wheel_editable.py
│   │               │   │   │   │   └── wheel_legacy.py
│   │               │   │   │   ├── check.py
│   │               │   │   │   ├── freeze.py
│   │               │   │   │   ├── install
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── editable_legacy.py
│   │               │   │   │   │   └── wheel.py
│   │               │   │   │   └── prepare.py
│   │               │   │   ├── pyproject.py
│   │               │   │   ├── req
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── constructors.py
│   │               │   │   │   ├── req_dependency_group.py
```

```
│   │               │   │   │   ├── req_file.py
│   │               │   │   │   ├── req_install.py
│   │               │   │   │   ├── req_set.py
│   │               │   │   │   └── req_uninstall.py
│   │               │   │   ├── resolution
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── legacy
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── resolver.py
│   │               │   │   │   └── resolvelib
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── base.py
│   │               │   │   │       ├── candidates.py
│   │               │   │   │       ├── factory.py
│   │               │   │   │       ├── found_candidates.py
│   │               │   │   │       ├── provider.py
│   │               │   │   │       ├── reporter.py
│   │               │   │   │       ├── requirements.py
│   │               │   │   │       └── resolver.py
│   │               │   │   ├── self_outdated_check.py
│   │               │   │   ├── utils
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _jaraco_text.py
│   │               │   │   │   ├── _log.py
│   │               │   │   │   ├── appdirs.py
│   │               │   │   │   ├── compat.py
│   │               │   │   │   ├── compatibility_tags.py
│   │               │   │   │   ├── datetime.py
│   │               │   │   │   ├── deprecation.py
│   │               │   │   │   ├── direct_url_helpers.py
│   │               │   │   │   ├── egg_link.py
│   │               │   │   │   ├── entrypoints.py
│   │               │   │   │   ├── filesystem.py
│   │               │   │   │   ├── filetypes.py
│   │               │   │   │   ├── glibc.py
│   │               │   │   │   ├── hashes.py
│   │               │   │   │   ├── logging.py
│   │               │   │   │   ├── misc.py
│   │               │   │   │   ├── packaging.py
│   │               │   │   │   ├── retry.py
│   │               │   │   │   ├── setuptools_build.py
│   │               │   │   │   ├── subprocess.py
│   │               │   │   │   ├── temp_dir.py
│   │               │   │   │   ├── unpacking.py
│   │               │   │   │   ├── urls.py
│   │               │   │   │   ├── virtualenv.py
│   │               │   │   │   └── wheel.py
│   │               │   │   ├── vcs
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bazaar.py
│   │               │   │   │   ├── git.py
│   │               │   │   │   ├── mercurial.py
│   │               │   │   │   ├── subversion.py
│   │               │   │   │   └── versioncontrol.py
│   │               │   │   └── wheel_builder.py
```

```
│   │               │   ├── _vendor
│   │               │   │   ├── __init__.py
│   │               │   │   ├── cachecontrol
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _cmd.py
│   │               │   │   │   ├── adapter.py
│   │               │   │   │   ├── cache.py
│   │               │   │   │   ├── caches
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── file_cache.py
│   │               │   │   │   │   └── redis_cache.py
│   │               │   │   │   ├── controller.py
│   │               │   │   │   ├── filewrapper.py
│   │               │   │   │   ├── heuristics.py
│   │               │   │   │   ├── py.typed
│   │               │   │   │   ├── serialize.py
│   │               │   │   │   └── wrapper.py
│   │               │   │   ├── certifi
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── cacert.pem
│   │               │   │   │   ├── core.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── dependency_groups
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── _implementation.py
│   │               │   │   │   ├── _lint_dependency_groups.py
│   │               │   │   │   ├── _pip_wrapper.py
│   │               │   │   │   ├── _toml_compat.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── distlib
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── compat.py
│   │               │   │   │   ├── resources.py
│   │               │   │   │   ├── scripts.py
│   │               │   │   │   ├── t32.exe
│   │               │   │   │   ├── t64-arm.exe
│   │               │   │   │   ├── t64.exe
│   │               │   │   │   ├── util.py
│   │               │   │   │   ├── w32.exe
│   │               │   │   │   ├── w64-arm.exe
│   │               │   │   │   └── w64.exe
│   │               │   │   ├── distro
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── distro.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── idna
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── codec.py
│   │               │   │   │   ├── compat.py
│   │               │   │   │   ├── core.py
│   │               │   │   │   ├── idnadata.py
│   │               │   │   │   ├── intranges.py
│   │               │   │   │   ├── package_data.py
```

```
│   │               │   │   │   ├── py.typed
│   │               │   │   │   └── uts46data.py
│   │               │   │   ├── msgpack
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── exceptions.py
│   │               │   │   │   ├── ext.py
│   │               │   │   │   └── fallback.py
│   │               │   │   ├── packaging
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _elffile.py
│   │               │   │   │   ├── _manylinux.py
│   │               │   │   │   ├── _musllinux.py
│   │               │   │   │   ├── _parser.py
│   │               │   │   │   ├── _structures.py
│   │               │   │   │   ├── _tokenizer.py
│   │               │   │   │   ├── licenses
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── _spdx.py
│   │               │   │   │   ├── markers.py
│   │               │   │   │   ├── metadata.py
│   │               │   │   │   ├── py.typed
│   │               │   │   │   ├── requirements.py
│   │               │   │   │   ├── specifiers.py
│   │               │   │   │   ├── tags.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   └── version.py
│   │               │   │   ├── pkg_resources
│   │               │   │   │   └── __init__.py
│   │               │   │   ├── platformdirs
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── android.py
│   │               │   │   │   ├── api.py
│   │               │   │   │   ├── macos.py
│   │               │   │   │   ├── py.typed
│   │               │   │   │   ├── unix.py
│   │               │   │   │   ├── version.py
│   │               │   │   │   └── windows.py
│   │               │   │   ├── pygments
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── console.py
│   │               │   │   │   ├── filter.py
│   │               │   │   │   ├── filters
│   │               │   │   │   │   └── __init__.py
│   │               │   │   │   ├── formatter.py
│   │               │   │   │   ├── formatters
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── _mapping.py
│   │               │   │   │   ├── lexer.py
│   │               │   │   │   ├── lexers
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _mapping.py
│   │               │   │   │   │   └── python.py
│   │               │   │   │   ├── modeline.py
│   │               │   │   │   ├── plugin.py
```

```
│   │               │   │   │   ├── regexopt.py
│   │               │   │   │   ├── scanner.py
│   │               │   │   │   ├── sphinxext.py
│   │               │   │   │   ├── style.py
│   │               │   │   │   ├── styles
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── _mapping.py
│   │               │   │   │   ├── token.py
│   │               │   │   │   ├── unistring.py
│   │               │   │   │   └── util.py
│   │               │   │   ├── pyproject_hooks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _impl.py
│   │               │   │   │   ├── _in_process
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── _in_process.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── requests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __version__.py
│   │               │   │   │   ├── _internal_utils.py
│   │               │   │   │   ├── adapters.py
│   │               │   │   │   ├── api.py
│   │               │   │   │   ├── auth.py
│   │               │   │   │   ├── certs.py
│   │               │   │   │   ├── compat.py
│   │               │   │   │   ├── cookies.py
│   │               │   │   │   ├── exceptions.py
│   │               │   │   │   ├── help.py
│   │               │   │   │   ├── hooks.py
│   │               │   │   │   ├── models.py
│   │               │   │   │   ├── packages.py
│   │               │   │   │   ├── sessions.py
│   │               │   │   │   ├── status_codes.py
│   │               │   │   │   ├── structures.py
│   │               │   │   │   └── utils.py
│   │               │   │   ├── resolvelib
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── providers.py
│   │               │   │   │   ├── py.typed
│   │               │   │   │   ├── reporters.py
│   │               │   │   │   ├── resolvers
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── abstract.py
│   │               │   │   │   │   ├── criterion.py
│   │               │   │   │   │   ├── exceptions.py
│   │               │   │   │   │   └── resolution.py
│   │               │   │   │   └── structs.py
│   │               │   │   ├── rich
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── __main__.py
│   │               │   │   │   ├── _cell_widths.py
│   │               │   │   │   ├── _emoji_codes.py
│   │               │   │   │   ├── _emoji_replace.py
│   │               │   │   │   ├── _export_format.py
│   │               │   │   │   ├── _extension.py
```

```
│   │               │   │   │   ├── _fileno.py
│   │               │   │   │   ├── _inspect.py
│   │               │   │   │   ├── _log_render.py
│   │               │   │   │   ├── _loop.py
│   │               │   │   │   ├── _null_file.py
│   │               │   │   │   ├── _palettes.py
│   │               │   │   │   ├── _pick.py
│   │               │   │   │   ├── _ratio.py
│   │               │   │   │   ├── _spinners.py
│   │               │   │   │   ├── _stack.py
│   │               │   │   │   ├── _timer.py
│   │               │   │   │   ├── _win32_console.py
│   │               │   │   │   ├── _windows.py
│   │               │   │   │   ├── _windows_renderer.py
│   │               │   │   │   ├── _wrap.py
│   │               │   │   │   ├── abc.py
│   │               │   │   │   ├── align.py
│   │               │   │   │   ├── ansi.py
│   │               │   │   │   ├── bar.py
│   │               │   │   │   ├── box.py
│   │               │   │   │   ├── cells.py
│   │               │   │   │   ├── color.py
│   │               │   │   │   ├── color_triplet.py
│   │               │   │   │   ├── columns.py
│   │               │   │   │   ├── console.py
│   │               │   │   │   ├── constrain.py
│   │               │   │   │   ├── containers.py
│   │               │   │   │   ├── control.py
│   │               │   │   │   ├── default_styles.py
│   │               │   │   │   ├── diagnose.py
│   │               │   │   │   ├── emoji.py
│   │               │   │   │   ├── errors.py
│   │               │   │   │   ├── file_proxy.py
│   │               │   │   │   ├── filesize.py
│   │               │   │   │   ├── highlighter.py
│   │               │   │   │   ├── json.py
│   │               │   │   │   ├── jupyter.py
│   │               │   │   │   ├── layout.py
│   │               │   │   │   ├── live.py
│   │               │   │   │   ├── live_render.py
│   │               │   │   │   ├── logging.py
│   │               │   │   │   ├── markup.py
│   │               │   │   │   ├── measure.py
│   │               │   │   │   ├── padding.py
│   │               │   │   │   ├── pager.py
│   │               │   │   │   ├── palette.py
│   │               │   │   │   ├── panel.py
│   │               │   │   │   ├── pretty.py
│   │               │   │   │   ├── progress.py
│   │               │   │   │   ├── progress_bar.py
│   │               │   │   │   ├── prompt.py
│   │               │   │   │   ├── protocol.py
│   │               │   │   │   ├── py.typed
│   │               │   │   │   ├── region.py
│   │               │   │   │   ├── repr.py
│   │               │   │   │   ├── rule.py
```

```
│   │               │   │   │   ├── scope.py
│   │               │   │   │   ├── screen.py
│   │               │   │   │   ├── segment.py
│   │               │   │   │   ├── spinner.py
│   │               │   │   │   ├── status.py
│   │               │   │   │   ├── style.py
│   │               │   │   │   ├── styled.py
│   │               │   │   │   ├── syntax.py
│   │               │   │   │   ├── table.py
│   │               │   │   │   ├── terminal_theme.py
│   │               │   │   │   ├── text.py
│   │               │   │   │   ├── theme.py
│   │               │   │   │   ├── themes.py
│   │               │   │   │   ├── traceback.py
│   │               │   │   │   └── tree.py
│   │               │   │   ├── tomli
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _parser.py
│   │               │   │   │   ├── _re.py
│   │               │   │   │   ├── _types.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── tomli_w
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _writer.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── truststore
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _api.py
│   │               │   │   │   ├── _macos.py
│   │               │   │   │   ├── _openssl.py
│   │               │   │   │   ├── _ssl_constants.py
│   │               │   │   │   ├── _windows.py
│   │               │   │   │   └── py.typed
│   │               │   │   ├── urllib3
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _collections.py
│   │               │   │   │   ├── _version.py
│   │               │   │   │   ├── connection.py
│   │               │   │   │   ├── connectionpool.py
│   │               │   │   │   ├── contrib
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _appengine_environ.py
│   │               │   │   │   │   ├── _securetransport
│   │               │   │   │   │   │   ├── __init__.py
│   │               │   │   │   │   │   ├── bindings.py
│   │               │   │   │   │   │   └── low_level.py
│   │               │   │   │   │   ├── appengine.py
│   │               │   │   │   │   ├── ntlmpool.py
│   │               │   │   │   │   ├── pyopenssl.py
│   │               │   │   │   │   ├── securetransport.py
│   │               │   │   │   │   └── socks.py
│   │               │   │   │   ├── exceptions.py
│   │               │   │   │   ├── fields.py
│   │               │   │   │   ├── filepost.py
│   │               │   │   │   ├── packages
│   │               │   │   │   │   ├── __init__.py
```

```
│   │   │   │   │   │   │   │   ├── backports
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── makefile.py
│   │   │   │   │   │   │   │   │   └── weakref_finalize.py
│   │   │   │   │   │   │   │   └── six.py
│   │   │   │   │   │   │   ├── poolmanager.py
│   │   │   │   │   │   │   ├── request.py
│   │   │   │   │   │   │   ├── response.py
│   │   │   │   │   │   │   └── util
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── connection.py
│   │   │   │   │   │   │       ├── proxy.py
│   │   │   │   │   │   │       ├── queue.py
│   │   │   │   │   │   │       ├── request.py
│   │   │   │   │   │   │       ├── response.py
│   │   │   │   │   │   │       ├── retry.py
│   │   │   │   │   │   │       ├── ssl_.py
│   │   │   │   │   │   │       ├── ssl_match_hostname.py
│   │   │   │   │   │   │       ├── ssltransport.py
│   │   │   │   │   │   │       ├── timeout.py
│   │   │   │   │   │   │       ├── url.py
│   │   │   │   │   │   │       └── wait.py
│   │   │   │   │   │   └── vendor.txt
│   │   │   │   │   └── py.typed
│   │   │   │   ├── pip-25.2.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── REQUESTED
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   ├── AUTHORS.txt
│   │   │   │   │   │   ├── LICENSE.txt
│   │   │   │   │   │   └── src
│   │   │   │   │   │       └── pip
│   │   │   │   │   │           └── _vendor
│   │   │   │   │   │               ├── cachecontrol
│   │   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │   │               ├── certifi
│   │   │   │   │   │               │   └── LICENSE
│   │   │   │   │   │               ├── dependency_groups
│   │   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │   │               ├── distlib
│   │   │   │   │   │               │   └── LICENSE.txt
│   │   │   │   │   │               ├── distro
│   │   │   │   │   │               │   └── LICENSE
│   │   │   │   │   │               ├── idna
│   │   │   │   │   │               │   └── LICENSE.md
│   │   │   │   │   │               ├── msgpack
│   │   │   │   │   │               │   └── COPYING
│   │   │   │   │   │               ├── packaging
│   │   │   │   │   │               │   ├── LICENSE
│   │   │   │   │   │               │   ├── LICENSE.APACHE
│   │   │   │   │   │               │   └── LICENSE.BSD
│   │   │   │   │   │               ├── pkg_resources
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── gemini
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── gemini.py
│   │   │   │   │   │   ├── langchain
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── callbacks.py
│   │   │   │   │   │   ├── openai
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── openai.py
│   │   │   │   │   │   │   ├── openai_async.py
│   │   │   │   │   │   │   └── openai_providers.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   ├── client.py
│   │   │   │   │   ├── consumer.py
│   │   │   │   │   ├── exception_capture.py
│   │   │   │   │   ├── exception_integrations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── django.py
│   │   │   │   │   ├── exception_utils.py
│   │   │   │   │   ├── feature_flags.py
│   │   │   │   │   ├── integrations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── django.py
│   │   │   │   │   ├── poller.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── request.py
│   │   │   │   │   ├── scopes.py
│   │   │   │   │   ├── test
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── test_before_send.py
│   │   │   │   │   │   ├── test_client.py
│   │   │   │   │   │   ├── test_consumer.py
│   │   │   │   │   │   ├── test_exception_capture.py
│   │   │   │   │   │   ├── test_feature_flag.py
│   │   │   │   │   │   ├── test_feature_flag_result.py
│   │   │   │   │   │   ├── test_feature_flags.py
│   │   │   │   │   │   ├── test_module.py
│   │   │   │   │   │   ├── test_request.py
│   │   │   │   │   │   ├── test_scopes.py
│   │   │   │   │   │   ├── test_size_limited_dict.py
│   │   │   │   │   │   ├── test_types.py
│   │   │   │   │   │   └── test_utils.py
│   │   │   │   │   ├── types.py
│   │   │   │   │   ├── utils.py
│   │   │   │   │   └── version.py
│   │   │   │   ├── posthog-5.4.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   └── LICENSE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── propcache
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _helpers.py
```

```
│   │   │   │   │   │   ├── _helpers_c.cpython-39-darwin.so
│   │   │   │   │   │   ├── _helpers_c.pyx
│   │   │   │   │   │   ├── _helpers_py.py
│   │   │   │   │   │   ├── api.py
│   │   │   │   │   │   └── py.typed
│   │   │   │   ├── propcache-0.3.2.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   ├── LICENSE
│   │   │   │   │   │   └── NOTICE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── proto
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _file_info.py
│   │   │   │   │   ├── _package_info.py
│   │   │   │   │   ├── datetime_helpers.py
│   │   │   │   │   ├── enums.py
│   │   │   │   │   ├── fields.py
│   │   │   │   │   ├── marshal
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── collections
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── maps.py
│   │   │   │   │   │   │   └── repeated.py
│   │   │   │   │   │   ├── compat.py
│   │   │   │   │   │   ├── marshal.py
│   │   │   │   │   │   └── rules
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── bytes.py
│   │   │   │   │   │       ├── dates.py
│   │   │   │   │   │       ├── enums.py
│   │   │   │   │   │       ├── field_mask.py
│   │   │   │   │   │       ├── message.py
│   │   │   │   │   │       ├── stringy_numbers.py
│   │   │   │   │   │       ├── struct.py
│   │   │   │   │   │       └── wrappers.py
│   │   │   │   │   ├── message.py
│   │   │   │   │   ├── modules.py
│   │   │   │   │   ├── primitives.py
│   │   │   │   │   ├── utils.py
│   │   │   │   │   └── version.py
│   │   │   │   ├── proto_plus-1.26.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── protobuf-6.31.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
```

```
│   │   │   │   │   │   │   │   └── WHEEL
│   │   │   │   │   │   ├── pyasn1
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── codec
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── ber
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── decoder.py
│   │   │   │   │   │   │   │   │   ├── encoder.py
│   │   │   │   │   │   │   │   │   └── eoo.py
│   │   │   │   │   │   │   │   ├── cer
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── decoder.py
│   │   │   │   │   │   │   │   │   └── encoder.py
│   │   │   │   │   │   │   │   ├── der
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── decoder.py
│   │   │   │   │   │   │   │   │   └── encoder.py
│   │   │   │   │   │   │   │   ├── native
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── decoder.py
│   │   │   │   │   │   │   │   │   └── encoder.py
│   │   │   │   │   │   │   │   └── streaming.py
│   │   │   │   │   │   │   ├── compat
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   └── integer.py
│   │   │   │   │   │   │   ├── debug.py
│   │   │   │   │   │   │   ├── error.py
│   │   │   │   │   │   │   └── type
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── base.py
│   │   │   │   │   │   │       ├── char.py
│   │   │   │   │   │   │       ├── constraint.py
│   │   │   │   │   │   │       ├── error.py
│   │   │   │   │   │   │       ├── namedtype.py
│   │   │   │   │   │   │       ├── namedval.py
│   │   │   │   │   │   │       ├── opentype.py
│   │   │   │   │   │   │       ├── tag.py
│   │   │   │   │   │   │       ├── tagmap.py
│   │   │   │   │   │   │       ├── univ.py
│   │   │   │   │   │   │       └── useful.py
│   │   │   │   │   ├── pyasn1-0.6.1.dist-info
│   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   ├── LICENSE.rst
│   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   ├── top_level.txt
│   │   │   │   │   │   └── zip-safe
│   │   │   │   │   ├── pyasn1_modules
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── pem.py
│   │   │   │   │   │   ├── rfc1155.py
│   │   │   │   │   │   ├── rfc1157.py
│   │   │   │   │   │   ├── rfc1901.py
│   │   │   │   │   │   ├── rfc1902.py
```

```
│   │               │   ├── rfc1905.py
│   │               │   ├── rfc2251.py
│   │               │   ├── rfc2314.py
│   │               │   ├── rfc2315.py
│   │               │   ├── rfc2437.py
│   │               │   ├── rfc2459.py
│   │               │   ├── rfc2511.py
│   │               │   ├── rfc2560.py
│   │               │   ├── rfc2631.py
│   │               │   ├── rfc2634.py
│   │               │   ├── rfc2876.py
│   │               │   ├── rfc2985.py
│   │               │   ├── rfc2986.py
│   │               │   ├── rfc3058.py
│   │               │   ├── rfc3114.py
│   │               │   ├── rfc3125.py
│   │               │   ├── rfc3161.py
│   │               │   ├── rfc3274.py
│   │               │   ├── rfc3279.py
│   │               │   ├── rfc3280.py
│   │               │   ├── rfc3281.py
│   │               │   ├── rfc3370.py
│   │               │   ├── rfc3412.py
│   │               │   ├── rfc3414.py
│   │               │   ├── rfc3447.py
│   │               │   ├── rfc3537.py
│   │               │   ├── rfc3560.py
│   │               │   ├── rfc3565.py
│   │               │   ├── rfc3657.py
│   │               │   ├── rfc3709.py
│   │               │   ├── rfc3739.py
│   │               │   ├── rfc3770.py
│   │               │   ├── rfc3779.py
│   │               │   ├── rfc3820.py
│   │               │   ├── rfc3852.py
│   │               │   ├── rfc4010.py
│   │               │   ├── rfc4043.py
│   │               │   ├── rfc4055.py
│   │               │   ├── rfc4073.py
│   │               │   ├── rfc4108.py
│   │               │   ├── rfc4210.py
│   │               │   ├── rfc4211.py
│   │               │   ├── rfc4334.py
│   │               │   ├── rfc4357.py
│   │               │   ├── rfc4387.py
│   │               │   ├── rfc4476.py
│   │               │   ├── rfc4490.py
│   │               │   ├── rfc4491.py
│   │               │   ├── rfc4683.py
│   │               │   ├── rfc4985.py
│   │               │   ├── rfc5035.py
│   │               │   ├── rfc5083.py
│   │               │   ├── rfc5084.py
│   │               │   ├── rfc5126.py
│   │               │   ├── rfc5208.py
│   │               │   ├── rfc5275.py
```

```
│   │   │   │   ├── rfc5280.py
│   │   │   │   ├── rfc5480.py
│   │   │   │   ├── rfc5636.py
│   │   │   │   ├── rfc5639.py
│   │   │   │   ├── rfc5649.py
│   │   │   │   ├── rfc5652.py
│   │   │   │   ├── rfc5697.py
│   │   │   │   ├── rfc5751.py
│   │   │   │   ├── rfc5752.py
│   │   │   │   ├── rfc5753.py
│   │   │   │   ├── rfc5755.py
│   │   │   │   ├── rfc5913.py
│   │   │   │   ├── rfc5914.py
│   │   │   │   ├── rfc5915.py
│   │   │   │   ├── rfc5916.py
│   │   │   │   ├── rfc5917.py
│   │   │   │   ├── rfc5924.py
│   │   │   │   ├── rfc5934.py
│   │   │   │   ├── rfc5940.py
│   │   │   │   ├── rfc5958.py
│   │   │   │   ├── rfc5990.py
│   │   │   │   ├── rfc6010.py
│   │   │   │   ├── rfc6019.py
│   │   │   │   ├── rfc6031.py
│   │   │   │   ├── rfc6032.py
│   │   │   │   ├── rfc6120.py
│   │   │   │   ├── rfc6170.py
│   │   │   │   ├── rfc6187.py
│   │   │   │   ├── rfc6210.py
│   │   │   │   ├── rfc6211.py
│   │   │   │   ├── rfc6402.py
│   │   │   │   ├── rfc6482.py
│   │   │   │   ├── rfc6486.py
│   │   │   │   ├── rfc6487.py
│   │   │   │   ├── rfc6664.py
│   │   │   │   ├── rfc6955.py
│   │   │   │   ├── rfc6960.py
│   │   │   │   ├── rfc7030.py
│   │   │   │   ├── rfc7191.py
│   │   │   │   ├── rfc7229.py
│   │   │   │   ├── rfc7292.py
│   │   │   │   ├── rfc7296.py
│   │   │   │   ├── rfc7508.py
│   │   │   │   ├── rfc7585.py
│   │   │   │   ├── rfc7633.py
│   │   │   │   ├── rfc7773.py
│   │   │   │   ├── rfc7894.py
│   │   │   │   ├── rfc7906.py
│   │   │   │   ├── rfc7914.py
│   │   │   │   ├── rfc8017.py
│   │   │   │   ├── rfc8018.py
│   │   │   │   ├── rfc8103.py
│   │   │   │   ├── rfc8209.py
│   │   │   │   ├── rfc8226.py
│   │   │   │   ├── rfc8358.py
│   │   │   │   ├── rfc8360.py
```

```
│   │               │   ├── rfc8398.py
│   │               │   ├── rfc8410.py
│   │               │   ├── rfc8418.py
│   │               │   ├── rfc8419.py
│   │               │   ├── rfc8479.py
│   │               │   ├── rfc8494.py
│   │               │   ├── rfc8520.py
│   │               │   ├── rfc8619.py
│   │               │   ├── rfc8649.py
│   │               │   ├── rfc8692.py
│   │               │   ├── rfc8696.py
│   │               │   ├── rfc8702.py
│   │               │   ├── rfc8708.py
│   │               │   └── rfc8769.py
│   │               ├── pyasn1_modules-0.4.2.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE.txt
│   │               │   ├── top_level.txt
│   │               │   └── zip-safe
│   │               ├── pybase64
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── _fallback.py
│   │               │   ├── _license.py
│   │               │   ├── _license.pyi
│   │               │   ├── _pybase64.cpython-39-darwin.so
│   │               │   ├── _pybase64.pyi
│   │               │   ├── _typing.py
│   │               │   ├── _version.py
│   │               │   └── py.typed
│   │               ├── pybase64-1.4.2.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── pydantic
│   │               │   ├── __init__.py
│   │               │   ├── _internal
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _config.py
│   │               │   │   ├── _core_metadata.py
│   │               │   │   ├── _core_utils.py
│   │               │   │   ├── _dataclasses.py
│   │               │   │   ├── _decorators.py
│   │               │   │   ├── _decorators_v1.py
│   │               │   │   ├── _discriminated_union.py
│   │               │   │   ├── _docs_extraction.py
│   │               │   │   ├── _fields.py
```

```
│   │               │   │   ├── _forward_ref.py
│   │               │   │   ├── _generate_schema.py
│   │               │   │   ├── _generics.py
│   │               │   │   ├── _git.py
│   │               │   │   ├── _import_utils.py
│   │               │   │   ├── _internal_dataclass.py
│   │               │   │   ├── _known_annotated_metadata.py
│   │               │   │   ├── _mock_val_ser.py
│   │               │   │   ├── _model_construction.py
│   │               │   │   ├── _namespace_utils.py
│   │               │   │   ├── _repr.py
│   │               │   │   ├── _schema_gather.py
│   │               │   │   ├── _schema_generation_shared.py
│   │               │   │   ├── _serializers.py
│   │               │   │   ├── _signature.py
│   │               │   │   ├── _typing_extra.py
│   │               │   │   ├── _utils.py
│   │               │   │   ├── _validate_call.py
│   │               │   │   └── _validators.py
│   │               │   ├── _migration.py
│   │               │   ├── alias_generators.py
│   │               │   ├── aliases.py
│   │               │   ├── annotated_handlers.py
│   │               │   ├── class_validators.py
│   │               │   ├── color.py
│   │               │   ├── config.py
│   │               │   ├── dataclasses.py
│   │               │   ├── datetime_parse.py
│   │               │   ├── decorator.py
│   │               │   ├── deprecated
│   │               │   │   ├── __init__.py
│   │               │   │   ├── class_validators.py
│   │               │   │   ├── config.py
│   │               │   │   ├── copy_internals.py
│   │               │   │   ├── decorator.py
│   │               │   │   ├── json.py
│   │               │   │   ├── parse.py
│   │               │   │   └── tools.py
│   │               │   ├── env_settings.py
│   │               │   ├── error_wrappers.py
│   │               │   ├── errors.py
│   │               │   ├── experimental
│   │               │   │   ├── __init__.py
│   │               │   │   ├── arguments_schema.py
│   │               │   │   └── pipeline.py
│   │               │   ├── fields.py
│   │               │   ├── functional_serializers.py
│   │               │   ├── functional_validators.py
│   │               │   ├── generics.py
│   │               │   ├── json.py
│   │               │   ├── json_schema.py
│   │               │   ├── main.py
│   │               │   ├── mypy.py
│   │               │   ├── networks.py
│   │               │   ├── parse.py
│   │               │   ├── plugin
```

```
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _loader.py
│   │               │   │   └── _schema_validator.py
│   │               │   ├── py.typed
│   │               │   ├── root_model.py
│   │               │   ├── schema.py
│   │               │   ├── tools.py
│   │               │   ├── type_adapter.py
│   │               │   ├── types.py
│   │               │   ├── typing.py
│   │               │   ├── utils.py
│   │               │   ├── v1
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _hypothesis_plugin.py
│   │               │   │   ├── annotated_types.py
│   │               │   │   ├── class_validators.py
│   │               │   │   ├── color.py
│   │               │   │   ├── config.py
│   │               │   │   ├── dataclasses.py
│   │               │   │   ├── datetime_parse.py
│   │               │   │   ├── decorator.py
│   │               │   │   ├── env_settings.py
│   │               │   │   ├── error_wrappers.py
│   │               │   │   ├── errors.py
│   │               │   │   ├── fields.py
│   │               │   │   ├── generics.py
│   │               │   │   ├── json.py
│   │               │   │   ├── main.py
│   │               │   │   ├── mypy.py
│   │               │   │   ├── networks.py
│   │               │   │   ├── parse.py
│   │               │   │   ├── py.typed
│   │               │   │   ├── schema.py
│   │               │   │   ├── tools.py
│   │               │   │   ├── types.py
│   │               │   │   ├── typing.py
│   │               │   │   ├── utils.py
│   │               │   │   ├── validators.py
│   │               │   │   └── version.py
│   │               │   ├── validate_call_decorator.py
│   │               │   ├── validators.py
│   │               │   ├── version.py
│   │               │   └── warnings.py
│   │               ├── pydantic-2.11.7.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── pydantic_core
│   │               │   ├── __init__.py
│   │               │   ├── _pydantic_core.cpython-39-darwin.so
│   │               │   ├── _pydantic_core.pyi
│   │               │   ├── core_schema.py
│   │               │   └── py.typed
```

```
│   │   │   │   ├── pydantic_core-2.33.2.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── pydantic_settings
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── exceptions.py
│   │   │   │   │   ├── main.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── sources
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── providers
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── aws.py
│   │   │   │   │   │   │   ├── azure.py
│   │   │   │   │   │   │   ├── cli.py
│   │   │   │   │   │   │   ├── dotenv.py
│   │   │   │   │   │   │   ├── env.py
│   │   │   │   │   │   │   ├── gcp.py
│   │   │   │   │   │   │   ├── json.py
│   │   │   │   │   │   │   ├── pyproject.py
│   │   │   │   │   │   │   ├── secrets.py
│   │   │   │   │   │   │   ├── toml.py
│   │   │   │   │   │   │   └── yaml.py
│   │   │   │   │   │   ├── types.py
│   │   │   │   │   │   └── utils.py
│   │   │   │   │   ├── utils.py
│   │   │   │   │   └── version.py
│   │   │   │   ├── pydantic_settings-2.10.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── pygame
│   │   │   │   │   ├── .dylibs
│   │   │   │   │   │   ├── libFLAC.8.dylib
│   │   │   │   │   │   ├── libSDL2-2.0.0.dylib
│   │   │   │   │   │   ├── libSDL2_image-2.0.0.dylib
│   │   │   │   │   │   ├── libSDL2_mixer-2.0.0.dylib
│   │   │   │   │   │   ├── libSDL2_ttf-2.0.0.dylib
│   │   │   │   │   │   ├── libbrotlicommon.1.0.9.dylib
│   │   │   │   │   │   ├── libbrotlidec.1.0.9.dylib
│   │   │   │   │   │   ├── libfluidsynth.3.1.1.dylib
│   │   │   │   │   │   ├── libfreetype.6.dylib
│   │   │   │   │   │   ├── libglib-2.0.0.dylib
│   │   │   │   │   │   ├── libgthread-2.0.0.dylib
│   │   │   │   │   │   ├── libintl.8.dylib
│   │   │   │   │   │   ├── libjpeg.62.3.0.dylib
│   │   │   │   │   │   ├── libmodplug.1.dylib
│   │   │   │   │   │   ├── libmpg123.0.dylib
```

```
│   │               │   │   ├── libogg.0.8.5.dylib
│   │               │   │   ├── libopus.0.dylib
│   │               │   │   ├── libopusfile.0.dylib
│   │               │   │   ├── libpng16.16.dylib
│   │               │   │   ├── libportmidi.2.0.3.dylib
│   │               │   │   ├── libsharpyuv.0.dylib
│   │               │   │   ├── libsndfile.1.0.34.dylib
│   │               │   │   ├── libtiff.5.8.0.dylib
│   │               │   │   ├── libvorbis.0.4.9.dylib
│   │               │   │   ├── libvorbisenc.2.0.12.dylib
│   │               │   │   ├── libvorbisfile.3.3.8.dylib
│   │               │   │   ├── libwebp.7.dylib
│   │               │   │   └── libz.1.2.11.zlib-ng.dylib
│   │               │   ├── __init__.py
│   │               │   ├── __init__.pyi
│   │               │   ├── __pyinstaller
│   │               │   │   ├── __init__.py
│   │               │   │   └── hook-pygame.py
│   │               │   ├── _camera.cpython-39-darwin.so
│   │               │   ├── _camera_opencv.py
│   │               │   ├── _camera_vidcapture.py
│   │               │   ├── _common.pyi
│   │               │   ├── _freetype.cpython-39-darwin.so
│   │               │   ├── _sdl2
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __init__.pyi
│   │               │   │   ├── audio.cpython-39-darwin.so
│   │               │   │   ├── audio.pyi
│   │               │   │   ├── controller.cpython-39-darwin.so
│   │               │   │   ├── controller.pyi
│   │               │   │   ├── mixer.cpython-39-darwin.so
│   │               │   │   ├── sdl2.cpython-39-darwin.so
│   │               │   │   ├── sdl2.pyi
│   │               │   │   ├── touch.cpython-39-darwin.so
│   │               │   │   ├── touch.pyi
│   │               │   │   ├── video.cpython-39-darwin.so
│   │               │   │   └── video.pyi
│   │               │   ├── _sprite.cpython-39-darwin.so
│   │               │   ├── base.cpython-39-darwin.so
│   │               │   ├── base.pyi
│   │               │   ├── bufferproxy.cpython-39-darwin.so
│   │               │   ├── bufferproxy.pyi
│   │               │   ├── camera.py
│   │               │   ├── camera.pyi
│   │               │   ├── color.cpython-39-darwin.so
│   │               │   ├── color.pyi
│   │               │   ├── colordict.py
│   │               │   ├── constants.cpython-39-darwin.so
│   │               │   ├── constants.pyi
│   │               │   ├── cursors.py
│   │               │   ├── cursors.pyi
│   │               │   ├── display.cpython-39-darwin.so
│   │               │   ├── display.pyi
│   │               │   ├── docs
│   │               │   │   ├── __main__.py
│   │               │   │   └── generated
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │               │   │       │       ├── overlay.rst.txt
│   │               │   │       │       ├── pixelarray.rst.txt
│   │               │   │       │       ├── pixelcopy.rst.txt
│   │               │   │       │       ├── pygame.rst.txt
│   │               │   │       │       ├── rect.rst.txt
│   │               │   │       │       ├── scrap.rst.txt
│   │               │   │       │       ├── sdl2_controller.rst.txt
│   │               │   │       │       ├── sdl2_video.rst.txt
│   │               │   │       │       ├── sndarray.rst.txt
│   │               │   │       │       ├── sprite.rst.txt
│   │               │   │       │       ├── surface.rst.txt
│   │               │   │       │       ├── surfarray.rst.txt
│   │               │   │       │       ├── tests.rst.txt
│   │               │   │       │       ├── time.rst.txt
│   │               │   │       │       ├── touch.rst.txt
│   │               │   │       │       └── transform.rst.txt
│   │               │   │       ├── _static
│   │               │   │       │   ├── basic.css
│   │               │   │       │   ├── doctools.js
│   │               │   │       │   ├── documentation_options.js
│   │               │   │       │   ├── file.png
│   │               │   │       │   ├── language_data.js
│   │               │   │       │   ├── legacy_logos.zip
│   │               │   │       │   ├── minus.png
│   │               │   │       │   ├── plus.png
│   │               │   │       │   ├── pygame.css
│   │               │   │       │   ├── pygame.ico
│   │               │   │       │   ├── pygame_lofi.png
│   │               │   │       │   ├── pygame_lofi.svg
│   │               │   │       │   ├── pygame_logo.png
│   │               │   │       │   ├── pygame_logo.svg
│   │               │   │       │   ├── pygame_powered.png
│   │               │   │       │   ├── pygame_powered.svg
│   │               │   │       │   ├── pygame_powered_lowres.png
│   │               │   │       │   ├── pygame_tiny.png
│   │               │   │       │   ├── pygments.css
│   │               │   │       │   ├── reset.css
│   │               │   │       │   ├── searchtools.js
│   │               │   │       │   ├── sphinx_highlight.js
│   │               │   │       │   └── tooltip.css
│   │               │   │       ├── c_api
│   │               │   │       │   ├── base.html
│   │               │   │       │   ├── bufferproxy.html
│   │               │   │       │   ├── color.html
│   │               │   │       │   ├── display.html
│   │               │   │       │   ├── event.html
│   │               │   │       │   ├── freetype.html
│   │               │   │       │   ├── mixer.html
│   │               │   │       │   ├── rect.html
│   │               │   │       │   ├── rwobject.html
│   │               │   │       │   ├── slots.html
│   │               │   │       │   ├── surface.html
│   │               │   │       │   ├── surflock.html
│   │               │   │       │   └── version.html
│   │               │   │       ├── c_api.html
│   │               │   │       ├── filepaths.html
```

```
│   │               │   │       ├── genindex.html
│   │               │   │       ├── index.html
│   │               │   │       ├── logos.html
│   │               │   │       ├── py-modindex.html
│   │               │   │       ├── ref
│   │               │   │       │   ├── bufferproxy.html
│   │               │   │       │   ├── camera.html
│   │               │   │       │   ├── cdrom.html
│   │               │   │       │   ├── color.html
│   │               │   │       │   ├── color_list.html
│   │               │   │       │   ├── cursors.html
│   │               │   │       │   ├── display.html
│   │               │   │       │   ├── draw.html
│   │               │   │       │   ├── event.html
│   │               │   │       │   ├── examples.html
│   │               │   │       │   ├── fastevent.html
│   │               │   │       │   ├── font.html
│   │               │   │       │   ├── freetype.html
│   │               │   │       │   ├── gfxdraw.html
│   │               │   │       │   ├── image.html
│   │               │   │       │   ├── joystick.html
│   │               │   │       │   ├── key.html
│   │               │   │       │   ├── locals.html
│   │               │   │       │   ├── mask.html
│   │               │   │       │   ├── math.html
│   │               │   │       │   ├── midi.html
│   │               │   │       │   ├── mixer.html
│   │               │   │       │   ├── mouse.html
│   │               │   │       │   ├── music.html
│   │               │   │       │   ├── overlay.html
│   │               │   │       │   ├── pixelarray.html
│   │               │   │       │   ├── pixelcopy.html
│   │               │   │       │   ├── pygame.html
│   │               │   │       │   ├── rect.html
│   │               │   │       │   ├── scrap.html
│   │               │   │       │   ├── sdl2_controller.html
│   │               │   │       │   ├── sdl2_video.html
│   │               │   │       │   ├── sndarray.html
│   │               │   │       │   ├── sprite.html
│   │               │   │       │   ├── surface.html
│   │               │   │       │   ├── surfarray.html
│   │               │   │       │   ├── tests.html
│   │               │   │       │   ├── time.html
│   │               │   │       │   ├── touch.html
│   │               │   │       │   └── transform.html
│   │               │   │       ├── search.html
│   │               │   │       ├── searchindex.js
│   │               │   │       └── tut
│   │               │   │           ├── CameraIntro.html
│   │               │   │           ├── ChimpLineByLine.html
│   │               │   │           ├── DisplayModes.html
│   │               │   │           ├── ImportInit.html
│   │               │   │           ├── MakeGames.html
│   │               │   │           ├── MoveIt.html
│   │               │   │           ├── PygameIntro.html
│   │               │   │           ├── SpriteIntro.html
```

```
│   │               │   │           ├── SurfarrayIntro.html
│   │               │   │           ├── chimp.py.html
│   │               │   │           ├── newbieguide.html
│   │               │   │           ├── tom_games2.html
│   │               │   │           ├── tom_games3.html
│   │               │   │           ├── tom_games4.html
│   │               │   │           ├── tom_games5.html
│   │               │   │           └── tom_games6.html
│   │               │   ├── draw.cpython-39-darwin.so
│   │               │   ├── draw.pyi
│   │               │   ├── draw_py.py
│   │               │   ├── event.cpython-39-darwin.so
│   │               │   ├── event.pyi
│   │               │   ├── examples
│   │               │   │   ├── README.rst
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aacircle.py
│   │               │   │   ├── aliens.py
│   │               │   │   ├── arraydemo.py
│   │               │   │   ├── audiocapture.py
│   │               │   │   ├── blend_fill.py
│   │               │   │   ├── blit_blends.py
│   │               │   │   ├── camera.py
│   │               │   │   ├── chimp.py
│   │               │   │   ├── cursors.py
│   │               │   │   ├── data
│   │               │   │   │   ├── BGR.png
│   │               │   │   │   ├── alien1.gif
│   │               │   │   │   ├── alien1.jpg
│   │               │   │   │   ├── alien1.png
│   │               │   │   │   ├── alien2.gif
│   │               │   │   │   ├── alien2.png
│   │               │   │   │   ├── alien3.gif
│   │               │   │   │   ├── alien3.png
│   │               │   │   │   ├── arraydemo.bmp
│   │               │   │   │   ├── asprite.bmp
│   │               │   │   │   ├── background.gif
│   │               │   │   │   ├── black.ppm
│   │               │   │   │   ├── blue.gif
│   │               │   │   │   ├── blue.mpg
│   │               │   │   │   ├── bomb.gif
│   │               │   │   │   ├── boom.wav
│   │               │   │   │   ├── brick.png
│   │               │   │   │   ├── car_door.wav
│   │               │   │   │   ├── chimp.png
│   │               │   │   │   ├── city.png
│   │               │   │   │   ├── crimson.pnm
│   │               │   │   │   ├── cursor.png
│   │               │   │   │   ├── danger.gif
│   │               │   │   │   ├── explosion1.gif
│   │               │   │   │   ├── fist.png
│   │               │   │   │   ├── green.pcx
│   │               │   │   │   ├── grey.pgm
│   │               │   │   │   ├── house_lo.mp3
│   │               │   │   │   ├── house_lo.ogg
│   │               │   │   │   ├── house_lo.wav
```

```
│   │               │   │   │   ├── laplacian.png
│   │               │   │   │   ├── liquid.bmp
│   │               │   │   │   ├── midikeys.png
│   │               │   │   │   ├── player1.gif
│   │               │   │   │   ├── punch.wav
│   │               │   │   │   ├── purple.xpm
│   │               │   │   │   ├── red.jpg
│   │               │   │   │   ├── sans.ttf
│   │               │   │   │   ├── scarlet.webp
│   │               │   │   │   ├── secosmic_lo.wav
│   │               │   │   │   ├── shot.gif
│   │               │   │   │   ├── static.png
│   │               │   │   │   ├── teal.svg
│   │               │   │   │   ├── turquoise.tif
│   │               │   │   │   ├── whiff.wav
│   │               │   │   │   └── yellow.tga
│   │               │   │   ├── dropevent.py
│   │               │   │   ├── eventlist.py
│   │               │   │   ├── font_viewer.py
│   │               │   │   ├── fonty.py
│   │               │   │   ├── freetype_misc.py
│   │               │   │   ├── glcube.py
│   │               │   │   ├── go_over_there.py
│   │               │   │   ├── grid.py
│   │               │   │   ├── headless_no_windows_needed.py
│   │               │   │   ├── joystick.py
│   │               │   │   ├── liquid.py
│   │               │   │   ├── mask.py
│   │               │   │   ├── midi.py
│   │               │   │   ├── moveit.py
│   │               │   │   ├── music_drop_fade.py
│   │               │   │   ├── pixelarray.py
│   │               │   │   ├── playmus.py
│   │               │   │   ├── resizing_new.py
│   │               │   │   ├── scaletest.py
│   │               │   │   ├── scrap_clipboard.py
│   │               │   │   ├── scroll.py
│   │               │   │   ├── setmodescale.py
│   │               │   │   ├── sound.py
│   │               │   │   ├── sound_array_demos.py
│   │               │   │   ├── sprite_texture.py
│   │               │   │   ├── stars.py
│   │               │   │   ├── testsprite.py
│   │               │   │   ├── textinput.py
│   │               │   │   ├── vgrade.py
│   │               │   │   └── video.py
│   │               │   ├── fastevent.py
│   │               │   ├── fastevent.pyi
│   │               │   ├── font.cpython-39-darwin.so
│   │               │   ├── font.pyi
│   │               │   ├── freesansbold.ttf
│   │               │   ├── freetype.py
│   │               │   ├── freetype.pyi
│   │               │   ├── ftfont.py
│   │               │   ├── gfxdraw.cpython-39-darwin.so
│   │               │   ├── gfxdraw.pyi
```

```
│   │               │   ├── image.cpython-39-darwin.so
│   │               │   ├── image.pyi
│   │               │   ├── imageext.cpython-39-darwin.so
│   │               │   ├── joystick.cpython-39-darwin.so
│   │               │   ├── joystick.pyi
│   │               │   ├── key.cpython-39-darwin.so
│   │               │   ├── key.pyi
│   │               │   ├── locals.py
│   │               │   ├── locals.pyi
│   │               │   ├── macosx.py
│   │               │   ├── mask.cpython-39-darwin.so
│   │               │   ├── mask.pyi
│   │               │   ├── math.cpython-39-darwin.so
│   │               │   ├── math.pyi
│   │               │   ├── midi.py
│   │               │   ├── midi.pyi
│   │               │   ├── mixer.cpython-39-darwin.so
│   │               │   ├── mixer.pyi
│   │               │   ├── mixer_music.cpython-39-darwin.so
│   │               │   ├── mixer_music.pyi
│   │               │   ├── mouse.cpython-39-darwin.so
│   │               │   ├── mouse.pyi
│   │               │   ├── newbuffer.cpython-39-darwin.so
│   │               │   ├── pixelarray.cpython-39-darwin.so
│   │               │   ├── pixelarray.pyi
│   │               │   ├── pixelcopy.cpython-39-darwin.so
│   │               │   ├── pixelcopy.pyi
│   │               │   ├── pkgdata.py
│   │               │   ├── py.typed
│   │               │   ├── pygame.ico
│   │               │   ├── pygame_icon.bmp
│   │               │   ├── pygame_icon.icns
│   │               │   ├── pygame_icon_mac.bmp
│   │               │   ├── pypm.cpython-39-darwin.so
│   │               │   ├── rect.cpython-39-darwin.so
│   │               │   ├── rect.pyi
│   │               │   ├── rwobject.cpython-39-darwin.so
│   │               │   ├── rwobject.pyi
│   │               │   ├── scrap.cpython-39-darwin.so
│   │               │   ├── scrap.pyi
│   │               │   ├── sdlmain_osx.cpython-39-darwin.so
│   │               │   ├── sndarray.py
│   │               │   ├── sndarray.pyi
│   │               │   ├── sprite.py
│   │               │   ├── sprite.pyi
│   │               │   ├── surface.cpython-39-darwin.so
│   │               │   ├── surface.pyi
│   │               │   ├── surfarray.py
│   │               │   ├── surfarray.pyi
│   │               │   ├── surflock.cpython-39-darwin.so
│   │               │   ├── surflock.pyi
│   │               │   ├── sysfont.py
│   │               │   ├── tests
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __main__.py
│   │               │   │   ├── base_test.py
```

```
│   │               │   │   ├── blit_test.py
│   │               │   │   ├── bufferproxy_test.py
│   │               │   │   ├── camera_test.py
│   │               │   │   ├── color_test.py
│   │               │   │   ├── constants_test.py
│   │               │   │   ├── controller_test.py
│   │               │   │   ├── cursors_test.py
│   │               │   │   ├── display_test.py
│   │               │   │   ├── docs_test.py
│   │               │   │   ├── draw_test.py
│   │               │   │   ├── event_test.py
│   │               │   │   ├── fixtures
│   │               │   │   │   ├── fonts
│   │               │   │   │   │   ├── A_PyGameMono-8.png
│   │               │   │   │   │   ├── PlayfairDisplaySemibold.ttf
│   │               │   │   │   │   ├── PyGameMono-18-100dpi.bdf
│   │               │   │   │   │   ├── PyGameMono-18-75dpi.bdf
│   │               │   │   │   │   ├── PyGameMono-8.bdf
│   │               │   │   │   │   ├── PyGameMono.otf
│   │               │   │   │   │   ├── test_fixed.otf
│   │               │   │   │   │   ├── test_sans.ttf
│   │               │   │   │   │   └── u13079_PyGameMono-8.png
│   │               │   │   │   └── xbm_cursors
│   │               │   │   │       ├── white_sizing.xbm
│   │               │   │   │       └── white_sizing_mask.xbm
│   │               │   │   ├── font_test.py
│   │               │   │   ├── freetype_tags.py
│   │               │   │   ├── freetype_test.py
│   │               │   │   ├── ftfont_tags.py
│   │               │   │   ├── ftfont_test.py
│   │               │   │   ├── gfxdraw_test.py
│   │               │   │   ├── image__save_gl_surface_test.py
│   │               │   │   ├── image_tags.py
│   │               │   │   ├── image_test.py
│   │               │   │   ├── imageext_tags.py
│   │               │   │   ├── imageext_test.py
│   │               │   │   ├── joystick_test.py
│   │               │   │   ├── key_test.py
│   │               │   │   ├── locals_test.py
│   │               │   │   ├── mask_test.py
│   │               │   │   ├── math_test.py
│   │               │   │   ├── midi_test.py
│   │               │   │   ├── mixer_music_tags.py
│   │               │   │   ├── mixer_music_test.py
│   │               │   │   ├── mixer_tags.py
│   │               │   │   ├── mixer_test.py
│   │               │   │   ├── mouse_test.py
│   │               │   │   ├── pixelarray_test.py
│   │               │   │   ├── pixelcopy_test.py
│   │               │   │   ├── rect_test.py
│   │               │   │   ├── run_tests__tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── all_ok
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── fake_3_test.py
```

```
│   │               │   │   │   │   ├── fake_4_test.py
│   │               │   │   │   │   ├── fake_5_test.py
│   │               │   │   │   │   ├── fake_6_test.py
│   │               │   │   │   │   ├──
no_assertions__ret_code_of_1__test.py
│   │               │   │   │   │   └── zero_tests_test.py
│   │               │   │   │   ├── everything
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── incomplete_todo_test.py
│   │               │   │   │   │   ├── magic_tag_test.py
│   │               │   │   │   │   └── sleep_test.py
│   │               │   │   │   ├── exclude
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── invisible_tag_test.py
│   │               │   │   │   │   └── magic_tag_test.py
│   │               │   │   │   ├── failures1
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── fake_3_test.py
│   │               │   │   │   │   └── fake_4_test.py
│   │               │   │   │   ├── incomplete
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   └── fake_3_test.py
│   │               │   │   │   ├── incomplete_todo
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   └── fake_3_test.py
│   │               │   │   │   ├── infinite_loop
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_1_test.py
│   │               │   │   │   │   └── fake_2_test.py
│   │               │   │   │   ├── print_stderr
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── fake_3_test.py
│   │               │   │   │   │   └── fake_4_test.py
│   │               │   │   │   ├── print_stdout
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── fake_2_test.py
│   │               │   │   │   │   ├── fake_3_test.py
│   │               │   │   │   │   └── fake_4_test.py
│   │               │   │   │   ├── run_tests__test.py
│   │               │   │   │   └── timeout
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── fake_2_test.py
│   │               │   │   │       └── sleep_test.py
│   │               │   │   ├── rwobject_test.py
│   │               │   │   ├── scrap_tags.py
│   │               │   │   ├── scrap_test.py
│   │               │   │   ├── sndarray_tags.py
│   │               │   │   ├── sndarray_test.py
│   │               │   │   ├── sprite_test.py
│   │               │   │   ├── surface_test.py
```

```
│   │               │   │   ├── surfarray_tags.py
│   │               │   │   ├── surfarray_test.py
│   │               │   │   ├── surflock_test.py
│   │               │   │   ├── sysfont_test.py
│   │               │   │   ├── test_utils
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── arrinter.py
│   │               │   │   │   ├── async_sub.py
│   │               │   │   │   ├── buftools.py
│   │               │   │   │   ├── endian.py
│   │               │   │   │   ├── png.py
│   │               │   │   │   ├── run_tests.py
│   │               │   │   │   ├── test_machinery.py
│   │               │   │   │   └── test_runner.py
│   │               │   │   ├── threads_test.py
│   │               │   │   ├── time_test.py
│   │               │   │   ├── touch_test.py
│   │               │   │   ├── transform_test.py
│   │               │   │   ├── version_test.py
│   │               │   │   └── video_test.py
│   │               │   ├── threads
│   │               │   │   └── __init__.py
│   │               │   ├── time.cpython-39-darwin.so
│   │               │   ├── time.pyi
│   │               │   ├── transform.cpython-39-darwin.so
│   │               │   ├── transform.pyi
│   │               │   ├── version.py
│   │               │   └── version.pyi
│   │               ├── pygame-2.6.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── pygments
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── cmdline.py
│   │               │   ├── console.py
│   │               │   ├── filter.py
│   │               │   ├── filters
│   │               │   │   └── __init__.py
│   │               │   ├── formatter.py
│   │               │   ├── formatters
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _mapping.py
│   │               │   │   ├── bbcode.py
│   │               │   │   ├── groff.py
│   │               │   │   ├── html.py
│   │               │   │   ├── img.py
│   │               │   │   ├── irc.py
│   │               │   │   ├── latex.py
│   │               │   │   ├── other.py
│   │               │   │   ├── pangomarkup.py
```

```
│   │               │   │   ├── rtf.py
│   │               │   │   ├── svg.py
│   │               │   │   ├── terminal.py
│   │               │   │   └── terminal256.py
│   │               │   ├── lexer.py
│   │               │   ├── lexers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _ada_builtins.py
│   │               │   │   ├── _asy_builtins.py
│   │               │   │   ├── _cl_builtins.py
│   │               │   │   ├── _cocoa_builtins.py
│   │               │   │   ├── _csound_builtins.py
│   │               │   │   ├── _css_builtins.py
│   │               │   │   ├── _googlesql_builtins.py
│   │               │   │   ├── _julia_builtins.py
│   │               │   │   ├── _lasso_builtins.py
│   │               │   │   ├── _lilypond_builtins.py
│   │               │   │   ├── _lua_builtins.py
│   │               │   │   ├── _luau_builtins.py
│   │               │   │   ├── _mapping.py
│   │               │   │   ├── _mql_builtins.py
│   │               │   │   ├── _mysql_builtins.py
│   │               │   │   ├── _openedge_builtins.py
│   │               │   │   ├── _php_builtins.py
│   │               │   │   ├── _postgres_builtins.py
│   │               │   │   ├── _qlik_builtins.py
│   │               │   │   ├── _scheme_builtins.py
│   │               │   │   ├── _scilab_builtins.py
│   │               │   │   ├── _sourcemod_builtins.py
│   │               │   │   ├── _sql_builtins.py
│   │               │   │   ├── _stan_builtins.py
│   │               │   │   ├── _stata_builtins.py
│   │               │   │   ├── _tsql_builtins.py
│   │               │   │   ├── _usd_builtins.py
│   │               │   │   ├── _vbscript_builtins.py
│   │               │   │   ├── _vim_builtins.py
│   │               │   │   ├── actionscript.py
│   │               │   │   ├── ada.py
│   │               │   │   ├── agile.py
│   │               │   │   ├── algebra.py
│   │               │   │   ├── ambient.py
│   │               │   │   ├── amdgpu.py
│   │               │   │   ├── ampl.py
│   │               │   │   ├── apdlexer.py
│   │               │   │   ├── apl.py
│   │               │   │   ├── archetype.py
│   │               │   │   ├── arrow.py
│   │               │   │   ├── arturo.py
│   │               │   │   ├── asc.py
│   │               │   │   ├── asm.py
│   │               │   │   ├── asn1.py
│   │               │   │   ├── automation.py
│   │               │   │   ├── bare.py
│   │               │   │   ├── basic.py
│   │               │   │   ├── bdd.py
│   │               │   │   ├── berry.py
```

```
│   │               │   │   ├── bibtex.py
│   │               │   │   ├── blueprint.py
│   │               │   │   ├── boa.py
│   │               │   │   ├── bqn.py
│   │               │   │   ├── business.py
│   │               │   │   ├── c_cpp.py
│   │               │   │   ├── c_like.py
│   │               │   │   ├── capnproto.py
│   │               │   │   ├── carbon.py
│   │               │   │   ├── cddl.py
│   │               │   │   ├── chapel.py
│   │               │   │   ├── clean.py
│   │               │   │   ├── codeql.py
│   │               │   │   ├── comal.py
│   │               │   │   ├── compiled.py
│   │               │   │   ├── configs.py
│   │               │   │   ├── console.py
│   │               │   │   ├── cplint.py
│   │               │   │   ├── crystal.py
│   │               │   │   ├── csound.py
│   │               │   │   ├── css.py
│   │               │   │   ├── d.py
│   │               │   │   ├── dalvik.py
│   │               │   │   ├── data.py
│   │               │   │   ├── dax.py
│   │               │   │   ├── devicetree.py
│   │               │   │   ├── diff.py
│   │               │   │   ├── dns.py
│   │               │   │   ├── dotnet.py
│   │               │   │   ├── dsls.py
│   │               │   │   ├── dylan.py
│   │               │   │   ├── ecl.py
│   │               │   │   ├── eiffel.py
│   │               │   │   ├── elm.py
│   │               │   │   ├── elpi.py
│   │               │   │   ├── email.py
│   │               │   │   ├── erlang.py
│   │               │   │   ├── esoteric.py
│   │               │   │   ├── ezhil.py
│   │               │   │   ├── factor.py
│   │               │   │   ├── fantom.py
│   │               │   │   ├── felix.py
│   │               │   │   ├── fift.py
│   │               │   │   ├── floscript.py
│   │               │   │   ├── forth.py
│   │               │   │   ├── fortran.py
│   │               │   │   ├── foxpro.py
│   │               │   │   ├── freefem.py
│   │               │   │   ├── func.py
│   │               │   │   ├── functional.py
│   │               │   │   ├── futhark.py
│   │               │   │   ├── gcodelexer.py
│   │               │   │   ├── gdscript.py
│   │               │   │   ├── gleam.py
│   │               │   │   ├── go.py
│   │               │   │   ├── grammar_notation.py
```

```
│   │               │   │   ├── graph.py
│   │               │   │   ├── graphics.py
│   │               │   │   ├── graphql.py
│   │               │   │   ├── graphviz.py
│   │               │   │   ├── gsql.py
│   │               │   │   ├── hare.py
│   │               │   │   ├── haskell.py
│   │               │   │   ├── haxe.py
│   │               │   │   ├── hdl.py
│   │               │   │   ├── hexdump.py
│   │               │   │   ├── html.py
│   │               │   │   ├── idl.py
│   │               │   │   ├── igor.py
│   │               │   │   ├── inferno.py
│   │               │   │   ├── installers.py
│   │               │   │   ├── int_fiction.py
│   │               │   │   ├── iolang.py
│   │               │   │   ├── j.py
│   │               │   │   ├── javascript.py
│   │               │   │   ├── jmespath.py
│   │               │   │   ├── jslt.py
│   │               │   │   ├── json5.py
│   │               │   │   ├── jsonnet.py
│   │               │   │   ├── jsx.py
│   │               │   │   ├── julia.py
│   │               │   │   ├── jvm.py
│   │               │   │   ├── kuin.py
│   │               │   │   ├── kusto.py
│   │               │   │   ├── ldap.py
│   │               │   │   ├── lean.py
│   │               │   │   ├── lilypond.py
│   │               │   │   ├── lisp.py
│   │               │   │   ├── macaulay2.py
│   │               │   │   ├── make.py
│   │               │   │   ├── maple.py
│   │               │   │   ├── markup.py
│   │               │   │   ├── math.py
│   │               │   │   ├── matlab.py
│   │               │   │   ├── maxima.py
│   │               │   │   ├── meson.py
│   │               │   │   ├── mime.py
│   │               │   │   ├── minecraft.py
│   │               │   │   ├── mips.py
│   │               │   │   ├── ml.py
│   │               │   │   ├── modeling.py
│   │               │   │   ├── modula2.py
│   │               │   │   ├── mojo.py
│   │               │   │   ├── monte.py
│   │               │   │   ├── mosel.py
│   │               │   │   ├── ncl.py
│   │               │   │   ├── nimrod.py
│   │               │   │   ├── nit.py
│   │               │   │   ├── nix.py
│   │               │   │   ├── numbair.py
│   │               │   │   ├── oberon.py
│   │               │   │   ├── objective.py
```

```
│   │               │   │   ├── ooc.py
│   │               │   │   ├── openscad.py
│   │               │   │   ├── other.py
│   │               │   │   ├── parasail.py
│   │               │   │   ├── parsers.py
│   │               │   │   ├── pascal.py
│   │               │   │   ├── pawn.py
│   │               │   │   ├── pddl.py
│   │               │   │   ├── perl.py
│   │               │   │   ├── phix.py
│   │               │   │   ├── php.py
│   │               │   │   ├── pointless.py
│   │               │   │   ├── pony.py
│   │               │   │   ├── praat.py
│   │               │   │   ├── procfile.py
│   │               │   │   ├── prolog.py
│   │               │   │   ├── promql.py
│   │               │   │   ├── prql.py
│   │               │   │   ├── ptx.py
│   │               │   │   ├── python.py
│   │               │   │   ├── q.py
│   │               │   │   ├── qlik.py
│   │               │   │   ├── qvt.py
│   │               │   │   ├── r.py
│   │               │   │   ├── rdf.py
│   │               │   │   ├── rebol.py
│   │               │   │   ├── rego.py
│   │               │   │   ├── resource.py
│   │               │   │   ├── ride.py
│   │               │   │   ├── rita.py
│   │               │   │   ├── rnc.py
│   │               │   │   ├── roboconf.py
│   │               │   │   ├── robotframework.py
│   │               │   │   ├── ruby.py
│   │               │   │   ├── rust.py
│   │               │   │   ├── sas.py
│   │               │   │   ├── savi.py
│   │               │   │   ├── scdoc.py
│   │               │   │   ├── scripting.py
│   │               │   │   ├── sgf.py
│   │               │   │   ├── shell.py
│   │               │   │   ├── sieve.py
│   │               │   │   ├── slash.py
│   │               │   │   ├── smalltalk.py
│   │               │   │   ├── smithy.py
│   │               │   │   ├── smv.py
│   │               │   │   ├── snobol.py
│   │               │   │   ├── solidity.py
│   │               │   │   ├── soong.py
│   │               │   │   ├── sophia.py
│   │               │   │   ├── special.py
│   │               │   │   ├── spice.py
│   │               │   │   ├── sql.py
│   │               │   │   ├── srcinfo.py
│   │               │   │   ├── stata.py
│   │               │   │   ├── supercollider.py
```

```
│   │               │   │   ├── tablegen.py
│   │               │   │   ├── tact.py
│   │               │   │   ├── tal.py
│   │               │   │   ├── tcl.py
│   │               │   │   ├── teal.py
│   │               │   │   ├── templates.py
│   │               │   │   ├── teraterm.py
│   │               │   │   ├── testing.py
│   │               │   │   ├── text.py
│   │               │   │   ├── textedit.py
│   │               │   │   ├── textfmts.py
│   │               │   │   ├── theorem.py
│   │               │   │   ├── thingsdb.py
│   │               │   │   ├── tlb.py
│   │               │   │   ├── tls.py
│   │               │   │   ├── tnt.py
│   │               │   │   ├── trafficscript.py
│   │               │   │   ├── typoscript.py
│   │               │   │   ├── typst.py
│   │               │   │   ├── ul4.py
│   │               │   │   ├── unicon.py
│   │               │   │   ├── urbi.py
│   │               │   │   ├── usd.py
│   │               │   │   ├── varnish.py
│   │               │   │   ├── verification.py
│   │               │   │   ├── verifpal.py
│   │               │   │   ├── vip.py
│   │               │   │   ├── vyper.py
│   │               │   │   ├── web.py
│   │               │   │   ├── webassembly.py
│   │               │   │   ├── webidl.py
│   │               │   │   ├── webmisc.py
│   │               │   │   ├── wgsl.py
│   │               │   │   ├── whiley.py
│   │               │   │   ├── wowtoc.py
│   │               │   │   ├── wren.py
│   │               │   │   ├── x10.py
│   │               │   │   ├── xorg.py
│   │               │   │   ├── yang.py
│   │               │   │   ├── yara.py
│   │               │   │   └── zig.py
│   │               │   ├── modeline.py
│   │               │   ├── plugin.py
│   │               │   ├── regexopt.py
│   │               │   ├── scanner.py
│   │               │   ├── sphinxext.py
│   │               │   ├── style.py
│   │               │   ├── styles
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _mapping.py
│   │               │   │   ├── abap.py
│   │               │   │   ├── algol.py
│   │               │   │   ├── algol_nu.py
│   │               │   │   ├── arduino.py
│   │               │   │   ├── autumn.py
│   │               │   │   ├── borland.py
```

```
│   │   │   │   │   │   ├── bw.py
│   │   │   │   │   │   ├── coffee.py
│   │   │   │   │   │   ├── colorful.py
│   │   │   │   │   │   ├── default.py
│   │   │   │   │   │   ├── dracula.py
│   │   │   │   │   │   ├── emacs.py
│   │   │   │   │   │   ├── friendly.py
│   │   │   │   │   │   ├── friendly_grayscale.py
│   │   │   │   │   │   ├── fruity.py
│   │   │   │   │   │   ├── gh_dark.py
│   │   │   │   │   │   ├── gruvbox.py
│   │   │   │   │   │   ├── igor.py
│   │   │   │   │   │   ├── inkpot.py
│   │   │   │   │   │   ├── lightbulb.py
│   │   │   │   │   │   ├── lilypond.py
│   │   │   │   │   │   ├── lovelace.py
│   │   │   │   │   │   ├── manni.py
│   │   │   │   │   │   ├── material.py
│   │   │   │   │   │   ├── monokai.py
│   │   │   │   │   │   ├── murphy.py
│   │   │   │   │   │   ├── native.py
│   │   │   │   │   │   ├── nord.py
│   │   │   │   │   │   ├── onedark.py
│   │   │   │   │   │   ├── paraiso_dark.py
│   │   │   │   │   │   ├── paraiso_light.py
│   │   │   │   │   │   ├── pastie.py
│   │   │   │   │   │   ├── perldoc.py
│   │   │   │   │   │   ├── rainbow_dash.py
│   │   │   │   │   │   ├── rrt.py
│   │   │   │   │   │   ├── sas.py
│   │   │   │   │   │   ├── solarized.py
│   │   │   │   │   │   ├── staroffice.py
│   │   │   │   │   │   ├── stata_dark.py
│   │   │   │   │   │   ├── stata_light.py
│   │   │   │   │   │   ├── tango.py
│   │   │   │   │   │   ├── trac.py
│   │   │   │   │   │   ├── vim.py
│   │   │   │   │   │   ├── vs.py
│   │   │   │   │   │   ├── xcode.py
│   │   │   │   │   │   └── zenburn.py
│   │   │   │   │   ├── token.py
│   │   │   │   │   ├── unistring.py
│   │   │   │   │   └── util.py
│   │   │   ├── pygments-2.19.2.dist-info
│   │   │   │   ├── INSTALLER
│   │   │   │   ├── METADATA
│   │   │   │   ├── RECORD
│   │   │   │   ├── WHEEL
│   │   │   │   ├── entry_points.txt
│   │   │   │   └── licenses
│   │   │   │       ├── AUTHORS
│   │   │   │       └── LICENSE
│   │   │   ├── pyparsing
│   │   │   │   ├── __init__.py
│   │   │   │   ├── actions.py
│   │   │   │   ├── common.py
```

```
│   │               │   ├── core.py
│   │               │   ├── diagram
│   │               │   │   └── __init__.py
│   │               │   ├── exceptions.py
│   │               │   ├── helpers.py
│   │               │   ├── py.typed
│   │               │   ├── results.py
│   │               │   ├── testing.py
│   │               │   ├── tools
│   │               │   │   ├── __init__.py
│   │               │   │   └── cvt_pyparsing_pep8_names.py
│   │               │   ├── unicode.py
│   │               │   └── util.py
│   │               ├── pyparsing-3.2.3.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   └── WHEEL
│   │               ├── pypdf
│   │               │   ├── __init__.py
│   │               │   ├── _cmap.py
│   │               │   ├── _codecs
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _codecs.py
│   │               │   │   ├── adobe_glyphs.py
│   │               │   │   ├── pdfdoc.py
│   │               │   │   ├── std.py
│   │               │   │   ├── symbol.py
│   │               │   │   └── zapfding.py
│   │               │   ├── _crypt_providers
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _base.py
│   │               │   │   ├── _cryptography.py
│   │               │   │   ├── _fallback.py
│   │               │   │   └── _pycryptodome.py
│   │               │   ├── _doc_common.py
│   │               │   ├── _encryption.py
│   │               │   ├── _merger.py
│   │               │   ├── _page.py
│   │               │   ├── _page_labels.py
│   │               │   ├── _protocols.py
│   │               │   ├── _reader.py
│   │               │   ├── _text_extraction
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _layout_mode
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _fixed_width_page.py
│   │               │   │   │   ├── _font.py
│   │               │   │   │   ├── _font_widths.py
│   │               │   │   │   ├── _text_state_manager.py
│   │               │   │   │   └── _text_state_params.py
│   │               │   │   └── _text_extractor.py
│   │               │   ├── _utils.py
│   │               │   ├── _version.py
│   │               │   ├── _writer.py
```

```
│   │   │   │   │   ├── _xobj_image_helpers.py
│   │   │   │   │   ├── annotations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _base.py
│   │   │   │   │   │   ├── _markup_annotations.py
│   │   │   │   │   │   └── _non_markup_annotations.py
│   │   │   │   │   ├── constants.py
│   │   │   │   │   ├── errors.py
│   │   │   │   │   ├── filters.py
│   │   │   │   │   ├── generic
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _base.py
│   │   │   │   │   │   ├── _data_structures.py
│   │   │   │   │   │   ├── _files.py
│   │   │   │   │   │   ├── _fit.py
│   │   │   │   │   │   ├── _image_inline.py
│   │   │   │   │   │   ├── _link.py
│   │   │   │   │   │   ├── _outline.py
│   │   │   │   │   │   ├── _rectangle.py
│   │   │   │   │   │   ├── _utils.py
│   │   │   │   │   │   └── _viewerpref.py
│   │   │   │   │   ├── pagerange.py
│   │   │   │   │   ├── papersizes.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── types.py
│   │   │   │   │   └── xmp.py
│   │   │   │   ├── pypdf-5.9.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── REQUESTED
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── pypika
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── analytics.py
│   │   │   │   │   ├── clickhouse
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── array.py
│   │   │   │   │   │   ├── condition.py
│   │   │   │   │   │   ├── dates_and_times.py
│   │   │   │   │   │   ├── nullable_arg.py
│   │   │   │   │   │   ├── search_string.py
│   │   │   │   │   │   └── type_conversion.py
│   │   │   │   │   ├── dialects.py
│   │   │   │   │   ├── enums.py
│   │   │   │   │   ├── functions.py
│   │   │   │   │   ├── pseudocolumns.py
│   │   │   │   │   ├── queries.py
│   │   │   │   │   ├── terms.py
│   │   │   │   │   └── utils.py
│   │   │   │   ├── pypika-0.48.9.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
```

```
│   │   │   │
```

```
│   │               │   └── licenses
│   │               │       └── COPYING
│   │               ├── regex
│   │               │   ├── __init__.py
│   │               │   ├── _regex.cpython-39-darwin.so
│   │               │   ├── _regex_core.py
│   │               │   ├── regex.py
│   │               │   └── test_regex.py
│   │               ├── regex-2025.7.34.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE.txt
│   │               │   └── top_level.txt
│   │               ├── requests
│   │               │   ├── __init__.py
│   │               │   ├── __version__.py
│   │               │   ├── _internal_utils.py
│   │               │   ├── adapters.py
│   │               │   ├── api.py
│   │               │   ├── auth.py
│   │               │   ├── certs.py
│   │               │   ├── compat.py
│   │               │   ├── cookies.py
│   │               │   ├── exceptions.py
│   │               │   ├── help.py
│   │               │   ├── hooks.py
│   │               │   ├── models.py
│   │               │   ├── packages.py
│   │               │   ├── sessions.py
│   │               │   ├── status_codes.py
│   │               │   ├── structures.py
│   │               │   └── utils.py
│   │               ├── requests-2.32.4.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── licenses
│   │               │   │   └── LICENSE
│   │               │   └── top_level.txt
│   │               ├── requests_oauthlib
│   │               │   ├── __init__.py
│   │               │   ├── compliance_fixes
│   │               │   │   ├── __init__.py
│   │               │   │   ├── douban.py
│   │               │   │   ├── ebay.py
│   │               │   │   ├── facebook.py
│   │               │   │   ├── fitbit.py
│   │               │   │   ├── instagram.py
│   │               │   │   ├── mailchimp.py
│   │               │   │   ├── plentymarkets.py
│   │               │   │   ├── slack.py
```

```
│   │   │   │   │   │   └── weibo.py
│   │   │   │   │   ├── oauth1_auth.py
│   │   │   │   │   ├── oauth1_session.py
│   │   │   │   │   ├── oauth2_auth.py
│   │   │   │   │   └── oauth2_session.py
│   │   │   ├── requests_oauthlib-2.0.0.dist-info
│   │   │   │   ├── INSTALLER
│   │   │   │   ├── LICENSE
│   │   │   │   ├── METADATA
│   │   │   │   ├── RECORD
│   │   │   │   ├── WHEEL
│   │   │   │   └── top_level.txt
│   │   │   ├── requests_toolbelt
│   │   │   │   ├── __init__.py
│   │   │   │   ├── _compat.py
│   │   │   │   ├── adapters
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── appengine.py
│   │   │   │   │   ├── fingerprint.py
│   │   │   │   │   ├── host_header_ssl.py
│   │   │   │   │   ├── socket_options.py
│   │   │   │   │   ├── source.py
│   │   │   │   │   ├── ssl.py
│   │   │   │   │   └── x509.py
│   │   │   │   ├── auth
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _digest_auth_compat.py
│   │   │   │   │   ├── guess.py
│   │   │   │   │   ├── handler.py
│   │   │   │   │   └── http_proxy_digest.py
│   │   │   │   ├── cookies
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   └── forgetful.py
│   │   │   │   ├── downloadutils
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── stream.py
│   │   │   │   │   └── tee.py
│   │   │   │   ├── exceptions.py
│   │   │   │   ├── multipart
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── decoder.py
│   │   │   │   │   └── encoder.py
│   │   │   │   ├── sessions.py
│   │   │   │   ├── streaming_iterator.py
│   │   │   │   ├── threaded
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── pool.py
│   │   │   │   │   └── thread.py
│   │   │   │   └── utils
│   │   │   │       ├── __init__.py
│   │   │   │       ├── deprecated.py
│   │   │   │       ├── dump.py
│   │   │   │       ├── formdata.py
│   │   │   │       └── user_agent.py
│   │   │   ├── requests_toolbelt-1.0.0.dist-info
│   │   │   │   ├── AUTHORS.rst
```

```
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── rich
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── _cell_widths.py
│   │               │   ├── _emoji_codes.py
│   │               │   ├── _emoji_replace.py
│   │               │   ├── _export_format.py
│   │               │   ├── _extension.py
│   │               │   ├── _fileno.py
│   │               │   ├── _inspect.py
│   │               │   ├── _log_render.py
│   │               │   ├── _loop.py
│   │               │   ├── _null_file.py
│   │               │   ├── _palettes.py
│   │               │   ├── _pick.py
│   │               │   ├── _ratio.py
│   │               │   ├── _spinners.py
│   │               │   ├── _stack.py
│   │               │   ├── _timer.py
│   │               │   ├── _win32_console.py
│   │               │   ├── _windows.py
│   │               │   ├── _windows_renderer.py
│   │               │   ├── _wrap.py
│   │               │   ├── abc.py
│   │               │   ├── align.py
│   │               │   ├── ansi.py
│   │               │   ├── bar.py
│   │               │   ├── box.py
│   │               │   ├── cells.py
│   │               │   ├── color.py
│   │               │   ├── color_triplet.py
│   │               │   ├── columns.py
│   │               │   ├── console.py
│   │               │   ├── constrain.py
│   │               │   ├── containers.py
│   │               │   ├── control.py
│   │               │   ├── default_styles.py
│   │               │   ├── diagnose.py
│   │               │   ├── emoji.py
│   │               │   ├── errors.py
│   │               │   ├── file_proxy.py
│   │               │   ├── filesize.py
│   │               │   ├── highlighter.py
│   │               │   ├── json.py
│   │               │   ├── jupyter.py
│   │               │   ├── layout.py
│   │               │   ├── live.py
│   │               │   ├── live_render.py
│   │               │   ├── logging.py
│   │               │   ├── markdown.py
```

```
│   │   │   │   │   │   ├── markup.py
│   │   │   │   │   │   ├── measure.py
│   │   │   │   │   │   ├── padding.py
│   │   │   │   │   │   ├── pager.py
│   │   │   │   │   │   ├── palette.py
│   │   │   │   │   │   ├── panel.py
│   │   │   │   │   │   ├── pretty.py
│   │   │   │   │   │   ├── progress.py
│   │   │   │   │   │   ├── progress_bar.py
│   │   │   │   │   │   ├── prompt.py
│   │   │   │   │   │   ├── protocol.py
│   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   ├── region.py
│   │   │   │   │   │   ├── repr.py
│   │   │   │   │   │   ├── rule.py
│   │   │   │   │   │   ├── scope.py
│   │   │   │   │   │   ├── screen.py
│   │   │   │   │   │   ├── segment.py
│   │   │   │   │   │   ├── spinner.py
│   │   │   │   │   │   ├── status.py
│   │   │   │   │   │   ├── style.py
│   │   │   │   │   │   ├── styled.py
│   │   │   │   │   │   ├── syntax.py
│   │   │   │   │   │   ├── table.py
│   │   │   │   │   │   ├── terminal_theme.py
│   │   │   │   │   │   ├── text.py
│   │   │   │   │   │   ├── theme.py
│   │   │   │   │   │   ├── themes.py
│   │   │   │   │   │   ├── traceback.py
│   │   │   │   │   │   └── tree.py
│   │   │   │   ├── rich-14.1.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   └── WHEEL
│   │   │   │   ├── rpds
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── py.typed
│   │   │   │   │   └── rpds.cpython-39-darwin.so
│   │   │   │   ├── rpds_py-0.26.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE
│   │   │   │   ├── rsa
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── asn1.py
│   │   │   │   │   ├── cli.py
│   │   │   │   │   ├── common.py
│   │   │   │   │   ├── core.py
│   │   │   │   │   ├── key.py
│   │   │   │   │   ├── parallel.py
```

```
│   │   │   │
```

```
│   │               │   │   ├── _ccallback_c.cpython-39-darwin.so
│   │               │   │   ├── _disjoint_set.py
│   │               │   │   ├── _docscrape.py
│   │               │   │   ├── _elementwise_iterative_method.py
│   │               │   │   ├── _finite_differences.py
│   │               │   │   ├── _fpumode.cpython-39-darwin.so
│   │               │   │   ├── _gcutils.py
│   │               │   │   ├── _pep440.py
│   │               │   │   ├── _test_ccallback.cpython-39-darwin.so
│   │               │   │   ├── _test_deprecation_call.cpython-39-darwin.so
│   │               │   │   ├── _test_deprecation_def.cpython-39-darwin.so
│   │               │   │   ├── _testutils.py
│   │               │   │   ├── _threadsafety.py
│   │               │   │   ├── _tmpdirs.py
│   │               │   │   ├── _uarray
│   │               │   │   │   ├── LICENSE
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _backend.py
│   │               │   │   │   └── _uarray.cpython-39-darwin.so
│   │               │   │   ├── _util.py
│   │               │   │   ├── array_api_compat
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _internal.py
│   │               │   │   │   ├── common
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _aliases.py
│   │               │   │   │   │   ├── _helpers.py
│   │               │   │   │   │   ├── _linalg.py
│   │               │   │   │   │   └── _typing.py
│   │               │   │   │   ├── cupy
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _aliases.py
│   │               │   │   │   │   ├── _typing.py
│   │               │   │   │   │   └── linalg.py
│   │               │   │   │   ├── numpy
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _aliases.py
│   │               │   │   │   │   ├── _typing.py
│   │               │   │   │   │   └── linalg.py
│   │               │   │   │   └── torch
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── _aliases.py
│   │               │   │   │       └── linalg.py
│   │               │   │   ├── decorator.py
│   │               │   │   ├── deprecation.py
│   │               │   │   ├── doccer.py
│   │               │   │   ├── messagestream.cpython-39-darwin.so
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test__gcutils.py
│   │               │   │   │   ├── test__pep440.py
│   │               │   │   │   ├── test__testutils.py
│   │               │   │   │   ├── test__threadsafety.py
│   │               │   │   │   ├── test__util.py
│   │               │   │   │   ├── test_array_api.py
│   │               │   │   │   ├── test_bunch.py
```

```
│   │   │   │   │   │   │   ├── test_ccallback.py
│   │   │   │   │   │   │   ├── test_deprecation.py
│   │   │   │   │   │   │   ├── test_import_cycles.py
│   │   │   │   │   │   │   ├── test_public_api.py
│   │   │   │   │   │   │   ├── test_scipy_version.py
│   │   │   │   │   │   │   ├── test_tmpdirs.py
│   │   │   │   │   │   │   └── test_warnings.py
│   │   │   │   │   │   └── uarray.py
│   │   │   │   │   ├── cluster
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _hierarchy.cpython-39-darwin.so
│   │   │   │   │   │   ├── _optimal_leaf_ordering.cpython-39-darwin.so
│   │   │   │   │   │   ├── _vq.cpython-39-darwin.so
│   │   │   │   │   │   ├── hierarchy.py
│   │   │   │   │   │   ├── tests
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── hierarchy_test_data.py
│   │   │   │   │   │   │   ├── test_disjoint_set.py
│   │   │   │   │   │   │   ├── test_hierarchy.py
│   │   │   │   │   │   │   └── test_vq.py
│   │   │   │   │   │   └── vq.py
│   │   │   │   │   ├── conftest.py
│   │   │   │   │   ├── constants
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _codata.py
│   │   │   │   │   │   ├── _constants.py
│   │   │   │   │   │   ├── codata.py
│   │   │   │   │   │   ├── constants.py
│   │   │   │   │   │   └── tests
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── test_codata.py
│   │   │   │   │   │       └── test_constants.py
│   │   │   │   │   ├── datasets
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _download_all.py
│   │   │   │   │   │   ├── _fetchers.py
│   │   │   │   │   │   ├── _registry.py
│   │   │   │   │   │   ├── _utils.py
│   │   │   │   │   │   └── tests
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       └── test_data.py
│   │   │   │   │   ├── fft
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _backend.py
│   │   │   │   │   │   ├── _basic.py
│   │   │   │   │   │   ├── _basic_backend.py
│   │   │   │   │   │   ├── _debug_backends.py
│   │   │   │   │   │   ├── _fftlog.py
│   │   │   │   │   │   ├── _fftlog_backend.py
│   │   │   │   │   │   ├── _helper.py
│   │   │   │   │   │   ├── _pocketfft
│   │   │   │   │   │   │   ├── LICENSE.md
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── basic.py
│   │   │   │   │   │   │   ├── helper.py
│   │   │   │   │   │   │   ├── pypocketfft.cpython-39-darwin.so
```

```
│   │               │   │   │   ├── realtransforms.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_basic.py
│   │               │   │   │       └── test_real_transforms.py
│   │               │   │   ├── _realtransforms.py
│   │               │   │   ├── _realtransforms_backend.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── mock_backend.py
│   │               │   │       ├── test_backend.py
│   │               │   │       ├── test_basic.py
│   │               │   │       ├── test_fftlog.py
│   │               │   │       ├── test_helper.py
│   │               │   │       ├── test_multithreading.py
│   │               │   │       └── test_real_transforms.py
│   │               │   ├── fftpack
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _basic.py
│   │               │   │   ├── _helper.py
│   │               │   │   ├── _pseudo_diffs.py
│   │               │   │   ├── _realtransforms.py
│   │               │   │   ├── basic.py
│   │               │   │   ├── convolve.cpython-39-darwin.so
│   │               │   │   ├── helper.py
│   │               │   │   ├── pseudo_diffs.py
│   │               │   │   ├── realtransforms.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── fftw_double_ref.npz
│   │               │   │       ├── fftw_longdouble_ref.npz
│   │               │   │       ├── fftw_single_ref.npz
│   │               │   │       ├── test.npz
│   │               │   │       ├── test_basic.py
│   │               │   │       ├── test_helper.py
│   │               │   │       ├── test_import.py
│   │               │   │       ├── test_pseudo_diffs.py
│   │               │   │       └── test_real_transforms.py
│   │               │   ├── integrate
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _bvp.py
│   │               │   │   ├── _dop.cpython-39-darwin.so
│   │               │   │   ├── _ivp
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── bdf.py
│   │               │   │   │   ├── common.py
│   │               │   │   │   ├── dop853_coefficients.py
│   │               │   │   │   ├── ivp.py
│   │               │   │   │   ├── lsoda.py
│   │               │   │   │   ├── radau.py
│   │               │   │   │   ├── rk.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_ivp.py
│   │               │   │   │       └── test_rk.py
```

```
│   │               │   │   ├── _lsoda.cpython-39-darwin.so
│   │               │   │   ├── _ode.py
│   │               │   │   ├── _odepack.cpython-39-darwin.so
│   │               │   │   ├── _odepack_py.py
│   │               │   │   ├── _quad_vec.py
│   │               │   │   ├── _quadpack.cpython-39-darwin.so
│   │               │   │   ├── _quadpack_py.py
│   │               │   │   ├── _quadrature.py
│   │               │   │   ├── _tanhsinh.py
│   │               │   │   ├── _test_multivariate.cpython-39-darwin.so
│   │               │   │   ├── _test_odeint_banded.cpython-39-darwin.so
│   │               │   │   ├── _vode.cpython-39-darwin.so
│   │               │   │   ├── dop.py
│   │               │   │   ├── lsoda.py
│   │               │   │   ├── odepack.py
│   │               │   │   ├── quadpack.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test__quad_vec.py
│   │               │   │   │   ├── test_banded_ode_solvers.py
│   │               │   │   │   ├── test_bvp.py
│   │               │   │   │   ├── test_integrate.py
│   │               │   │   │   ├── test_odeint_jac.py
│   │               │   │   │   ├── test_quadpack.py
│   │               │   │   │   ├── test_quadrature.py
│   │               │   │   │   └── test_tanhsinh.py
│   │               │   │   └── vode.py
│   │               │   ├── interpolate
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _bspl.cpython-39-darwin.so
│   │               │   │   ├── _bsplines.py
│   │               │   │   ├── _cubic.py
│   │               │   │   ├── _fitpack.cpython-39-darwin.so
│   │               │   │   ├── _fitpack2.py
│   │               │   │   ├── _fitpack_impl.py
│   │               │   │   ├── _fitpack_py.py
│   │               │   │   ├── _interpolate.py
│   │               │   │   ├── _ndbspline.py
│   │               │   │   ├── _ndgriddata.py
│   │               │   │   ├── _pade.py
│   │               │   │   ├── _polyint.py
│   │               │   │   ├── _ppoly.cpython-39-darwin.so
│   │               │   │   ├── _rbf.py
│   │               │   │   ├── _rbfinterp.py
│   │               │   │   ├── _rbfinterp_pythran.cpython-39-darwin.so
│   │               │   │   ├── _rgi.py
│   │               │   │   ├── _rgi_cython.cpython-39-darwin.so
│   │               │   │   ├── dfitpack.cpython-39-darwin.so
│   │               │   │   ├── fitpack.py
│   │               │   │   ├── fitpack2.py
│   │               │   │   ├── interpnd.cpython-39-darwin.so
│   │               │   │   ├── interpolate.py
│   │               │   │   ├── ndgriddata.py
│   │               │   │   ├── polyint.py
│   │               │   │   ├── rbf.py
│   │               │   │   └── tests
```

```
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── bug-1310.npz
│   │               │   │       │   ├── estimate_gradients_hang.npy
│   │               │   │       │   └── gcvspl.npz
│   │               │   │       ├── test_bsplines.py
│   │               │   │       ├── test_fitpack.py
│   │               │   │       ├── test_fitpack2.py
│   │               │   │       ├── test_gil.py
│   │               │   │       ├── test_interpnd.py
│   │               │   │       ├── test_interpolate.py
│   │               │   │       ├── test_ndgriddata.py
│   │               │   │       ├── test_pade.py
│   │               │   │       ├── test_polyint.py
│   │               │   │       ├── test_rbf.py
│   │               │   │       ├── test_rbfinterp.py
│   │               │   │       └── test_rgi.py
│   │               │   ├── io
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _fast_matrix_market
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── _fmm_core.cpython-39-darwin.so
│   │               │   │   ├── _fortran.py
│   │               │   │   ├── _harwell_boeing
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _fortran_format_parser.py
│   │               │   │   │   ├── hb.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_fortran_format.py
│   │               │   │   │       └── test_hb.py
│   │               │   │   ├── _idl.py
│   │               │   │   ├── _mmio.py
│   │               │   │   ├── _netcdf.py
│   │               │   │   ├── _test_fortran.cpython-39-darwin.so
│   │               │   │   ├── arff
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _arffread.py
│   │               │   │   │   ├── arffread.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── data
│   │               │   │   │       │   ├── iris.arff
│   │               │   │   │       │   ├── missing.arff
│   │               │   │   │       │   ├── nodata.arff
│   │               │   │   │       │   ├── quoted_nominal.arff
│   │               │   │   │       │   ├── quoted_nominal_spaces.arff
│   │               │   │   │       │   ├── test1.arff
│   │               │   │   │       │   ├── test10.arff
│   │               │   │   │       │   ├── test11.arff
│   │               │   │   │       │   ├── test2.arff
│   │               │   │   │       │   ├── test3.arff
│   │               │   │   │       │   ├── test4.arff
│   │               │   │   │       │   ├── test5.arff
│   │               │   │   │       │   ├── test6.arff
│   │               │   │   │       │   ├── test7.arff
```

```
│   │               │   │   │       │   ├── test8.arff
│   │               │   │   │       │   └── test9.arff
│   │               │   │   │       └── test_arffread.py
│   │               │   │   ├── harwell_boeing.py
│   │               │   │   ├── idl.py
│   │               │   │   ├── matlab
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _byteordercodes.py
│   │               │   │   │   ├── _mio.py
│   │               │   │   │   ├── _mio4.py
│   │               │   │   │   ├── _mio5.py
│   │               │   │   │   ├── _mio5_params.py
│   │               │   │   │   ├── _mio5_utils.cpython-39-darwin.so
│   │               │   │   │   ├── _mio_utils.cpython-39-darwin.so
│   │               │   │   │   ├── _miobase.py
│   │               │   │   │   ├── _streams.cpython-39-darwin.so
│   │               │   │   │   ├── byteordercodes.py
│   │               │   │   │   ├── mio.py
│   │               │   │   │   ├── mio4.py
│   │               │   │   │   ├── mio5.py
│   │               │   │   │   ├── mio5_params.py
│   │               │   │   │   ├── mio5_utils.py
│   │               │   │   │   ├── mio_utils.py
│   │               │   │   │   ├── miobase.py
│   │               │   │   │   ├── streams.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── data
│   │               │   │   │       │   ├── bad_miuint32.mat
│   │               │   │   │       │   ├── bad_miutf8_array_name.mat
│   │               │   │   │       │   ├── big_endian.mat
│   │               │   │   │       │   ├── broken_utf8.mat
│   │               │   │   │       │   ├── corrupted_zlib_checksum.mat
│   │               │   │   │       │   ├── corrupted_zlib_data.mat
│   │               │   │   │       │   ├── japanese_utf8.txt
│   │               │   │   │       │   ├── little_endian.mat
│   │               │   │   │       │   ├── logical_sparse.mat
│   │               │   │   │       │   ├── malformed1.mat
│   │               │   │   │       │   ├── miuint32_for_miint32.mat
│   │               │   │   │       │   ├── miutf8_array_name.mat
│   │               │   │   │       │   ├── nasty_duplicate_fieldnames.mat
│   │               │   │   │       │   ├── one_by_zero_char.mat
│   │               │   │   │       │   ├── parabola.mat
│   │               │   │   │       │   ├── single_empty_string.mat
│   │               │   │   │       │   ├── some_functions.mat
│   │               │   │   │       │   ├── sqr.mat
│   │               │   │   │       │   ├── test3dmatrix_6.1_SOL2.mat
│   │               │   │   │       │   ├── test3dmatrix_6.5.1_GLNX86.mat
│   │               │   │   │       │   ├── test3dmatrix_7.1_GLNX86.mat
│   │               │   │   │       │   ├── test3dmatrix_7.4_GLNX86.mat
│   │               │   │   │       │   ├── test_empty_struct.mat
│   │               │   │   │       │   ├── test_mat4_le_floats.mat
│   │               │   │   │       │   ├── test_skip_variable.mat
│   │               │   │   │       │   ├── testbool_8_WIN64.mat
│   │               │   │   │       │   ├── testcell_6.1_SOL2.mat
│   │               │   │   │       │   ├── testcell_6.5.1_GLNX86.mat
```

```
│   │               │   │   │           │   ├── testcell_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testcell_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testcellnest_6.1_SOL2.mat
│   │               │   │   │           │   ├── testcellnest_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testcellnest_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testcellnest_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testcomplex_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testcomplex_6.1_SOL2.mat
│   │               │   │   │           │   ├── testcomplex_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testcomplex_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testcomplex_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testdouble_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testdouble_6.1_SOL2.mat
│   │               │   │   │           │   ├── testdouble_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testdouble_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testdouble_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testemptycell_5.3_SOL2.mat
│   │               │   │   │           │   ├── testemptycell_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testemptycell_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testemptycell_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testfunc_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testhdf5_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testmatrix_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testmatrix_6.1_SOL2.mat
│   │               │   │   │           │   ├── testmatrix_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testmatrix_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testmatrix_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testminus_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testminus_6.1_SOL2.mat
│   │               │   │   │           │   ├── testminus_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testminus_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testminus_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testmulti_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testmulti_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testmulti_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testobject_6.1_SOL2.mat
│   │               │   │   │           │   ├── testobject_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testobject_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testobject_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testonechar_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testonechar_6.1_SOL2.mat
│   │               │   │   │           │   ├── testonechar_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testonechar_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testonechar_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testscalarcell_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testsimplecell.mat
│   │               │   │   │           │   ├── testsparse_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testsparse_6.1_SOL2.mat
│   │               │   │   │           │   ├── testsparse_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testsparse_7.1_GLNX86.mat
│   │               │   │   │           │   ├── testsparse_7.4_GLNX86.mat
│   │               │   │   │           │   ├── testsparsecomplex_4.2c_SOL2.mat
│   │               │   │   │           │   ├── testsparsecomplex_6.1_SOL2.mat
│   │               │   │   │           │   ├──
testsparsecomplex_6.5.1_GLNX86.mat
│   │               │   │   │           │   ├── testsparsecomplex_7.1_GLNX86.mat
```

```
│   │   │   │   │   │   │   │   ├── testsparsecomplex_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── testsparsefloat_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststring_4.2c_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststring_6.1_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststring_6.5.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststring_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststring_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststringarray_4.2c_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststringarray_6.1_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststringarray_6.5.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststringarray_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststringarray_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststruct_6.1_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststruct_6.5.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststruct_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststruct_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructarr_6.1_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststructarr_6.5.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructarr_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructarr_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructnest_6.1_SOL2.mat
│   │   │   │   │   │   │   │   ├── teststructnest_6.5.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructnest_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── teststructnest_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   ├── testunicode_7.1_GLNX86.mat
│   │   │   │   │   │   │   │   ├── testunicode_7.4_GLNX86.mat
│   │   │   │   │   │   │   │   └── testvec_4_GLNX86.mat
│   │   │   │   │   │   │   ├── test_byteordercodes.py
│   │   │   │   │   │   │   ├── test_mio.py
│   │   │   │   │   │   │   ├── test_mio5_utils.py
│   │   │   │   │   │   │   ├── test_mio_funcs.py
│   │   │   │   │   │   │   ├── test_mio_utils.py
│   │   │   │   │   │   │   ├── test_miobase.py
│   │   │   │   │   │   │   ├── test_pathological.py
│   │   │   │   │   │   │   └── test_streams.py
│   │   │   │   │   ├── mmio.py
│   │   │   │   │   ├── netcdf.py
│   │   │   │   │   ├── tests
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── data
│   │   │   │   │   │   │   ├── Transparent Busy.ani
│   │   │   │   │   │   │   ├── array_float32_1d.sav
│   │   │   │   │   │   │   ├── array_float32_2d.sav
│   │   │   │   │   │   │   ├── array_float32_3d.sav
│   │   │   │   │   │   │   ├── array_float32_4d.sav
│   │   │   │   │   │   │   ├── array_float32_5d.sav
│   │   │   │   │   │   │   ├── array_float32_6d.sav
│   │   │   │   │   │   │   ├── array_float32_7d.sav
│   │   │   │   │   │   │   ├── array_float32_8d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_1d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_2d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_3d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_4d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_5d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_6d.sav
│   │   │   │   │   │   │   ├── array_float32_pointer_7d.sav
```

```
│   │               │   │   │   │   ├── array_float32_pointer_8d.sav
│   │               │   │   │   │   ├── example_1.nc
│   │               │   │   │   │   ├── example_2.nc
│   │               │   │   │   │   ├── example_3_maskedvals.nc
│   │               │   │   │   │   ├── fortran-3x3d-2i.dat
│   │               │   │   │   │   ├── fortran-mixed.dat
│   │               │   │   │   │   ├── fortran-sf8-11x1x10.dat
│   │               │   │   │   │   ├── fortran-sf8-15x10x22.dat
│   │               │   │   │   │   ├── fortran-sf8-1x1x1.dat
│   │               │   │   │   │   ├── fortran-sf8-1x1x5.dat
│   │               │   │   │   │   ├── fortran-sf8-1x1x7.dat
│   │               │   │   │   │   ├── fortran-sf8-1x3x5.dat
│   │               │   │   │   │   ├── fortran-si4-11x1x10.dat
│   │               │   │   │   │   ├── fortran-si4-15x10x22.dat
│   │               │   │   │   │   ├── fortran-si4-1x1x1.dat
│   │               │   │   │   │   ├── fortran-si4-1x1x5.dat
│   │               │   │   │   │   ├── fortran-si4-1x1x7.dat
│   │               │   │   │   │   ├── fortran-si4-1x3x5.dat
│   │               │   │   │   │   ├── invalid_pointer.sav
│   │               │   │   │   │   ├── null_pointer.sav
│   │               │   │   │   │   ├── scalar_byte.sav
│   │               │   │   │   │   ├── scalar_byte_descr.sav
│   │               │   │   │   │   ├── scalar_complex32.sav
│   │               │   │   │   │   ├── scalar_complex64.sav
│   │               │   │   │   │   ├── scalar_float32.sav
│   │               │   │   │   │   ├── scalar_float64.sav
│   │               │   │   │   │   ├── scalar_heap_pointer.sav
│   │               │   │   │   │   ├── scalar_int16.sav
│   │               │   │   │   │   ├── scalar_int32.sav
│   │               │   │   │   │   ├── scalar_int64.sav
│   │               │   │   │   │   ├── scalar_string.sav
│   │               │   │   │   │   ├── scalar_uint16.sav
│   │               │   │   │   │   ├── scalar_uint32.sav
│   │               │   │   │   │   ├── scalar_uint64.sav
│   │               │   │   │   │   ├── struct_arrays.sav
│   │               │   │   │   │   ├── struct_arrays_byte_idl80.sav
│   │               │   │   │   │   ├── struct_arrays_replicated.sav
│   │               │   │   │   │   ├── struct_arrays_replicated_3d.sav
│   │               │   │   │   │   ├── struct_inherit.sav
│   │               │   │   │   │   ├── struct_pointer_arrays.sav
│   │               │   │   │   │   ├── struct_pointer_arrays_replicated.sav
│   │               │   │   │   │   ├──
struct_pointer_arrays_replicated_3d.sav
│   │               │   │   │   │   ├── struct_pointers.sav
│   │               │   │   │   │   ├── struct_pointers_replicated.sav
│   │               │   │   │   │   ├── struct_pointers_replicated_3d.sav
│   │               │   │   │   │   ├── struct_scalars.sav
│   │               │   │   │   │   ├── struct_scalars_replicated.sav
│   │               │   │   │   │   ├── struct_scalars_replicated_3d.sav
│   │               │   │   │   │   ├── test-44100Hz-2ch-32bit-float-be.wav
│   │               │   │   │   │   ├── test-44100Hz-2ch-32bit-float-le.wav
│   │               │   │   │   │   ├── test-44100Hz-be-1ch-4bytes.wav
│   │               │   │   │   │   ├── test-44100Hz-le-1ch-4bytes-early-
eof-no-data.wav
│   │               │   │   │   │   ├── test-44100Hz-le-1ch-4bytes-early-
eof.wav
```

```
│   │           │   │   │   │   ├── test-44100Hz-le-1ch-4bytes-
incomplete-chunk.wav
│   │           │   │   │   │   ├── test-44100Hz-le-1ch-4bytes.wav
│   │           │   │   │   │   ├── test-48000Hz-2ch-64bit-float-le-
wavex.wav
│   │           │   │   │   │   ├── test-8000Hz-be-3ch-5S-24bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-1ch-10S-20bit-
extra.wav
│   │           │   │   │   │   ├── test-8000Hz-le-1ch-1byte-ulaw.wav
│   │           │   │   │   │   ├── test-8000Hz-le-2ch-1byteu.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-24bit-
inconsistent.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-24bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-36bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-45bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-53bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-3ch-5S-64bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-4ch-9S-12bit.wav
│   │           │   │   │   │   ├── test-8000Hz-le-5ch-9S-5bit.wav
│   │           │   │   │   │   └── various_compressed.sav
│   │           │   │   │   ├── test_fortran.py
│   │           │   │   │   ├── test_idl.py
│   │           │   │   │   ├── test_mmio.py
│   │           │   │   │   ├── test_netcdf.py
│   │           │   │   │   ├── test_paths.py
│   │           │   │   │   └── test_wavfile.py
│   │           │   │   └── wavfile.py
│   │           │   ├── linalg
│   │           │   │   ├── __init__.py
│   │           │   │   ├── _basic.py
│   │           │   │   ├── _blas_subroutines.h
│   │           │   │   ├── _cythonized_array_utils.cpython-39-darwin.so
│   │           │   │   ├── _cythonized_array_utils.pxd
│   │           │   │   ├── _cythonized_array_utils.pyi
│   │           │   │   ├── _decomp.py
│   │           │   │   ├── _decomp_cholesky.py
│   │           │   │   ├── _decomp_cossin.py
│   │           │   │   ├── _decomp_ldl.py
│   │           │   │   ├── _decomp_lu.py
│   │           │   │   ├── _decomp_lu_cython.cpython-39-darwin.so
│   │           │   │   ├── _decomp_lu_cython.pyi
│   │           │   │   ├── _decomp_polar.py
│   │           │   │   ├── _decomp_qr.py
│   │           │   │   ├── _decomp_qz.py
│   │           │   │   ├── _decomp_schur.py
│   │           │   │   ├── _decomp_svd.py
│   │           │   │   ├── _decomp_update.cpython-39-darwin.so
│   │           │   │   ├── _expm_frechet.py
│   │           │   │   ├── _fblas.cpython-39-darwin.so
│   │           │   │   ├── _flapack.cpython-39-darwin.so
│   │           │   │   ├── _interpolative.cpython-39-darwin.so
│   │           │   │   ├── _interpolative_backend.py
│   │           │   │   ├── _lapack_subroutines.h
│   │           │   │   ├── _matfuncs.py
│   │           │   │   ├── _matfuncs_expm.cpython-39-darwin.so
│   │           │   │   ├── _matfuncs_expm.pyi
```

```
│   │               │   │   ├── _matfuncs_inv_ssq.py
│   │               │   │   ├── _matfuncs_sqrtm.py
│   │               │   │   ├── _matfuncs_sqrtm_triu.cpython-39-darwin.so
│   │               │   │   ├── _misc.py
│   │               │   │   ├── _procrustes.py
│   │               │   │   ├── _sketches.py
│   │               │   │   ├── _solve_toeplitz.cpython-39-darwin.so
│   │               │   │   ├── _solvers.py
│   │               │   │   ├── _special_matrices.py
│   │               │   │   ├── _testutils.py
│   │               │   │   ├── basic.py
│   │               │   │   ├── blas.py
│   │               │   │   ├── cython_blas.cpython-39-darwin.so
│   │               │   │   ├── cython_blas.pxd
│   │               │   │   ├── cython_blas.pyx
│   │               │   │   ├── cython_lapack.cpython-39-darwin.so
│   │               │   │   ├── cython_lapack.pxd
│   │               │   │   ├── cython_lapack.pyx
│   │               │   │   ├── decomp.py
│   │               │   │   ├── decomp_cholesky.py
│   │               │   │   ├── decomp_lu.py
│   │               │   │   ├── decomp_qr.py
│   │               │   │   ├── decomp_schur.py
│   │               │   │   ├── decomp_svd.py
│   │               │   │   ├── interpolative.py
│   │               │   │   ├── lapack.py
│   │               │   │   ├── matfuncs.py
│   │               │   │   ├── misc.py
│   │               │   │   ├── special_matrices.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── carex_15_data.npz
│   │               │   │       │   ├── carex_18_data.npz
│   │               │   │       │   ├── carex_19_data.npz
│   │               │   │       │   ├── carex_20_data.npz
│   │               │   │       │   ├── carex_6_data.npz
│   │               │   │       │   └── gendare_20170120_data.npz
│   │               │   │       ├── test_basic.py
│   │               │   │       ├── test_blas.py
│   │               │   │       ├── test_cython_blas.py
│   │               │   │       ├── test_cython_lapack.py
│   │               │   │       ├── test_cythonized_array_utils.py
│   │               │   │       ├── test_decomp.py
│   │               │   │       ├── test_decomp_cholesky.py
│   │               │   │       ├── test_decomp_cossin.py
│   │               │   │       ├── test_decomp_ldl.py
│   │               │   │       ├── test_decomp_lu.py
│   │               │   │       ├── test_decomp_polar.py
│   │               │   │       ├── test_decomp_update.py
│   │               │   │       ├── test_fblas.py
│   │               │   │       ├── test_interpolative.py
│   │               │   │       ├── test_lapack.py
│   │               │   │       ├── test_matfuncs.py
│   │               │   │       ├── test_matmul_toeplitz.py
│   │               │   │       ├── test_misc.py
```

```
│   │               │   │       ├── test_procrustes.py
│   │               │   │       ├── test_sketches.py
│   │               │   │       ├── test_solve_toeplitz.py
│   │               │   │       ├── test_solvers.py
│   │               │   │       └── test_special_matrices.py
│   │               │   ├── linalg.pxd
│   │               │   ├── misc
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _common.py
│   │               │   │   ├── ascent.dat
│   │               │   │   ├── common.py
│   │               │   │   ├── doccer.py
│   │               │   │   ├── ecg.dat
│   │               │   │   ├── face.dat
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_common.py
│   │               │   │       ├── test_config.py
│   │               │   │       └── test_doccer.py
│   │               │   ├── ndimage
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _ctest.cpython-39-darwin.so
│   │               │   │   ├── _cytest.cpython-39-darwin.so
│   │               │   │   ├── _filters.py
│   │               │   │   ├── _fourier.py
│   │               │   │   ├── _interpolation.py
│   │               │   │   ├── _measurements.py
│   │               │   │   ├── _morphology.py
│   │               │   │   ├── _nd_image.cpython-39-darwin.so
│   │               │   │   ├── _ni_docstrings.py
│   │               │   │   ├── _ni_label.cpython-39-darwin.so
│   │               │   │   ├── _ni_support.py
│   │               │   │   ├── filters.py
│   │               │   │   ├── fourier.py
│   │               │   │   ├── interpolation.py
│   │               │   │   ├── measurements.py
│   │               │   │   ├── morphology.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── label_inputs.txt
│   │               │   │       │   ├── label_results.txt
│   │               │   │       │   └── label_strels.txt
│   │               │   │       ├── dots.png
│   │               │   │       ├── test_c_api.py
│   │               │   │       ├── test_datatypes.py
│   │               │   │       ├── test_filters.py
│   │               │   │       ├── test_fourier.py
│   │               │   │       ├── test_interpolation.py
│   │               │   │       ├── test_measurements.py
│   │               │   │       ├── test_morphology.py
│   │               │   │       ├── test_ni_support.py
│   │               │   │       └── test_splines.py
│   │               │   ├── odr
│   │               │   │   ├── __init__.py
│   │               │   │   ├── __odrpack.cpython-39-darwin.so
```

```
│   │   │   │   │   ├── _add_newdocs.py
│   │   │   │   │   ├── _models.py
│   │   │   │   │   ├── _odrpack.py
│   │   │   │   │   ├── models.py
│   │   │   │   │   ├── odrpack.py
│   │   │   │   │   └── tests
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       └── test_odr.py
│   │   │   │   ├── optimize
│   │   │   │   │   ├── README
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _basinhopping.py
│   │   │   │   │   ├── _bglu_dense.cpython-39-darwin.so
│   │   │   │   │   ├── _bracket.py
│   │   │   │   │   ├── _chandrupatla.py
│   │   │   │   │   ├── _cobyla.cpython-39-darwin.so
│   │   │   │   │   ├── _cobyla_py.py
│   │   │   │   │   ├── _constraints.py
│   │   │   │   │   ├── _dcsrch.py
│   │   │   │   │   ├── _differentiable_functions.py
│   │   │   │   │   ├── _differentialevolution.py
│   │   │   │   │   ├── _differentiate.py
│   │   │   │   │   ├── _direct.cpython-39-darwin.so
│   │   │   │   │   ├── _direct_py.py
│   │   │   │   │   ├── _dual_annealing.py
│   │   │   │   │   ├── _group_columns.cpython-39-darwin.so
│   │   │   │   │   ├── _hessian_update_strategy.py
│   │   │   │   │   ├── _highs
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _highs_constants.cpython-39-darwin.so
│   │   │   │   │   │   ├── _highs_wrapper.cpython-39-darwin.so
│   │   │   │   │   │   └── src
│   │   │   │   │   │       └── cython
│   │   │   │   │   │           ├── HConst.pxd
│   │   │   │   │   │           ├── Highs.pxd
│   │   │   │   │   │           ├── HighsIO.pxd
│   │   │   │   │   │           ├── HighsInfo.pxd
│   │   │   │   │   │           ├── HighsLp.pxd
│   │   │   │   │   │           ├── HighsLpUtils.pxd
│   │   │   │   │   │           ├── HighsModelUtils.pxd
│   │   │   │   │   │           ├── HighsOptions.pxd
│   │   │   │   │   │           ├── HighsRuntimeOptions.pxd
│   │   │   │   │   │           ├── HighsStatus.pxd
│   │   │   │   │   │           ├── SimplexConst.pxd
│   │   │   │   │   │           └── highs_c_api.pxd
│   │   │   │   │   ├── _isotonic.py
│   │   │   │   │   ├── _lbfgsb.cpython-39-darwin.so
│   │   │   │   │   ├── _lbfgsb_py.py
│   │   │   │   │   ├── _linesearch.py
│   │   │   │   │   ├── _linprog.py
│   │   │   │   │   ├── _linprog_doc.py
│   │   │   │   │   ├── _linprog_highs.py
│   │   │   │   │   ├── _linprog_ip.py
│   │   │   │   │   ├── _linprog_rs.py
│   │   │   │   │   ├── _linprog_simplex.py
│   │   │   │   │   ├── _linprog_util.py
```

```
│   │               │   │   ├── _lsap.cpython-39-darwin.so
│   │               │   │   ├── _lsq
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bvls.py
│   │               │   │   │   ├── common.py
│   │               │   │   │   ├── dogbox.py
│   │               │   │   │   ├── givens_elimination.cpython-39-darwin.so
│   │               │   │   │   ├── least_squares.py
│   │               │   │   │   ├── lsq_linear.py
│   │               │   │   │   ├── trf.py
│   │               │   │   │   └── trf_linear.py
│   │               │   │   ├── _milp.py
│   │               │   │   ├── _minimize.py
│   │               │   │   ├── _minpack.cpython-39-darwin.so
│   │               │   │   ├── _minpack2.cpython-39-darwin.so
│   │               │   │   ├── _minpack_py.py
│   │               │   │   ├── _moduleTNC.cpython-39-darwin.so
│   │               │   │   ├── _nnls.py
│   │               │   │   ├── _nonlin.py
│   │               │   │   ├── _numdiff.py
│   │               │   │   ├── _optimize.py
│   │               │   │   ├── _pava_pybind.cpython-39-darwin.so
│   │               │   │   ├── _qap.py
│   │               │   │   ├── _remove_redundancy.py
│   │               │   │   ├── _root.py
│   │               │   │   ├── _root_scalar.py
│   │               │   │   ├── _shgo.py
│   │               │   │   ├── _shgo_lib
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _complex.py
│   │               │   │   │   └── _vertex.py
│   │               │   │   ├── _slsqp.cpython-39-darwin.so
│   │               │   │   ├── _slsqp_py.py
│   │               │   │   ├── _spectral.py
│   │               │   │   ├── _tnc.py
│   │               │   │   ├── _trlib
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── _trlib.cpython-39-darwin.so
│   │               │   │   ├── _trustregion.py
│   │               │   │   ├── _trustregion_constr
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── canonical_constraint.py
│   │               │   │   │   ├── equality_constrained_sqp.py
│   │               │   │   │   ├── minimize_trustregion_constr.py
│   │               │   │   │   ├── projections.py
│   │               │   │   │   ├── qp_subproblem.py
│   │               │   │   │   ├── report.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_canonical_constraint.py
│   │               │   │   │   │   ├── test_projections.py
│   │               │   │   │   │   ├── test_qp_subproblem.py
│   │               │   │   │   │   └── test_report.py
│   │               │   │   │   └── tr_interior_point.py
│   │               │   │   ├── _trustregion_dogleg.py
│   │               │   │   ├── _trustregion_exact.py
```

```
│   │               │   │   ├── _trustregion_krylov.py
│   │               │   │   ├── _trustregion_ncg.py
│   │               │   │   ├── _tstutils.py
│   │               │   │   ├── _zeros.cpython-39-darwin.so
│   │               │   │   ├── _zeros_py.py
│   │               │   │   ├── cobyla.py
│   │               │   │   ├── cython_optimize
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _zeros.cpython-39-darwin.so
│   │               │   │   │   ├── _zeros.pxd
│   │               │   │   │   └── c_zeros.pxd
│   │               │   │   ├── cython_optimize.pxd
│   │               │   │   ├── lbfgsb.py
│   │               │   │   ├── linesearch.py
│   │               │   │   ├── minpack.py
│   │               │   │   ├── minpack2.py
│   │               │   │   ├── moduleTNC.py
│   │               │   │   ├── nonlin.py
│   │               │   │   ├── optimize.py
│   │               │   │   ├── slsqp.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test__basinhopping.py
│   │               │   │   │   ├── test__differential_evolution.py
│   │               │   │   │   ├── test__dual_annealing.py
│   │               │   │   │   ├── test__linprog_clean_inputs.py
│   │               │   │   │   ├── test__numdiff.py
│   │               │   │   │   ├── test__remove_redundancy.py
│   │               │   │   │   ├── test__root.py
│   │               │   │   │   ├── test__shgo.py
│   │               │   │   │   ├── test__spectral.py
│   │               │   │   │   ├── test_bracket.py
│   │               │   │   │   ├── test_chandrupatla.py
│   │               │   │   │   ├── test_cobyla.py
│   │               │   │   │   ├── test_constraint_conversion.py
│   │               │   │   │   ├── test_constraints.py
│   │               │   │   │   ├── test_cython_optimize.py
│   │               │   │   │   ├── test_differentiable_functions.py
│   │               │   │   │   ├── test_differentiate.py
│   │               │   │   │   ├── test_direct.py
│   │               │   │   │   ├── test_hessian_update_strategy.py
│   │               │   │   │   ├── test_isotonic_regression.py
│   │               │   │   │   ├── test_lbfgsb_hessinv.py
│   │               │   │   │   ├── test_lbfgsb_setulb.py
│   │               │   │   │   ├── test_least_squares.py
│   │               │   │   │   ├── test_linear_assignment.py
│   │               │   │   │   ├── test_linesearch.py
│   │               │   │   │   ├── test_linprog.py
│   │               │   │   │   ├── test_lsq_common.py
│   │               │   │   │   ├── test_lsq_linear.py
│   │               │   │   │   ├── test_milp.py
│   │               │   │   │   ├── test_minimize_constrained.py
│   │               │   │   │   ├── test_minpack.py
│   │               │   │   │   ├── test_nnls.py
│   │               │   │   │   ├── test_nonlin.py
│   │               │   │   │   ├── test_optimize.py
```

```
│   │               │   │   │   ├── test_quadratic_assignment.py
│   │               │   │   │   ├── test_regression.py
│   │               │   │   │   ├── test_slsqp.py
│   │               │   │   │   ├── test_tnc.py
│   │               │   │   │   ├── test_trustregion.py
│   │               │   │   │   ├── test_trustregion_exact.py
│   │               │   │   │   ├── test_trustregion_krylov.py
│   │               │   │   │   └── test_zeros.py
│   │               │   │   ├── tnc.py
│   │               │   │   └── zeros.py
│   │               │   ├── optimize.pxd
│   │               │   ├── signal
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _arraytools.py
│   │               │   │   ├── _bsplines.py
│   │               │   │   ├── _czt.py
│   │               │   │   ├── _filter_design.py
│   │               │   │   ├── _fir_filter_design.py
│   │               │   │   ├── _lti_conversion.py
│   │               │   │   ├── _ltisys.py
│   │               │   │   ├── _max_len_seq.py
│   │               │   │   ├── _max_len_seq_inner.cpython-39-darwin.so
│   │               │   │   ├── _peak_finding.py
│   │               │   │   ├── _peak_finding_utils.cpython-39-darwin.so
│   │               │   │   ├── _savitzky_golay.py
│   │               │   │   ├── _short_time_fft.py
│   │               │   │   ├── _signaltools.py
│   │               │   │   ├── _sigtools.cpython-39-darwin.so
│   │               │   │   ├── _sosfilt.cpython-39-darwin.so
│   │               │   │   ├── _spectral.cpython-39-darwin.so
│   │               │   │   ├── _spectral_py.py
│   │               │   │   ├── _spline.cpython-39-darwin.so
│   │               │   │   ├── _upfirdn.py
│   │               │   │   ├── _upfirdn_apply.cpython-39-darwin.so
│   │               │   │   ├── _waveforms.py
│   │               │   │   ├── _wavelets.py
│   │               │   │   ├── bsplines.py
│   │               │   │   ├── filter_design.py
│   │               │   │   ├── fir_filter_design.py
│   │               │   │   ├── lti_conversion.py
│   │               │   │   ├── ltisys.py
│   │               │   │   ├── signaltools.py
│   │               │   │   ├── spectral.py
│   │               │   │   ├── spline.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _scipy_spectral_test_shim.py
│   │               │   │   │   ├── mpsig.py
│   │               │   │   │   ├── test_array_tools.py
│   │               │   │   │   ├── test_bsplines.py
│   │               │   │   │   ├── test_cont2discrete.py
│   │               │   │   │   ├── test_czt.py
│   │               │   │   │   ├── test_dltisys.py
│   │               │   │   │   ├── test_filter_design.py
│   │               │   │   │   ├── test_fir_filter_design.py
│   │               │   │   │   ├── test_ltisys.py
```

```
│   │               │   │   │   ├── test_max_len_seq.py
│   │               │   │   │   ├── test_peak_finding.py
│   │               │   │   │   ├── test_result_type.py
│   │               │   │   │   ├── test_savitzky_golay.py
│   │               │   │   │   ├── test_short_time_fft.py
│   │               │   │   │   ├── test_signaltools.py
│   │               │   │   │   ├── test_spectral.py
│   │               │   │   │   ├── test_upfirdn.py
│   │               │   │   │   ├── test_waveforms.py
│   │               │   │   │   ├── test_wavelets.py
│   │               │   │   │   └── test_windows.py
│   │               │   │   ├── waveforms.py
│   │               │   │   ├── wavelets.py
│   │               │   │   └── windows
│   │               │   │       ├── __init__.py
│   │               │   │       ├── _windows.py
│   │               │   │       └── windows.py
│   │               │   ├── sparse
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _base.py
│   │               │   │   ├── _bsr.py
│   │               │   │   ├── _compressed.py
│   │               │   │   ├── _construct.py
│   │               │   │   ├── _coo.py
│   │               │   │   ├── _csc.py
│   │               │   │   ├── _csparsetools.cpython-39-darwin.so
│   │               │   │   ├── _csr.py
│   │               │   │   ├── _data.py
│   │               │   │   ├── _dia.py
│   │               │   │   ├── _dok.py
│   │               │   │   ├── _extract.py
│   │               │   │   ├── _index.py
│   │               │   │   ├── _lil.py
│   │               │   │   ├── _matrix.py
│   │               │   │   ├── _matrix_io.py
│   │               │   │   ├── _sparsetools.cpython-39-darwin.so
│   │               │   │   ├── _spfuncs.py
│   │               │   │   ├── _sputils.py
│   │               │   │   ├── base.py
│   │               │   │   ├── bsr.py
│   │               │   │   ├── compressed.py
│   │               │   │   ├── construct.py
│   │               │   │   ├── coo.py
│   │               │   │   ├── csc.py
│   │               │   │   ├── csgraph
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _flow.cpython-39-darwin.so
│   │               │   │   │   ├── _laplacian.py
│   │               │   │   │   ├── _matching.cpython-39-darwin.so
│   │               │   │   │   ├── _min_spanning_tree.cpython-39-darwin.so
│   │               │   │   │   ├── _reordering.cpython-39-darwin.so
│   │               │   │   │   ├── _shortest_path.cpython-39-darwin.so
│   │               │   │   │   ├── _tools.cpython-39-darwin.so
│   │               │   │   │   ├── _traversal.cpython-39-darwin.so
│   │               │   │   │   ├── _validation.py
│   │               │   │   │   └── tests
```

```
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_connected_components.py
│   │               │   │   │       ├── test_conversions.py
│   │               │   │   │       ├── test_flow.py
│   │               │   │   │       ├── test_graph_laplacian.py
│   │               │   │   │       ├── test_matching.py
│   │               │   │   │       ├── test_pydata_sparse.py
│   │               │   │   │       ├── test_reordering.py
│   │               │   │   │       ├── test_shortest_path.py
│   │               │   │   │       ├── test_spanning_tree.py
│   │               │   │   │       └── test_traversal.py
│   │               │   │   ├── csr.py
│   │               │   │   ├── data.py
│   │               │   │   ├── dia.py
│   │               │   │   ├── dok.py
│   │               │   │   ├── extract.py
│   │               │   │   ├── lil.py
│   │               │   │   ├── linalg
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _dsolve
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _add_newdocs.py
│   │               │   │   │   │   ├── _superlu.cpython-39-darwin.so
│   │               │   │   │   │   ├── linsolve.py
│   │               │   │   │   │   └── tests
│   │               │   │   │   │       ├── __init__.py
│   │               │   │   │   │       └── test_linsolve.py
│   │               │   │   │   ├── _eigen
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _svds.py
│   │               │   │   │   │   ├── _svds_doc.py
│   │               │   │   │   │   ├── arpack
│   │               │   │   │   │   │   ├── COPYING
│   │               │   │   │   │   │   ├── __init__.py
│   │               │   │   │   │   │   ├── _arpack.cpython-39-darwin.so
│   │               │   │   │   │   │   ├── arpack.py
│   │               │   │   │   │   │   └── tests
│   │               │   │   │   │   │       ├── __init__.py
│   │               │   │   │   │   │       └── test_arpack.py
│   │               │   │   │   │   ├── lobpcg
│   │               │   │   │   │   │   ├── __init__.py
│   │               │   │   │   │   │   ├── lobpcg.py
│   │               │   │   │   │   │   └── tests
│   │               │   │   │   │   │       ├── __init__.py
│   │               │   │   │   │   │       └── test_lobpcg.py
│   │               │   │   │   │   └── tests
│   │               │   │   │   │       ├── __init__.py
│   │               │   │   │   │       └── test_svds.py
│   │               │   │   │   ├── _expm_multiply.py
│   │               │   │   │   ├── _interface.py
│   │               │   │   │   ├── _isolve
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── _gcrotmk.py
│   │               │   │   │   │   ├── iterative.py
│   │               │   │   │   │   ├── lgmres.py
│   │               │   │   │   │   ├── lsmr.py
```

```
│   │               │   │   │   │   ├── lsqr.py
│   │               │   │   │   │   ├── minres.py
│   │               │   │   │   │   ├── tests
│   │               │   │   │   │   │   ├── __init__.py
│   │               │   │   │   │   │   ├── test_gcrotmk.py
│   │               │   │   │   │   │   ├── test_iterative.py
│   │               │   │   │   │   │   ├── test_lgmres.py
│   │               │   │   │   │   │   ├── test_lsmr.py
│   │               │   │   │   │   │   ├── test_lsqr.py
│   │               │   │   │   │   │   ├── test_minres.py
│   │               │   │   │   │   │   └── test_utils.py
│   │               │   │   │   │   ├── tfqmr.py
│   │               │   │   │   │   └── utils.py
│   │               │   │   │   ├── _matfuncs.py
│   │               │   │   │   ├── _norm.py
│   │               │   │   │   ├── _onenormest.py
│   │               │   │   │   ├── _propack
│   │               │   │   │   │   ├── _cpropack.cpython-39-darwin.so
│   │               │   │   │   │   ├── _dpropack.cpython-39-darwin.so
│   │               │   │   │   │   ├── _spropack.cpython-39-darwin.so
│   │               │   │   │   │   └── _zpropack.cpython-39-darwin.so
│   │               │   │   │   ├── _special_sparse_arrays.py
│   │               │   │   │   ├── _svdp.py
│   │               │   │   │   ├── dsolve.py
│   │               │   │   │   ├── eigen.py
│   │               │   │   │   ├── interface.py
│   │               │   │   │   ├── isolve.py
│   │               │   │   │   ├── matfuncs.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── propack_test_data.npz
│   │               │   │   │       ├── test_expm_multiply.py
│   │               │   │   │       ├── test_interface.py
│   │               │   │   │       ├── test_matfuncs.py
│   │               │   │   │       ├── test_norm.py
│   │               │   │   │       ├── test_onenormest.py
│   │               │   │   │       ├── test_propack.py
│   │               │   │   │       ├── test_pydata_sparse.py
│   │               │   │   │       └── test_special_sparse_arrays.py
│   │               │   │   ├── sparsetools.py
│   │               │   │   ├── spfuncs.py
│   │               │   │   ├── sputils.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── csc_py2.npz
│   │               │   │       │   └── csc_py3.npz
│   │               │   │       ├── test_array_api.py
│   │               │   │       ├── test_base.py
│   │               │   │       ├── test_common1d.py
│   │               │   │       ├── test_construct.py
│   │               │   │       ├── test_coo.py
│   │               │   │       ├── test_csc.py
│   │               │   │       ├── test_csr.py
│   │               │   │       ├── test_deprecations.py
│   │               │   │       ├── test_dok.py
```

```
│   │               │   │       ├── test_extract.py
│   │               │   │       ├── test_matrix_io.py
│   │               │   │       ├── test_minmax1d.py
│   │               │   │       ├── test_sparsetools.py
│   │               │   │       ├── test_spfuncs.py
│   │               │   │       └── test_sputils.py
│   │               │   ├── spatial
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _ckdtree.cpython-39-darwin.so
│   │               │   │   ├── _ckdtree.pyi
│   │               │   │   ├── _distance_pybind.cpython-39-darwin.so
│   │               │   │   ├── _distance_wrap.cpython-39-darwin.so
│   │               │   │   ├── _geometric_slerp.py
│   │               │   │   ├── _hausdorff.cpython-39-darwin.so
│   │               │   │   ├── _kdtree.py
│   │               │   │   ├── _plotutils.py
│   │               │   │   ├── _procrustes.py
│   │               │   │   ├── _qhull.cpython-39-darwin.so
│   │               │   │   ├── _qhull.pyi
│   │               │   │   ├── _spherical_voronoi.py
│   │               │   │   ├── _voronoi.cpython-39-darwin.so
│   │               │   │   ├── _voronoi.pyi
│   │               │   │   ├── ckdtree.py
│   │               │   │   ├── distance.py
│   │               │   │   ├── distance.pyi
│   │               │   │   ├── kdtree.py
│   │               │   │   ├── qhull.py
│   │               │   │   ├── qhull_src
│   │               │   │   │   └── COPYING.txt
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── data
│   │               │   │   │   │   ├── cdist-X1.txt
│   │               │   │   │   │   ├── cdist-X2.txt
│   │               │   │   │   │   ├── degenerate_pointset.npz
│   │               │   │   │   │   ├── iris.txt
│   │               │   │   │   │   ├── pdist-boolean-inp.txt
│   │               │   │   │   │   ├── pdist-chebyshev-ml-iris.txt
│   │               │   │   │   │   ├── pdist-chebyshev-ml.txt
│   │               │   │   │   │   ├── pdist-cityblock-ml-iris.txt
│   │               │   │   │   │   ├── pdist-cityblock-ml.txt
│   │               │   │   │   │   ├── pdist-correlation-ml-iris.txt
│   │               │   │   │   │   ├── pdist-correlation-ml.txt
│   │               │   │   │   │   ├── pdist-cosine-ml-iris.txt
│   │               │   │   │   │   ├── pdist-cosine-ml.txt
│   │               │   │   │   │   ├── pdist-double-inp.txt
│   │               │   │   │   │   ├── pdist-euclidean-ml-iris.txt
│   │               │   │   │   │   ├── pdist-euclidean-ml.txt
│   │               │   │   │   │   ├── pdist-hamming-ml.txt
│   │               │   │   │   │   ├── pdist-jaccard-ml.txt
│   │               │   │   │   │   ├── pdist-jensenshannon-ml-iris.txt
│   │               │   │   │   │   ├── pdist-jensenshannon-ml.txt
│   │               │   │   │   │   ├── pdist-minkowski-3.2-ml-iris.txt
│   │               │   │   │   │   ├── pdist-minkowski-3.2-ml.txt
│   │               │   │   │   │   ├── pdist-minkowski-5.8-ml-iris.txt
│   │               │   │   │   │   ├── pdist-seuclidean-ml-iris.txt
```

```
│   │               │   │   │   │   ├── pdist-seuclidean-ml.txt
│   │               │   │   │   │   ├── pdist-spearman-ml.txt
│   │               │   │   │   │   ├── random-bool-data.txt
│   │               │   │   │   │   ├── random-double-data.txt
│   │               │   │   │   │   ├── random-int-data.txt
│   │               │   │   │   │   ├── random-uint-data.txt
│   │               │   │   │   │   └── selfdual-4d-polytope.txt
│   │               │   │   │   ├── test__plotutils.py
│   │               │   │   │   ├── test__procrustes.py
│   │               │   │   │   ├── test_distance.py
│   │               │   │   │   ├── test_hausdorff.py
│   │               │   │   │   ├── test_kdtree.py
│   │               │   │   │   ├── test_qhull.py
│   │               │   │   │   ├── test_slerp.py
│   │               │   │   │   └── test_spherical_voronoi.py
│   │               │   │   └── transform
│   │               │   │       ├── __init__.py
│   │               │   │       ├── _rotation.cpython-39-darwin.so
│   │               │   │       ├── _rotation.pyi
│   │               │   │       ├── _rotation_groups.py
│   │               │   │       ├── _rotation_spline.py
│   │               │   │       ├── rotation.py
│   │               │   │       └── tests
│   │               │   │           ├── __init__.py
│   │               │   │           ├── test_rotation.py
│   │               │   │           ├── test_rotation_groups.py
│   │               │   │           └── test_rotation_spline.py
│   │               │   ├── special
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _add_newdocs.py
│   │               │   │   ├── _basic.py
│   │               │   │   ├── _cdflib.cpython-39-darwin.so
│   │               │   │   ├── _comb.cpython-39-darwin.so
│   │               │   │   ├── _ellip_harm.py
│   │               │   │   ├── _ellip_harm_2.cpython-39-darwin.so
│   │               │   │   ├── _lambertw.py
│   │               │   │   ├── _logsumexp.py
│   │               │   │   ├── _mptestutils.py
│   │               │   │   ├── _orthogonal.py
│   │               │   │   ├── _orthogonal.pyi
│   │               │   │   ├── _precompute
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── cosine_cdf.py
│   │               │   │   │   ├── expn_asy.py
│   │               │   │   │   ├── gammainc_asy.py
│   │               │   │   │   ├── gammainc_data.py
│   │               │   │   │   ├── lambertw.py
│   │               │   │   │   ├── loggamma.py
│   │               │   │   │   ├── struve_convergence.py
│   │               │   │   │   ├── utils.py
│   │               │   │   │   ├── wright_bessel.py
│   │               │   │   │   ├── wright_bessel_data.py
│   │               │   │   │   ├── wrightomega.py
│   │               │   │   │   └── zetac.py
│   │               │   │   ├── _sf_error.py
│   │               │   │   ├── _specfun.cpython-39-darwin.so
```

```
│   │               │   │   ├── _spfun_stats.py
│   │               │   │   ├── _spherical_bessel.py
│   │               │   │   ├── _support_alternative_backends.py
│   │               │   │   ├── _test_internal.cpython-39-darwin.so
│   │               │   │   ├── _test_internal.pyi
│   │               │   │   ├── _testutils.py
│   │               │   │   ├── _ufuncs.cpython-39-darwin.so
│   │               │   │   ├── _ufuncs.pyi
│   │               │   │   ├── _ufuncs.pyx
│   │               │   │   ├── _ufuncs_cxx.cpython-39-darwin.so
│   │               │   │   ├── _ufuncs_cxx.pxd
│   │               │   │   ├── _ufuncs_cxx.pyx
│   │               │   │   ├── _ufuncs_cxx_defs.h
│   │               │   │   ├── _ufuncs_defs.h
│   │               │   │   ├── add_newdocs.py
│   │               │   │   ├── basic.py
│   │               │   │   ├── cython_special.cpython-39-darwin.so
│   │               │   │   ├── cython_special.pxd
│   │               │   │   ├── cython_special.pyi
│   │               │   │   ├── cython_special.pyx
│   │               │   │   ├── orthogonal.py
│   │               │   │   ├── sf_error.py
│   │               │   │   ├── specfun.py
│   │               │   │   ├── special
│   │               │   │   │   ├── binom.h
│   │               │   │   │   ├── cephes
│   │               │   │   │   │   ├── beta.h
│   │               │   │   │   │   ├── const.h
│   │               │   │   │   │   ├── gamma.h
│   │               │   │   │   │   ├── polevl.h
│   │               │   │   │   │   ├── psi.h
│   │               │   │   │   │   ├── trig.h
│   │               │   │   │   │   └── zeta.h
│   │               │   │   │   ├── config.h
│   │               │   │   │   ├── digamma.h
│   │               │   │   │   ├── error.h
│   │               │   │   │   ├── evalpoly.h
│   │               │   │   │   ├── lambertw.h
│   │               │   │   │   ├── loggamma.h
│   │               │   │   │   ├── trig.h
│   │               │   │   │   └── zlog1.h
│   │               │   │   ├── spfun_stats.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── data
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   ├── boost.npz
│   │               │   │       │   ├── gsl.npz
│   │               │   │       │   └── local.npz
│   │               │   │       ├── test_basic.py
│   │               │   │       ├── test_bdtr.py
│   │               │   │       ├── test_boxcox.py
│   │               │   │       ├── test_cdflib.py
│   │               │   │       ├── test_cdft_asymptotic.py
│   │               │   │       ├── test_cosine_distr.py
│   │               │   │       ├── test_cython_special.py
```

```
│   │               │   │       ├── test_data.py
│   │               │   │       ├── test_dd.py
│   │               │   │       ├── test_digamma.py
│   │               │   │       ├── test_ellip_harm.py
│   │               │   │       ├── test_erfinv.py
│   │               │   │       ├── test_exponential_integrals.py
│   │               │   │       ├── test_faddeeva.py
│   │               │   │       ├── test_gamma.py
│   │               │   │       ├── test_gammainc.py
│   │               │   │       ├── test_hyp2f1.py
│   │               │   │       ├── test_hypergeometric.py
│   │               │   │       ├── test_kolmogorov.py
│   │               │   │       ├── test_lambertw.py
│   │               │   │       ├── test_log_softmax.py
│   │               │   │       ├── test_loggamma.py
│   │               │   │       ├── test_logit.py
│   │               │   │       ├── test_logsumexp.py
│   │               │   │       ├── test_mpmath.py
│   │               │   │       ├── test_nan_inputs.py
│   │               │   │       ├── test_ndtr.py
│   │               │   │       ├── test_ndtri_exp.py
│   │               │   │       ├── test_orthogonal.py
│   │               │   │       ├── test_orthogonal_eval.py
│   │               │   │       ├── test_owens_t.py
│   │               │   │       ├── test_pcf.py
│   │               │   │       ├── test_pdtr.py
│   │               │   │       ├── test_powm1.py
│   │               │   │       ├── test_precompute_expn_asy.py
│   │               │   │       ├── test_precompute_gammainc.py
│   │               │   │       ├── test_precompute_utils.py
│   │               │   │       ├── test_round.py
│   │               │   │       ├── test_sf_error.py
│   │               │   │       ├── test_sici.py
│   │               │   │       ├── test_specfun.py
│   │               │   │       ├── test_spence.py
│   │               │   │       ├── test_spfun_stats.py
│   │               │   │       ├── test_sph_harm.py
│   │               │   │       ├── test_spherical_bessel.py
│   │               │   │       ├── test_support_alternative_backends.py
│   │               │   │       ├── test_trig.py
│   │               │   │       ├── test_wright_bessel.py
│   │               │   │       ├── test_wrightomega.py
│   │               │   │       └── test_zeta.py
│   │               │   ├── special.pxd
│   │               │   ├── stats
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _ansari_swilk_statistics.cpython-39-
darwin.so
│   │               │   │   ├── _axis_nan_policy.py
│   │               │   │   ├── _biasedurn.cpython-39-darwin.so
│   │               │   │   ├── _biasedurn.pxd
│   │               │   │   ├── _binned_statistic.py
│   │               │   │   ├── _binomtest.py
│   │               │   │   ├── _boost
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── beta_ufunc.cpython-39-darwin.so
```

```
│   │               │   │   │   ├── binom_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── hypergeom_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── invgauss_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── nbinom_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── ncf_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── nct_ufunc.cpython-39-darwin.so
│   │               │   │   │   ├── ncx2_ufunc.cpython-39-darwin.so
│   │               │   │   │   └── skewnorm_ufunc.cpython-39-darwin.so
│   │               │   │   ├── _bws_test.py
│   │               │   │   ├── _censored_data.py
│   │               │   │   ├── _common.py
│   │               │   │   ├── _constants.py
│   │               │   │   ├── _continuous_distns.py
│   │               │   │   ├── _covariance.py
│   │               │   │   ├── _crosstab.py
│   │               │   │   ├── _discrete_distns.py
│   │               │   │   ├── _distn_infrastructure.py
│   │               │   │   ├── _distr_params.py
│   │               │   │   ├── _entropy.py
│   │               │   │   ├── _fit.py
│   │               │   │   ├── _generate_pyx.py
│   │               │   │   ├── _hypotests.py
│   │               │   │   ├── _kde.py
│   │               │   │   ├── _ksstats.py
│   │               │   │   ├── _levy_stable
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── levyst.cpython-39-darwin.so
│   │               │   │   ├── _mannwhitneyu.py
│   │               │   │   ├── _morestats.py
│   │               │   │   ├── _mstats_basic.py
│   │               │   │   ├── _mstats_extras.py
│   │               │   │   ├── _multicomp.py
│   │               │   │   ├── _multivariate.py
│   │               │   │   ├── _mvn.cpython-39-darwin.so
│   │               │   │   ├── _odds_ratio.py
│   │               │   │   ├── _page_trend_test.py
│   │               │   │   ├── _qmc.py
│   │               │   │   ├── _qmc_cy.cpython-39-darwin.so
│   │               │   │   ├── _qmc_cy.pyi
│   │               │   │   ├── _qmvnt.py
│   │               │   │   ├── _rcont
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── rcont.cpython-39-darwin.so
│   │               │   │   ├── _relative_risk.py
│   │               │   │   ├── _resampling.py
│   │               │   │   ├── _result_classes.py
│   │               │   │   ├── _rvs_sampling.py
│   │               │   │   ├── _sampling.py
│   │               │   │   ├── _sensitivity_analysis.py
│   │               │   │   ├── _sobol.cpython-39-darwin.so
│   │               │   │   ├── _sobol.pyi
│   │               │   │   ├── _sobol_direction_numbers.npz
│   │               │   │   ├── _stats.cpython-39-darwin.so
│   │               │   │   ├── _stats.pxd
│   │               │   │   ├── _stats_mstats_common.py
│   │               │   │   ├── _stats_py.py
```

```
│   │               │   │   ├── _stats_pythran.cpython-39-darwin.so
│   │               │   │   ├── _survival.py
│   │               │   │   ├── _tukeylambda_stats.py
│   │               │   │   ├── _unuran
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── unuran_wrapper.cpython-39-darwin.so
│   │               │   │   │   └── unuran_wrapper.pyi
│   │               │   │   ├── _variation.py
│   │               │   │   ├── _warnings_errors.py
│   │               │   │   ├── _wilcoxon.py
│   │               │   │   ├── biasedurn.py
│   │               │   │   ├── contingency.py
│   │               │   │   ├── distributions.py
│   │               │   │   ├── kde.py
│   │               │   │   ├── morestats.py
│   │               │   │   ├── mstats.py
│   │               │   │   ├── mstats_basic.py
│   │               │   │   ├── mstats_extras.py
│   │               │   │   ├── mvn.py
│   │               │   │   ├── qmc.py
│   │               │   │   ├── sampling.py
│   │               │   │   ├── stats.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── common_tests.py
│   │               │   │       ├── data
│   │               │   │       │   ├── _mvt.py
│   │               │   │       │   ├── fisher_exact_results_from_r.py
│   │               │   │       │   ├── jf_skew_t_gamlss_pdf_data.npy
│   │               │   │       │   ├── levy_stable
│   │               │   │       │   │   ├── stable-Z1-cdf-sample-data.npy
│   │               │   │       │   │   ├── stable-Z1-pdf-sample-data.npy
│   │               │   │       │   │   └── stable-loc-scale-sample-data.npy
│   │               │   │       │   ├── nist_anova
│   │               │   │       │   │   ├── AtmWtAg.dat
│   │               │   │       │   │   ├── SiRstv.dat
│   │               │   │       │   │   ├── SmLs01.dat
│   │               │   │       │   │   ├── SmLs02.dat
│   │               │   │       │   │   ├── SmLs03.dat
│   │               │   │       │   │   ├── SmLs04.dat
│   │               │   │       │   │   ├── SmLs05.dat
│   │               │   │       │   │   ├── SmLs06.dat
│   │               │   │       │   │   ├── SmLs07.dat
│   │               │   │       │   │   ├── SmLs08.dat
│   │               │   │       │   │   └── SmLs09.dat
│   │               │   │       │   ├── nist_linregress
│   │               │   │       │   │   └── Norris.dat
│   │               │   │       │   ├──
rel_breitwigner_pdf_sample_data_ROOT.npy
│   │               │   │       │   └── studentized_range_mpmath_ref.json
│   │               │   │       ├── test_axis_nan_policy.py
│   │               │   │       ├── test_binned_statistic.py
│   │               │   │       ├── test_boost_ufuncs.py
│   │               │   │       ├── test_censored_data.py
│   │               │   │       ├── test_contingency.py
│   │               │   │       ├── test_continuous_basic.py
```

```
│   │               │   │       ├── test_continuous_fit_censored.py
│   │               │   │       ├── test_crosstab.py
│   │               │   │       ├── test_discrete_basic.py
│   │               │   │       ├── test_discrete_distns.py
│   │               │   │       ├── test_distributions.py
│   │               │   │       ├── test_entropy.py
│   │               │   │       ├── test_fast_gen_inversion.py
│   │               │   │       ├── test_fit.py
│   │               │   │       ├── test_hypotests.py
│   │               │   │       ├── test_kdeoth.py
│   │               │   │       ├── test_morestats.py
│   │               │   │       ├── test_mstats_basic.py
│   │               │   │       ├── test_mstats_extras.py
│   │               │   │       ├── test_multicomp.py
│   │               │   │       ├── test_multivariate.py
│   │               │   │       ├── test_odds_ratio.py
│   │               │   │       ├── test_qmc.py
│   │               │   │       ├── test_rank.py
│   │               │   │       ├── test_relative_risk.py
│   │               │   │       ├── test_resampling.py
│   │               │   │       ├── test_sampling.py
│   │               │   │       ├── test_sensitivity_analysis.py
│   │               │   │       ├── test_stats.py
│   │               │   │       ├── test_survival.py
│   │               │   │       ├── test_tukeylambda_stats.py
│   │               │   │       └── test_variation.py
│   │               │   └── version.py
│   │               ├── scipy-1.13.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE.txt
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   └── WHEEL
│   │               ├── setuptools
│   │               │   ├── __init__.py
│   │               │   ├── _deprecation_warning.py
│   │               │   ├── _distutils
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _msvccompiler.py
│   │               │   │   ├── archive_util.py
│   │               │   │   ├── bcppcompiler.py
│   │               │   │   ├── ccompiler.py
│   │               │   │   ├── cmd.py
│   │               │   │   ├── command
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bdist.py
│   │               │   │   │   ├── bdist_dumb.py
│   │               │   │   │   ├── bdist_msi.py
│   │               │   │   │   ├── bdist_rpm.py
│   │               │   │   │   ├── bdist_wininst.py
│   │               │   │   │   ├── build.py
│   │               │   │   │   ├── build_clib.py
│   │               │   │   │   ├── build_ext.py
│   │               │   │   │   ├── build_py.py
│   │               │   │   │   ├── build_scripts.py
```

```
│   │               │   │   │   ├── check.py
│   │               │   │   │   ├── clean.py
│   │               │   │   │   ├── config.py
│   │               │   │   │   ├── install.py
│   │               │   │   │   ├── install_data.py
│   │               │   │   │   ├── install_egg_info.py
│   │               │   │   │   ├── install_headers.py
│   │               │   │   │   ├── install_lib.py
│   │               │   │   │   ├── install_scripts.py
│   │               │   │   │   ├── py37compat.py
│   │               │   │   │   ├── register.py
│   │               │   │   │   ├── sdist.py
│   │               │   │   │   └── upload.py
│   │               │   │   ├── config.py
│   │               │   │   ├── core.py
│   │               │   │   ├── cygwinccompiler.py
│   │               │   │   ├── debug.py
│   │               │   │   ├── dep_util.py
│   │               │   │   ├── dir_util.py
│   │               │   │   ├── dist.py
│   │               │   │   ├── errors.py
│   │               │   │   ├── extension.py
│   │               │   │   ├── fancy_getopt.py
│   │               │   │   ├── file_util.py
│   │               │   │   ├── filelist.py
│   │               │   │   ├── log.py
│   │               │   │   ├── msvc9compiler.py
│   │               │   │   ├── msvccompiler.py
│   │               │   │   ├── py35compat.py
│   │               │   │   ├── py38compat.py
│   │               │   │   ├── spawn.py
│   │               │   │   ├── sysconfig.py
│   │               │   │   ├── text_file.py
│   │               │   │   ├── unixccompiler.py
│   │               │   │   ├── util.py
│   │               │   │   ├── version.py
│   │               │   │   └── versionpredicate.py
│   │               │   ├── _imp.py
│   │               │   ├── _vendor
│   │               │   │   ├── __init__.py
│   │               │   │   ├── more_itertools
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── more.py
│   │               │   │   │   └── recipes.py
│   │               │   │   ├── ordered_set.py
│   │               │   │   ├── packaging
│   │               │   │   │   ├── __about__.py
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _compat.py
│   │               │   │   │   ├── _structures.py
│   │               │   │   │   ├── _typing.py
│   │               │   │   │   ├── markers.py
│   │               │   │   │   ├── requirements.py
│   │               │   │   │   ├── specifiers.py
│   │               │   │   │   ├── tags.py
│   │               │   │   │   ├── utils.py
```

```
│   │               │   │   │   └── version.py
│   │               │   │   └── pyparsing.py
│   │               │   ├── archive_util.py
│   │               │   ├── build_meta.py
│   │               │   ├── cli-32.exe
│   │               │   ├── cli-64.exe
│   │               │   ├── cli.exe
│   │               │   ├── command
│   │               │   │   ├── __init__.py
│   │               │   │   ├── alias.py
│   │               │   │   ├── bdist_egg.py
│   │               │   │   ├── bdist_rpm.py
│   │               │   │   ├── build_clib.py
│   │               │   │   ├── build_ext.py
│   │               │   │   ├── build_py.py
│   │               │   │   ├── develop.py
│   │               │   │   ├── dist_info.py
│   │               │   │   ├── easy_install.py
│   │               │   │   ├── egg_info.py
│   │               │   │   ├── install.py
│   │               │   │   ├── install_egg_info.py
│   │               │   │   ├── install_lib.py
│   │               │   │   ├── install_scripts.py
│   │               │   │   ├── launcher manifest.xml
│   │               │   │   ├── py36compat.py
│   │               │   │   ├── register.py
│   │               │   │   ├── rotate.py
│   │               │   │   ├── saveopts.py
│   │               │   │   ├── sdist.py
│   │               │   │   ├── setopt.py
│   │               │   │   ├── test.py
│   │               │   │   ├── upload.py
│   │               │   │   └── upload_docs.py
│   │               │   ├── config.py
│   │               │   ├── dep_util.py
│   │               │   ├── depends.py
│   │               │   ├── dist.py
│   │               │   ├── errors.py
│   │               │   ├── extension.py
│   │               │   ├── extern
│   │               │   │   └── __init__.py
│   │               │   ├── glob.py
│   │               │   ├── gui-32.exe
│   │               │   ├── gui-64.exe
│   │               │   ├── gui.exe
│   │               │   ├── installer.py
│   │               │   ├── launch.py
│   │               │   ├── monkey.py
│   │               │   ├── msvc.py
│   │               │   ├── namespaces.py
│   │               │   ├── package_index.py
│   │               │   ├── py34compat.py
│   │               │   ├── sandbox.py
│   │               │   ├── script (dev).tmpl
│   │               │   ├── script.tmpl
│   │               │   ├── unicode_utils.py
```

```
│   │               │   ├── version.py
│   │               │   ├── wheel.py
│   │               │   └── windows_support.py
│   │               ├── setuptools-58.0.4.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── REQUESTED
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── shellingham
│   │               │   ├── __init__.py
│   │               │   ├── _core.py
│   │               │   ├── nt.py
│   │               │   └── posix
│   │               │       ├── __init__.py
│   │               │       ├── _core.py
│   │               │       ├── proc.py
│   │               │       └── ps.py
│   │               ├── shellingham-1.5.4.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── top_level.txt
│   │               │   └── zip-safe
│   │               ├── six-1.17.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── six.py
│   │               ├── sniffio
│   │               │   ├── __init__.py
│   │               │   ├── _impl.py
│   │               │   ├── _tests
│   │               │   │   ├── __init__.py
│   │               │   │   └── test_sniffio.py
│   │               │   ├── _version.py
│   │               │   └── py.typed
│   │               ├── sniffio-1.3.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── LICENSE.APACHE2
│   │               │   ├── LICENSE.MIT
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── sqlalchemy
│   │               │   ├── __init__.py
```

```
│   │               │   ├── connectors
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aioodbc.py
│   │               │   │   ├── asyncio.py
│   │               │   │   └── pyodbc.py
│   │               │   ├── cyextension
│   │               │   │   ├── __init__.py
│   │               │   │   ├── collections.cpython-39-darwin.so
│   │               │   │   ├── collections.pyx
│   │               │   │   ├── immutabledict.cpython-39-darwin.so
│   │               │   │   ├── immutabledict.pxd
│   │               │   │   ├── immutabledict.pyx
│   │               │   │   ├── processors.cpython-39-darwin.so
│   │               │   │   ├── processors.pyx
│   │               │   │   ├── resultproxy.cpython-39-darwin.so
│   │               │   │   ├── resultproxy.pyx
│   │               │   │   ├── util.cpython-39-darwin.so
│   │               │   │   └── util.pyx
│   │               │   ├── dialects
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _typing.py
│   │               │   │   ├── mssql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── aioodbc.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── information_schema.py
│   │               │   │   │   ├── json.py
│   │               │   │   │   ├── provision.py
│   │               │   │   │   ├── pymssql.py
│   │               │   │   │   └── pyodbc.py
│   │               │   │   ├── mysql
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── aiomysql.py
│   │               │   │   │   ├── asyncmy.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── cymysql.py
│   │               │   │   │   ├── dml.py
│   │               │   │   │   ├── enumerated.py
│   │               │   │   │   ├── expression.py
│   │               │   │   │   ├── json.py
│   │               │   │   │   ├── mariadb.py
│   │               │   │   │   ├── mariadbconnector.py
│   │               │   │   │   ├── mysqlconnector.py
│   │               │   │   │   ├── mysqldb.py
│   │               │   │   │   ├── provision.py
│   │               │   │   │   ├── pymysql.py
│   │               │   │   │   ├── pyodbc.py
│   │               │   │   │   ├── reflection.py
│   │               │   │   │   ├── reserved_words.py
│   │               │   │   │   └── types.py
│   │               │   │   ├── oracle
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── cx_oracle.py
│   │               │   │   │   ├── dictionary.py
│   │               │   │   │   ├── oracledb.py
```

```
│   │   │   │   │   │   ├── provision.py
│   │   │   │   │   │   ├── types.py
│   │   │   │   │   │   └── vector.py
│   │   │   │   │   ├── postgresql
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _psycopg_common.py
│   │   │   │   │   │   ├── array.py
│   │   │   │   │   │   ├── asyncpg.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── dml.py
│   │   │   │   │   │   ├── ext.py
│   │   │   │   │   │   ├── hstore.py
│   │   │   │   │   │   ├── json.py
│   │   │   │   │   │   ├── named_types.py
│   │   │   │   │   │   ├── operators.py
│   │   │   │   │   │   ├── pg8000.py
│   │   │   │   │   │   ├── pg_catalog.py
│   │   │   │   │   │   ├── provision.py
│   │   │   │   │   │   ├── psycopg.py
│   │   │   │   │   │   ├── psycopg2.py
│   │   │   │   │   │   ├── psycopg2cffi.py
│   │   │   │   │   │   ├── ranges.py
│   │   │   │   │   │   └── types.py
│   │   │   │   │   ├── sqlite
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── aiosqlite.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── dml.py
│   │   │   │   │   │   ├── json.py
│   │   │   │   │   │   ├── provision.py
│   │   │   │   │   │   ├── pysqlcipher.py
│   │   │   │   │   │   └── pysqlite.py
│   │   │   │   │   └── type_migration_guidelines.txt
│   │   │   │   ├── engine
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _py_processors.py
│   │   │   │   │   ├── _py_row.py
│   │   │   │   │   ├── _py_util.py
│   │   │   │   │   ├── base.py
│   │   │   │   │   ├── characteristics.py
│   │   │   │   │   ├── create.py
│   │   │   │   │   ├── cursor.py
│   │   │   │   │   ├── default.py
│   │   │   │   │   ├── events.py
│   │   │   │   │   ├── interfaces.py
│   │   │   │   │   ├── mock.py
│   │   │   │   │   ├── processors.py
│   │   │   │   │   ├── reflection.py
│   │   │   │   │   ├── result.py
│   │   │   │   │   ├── row.py
│   │   │   │   │   ├── strategies.py
│   │   │   │   │   ├── url.py
│   │   │   │   │   └── util.py
│   │   │   │   ├── event
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── api.py
```

```
│   │   │   │   │   │   ├── attr.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── legacy.py
│   │   │   │   │   │   └── registry.py
│   │   │   │   │   ├── events.py
│   │   │   │   │   ├── exc.py
│   │   │   │   │   ├── ext
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── associationproxy.py
│   │   │   │   │   │   ├── asyncio
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   │   ├── engine.py
│   │   │   │   │   │   │   ├── exc.py
│   │   │   │   │   │   │   ├── result.py
│   │   │   │   │   │   │   ├── scoping.py
│   │   │   │   │   │   │   └── session.py
│   │   │   │   │   │   ├── automap.py
│   │   │   │   │   │   ├── baked.py
│   │   │   │   │   │   ├── compiler.py
│   │   │   │   │   │   ├── declarative
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   └── extensions.py
│   │   │   │   │   │   ├── horizontal_shard.py
│   │   │   │   │   │   ├── hybrid.py
│   │   │   │   │   │   ├── indexable.py
│   │   │   │   │   │   ├── instrumentation.py
│   │   │   │   │   │   ├── mutable.py
│   │   │   │   │   │   ├── mypy
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── apply.py
│   │   │   │   │   │   │   ├── decl_class.py
│   │   │   │   │   │   │   ├── infer.py
│   │   │   │   │   │   │   ├── names.py
│   │   │   │   │   │   │   ├── plugin.py
│   │   │   │   │   │   │   └── util.py
│   │   │   │   │   │   ├── orderinglist.py
│   │   │   │   │   │   └── serializer.py
│   │   │   │   │   ├── future
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── engine.py
│   │   │   │   │   ├── inspection.py
│   │   │   │   │   ├── log.py
│   │   │   │   │   ├── orm
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── _orm_constructors.py
│   │   │   │   │   │   ├── _typing.py
│   │   │   │   │   │   ├── attributes.py
│   │   │   │   │   │   ├── base.py
│   │   │   │   │   │   ├── bulk_persistence.py
│   │   │   │   │   │   ├── clsregistry.py
│   │   │   │   │   │   ├── collections.py
│   │   │   │   │   │   ├── context.py
│   │   │   │   │   │   ├── decl_api.py
│   │   │   │   │   │   ├── decl_base.py
│   │   │   │   │   │   ├── dependency.py
```

```
│   │               │   │   ├── descriptor_props.py
│   │               │   │   ├── dynamic.py
│   │               │   │   ├── evaluator.py
│   │               │   │   ├── events.py
│   │               │   │   ├── exc.py
│   │               │   │   ├── identity.py
│   │               │   │   ├── instrumentation.py
│   │               │   │   ├── interfaces.py
│   │               │   │   ├── loading.py
│   │               │   │   ├── mapped_collection.py
│   │               │   │   ├── mapper.py
│   │               │   │   ├── path_registry.py
│   │               │   │   ├── persistence.py
│   │               │   │   ├── properties.py
│   │               │   │   ├── query.py
│   │               │   │   ├── relationships.py
│   │               │   │   ├── scoping.py
│   │               │   │   ├── session.py
│   │               │   │   ├── state.py
│   │               │   │   ├── state_changes.py
│   │               │   │   ├── strategies.py
│   │               │   │   ├── strategy_options.py
│   │               │   │   ├── sync.py
│   │               │   │   ├── unitofwork.py
│   │               │   │   ├── util.py
│   │               │   │   └── writeonly.py
│   │               │   ├── pool
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   ├── events.py
│   │               │   │   └── impl.py
│   │               │   ├── py.typed
│   │               │   ├── schema.py
│   │               │   ├── sql
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _dml_constructors.py
│   │               │   │   ├── _elements_constructors.py
│   │               │   │   ├── _orm_types.py
│   │               │   │   ├── _py_util.py
│   │               │   │   ├── _selectable_constructors.py
│   │               │   │   ├── _typing.py
│   │               │   │   ├── annotation.py
│   │               │   │   ├── base.py
│   │               │   │   ├── cache_key.py
│   │               │   │   ├── coercions.py
│   │               │   │   ├── compiler.py
│   │               │   │   ├── crud.py
│   │               │   │   ├── ddl.py
│   │               │   │   ├── default_comparator.py
│   │               │   │   ├── dml.py
│   │               │   │   ├── elements.py
│   │               │   │   ├── events.py
│   │               │   │   ├── expression.py
│   │               │   │   ├── functions.py
│   │               │   │   ├── lambdas.py
│   │               │   │   ├── naming.py
```

```
│   │               │   │   ├── operators.py
│   │               │   │   ├── roles.py
│   │               │   │   ├── schema.py
│   │               │   │   ├── selectable.py
│   │               │   │   ├── sqltypes.py
│   │               │   │   ├── traversals.py
│   │               │   │   ├── type_api.py
│   │               │   │   ├── util.py
│   │               │   │   └── visitors.py
│   │               │   ├── testing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── assertions.py
│   │               │   │   ├── assertsql.py
│   │               │   │   ├── asyncio.py
│   │               │   │   ├── config.py
│   │               │   │   ├── engines.py
│   │               │   │   ├── entities.py
│   │               │   │   ├── exclusions.py
│   │               │   │   ├── fixtures
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base.py
│   │               │   │   │   ├── mypy.py
│   │               │   │   │   ├── orm.py
│   │               │   │   │   └── sql.py
│   │               │   │   ├── pickleable.py
│   │               │   │   ├── plugin
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bootstrap.py
│   │               │   │   │   ├── plugin_base.py
│   │               │   │   │   └── pytestplugin.py
│   │               │   │   ├── profiling.py
│   │               │   │   ├── provision.py
│   │               │   │   ├── requirements.py
│   │               │   │   ├── schema.py
│   │               │   │   ├── suite
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_cte.py
│   │               │   │   │   ├── test_ddl.py
│   │               │   │   │   ├── test_deprecations.py
│   │               │   │   │   ├── test_dialect.py
│   │               │   │   │   ├── test_insert.py
│   │               │   │   │   ├── test_reflection.py
│   │               │   │   │   ├── test_results.py
│   │               │   │   │   ├── test_rowcount.py
│   │               │   │   │   ├── test_select.py
│   │               │   │   │   ├── test_sequence.py
│   │               │   │   │   ├── test_types.py
│   │               │   │   │   ├── test_unicode_ddl.py
│   │               │   │   │   └── test_update_delete.py
│   │               │   │   ├── util.py
│   │               │   │   └── warnings.py
│   │               │   ├── types.py
│   │               │   └── util
│   │               │       ├── __init__.py
│   │               │       ├── _collections.py
│   │               │       ├── _concurrency_py3k.py
```

```
│   │   │   │
```

```
│   │               │   │   │   └── equality.py
│   │               │   │   ├── satask.py
│   │               │   │   ├── sathandlers.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_assumptions_2.py
│   │               │   │   │   ├── test_context.py
│   │               │   │   │   ├── test_matrices.py
│   │               │   │   │   ├── test_query.py
│   │               │   │   │   ├── test_refine.py
│   │               │   │   │   ├── test_rel_queries.py
│   │               │   │   │   ├── test_satask.py
│   │               │   │   │   ├── test_sathandlers.py
│   │               │   │   │   └── test_wrapper.py
│   │               │   │   └── wrapper.py
│   │               │   ├── benchmarks
│   │               │   │   ├── __init__.py
│   │               │   │   ├── bench_discrete_log.py
│   │               │   │   ├── bench_meijerint.py
│   │               │   │   └── bench_symbench.py
│   │               │   ├── calculus
│   │               │   │   ├── __init__.py
│   │               │   │   ├── accumulationbounds.py
│   │               │   │   ├── euler.py
│   │               │   │   ├── finite_diff.py
│   │               │   │   ├── singularities.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_accumulationbounds.py
│   │               │   │   │   ├── test_euler.py
│   │               │   │   │   ├── test_finite_diff.py
│   │               │   │   │   ├── test_singularities.py
│   │               │   │   │   └── test_util.py
│   │               │   │   └── util.py
│   │               │   ├── categories
│   │               │   │   ├── __init__.py
│   │               │   │   ├── baseclasses.py
│   │               │   │   ├── diagram_drawing.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_baseclasses.py
│   │               │   │       └── test_drawing.py
│   │               │   ├── codegen
│   │               │   │   ├── __init__.py
│   │               │   │   ├── abstract_nodes.py
│   │               │   │   ├── algorithms.py
│   │               │   │   ├── approximations.py
│   │               │   │   ├── ast.py
│   │               │   │   ├── cfunctions.py
│   │               │   │   ├── cnodes.py
│   │               │   │   ├── cutils.py
│   │               │   │   ├── cxxnodes.py
│   │               │   │   ├── fnodes.py
│   │               │   │   ├── futils.py
│   │               │   │   ├── matrix_nodes.py
│   │               │   │   ├── numpy_nodes.py
```

```
│   │               │   │   ├── pynodes.py
│   │               │   │   ├── pyutils.py
│   │               │   │   ├── rewriting.py
│   │               │   │   ├── scipy_nodes.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_abstract_nodes.py
│   │               │   │       ├── test_algorithms.py
│   │               │   │       ├── test_applications.py
│   │               │   │       ├── test_approximations.py
│   │               │   │       ├── test_ast.py
│   │               │   │       ├── test_cfunctions.py
│   │               │   │       ├── test_cnodes.py
│   │               │   │       ├── test_cxxnodes.py
│   │               │   │       ├── test_fnodes.py
│   │               │   │       ├── test_matrix_nodes.py
│   │               │   │       ├── test_numpy_nodes.py
│   │               │   │       ├── test_pynodes.py
│   │               │   │       ├── test_pyutils.py
│   │               │   │       ├── test_rewriting.py
│   │               │   │       └── test_scipy_nodes.py
│   │               │   ├── combinatorics
│   │               │   │   ├── __init__.py
│   │               │   │   ├── coset_table.py
│   │               │   │   ├── fp_groups.py
│   │               │   │   ├── free_groups.py
│   │               │   │   ├── galois.py
│   │               │   │   ├── generators.py
│   │               │   │   ├── graycode.py
│   │               │   │   ├── group_constructs.py
│   │               │   │   ├── group_numbers.py
│   │               │   │   ├── homomorphisms.py
│   │               │   │   ├── named_groups.py
│   │               │   │   ├── partitions.py
│   │               │   │   ├── pc_groups.py
│   │               │   │   ├── perm_groups.py
│   │               │   │   ├── permutations.py
│   │               │   │   ├── polyhedron.py
│   │               │   │   ├── prufer.py
│   │               │   │   ├── rewritingsystem.py
│   │               │   │   ├── rewritingsystem_fsm.py
│   │               │   │   ├── schur_number.py
│   │               │   │   ├── subsets.py
│   │               │   │   ├── tensor_can.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_coset_table.py
│   │               │   │   │   ├── test_fp_groups.py
│   │               │   │   │   ├── test_free_groups.py
│   │               │   │   │   ├── test_galois.py
│   │               │   │   │   ├── test_generators.py
│   │               │   │   │   ├── test_graycode.py
│   │               │   │   │   ├── test_group_constructs.py
│   │               │   │   │   ├── test_group_numbers.py
│   │               │   │   │   ├── test_homomorphisms.py
│   │               │   │   │   ├── test_named_groups.py
```

```
│   │               │   │   │   ├── test_partitions.py
│   │               │   │   │   ├── test_pc_groups.py
│   │               │   │   │   ├── test_perm_groups.py
│   │               │   │   │   ├── test_permutations.py
│   │               │   │   │   ├── test_polyhedron.py
│   │               │   │   │   ├── test_prufer.py
│   │               │   │   │   ├── test_rewriting.py
│   │               │   │   │   ├── test_schur_number.py
│   │               │   │   │   ├── test_subsets.py
│   │               │   │   │   ├── test_tensor_can.py
│   │               │   │   │   ├── test_testutil.py
│   │               │   │   │   └── test_util.py
│   │               │   │   ├── testutil.py
│   │               │   │   └── util.py
│   │               │   ├── concrete
│   │               │   │   ├── __init__.py
│   │               │   │   ├── delta.py
│   │               │   │   ├── expr_with_intlimits.py
│   │               │   │   ├── expr_with_limits.py
│   │               │   │   ├── gosper.py
│   │               │   │   ├── guess.py
│   │               │   │   ├── products.py
│   │               │   │   ├── summations.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_delta.py
│   │               │   │       ├── test_gosper.py
│   │               │   │       ├── test_guess.py
│   │               │   │       ├── test_products.py
│   │               │   │       └── test_sums_products.py
│   │               │   ├── conftest.py
│   │               │   ├── core
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _print_helpers.py
│   │               │   │   ├── add.py
│   │               │   │   ├── alphabets.py
│   │               │   │   ├── assumptions.py
│   │               │   │   ├── assumptions_generated.py
│   │               │   │   ├── backend.py
│   │               │   │   ├── basic.py
│   │               │   │   ├── benchmarks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bench_arit.py
│   │               │   │   │   ├── bench_assumptions.py
│   │               │   │   │   ├── bench_basic.py
│   │               │   │   │   ├── bench_expand.py
│   │               │   │   │   ├── bench_numbers.py
│   │               │   │   │   └── bench_sympify.py
│   │               │   │   ├── cache.py
│   │               │   │   ├── compatibility.py
│   │               │   │   ├── containers.py
│   │               │   │   ├── core.py
│   │               │   │   ├── coreerrors.py
│   │               │   │   ├── decorators.py
│   │               │   │   ├── evalf.py
│   │               │   │   ├── expr.py
```

```
│   │               │   │   ├── exprtools.py
│   │               │   │   ├── facts.py
│   │               │   │   ├── function.py
│   │               │   │   ├── intfunc.py
│   │               │   │   ├── kind.py
│   │               │   │   ├── logic.py
│   │               │   │   ├── mod.py
│   │               │   │   ├── mul.py
│   │               │   │   ├── multidimensional.py
│   │               │   │   ├── numbers.py
│   │               │   │   ├── operations.py
│   │               │   │   ├── parameters.py
│   │               │   │   ├── power.py
│   │               │   │   ├── random.py
│   │               │   │   ├── relational.py
│   │               │   │   ├── rules.py
│   │               │   │   ├── singleton.py
│   │               │   │   ├── sorting.py
│   │               │   │   ├── symbol.py
│   │               │   │   ├── sympify.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_args.py
│   │               │   │   │   ├── test_arit.py
│   │               │   │   │   ├── test_assumptions.py
│   │               │   │   │   ├── test_basic.py
│   │               │   │   │   ├── test_cache.py
│   │               │   │   │   ├── test_compatibility.py
│   │               │   │   │   ├── test_complex.py
│   │               │   │   │   ├── test_constructor_postprocessor.py
│   │               │   │   │   ├── test_containers.py
│   │               │   │   │   ├── test_count_ops.py
│   │               │   │   │   ├── test_diff.py
│   │               │   │   │   ├── test_equal.py
│   │               │   │   │   ├── test_eval.py
│   │               │   │   │   ├── test_evalf.py
│   │               │   │   │   ├── test_expand.py
│   │               │   │   │   ├── test_expr.py
│   │               │   │   │   ├── test_exprtools.py
│   │               │   │   │   ├── test_facts.py
│   │               │   │   │   ├── test_function.py
│   │               │   │   │   ├── test_kind.py
│   │               │   │   │   ├── test_logic.py
│   │               │   │   │   ├── test_match.py
│   │               │   │   │   ├── test_multidimensional.py
│   │               │   │   │   ├── test_noncommutative.py
│   │               │   │   │   ├── test_numbers.py
│   │               │   │   │   ├── test_operations.py
│   │               │   │   │   ├── test_parameters.py
│   │               │   │   │   ├── test_power.py
│   │               │   │   │   ├── test_priority.py
│   │               │   │   │   ├── test_random.py
│   │               │   │   │   ├── test_relational.py
│   │               │   │   │   ├── test_rules.py
│   │               │   │   │   ├── test_singleton.py
│   │               │   │   │   ├── test_sorting.py
```

```
│   │               │   │   │   ├── test_subs.py
│   │               │   │   │   ├── test_symbol.py
│   │               │   │   │   ├── test_sympify.py
│   │               │   │   │   ├── test_traversal.py
│   │               │   │   │   ├── test_truediv.py
│   │               │   │   │   └── test_var.py
│   │               │   │   ├── trace.py
│   │               │   │   └── traversal.py
│   │               │   ├── crypto
│   │               │   │   ├── __init__.py
│   │               │   │   ├── crypto.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       └── test_crypto.py
│   │               │   ├── diffgeom
│   │               │   │   ├── __init__.py
│   │               │   │   ├── diffgeom.py
│   │               │   │   ├── rn.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_class_structure.py
│   │               │   │       ├── test_diffgeom.py
│   │               │   │       ├── test_function_diffgeom_book.py
│   │               │   │       └── test_hyperbolic_space.py
│   │               │   ├── discrete
│   │               │   │   ├── __init__.py
│   │               │   │   ├── convolutions.py
│   │               │   │   ├── recurrences.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_convolutions.py
│   │               │   │   │   ├── test_recurrences.py
│   │               │   │   │   └── test_transforms.py
│   │               │   │   └── transforms.py
│   │               │   ├── external
│   │               │   │   ├── __init__.py
│   │               │   │   ├── gmpy.py
│   │               │   │   ├── importtools.py
│   │               │   │   ├── ntheory.py
│   │               │   │   ├── pythonmpq.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_autowrap.py
│   │               │   │       ├── test_codegen.py
│   │               │   │       ├── test_gmpy.py
│   │               │   │       ├── test_importtools.py
│   │               │   │       ├── test_ntheory.py
│   │               │   │       ├── test_numpy.py
│   │               │   │       ├── test_pythonmpq.py
│   │               │   │       └── test_scipy.py
│   │               │   ├── functions
│   │               │   │   ├── __init__.py
│   │               │   │   ├── combinatorial
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── factorials.py
│   │               │   │   │   ├── numbers.py
```

```
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_comb_factorials.py
│   │               │   │   │       └── test_comb_numbers.py
│   │               │   │   ├── elementary
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _trigonometric_special.py
│   │               │   │   │   ├── benchmarks
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── bench_exp.py
│   │               │   │   │   ├── complexes.py
│   │               │   │   │   ├── exponential.py
│   │               │   │   │   ├── hyperbolic.py
│   │               │   │   │   ├── integers.py
│   │               │   │   │   ├── miscellaneous.py
│   │               │   │   │   ├── piecewise.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_complexes.py
│   │               │   │   │   │   ├── test_exponential.py
│   │               │   │   │   │   ├── test_hyperbolic.py
│   │               │   │   │   │   ├── test_integers.py
│   │               │   │   │   │   ├── test_interface.py
│   │               │   │   │   │   ├── test_miscellaneous.py
│   │               │   │   │   │   ├── test_piecewise.py
│   │               │   │   │   │   └── test_trigonometric.py
│   │               │   │   │   └── trigonometric.py
│   │               │   │   └── special
│   │               │   │       ├── __init__.py
│   │               │   │       ├── benchmarks
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   └── bench_special.py
│   │               │   │       ├── bessel.py
│   │               │   │       ├── beta_functions.py
│   │               │   │       ├── bsplines.py
│   │               │   │       ├── delta_functions.py
│   │               │   │       ├── elliptic_integrals.py
│   │               │   │       ├── error_functions.py
│   │               │   │       ├── gamma_functions.py
│   │               │   │       ├── hyper.py
│   │               │   │       ├── mathieu_functions.py
│   │               │   │       ├── polynomials.py
│   │               │   │       ├── singularity_functions.py
│   │               │   │       ├── spherical_harmonics.py
│   │               │   │       ├── tensor_functions.py
│   │               │   │       ├── tests
│   │               │   │       │   ├── __init__.py
│   │               │   │       │   ├── test_bessel.py
│   │               │   │       │   ├── test_beta_functions.py
│   │               │   │       │   ├── test_bsplines.py
│   │               │   │       │   ├── test_delta_functions.py
│   │               │   │       │   ├── test_elliptic_integrals.py
│   │               │   │       │   ├── test_error_functions.py
│   │               │   │       │   ├── test_gamma_functions.py
│   │               │   │       │   ├── test_hyper.py
│   │               │   │       │   ├── test_mathieu.py
```

```
│   │               │   │       │   ├── test_singularity_functions.py
│   │               │   │       │   ├── test_spec_polynomials.py
│   │               │   │       │   ├── test_spherical_harmonics.py
│   │               │   │       │   ├── test_tensor_functions.py
│   │               │   │       │   └── test_zeta_functions.py
│   │               │   │       └── zeta_functions.py
│   │               │   ├── galgebra.py
│   │               │   ├── geometry
│   │               │   │   ├── __init__.py
│   │               │   │   ├── curve.py
│   │               │   │   ├── ellipse.py
│   │               │   │   ├── entity.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── line.py
│   │               │   │   ├── parabola.py
│   │               │   │   ├── plane.py
│   │               │   │   ├── point.py
│   │               │   │   ├── polygon.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_curve.py
│   │               │   │   │   ├── test_ellipse.py
│   │               │   │   │   ├── test_entity.py
│   │               │   │   │   ├── test_geometrysets.py
│   │               │   │   │   ├── test_line.py
│   │               │   │   │   ├── test_parabola.py
│   │               │   │   │   ├── test_plane.py
│   │               │   │   │   ├── test_point.py
│   │               │   │   │   ├── test_polygon.py
│   │               │   │   │   └── test_util.py
│   │               │   │   └── util.py
│   │               │   ├── holonomic
│   │               │   │   ├── __init__.py
│   │               │   │   ├── holonomic.py
│   │               │   │   ├── holonomicerrors.py
│   │               │   │   ├── numerical.py
│   │               │   │   ├── recurrence.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_holonomic.py
│   │               │   │       └── test_recurrence.py
│   │               │   ├── integrals
│   │               │   │   ├── __init__.py
│   │               │   │   ├── benchmarks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bench_integrate.py
│   │               │   │   │   └── bench_trigintegrate.py
│   │               │   │   ├── deltafunctions.py
│   │               │   │   ├── heurisch.py
│   │               │   │   ├── integrals.py
│   │               │   │   ├── intpoly.py
│   │               │   │   ├── laplace.py
│   │               │   │   ├── manualintegrate.py
│   │               │   │   ├── meijerint.py
│   │               │   │   ├── meijerint_doc.py
│   │               │   │   ├── prde.py
```

```
│   │               │   │   ├── quadrature.py
│   │               │   │   ├── rationaltools.py
│   │               │   │   ├── rde.py
│   │               │   │   ├── risch.py
│   │               │   │   ├── singularityfunctions.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_deltafunctions.py
│   │               │   │   │   ├── test_failing_integrals.py
│   │               │   │   │   ├── test_heurisch.py
│   │               │   │   │   ├── test_integrals.py
│   │               │   │   │   ├── test_intpoly.py
│   │               │   │   │   ├── test_laplace.py
│   │               │   │   │   ├── test_lineintegrals.py
│   │               │   │   │   ├── test_manual.py
│   │               │   │   │   ├── test_meijerint.py
│   │               │   │   │   ├── test_prde.py
│   │               │   │   │   ├── test_quadrature.py
│   │               │   │   │   ├── test_rationaltools.py
│   │               │   │   │   ├── test_rde.py
│   │               │   │   │   ├── test_risch.py
│   │               │   │   │   ├── test_singularityfunctions.py
│   │               │   │   │   ├── test_transforms.py
│   │               │   │   │   └── test_trigonometry.py
│   │               │   │   ├── transforms.py
│   │               │   │   └── trigonometry.py
│   │               │   ├── interactive
│   │               │   │   ├── __init__.py
│   │               │   │   ├── printing.py
│   │               │   │   ├── session.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_interactive.py
│   │               │   │   │   └── test_ipython.py
│   │               │   │   └── traversal.py
│   │               │   ├── liealgebras
│   │               │   │   ├── __init__.py
│   │               │   │   ├── cartan_matrix.py
│   │               │   │   ├── cartan_type.py
│   │               │   │   ├── dynkin_diagram.py
│   │               │   │   ├── root_system.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_cartan_matrix.py
│   │               │   │   │   ├── test_cartan_type.py
│   │               │   │   │   ├── test_dynkin_diagram.py
│   │               │   │   │   ├── test_root_system.py
│   │               │   │   │   ├── test_type_A.py
│   │               │   │   │   ├── test_type_B.py
│   │               │   │   │   ├── test_type_C.py
│   │               │   │   │   ├── test_type_D.py
│   │               │   │   │   ├── test_type_E.py
│   │               │   │   │   ├── test_type_F.py
│   │               │   │   │   ├── test_type_G.py
│   │               │   │   │   └── test_weyl_group.py
│   │               │   │   ├── type_a.py
```

```
│   │               │   │   ├── type_b.py
│   │               │   │   ├── type_c.py
│   │               │   │   ├── type_d.py
│   │               │   │   ├── type_e.py
│   │               │   │   ├── type_f.py
│   │               │   │   ├── type_g.py
│   │               │   │   └── weyl_group.py
│   │               │   ├── logic
│   │               │   │   ├── __init__.py
│   │               │   │   ├── algorithms
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── dpll.py
│   │               │   │   │   ├── dpll2.py
│   │               │   │   │   ├── lra_theory.py
│   │               │   │   │   ├── minisat22_wrapper.py
│   │               │   │   │   ├── pycosat_wrapper.py
│   │               │   │   │   └── z3_wrapper.py
│   │               │   │   ├── boolalg.py
│   │               │   │   ├── inference.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_boolalg.py
│   │               │   │   │   ├── test_dimacs.py
│   │               │   │   │   ├── test_inference.py
│   │               │   │   │   └── test_lra_theory.py
│   │               │   │   └── utilities
│   │               │   │       ├── __init__.py
│   │               │   │       └── dimacs.py
│   │               │   ├── matrices
│   │               │   │   ├── __init__.py
│   │               │   │   ├── benchmarks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── bench_matrix.py
│   │               │   │   ├── common.py
│   │               │   │   ├── decompositions.py
│   │               │   │   ├── dense.py
│   │               │   │   ├── determinant.py
│   │               │   │   ├── eigen.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── expressions
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _shape.py
│   │               │   │   │   ├── adjoint.py
│   │               │   │   │   ├── applyfunc.py
│   │               │   │   │   ├── blockmatrix.py
│   │               │   │   │   ├── companion.py
│   │               │   │   │   ├── determinant.py
│   │               │   │   │   ├── diagonal.py
│   │               │   │   │   ├── dotproduct.py
│   │               │   │   │   ├── factorizations.py
│   │               │   │   │   ├── fourier.py
│   │               │   │   │   ├── funcmatrix.py
│   │               │   │   │   ├── hadamard.py
│   │               │   │   │   ├── inverse.py
│   │               │   │   │   ├── kronecker.py
│   │               │   │   │   ├── matadd.py
```

```
│   │               │   │   │   ├── matexpr.py
│   │               │   │   │   ├── matmul.py
│   │               │   │   │   ├── matpow.py
│   │               │   │   │   ├── permutation.py
│   │               │   │   │   ├── sets.py
│   │               │   │   │   ├── slice.py
│   │               │   │   │   ├── special.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_adjoint.py
│   │               │   │   │   │   ├── test_applyfunc.py
│   │               │   │   │   │   ├── test_blockmatrix.py
│   │               │   │   │   │   ├── test_companion.py
│   │               │   │   │   │   ├── test_derivatives.py
│   │               │   │   │   │   ├── test_determinant.py
│   │               │   │   │   │   ├── test_diagonal.py
│   │               │   │   │   │   ├── test_dotproduct.py
│   │               │   │   │   │   ├── test_factorizations.py
│   │               │   │   │   │   ├── test_fourier.py
│   │               │   │   │   │   ├── test_funcmatrix.py
│   │               │   │   │   │   ├── test_hadamard.py
│   │               │   │   │   │   ├── test_indexing.py
│   │               │   │   │   │   ├── test_inverse.py
│   │               │   │   │   │   ├── test_kronecker.py
│   │               │   │   │   │   ├── test_matadd.py
│   │               │   │   │   │   ├── test_matexpr.py
│   │               │   │   │   │   ├── test_matmul.py
│   │               │   │   │   │   ├── test_matpow.py
│   │               │   │   │   │   ├── test_permutation.py
│   │               │   │   │   │   ├── test_sets.py
│   │               │   │   │   │   ├── test_slice.py
│   │               │   │   │   │   ├── test_special.py
│   │               │   │   │   │   ├── test_trace.py
│   │               │   │   │   │   └── test_transpose.py
│   │               │   │   │   ├── trace.py
│   │               │   │   │   └── transpose.py
│   │               │   │   ├── graph.py
│   │               │   │   ├── immutable.py
│   │               │   │   ├── inverse.py
│   │               │   │   ├── kind.py
│   │               │   │   ├── matrices.py
│   │               │   │   ├── matrixbase.py
│   │               │   │   ├── normalforms.py
│   │               │   │   ├── reductions.py
│   │               │   │   ├── repmatrix.py
│   │               │   │   ├── solvers.py
│   │               │   │   ├── sparse.py
│   │               │   │   ├── sparsetools.py
│   │               │   │   ├── subspaces.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_commonmatrix.py
│   │               │   │   │   ├── test_decompositions.py
│   │               │   │   │   ├── test_determinant.py
│   │               │   │   │   ├── test_domains.py
│   │               │   │   │   ├── test_eigen.py
```

```
│   │               │   │   │   ├── test_graph.py
│   │               │   │   │   ├── test_immutable.py
│   │               │   │   │   ├── test_interactions.py
│   │               │   │   │   ├── test_matrices.py
│   │               │   │   │   ├── test_matrixbase.py
│   │               │   │   │   ├── test_normalforms.py
│   │               │   │   │   ├── test_reductions.py
│   │               │   │   │   ├── test_repmatrix.py
│   │               │   │   │   ├── test_solvers.py
│   │               │   │   │   ├── test_sparse.py
│   │               │   │   │   ├── test_sparsetools.py
│   │               │   │   │   └── test_subspaces.py
│   │               │   │   └── utilities.py
│   │               │   ├── multipledispatch
│   │               │   │   ├── __init__.py
│   │               │   │   ├── conflict.py
│   │               │   │   ├── core.py
│   │               │   │   ├── dispatcher.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_conflict.py
│   │               │   │   │   ├── test_core.py
│   │               │   │   │   └── test_dispatcher.py
│   │               │   │   └── utils.py
│   │               │   ├── ntheory
│   │               │   │   ├── __init__.py
│   │               │   │   ├── bbp_pi.py
│   │               │   │   ├── continued_fraction.py
│   │               │   │   ├── digits.py
│   │               │   │   ├── ecm.py
│   │               │   │   ├── egyptian_fraction.py
│   │               │   │   ├── elliptic_curve.py
│   │               │   │   ├── factor_.py
│   │               │   │   ├── generate.py
│   │               │   │   ├── modular.py
│   │               │   │   ├── multinomial.py
│   │               │   │   ├── partitions_.py
│   │               │   │   ├── primetest.py
│   │               │   │   ├── qs.py
│   │               │   │   ├── residue_ntheory.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_bbp_pi.py
│   │               │   │       ├── test_continued_fraction.py
│   │               │   │       ├── test_digits.py
│   │               │   │       ├── test_ecm.py
│   │               │   │       ├── test_egyptian_fraction.py
│   │               │   │       ├── test_elliptic_curve.py
│   │               │   │       ├── test_factor_.py
│   │               │   │       ├── test_generate.py
│   │               │   │       ├── test_hypothesis.py
│   │               │   │       ├── test_modular.py
│   │               │   │       ├── test_multinomial.py
│   │               │   │       ├── test_partitions.py
│   │               │   │       ├── test_primetest.py
│   │               │   │       ├── test_qs.py
```

```
│   │               │   │       └── test_residue.py
│   │               │   ├── parsing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── ast_parser.py
│   │               │   │   ├── autolev
│   │               │   │   │   ├── Autolev.g4
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _antlr
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── autolevlexer.py
│   │               │   │   │   │   ├── autolevlistener.py
│   │               │   │   │   │   └── autolevparser.py
│   │               │   │   │   ├── _build_autolev_antlr.py
│   │               │   │   │   ├── _listener_autolev_antlr.py
│   │               │   │   │   ├── _parse_autolev_antlr.py
│   │               │   │   │   └── test-examples
│   │               │   │   │       ├── README.txt
│   │               │   │   │       ├── pydy-example-repo
│   │               │   │   │       │   ├── chaos_pendulum.al
│   │               │   │   │       │   ├── chaos_pendulum.py
│   │               │   │   │       │   ├── double_pendulum.al
│   │               │   │   │       │   ├── double_pendulum.py
│   │               │   │   │       │   ├── mass_spring_damper.al
│   │               │   │   │       │   ├── mass_spring_damper.py
│   │               │   │   │       │   ├── non_min_pendulum.al
│   │               │   │   │       │   └── non_min_pendulum.py
│   │               │   │   │       ├── ruletest1.al
│   │               │   │   │       ├── ruletest1.py
│   │               │   │   │       ├── ruletest10.al
│   │               │   │   │       ├── ruletest10.py
│   │               │   │   │       ├── ruletest11.al
│   │               │   │   │       ├── ruletest11.py
│   │               │   │   │       ├── ruletest12.al
│   │               │   │   │       ├── ruletest12.py
│   │               │   │   │       ├── ruletest2.al
│   │               │   │   │       ├── ruletest2.py
│   │               │   │   │       ├── ruletest3.al
│   │               │   │   │       ├── ruletest3.py
│   │               │   │   │       ├── ruletest4.al
│   │               │   │   │       ├── ruletest4.py
│   │               │   │   │       ├── ruletest5.al
│   │               │   │   │       ├── ruletest5.py
│   │               │   │   │       ├── ruletest6.al
│   │               │   │   │       ├── ruletest6.py
│   │               │   │   │       ├── ruletest7.al
│   │               │   │   │       ├── ruletest7.py
│   │               │   │   │       ├── ruletest8.al
│   │               │   │   │       ├── ruletest8.py
│   │               │   │   │       ├── ruletest9.al
│   │               │   │   │       └── ruletest9.py
│   │               │   │   ├── c
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── c_parser.py
│   │               │   │   ├── fortran
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   └── fortran_parser.py
```

```
│   │               │   │   ├── latex
│   │               │   │   │   ├── LICENSE.txt
│   │               │   │   │   ├── LaTeX.g4
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _antlr
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── latexlexer.py
│   │               │   │   │   │   └── latexparser.py
│   │               │   │   │   ├── _build_latex_antlr.py
│   │               │   │   │   ├── _parse_latex_antlr.py
│   │               │   │   │   ├── errors.py
│   │               │   │   │   └── lark
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── grammar
│   │               │   │   │       │   ├── greek_symbols.lark
│   │               │   │   │       │   └── latex.lark
│   │               │   │   │       ├── latex_parser.py
│   │               │   │   │       └── transformer.py
│   │               │   │   ├── mathematica.py
│   │               │   │   ├── maxima.py
│   │               │   │   ├── sym_expr.py
│   │               │   │   ├── sympy_parser.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_ast_parser.py
│   │               │   │       ├── test_autolev.py
│   │               │   │       ├── test_c_parser.py
│   │               │   │       ├── test_custom_latex.py
│   │               │   │       ├── test_fortran_parser.py
│   │               │   │       ├──
test_implicit_multiplication_application.py
│   │               │   │       ├── test_latex.py
│   │               │   │       ├── test_latex_deps.py
│   │               │   │       ├── test_latex_lark.py
│   │               │   │       ├── test_mathematica.py
│   │               │   │       ├── test_maxima.py
│   │               │   │       ├── test_sym_expr.py
│   │               │   │       └── test_sympy_parser.py
│   │               │   ├── physics
│   │               │   │   ├── __init__.py
│   │               │   │   ├── biomechanics
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _mixin.py
│   │               │   │   │   ├── activation.py
│   │               │   │   │   ├── curve.py
│   │               │   │   │   ├── musculotendon.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_activation.py
│   │               │   │   │       ├── test_curve.py
│   │               │   │   │       ├── test_mixin.py
│   │               │   │   │       └── test_musculotendon.py
│   │               │   │   ├── continuum_mechanics
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── arch.py
│   │               │   │   │   ├── beam.py
```

```
│   │               │   │   │   ├── cable.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_arch.py
│   │               │   │   │   │   ├── test_beam.py
│   │               │   │   │   │   ├── test_cable.py
│   │               │   │   │   │   └── test_truss.py
│   │               │   │   │   └── truss.py
│   │               │   │   ├── control
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── control_plots.py
│   │               │   │   │   ├── lti.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_control_plots.py
│   │               │   │   │       └── test_lti.py
│   │               │   │   ├── hep
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── gamma_matrices.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       └── test_gamma_matrices.py
│   │               │   │   ├── hydrogen.py
│   │               │   │   ├── matrices.py
│   │               │   │   ├── mechanics
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── actuator.py
│   │               │   │   │   ├── body.py
│   │               │   │   │   ├── body_base.py
│   │               │   │   │   ├── functions.py
│   │               │   │   │   ├── inertia.py
│   │               │   │   │   ├── joint.py
│   │               │   │   │   ├── jointsmethod.py
│   │               │   │   │   ├── kane.py
│   │               │   │   │   ├── lagrange.py
│   │               │   │   │   ├── linearize.py
│   │               │   │   │   ├── loads.py
│   │               │   │   │   ├── method.py
│   │               │   │   │   ├── models.py
│   │               │   │   │   ├── particle.py
│   │               │   │   │   ├── pathway.py
│   │               │   │   │   ├── rigidbody.py
│   │               │   │   │   ├── system.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_actuator.py
│   │               │   │   │   │   ├── test_body.py
│   │               │   │   │   │   ├── test_functions.py
│   │               │   │   │   │   ├── test_inertia.py
│   │               │   │   │   │   ├── test_joint.py
│   │               │   │   │   │   ├── test_jointsmethod.py
│   │               │   │   │   │   ├── test_kane.py
│   │               │   │   │   │   ├── test_kane2.py
│   │               │   │   │   │   ├── test_kane3.py
│   │               │   │   │   │   ├── test_kane4.py
│   │               │   │   │   │   ├── test_kane5.py
```

```
│   │           │   │   │   │   ├── test_lagrange.py
│   │           │   │   │   │   ├── test_lagrange2.py
│   │           │   │   │   │   ├── 
test_linearity_of_velocity_constraints.py
│   │           │   │   │   │   ├── test_linearize.py
│   │           │   │   │   │   ├── test_loads.py
│   │           │   │   │   │   ├── test_method.py
│   │           │   │   │   │   ├── test_models.py
│   │           │   │   │   │   ├── test_particle.py
│   │           │   │   │   │   ├── test_pathway.py
│   │           │   │   │   │   ├── test_rigidbody.py
│   │           │   │   │   │   ├── test_system.py
│   │           │   │   │   │   ├── test_system_class.py
│   │           │   │   │   │   └── test_wrapping_geometry.py
│   │           │   │   │   └── wrapping_geometry.py
│   │           │   │   ├── optics
│   │           │   │   │   ├── __init__.py
│   │           │   │   │   ├── gaussopt.py
│   │           │   │   │   ├── medium.py
│   │           │   │   │   ├── polarization.py
│   │           │   │   │   ├── tests
│   │           │   │   │   │   ├── __init__.py
│   │           │   │   │   │   ├── test_gaussopt.py
│   │           │   │   │   │   ├── test_medium.py
│   │           │   │   │   │   ├── test_polarization.py
│   │           │   │   │   │   ├── test_utils.py
│   │           │   │   │   │   └── test_waves.py
│   │           │   │   │   ├── utils.py
│   │           │   │   │   └── waves.py
│   │           │   │   ├── paulialgebra.py
│   │           │   │   ├── pring.py
│   │           │   │   ├── qho_1d.py
│   │           │   │   ├── quantum
│   │           │   │   │   ├── __init__.py
│   │           │   │   │   ├── anticommutator.py
│   │           │   │   │   ├── boson.py
│   │           │   │   │   ├── cartesian.py
│   │           │   │   │   ├── cg.py
│   │           │   │   │   ├── circuitplot.py
│   │           │   │   │   ├── circuitutils.py
│   │           │   │   │   ├── commutator.py
│   │           │   │   │   ├── constants.py
│   │           │   │   │   ├── dagger.py
│   │           │   │   │   ├── density.py
│   │           │   │   │   ├── fermion.py
│   │           │   │   │   ├── gate.py
│   │           │   │   │   ├── grover.py
│   │           │   │   │   ├── hilbert.py
│   │           │   │   │   ├── identitysearch.py
│   │           │   │   │   ├── innerproduct.py
│   │           │   │   │   ├── kind.py
│   │           │   │   │   ├── matrixcache.py
│   │           │   │   │   ├── matrixutils.py
│   │           │   │   │   ├── operator.py
│   │           │   │   │   ├── operatorordering.py
│   │           │   │   │   ├── operatorset.py
```

```
│   │               │   │   │   ├── pauli.py
│   │               │   │   │   ├── piab.py
│   │               │   │   │   ├── qapply.py
│   │               │   │   │   ├── qasm.py
│   │               │   │   │   ├── qexpr.py
│   │               │   │   │   ├── qft.py
│   │               │   │   │   ├── qubit.py
│   │               │   │   │   ├── represent.py
│   │               │   │   │   ├── sho1d.py
│   │               │   │   │   ├── shor.py
│   │               │   │   │   ├── spin.py
│   │               │   │   │   ├── state.py
│   │               │   │   │   ├── tensorproduct.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_anticommutator.py
│   │               │   │   │   │   ├── test_boson.py
│   │               │   │   │   │   ├── test_cartesian.py
│   │               │   │   │   │   ├── test_cg.py
│   │               │   │   │   │   ├── test_circuitplot.py
│   │               │   │   │   │   ├── test_circuitutils.py
│   │               │   │   │   │   ├── test_commutator.py
│   │               │   │   │   │   ├── test_constants.py
│   │               │   │   │   │   ├── test_dagger.py
│   │               │   │   │   │   ├── test_density.py
│   │               │   │   │   │   ├── test_fermion.py
│   │               │   │   │   │   ├── test_gate.py
│   │               │   │   │   │   ├── test_grover.py
│   │               │   │   │   │   ├── test_hilbert.py
│   │               │   │   │   │   ├── test_identitysearch.py
│   │               │   │   │   │   ├── test_innerproduct.py
│   │               │   │   │   │   ├── test_kind.py
│   │               │   │   │   │   ├── test_matrixutils.py
│   │               │   │   │   │   ├── test_operator.py
│   │               │   │   │   │   ├── test_operatorordering.py
│   │               │   │   │   │   ├── test_operatorset.py
│   │               │   │   │   │   ├── test_pauli.py
│   │               │   │   │   │   ├── test_piab.py
│   │               │   │   │   │   ├── test_printing.py
│   │               │   │   │   │   ├── test_qapply.py
│   │               │   │   │   │   ├── test_qasm.py
│   │               │   │   │   │   ├── test_qexpr.py
│   │               │   │   │   │   ├── test_qft.py
│   │               │   │   │   │   ├── test_qubit.py
│   │               │   │   │   │   ├── test_represent.py
│   │               │   │   │   │   ├── test_sho1d.py
│   │               │   │   │   │   ├── test_shor.py
│   │               │   │   │   │   ├── test_spin.py
│   │               │   │   │   │   ├── test_state.py
│   │               │   │   │   │   ├── test_tensorproduct.py
│   │               │   │   │   │   ├── test_trace.py
│   │               │   │   │   │   └── test_transforms.py
│   │               │   │   │   ├── trace.py
│   │               │   │   │   └── transforms.py
│   │               │   │   ├── secondquant.py
│   │               │   │   ├── sho.py
```

```
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_clebsch_gordan.py
│   │               │   │   │   ├── test_hydrogen.py
│   │               │   │   │   ├── test_paulialgebra.py
│   │               │   │   │   ├── test_physics_matrices.py
│   │               │   │   │   ├── test_pring.py
│   │               │   │   │   ├── test_qho_1d.py
│   │               │   │   │   ├── test_secondquant.py
│   │               │   │   │   └── test_sho.py
│   │               │   │   ├── units
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── definitions
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── dimension_definitions.py
│   │               │   │   │   │   └── unit_definitions.py
│   │               │   │   │   ├── dimensions.py
│   │               │   │   │   ├── prefixes.py
│   │               │   │   │   ├── quantities.py
│   │               │   │   │   ├── systems
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── cgs.py
│   │               │   │   │   │   ├── length_weight_time.py
│   │               │   │   │   │   ├── mks.py
│   │               │   │   │   │   ├── mksa.py
│   │               │   │   │   │   ├── natural.py
│   │               │   │   │   │   └── si.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_dimensions.py
│   │               │   │   │   │   ├── test_dimensionsystem.py
│   │               │   │   │   │   ├── test_prefixes.py
│   │               │   │   │   │   ├── test_quantities.py
│   │               │   │   │   │   ├── test_unit_system_cgs_gauss.py
│   │               │   │   │   │   ├── test_unitsystem.py
│   │               │   │   │   │   └── test_util.py
│   │               │   │   │   ├── unitsystem.py
│   │               │   │   │   └── util.py
│   │               │   │   ├── vector
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── dyadic.py
│   │               │   │   │   ├── fieldfunctions.py
│   │               │   │   │   ├── frame.py
│   │               │   │   │   ├── functions.py
│   │               │   │   │   ├── point.py
│   │               │   │   │   ├── printing.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_dyadic.py
│   │               │   │   │   │   ├── test_fieldfunctions.py
│   │               │   │   │   │   ├── test_frame.py
│   │               │   │   │   │   ├── test_functions.py
│   │               │   │   │   │   ├── test_output.py
│   │               │   │   │   │   ├── test_point.py
│   │               │   │   │   │   ├── test_printing.py
│   │               │   │   │   │   └── test_vector.py
```

```
│   │               │   │   │   └── vector.py
│   │               │   │   └── wigner.py
│   │               │   ├── plotting
│   │               │   │   ├── __init__.py
│   │               │   │   ├── backends
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── base_backend.py
│   │               │   │   │   ├── matplotlibbackend
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── matplotlib.py
│   │               │   │   │   └── textbackend
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       └── text.py
│   │               │   │   ├── experimental_lambdify.py
│   │               │   │   ├── intervalmath
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── interval_arithmetic.py
│   │               │   │   │   ├── interval_membership.py
│   │               │   │   │   ├── lib_interval.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_interval_functions.py
│   │               │   │   │       ├── test_interval_membership.py
│   │               │   │   │       └── test_intervalmath.py
│   │               │   │   ├── plot.py
│   │               │   │   ├── plot_implicit.py
│   │               │   │   ├── plotgrid.py
│   │               │   │   ├── pygletplot
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── color_scheme.py
│   │               │   │   │   ├── managed_window.py
│   │               │   │   │   ├── plot.py
│   │               │   │   │   ├── plot_axes.py
│   │               │   │   │   ├── plot_camera.py
│   │               │   │   │   ├── plot_controller.py
│   │               │   │   │   ├── plot_curve.py
│   │               │   │   │   ├── plot_interval.py
│   │               │   │   │   ├── plot_mode.py
│   │               │   │   │   ├── plot_mode_base.py
│   │               │   │   │   ├── plot_modes.py
│   │               │   │   │   ├── plot_object.py
│   │               │   │   │   ├── plot_rotation.py
│   │               │   │   │   ├── plot_surface.py
│   │               │   │   │   ├── plot_window.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── test_plotting.py
│   │               │   │   │   └── util.py
│   │               │   │   ├── series.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_experimental_lambdify.py
│   │               │   │   │   ├── test_plot.py
│   │               │   │   │   ├── test_plot_implicit.py
│   │               │   │   │   ├── test_region_and.png
│   │               │   │   │   ├── test_region_not.png
```

```
│   │               │   │   │   ├── test_region_or.png
│   │               │   │   │   ├── test_region_xor.png
│   │               │   │   │   ├── test_series.py
│   │               │   │   │   ├── test_textplot.py
│   │               │   │   │   └── test_utils.py
│   │               │   │   ├── textplot.py
│   │               │   │   └── utils.py
│   │               │   ├── polys
│   │               │   │   ├── __init__.py
│   │               │   │   ├── agca
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── extensions.py
│   │               │   │   │   ├── homomorphisms.py
│   │               │   │   │   ├── ideals.py
│   │               │   │   │   ├── modules.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_extensions.py
│   │               │   │   │       ├── test_homomorphisms.py
│   │               │   │   │       ├── test_ideals.py
│   │               │   │   │       └── test_modules.py
│   │               │   │   ├── appellseqs.py
│   │               │   │   ├── benchmarks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bench_galoispolys.py
│   │               │   │   │   ├── bench_groebnertools.py
│   │               │   │   │   └── bench_solvers.py
│   │               │   │   ├── compatibility.py
│   │               │   │   ├── constructor.py
│   │               │   │   ├── densearith.py
│   │               │   │   ├── densebasic.py
│   │               │   │   ├── densetools.py
│   │               │   │   ├── dispersion.py
│   │               │   │   ├── distributedmodules.py
│   │               │   │   ├── domainmatrix.py
│   │               │   │   ├── domains
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── algebraicfield.py
│   │               │   │   │   ├── characteristiczero.py
│   │               │   │   │   ├── complexfield.py
│   │               │   │   │   ├── compositedomain.py
│   │               │   │   │   ├── domain.py
│   │               │   │   │   ├── domainelement.py
│   │               │   │   │   ├── expressiondomain.py
│   │               │   │   │   ├── expressionrawdomain.py
│   │               │   │   │   ├── field.py
│   │               │   │   │   ├── finitefield.py
│   │               │   │   │   ├── fractionfield.py
│   │               │   │   │   ├── gaussiandomains.py
│   │               │   │   │   ├── gmpyfinitefield.py
│   │               │   │   │   ├── gmpyintegerring.py
│   │               │   │   │   ├── gmpyrationalfield.py
│   │               │   │   │   ├── groundtypes.py
│   │               │   │   │   ├── integerring.py
│   │               │   │   │   ├── modularinteger.py
│   │               │   │   │   ├── mpelements.py
```

```
│   │               │   │   │   ├── old_fractionfield.py
│   │               │   │   │   ├── old_polynomialring.py
│   │               │   │   │   ├── polynomialring.py
│   │               │   │   │   ├── pythonfinitefield.py
│   │               │   │   │   ├── pythonintegerring.py
│   │               │   │   │   ├── pythonrational.py
│   │               │   │   │   ├── pythonrationalfield.py
│   │               │   │   │   ├── quotientring.py
│   │               │   │   │   ├── rationalfield.py
│   │               │   │   │   ├── realfield.py
│   │               │   │   │   ├── ring.py
│   │               │   │   │   ├── simpledomain.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_domains.py
│   │               │   │   │       ├── test_polynomialring.py
│   │               │   │   │       └── test_quotientring.py
│   │               │   │   ├── euclidtools.py
│   │               │   │   ├── factortools.py
│   │               │   │   ├── fglmtools.py
│   │               │   │   ├── fields.py
│   │               │   │   ├── galoistools.py
│   │               │   │   ├── groebnertools.py
│   │               │   │   ├── heuristicgcd.py
│   │               │   │   ├── matrices
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── _dfm.py
│   │               │   │   │   ├── _typing.py
│   │               │   │   │   ├── ddm.py
│   │               │   │   │   ├── dense.py
│   │               │   │   │   ├── dfm.py
│   │               │   │   │   ├── domainmatrix.py
│   │               │   │   │   ├── domainscalar.py
│   │               │   │   │   ├── eigen.py
│   │               │   │   │   ├── exceptions.py
│   │               │   │   │   ├── linsolve.py
│   │               │   │   │   ├── lll.py
│   │               │   │   │   ├── normalforms.py
│   │               │   │   │   ├── rref.py
│   │               │   │   │   ├── sdm.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_ddm.py
│   │               │   │   │       ├── test_dense.py
│   │               │   │   │       ├── test_domainmatrix.py
│   │               │   │   │       ├── test_domainscalar.py
│   │               │   │   │       ├── test_eigen.py
│   │               │   │   │       ├── test_fflu.py
│   │               │   │   │       ├── test_inverse.py
│   │               │   │   │       ├── test_linsolve.py
│   │               │   │   │       ├── test_lll.py
│   │               │   │   │       ├── test_normalforms.py
│   │               │   │   │       ├── test_nullspace.py
│   │               │   │   │       ├── test_rref.py
│   │               │   │   │       ├── test_sdm.py
│   │               │   │   │       └── test_xxm.py
```

```
│   │               │   │   ├── modulargcd.py
│   │               │   │   ├── monomials.py
│   │               │   │   ├── multivariate_resultants.py
│   │               │   │   ├── numberfields
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── basis.py
│   │               │   │   │   ├── exceptions.py
│   │               │   │   │   ├── galois_resolvents.py
│   │               │   │   │   ├── galoisgroups.py
│   │               │   │   │   ├── minpoly.py
│   │               │   │   │   ├── modules.py
│   │               │   │   │   ├── primes.py
│   │               │   │   │   ├── resolvent_lookup.py
│   │               │   │   │   ├── subfield.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_basis.py
│   │               │   │   │   │   ├── test_galoisgroups.py
│   │               │   │   │   │   ├── test_minpoly.py
│   │               │   │   │   │   ├── test_modules.py
│   │               │   │   │   │   ├── test_numbers.py
│   │               │   │   │   │   ├── test_primes.py
│   │               │   │   │   │   ├── test_subfield.py
│   │               │   │   │   │   └── test_utilities.py
│   │               │   │   │   └── utilities.py
│   │               │   │   ├── orderings.py
│   │               │   │   ├── orthopolys.py
│   │               │   │   ├── partfrac.py
│   │               │   │   ├── polyclasses.py
│   │               │   │   ├── polyconfig.py
│   │               │   │   ├── polyerrors.py
│   │               │   │   ├── polyfuncs.py
│   │               │   │   ├── polymatrix.py
│   │               │   │   ├── polyoptions.py
│   │               │   │   ├── polyquinticconst.py
│   │               │   │   ├── polyroots.py
│   │               │   │   ├── polytools.py
│   │               │   │   ├── polyutils.py
│   │               │   │   ├── puiseux.py
│   │               │   │   ├── rationaltools.py
│   │               │   │   ├── ring_series.py
│   │               │   │   ├── rings.py
│   │               │   │   ├── rootisolation.py
│   │               │   │   ├── rootoftools.py
│   │               │   │   ├── solvers.py
│   │               │   │   ├── specialpolys.py
│   │               │   │   ├── sqfreetools.py
│   │               │   │   ├── subresultants_qq_zz.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_appellseqs.py
│   │               │   │       ├── test_constructor.py
│   │               │   │       ├── test_densearith.py
│   │               │   │       ├── test_densebasic.py
│   │               │   │       ├── test_densetools.py
│   │               │   │       ├── test_dispersion.py
```

```
│   │               │   │       ├── test_distributedmodules.py
│   │               │   │       ├── test_euclidtools.py
│   │               │   │       ├── test_factortools.py
│   │               │   │       ├── test_fields.py
│   │               │   │       ├── test_galoistools.py
│   │               │   │       ├── test_groebnertools.py
│   │               │   │       ├── test_heuristicgcd.py
│   │               │   │       ├── test_hypothesis.py
│   │               │   │       ├── test_injections.py
│   │               │   │       ├── test_modulargcd.py
│   │               │   │       ├── test_monomials.py
│   │               │   │       ├── test_multivariate_resultants.py
│   │               │   │       ├── test_orderings.py
│   │               │   │       ├── test_orthopolys.py
│   │               │   │       ├── test_partfrac.py
│   │               │   │       ├── test_polyclasses.py
│   │               │   │       ├── test_polyfuncs.py
│   │               │   │       ├── test_polymatrix.py
│   │               │   │       ├── test_polyoptions.py
│   │               │   │       ├── test_polyroots.py
│   │               │   │       ├── test_polytools.py
│   │               │   │       ├── test_polyutils.py
│   │               │   │       ├── test_puiseux.py
│   │               │   │       ├── test_pythonrational.py
│   │               │   │       ├── test_rationaltools.py
│   │               │   │       ├── test_ring_series.py
│   │               │   │       ├── test_rings.py
│   │               │   │       ├── test_rootisolation.py
│   │               │   │       ├── test_rootoftools.py
│   │               │   │       ├── test_solvers.py
│   │               │   │       ├── test_specialpolys.py
│   │               │   │       ├── test_sqfreetools.py
│   │               │   │       └── test_subresultants_qq_zz.py
│   │               │   ├── printing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── aesaracode.py
│   │               │   │   ├── c.py
│   │               │   │   ├── codeprinter.py
│   │               │   │   ├── conventions.py
│   │               │   │   ├── cxx.py
│   │               │   │   ├── defaults.py
│   │               │   │   ├── dot.py
│   │               │   │   ├── fortran.py
│   │               │   │   ├── glsl.py
│   │               │   │   ├── gtk.py
│   │               │   │   ├── jscode.py
│   │               │   │   ├── julia.py
│   │               │   │   ├── lambdarepr.py
│   │               │   │   ├── latex.py
│   │               │   │   ├── llvmjitcode.py
│   │               │   │   ├── maple.py
│   │               │   │   ├── mathematica.py
│   │               │   │   ├── mathml.py
│   │               │   │   ├── numpy.py
│   │               │   │   ├── octave.py
│   │               │   │   ├── precedence.py
```

```
│   │               │   │   ├── pretty
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── pretty.py
│   │               │   │   │   ├── pretty_symbology.py
│   │               │   │   │   ├── stringpict.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       └── test_pretty.py
│   │               │   │   ├── preview.py
│   │               │   │   ├── printer.py
│   │               │   │   ├── pycode.py
│   │               │   │   ├── python.py
│   │               │   │   ├── pytorch.py
│   │               │   │   ├── rcode.py
│   │               │   │   ├── repr.py
│   │               │   │   ├── rust.py
│   │               │   │   ├── smtlib.py
│   │               │   │   ├── str.py
│   │               │   │   ├── tableform.py
│   │               │   │   ├── tensorflow.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_aesaracode.py
│   │               │   │   │   ├── test_c.py
│   │               │   │   │   ├── test_codeprinter.py
│   │               │   │   │   ├── test_conventions.py
│   │               │   │   │   ├── test_cupy.py
│   │               │   │   │   ├── test_cxx.py
│   │               │   │   │   ├── test_dot.py
│   │               │   │   │   ├── test_fortran.py
│   │               │   │   │   ├── test_glsl.py
│   │               │   │   │   ├── test_gtk.py
│   │               │   │   │   ├── test_jax.py
│   │               │   │   │   ├── test_jscode.py
│   │               │   │   │   ├── test_julia.py
│   │               │   │   │   ├── test_lambdarepr.py
│   │               │   │   │   ├── test_latex.py
│   │               │   │   │   ├── test_llvmjit.py
│   │               │   │   │   ├── test_maple.py
│   │               │   │   │   ├── test_mathematica.py
│   │               │   │   │   ├── test_mathml.py
│   │               │   │   │   ├── test_numpy.py
│   │               │   │   │   ├── test_octave.py
│   │               │   │   │   ├── test_precedence.py
│   │               │   │   │   ├── test_preview.py
│   │               │   │   │   ├── test_pycode.py
│   │               │   │   │   ├── test_python.py
│   │               │   │   │   ├── test_rcode.py
│   │               │   │   │   ├── test_repr.py
│   │               │   │   │   ├── test_rust.py
│   │               │   │   │   ├── test_smtlib.py
│   │               │   │   │   ├── test_str.py
│   │               │   │   │   ├── test_tableform.py
│   │               │   │   │   ├── test_tensorflow.py
│   │               │   │   │   ├── test_theanocode.py
│   │               │   │   │   ├── test_torch.py
```

```
│   │               │   │   │   └── test_tree.py
│   │               │   │   ├── theanocode.py
│   │               │   │   └── tree.py
│   │               │   ├── release.py
│   │               │   ├── sandbox
│   │               │   │   ├── __init__.py
│   │               │   │   ├── indexed_integrals.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       └── test_indexed_integrals.py
│   │               │   ├── series
│   │               │   │   ├── __init__.py
│   │               │   │   ├── acceleration.py
│   │               │   │   ├── approximants.py
│   │               │   │   ├── aseries.py
│   │               │   │   ├── benchmarks
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── bench_limit.py
│   │               │   │   │   └── bench_order.py
│   │               │   │   ├── formal.py
│   │               │   │   ├── fourier.py
│   │               │   │   ├── gruntz.py
│   │               │   │   ├── kauers.py
│   │               │   │   ├── limits.py
│   │               │   │   ├── limitseq.py
│   │               │   │   ├── order.py
│   │               │   │   ├── residues.py
│   │               │   │   ├── sequences.py
│   │               │   │   ├── series.py
│   │               │   │   ├── series_class.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_approximants.py
│   │               │   │       ├── test_aseries.py
│   │               │   │       ├── test_demidovich.py
│   │               │   │       ├── test_formal.py
│   │               │   │       ├── test_fourier.py
│   │               │   │       ├── test_gruntz.py
│   │               │   │       ├── test_kauers.py
│   │               │   │       ├── test_limits.py
│   │               │   │       ├── test_limitseq.py
│   │               │   │       ├── test_lseries.py
│   │               │   │       ├── test_nseries.py
│   │               │   │       ├── test_order.py
│   │               │   │       ├── test_residues.py
│   │               │   │       ├── test_sequences.py
│   │               │   │       └── test_series.py
│   │               │   ├── sets
│   │               │   │   ├── __init__.py
│   │               │   │   ├── conditionset.py
│   │               │   │   ├── contains.py
│   │               │   │   ├── fancysets.py
│   │               │   │   ├── handlers
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── add.py
│   │               │   │   │   ├── comparison.py
```

```
│   │               │   │   │   ├── functions.py
│   │               │   │   │   ├── intersection.py
│   │               │   │   │   ├── issubset.py
│   │               │   │   │   ├── mul.py
│   │               │   │   │   ├── power.py
│   │               │   │   │   └── union.py
│   │               │   │   ├── ordinals.py
│   │               │   │   ├── powerset.py
│   │               │   │   ├── setexpr.py
│   │               │   │   ├── sets.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_conditionset.py
│   │               │   │       ├── test_contains.py
│   │               │   │       ├── test_fancysets.py
│   │               │   │       ├── test_ordinals.py
│   │               │   │       ├── test_powerset.py
│   │               │   │       ├── test_setexpr.py
│   │               │   │       └── test_sets.py
│   │               │   ├── simplify
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _cse_diff.py
│   │               │   │   ├── combsimp.py
│   │               │   │   ├── cse_main.py
│   │               │   │   ├── cse_opts.py
│   │               │   │   ├── epathtools.py
│   │               │   │   ├── fu.py
│   │               │   │   ├── gammasimp.py
│   │               │   │   ├── hyperexpand.py
│   │               │   │   ├── hyperexpand_doc.py
│   │               │   │   ├── powsimp.py
│   │               │   │   ├── radsimp.py
│   │               │   │   ├── ratsimp.py
│   │               │   │   ├── simplify.py
│   │               │   │   ├── sqrtdenest.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_combsimp.py
│   │               │   │   │   ├── test_cse.py
│   │               │   │   │   ├── test_cse_diff.py
│   │               │   │   │   ├── test_epathtools.py
│   │               │   │   │   ├── test_fu.py
│   │               │   │   │   ├── test_function.py
│   │               │   │   │   ├── test_gammasimp.py
│   │               │   │   │   ├── test_hyperexpand.py
│   │               │   │   │   ├── test_powsimp.py
│   │               │   │   │   ├── test_radsimp.py
│   │               │   │   │   ├── test_ratsimp.py
│   │               │   │   │   ├── test_rewrite.py
│   │               │   │   │   ├── test_simplify.py
│   │               │   │   │   ├── test_sqrtdenest.py
│   │               │   │   │   └── test_trigsimp.py
│   │               │   │   ├── traversaltools.py
│   │               │   │   └── trigsimp.py
│   │               │   ├── solvers
│   │               │   │   ├── __init__.py
```

```
│   │   │   │   │   ├── benchmarks
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── bench_solvers.py
│   │   │   │   │   ├── bivariate.py
│   │   │   │   │   ├── decompogen.py
│   │   │   │   │   ├── deutils.py
│   │   │   │   │   ├── diophantine
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── diophantine.py
│   │   │   │   │   │   └── tests
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       └── test_diophantine.py
│   │   │   │   │   ├── inequalities.py
│   │   │   │   │   ├── ode
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── hypergeometric.py
│   │   │   │   │   │   ├── lie_group.py
│   │   │   │   │   │   ├── nonhomogeneous.py
│   │   │   │   │   │   ├── ode.py
│   │   │   │   │   │   ├── riccati.py
│   │   │   │   │   │   ├── single.py
│   │   │   │   │   │   ├── subscheck.py
│   │   │   │   │   │   ├── systems.py
│   │   │   │   │   │   └── tests
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── test_lie_group.py
│   │   │   │   │   │       ├── test_ode.py
│   │   │   │   │   │       ├── test_riccati.py
│   │   │   │   │   │       ├── test_single.py
│   │   │   │   │   │       ├── test_subscheck.py
│   │   │   │   │   │       └── test_systems.py
│   │   │   │   │   ├── pde.py
│   │   │   │   │   ├── polysys.py
│   │   │   │   │   ├── recurr.py
│   │   │   │   │   ├── simplex.py
│   │   │   │   │   ├── solvers.py
│   │   │   │   │   ├── solveset.py
│   │   │   │   │   └── tests
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       ├── test_constantsimp.py
│   │   │   │   │       ├── test_decompogen.py
│   │   │   │   │       ├── test_inequalities.py
│   │   │   │   │       ├── test_numeric.py
│   │   │   │   │       ├── test_pde.py
│   │   │   │   │       ├── test_polysys.py
│   │   │   │   │       ├── test_recurr.py
│   │   │   │   │       ├── test_simplex.py
│   │   │   │   │       ├── test_solvers.py
│   │   │   │   │       └── test_solveset.py
│   │   │   │   ├── stats
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── compound_rv.py
│   │   │   │   │   ├── crv.py
│   │   │   │   │   ├── crv_types.py
│   │   │   │   │   ├── drv.py
│   │   │   │   │   ├── drv_types.py
```

```
│   │               │   │   ├── error_prop.py
│   │               │   │   ├── frv.py
│   │               │   │   ├── frv_types.py
│   │               │   │   ├── joint_rv.py
│   │               │   │   ├── joint_rv_types.py
│   │               │   │   ├── matrix_distributions.py
│   │               │   │   ├── random_matrix.py
│   │               │   │   ├── random_matrix_models.py
│   │               │   │   ├── rv.py
│   │               │   │   ├── rv_interface.py
│   │               │   │   ├── sampling
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── sample_numpy.py
│   │               │   │   │   ├── sample_pymc.py
│   │               │   │   │   ├── sample_scipy.py
│   │               │   │   │   └── tests
│   │               │   │   │       ├── __init__.py
│   │               │   │   │       ├── test_sample_continuous_rv.py
│   │               │   │   │       ├── test_sample_discrete_rv.py
│   │               │   │   │       └── test_sample_finite_rv.py
│   │               │   │   ├── stochastic_process.py
│   │               │   │   ├── stochastic_process_types.py
│   │               │   │   ├── symbolic_multivariate_probability.py
│   │               │   │   ├── symbolic_probability.py
│   │               │   │   └── tests
│   │               │   │       ├── __init__.py
│   │               │   │       ├── test_compound_rv.py
│   │               │   │       ├── test_continuous_rv.py
│   │               │   │       ├── test_discrete_rv.py
│   │               │   │       ├── test_error_prop.py
│   │               │   │       ├── test_finite_rv.py
│   │               │   │       ├── test_joint_rv.py
│   │               │   │       ├── test_matrix_distributions.py
│   │               │   │       ├── test_mix.py
│   │               │   │       ├── test_random_matrix.py
│   │               │   │       ├── test_rv.py
│   │               │   │       ├── test_stochastic_process.py
│   │               │   │       ├── test_symbolic_multivariate.py
│   │               │   │       └── test_symbolic_probability.py
│   │               │   ├── strategies
│   │               │   │   ├── __init__.py
│   │               │   │   ├── branch
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── core.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   ├── test_core.py
│   │               │   │   │   │   ├── test_tools.py
│   │               │   │   │   │   └── test_traverse.py
│   │               │   │   │   ├── tools.py
│   │               │   │   │   └── traverse.py
│   │               │   │   ├── core.py
│   │               │   │   ├── rl.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_core.py
```

```
│   │   │   │   │   │   │   ├── test_rl.py
│   │   │   │   │   │   │   ├── test_tools.py
│   │   │   │   │   │   │   ├── test_traverse.py
│   │   │   │   │   │   │   └── test_tree.py
│   │   │   │   │   │   ├── tools.py
│   │   │   │   │   │   ├── traverse.py
│   │   │   │   │   │   ├── tree.py
│   │   │   │   │   │   └── util.py
│   │   │   │   │   ├── tensor
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── array
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── array_comprehension.py
│   │   │   │   │   │   │   ├── array_derivatives.py
│   │   │   │   │   │   │   ├── arrayop.py
│   │   │   │   │   │   │   ├── dense_ndim_array.py
│   │   │   │   │   │   │   ├── expressions
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── array_expressions.py
│   │   │   │   │   │   │   │   ├── arrayexpr_derivatives.py
│   │   │   │   │   │   │   │   ├── conv_array_to_indexed.py
│   │   │   │   │   │   │   │   ├── conv_array_to_matrix.py
│   │   │   │   │   │   │   │   ├── conv_indexed_to_array.py
│   │   │   │   │   │   │   │   ├── conv_matrix_to_array.py
│   │   │   │   │   │   │   │   ├── from_array_to_indexed.py
│   │   │   │   │   │   │   │   ├── from_array_to_matrix.py
│   │   │   │   │   │   │   │   ├── from_indexed_to_array.py
│   │   │   │   │   │   │   │   ├── from_matrix_to_array.py
│   │   │   │   │   │   │   │   ├── tests
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── test_array_expressions.py
│   │   │   │   │   │   │   │   │   ├── test_arrayexpr_derivatives.py
│   │   │   │   │   │   │   │   │   ├── test_as_explicit.py
│   │   │   │   │   │   │   │   │   ├── test_convert_array_to_indexed.py
│   │   │   │   │   │   │   │   │   ├── test_convert_array_to_matrix.py
│   │   │   │   │   │   │   │   │   ├── test_convert_indexed_to_array.py
│   │   │   │   │   │   │   │   │   ├── test_convert_matrix_to_array.py
│   │   │   │   │   │   │   │   │   └── test_deprecated_conv_modules.py
│   │   │   │   │   │   │   │   └── utils.py
│   │   │   │   │   │   │   ├── mutable_ndim_array.py
│   │   │   │   │   │   │   ├── ndim_array.py
│   │   │   │   │   │   │   ├── sparse_ndim_array.py
│   │   │   │   │   │   │   └── tests
│   │   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │   │       ├── test_array_comprehension.py
│   │   │   │   │   │   │       ├── test_array_derivatives.py
│   │   │   │   │   │   │       ├── test_arrayop.py
│   │   │   │   │   │   │       ├── test_immutable_ndim_array.py
│   │   │   │   │   │   │       ├── test_mutable_ndim_array.py
│   │   │   │   │   │   │       ├── test_ndim_array.py
│   │   │   │   │   │   │       └── test_ndim_array_conversions.py
│   │   │   │   │   │   ├── functions.py
│   │   │   │   │   │   ├── index_methods.py
│   │   │   │   │   │   ├── indexed.py
│   │   │   │   │   │   ├── tensor.py
│   │   │   │   │   │   ├── tests
```

```
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_functions.py
│   │               │   │   │   ├── test_index_methods.py
│   │               │   │   │   ├── test_indexed.py
│   │               │   │   │   ├── test_printing.py
│   │               │   │   │   ├── test_tensor.py
│   │               │   │   │   ├── test_tensor_element.py
│   │               │   │   │   └── test_tensor_operators.py
│   │               │   │   └── toperators.py
│   │               │   ├── testing
│   │               │   │   ├── __init__.py
│   │               │   │   ├── matrices.py
│   │               │   │   ├── pytest.py
│   │               │   │   ├── quality_unicode.py
│   │               │   │   ├── randtest.py
│   │               │   │   ├── runtests.py
│   │               │   │   ├── runtests_pytest.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── diagnose_imports.py
│   │               │   │   │   ├── test_code_quality.py
│   │               │   │   │   ├── test_deprecated.py
│   │               │   │   │   ├── test_module_imports.py
│   │               │   │   │   ├── test_pytest.py
│   │               │   │   │   └── test_runtests_pytest.py
│   │               │   │   └── tmpfiles.py
│   │               │   ├── this.py
│   │               │   ├── unify
│   │               │   │   ├── __init__.py
│   │               │   │   ├── core.py
│   │               │   │   ├── rewrite.py
│   │               │   │   ├── tests
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── test_rewrite.py
│   │               │   │   │   ├── test_sympy.py
│   │               │   │   │   └── test_unify.py
│   │               │   │   └── usympy.py
│   │               │   ├── utilities
│   │               │   │   ├── __init__.py
│   │               │   │   ├── _compilation
│   │               │   │   │   ├── __init__.py
│   │               │   │   │   ├── availability.py
│   │               │   │   │   ├── compilation.py
│   │               │   │   │   ├── runners.py
│   │               │   │   │   ├── tests
│   │               │   │   │   │   ├── __init__.py
│   │               │   │   │   │   └── test_compilation.py
│   │               │   │   │   └── util.py
│   │               │   │   ├── autowrap.py
│   │               │   │   ├── codegen.py
│   │               │   │   ├── decorator.py
│   │               │   │   ├── enumerative.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── iterables.py
│   │               │   │   ├── lambdify.py
│   │               │   │   ├── magic.py
```

```
│   │   │   │   │   ├── matchpy_connector.py
│   │   │   │   │   ├── mathml
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── data
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── mmlctop.xsl
│   │   │   │   │   │       ├── mmltex.xsl
│   │   │   │   │   │       └── simple_mmlctop.xsl
│   │   │   │   │   ├── memoization.py
│   │   │   │   │   ├── misc.py
│   │   │   │   │   ├── pkgdata.py
│   │   │   │   │   ├── pytest.py
│   │   │   │   │   ├── randtest.py
│   │   │   │   │   ├── runtests.py
│   │   │   │   │   ├── source.py
│   │   │   │   │   ├── tests
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── test_autowrap.py
│   │   │   │   │   │   ├── test_codegen.py
│   │   │   │   │   │   ├── test_codegen_julia.py
│   │   │   │   │   │   ├── test_codegen_octave.py
│   │   │   │   │   │   ├── test_codegen_rust.py
│   │   │   │   │   │   ├── test_decorator.py
│   │   │   │   │   │   ├── test_deprecated.py
│   │   │   │   │   │   ├── test_enumerative.py
│   │   │   │   │   │   ├── test_exceptions.py
│   │   │   │   │   │   ├── test_iterables.py
│   │   │   │   │   │   ├── test_lambdify.py
│   │   │   │   │   │   ├── test_matchpy_connector.py
│   │   │   │   │   │   ├── test_mathml.py
│   │   │   │   │   │   ├── test_misc.py
│   │   │   │   │   │   ├── test_pickling.py
│   │   │   │   │   │   ├── test_source.py
│   │   │   │   │   │   ├── test_timeutils.py
│   │   │   │   │   │   ├── test_wester.py
│   │   │   │   │   │   └── test_xxe.py
│   │   │   │   │   ├── timeutils.py
│   │   │   │   │   └── tmpfiles.py
│   │   │   │   └── vector
│   │   │   │       ├── __init__.py
│   │   │   │       ├── basisdependent.py
│   │   │   │       ├── coordsysrect.py
│   │   │   │       ├── deloperator.py
│   │   │   │       ├── dyadic.py
│   │   │   │       ├── functions.py
│   │   │   │       ├── implicitregion.py
│   │   │   │       ├── integrals.py
│   │   │   │       ├── kind.py
│   │   │   │       ├── operators.py
│   │   │   │       ├── orienters.py
│   │   │   │       ├── parametricregion.py
│   │   │   │       ├── point.py
│   │   │   │       ├── scalar.py
│   │   │   │       ├── tests
│   │   │   │       │   ├── __init__.py
│   │   │   │       │   ├── test_coordsysrect.py
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   ├── REQUESTED
│   │   │   │   │   │   ├── WHEEL
│   │   │   │   │   │   └── top_level.txt
│   │   │   │   ├── tiktoken_ext
│   │   │   │   │   └── openai_public.py
│   │   │   │   ├── tokenizers
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── decoders
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── __init__.pyi
│   │   │   │   │   ├── implementations
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── base_tokenizer.py
│   │   │   │   │   │   ├── bert_wordpiece.py
│   │   │   │   │   │   ├── byte_level_bpe.py
│   │   │   │   │   │   ├── char_level_bpe.py
│   │   │   │   │   │   ├── sentencepiece_bpe.py
│   │   │   │   │   │   └── sentencepiece_unigram.py
│   │   │   │   │   ├── models
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── __init__.pyi
│   │   │   │   │   ├── normalizers
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── __init__.pyi
│   │   │   │   │   ├── pre_tokenizers
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── __init__.pyi
│   │   │   │   │   ├── processors
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   └── __init__.pyi
│   │   │   │   │   ├── tokenizers.abi3.so
│   │   │   │   │   ├── tools
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── visualizer-styles.css
│   │   │   │   │   │   └── visualizer.py
│   │   │   │   │   └── trainers
│   │   │   │   │       ├── __init__.py
│   │   │   │   │       └── __init__.pyi
│   │   │   │   ├── tokenizers-0.21.4.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   └── WHEEL
│   │   │   │   ├── tomli
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _parser.py
│   │   │   │   │   ├── _re.py
│   │   │   │   │   ├── _types.py
│   │   │   │   │   └── py.typed
│   │   │   │   ├── tomli-2.2.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── LICENSE
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
```

```
│   │               │   └── WHEEL
│   │               ├── tqdm
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── _dist_ver.py
│   │               │   ├── _main.py
│   │               │   ├── _monitor.py
│   │               │   ├── _tqdm.py
│   │               │   ├── _tqdm_gui.py
│   │               │   ├── _tqdm_notebook.py
│   │               │   ├── _tqdm_pandas.py
│   │               │   ├── _utils.py
│   │               │   ├── asyncio.py
│   │               │   ├── auto.py
│   │               │   ├── autonotebook.py
│   │               │   ├── cli.py
│   │               │   ├── completion.sh
│   │               │   ├── contrib
│   │               │   │   ├── __init__.py
│   │               │   │   ├── bells.py
│   │               │   │   ├── concurrent.py
│   │               │   │   ├── discord.py
│   │               │   │   ├── itertools.py
│   │               │   │   ├── logging.py
│   │               │   │   ├── slack.py
│   │               │   │   ├── telegram.py
│   │               │   │   └── utils_worker.py
│   │               │   ├── dask.py
│   │               │   ├── gui.py
│   │               │   ├── keras.py
│   │               │   ├── notebook.py
│   │               │   ├── rich.py
│   │               │   ├── std.py
│   │               │   ├── tk.py
│   │               │   ├── tqdm.1
│   │               │   ├── utils.py
│   │               │   └── version.py
│   │               ├── tqdm-4.67.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENCE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── typer
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── _completion_classes.py
│   │               │   ├── _completion_shared.py
│   │               │   ├── _types.py
│   │               │   ├── _typing.py
│   │               │   ├── cli.py
│   │               │   ├── colors.py
│   │               │   ├── completion.py
│   │               │   ├── core.py
```

```
│   │               │   ├── main.py
│   │               │   ├── models.py
│   │               │   ├── params.py
│   │               │   ├── py.typed
│   │               │   ├── rich_utils.py
│   │               │   ├── testing.py
│   │               │   └── utils.py
│   │               ├── typer-0.16.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── typing_extensions-4.14.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── typing_extensions.py
│   │               ├── typing_inspect-0.9.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── typing_inspect.py
│   │               ├── typing_inspection
│   │               │   ├── __init__.py
│   │               │   ├── introspection.py
│   │               │   ├── py.typed
│   │               │   ├── typing_objects.py
│   │               │   └── typing_objects.pyi
│   │               ├── typing_inspection-0.4.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── uritemplate
│   │               │   ├── __init__.py
│   │               │   ├── api.py
│   │               │   ├── orderedset.py
│   │               │   ├── py.typed
│   │               │   ├── template.py
│   │               │   └── variable.py
│   │               ├── uritemplate-4.2.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
```

```
│   │   │   │
```

```
│   │   │   │   │   ├── _subprocess.py
│   │   │   │   │   ├── _types.py
│   │   │   │   │   ├── config.py
│   │   │   │   │   ├── importer.py
│   │   │   │   │   ├── lifespan
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── off.py
│   │   │   │   │   │   └── on.py
│   │   │   │   │   ├── logging.py
│   │   │   │   │   ├── loops
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── asyncio.py
│   │   │   │   │   │   ├── auto.py
│   │   │   │   │   │   └── uvloop.py
│   │   │   │   │   ├── main.py
│   │   │   │   │   ├── middleware
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── asgi2.py
│   │   │   │   │   │   ├── message_logger.py
│   │   │   │   │   │   ├── proxy_headers.py
│   │   │   │   │   │   └── wsgi.py
│   │   │   │   │   ├── protocols
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── http
│   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   ├── auto.py
│   │   │   │   │   │   │   ├── flow_control.py
│   │   │   │   │   │   │   ├── h11_impl.py
│   │   │   │   │   │   │   └── httptools_impl.py
│   │   │   │   │   │   ├── utils.py
│   │   │   │   │   │   └── websockets
│   │   │   │   │   │       ├── __init__.py
│   │   │   │   │   │       ├── auto.py
│   │   │   │   │   │       ├── websockets_impl.py
│   │   │   │   │   │       ├── websockets_sansio_impl.py
│   │   │   │   │   │       └── wsproto_impl.py
│   │   │   │   │   ├── py.typed
│   │   │   │   │   ├── server.py
│   │   │   │   │   ├── supervisors
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── basereload.py
│   │   │   │   │   │   ├── multiprocess.py
│   │   │   │   │   │   ├── statreload.py
│   │   │   │   │   │   └── watchfilesreload.py
│   │   │   │   │   └── workers.py
│   │   │   │   ├── uvicorn-0.35.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── entry_points.txt
│   │   │   │   │   └── licenses
│   │   │   │   │       └── LICENSE.md
│   │   │   │   ├── uvloop
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _noop.py
```

```
│   │   │   │   │   │   │   ├── _testbase.py
│   │   │   │   │   │   │   ├── _version.py
│   │   │   │   │   │   │   ├── cbhandles.pxd
│   │   │   │   │   │   │   ├── cbhandles.pyx
│   │   │   │   │   │   │   ├── dns.pyx
│   │   │   │   │   │   │   ├── errors.pyx
│   │   │   │   │   │   │   ├── handles
│   │   │   │   │   │   │   │   ├── async_.pxd
│   │   │   │   │   │   │   │   ├── async_.pyx
│   │   │   │   │   │   │   │   ├── basetransport.pxd
│   │   │   │   │   │   │   │   ├── basetransport.pyx
│   │   │   │   │   │   │   │   ├── check.pxd
│   │   │   │   │   │   │   │   ├── check.pyx
│   │   │   │   │   │   │   │   ├── fsevent.pxd
│   │   │   │   │   │   │   │   ├── fsevent.pyx
│   │   │   │   │   │   │   │   ├── handle.pxd
│   │   │   │   │   │   │   │   ├── handle.pyx
│   │   │   │   │   │   │   │   ├── idle.pxd
│   │   │   │   │   │   │   │   ├── idle.pyx
│   │   │   │   │   │   │   │   ├── pipe.pxd
│   │   │   │   │   │   │   │   ├── pipe.pyx
│   │   │   │   │   │   │   │   ├── poll.pxd
│   │   │   │   │   │   │   │   ├── poll.pyx
│   │   │   │   │   │   │   │   ├── process.pxd
│   │   │   │   │   │   │   │   ├── process.pyx
│   │   │   │   │   │   │   │   ├── stream.pxd
│   │   │   │   │   │   │   │   ├── stream.pyx
│   │   │   │   │   │   │   │   ├── streamserver.pxd
│   │   │   │   │   │   │   │   ├── streamserver.pyx
│   │   │   │   │   │   │   │   ├── tcp.pxd
│   │   │   │   │   │   │   │   ├── tcp.pyx
│   │   │   │   │   │   │   │   ├── timer.pxd
│   │   │   │   │   │   │   │   ├── timer.pyx
│   │   │   │   │   │   │   │   ├── udp.pxd
│   │   │   │   │   │   │   │   └── udp.pyx
│   │   │   │   │   │   │   ├── includes
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── consts.pxi
│   │   │   │   │   │   │   │   ├── debug.pxd
│   │   │   │   │   │   │   │   ├── flowcontrol.pxd
│   │   │   │   │   │   │   │   ├── python.pxd
│   │   │   │   │   │   │   │   ├── stdlib.pxi
│   │   │   │   │   │   │   │   ├── system.pxd
│   │   │   │   │   │   │   │   └── uv.pxd
│   │   │   │   │   │   │   ├── loop.cpython-39-darwin.so
│   │   │   │   │   │   │   ├── loop.pxd
│   │   │   │   │   │   │   ├── loop.pyi
│   │   │   │   │   │   │   ├── loop.pyx
│   │   │   │   │   │   │   ├── lru.pyx
│   │   │   │   │   │   │   ├── pseudosock.pyx
│   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   ├── request.pxd
│   │   │   │   │   │   │   ├── request.pyx
│   │   │   │   │   │   │   ├── server.pxd
│   │   │   │   │   │   │   ├── server.pyx
│   │   │   │   │   │   │   ├── sslproto.pxd
```

```
│   │               │   └── sslproto.pyx
│   │               ├── uvloop-0.21.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE-APACHE
│   │               │   ├── LICENSE-MIT
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   └── top_level.txt
│   │               ├── watchfiles
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── _rust_notify.cpython-39-darwin.so
│   │               │   ├── _rust_notify.pyi
│   │               │   ├── cli.py
│   │               │   ├── filters.py
│   │               │   ├── main.py
│   │               │   ├── py.typed
│   │               │   ├── run.py
│   │               │   └── version.py
│   │               ├── watchfiles-1.1.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── licenses
│   │               │       └── LICENSE
│   │               ├── websocket
│   │               │   ├── __init__.py
│   │               │   ├── _abnf.py
│   │               │   ├── _app.py
│   │               │   ├── _cookiejar.py
│   │               │   ├── _core.py
│   │               │   ├── _exceptions.py
│   │               │   ├── _handshake.py
│   │               │   ├── _http.py
│   │               │   ├── _logging.py
│   │               │   ├── _socket.py
│   │               │   ├── _ssl_compat.py
│   │               │   ├── _url.py
│   │               │   ├── _utils.py
│   │               │   ├── _wsdump.py
│   │               │   ├── py.typed
│   │               │   └── tests
│   │               │       ├── __init__.py
│   │               │       ├── data
│   │               │       │   ├── header01.txt
│   │               │       │   ├── header02.txt
│   │               │       │   └── header03.txt
│   │               │       ├── echo-server.py
│   │               │       ├── test_abnf.py
│   │               │       ├── test_app.py
│   │               │       ├── test_cookiejar.py
│   │               │       ├── test_http.py
│   │               │       ├── test_url.py
```

```
│   │               │       └── test_websocket.py
│   │               ├── websocket_client-1.8.0.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── websockets
│   │               │   ├── __init__.py
│   │               │   ├── __main__.py
│   │               │   ├── asyncio
│   │               │   │   ├── __init__.py
│   │               │   │   ├── async_timeout.py
│   │               │   │   ├── client.py
│   │               │   │   ├── compatibility.py
│   │               │   │   ├── connection.py
│   │               │   │   ├── messages.py
│   │               │   │   ├── router.py
│   │               │   │   └── server.py
│   │               │   ├── auth.py
│   │               │   ├── cli.py
│   │               │   ├── client.py
│   │               │   ├── connection.py
│   │               │   ├── datastructures.py
│   │               │   ├── exceptions.py
│   │               │   ├── extensions
│   │               │   │   ├── __init__.py
│   │               │   │   ├── base.py
│   │               │   │   └── permessage_deflate.py
│   │               │   ├── frames.py
│   │               │   ├── headers.py
│   │               │   ├── http.py
│   │               │   ├── http11.py
│   │               │   ├── imports.py
│   │               │   ├── legacy
│   │               │   │   ├── __init__.py
│   │               │   │   ├── auth.py
│   │               │   │   ├── client.py
│   │               │   │   ├── exceptions.py
│   │               │   │   ├── framing.py
│   │               │   │   ├── handshake.py
│   │               │   │   ├── http.py
│   │               │   │   ├── protocol.py
│   │               │   │   └── server.py
│   │               │   ├── protocol.py
│   │               │   ├── py.typed
│   │               │   ├── server.py
│   │               │   ├── speedups.c
│   │               │   ├── speedups.cpython-39-darwin.so
│   │               │   ├── speedups.pyi
│   │               │   ├── streams.py
│   │               │   ├── sync
│   │               │   │   ├── __init__.py
│   │               │   │   ├── client.py
```

```
│   │               │   │   ├── connection.py
│   │               │   │   ├── messages.py
│   │               │   │   ├── router.py
│   │               │   │   ├── server.py
│   │               │   │   └── utils.py
│   │               │   ├── typing.py
│   │               │   ├── uri.py
│   │               │   ├── utils.py
│   │               │   └── version.py
│   │               ├── websockets-15.0.1.dist-info
│   │               │   ├── INSTALLER
│   │               │   ├── LICENSE
│   │               │   ├── METADATA
│   │               │   ├── RECORD
│   │               │   ├── WHEEL
│   │               │   ├── entry_points.txt
│   │               │   └── top_level.txt
│   │               ├── werkzeug
│   │               │   ├── __init__.py
│   │               │   ├── _internal.py
│   │               │   ├── _reloader.py
│   │               │   ├── datastructures
│   │               │   │   ├── __init__.py
│   │               │   │   ├── accept.py
│   │               │   │   ├── auth.py
│   │               │   │   ├── cache_control.py
│   │               │   │   ├── csp.py
│   │               │   │   ├── etag.py
│   │               │   │   ├── file_storage.py
│   │               │   │   ├── headers.py
│   │               │   │   ├── mixins.py
│   │               │   │   ├── range.py
│   │               │   │   └── structures.py
│   │               │   ├── debug
│   │               │   │   ├── __init__.py
│   │               │   │   ├── console.py
│   │               │   │   ├── repr.py
│   │               │   │   ├── shared
│   │               │   │   │   ├── ICON_LICENSE.md
│   │               │   │   │   ├── console.png
│   │               │   │   │   ├── debugger.js
│   │               │   │   │   ├── less.png
│   │               │   │   │   ├── more.png
│   │               │   │   │   └── style.css
│   │               │   │   └── tbtools.py
│   │               │   ├── exceptions.py
│   │               │   ├── formparser.py
│   │               │   ├── http.py
│   │               │   ├── local.py
│   │               │   ├── middleware
│   │               │   │   ├── __init__.py
│   │               │   │   ├── dispatcher.py
│   │               │   │   ├── http_proxy.py
│   │               │   │   ├── lint.py
│   │               │   │   ├── profiler.py
│   │               │   │   ├── proxy_fix.py
```

```
│   │   │   │   │   │   │   │   │   └── shared_data.py
│   │   │   │   │   │   │   │   ├── py.typed
│   │   │   │   │   │   │   │   ├── routing
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── converters.py
│   │   │   │   │   │   │   │   │   ├── exceptions.py
│   │   │   │   │   │   │   │   │   ├── map.py
│   │   │   │   │   │   │   │   │   ├── matcher.py
│   │   │   │   │   │   │   │   │   └── rules.py
│   │   │   │   │   │   │   │   ├── sansio
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── http.py
│   │   │   │   │   │   │   │   │   ├── multipart.py
│   │   │   │   │   │   │   │   │   ├── request.py
│   │   │   │   │   │   │   │   │   ├── response.py
│   │   │   │   │   │   │   │   │   └── utils.py
│   │   │   │   │   │   │   │   ├── security.py
│   │   │   │   │   │   │   │   ├── serving.py
│   │   │   │   │   │   │   │   ├── test.py
│   │   │   │   │   │   │   │   ├── testapp.py
│   │   │   │   │   │   │   │   ├── urls.py
│   │   │   │   │   │   │   │   ├── user_agent.py
│   │   │   │   │   │   │   │   ├── utils.py
│   │   │   │   │   │   │   │   ├── wrappers
│   │   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   │   ├── request.py
│   │   │   │   │   │   │   │   │   └── response.py
│   │   │   │   │   │   │   │   └── wsgi.py
│   │   │   │   │   │   │   ├── werkzeug-3.1.3.dist-info
│   │   │   │   │   │   │   │   ├── INSTALLER
│   │   │   │   │   │   │   │   ├── LICENSE.txt
│   │   │   │   │   │   │   │   ├── METADATA
│   │   │   │   │   │   │   │   ├── RECORD
│   │   │   │   │   │   │   │   └── WHEEL
│   │   │   │   │   │   │   ├── yaml
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _yaml.cpython-39-darwin.so
│   │   │   │   │   │   │   │   ├── composer.py
│   │   │   │   │   │   │   │   ├── constructor.py
│   │   │   │   │   │   │   │   ├── cyaml.py
│   │   │   │   │   │   │   │   ├── dumper.py
│   │   │   │   │   │   │   │   ├── emitter.py
│   │   │   │   │   │   │   │   ├── error.py
│   │   │   │   │   │   │   │   ├── events.py
│   │   │   │   │   │   │   │   ├── loader.py
│   │   │   │   │   │   │   │   ├── nodes.py
│   │   │   │   │   │   │   │   ├── parser.py
│   │   │   │   │   │   │   │   ├── reader.py
│   │   │   │   │   │   │   │   ├── representer.py
│   │   │   │   │   │   │   │   ├── resolver.py
│   │   │   │   │   │   │   │   ├── scanner.py
│   │   │   │   │   │   │   │   ├── serializer.py
│   │   │   │   │   │   │   │   └── tokens.py
│   │   │   │   │   │   │   ├── yarl
│   │   │   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   │   │   ├── _parse.py
```

```
│   │   │   │   │   ├── _path.py
│   │   │   │   │   ├── _query.py
│   │   │   │   │   ├── _quoters.py
│   │   │   │   │   ├── _quoting.py
│   │   │   │   │   ├── _quoting_c.cpython-39-darwin.so
│   │   │   │   │   ├── _quoting_c.pyx
│   │   │   │   │   ├── _quoting_py.py
│   │   │   │   │   ├── _url.py
│   │   │   │   │   └── py.typed
│   │   │   │   ├── yarl-1.20.1.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   ├── LICENSE
│   │   │   │   │   │   └── NOTICE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── zipp
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── _functools.py
│   │   │   │   │   ├── compat
│   │   │   │   │   │   ├── __init__.py
│   │   │   │   │   │   ├── overlay.py
│   │   │   │   │   │   ├── py310.py
│   │   │   │   │   │   └── py313.py
│   │   │   │   │   └── glob.py
│   │   │   │   ├── zipp-3.23.0.dist-info
│   │   │   │   │   ├── INSTALLER
│   │   │   │   │   ├── METADATA
│   │   │   │   │   ├── RECORD
│   │   │   │   │   ├── WHEEL
│   │   │   │   │   ├── licenses
│   │   │   │   │   │   └── LICENSE
│   │   │   │   │   └── top_level.txt
│   │   │   │   ├── zstandard
│   │   │   │   │   ├── __init__.py
│   │   │   │   │   ├── __init__.pyi
│   │   │   │   │   ├── _cffi.cpython-39-darwin.so
│   │   │   │   │   ├── backend_c.cpython-39-darwin.so
│   │   │   │   │   ├── backend_cffi.py
│   │   │   │   │   └── py.typed
│   │   │   │   └── zstandard-0.23.0.dist-info
│   │   │   │       ├── INSTALLER
│   │   │   │       ├── LICENSE
│   │   │   │       ├── METADATA
│   │   │   │       ├── RECORD
│   │   │   │       ├── WHEEL
│   │   │   │       └── top_level.txt
│   │   ├── pyvenv.cfg
│   │   └── share
│   │       └── man
│   │           └── man1
│   │               └── isympy.1
├── ϕ-activate-final.sh
├── ϕ-activate-ultra.sh
```

```
├── ϕ-evolve.sh
├── ϕ-expand.sh
├── ϕ-finalize.sh
├── ϕ-first-run.sh
├── ϕ-heartbeat.sh
├── ϕ-query.py
└── ϕ-query.sh

2866 directories, 25138 files
kunzt.freiheit@Mac ~ % cd ~/Projects/niro-chat-app
kunzt.freiheit@Mac niro-chat-app % du -ah . | sort -h | tail -n 30
4,1M./backend/.venv/lib/python3.13/site-packages/pydantic_core
4,1M./frontend/node_modules/caniuse-lite
4,1M./frontend/node_modules/caniuse-lite/data
4,3M./backend/.venv/lib/python3.13/site-packages/uvloop
5,9M./frontend/node_modules/typescript/lib/_tsc.js
6,3M./frontend/node_modules/react-dom/cjs
6,4M./frontend/node_modules/react-dom
7,2M./backend/.venv/lib/python3.13/site-packages/numpy/_core/tests
7,9M./backend/.venv/lib/python3.13/site-packages/pygments/lexers
8,3M./backend/.venv/lib/python3.13/site-packages/pip/_vendor
8,6M./frontend/node_modules/typescript/lib/typescript.js
9,0M./frontend/node_modules/@typescript-eslint
9,1M./backend/.venv/lib/python3.13/site-packages/pygments
9,4M./frontend/node_modules/esbuild/bin
9,4M./frontend/node_modules/esbuild/bin/esbuild
9,5M./frontend/node_modules/esbuild
9,8M./frontend/node_modules/@babel
 11M./backend/.venv/lib/python3.13/site-packages/pip
 14M./backend/.venv/lib/python3.13/site-packages/numpy/_core
 22M./frontend/node_modules/typescript
 22M./frontend/node_modules/typescript/lib
 32M./backend/.venv/lib/python3.13/site-packages/numpy
 92M./backend
 92M./backend/.venv
 92M./backend/.venv/lib
 92M./backend/.venv/lib/python3.13
 92M./backend/.venv/lib/python3.13/site-packages
 93M./frontend/node_modules
 94M./frontend
186M.
kunzt.freiheit@Mac niro-chat-app % du -ah . | sort -h | tail -n 30
4,1M./backend/.venv/lib/python3.13/site-packages/pydantic_core
4,1M./frontend/node_modules/caniuse-lite
4,1M./frontend/node_modules/caniuse-lite/data
4,3M./backend/.venv/lib/python3.13/site-packages/uvloop
5,9M./frontend/node_modules/typescript/lib/_tsc.js
6,3M./frontend/node_modules/react-dom/cjs
6,4M./frontend/node_modules/react-dom
7,2M./backend/.venv/lib/python3.13/site-packages/numpy/_core/tests
7,9M./backend/.venv/lib/python3.13/site-packages/pygments/lexers
8,3M./backend/.venv/lib/python3.13/site-packages/pip/_vendor
8,6M./frontend/node_modules/typescript/lib/typescript.js
9,0M./frontend/node_modules/@typescript-eslint
9,1M./backend/.venv/lib/python3.13/site-packages/pygments
9,4M./frontend/node_modules/esbuild/bin
```

```
9,4M./frontend/node_modules/esbuild/bin/esbuild
9,5M./frontend/node_modules/esbuild
9,8M./frontend/node_modules/@babel
 11M./backend/.venv/lib/python3.13/site-packages/pip
 14M./backend/.venv/lib/python3.13/site-packages/numpy/_core
 22M./frontend/node_modules/typescript
 22M./frontend/node_modules/typescript/lib
 32M./backend/.venv/lib/python3.13/site-packages/numpy
 92M./backend
 92M./backend/.venv
 92M./backend/.venv/lib
 92M./backend/.venv/lib/python3.13
 92M./backend/.venv/lib/python3.13/site-packages
 93M./frontend/node_modules
 94M./frontend
186M.
kunzt.freiheit@Mac niro-chat-app % curl -s http://localhost:8001/health
|| echo "Backend noch nicht gestartet"

{"ok":true,"uptime_s":453.77,"llm":"lmstudio","model":"gpt-oss-20b-
MXFP4","base_url":"http://localhost:1234/v1","env_file":".env.local"}%
kunzt.freiheit@Mac niro-chat-app % curl -s http://localhost:5173 || echo
"Frontend noch nicht gestartet"
Frontend noch nicht gestartet
kunzt.freiheit@Mac niro-chat-app % cd ~/ϕ-SARIT-EL

kunzt.freiheit@Mac ϕ-SARIT-EL % du -ah . | sort -h | tail -n 30

124M./memory/source_docs/resonanzen/master_matrix/node_modules/@next/
swc-darwin-arm64/next-swc.darwin-arm64.node
128M./.venv/lib/python3.12/site-packages/onnxruntime
128M./.venv/lib/python3.13/site-packages/onnxruntime
150M./memory/source_docs/resonanzen/master_matrix/node_modules/next/dist
151M./memory/source_docs/resonanzen/master_matrix/node_modules/next
168M./memory/index_bm25.jsonl
203M./.venv/lib/python3.12/site-packages/torch/lib/libtorch_cpu.dylib
203M./.venv/lib/python3.13/site-packages/torch/lib/libtorch_cpu.dylib
231M./.venv/lib/python3.12/site-packages/torch/lib
231M./.venv/lib/python3.13/site-packages/torch/lib
306M./memory/source_docs/resonanzen/master_matrix/node_modules
336M./memory/source_docs/resonanzen
336M./memory/source_docs/resonanzen/master_matrix
382M./.venv/lib/python3.12/site-packages/torch
382M./.venv/lib/python3.13/site-packages/torch
416M./memory/chroma/chroma.sqlite3
490M./memory/chroma
491M./memory/source_docs
535M./venv_OLD_20250814_033532
535M./venv_OLD_20250814_033532/lib
535M./venv_OLD_20250814_033532/lib/python3.9
535M./venv_OLD_20250814_033532/lib/python3.9/site-packages
1,2G./memory
1,4G./.venv/lib/python3.13
1,4G./.venv/lib/python3.13/site-packages
1,6G./.venv/lib/python3.12
1,6G./.venv/lib/python3.12/site-packages
```

```
3,0G./.venv
3,0G./.venv/lib
4,7G.
kunzt.freiheit@Mac ϕ-SARIT-EL % tree -ah -I '__pycache__|.venv|*.pyc|
*.pyo|*.swp'
[1.2K]  .
├── [8.0K]  .DS_Store
├── [ 312]  .env
├── [  21]  .gitignore
├── [ 305]  Makefile
├── [  96]  analytics
│   └── [  96]  db
│       └── [   0]  kunzt.db
├── [  96]  bin
│   └── [ 538]  phi
├── [ 128]  config
│   ├── [ 786]  blueprint_expectations.yaml
│   └── [ 279]  rag_filters.yaml
├── [ 256]  core
│   ├── [7.8K]  DEV_ROADMAP.md
│   ├── [1.5K]  DNA.yaml
│   ├── [ 396]  DNA.yaml.bak.20250814-060346
│   ├── [ 258]  logging.yaml
│   ├── [  96]  manifest
│   │   └── [ 107]  ϕ-GENESIS.md
│   └── [  64]  tests
├── [ 192]  dashboard
│   ├── [  64]  app
│   ├── [ 220]  app.py
│   ├── [  64]  static
│   └── [  96]  templates
│       └── [ 171]  index.html
├── [  96]  docs
│   └── [  68]  master_matrix.json -> ../../memory/source_docs/
resonanzen/master_matrix/master_matrix.json
├── [1.2K]  gmail_test.py
├── [ 224]  integration_modules
│   ├── [  64]  calendar
│   ├── [  64]  datafeeds
│   ├── [  64]  fs
│   ├── [  64]  mail
│   └── [  64]  ϕ-MAIL
├── [ 160]  io_interfaces
│   ├── [ 128]  audio
│   │   ├── [2.9K]  speak.py
│   │   └── [1.3K]  whisper.py
│   ├── [  96]  cli
│   │   └── [2.3K]  ask.py
│   └── [ 160]  ϕ-AURA
│       ├── [  16]  README.md
│       ├── [ 199]  holographic_engine.py
│       └── [  36]  init.py
├── [ 224]  keys
│   ├── [1.2K]  SARIT-EL.json
│   ├── [ 321]  SARIT-EL.json.bak.20250814-060346
│   ├── [ 321]  SARIT-EL.json.bak.20250814-060507
```

```
│   ├── [ 321]  SARIT-EL.json.bak.20250814-061259
│   └── [   0]  vault.bin
├── [ 160]  logs
│   ├── [ 384]  answers
│   │   ├── [2.3K]  ANSWER_20250814-062708.md
│   │   ├── [2.3K]  ANSWER_20250814-063151.md
│   │   ├── [3.4K]  ANSWER_20250814-063303.md
│   │   ├── [2.3K]  ANSWER_20250814-064132.md
│   │   ├── [2.1K]  ANSWER_20250814-064457.md
│   │   ├── [2.5K]  ANSWER_20250814-064626.md
│   │   ├── [ 885]  ANSWER_20250814-071438.md
│   │   ├── [ 885]  ANSWER_20250814-071451.md
│   │   ├── [5.0K]  COMPARE_20250814-062959.md
│   │   └── [5.0K]  COMPARE_20250814-063201.md
│   ├── [ 512]  audits
│   │   ├── [2.4K]  BLUEPRINT_MAPPING_REPORT_20250814-060217.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-060420.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-060523.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-060727.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-060829.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-060851.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-061025.md
│   │   ├── [2.1K]  BLUEPRINT_MAPPING_REPORT_20250814-061206.md
│   │   ├── [1.9K]  BLUEPRINT_MAPPING_REPORT_20250814-061319.md
│   │   ├── [3.5K]  INIT_READONLY_AUDIT_20250814-055658.txt
│   │   ├── [ 292]  INIT_READONLY_AUDIT_20250814-060430.txt
│   │   ├── [3.3K]  PDF_EXTRACT_REPORT_20250814-062202.md
│   │   ├── [3.3K]  PDF_EXTRACT_REPORT_20250814-064016.md
│   │   └── [3.3K]  PDF_EXTRACT_REPORT_20250814-064348.md
│   └── [1.1K]  policy_decisions.log
├── [ 640]  memory
│   ├── [6.0K]  .DS_Store
│   ├── [ 128]  audio_inbox
│   │   ├── [ 31K]  phi_silence.wav
│   │   └── [ 31K]  test_silence.wav
│   ├── [ 288]  audio_outbox
│   │   ├── [ 73K]  phi_selftest_20250814-043354.aiff
│   │   ├── [ 73K]  phi_selftest_20250814-043455.aiff
│   │   ├── [ 73K]  phi_selftest_20250814-043825.aiff
│   │   ├── [ 62K]  phi_tts_20250814-043012.aiff
│   │   ├── [1.3M]  phi_tts_20250814-044156.aiff
│   │   ├── [ 44K]  phi_tts_20250814-044832.aiff
│   │   └── [1.3M]  phi_tts_20250814-044844.aiff
│   ├── [1.2K]  build_memory.py
│   ├── [ 160]  chroma
│   │   ├── [ 224]  6a15a84c-13c6-456b-b82f-81001a5ee185
│   │   │   ├── [ 16M]  data_level0.bin
│   │   │   ├── [ 100]  header.bin
│   │   │   ├── [712K]  index_metadata.pickle
│   │   │   ├── [ 39K]  length.bin
│   │   │   └── [ 60K]  link_lists.bin
│   │   ├── [ 224]  ce899095-6c25-46a8-8688-c8f09bdc60a7
│   │   │   ├── [ 53M]  data_level0.bin
│   │   │   ├── [ 100]  header.bin
│   │   │   ├── [3.5M]  index_metadata.pickle
│   │   │   ├── [130K]  length.bin
```

```
│   │   │   └── [278K]  link_lists.bin
│   │   └── [412M]  chroma.sqlite3
│   ├── [  64]  dreams
│   ├── [  64]  ethics_logs
│   ├── [  64]  inbox
│   ├── [ 18M]  index.jsonl
│   ├── [168M]  index_bm25.jsonl
│   ├── [  64]  knowledge_graph
│   ├── [ 926]  load_data.py
│   ├── [ 14K]  manifest.jsonl
│   ├── [1.1K]  pdf_loader.py
│   ├── [ 800]  pdf_texts
│   │   ├── [   0]  $BP.txt
│   │   ├── [549K]  089.txt
│   │   ├── [534K]  104.txt
│   │   ├── [   0]  2015.188215.Die-Geheimwissenschaft-Im-Umriss.txt
│   │   ├── [   0]  2015.489013.Kaivalya-Darsanam.txt
│   │   ├── [2.3M]  Blavatsky_Geheimlehre_I.txt
│   │   ├── [2.7M]  Blavatsky_Geheimlehre_II.txt
│   │   ├── [761K]  Carl Schmidt - Pistis Sophia Deutsch 1925_text.txt
│   │   ├── [216K]  DAS KYBALION. Die 7 Hermetischen Gesetze.txt
│   │   ├── [1.4M]  David Icke  And The Truth Shall Set You Free.txt
│   │   ├── [582K]  Der Fluch von Kanaan deutsch.txt
│   │   ├── [676K]  Der Weg des wahren Adepten.txt
│   │   ├── [1.7M]
E4AAFF6DAF6863F459A8B4E52DFB9FF4_Manly.P.Hall_The.Secret.Teachings.of.Al
l.Ages.txt
│   │   ├── [184K]  Ernst Ju_nger - Der Waldgang-Klett-Cotta _2008_.txt
│   │   ├── [187K]  Ernst Jünger - Der Waldgang-Klett-Cotta (2008).txt
│   │   ├── [622K]
Gue_non_Rene__The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.txt
│   │   ├── [629K]
Guénon_René_The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.txt
│   │   ├── [   0]  Icke-David_Das-groesste-Geheimnis-1.txt
│   │   ├── [667K]  Tilman Knechtel - Die Rothschilds. Eine Familie
beherrscht die Welt-J K Fischer.txt
│   │   ├── [2.7M]  ebuch-deutsch-icke-david-der-lc3b6we-
erwacht-2011-957-s-text.txt
│   │   ├── [ 35K]  gebser.txt
│   │   ├── [1.4M]  normal_5c8907cf2bc18.txt
│   │   └── [ 830]  ϕ-SARIT-EL—Master-Blueprint_Punkt31.txt
│   ├── [  64]  quarantine
│   ├── [ 305]  query_data.py
│   └── [ 704]  source_docs
│       ├── [ 20M]  089.pdf
│       ├── [1.2M]  104.pdf
│       ├── [ 45M]  2015.188215.Die-Geheimwissenschaft-Im-Umriss.pdf
│       ├── [9.2M]  2015.489013.Kaivalya-Darsanam.pdf
│       ├── [2.5M]  Blavatsky_Geheimlehre_I.pdf
│       ├── [3.2M]  Blavatsky_Geheimlehre_II.pdf
│       ├── [9.7M]  Carl Schmidt - Pistis Sophia Deutsch 1925_text.pdf
│       ├── [962K]  DAS KYBALION. Die 7 Hermetischen Gesetze.pdf
│       ├── [3.4M]  David Icke  And The Truth Shall Set You Free.pdf
│       ├── [2.0M]  Der Fluch von Kanaan deutsch.pdf
│       ├── [1.2M]  Der Weg des wahren Adepten.pdf
```

```
│       ├── [3.3M]
E4AAFF6DAF6863F459A8B4E52DFB9FF4_Manly.P.Hall_The.Secret.Teachings.of.Al
l.Ages.pdf
│       ├── [550K]  Ernst Jünger - Der Waldgang-Klett-Cotta (2008).pdf
│       ├── [4.2M]
Guénon_René_The_Reign_of_Quantity_and_the_Signs_of_The_Times_2001.pdf
│       ├── [ 19M]  Icke-David_Das-groesste-Geheimnis-1.pdf
│       ├── [1.7M]  Tilman Knechtel - Die Rothschilds. Eine Familie
beherrscht die Welt-J K Fischer.pdf
│       ├── [ 25M]  ebuch-deutsch-icke-david-der-lc3b6we-
erwacht-2011-957-s-text.pdf
│       ├── [113K]  gebser.pdf
│       ├── [3.3M]  normal_5c8907cf2bc18.pdf
│       └── [ 128]  resonanzen
│           ├── [ 896]  master_matrix
│           │   ├── [ 384]  .git
│           │   │   ├── [  53]  COMMIT_EDITMSG
│           │   │   ├── [  21]  HEAD
│           │   │   ├── [ 137]  config
│           │   │   ├── [  73]  description
│           │   │   ├── [ 544]  hooks
│           │   │   │   ├── [ 478]  applypatch-msg.sample
│           │   │   │   ├── [ 896]  commit-msg.sample
│           │   │   │   ├── [4.6K]  fsmonitor-watchman.sample
│           │   │   │   ├── [ 189]  post-update.sample
│           │   │   │   ├── [ 424]  pre-applypatch.sample
│           │   │   │   ├── [ 146]  pre-commit
│           │   │   │   ├── [1.6K]  pre-commit.sample
│           │   │   │   ├── [ 416]  pre-merge-commit.sample
│           │   │   │   ├── [1.3K]  pre-push.sample
│           │   │   │   ├── [4.8K]  pre-rebase.sample
│           │   │   │   ├── [ 544]  pre-receive.sample
│           │   │   │   ├── [1.5K]  prepare-commit-msg.sample
│           │   │   │   ├── [2.7K]  push-to-checkout.sample
│           │   │   │   ├── [2.3K]  sendemail-validate.sample
│           │   │   │   └── [3.6K]  update.sample
│           │   │   ├── [3.6K]  index
│           │   │   ├── [  96]  info
│           │   │   │   └── [ 240]  exclude
│           │   │   ├── [ 128]  logs
│           │   │   │   ├── [6.8K]  HEAD
│           │   │   │   └── [  96]  refs
│           │   │   │       └── [  96]  heads
│           │   │   │           └── [6.6K]  main
│           │   │   ├── [3.6K]  objects
│           │   │   │   ├── [  96]  02
│           │   │   │   │   └── [  63]
d83c816018c131bbcc76a4d4612cfa70f68d50
│           │   │   │   ├── [ 128]  03
│           │   │   │   │   ├── [ 263]
9abb634e9650f6a97d880d0d53d563fc21cc58
│           │   │   │   │   └── [ 464]
9b7545ccfbb428d2649aa5af96790bac6cf240
│           │   │   │   ├── [  96]  09
│           │   │   │   │   └── [ 395]
0b1d3b592dec837f5b89c03155774f7e18d524
```

```
│            │   │   │   ├── [  96]  0a
│            │   │   │   │   └── [ 181]
ce2be805fa96980c133afbaa3c1816e0434f7f
│            │   │   │   ├── [  96]  0c
│            │   │   │   │   └── [ 155]
d30e7246f23059db63bb61c56fcc7ab5ee2745
│            │   │   │   ├── [  96]  0d
│            │   │   │   │   └── [ 212]
5cb263639baabb091de35e73a1dbbe5ee39925
│            │   │   │   ├── [ 128]  0e
│            │   │   │   │   ├── [  98]
60fe52c3d6369429b28f620f9d4063c53e1241
│            │   │   │   │   └── [ 451]
8c5e8defda14fcc4cc376dc3cf46badac836fe
│            │   │   │   ├── [  96]  0f
│            │   │   │   │   └── [  88]
822c98beebf48a5ca33a1c7000292c07ca1dbb
│            │   │   │   ├── [ 160]  11
│            │   │   │   │   ├── [ 222]
2c169797d6712da70a1cf8d6290d0f811d2a6a
│            │   │   │   │   ├── [ 237]
af1eeba1c07919bc49322523572f87ac7f7021
│            │   │   │   │   └── [ 202]
bb8d6711d201dab43b9d0c2405268e2ea2c3b0
│            │   │   │   ├── [  96]  12
│            │   │   │   │   └── [ 525]
8c101c25838313d7e6f558fe3df5b5fa865c20
│            │   │   │   ├── [  96]  15
│            │   │   │   │   └── [ 400]
15b79dc5d95b8206c4b8c343e5a240d1edf70b
│            │   │   │   ├── [  96]  17
│            │   │   │   │   └── [ 647]
68181cc29287fcdfd081dacd1d205b59605a41
│            │   │   │   ├── [  96]  19
│            │   │   │   │   └── [ 175]
2828a2627ea47c74681c884367fc55bc795997
│            │   │   │   ├── [ 128]  1a
│            │   │   │   │   ├── [ 143]
1e3cdec36701c6b00206b0bd5d11b14fea6016
│            │   │   │   │   └── [ 130]
391d0999bba65b035693d7bf72f9bd8a18ae80
│            │   │   │   ├── [ 128]  1d
│            │   │   │   │   ├── [ 672]
12afedbfc9762a37acd2c9cb7d4cd0a9bfe30a
│            │   │   │   │   └── [ 106]
7069f7af5b2e766290c46f101a228b722dd122
│            │   │   │   ├── [ 128]  1e
│            │   │   │   │   ├── [ 201]
1889537e06280886d78cb71ae77174be3323e2
│            │   │   │   │   └── [  64]
b17e7cd16b423e71fe98d08c9d2c5a6270d192
│            │   │   │   ├── [  96]  1f
│            │   │   │   │   └── [ 166]
fbe226a20a890e6b22e700d7feca08aa6340ed
│            │   │   │   ├── [  96]  24
```

```
│            │   │   │   │   └── [ 169]
3986d07e4916361b52dd52cace442aba5323f7
│            │   │   │   ├── [  96]  25
│            │   │   │   │   └── [ 647]
0f1e3576472e53c0002df58c6880455691d027
│            │   │   │   ├── [  96]  28
│            │   │   │   │   └── [ 250]
57af945a677a824811d199a12e7bb9fd19306e
│            │   │   │   ├── [  96]  2a
│            │   │   │   │   └── [4.1K]
8c968e7c74f6fdf264890b72040dc759b02fa8
│            │   │   │   ├── [  96]  2b
│            │   │   │   │   └── [ 218]
b8dc730d3e6cba480b62e52a3b79fe358fedf3
│            │   │   │   ├── [  96]  37
│            │   │   │   │   └── [ 531]
28247591358216bdf07619012cdbadbdcf68af
│            │   │   │   ├── [  96]  39
│            │   │   │   │   └── [ 470]
f3149294bb7355bb9d7de7ff6b4cf4390f81b9
│            │   │   │   ├── [  96]  3a
│            │   │   │   │   └── [ 294]
830b3f93b322265f840cd8c8443a6c04fbcd9e
│            │   │   │   ├── [  96]  3b
│            │   │   │   │   └── [ 360]
aee02454b0241014e5143c1238e6e8645f427b
│            │   │   │   ├── [  96]  3c
│            │   │   │   │   └── [ 647]
dbb507b9db80f50d14ed046f799a5c017a2009
│            │   │   │   ├── [ 160]  40
│            │   │   │   │   ├── [ 105]
2a3a1f885a7214b7e6ecc0cb497741b93f4ece
│            │   │   │   │   ├── [  63]
e4d5a9bcf547d12d1ebe488f5827af2f543fba
│            │   │   │   │   └── [3.6K]
fed7e390d1f2615e353f27ba8798a28fa0e668
│            │   │   │   ├── [ 128]  41
│            │   │   │   │   ├── [ 204]
4a57d957f0c3ef01f6ac0362261c59db5893ff
│            │   │   │   │   └── [ 401]
e8a38850b84be3ded0dbcfbf1168a330ef6ae1
│            │   │   │   ├── [ 160]  43
│            │   │   │   │   ├── [ 222]
0db5d1dfa5221c8ca926ad674d4f60fe37582d
│            │   │   │   │   ├── [ 402]
2778f3c523d78c66f0e3b616b4b619f358895e
│            │   │   │   │   └── [ 467]
d52509004f36454c58e4e9e6f34bdac11c48b5
│            │   │   │   ├── [  96]  44
│            │   │   │   │   └── [ 303]
82aab8ef1dcb3b0fe89b5de63c6fb6f5e5cd17
│            │   │   │   ├── [  96]  4a
│            │   │   │   │   └── [ 217]
3d0ca4de608dd7e29f86a0ee166088d00cddce
│            │   │   │   ├── [ 128]  4b
```

```
│            │   │   │   │   ├── [  63]
ac2f33cfe661a97a6063f72eb979a1cf456cd4
│            │   │   │   │   └── [ 132]
dacb12c3ef007be961785f4b72d4d8ae75b8f9
│            │   │   │   ├── [ 128]  4f
│            │   │   │   │   ├── [ 444]
8f3eb06a3f1077e2fbc79c6d58f9515f620707
│            │   │   │   │   └── [ 265]
c46844c946a5b1cfd072564d9b8840c45674cf
│            │   │   │   ├── [ 128]  51
│            │   │   │   │   ├── [ 464]
16e53f256a8031bd2eb2c44afa63f87fb1c064
│            │   │   │   │   └── [ 217]
87e79e911f84b9ad6af4720abd67b7fc3ac1d6
│            │   │   │   ├── [  96]  52
│            │   │   │   │   └── [ 647]
27284fc03d020e912baa16a8fdbee38efad298
│            │   │   │   ├── [  96]  57
│            │   │   │   │   └── [ 647]
316f22305193af6f81d55095ce8d86a4fe9bc6
│            │   │   │   ├── [  96]  5a
│            │   │   │   │   └── [ 198]
88ab606d90ccc97bd88b996b754f2054c56103
│            │   │   │   ├── [ 128]  5b
│            │   │   │   │   ├── [ 210]
45d3a716fb32a62e2db918079ffbf3b30aec3c
│            │   │   │   │   └── [ 105]
f8a831f09d4f3fbd52130c2639ab64cc580f63
│            │   │   │   ├── [  96]  5c
│            │   │   │   │   └── [ 229]
df2026f3ba8c8f58851d0cca4cb60b2a08782d
│            │   │   │   ├── [  96]  5d
│            │   │   │   │   └── [ 137]
da4c12eaf998365ceb0bacef1f4d9b56af1ced
│            │   │   │   ├── [  96]  5e
│            │   │   │   │   └── [ 133]
0262911ec3e1fe481522afac8a2a734273b25f
│            │   │   │   ├── [  96]  5f
│            │   │   │   │   └── [ 205]
d251e31782104a968041698ea923016776e375
│            │   │   │   ├── [  96]  62
│            │   │   │   │   └── [ 192]
9b2af3086ab5c461bc053e4d44ebca15fe6e70
│            │   │   │   ├── [ 128]  67
│            │   │   │   │   ├── [ 490]
26afc9bed160c47b88264e1efa33467df15b12
│            │   │   │   │   └── [ 169]
8c526e68a6325dc9564bf46d09fdf97da51a63
│            │   │   │   ├── [  96]  68
│            │   │   │   │   └── [4.0K]
9c4cfaf4387b324a1827f1bb69a55b9418afdf
│            │   │   │   ├── [  96]  6b
│            │   │   │   │   └── [ 206]
1af09275b28b6030d0b68e1ed0b682a035c64c
│            │   │   │   ├── [ 128]  6d
```

```
│            │    │    │    │    ├── [ 464]
401bebce7bce31a14d99ee4f1fe57cba6b1d52
│            │    │    │    │    └── [ 218]
aac9cf6e09263564d7fa81c543372ffe360614
│            │    │    │    ├── [  96]  6e
│            │    │    │    │    └── [ 215]
75f9157ffe16d7626396cbf26a550fed0e064e
│            │    │    │    ├── [  96]  7d
│            │    │    │    │    └── [  71]
7a9fe9c9195591d9328aa5a9539136780f31a0
│            │    │    │    ├── [  96]  80
│            │    │    │    │    └── [ 214]
43d16ad127f85d30d243ce6dba681d640716ee
│            │    │    │    ├── [ 128]  81
│            │    │    │    │    ├── [ 229]
20bf469f8f4b1b9b69cdbd60bde97e91c1efe3
│            │    │    │    │    └── [ 326]
6a7df6017a50a600d5797cb879dc2964a51c84
│            │    │    │    ├── [  96]  82
│            │    │    │    │    └── [ 109]
0d6ef915989dd8970509f71d746f5a9201c0c6
│            │    │    │    ├── [  96]  87
│            │    │    │    │    └── [ 429]
ee2dd05954be34a1d237bdc7d1c690d695fe0d
│            │    │    │    ├── [  96]  8a
│            │    │    │    │    └── [ 612]
3d9b07f08eedd7f09a1d6cdc9cda2b432d9f78
│            │    │    │    ├── [ 128]  8d
│            │    │    │    │    ├── [ 646]
85db2d8457292c5eed4275764c91b042a41c5a
│            │    │    │    │    └── [  61]
c18442eff4e3f72e757602a7ae0a97ccb402b3
│            │    │    │    ├── [ 128]  91
│            │    │    │    │    ├── [ 228]
9198a6e5ab4ba42b8048c9fc959eba9668b76d
│            │    │    │    │    └── [ 136]
d1f2bff83121ce1ecc2d2f2475bba275653630
│            │    │    │    ├── [ 128]  92
│            │    │    │    │    ├── [ 234]
ab5d5b44266de55521ba348e48da42af233a20
│            │    │    │    │    └── [ 227]
cc65fd73fc5ee90c03f54b4518c271a6d19c2e
│            │    │    │    ├── [  96]  96
│            │    │    │    │    └── [ 234]
302e660caccb1deec25c54e491a1e522662cdd
│            │    │    │    ├── [  96]  98
│            │    │    │    │    └── [ 169]
026ca99b5579766d486c9811a88291f01195c3
│            │    │    │    ├── [ 128]  9c
│            │    │    │    │    ├── [ 166]
7f2a7551c63981f66cfb7a75c03cb9fba2c40d
│            │    │    │    │    └── [ 217]
970b48552fbf5d48f50e16b16ec758df5d7632
│            │    │    │    ├── [  96]  9e
│            │    │    │    │    └── [ 526]
3b67c2ca70cc6cea0b786252096a2a852046d8
```

```
│            │   │   │   ├── [ 128]  a0
│            │   │   │   │   ├── [ 202]
01fd156bb51c2b1f1b303124156ea99bfff19b
│            │   │   │   │   └── [  66]
fd20e00405bb6ff706df786418e18cc364730f
│            │   │   │   ├── [  96]  a1
│            │   │   │   │   └── [ 383]
e0c17b834511d2edae1d402f0e363f905059fe
│            │   │   │   ├── [  96]  a3
│            │   │   │   │   └── [ 580]
949622724d26f1157be8f501a420216585f201
│            │   │   │   ├── [  96]  a4
│            │   │   │   │   └── [ 301]
8c717391658eda90ef13066dbfbb71cadf1d1a
│            │   │   │   ├── [ 128]  a8
│            │   │   │   │   ├── [ 494]
7f4b43197878607f0529a970b7e99da34af5ee
│            │   │   │   │   └── [ 405]
b8f772925bec6ee9ad3bc829c234209ef0424d
│            │   │   │   ├── [  96]  a9
│            │   │   │   │   └── [ 773]
0f441ea79ad97594fc034a0838bb0848e47f72
│            │   │   │   ├── [  96]  aa
│            │   │   │   │   └── [ 176]
db069e05421e31fc1412dd337e7a173bef5ce8
│            │   │   │   ├── [  96]  ab
│            │   │   │   │   └── [ 200]
4c6843758fa702971f75effc8845e5f1d817a0
│            │   │   │   ├── [  96]  ac
│            │   │   │   │   └── [ 187]
d4c55273860bb3cb716e7bb0e2dfabc9600a2a
│            │   │   │   ├── [  96]  ad
│            │   │   │   │   └── [ 172]
105d0f1df4b0ceda0765c7001b0c17ad9129b6
│            │   │   │   ├── [ 160]  ae
│            │   │   │   │   ├── [ 212]
48692b1d3eca3662f61b0319bf0750acbaa3a9
│            │   │   │   │   ├── [ 390]
c44502c6be4db1ec0bb84f762cd03c9b961bb4
│            │   │   │   │   └── [ 212]
c7fa8b0f47011f5def1f1048b005d8cedc8aa6
│            │   │   │   ├── [ 128]  b3
│            │   │   │   │   ├── [ 132]
42ecf9127fb1b328a8e999faf1f92732a1c3d0
│            │   │   │   │   └── [1.4K]
a4fff82b996824e8c3966182eddb571b361f25
│            │   │   │   ├── [ 128]  b9
│            │   │   │   │   ├── [3.2K]
a14c3fa87d7c78dc9d8da3b2142c7f8f674e73
│            │   │   │   │   └── [ 672]
c16e3e86a00c270b5bd6cd281d22c86013cac5
│            │   │   │   ├── [  96]  ba
│            │   │   │   │   └── [ 116]
3ce570c83baeb7584bac2de8730c7e8996aa8e
│            │   │   │   ├── [ 128]  bb
```

```
│            │   │   │   │   ├── [ 234]
5154da2669daeed70706d7eaf78d6960e2f616
│            │   │   │   │   └── [ 730]
cd70d7e7dd65dd94064fbe414f1f261bb85cb7
│            │   │   │   ├── [  96]  bc
│            │   │   │   │   └── [1.5K]
88f30beb58c89e14e386a0e386ff8d74ef06cd
│            │   │   │   ├── [  96]  be
│            │   │   │   │   └── [ 223]
22907254a3ed43d124b6d5617558a155b26802
│            │   │   │   ├── [  96]  bf
│            │   │   │   │   └── [ 226]
d826580db5ec4e77b0bb9caf3f49152357d0da
│            │   │   │   ├── [  96]  c0
│            │   │   │   │   └── [ 181]
02cbbe4a04fde0bf781180d1bc1d1447d1367e
│            │   │   │   ├── [  96]  c1
│            │   │   │   │   └── [  62]
c2e98b8183a9b9de610412a0c1b06f65ecf798
│            │   │   │   ├── [  96]  c2
│            │   │   │   │   └── [ 703]
da9c46cf3fef90c0aed7be1d18419146651db0
│            │   │   │   ├── [ 128]  c4
│            │   │   │   │   ├── [ 143]
58a510919070572b7e45a5aa657fd9a52b7611
│            │   │   │   │   └── [ 137]
f20929ab8026d321bf2f803b5cd9ed9c709b31
│            │   │   │   ├── [  96]  c5
│            │   │   │   │   └── [  53]
579b047b81e285e2d8c1b9864b10467d1e613a
│            │   │   │   ├── [  96]  c6
│            │   │   │   │   └── [ 216]
26c6cc22b712b158ddd66377015c88b7a332fc
│            │   │   │   ├── [  96]  c7
│            │   │   │   │   └── [ 706]
28600a3f9b76cf4c2d23154d18817a3c547210
│            │   │   │   ├── [ 128]  cb
│            │   │   │   │   ├── [ 199]
400675e2c3ab9e4c225ce506afc65d20f4cdaf
│            │   │   │   │   └── [ 137]
ed707c2f1b09f5a116680550939 3f1173044ca
│            │   │   │   ├── [ 128]  d2
│            │   │   │   │   ├── [ 319]
6b7e2d39abdd83d57b74907f1f9b9e559bcd60
│            │   │   │   │   └── [ 317]
c153cd78a36a869354c42ffc7f56d6ec7bbd7a
│            │   │   │   ├── [ 128]  d4
│            │   │   │   │   ├── [  83]
074c405b95cf51bb7380093c4732835c5d93c5
│            │   │   │   │   └── [ 222]
cd89dd1ddf1829f0d2ea735fcb3fed2c8ca870
│            │   │   │   ├── [  96]  d8
│            │   │   │   │   └── [ 136]
2f7b1de18d7b949cf8eb7f379f2dfb74486273
│            │   │   │   ├── [  96]  db
```

```
│            │   │   │   │   └── [ 134]
f9ba508004d0cd3b4e2829b3207573a2393ea0
│            │   │   │   ├── [  96]  de
│            │   │   │   │   └── [ 213]
e818da047f75579b6178c588e53ef93686edc1
│            │   │   │   ├── [  96]  e1
│            │   │   │   │   └── [ 178]
e65a8f425029be78058afc71681ef6912c9318
│            │   │   │   ├── [  96]  e3
│            │   │   │   │   └── [ 140]
a453e5d7179abbc00d03b8fe212b0cddc782d6
│            │   │   │   ├── [ 160]  e4
│            │   │   │   │   ├── [  61]
2d74fc64f2179a127585bb906eb30e577ab9d8
│            │   │   │   │   ├── [  26]
3b0f988953ae3a84b00331d0ccf5f7d51cb3cf
│            │   │   │   │   └── [ 580]
fe7b6ede467a20a98a5213eb19e9bfbc3a6218
│            │   │   │   ├── [  96]  e5
│            │   │   │   │   └── [ 346]
ccb2ee0386cd02b16f1705bb7e550bb834761c
│            │   │   │   ├── [  96]  e6
│            │   │   │   │   └── [  15]
9de29bb2d1d6434b8b29ae775ad8c2e48c5391
│            │   │   │   ├── [ 128]  e7
│            │   │   │   │   ├── [ 838]
00c91478a04b6b851fe89730437a6548cce999
│            │   │   │   │   └── [ 237]
ad9ca96ad04a3513270ca7d32eecf89bc39536
│            │   │   │   ├── [  96]  ea
│            │   │   │   │   └── [ 132]
d6cb18e503721be4fdc7fba71baa73a3eae56e
│            │   │   │   ├── [  96]  eb
│            │   │   │   │   └── [ 100]
0719931145124c5b4dab609772050dccb1660e
│            │   │   │   ├── [  96]  f0
│            │   │   │   │   └── [ 794]
eaad45723b9a8ae7f004540ae42c6cc4f4282a
│            │   │   │   ├── [  96]  f2
│            │   │   │   │   └── [  49]
6bfbcd8746250526ec93b46cd0ccac39d3eb18
│            │   │   │   ├── [ 128]  f3
│            │   │   │   │   ├── [ 212]
15d5a77bdacdecc7a8962635225f445939e09b
│            │   │   │   │   └── [ 352]
1f9d1aa590c07064b161a3b8dc8d10352a11eb
│            │   │   │   ├── [  96]  f6
│            │   │   │   │   └── [ 647]
7ed3d7f8c3c536184e0b62080ef8158ddb647f
│            │   │   │   ├── [  96]  f8
│            │   │   │   │   └── [ 132]
e97190bbfe9d245f6901912fa97169975af372
│            │   │   │   ├── [  96]  fa
│            │   │   │   │   └── [ 185]
55c5adfb9bdccede1eafa3de5403350b6b2a56
│            │   │   │   ├── [  96]  fb
```

```
│            │   │   │   │   └── [ 401]
13b685bec2e5a80f39e5dfaacbd38cdd5221e2
│            │   │   │   ├── [ 128]  fc
│            │   │   │   │   ├── [ 218]
052264d94295c213dcb22680b9a3fe479fef4a
│            │   │   │   │   └── [ 193]
fb64249b55ea46910074bae35b7afcbada1cce
│            │   │   │   ├── [  96]  fd
│            │   │   │   │   └── [  90]
77bf4b68c367d595ff99cd4c988554cd6a77c8
│            │   │   │   ├── [  96]  ff
│            │   │   │   │   └── [ 463]
5ad57ee6130b93ea9b9fb38a43ceeb5ac90c73
│            │   │   │   ├── [  64]  info
│            │   │   │   └── [  64]  pack
│            │   │   └── [ 128]  refs
│            │   │       ├── [  96]  heads
│            │   │       │   └── [  41]  main
│            │   │       └── [ 288]  tags
│            │   │           ├── [  41]  v1.0
│            │   │           ├── [  41]  v1.0.1
│            │   │           ├── [  41]  v1.1
│            │   │           ├── [  41]  v1.1.1
│            │   │           ├── [  41]  v1.1.2
│            │   │           ├── [  41]  v1.2
│            │   │           └── [  41]  v1.2.1
│            │   ├── [  87]  .gitignore
│            │   ├── [1.3K]  NEXT-LAYER.md
│            │   ├── [ 563]  README.md
│            │   ├── [2.8K]  SPRINT-BOARD.md
│            │   ├── [1.2K]  SPRINT-FOCUS.md
│            │   ├── [ 903]  STATUS.md
│            │   ├── [1.2K]  VERSIONING.md
│            │   ├── [ 160]  art
│            │   │   ├── [  96]  performance
│            │   │   │   └── [ 216]  SETLIST_2025-08-23.md
│            │   │   ├── [  96]  songs
│            │   │   │   └── [ 128]  EGOTOD
│            │   │   │       ├── [ 287]  EGOTOD_shotlist.md
│            │   │   │       └── [ 298]  EGOTOD_song.md
│            │   │   └── [  64]  videos
│            │   ├── [  96]  captures
│            │   │   └── [ 571]  inversion_2025-08-23.jsonl
│            │   ├── [ 548]  check_matrix.sh
│            │   ├── [  96]  checklists
│            │   │   └── [ 246]  3_4_hermeneutik.md
│            │   ├── [  96]  core
│            │   │   └── [1.3K]  DNA.yaml
│            │   ├── [ 160]  dossiers
│            │   │   ├── [ 606]  11_7_grenzphaenomene.md
│            │   │   ├── [ 608]  11_7_grenzphaenomene.mdes
│            │   │   └── [ 168]  1_5_megarituale.md
│            │   ├── [ 160]  exports
│            │   │   ├── [6.9K]  kapitel_thesen.tsv
│            │   │   ├── [ 345]  low_coverage_todo.md
│            │   │   └── [ 524]  weak_nodes_todo.md
```

```
│           │   ├── [ 585]  gen_status.sh
│           │   ├── [ 160]  logs
│           │   │   ├── [ 551]  inversion_2025-08-23_dealer-ki-
revolution.md
│           │   │   ├── [ 835]  inversion_2025-08-23_dealer.md
│           │   │   └── [1.0K]  resonanz.log.jsonl
│           ├── [ 13K]  master_matrix.json
│           ├── [ 928]  node_modules
│           │   ├── [ 160]  .bin
│           │   │   ├── [  24]  nanoid -> ../nanoid/bin/nanoid.cjs
│           │   │   ├── [  21]  next -> ../next/dist/bin/next
│           │   │   └── [  23]  semver -> ../semver/bin/semver.js
│           │   ├── [ 30K]  .package-lock.json
│           │   ├── [  64]  @emnapi
│           │   ├── [ 128]  @img
│           │   │   ├── [ 192]  sharp-darwin-arm64
│           │   │   │   ├── [ 10K]  LICENSE
│           │   │   │   ├── [ 699]  README.md
│           │   │   │   ├── [  96]  lib
│           │   │   │   │   └── [256K]  sharp-darwin-arm64.node
│           │   │   │   └── [ 886]  package.json
│           │   │   └── [ 192]  sharp-libvips-darwin-arm64
│           │   │       ├── [4.2K]  README.md
│           │   │       ├── [ 160]  lib
│           │   │       │   ├── [  96]  glib-2.0
│           │   │       │   │   └── [  96]  include
│           │   │       │   │       └── [5.9K]  glibconfig.h
│           │   │       │   ├── [  28]  index.js
│           │   │       │   └── [ 15M]  libvips-cpp.8.17.1.dylib
│           │   │       ├── [ 826]  package.json
│           │   │       └── [ 592]  versions.json
│           │   ├── [ 128]  @next
│           │   │   ├── [ 160]  env
│           │   │   │   ├── [  84]  README.md
│           │   │   │   ├── [ 128]  dist
│           │   │   │   │   ├── [ 811]  index.d.ts
│           │   │   │   │   └── [9.7K]  index.js
│           │   │   │   └── [ 952]  package.json
│           │   │   └── [ 160]  swc-darwin-arm64
│           │   │       ├── [  88]  README.md
│           │   │       ├── [124M]  next-swc.darwin-arm64.node
│           │   │       └── [ 406]  package.json
│           │   ├── [  96]  @swc
│           │   │   └── [ 288]  helpers
│           │   │       ├── [ 11K]  LICENSE
│           │   │       ├── [3.3K]  _
│           │   │       │   ├── [  96]  _apply_decorated_descriptor
│           │   │       │   │   └── [ 118]  package.json
│           │   │       │   ├── [  96]  _apply_decs_2203_r
│           │   │       │   │   └── [ 100]  package.json
│           │   │       │   ├── [  96]  _array_like_to_array
│           │   │       │   │   └── [ 104]  package.json
│           │   │       │   ├── [  96]  _array_with_holes
│           │   │       │   │   └── [  98]  package.json
│           │   │       │   ├── [  96]  _array_without_holes
│           │   │       │   │   └── [ 104]  package.json
```

```
│           │   │   │       │   ├── [  96]  _assert_this_initialized
│           │   │   │       │   │   └── [ 112]  package.json
│           │   │   │       │   ├── [  96]  _async_generator
│           │   │   │       │   │   └── [  96]  package.json
│           │   │   │       │   ├── [  96]  _async_generator_delegate
│           │   │   │       │   │   └── [ 114]  package.json
│           │   │   │       │   ├── [  96]  _async_iterator
│           │   │   │       │   │   └── [  94]  package.json
│           │   │   │       │   ├── [  96]  _async_to_generator
│           │   │   │       │   │   └── [ 102]  package.json
│           │   │   │       │   ├── [  96]  _await_async_generator
│           │   │   │       │   │   └── [ 108]  package.json
│           │   │   │       │   ├── [  96]  _await_value
│           │   │   │       │   │   └── [  88]  package.json
│           │   │   │       │   ├── [  96]  _call_super
│           │   │   │       │   │   └── [  86]  package.json
│           │   │   │       │   ├── [  96]  _check_private_redeclaration
│           │   │   │       │   │   └── [ 120]  package.json
│           │   │   │       │   ├── [  96]
_class_apply_descriptor_destructure
│           │   │   │       │   │   └── [ 134]  package.json
│           │   │   │       │   ├── [  96]  _class_apply_descriptor_get
│           │   │   │       │   │   └── [ 118]  package.json
│           │   │   │       │   ├── [  96]  _class_apply_descriptor_set
│           │   │   │       │   │   └── [ 118]  package.json
│           │   │   │       │   ├── [  96]
_class_apply_descriptor_update
│           │   │   │       │   │   └── [ 124]  package.json
│           │   │   │       │   ├── [  96]  _class_call_check
│           │   │   │       │   │   └── [  98]  package.json
│           │   │   │       │   ├── [  96]
_class_check_private_static_access
│           │   │   │       │   │   └── [ 132]  package.json
│           │   │   │       │   ├── [  96]
_class_check_private_static_field_descriptor
│           │   │   │       │   │   └── [ 152]  package.json
│           │   │   │       │   ├── [  96]
_class_extract_field_descriptor
│           │   │   │       │   │   └── [ 126]  package.json
│           │   │   │       │   ├── [  96]  _class_name_tdz_error
│           │   │   │       │   │   └── [ 106]  package.json
│           │   │   │       │   ├── [  96]
_class_private_field_destructure
│           │   │   │       │   │   └── [ 128]  package.json
│           │   │   │       │   ├── [  96]  _class_private_field_get
│           │   │   │       │   │   └── [ 112]  package.json
│           │   │   │       │   ├── [  96]  _class_private_field_init
│           │   │   │       │   │   └── [ 114]  package.json
│           │   │   │       │   ├── [  96]
_class_private_field_loose_base
│           │   │   │       │   │   └── [ 126]  package.json
│           │   │   │       │   ├── [  96]
_class_private_field_loose_key
│           │   │   │       │   │   └── [ 124]  package.json
│           │   │   │       │   ├── [  96]  _class_private_field_set
│           │   │   │       │   │   └── [ 112]  package.json
```

```
│           │   │   │       │   ├── [  96]  _class_private_field_update
│           │   │   │       │   │   └── [ 118]  package.json
│           │   │   │       │   ├── [  96]  _class_private_method_get
│           │   │   │       │   │   └── [ 114]  package.json
│           │   │   │       │   ├── [  96]  _class_private_method_init
│           │   │   │       │   │   └── [ 116]  package.json
│           │   │   │       │   ├── [  96]  _class_private_method_set
│           │   │   │       │   │   └── [ 114]  package.json
│           │   │   │       │   ├── [  96]
_class_static_private_field_destructure
│           │   │   │       │   │   └── [ 142]  package.json
│           │   │   │       │   ├── [  96]
_class_static_private_field_spec_get
│           │   │   │       │   │   └── [ 136]  package.json
│           │   │   │       │   ├── [  96]
_class_static_private_field_spec_set
│           │   │   │       │   │   └── [ 136]  package.json
│           │   │   │       │   ├── [  96]
_class_static_private_field_update
│           │   │   │       │   │   └── [ 132]  package.json
│           │   │   │       │   ├── [  96]
_class_static_private_method_get
│           │   │   │       │   │   └── [ 128]  package.json
│           │   │   │       │   ├── [  96]  _construct
│           │   │   │       │   │   └── [  84]  package.json
│           │   │   │       │   ├── [  96]  _create_class
│           │   │   │       │   │   └── [  90]  package.json
│           │   │   │       │   ├── [  96]
_create_for_of_iterator_helper_loose
│           │   │   │       │   │   └── [ 136]  package.json
│           │   │   │       │   ├── [  96]  _create_super
│           │   │   │       │   │   └── [  90]  package.json
│           │   │   │       │   ├── [  96]  _decorate
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]  _defaults
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]
_define_enumerable_properties
│           │   │   │       │   │   └── [ 122]  package.json
│           │   │   │       │   ├── [  96]  _define_property
│           │   │   │       │   │   └── [  96]  package.json
│           │   │   │       │   ├── [  96]  _dispose
│           │   │   │       │   │   └── [  80]  package.json
│           │   │   │       │   ├── [  96]  _export_star
│           │   │   │       │   │   └── [  88]  package.json
│           │   │   │       │   ├── [  96]  _extends
│           │   │   │       │   │   └── [  80]  package.json
│           │   │   │       │   ├── [  96]  _get
│           │   │   │       │   │   └── [  72]  package.json
│           │   │   │       │   ├── [  96]  _get_prototype_of
│           │   │   │       │   │   └── [  98]  package.json
│           │   │   │       │   ├── [  96]  _identity
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]  _inherits
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]  _inherits_loose
```

```
│           │   │   │           │   │   └── [  94]  package.json
│           │   │   │           │   ├── [  96]  _initializer_define_property
│           │   │   │           │   │   └── [ 120]  package.json
│           │   │   │           │   ├── [  96]  _initializer_warning_helper
│           │   │   │           │   │   └── [ 118]  package.json
│           │   │   │           │   ├── [  96]  _instanceof
│           │   │   │           │   │   └── [  86]  package.json
│           │   │   │           │   ├── [  96]  _interop_require_default
│           │   │   │           │   │   └── [ 112]  package.json
│           │   │   │           │   ├── [  96]  _interop_require_wildcard
│           │   │   │           │   │   └── [ 114]  package.json
│           │   │   │           │   ├── [  96]  _is_native_function
│           │   │   │           │   │   └── [ 102]  package.json
│           │   │   │           │   ├── [  96]  _is_native_reflect_construct
│           │   │   │           │   │   └── [ 120]  package.json
│           │   │   │           │   ├── [  96]  _iterable_to_array
│           │   │   │           │   │   └── [ 100]  package.json
│           │   │   │           │   ├── [  96]  _iterable_to_array_limit
│           │   │   │           │   │   └── [ 112]  package.json
│           │   │   │           │   ├── [  96]
_iterable_to_array_limit_loose
│           │   │   │           │   │   └── [ 124]  package.json
│           │   │   │           │   ├── [  96]  _jsx
│           │   │   │           │   │   └── [  72]  package.json
│           │   │   │           │   ├── [  96]  _new_arrow_check
│           │   │   │           │   │   └── [  96]  package.json
│           │   │   │           │   ├── [  96]  _non_iterable_rest
│           │   │   │           │   │   └── [ 100]  package.json
│           │   │   │           │   ├── [  96]  _non_iterable_spread
│           │   │   │           │   │   └── [ 104]  package.json
│           │   │   │           │   ├── [  96]  _object_destructuring_empty
│           │   │   │           │   │   └── [ 118]  package.json
│           │   │   │           │   ├── [  96]  _object_spread
│           │   │   │           │   │   └── [  92]  package.json
│           │   │   │           │   ├── [  96]  _object_spread_props
│           │   │   │           │   │   └── [ 104]  package.json
│           │   │   │           │   ├── [  96]  _object_without_properties
│           │   │   │           │   │   └── [ 116]  package.json
│           │   │   │           │   ├── [  96]
_object_without_properties_loose
│           │   │   │           │   │   └── [ 128]  package.json
│           │   │   │           │   ├── [  96]  _possible_constructor_return
│           │   │   │           │   │   └── [ 120]  package.json
│           │   │   │           │   ├── [  96]  _read_only_error
│           │   │   │           │   │   └── [  96]  package.json
│           │   │   │           │   ├── [  96]  _set
│           │   │   │           │   │   └── [  72]  package.json
│           │   │   │           │   ├── [  96]  _set_prototype_of
│           │   │   │           │   │   └── [  98]  package.json
│           │   │   │           │   ├── [  96]  _skip_first_generator_next
│           │   │   │           │   │   └── [ 116]  package.json
│           │   │   │           │   ├── [  96]  _sliced_to_array
│           │   │   │           │   │   └── [  96]  package.json
│           │   │   │           │   ├── [  96]  _sliced_to_array_loose
│           │   │   │           │   │   └── [ 108]  package.json
│           │   │   │           │   ├── [  96]  _super_prop_base
```

```
│           │   │   │       │   │   └── [  96]  package.json
│           │   │   │       │   ├── [  96]  _tagged_template_literal
│           │   │   │       │   │   └── [ 112]  package.json
│           │   │   │       │   ├── [  96]
_tagged_template_literal_loose
│           │   │   │       │   │   └── [ 124]  package.json
│           │   │   │       │   ├── [  96]  _throw
│           │   │   │       │   │   └── [  76]  package.json
│           │   │   │       │   ├── [  96]  _to_array
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]  _to_consumable_array
│           │   │   │       │   │   └── [ 104]  package.json
│           │   │   │       │   ├── [  96]  _to_primitive
│           │   │   │       │   │   └── [  90]  package.json
│           │   │   │       │   ├── [  96]  _to_property_key
│           │   │   │       │   │   └── [  96]  package.json
│           │   │   │       │   ├── [  96]  _ts_add_disposable_resource
│           │   │   │       │   │   └── [ 118]  package.json
│           │   │   │       │   ├── [  96]  _ts_decorate
│           │   │   │       │   │   └── [  88]  package.json
│           │   │   │       │   ├── [  96]  _ts_dispose_resources
│           │   │   │       │   │   └── [ 106]  package.json
│           │   │   │       │   ├── [  96]  _ts_generator
│           │   │   │       │   │   └── [  90]  package.json
│           │   │   │       │   ├── [  96]  _ts_metadata
│           │   │   │       │   │   └── [  88]  package.json
│           │   │   │       │   ├── [  96]  _ts_param
│           │   │   │       │   │   └── [  82]  package.json
│           │   │   │       │   ├── [  96]  _ts_values
│           │   │   │       │   │   └── [  84]  package.json
│           │   │   │       │   ├── [  96]  _type_of
│           │   │   │       │   │   └── [  80]  package.json
│           │   │   │       │   ├── [  96]
_unsupported_iterable_to_array
│           │   │   │       │   │   └── [ 124]  package.json
│           │   │   │       │   ├── [  96]  _update
│           │   │   │       │   │   └── [  78]  package.json
│           │   │   │       │   ├── [  96]  _using
│           │   │   │       │   │   └── [  76]  package.json
│           │   │   │       │   ├── [  96]  _using_ctx
│           │   │   │       │   │   └── [  84]  package.json
│           │   │   │       │   ├── [  96]  _wrap_async_generator
│           │   │   │       │   │   └── [ 106]  package.json
│           │   │   │       │   ├── [  96]  _wrap_native_super
│           │   │   │       │   │   └── [ 100]  package.json
│           │   │   │       │   ├── [  96]  _write_only_error
│           │   │   │       │   │   └── [  98]  package.json
│           │   │   │       │   └── [  96]  index
│           │   │   │       │       └── [  74]  package.json
│           │   │   │       ├── [3.3K]  cjs
│           │   │   │       │   ├── [1.2K]
_apply_decorated_descriptor.cjs
│           │   │   │       │   ├── [ 17K]  _apply_decs_2203_r.cjs
│           │   │   │       │   ├── [ 246]  _array_like_to_array.cjs
│           │   │   │       │   ├── [ 122]  _array_with_holes.cjs
│           │   │   │       │   ├── [ 219]  _array_without_holes.cjs
```

```
│           │   │   │       │   ├── [ 227]  _assert_this_initialized.cjs
│           │   │   │       │   ├── [2.1K]  _async_generator.cjs
│           │   │   │       │   ├── [1.1K]
_async_generator_delegate.cjs
│           │   │   │       │   ├── [1.7K]  _async_iterator.cjs
│           │   │   │       │   ├── [ 888]  _async_to_generator.cjs
│           │   │   │       │   ├── [ 183]  _await_async_generator.cjs
│           │   │   │       │   ├── [ 100]  _await_value.cjs
│           │   │   │       │   ├── [ 698]  _call_super.cjs
│           │   │   │       │   ├── [ 262]
_check_private_redeclaration.cjs
│           │   │   │       │   ├── [ 757]
_class_apply_descriptor_destructure.cjs
│           │   │   │       │   ├── [ 211]
_class_apply_descriptor_get.cjs
│           │   │   │       │   ├── [ 538]
_class_apply_descriptor_set.cjs
│           │   │   │       │   ├── [ 961]
_class_apply_descriptor_update.cjs
│           │   │   │       │   ├── [ 202]  _class_call_check.cjs
│           │   │   │       │   ├── [ 244]
_class_check_private_static_access.cjs
│           │   │   │       │   ├── [ 297]
_class_check_private_static_field_descriptor.cjs
│           │   │   │       │   ├── [ 290]
_class_extract_field_descriptor.cjs
│           │   │   │       │   ├── [ 186]  _class_name_tdz_error.cjs
│           │   │   │       │   ├── [ 471]
_class_private_field_destructure.cjs
│           │   │   │       │   ├── [ 431]  _class_private_field_get.cjs
│           │   │   │       │   ├── [ 285]
_class_private_field_init.cjs
│           │   │   │       │   ├── [ 305]
_class_private_field_loose_base.cjs
│           │   │   │       │   ├── [ 167]
_class_private_field_loose_key.cjs
│           │   │   │       │   ├── [ 456]  _class_private_field_set.cjs
│           │   │   │       │   ├── [ 449]
_class_private_field_update.cjs
│           │   │   │       │   ├── [ 241]
_class_private_method_get.cjs
│           │   │   │       │   ├── [ 273]
_class_private_method_init.cjs
│           │   │   │       │   ├── [ 160]
_class_private_method_set.cjs
│           │   │   │       │   ├── [ 680]
_class_static_private_field_destructure.cjs
│           │   │   │       │   ├── [ 650]
_class_static_private_field_spec_get.cjs
│           │   │   │       │   ├── [ 675]
_class_static_private_field_spec_set.cjs
│           │   │   │       │   ├── [ 658]
_class_static_private_field_update.cjs
│           │   │   │       │   ├── [ 328]
_class_static_private_method_get.cjs
│           │   │   │       │   ├── [ 735]  _construct.cjs
```

```
│           │   │   │       │   ├── [ 640]  _create_class.cjs
│           │   │   │       │   ├── [ 898]
_create_for_of_iterator_helper_loose.cjs
│           │   │   │       │   ├── [ 802]  _create_super.cjs
│           │   │   │       │   ├── [ 12K]  _decorate.cjs
│           │   │   │       │   ├── [ 400]  _defaults.cjs
│           │   │   │       │   ├── [ 764]
_define_enumerable_properties.cjs
│           │   │   │       │   ├── [ 273]  _define_property.cjs
│           │   │   │       │   ├── [1.2K]  _dispose.cjs
│           │   │   │       │   ├── [ 417]  _export_star.cjs
│           │   │   │       │   ├── [ 427]  _extends.cjs
│           │   │   │       │   ├── [ 646]  _get.cjs
│           │   │   │       │   ├── [ 290]  _get_prototype_of.cjs
│           │   │   │       │   ├── [  79]  _identity.cjs
│           │   │   │       │   ├── [ 515]  _inherits.cjs
│           │   │   │       │   ├── [ 241]  _inherits_loose.cjs
│           │   │   │       │   ├── [ 437]
_initializer_define_property.cjs
│           │   │   │       │   ├── [ 445]
_initializer_warning_helper.cjs
│           │   │   │       │   ├── [ 256]  _instanceof.cjs
│           │   │   │       │   ├── [ 155]  _interop_require_default.cjs
│           │   │   │       │   ├── [1.3K]
_interop_require_wildcard.cjs
│           │   │   │       │   ├── [ 156]  _is_native_function.cjs
│           │   │   │       │   ├── [ 725]
_is_native_reflect_construct.cjs
│           │   │   │       │   ├── [ 228]  _iterable_to_array.cjs
│           │   │   │       │   ├── [ 722]  _iterable_to_array_limit.cjs
│           │   │   │       │   ├── [ 423]
_iterable_to_array_limit_loose.cjs
│           │   │   │       │   ├── [1.0K]  _jsx.cjs
│           │   │   │       │   ├── [ 191]  _new_arrow_check.cjs
│           │   │   │       │   ├── [ 247]  _non_iterable_rest.cjs
│           │   │   │       │   ├── [ 246]  _non_iterable_spread.cjs
│           │   │   │       │   ├── [ 199]
_object_destructuring_empty.cjs
│           │   │   │       │   ├── [ 739]  _object_spread.cjs
│           │   │   │       │   ├── [ 894]  _object_spread_props.cjs
│           │   │   │       │   ├── [ 745]
_object_without_properties.cjs
│           │   │   │       │   ├── [ 427]
_object_without_properties_loose.cjs
│           │   │   │       │   ├── [ 366]
_possible_constructor_return.cjs
│           │   │   │       │   ├── [ 139]  _read_only_error.cjs
│           │   │   │       │   ├── [1.4K]  _set.cjs
│           │   │   │       │   ├── [ 264]  _set_prototype_of.cjs
│           │   │   │       │   ├── [ 213]
_skip_first_generator_next.cjs
│           │   │   │       │   ├── [ 511]  _sliced_to_array.cjs
│           │   │   │       │   ├── [ 541]  _sliced_to_array_loose.cjs
│           │   │   │       │   ├── [ 332]  _super_prop_base.cjs
│           │   │   │       │   ├── [ 244]  _tagged_template_literal.cjs
```

```
│           │   │   │       │   ├── [ 200]
_tagged_template_literal_loose.cjs
│           │   │   │       │   ├── [  71]  _throw.cjs
│           │   │   │       │   ├── [ 470]  _to_array.cjs
│           │   │   │       │   ├── [ 507]  _to_consumable_array.cjs
│           │   │   │       │   ├── [ 521]  _to_primitive.cjs
│           │   │   │       │   ├── [ 283]  _to_property_key.cjs
│           │   │   │       │   ├── [  69]
_ts_add_disposable_resource.cjs
│           │   │   │       │   ├── [  56]  _ts_decorate.cjs
│           │   │   │       │   ├── [  64]  _ts_dispose_resources.cjs
│           │   │   │       │   ├── [  57]  _ts_generator.cjs
│           │   │   │       │   ├── [  56]  _ts_metadata.cjs
│           │   │   │       │   ├── [  53]  _ts_param.cjs
│           │   │   │       │   ├── [  54]  _ts_values.cjs
│           │   │   │       │   ├── [ 197]  _type_of.cjs
│           │   │   │       │   ├── [ 582]
_unsupported_iterable_to_array.cjs
│           │   │   │       │   ├── [ 366]  _update.cjs
│           │   │   │       │   ├── [ 825]  _using.cjs
│           │   │   │       │   ├── [2.5K]  _using_ctx.cjs
│           │   │   │       │   ├── [ 245]  _wrap_async_generator.cjs
│           │   │   │       │   ├── [1.1K]  _wrap_native_super.cjs
│           │   │   │       │   ├── [ 142]  _write_only_error.cjs
│           │   │   │       │   └── [ 13K]  index.cjs
│           │   │   │       ├── [3.3K]  esm
│           │   │   │       │   ├── [1.1K]
_apply_decorated_descriptor.js
│           │   │   │       │   ├── [ 17K]  _apply_decs_2203_r.js
│           │   │   │       │   ├── [ 235]  _array_like_to_array.js
│           │   │   │       │   ├── [ 111]  _array_with_holes.js
│           │   │   │       │   ├── [ 211]  _array_without_holes.js
│           │   │   │       │   ├── [ 216]  _assert_this_initialized.js
│           │   │   │       │   ├── [2.1K]  _async_generator.js
│           │   │   │       │   ├── [1.1K]  _async_generator_delegate.js
│           │   │   │       │   ├── [1.7K]  _async_iterator.js
│           │   │   │       │   ├── [ 877]  _async_to_generator.js
│           │   │   │       │   ├── [ 175]  _await_async_generator.js
│           │   │   │       │   ├── [  89]  _await_value.js
│           │   │   │       │   ├── [ 694]  _call_super.js
│           │   │   │       │   ├── [ 251]
_check_private_redeclaration.js
│           │   │   │       │   ├── [ 746]
_class_apply_descriptor_destructure.js
│           │   │   │       │   ├── [ 200]
_class_apply_descriptor_get.js
│           │   │   │       │   ├── [ 527]
_class_apply_descriptor_set.js
│           │   │   │       │   ├── [ 950]
_class_apply_descriptor_update.js
│           │   │   │       │   ├── [ 191]  _class_call_check.js
│           │   │   │       │   ├── [ 233]
_class_check_private_static_access.js
│           │   │   │       │   ├── [ 286]
_class_check_private_static_field_descriptor.js
```

```
│           │   │   │       │   ├── [ 279]
_class_extract_field_descriptor.js
│           │   │   │       │   ├── [ 175]  _class_name_tdz_error.js
│           │   │   │       │   ├── [ 466]
_class_private_field_destructure.js
│           │   │   │       │   ├── [ 426]  _class_private_field_get.js
│           │   │   │       │   ├── [ 277]  _class_private_field_init.js
│           │   │   │       │   ├── [ 294]
_class_private_field_loose_base.js
│           │   │   │       │   ├── [ 156]
_class_private_field_loose_key.js
│           │   │   │       │   ├── [ 451]  _class_private_field_set.js
│           │   │   │       │   ├── [ 444]
_class_private_field_update.js
│           │   │   │       │   ├── [ 230]  _class_private_method_get.js
│           │   │   │       │   ├── [ 265]
_class_private_method_init.js
│           │   │   │       │   ├── [ 149]  _class_private_method_set.js
│           │   │   │       │   ├── [ 678]
_class_static_private_field_destructure.js
│           │   │   │       │   ├── [ 648]
_class_static_private_field_spec_get.js
│           │   │   │       │   ├── [ 673]
_class_static_private_field_spec_set.js
│           │   │   │       │   ├── [ 656]
_class_static_private_field_update.js
│           │   │   │       │   ├── [ 320]
_class_static_private_method_get.js
│           │   │   │       │   ├── [ 706]  _construct.js
│           │   │   │       │   ├── [ 629]  _create_class.js
│           │   │   │       │   ├── [ 890]
_create_for_of_iterator_helper_loose.js
│           │   │   │       │   ├── [ 798]  _create_super.js
│           │   │   │       │   ├── [ 12K]  _decorate.js
│           │   │   │       │   ├── [ 389]  _defaults.js
│           │   │   │       │   ├── [ 753]
_define_enumerable_properties.js
│           │   │   │       │   ├── [ 262]  _define_property.js
│           │   │   │       │   ├── [1.2K]  _dispose.js
│           │   │   │       │   ├── [ 406]  _export_star.js
│           │   │   │       │   ├── [ 404]  _extends.js
│           │   │   │       │   ├── [ 614]  _get.js
│           │   │   │       │   ├── [ 267]  _get_prototype_of.js
│           │   │   │       │   ├── [  68]  _identity.js
│           │   │   │       │   ├── [ 507]  _inherits.js
│           │   │   │       │   ├── [ 230]  _inherits_loose.js
│           │   │   │       │   ├── [ 426]
_initializer_define_property.js
│           │   │   │       │   ├── [ 434]
_initializer_warning_helper.js
│           │   │   │       │   ├── [ 245]  _instanceof.js
│           │   │   │       │   ├── [ 144]  _interop_require_default.js
│           │   │   │       │   ├── [1.3K]  _interop_require_wildcard.js
│           │   │   │       │   ├── [ 145]  _is_native_function.js
│           │   │   │       │   ├── [ 702]
_is_native_reflect_construct.js
```

```
│           │   │   │       │   ├── [ 217]  _iterable_to_array.js
│           │   │   │       │   ├── [ 711]  _iterable_to_array_limit.js
│           │   │   │       │   ├── [ 412]
_iterable_to_array_limit_loose.js
│           │   │   │       │   ├── [1.0K]  _jsx.js
│           │   │   │       │   ├── [ 180]  _new_arrow_check.js
│           │   │   │       │   ├── [ 236]  _non_iterable_rest.js
│           │   │   │       │   ├── [ 235]  _non_iterable_spread.js
│           │   │   │       │   ├── [ 188]
_object_destructuring_empty.js
│           │   │   │       │   ├── [ 731]  _object_spread.js
│           │   │   │       │   ├── [ 883]  _object_spread_props.js
│           │   │   │       │   ├── [ 737]
_object_without_properties.js
│           │   │   │       │   ├── [ 416]
_object_without_properties_loose.js
│           │   │   │       │   ├── [ 361]
_possible_constructor_return.js
│           │   │   │       │   ├── [ 128]  _read_only_error.js
│           │   │   │       │   ├── [1.4K]  _set.js
│           │   │   │       │   ├── [ 241]  _set_prototype_of.js
│           │   │   │       │   ├── [ 202]
_skip_first_generator_next.js
│           │   │   │       │   ├── [ 512]  _sliced_to_array.js
│           │   │   │       │   ├── [ 542]  _sliced_to_array_loose.js
│           │   │   │       │   ├── [ 324]  _super_prop_base.js
│           │   │   │       │   ├── [ 233]  _tagged_template_literal.js
│           │   │   │       │   ├── [ 189]
_tagged_template_literal_loose.js
│           │   │   │       │   ├── [  60]  _throw.js
│           │   │   │       │   ├── [ 471]  _to_array.js
│           │   │   │       │   ├── [ 508]  _to_consumable_array.js
│           │   │   │       │   ├── [ 511]  _to_primitive.js
│           │   │   │       │   ├── [ 278]  _to_property_key.js
│           │   │   │       │   ├── [  54]
_ts_add_disposable_resource.js
│           │   │   │       │   ├── [  41]  _ts_decorate.js
│           │   │   │       │   ├── [  49]  _ts_dispose_resources.js
│           │   │   │       │   ├── [  42]  _ts_generator.js
│           │   │   │       │   ├── [  41]  _ts_metadata.js
│           │   │   │       │   ├── [  38]  _ts_param.js
│           │   │   │       │   ├── [  39]  _ts_values.js
│           │   │   │       │   ├── [ 186]  _type_of.js
│           │   │   │       │   ├── [ 572]
_unsupported_iterable_to_array.js
│           │   │   │       │   ├── [ 361]  _update.js
│           │   │   │       │   ├── [ 814]  _using.js
│           │   │   │       │   ├── [2.5K]  _using_ctx.js
│           │   │   │       │   ├── [ 237]  _wrap_async_generator.js
│           │   │   │       │   ├── [1.1K]  _wrap_native_super.js
│           │   │   │       │   ├── [ 131]  _write_only_error.js
│           │   │   │       │   └── [7.4K]  index.js
│           │   │   │       ├── [ 18K]  package.json
│           │   │   │       ├── [ 192]  scripts
│           │   │   │       │   ├── [6.9K]  ast_grep.js
│           │   │   │       │   ├── [3.1K]  build.js
```

```
│           │   │   │       │   ├── [  26]  errors.js
│           │   │   │       │   └── [  79]  utils.js
│           │   │   │       └── [3.3K]  src
│           │   │   │           ├── [  70]
_apply_decorated_descriptor.mjs
│           │   │   │           ├── [  61]  _apply_decs_2203_r.mjs
│           │   │   │           ├── [  63]  _array_like_to_array.mjs
│           │   │   │           ├── [  60]  _array_with_holes.mjs
│           │   │   │           ├── [  63]  _array_without_holes.mjs
│           │   │   │           ├── [  67]  _assert_this_initialized.mjs
│           │   │   │           ├── [  59]  _async_generator.mjs
│           │   │   │           ├── [  68]
_async_generator_delegate.mjs
│           │   │   │           ├── [  58]  _async_iterator.mjs
│           │   │   │           ├── [  62]  _async_to_generator.mjs
│           │   │   │           ├── [  65]  _await_async_generator.mjs
│           │   │   │           ├── [  55]  _await_value.mjs
│           │   │   │           ├── [  54]  _call_super.mjs
│           │   │   │           ├── [  71]
_check_private_redeclaration.mjs
│           │   │   │           ├── [  78]
_class_apply_descriptor_destructure.mjs
│           │   │   │           ├── [  70]
_class_apply_descriptor_get.mjs
│           │   │   │           ├── [  70]
_class_apply_descriptor_set.mjs
│           │   │   │           ├── [  73]
_class_apply_descriptor_update.mjs
│           │   │   │           ├── [  60]  _class_call_check.mjs
│           │   │   │           ├── [  77]
_class_check_private_static_access.mjs
│           │   │   │           ├── [  87]
_class_check_private_static_field_descriptor.mjs
│           │   │   │           ├── [  74]
_class_extract_field_descriptor.mjs
│           │   │   │           ├── [  64]  _class_name_tdz_error.mjs
│           │   │   │           ├── [  75]
_class_private_field_destructure.mjs
│           │   │   │           ├── [  67]  _class_private_field_get.mjs
│           │   │   │           ├── [  68]
_class_private_field_init.mjs
│           │   │   │           ├── [  74]
_class_private_field_loose_base.mjs
│           │   │   │           ├── [  73]
_class_private_field_loose_key.mjs
│           │   │   │           ├── [  67]  _class_private_field_set.mjs
│           │   │   │           ├── [  70]
_class_private_field_update.mjs
│           │   │   │           ├── [  68]
_class_private_method_get.mjs
│           │   │   │           ├── [  69]
_class_private_method_init.mjs
│           │   │   │           ├── [  68]
_class_private_method_set.mjs
│           │   │   │           ├── [  82]
_class_static_private_field_destructure.mjs
```

```
│           │   │   │           ├── [  79]
_class_static_private_field_spec_get.mjs
│           │   │   │           ├── [  79]
_class_static_private_field_spec_set.mjs
│           │   │   │           ├── [  77]
_class_static_private_field_update.mjs
│           │   │   │           ├── [  75]
_class_static_private_method_get.mjs
│           │   │   │           ├── [  53]  _construct.mjs
│           │   │   │           ├── [  56]  _create_class.mjs
│           │   │   │           ├── [  79]
_create_for_of_iterator_helper_loose.mjs
│           │   │   │           ├── [  56]  _create_super.mjs
│           │   │   │           ├── [  52]  _decorate.mjs
│           │   │   │           ├── [  52]  _defaults.mjs
│           │   │   │           ├── [  72]
_define_enumerable_properties.mjs
│           │   │   │           ├── [  59]  _define_property.mjs
│           │   │   │           ├── [  51]  _dispose.mjs
│           │   │   │           ├── [  55]  _export_star.mjs
│           │   │   │           ├── [  51]  _extends.mjs
│           │   │   │           ├── [  47]  _get.mjs
│           │   │   │           ├── [  60]  _get_prototype_of.mjs
│           │   │   │           ├── [  52]  _identity.mjs
│           │   │   │           ├── [  52]  _inherits.mjs
│           │   │   │           ├── [  58]  _inherits_loose.mjs
│           │   │   │           ├── [  71]
_initializer_define_property.mjs
│           │   │   │           ├── [  70]
_initializer_warning_helper.mjs
│           │   │   │           ├── [  54]  _instanceof.mjs
│           │   │   │           ├── [  67]  _interop_require_default.mjs
│           │   │   │           ├── [  68]
_interop_require_wildcard.mjs
│           │   │   │           ├── [  62]  _is_native_function.mjs
│           │   │   │           ├── [  71]
_is_native_reflect_construct.mjs
│           │   │   │           ├── [  61]  _iterable_to_array.mjs
│           │   │   │           ├── [  67]  _iterable_to_array_limit.mjs
│           │   │   │           ├── [  73]
_iterable_to_array_limit_loose.mjs
│           │   │   │           ├── [  47]  _jsx.mjs
│           │   │   │           ├── [  59]  _new_arrow_check.mjs
│           │   │   │           ├── [  61]  _non_iterable_rest.mjs
│           │   │   │           ├── [  63]  _non_iterable_spread.mjs
│           │   │   │           ├── [  70]
_object_destructuring_empty.mjs
│           │   │   │           ├── [  57]  _object_spread.mjs
│           │   │   │           ├── [  63]  _object_spread_props.mjs
│           │   │   │           ├── [  69]
_object_without_properties.mjs
│           │   │   │           ├── [  75]
_object_without_properties_loose.mjs
│           │   │   │           ├── [  71]
_possible_constructor_return.mjs
│           │   │   │           ├── [  59]  _read_only_error.mjs
```

```
│           │   │   │           ├── [  47]  _set.mjs
│           │   │   │           ├── [  60]  _set_prototype_of.mjs
│           │   │   │           ├── [  69]
_skip_first_generator_next.mjs
│           │   │   │           ├── [  59]  _sliced_to_array.mjs
│           │   │   │           ├── [  65]  _sliced_to_array_loose.mjs
│           │   │   │           ├── [  59]  _super_prop_base.mjs
│           │   │   │           ├── [  67]  _tagged_template_literal.mjs
│           │   │   │           ├── [  73]
_tagged_template_literal_loose.mjs
│           │   │   │           ├── [  49]  _throw.mjs
│           │   │   │           ├── [  52]  _to_array.mjs
│           │   │   │           ├── [  63]  _to_consumable_array.mjs
│           │   │   │           ├── [  56]  _to_primitive.mjs
│           │   │   │           ├── [  59]  _to_property_key.mjs
│           │   │   │           ├── [  70]
_ts_add_disposable_resource.mjs
│           │   │   │           ├── [  55]  _ts_decorate.mjs
│           │   │   │           ├── [  64]  _ts_dispose_resources.mjs
│           │   │   │           ├── [  56]  _ts_generator.mjs
│           │   │   │           ├── [  55]  _ts_metadata.mjs
│           │   │   │           ├── [  52]  _ts_param.mjs
│           │   │   │           ├── [  53]  _ts_values.mjs
│           │   │   │           ├── [  51]  _type_of.mjs
│           │   │   │           ├── [  73]
_unsupported_iterable_to_array.mjs
│           │   │   │           ├── [  50]  _update.mjs
│           │   │   │           ├── [  49]  _using.mjs
│           │   │   │           ├── [  53]  _using_ctx.mjs
│           │   │   │           ├── [  64]  _wrap_async_generator.mjs
│           │   │   │           ├── [  61]  _wrap_native_super.mjs
│           │   │   │           ├── [  60]  _write_only_error.mjs
│           │   │   │           └── [  33]  index.mjs
│           │   │   ├── [ 224]  caniuse-lite
│           │   │   │   ├── [ 18K]  LICENSE
│           │   │   │   ├── [ 164]  README.md
│           │   │   │   ├── [ 256]  data
│           │   │   │   │   ├── [ 23K]  agents.js
│           │   │   │   │   ├── [2.2K]  browserVersions.js
│           │   │   │   │   ├── [ 220]  browsers.js
│           │   │   │   │   ├── [ 18K]  features
│           │   │   │   │   │   ├── [1.9K]  aac.js
│           │   │   │   │   │   ├── [1.9K]  abortcontroller.js
│           │   │   │   │   │   ├── [1.9K]  ac3-ec3.js
│           │   │   │   │   │   ├── [1.8K]  accelerometer.js
│           │   │   │   │   │   ├── [1.8K]  addeventlistener.js
│           │   │   │   │   │   ├── [1.8K]  alternate-stylesheet.js
│           │   │   │   │   │   ├── [1.9K]  ambient-light.js
│           │   │   │   │   │   ├── [1.9K]  apng.js
│           │   │   │   │   │   ├── [1.9K]  array-find-index.js
│           │   │   │   │   │   ├── [1.9K]  array-find.js
│           │   │   │   │   │   ├── [1.9K]  array-flat.js
│           │   │   │   │   │   ├── [1.9K]  array-includes.js
│           │   │   │   │   │   ├── [1.8K]  arrow-functions.js
│           │   │   │   │   │   ├── [1.9K]  asmjs.js
│           │   │   │   │   │   ├── [1.9K]  async-clipboard.js
```

```
│           │   │   │   │   │   ├── [1.9K]  async-functions.js
│           │   │   │   │   │   ├── [1.8K]  atob-btoa.js
│           │   │   │   │   │   ├── [1.9K]  audio-api.js
│           │   │   │   │   │   ├── [1.8K]  audio.js
│           │   │   │   │   │   ├── [1.9K]  audiotracks.js
│           │   │   │   │   │   ├── [1.9K]  autofocus.js
│           │   │   │   │   │   ├── [1.9K]  auxclick.js
│           │   │   │   │   │   ├── [1.9K]  av1.js
│           │   │   │   │   │   ├── [1.9K]  avif.js
│           │   │   │   │   │   ├── [1.9K]  background-attachment.js
│           │   │   │   │   │   ├── [1.9K]  background-clip-text.js
│           │   │   │   │   │   ├── [1.9K]  background-img-opts.js
│           │   │   │   │   │   ├── [1.9K]  background-position-x-y.js
│           │   │   │   │   │   ├── [1.9K]  background-repeat-round-
space.js
│           │   │   │   │   │   ├── [1.8K]  background-sync.js
│           │   │   │   │   │   ├── [1.9K]  battery-status.js
│           │   │   │   │   │   ├── [1.8K]  beacon.js
│           │   │   │   │   │   ├── [1.9K]  beforeafterprint.js
│           │   │   │   │   │   ├── [1.9K]  bigint.js
│           │   │   │   │   │   ├── [1.9K]  blobbuilder.js
│           │   │   │   │   │   ├── [1.9K]  bloburls.js
│           │   │   │   │   │   ├── [2.0K]  border-image.js
│           │   │   │   │   │   ├── [1.9K]  border-radius.js
│           │   │   │   │   │   ├── [1.9K]  broadcastchannel.js
│           │   │   │   │   │   ├── [1.9K]  brotli.js
│           │   │   │   │   │   ├── [1.9K]  calc.js
│           │   │   │   │   │   ├── [1.9K]  canvas-blending.js
│           │   │   │   │   │   ├── [1.8K]  canvas-text.js
│           │   │   │   │   │   ├── [1.8K]  canvas.js
│           │   │   │   │   │   ├── [1.9K]  ch-unit.js
│           │   │   │   │   │   ├── [1.9K]  chacha20-poly1305.js
│           │   │   │   │   │   ├── [1.9K]  channel-messaging.js
│           │   │   │   │   │   ├── [1.9K]  childnode-remove.js
│           │   │   │   │   │   ├── [2.0K]  classlist.js
│           │   │   │   │   │   ├── [1.9K]  client-hints-dpr-width-
viewport.js
│           │   │   │   │   │   ├── [2.0K]  clipboard.js
│           │   │   │   │   │   ├── [1.9K]  colr-v1.js
│           │   │   │   │   │   ├── [1.9K]  colr.js
│           │   │   │   │   │   ├── [1.9K]  comparedocumentposition.js
│           │   │   │   │   │   ├── [1.9K]  console-basic.js
│           │   │   │   │   │   ├── [1.9K]  console-time.js
│           │   │   │   │   │   ├── [2.0K]  const.js
│           │   │   │   │   │   ├── [2.0K]  constraint-validation.js
│           │   │   │   │   │   ├── [1.9K]  contenteditable.js
│           │   │   │   │   │   ├── [1.9K]  contentsecuritypolicy.js
│           │   │   │   │   │   ├── [1.9K]  contentsecuritypolicy2.js
│           │   │   │   │   │   ├── [1.9K]  cookie-store-api.js
│           │   │   │   │   │   ├── [1.9K]  cors.js
│           │   │   │   │   │   ├── [1.9K]  createimagebitmap.js
│           │   │   │   │   │   ├── [1.9K]  credential-management.js
│           │   │   │   │   │   ├── [1.9K]  cross-document-view-
transitions.js
│           │   │   │   │   │   ├── [1.9K]  cryptography.js
│           │   │   │   │   │   ├── [1.9K]  css-all.js
```

```
│           │   │   │   │   │   ├── [1.9K]  css-anchor-positioning.js
│           │   │   │   │   │   ├── [1.9K]  css-animation.js
│           │   │   │   │   │   ├── [1.9K]  css-any-link.js
│           │   │   │   │   │   ├── [1.9K]  css-appearance.js
│           │   │   │   │   │   ├── [1.9K]  css-at-counter-style.js
│           │   │   │   │   │   ├── [1.8K]  css-autofill.js
│           │   │   │   │   │   ├── [1.9K]  css-backdrop-filter.js
│           │   │   │   │   │   ├── [1.9K]  css-background-offsets.js
│           │   │   │   │   │   ├── [1.9K]  css-backgroundblendmode.js
│           │   │   │   │   │   ├── [1.9K]  css-boxdecorationbreak.js
│           │   │   │   │   │   ├── [1.9K]  css-boxshadow.js
│           │   │   │   │   │   ├── [1.8K]  css-canvas.js
│           │   │   │   │   │   ├── [1.9K]  css-caret-color.js
│           │   │   │   │   │   ├── [1.9K]  css-cascade-layers.js
│           │   │   │   │   │   ├── [1.9K]  css-cascade-scope.js
│           │   │   │   │   │   ├── [1.9K]  css-case-insensitive.js
│           │   │   │   │   │   ├── [2.0K]  css-clip-path.js
│           │   │   │   │   │   ├── [1.9K]  css-color-adjust.js
│           │   │   │   │   │   ├── [1.9K]  css-color-function.js
│           │   │   │   │   │   ├── [1.9K]  css-conic-gradients.js
│           │   │   │   │   │   ├── [1.9K]  css-container-queries-
style.js
│           │   │   │   │   │   ├── [1.9K]  css-container-queries.js
│           │   │   │   │   │   ├── [1.9K]  css-container-query-units.js
│           │   │   │   │   │   ├── [1.9K]  css-containment.js
│           │   │   │   │   │   ├── [1.9K]  css-content-visibility.js
│           │   │   │   │   │   ├── [1.8K]  css-counters.js
│           │   │   │   │   │   ├── [2.0K]  css-crisp-edges.js
│           │   │   │   │   │   ├── [1.9K]  css-cross-fade.js
│           │   │   │   │   │   ├── [1.9K]  css-default-pseudo.js
│           │   │   │   │   │   ├── [1.8K]  css-descendant-gtgt.js
│           │   │   │   │   │   ├── [1.9K]  css-deviceadaptation.js
│           │   │   │   │   │   ├── [1.9K]  css-dir-pseudo.js
│           │   │   │   │   │   ├── [2.0K]  css-display-contents.js
│           │   │   │   │   │   ├── [1.8K]  css-element-function.js
│           │   │   │   │   │   ├── [1.9K]  css-env-function.js
│           │   │   │   │   │   ├── [1.8K]  css-exclusions.js
│           │   │   │   │   │   ├── [1.8K]  css-featurequeries.js
│           │   │   │   │   │   ├── [1.8K]  css-file-selector-button.js
│           │   │   │   │   │   ├── [1.8K]  css-filter-function.js
│           │   │   │   │   │   ├── [1.9K]  css-filters.js
│           │   │   │   │   │   ├── [1.9K]  css-first-letter.js
│           │   │   │   │   │   ├── [1.8K]  css-first-line.js
│           │   │   │   │   │   ├── [1.9K]  css-fixed.js
│           │   │   │   │   │   ├── [1.9K]  css-focus-visible.js
│           │   │   │   │   │   ├── [1.9K]  css-focus-within.js
│           │   │   │   │   │   ├── [1.9K]  css-font-palette.js
│           │   │   │   │   │   ├── [1.9K]  css-font-rendering-
controls.js
│           │   │   │   │   │   ├── [1.9K]  css-font-stretch.js
│           │   │   │   │   │   ├── [1.8K]  css-gencontent.js
│           │   │   │   │   │   ├── [2.0K]  css-gradients.js
│           │   │   │   │   │   ├── [1.9K]  css-grid-animation.js
│           │   │   │   │   │   ├── [2.0K]  css-grid.js
│           │   │   │   │   │   ├── [1.8K]  css-hanging-punctuation.js
│           │   │   │   │   │   ├── [1.9K]  css-has.js
```

```
│               │   │   │   │   │   ├── [1.9K]  css-hyphens.js
│               │   │   │   │   │   ├── [1.8K]  css-if.js
│               │   │   │   │   │   ├── [1.9K]  css-image-orientation.js
│               │   │   │   │   │   ├── [2.0K]  css-image-set.js
│               │   │   │   │   │   ├── [2.0K]  css-in-out-of-range.js
│               │   │   │   │   │   ├── [2.0K]  css-indeterminate-pseudo.js
│               │   │   │   │   │   ├── [1.9K]  css-initial-letter.js
│               │   │   │   │   │   ├── [1.9K]  css-initial-value.js
│               │   │   │   │   │   ├── [1.9K]  css-lch-lab.js
│               │   │   │   │   │   ├── [1.9K]  css-letter-spacing.js
│               │   │   │   │   │   ├── [1.9K]  css-line-clamp.js
│               │   │   │   │   │   ├── [2.0K]  css-logical-props.js
│               │   │   │   │   │   ├── [1.9K]  css-marker-pseudo.js
│               │   │   │   │   │   ├── [1.9K]  css-masks.js
│               │   │   │   │   │   ├── [2.0K]  css-matches-pseudo.js
│               │   │   │   │   │   ├── [1.9K]  css-math-functions.js
│               │   │   │   │   │   ├── [1.9K]  css-media-interaction.js
│               │   │   │   │   │   ├── [1.9K]  css-media-range-syntax.js
│               │   │   │   │   │   ├── [2.0K]  css-media-resolution.js
│               │   │   │   │   │   ├── [1.8K]  css-media-scripting.js
│               │   │   │   │   │   ├── [1.9K]  css-mediaqueries.js
│               │   │   │   │   │   ├── [1.9K]  css-mixblendmode.js
│               │   │   │   │   │   ├── [1.8K]  css-module-scripts.js
│               │   │   │   │   │   ├── [1.9K]  css-motion-paths.js
│               │   │   │   │   │   ├── [1.8K]  css-namespaces.js
│               │   │   │   │   │   ├── [1.9K]  css-nesting.js
│               │   │   │   │   │   ├── [1.9K]  css-not-sel-list.js
│               │   │   │   │   │   ├── [1.9K]  css-nth-child-of.js
│               │   │   │   │   │   ├── [1.8K]  css-opacity.js
│               │   │   │   │   │   ├── [1.9K]  css-optional-pseudo.js
│               │   │   │   │   │   ├── [1.9K]  css-overflow-anchor.js
│               │   │   │   │   │   ├── [1.9K]  css-overflow-overlay.js
│               │   │   │   │   │   ├── [1.9K]  css-overflow.js
│               │   │   │   │   │   ├── [1.9K]  css-overscroll-behavior.js
│               │   │   │   │   │   ├── [2.0K]  css-page-break.js
│               │   │   │   │   │   ├── [1.9K]  css-paged-media.js
│               │   │   │   │   │   ├── [1.8K]  css-paint-api.js
│               │   │   │   │   │   ├── [1.9K]  css-placeholder-shown.js
│               │   │   │   │   │   ├── [1.9K]  css-placeholder.js
│               │   │   │   │   │   ├── [1.8K]  css-print-color-adjust.js
│               │   │   │   │   │   ├── [1.9K]  css-read-only-write.js
│               │   │   │   │   │   ├── [1.9K]  css-rebeccapurple.js
│               │   │   │   │   │   ├── [1.8K]  css-reflections.js
│               │   │   │   │   │   ├── [1.8K]  css-regions.js
│               │   │   │   │   │   ├── [1.9K]  css-relative-colors.js
│               │   │   │   │   │   ├── [1.9K]  css-repeating-gradients.js
│               │   │   │   │   │   ├── [1.9K]  css-resize.js
│               │   │   │   │   │   ├── [1.9K]  css-revert-value.js
│               │   │   │   │   │   ├── [1.9K]  css-rrggbbaa.js
│               │   │   │   │   │   ├── [1.9K]  css-scroll-behavior.js
│               │   │   │   │   │   ├── [1.9K]  css-scrollbar.js
│               │   │   │   │   │   ├── [1.8K]  css-sel2.js
│               │   │   │   │   │   ├── [1.8K]  css-sel3.js
│               │   │   │   │   │   ├── [1.9K]  css-selection.js
│               │   │   │   │   │   ├── [1.9K]  css-shapes.js
│               │   │   │   │   │   ├── [1.9K]  css-snappoints.js
```

```
│               │   │   │   │   │   ├── [2.0K]  css-sticky.js
│               │   │   │   │   │   ├── [1.9K]  css-subgrid.js
│               │   │   │   │   │   ├── [1.9K]  css-supports-api.js
│               │   │   │   │   │   ├── [1.8K]  css-table.js
│               │   │   │   │   │   ├── [1.9K]  css-text-align-last.js
│               │   │   │   │   │   ├── [1.9K]  css-text-box-trim.js
│               │   │   │   │   │   ├── [1.9K]  css-text-indent.js
│               │   │   │   │   │   ├── [1.9K]  css-text-justify.js
│               │   │   │   │   │   ├── [1.9K]  css-text-orientation.js
│               │   │   │   │   │   ├── [1.8K]  css-text-spacing.js
│               │   │   │   │   │   ├── [1.9K]  css-text-wrap-balance.js
│               │   │   │   │   │   ├── [1.8K]  css-textshadow.js
│               │   │   │   │   │   ├── [1.9K]  css-touch-action.js
│               │   │   │   │   │   ├── [1.9K]  css-transitions.js
│               │   │   │   │   │   ├── [1.9K]  css-unicode-bidi.js
│               │   │   │   │   │   ├── [1.8K]  css-unset-value.js
│               │   │   │   │   │   ├── [1.9K]  css-variables.js
│               │   │   │   │   │   ├── [1.8K]  css-when-else.js
│               │   │   │   │   │   ├── [1.9K]  css-widows-orphans.js
│               │   │   │   │   │   ├── [1.8K]  css-width-stretch.js
│               │   │   │   │   │   ├── [1.9K]  css-writing-mode.js
│               │   │   │   │   │   ├── [1.8K]  css-zoom.js
│               │   │   │   │   │   ├── [1.8K]  css3-attr.js
│               │   │   │   │   │   ├── [1.9K]  css3-boxsizing.js
│               │   │   │   │   │   ├── [1.8K]  css3-colors.js
│               │   │   │   │   │   ├── [1.9K]  css3-cursors-grab.js
│               │   │   │   │   │   ├── [1.9K]  css3-cursors-newer.js
│               │   │   │   │   │   ├── [1.9K]  css3-cursors.js
│               │   │   │   │   │   ├── [1.9K]  css3-tabsize.js
│               │   │   │   │   │   ├── [1.8K]  currentcolor.js
│               │   │   │   │   │   ├── [1.9K]  custom-elements.js
│               │   │   │   │   │   ├── [1.9K]  custom-elementsv1.js
│               │   │   │   │   │   ├── [1.9K]  customevent.js
│               │   │   │   │   │   ├── [1.9K]  datalist.js
│               │   │   │   │   │   ├── [1.9K]  dataset.js
│               │   │   │   │   │   ├── [1.8K]  datauri.js
│               │   │   │   │   │   ├── [2.0K]  date-tolocaledatestring.js
│               │   │   │   │   │   ├── [1.9K]  declarative-shadow-dom.js
│               │   │   │   │   │   ├── [1.8K]  decorators.js
│               │   │   │   │   │   ├── [1.9K]  details.js
│               │   │   │   │   │   ├── [1.9K]  deviceorientation.js
│               │   │   │   │   │   ├── [1.8K]  devicepixelratio.js
│               │   │   │   │   │   ├── [1.9K]  dialog.js
│               │   │   │   │   │   ├── [1.9K]  dispatchevent.js
│               │   │   │   │   │   ├── [1.8K]  dnssec.js
│               │   │   │   │   │   ├── [1.9K]  do-not-track.js
│               │   │   │   │   │   ├── [1.9K]  document-currentscript.js
│               │   │   │   │   │   ├── [1.8K]  document-evaluate-xpath.js
│               │   │   │   │   │   ├── [1.9K]  document-execcommand.js
│               │   │   │   │   │   ├── [1.8K]  document-policy.js
│               │   │   │   │   │   ├── [1.9K]  document-scrollingelement.js
│               │   │   │   │   │   ├── [1.9K]  documenthead.js
│               │   │   │   │   │   ├── [1.9K]  dom-manip-convenience.js
│               │   │   │   │   │   ├── [1.8K]  dom-range.js
│               │   │   │   │   │   ├── [1.8K]  domcontentloaded.js
│               │   │   │   │   │   ├── [2.0K]  dommatrix.js
```

```
│               │   │   │   │   │   ├── [1.9K]  download.js
│               │   │   │   │   │   ├── [1.9K]  dragndrop.js
│               │   │   │   │   │   ├── [1.9K]  element-closest.js
│               │   │   │   │   │   ├── [1.9K]  element-from-point.js
│               │   │   │   │   │   ├── [1.9K]  element-scroll-methods.js
│               │   │   │   │   │   ├── [1.9K]  eme.js
│               │   │   │   │   │   ├── [1.8K]  eot.js
│               │   │   │   │   │   ├── [1.9K]  es5.js
│               │   │   │   │   │   ├── [1.9K]  es6-class.js
│               │   │   │   │   │   ├── [1.8K]  es6-generators.js
│               │   │   │   │   │   ├── [1.9K]  es6-module-dynamic-import.js
│               │   │   │   │   │   ├── [1.9K]  es6-module.js
│               │   │   │   │   │   ├── [1.9K]  es6-number.js
│               │   │   │   │   │   ├── [1.9K]  es6-string-includes.js
│               │   │   │   │   │   ├── [2.0K]  es6.js
│               │   │   │   │   │   ├── [1.9K]  eventsource.js
│               │   │   │   │   │   ├── [1.9K]  extended-system-fonts.js
│               │   │   │   │   │   ├── [1.9K]  feature-policy.js
│               │   │   │   │   │   ├── [1.9K]  fetch.js
│               │   │   │   │   │   ├── [1.9K]  fieldset-disabled.js
│               │   │   │   │   │   ├── [1.9K]  fileapi.js
│               │   │   │   │   │   ├── [1.9K]  filereader.js
│               │   │   │   │   │   ├── [1.9K]  filereadersync.js
│               │   │   │   │   │   ├── [1.9K]  filesystem.js
│               │   │   │   │   │   ├── [1.9K]  flac.js
│               │   │   │   │   │   ├── [1.9K]  flexbox-gap.js
│               │   │   │   │   │   ├── [1.9K]  flexbox.js
│               │   │   │   │   │   ├── [1.9K]  flow-root.js
│               │   │   │   │   │   ├── [1.9K]  focusin-focusout-events.js
│               │   │   │   │   │   ├── [1.9K]  font-family-system-ui.js
│               │   │   │   │   │   ├── [1.9K]  font-feature.js
│               │   │   │   │   │   ├── [1.9K]  font-kerning.js
│               │   │   │   │   │   ├── [1.9K]  font-loading.js
│               │   │   │   │   │   ├── [1.9K]  font-size-adjust.js
│               │   │   │   │   │   ├── [1.9K]  font-smooth.js
│               │   │   │   │   │   ├── [1.9K]  font-unicode-range.js
│               │   │   │   │   │   ├── [1.9K]  font-variant-alternates.js
│               │   │   │   │   │   ├── [1.9K]  font-variant-numeric.js
│               │   │   │   │   │   ├── [1.9K]  fontface.js
│               │   │   │   │   │   ├── [1.8K]  form-attribute.js
│               │   │   │   │   │   ├── [1.9K]  form-submit-attributes.js
│               │   │   │   │   │   ├── [1.9K]  form-validation.js
│               │   │   │   │   │   ├── [1.9K]  forms.js
│               │   │   │   │   │   ├── [1.9K]  fullscreen.js
│               │   │   │   │   │   ├── [1.8K]  gamepad.js
│               │   │   │   │   │   ├── [1.9K]  geolocation.js
│               │   │   │   │   │   ├── [1.9K]  getboundingclientrect.js
│               │   │   │   │   │   ├── [1.9K]  getcomputedstyle.js
│               │   │   │   │   │   ├── [1.8K]  getelementsbyclassname.js
│               │   │   │   │   │   ├── [1.9K]  getrandomvalues.js
│               │   │   │   │   │   ├── [1.8K]  gyroscope.js
│               │   │   │   │   │   ├── [1.9K]  hardwareconcurrency.js
│               │   │   │   │   │   ├── [1.9K]  hashchange.js
│               │   │   │   │   │   ├── [1.8K]  heif.js
│               │   │   │   │   │   ├── [1.9K]  hevc.js
│               │   │   │   │   │   ├── [1.9K]  hidden.js
```

```
│           │   │   │   │   │   ├── [1.9K]  high-resolution-time.js
│           │   │   │   │   │   ├── [1.9K]  history.js
│           │   │   │   │   │   ├── [1.8K]  html-media-capture.js
│           │   │   │   │   │   ├── [1.9K]  html5semantic.js
│           │   │   │   │   │   ├── [1.8K]  http-live-streaming.js
│           │   │   │   │   │   ├── [1.9K]  http2.js
│           │   │   │   │   │   ├── [2.0K]  http3.js
│           │   │   │   │   │   ├── [1.9K]  iframe-sandbox.js
│           │   │   │   │   │   ├── [1.8K]  iframe-seamless.js
│           │   │   │   │   │   ├── [1.9K]  iframe-srcdoc.js
│           │   │   │   │   │   ├── [1.9K]  imagecapture.js
│           │   │   │   │   │   ├── [1.8K]  ime.js
│           │   │   │   │   │   ├── [1.8K]  img-naturalwidth-
naturalheight.js
│           │   │   │   │   │   ├── [1.9K]  import-maps.js
│           │   │   │   │   │   ├── [1.9K]  imports.js
│           │   │   │   │   │   ├── [1.9K]  indeterminate-checkbox.js
│           │   │   │   │   │   ├── [1.9K]  indexeddb.js
│           │   │   │   │   │   ├── [1.9K]  indexeddb2.js
│           │   │   │   │   │   ├── [1.8K]  inline-block.js
│           │   │   │   │   │   ├── [1.8K]  innertext.js
│           │   │   │   │   │   ├── [1.9K]  input-autocomplete-onoff.js
│           │   │   │   │   │   ├── [1.9K]  input-color.js
│           │   │   │   │   │   ├── [1.9K]  input-datetime.js
│           │   │   │   │   │   ├── [1.9K]  input-email-tel-url.js
│           │   │   │   │   │   ├── [2.0K]  input-event.js
│           │   │   │   │   │   ├── [2.0K]  input-file-accept.js
│           │   │   │   │   │   ├── [1.9K]  input-file-directory.js
│           │   │   │   │   │   ├── [1.9K]  input-file-multiple.js
│           │   │   │   │   │   ├── [1.9K]  input-inputmode.js
│           │   │   │   │   │   ├── [1.9K]  input-minlength.js
│           │   │   │   │   │   ├── [1.9K]  input-number.js
│           │   │   │   │   │   ├── [1.9K]  input-pattern.js
│           │   │   │   │   │   ├── [1.9K]  input-placeholder.js
│           │   │   │   │   │   ├── [1.8K]  input-range.js
│           │   │   │   │   │   ├── [1.9K]  input-search.js
│           │   │   │   │   │   ├── [1.9K]  input-selection.js
│           │   │   │   │   │   ├── [1.9K]  insert-adjacent.js
│           │   │   │   │   │   ├── [1.9K]  insertadjacenthtml.js
│           │   │   │   │   │   ├── [1.9K]  internationalization.js
│           │   │   │   │   │   ├── [1.8K]  intersectionobserver-v2.js
│           │   │   │   │   │   ├── [1.9K]  intersectionobserver.js
│           │   │   │   │   │   ├── [1.9K]  intl-pluralrules.js
│           │   │   │   │   │   ├── [2.0K]  intrinsic-width.js
│           │   │   │   │   │   ├── [1.8K]  jpeg2000.js
│           │   │   │   │   │   ├── [1.9K]  jpegxl.js
│           │   │   │   │   │   ├── [1.8K]  jpegxr.js
│           │   │   │   │   │   ├── [1.9K]  js-regexp-lookbehind.js
│           │   │   │   │   │   ├── [1.8K]  json.js
│           │   │   │   │   │   ├── [1.9K]  justify-content-space-
evenly.js
│           │   │   │   │   │   ├── [1.9K]  kerning-pairs-ligatures.js
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-charcode.js
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-code.js
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-
getmodifierstate.js
```

```
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-key.js
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-location.js
│           │   │   │   │   │   ├── [1.9K]  keyboardevent-which.js
│           │   │   │   │   │   ├── [1.8K]  lazyload.js
│           │   │   │   │   │   ├── [1.9K]  let.js
│           │   │   │   │   │   ├── [1.8K]  link-icon-png.js
│           │   │   │   │   │   ├── [1.9K]  link-icon-svg.js
│           │   │   │   │   │   ├── [1.9K]  link-rel-dns-prefetch.js
│           │   │   │   │   │   ├── [1.9K]  link-rel-modulepreload.js
│           │   │   │   │   │   ├── [1.9K]  link-rel-preconnect.js
│           │   │   │   │   │   ├── [1.9K]  link-rel-prefetch.js
│           │   │   │   │   │   ├── [1.9K]  link-rel-preload.js
│           │   │   │   │   │   ├── [1.8K]  link-rel-prerender.js
│           │   │   │   │   │   ├── [1.9K]  loading-lazy-attr.js
│           │   │   │   │   │   ├── [1.9K]  localecompare.js
│           │   │   │   │   │   ├── [1.8K]  magnetometer.js
│           │   │   │   │   │   ├── [1.9K]  matchesselector.js
│           │   │   │   │   │   ├── [1.9K]  matchmedia.js
│           │   │   │   │   │   ├── [1.9K]  mathml.js
│           │   │   │   │   │   ├── [2.0K]  maxlength.js
│           │   │   │   │   │   ├── [1.8K]  mdn-css-backdrop-pseudo-
element.js
│           │   │   │   │   │   ├── [1.8K]  mdn-css-unicode-bidi-
isolate-override.js
│           │   │   │   │   │   ├── [1.8K]  mdn-css-unicode-bidi-
isolate.js
│           │   │   │   │   │   ├── [1.8K]  mdn-css-unicode-bidi-
plaintext.js
│           │   │   │   │   │   ├── [1.8K]  mdn-text-decoration-color.js
│           │   │   │   │   │   ├── [1.8K]  mdn-text-decoration-line.js
│           │   │   │   │   │   ├── [1.8K]  mdn-text-decoration-
shorthand.js
│           │   │   │   │   │   ├── [1.8K]  mdn-text-decoration-style.js
│           │   │   │   │   │   ├── [1.9K]  media-fragments.js
│           │   │   │   │   │   ├── [1.9K]  mediacapture-fromelement.js
│           │   │   │   │   │   ├── [1.9K]  mediarecorder.js
│           │   │   │   │   │   ├── [1.9K]  mediasource.js
│           │   │   │   │   │   ├── [1.9K]  menu.js
│           │   │   │   │   │   ├── [1.8K]  meta-theme-color.js
│           │   │   │   │   │   ├── [1.8K]  meter.js
│           │   │   │   │   │   ├── [1.8K]  midi.js
│           │   │   │   │   │   ├── [1.8K]  minmaxwh.js
│           │   │   │   │   │   ├── [1.9K]  mp3.js
│           │   │   │   │   │   ├── [1.8K]  mpeg-dash.js
│           │   │   │   │   │   ├── [1.9K]  mpeg4.js
│           │   │   │   │   │   ├── [1.8K]  multibackgrounds.js
│           │   │   │   │   │   ├── [2.0K]  multicolumn.js
│           │   │   │   │   │   ├── [2.0K]  mutation-events.js
│           │   │   │   │   │   ├── [1.9K]  mutationobserver.js
│           │   │   │   │   │   ├── [1.9K]  namevalue-storage.js
│           │   │   │   │   │   ├── [1.9K]  native-filesystem-api.js
│           │   │   │   │   │   ├── [1.9K]  nav-timing.js
│           │   │   │   │   │   ├── [1.9K]  netinfo.js
│           │   │   │   │   │   ├── [1.9K]  notifications.js
│           │   │   │   │   │   ├── [1.9K]  object-entries.js
│           │   │   │   │   │   ├── [1.9K]  object-fit.js
```

```
│               │   │   │   │   │   ├── [1.8K]  object-observe.js
│               │   │   │   │   │   ├── [1.9K]  object-values.js
│               │   │   │   │   │   ├── [1.8K]  objectrtc.js
│               │   │   │   │   │   ├── [1.9K]  offline-apps.js
│               │   │   │   │   │   ├── [1.9K]  offscreencanvas.js
│               │   │   │   │   │   ├── [1.9K]  ogg-vorbis.js
│               │   │   │   │   │   ├── [1.9K]  ogv.js
│               │   │   │   │   │   ├── [1.9K]  ol-reversed.js
│               │   │   │   │   │   ├── [1.9K]  once-event-listener.js
│               │   │   │   │   │   ├── [1.9K]  online-status.js
│               │   │   │   │   │   ├── [1.9K]  opus.js
│               │   │   │   │   │   ├── [1.8K]  orientation-sensor.js
│               │   │   │   │   │   ├── [1.9K]  outline.js
│               │   │   │   │   │   ├── [1.9K]  pad-start-end.js
│               │   │   │   │   │   ├── [1.8K]  page-transition-events.js
│               │   │   │   │   │   ├── [1.9K]  pagevisibility.js
│               │   │   │   │   │   ├── [1.9K]  passive-event-listener.js
│               │   │   │   │   │   ├── [1.8K]  passkeys.js
│               │   │   │   │   │   ├── [1.9K]  passwordrules.js
│               │   │   │   │   │   ├── [1.9K]  path2d.js
│               │   │   │   │   │   ├── [2.0K]  payment-request.js
│               │   │   │   │   │   ├── [1.8K]  pdf-viewer.js
│               │   │   │   │   │   ├── [1.8K]  permissions-api.js
│               │   │   │   │   │   ├── [1.9K]  permissions-policy.js
│               │   │   │   │   │   ├── [1.9K]  picture-in-picture.js
│               │   │   │   │   │   ├── [1.9K]  picture.js
│               │   │   │   │   │   ├── [1.9K]  ping.js
│               │   │   │   │   │   ├── [1.8K]  png-alpha.js
│               │   │   │   │   │   ├── [1.9K]  pointer-events.js
│               │   │   │   │   │   ├── [2.0K]  pointer.js
│               │   │   │   │   │   ├── [1.9K]  pointerlock.js
│               │   │   │   │   │   ├── [1.9K]  portals.js
│               │   │   │   │   │   ├── [1.9K]  prefers-color-scheme.js
│               │   │   │   │   │   ├── [1.9K]  prefers-reduced-motion.js
│               │   │   │   │   │   ├── [1.9K]  progress.js
│               │   │   │   │   │   ├── [1.9K]  promise-finally.js
│               │   │   │   │   │   ├── [1.9K]  promises.js
│               │   │   │   │   │   ├── [1.8K]  proximity.js
│               │   │   │   │   │   ├── [1.9K]  proxy.js
│               │   │   │   │   │   ├── [1.9K]  publickeypinning.js
│               │   │   │   │   │   ├── [1.9K]  push-api.js
│               │   │   │   │   │   ├── [1.8K]  queryselector.js
│               │   │   │   │   │   ├── [1.9K]  readonly-attr.js
│               │   │   │   │   │   ├── [2.0K]  referrer-policy.js
│               │   │   │   │   │   ├── [1.8K]  registerprotocolhandler.js
│               │   │   │   │   │   ├── [1.9K]  rel-noopener.js
│               │   │   │   │   │   ├── [1.9K]  rel-noreferrer.js
│               │   │   │   │   │   ├── [1.9K]  rellist.js
│               │   │   │   │   │   ├── [1.9K]  rem.js
│               │   │   │   │   │   ├── [1.9K]  requestanimationframe.js
│               │   │   │   │   │   ├── [1.9K]  requestidlecallback.js
│               │   │   │   │   │   ├── [1.9K]  resizeobserver.js
│               │   │   │   │   │   ├── [1.9K]  resource-timing.js
│               │   │   │   │   │   ├── [1.9K]  rest-parameters.js
│               │   │   │   │   │   ├── [1.9K]  rtcpeerconnection.js
│               │   │   │   │   │   ├── [1.9K]  ruby.js
```

```
│           │   │   │   │   │   ├── [1.9K]  run-in.js
│           │   │   │   │   │   ├── [1.9K]  same-site-cookie-
attribute.js
│           │   │   │   │   │   ├── [1.9K]  screen-orientation.js
│           │   │   │   │   │   ├── [1.9K]  script-async.js
│           │   │   │   │   │   ├── [1.9K]  script-defer.js
│           │   │   │   │   │   ├── [1.9K]  scrollintoview.js
│           │   │   │   │   │   ├── [1.9K]  scrollintoviewifneeded.js
│           │   │   │   │   │   ├── [1.8K]  sdch.js
│           │   │   │   │   │   ├── [1.9K]  selection-api.js
│           │   │   │   │   │   ├── [1.8K]  selectlist.js
│           │   │   │   │   │   ├── [1.9K]  server-timing.js
│           │   │   │   │   │   ├── [1.9K]  serviceworkers.js
│           │   │   │   │   │   ├── [1.8K]  setimmediate.js
│           │   │   │   │   │   ├── [1.9K]  shadowdom.js
│           │   │   │   │   │   ├── [1.9K]  shadowdomv1.js
│           │   │   │   │   │   ├── [2.0K]  sharedarraybuffer.js
│           │   │   │   │   │   ├── [1.9K]  sharedworkers.js
│           │   │   │   │   │   ├── [1.8K]  sni.js
│           │   │   │   │   │   ├── [1.9K]  spdy.js
│           │   │   │   │   │   ├── [1.9K]  speech-recognition.js
│           │   │   │   │   │   ├── [1.9K]  speech-synthesis.js
│           │   │   │   │   │   ├── [1.8K]  spellcheck-attribute.js
│           │   │   │   │   │   ├── [1.9K]  sql-storage.js
│           │   │   │   │   │   ├── [1.9K]  srcset.js
│           │   │   │   │   │   ├── [1.9K]  stream.js
│           │   │   │   │   │   ├── [2.0K]  streams.js
│           │   │   │   │   │   ├── [1.9K]  strictransportsecurity.js
│           │   │   │   │   │   ├── [1.8K]  style-scoped.js
│           │   │   │   │   │   ├── [1.9K]  subresource-bundling.js
│           │   │   │   │   │   ├── [1.9K]  subresource-integrity.js
│           │   │   │   │   │   ├── [1.9K]  svg-css.js
│           │   │   │   │   │   ├── [1.8K]  svg-filters.js
│           │   │   │   │   │   ├── [1.9K]  svg-fonts.js
│           │   │   │   │   │   ├── [1.9K]  svg-fragment.js
│           │   │   │   │   │   ├── [1.9K]  svg-html.js
│           │   │   │   │   │   ├── [1.9K]  svg-html5.js
│           │   │   │   │   │   ├── [1.9K]  svg-img.js
│           │   │   │   │   │   ├── [1.9K]  svg-smil.js
│           │   │   │   │   │   ├── [1.9K]  svg.js
│           │   │   │   │   │   ├── [1.9K]  sxg.js
│           │   │   │   │   │   ├── [1.9K]  tabindex-attr.js
│           │   │   │   │   │   ├── [1.9K]  template-literals.js
│           │   │   │   │   │   ├── [1.9K]  template.js
│           │   │   │   │   │   ├── [1.8K]  temporal.js
│           │   │   │   │   │   ├── [1.9K]  testfeat.js
│           │   │   │   │   │   ├── [1.9K]  text-decoration.js
│           │   │   │   │   │   ├── [1.9K]  text-emphasis.js
│           │   │   │   │   │   ├── [1.8K]  text-overflow.js
│           │   │   │   │   │   ├── [1.9K]  text-size-adjust.js
│           │   │   │   │   │   ├── [1.9K]  text-stroke.js
│           │   │   │   │   │   ├── [1.8K]  textcontent.js
│           │   │   │   │   │   ├── [1.9K]  textencoder.js
│           │   │   │   │   │   ├── [1.9K]  tls1-1.js
│           │   │   │   │   │   ├── [1.9K]  tls1-2.js
│           │   │   │   │   │   ├── [1.9K]  tls1-3.js
```

```
│           │   │   │   │   │   ├── [1.9K]  touch.js
│           │   │   │   │   │   ├── [1.9K]  transforms2d.js
│           │   │   │   │   │   ├── [1.9K]  transforms3d.js
│           │   │   │   │   │   ├── [1.9K]  trusted-types.js
│           │   │   │   │   │   ├── [1.9K]  ttf.js
│           │   │   │   │   │   ├── [1.9K]  typedarrays.js
│           │   │   │   │   │   ├── [1.9K]  u2f.js
│           │   │   │   │   │   ├── [1.9K]  unhandledrejection.js
│           │   │   │   │   │   ├── [1.9K]  upgradeinsecurerequests.js
│           │   │   │   │   │   ├── [1.9K]  url-scroll-to-text-
fragment.js
│           │   │   │   │   │   ├── [1.9K]  url.js
│           │   │   │   │   │   ├── [1.9K]  urlsearchparams.js
│           │   │   │   │   │   ├── [1.9K]  use-strict.js
│           │   │   │   │   │   ├── [1.9K]  user-select-none.js
│           │   │   │   │   │   ├── [1.8K]  user-timing.js
│           │   │   │   │   │   ├── [2.0K]  variable-fonts.js
│           │   │   │   │   │   ├── [1.9K]  vector-effect.js
│           │   │   │   │   │   ├── [1.8K]  vibration.js
│           │   │   │   │   │   ├── [1.9K]  video.js
│           │   │   │   │   │   ├── [1.9K]  videotracks.js
│           │   │   │   │   │   ├── [1.9K]  view-transitions.js
│           │   │   │   │   │   ├── [1.9K]  viewport-unit-variants.js
│           │   │   │   │   │   ├── [1.9K]  viewport-units.js
│           │   │   │   │   │   ├── [1.8K]  wai-aria.js
│           │   │   │   │   │   ├── [1.9K]  wake-lock.js
│           │   │   │   │   │   ├── [1.9K]  wasm-bigint.js
│           │   │   │   │   │   ├── [1.9K]  wasm-bulk-memory.js
│           │   │   │   │   │   ├── [1.9K]  wasm-extended-const.js
│           │   │   │   │   │   ├── [1.9K]  wasm-gc.js
│           │   │   │   │   │   ├── [1.9K]  wasm-multi-memory.js
│           │   │   │   │   │   ├── [1.9K]  wasm-multi-value.js
│           │   │   │   │   │   ├── [1.9K]  wasm-mutable-globals.js
│           │   │   │   │   │   ├── [1.9K]  wasm-nontrapping-fptoint.js
│           │   │   │   │   │   ├── [1.9K]  wasm-reference-types.js
│           │   │   │   │   │   ├── [1.9K]  wasm-relaxed-simd.js
│           │   │   │   │   │   ├── [1.9K]  wasm-signext.js
│           │   │   │   │   │   ├── [1.9K]  wasm-simd.js
│           │   │   │   │   │   ├── [1.9K]  wasm-tail-calls.js
│           │   │   │   │   │   ├── [1.9K]  wasm-threads.js
│           │   │   │   │   │   ├── [1.9K]  wasm.js
│           │   │   │   │   │   ├── [1.8K]  wav.js
│           │   │   │   │   │   ├── [1.9K]  wbr-element.js
│           │   │   │   │   │   ├── [2.0K]  web-animation.js
│           │   │   │   │   │   ├── [1.9K]  web-app-manifest.js
│           │   │   │   │   │   ├── [1.9K]  web-bluetooth.js
│           │   │   │   │   │   ├── [1.8K]  web-serial.js
│           │   │   │   │   │   ├── [1.9K]  web-share.js
│           │   │   │   │   │   ├── [1.9K]  webauthn.js
│           │   │   │   │   │   ├── [1.9K]  webcodecs.js
│           │   │   │   │   │   ├── [1.9K]  webgl.js
│           │   │   │   │   │   ├── [1.9K]  webgl2.js
│           │   │   │   │   │   ├── [1.9K]  webgpu.js
│           │   │   │   │   │   ├── [1.8K]  webhid.js
│           │   │   │   │   │   ├── [1.8K]  webkit-user-drag.js
│           │   │   │   │   │   ├── [2.0K]  webm.js
```

```
│               │   │   │   │   │   ├── [1.8K]  webnfc.js
│               │   │   │   │   │   ├── [1.9K]  webp.js
│               │   │   │   │   │   ├── [1.9K]  websockets.js
│               │   │   │   │   │   ├── [1.8K]  webtransport.js
│               │   │   │   │   │   ├── [1.8K]  webusb.js
│               │   │   │   │   │   ├── [1.9K]  webvr.js
│               │   │   │   │   │   ├── [1.9K]  webvtt.js
│               │   │   │   │   │   ├── [1.9K]  webworkers.js
│               │   │   │   │   │   ├── [1.9K]  webxr.js
│               │   │   │   │   │   ├── [1.9K]  will-change.js
│               │   │   │   │   │   ├── [1.9K]  woff.js
│               │   │   │   │   │   ├── [1.9K]  woff2.js
│               │   │   │   │   │   ├── [1.8K]  word-break.js
│               │   │   │   │   │   ├── [1.9K]  wordwrap.js
│               │   │   │   │   │   ├── [1.8K]  x-doc-messaging.js
│               │   │   │   │   │   ├── [1.9K]  x-frame-options.js
│               │   │   │   │   │   ├── [2.1K]  xhr2.js
│               │   │   │   │   │   ├── [1.8K]  xhtml.js
│               │   │   │   │   │   ├── [1.8K]  xhtmlsmil.js
│               │   │   │   │   │   ├── [1.9K]  xml-serializer.js
│               │   │   │   │   │   └── [1.9K]  zstd.js
│               │   │   │   │   ├── [ 30K]  features.js
│               │   │   │   │   └── [7.6K]  regions
│               │   │   │   │       ├── [4.1K]  AD.js
│               │   │   │   │       ├── [4.7K]  AE.js
│               │   │   │   │       ├── [5.1K]  AF.js
│               │   │   │   │       ├── [4.4K]  AG.js
│               │   │   │   │       ├── [3.9K]  AI.js
│               │   │   │   │       ├── [4.7K]  AL.js
│               │   │   │   │       ├── [4.2K]  AM.js
│               │   │   │   │       ├── [5.2K]  AO.js
│               │   │   │   │       ├── [4.6K]  AR.js
│               │   │   │   │       ├── [3.4K]  AS.js
│               │   │   │   │       ├── [4.7K]  AT.js
│               │   │   │   │       ├── [4.8K]  AU.js
│               │   │   │   │       ├── [4.3K]  AW.js
│               │   │   │   │       ├── [3.7K]  AX.js
│               │   │   │   │       ├── [4.7K]  AZ.js
│               │   │   │   │       ├── [4.6K]  BA.js
│               │   │   │   │       ├── [4.2K]  BB.js
│               │   │   │   │       ├── [4.8K]  BD.js
│               │   │   │   │       ├── [4.6K]  BE.js
│               │   │   │   │       ├── [5.0K]  BF.js
│               │   │   │   │       ├── [4.8K]  BG.js
│               │   │   │   │       ├── [4.6K]  BH.js
│               │   │   │   │       ├── [4.6K]  BI.js
│               │   │   │   │       ├── [5.0K]  BJ.js
│               │   │   │   │       ├── [3.3K]  BM.js
│               │   │   │   │       ├── [4.4K]  BN.js
│               │   │   │   │       ├── [4.8K]  BO.js
│               │   │   │   │       ├── [4.6K]  BR.js
│               │   │   │   │       ├── [4.1K]  BS.js
│               │   │   │   │       ├── [4.4K]  BT.js
│               │   │   │   │       ├── [4.7K]  BW.js
│               │   │   │   │       ├── [4.6K]  BY.js
│               │   │   │   │       ├── [4.4K]  BZ.js
```

```
│               │   │   │   │       ├── [4.9K]  CA.js
│               │   │   │   │       ├── [5.1K]  CD.js
│               │   │   │   │       ├── [3.9K]  CF.js
│               │   │   │   │       ├── [4.9K]  CG.js
│               │   │   │   │       ├── [4.7K]  CH.js
│               │   │   │   │       ├── [5.1K]  CI.js
│               │   │   │   │       ├── [3.6K]  CK.js
│               │   │   │   │       ├── [4.6K]  CL.js
│               │   │   │   │       ├── [5.5K]  CM.js
│               │   │   │   │       ├── [5.0K]  CN.js
│               │   │   │   │       ├── [4.6K]  CO.js
│               │   │   │   │       ├── [4.6K]  CR.js
│               │   │   │   │       ├── [5.5K]  CU.js
│               │   │   │   │       ├── [4.5K]  CV.js
│               │   │   │   │       ├── [2.7K]  CX.js
│               │   │   │   │       ├── [4.4K]  CY.js
│               │   │   │   │       ├── [4.8K]  CZ.js
│               │   │   │   │       ├── [5.1K]  DE.js
│               │   │   │   │       ├── [4.3K]  DJ.js
│               │   │   │   │       ├── [4.2K]  DK.js
│               │   │   │   │       ├── [4.4K]  DM.js
│               │   │   │   │       ├── [4.8K]  DO.js
│               │   │   │   │       ├── [5.2K]  DZ.js
│               │   │   │   │       ├── [4.7K]  EC.js
│               │   │   │   │       ├── [4.1K]  EE.js
│               │   │   │   │       ├── [5.1K]  EG.js
│               │   │   │   │       ├── [3.5K]  ER.js
│               │   │   │   │       ├── [4.8K]  ES.js
│               │   │   │   │       ├── [5.3K]  ET.js
│               │   │   │   │       ├── [4.5K]  FI.js
│               │   │   │   │       ├── [4.6K]  FJ.js
│               │   │   │   │       ├── [3.6K]  FK.js
│               │   │   │   │       ├── [3.5K]  FM.js
│               │   │   │   │       ├── [4.1K]  FO.js
│               │   │   │   │       ├── [5.2K]  FR.js
│               │   │   │   │       ├── [4.7K]  GA.js
│               │   │   │   │       ├── [4.7K]  GB.js
│               │   │   │   │       ├── [4.3K]  GD.js
│               │   │   │   │       ├── [4.8K]  GE.js
│               │   │   │   │       ├── [4.4K]  GF.js
│               │   │   │   │       ├── [3.9K]  GG.js
│               │   │   │   │       ├── [5.2K]  GH.js
│               │   │   │   │       ├── [4.2K]  GI.js
│               │   │   │   │       ├── [3.8K]  GL.js
│               │   │   │   │       ├── [5.0K]  GM.js
│               │   │   │   │       ├── [4.9K]  GN.js
│               │   │   │   │       ├── [4.4K]  GP.js
│               │   │   │   │       ├── [4.4K]  GQ.js
│               │   │   │   │       ├── [4.6K]  GR.js
│               │   │   │   │       ├── [4.4K]  GT.js
│               │   │   │   │       ├── [4.2K]  GU.js
│               │   │   │   │       ├── [4.3K]  GW.js
│               │   │   │   │       ├── [4.6K]  GY.js
│               │   │   │   │       ├── [4.7K]  HK.js
│               │   │   │   │       ├── [4.6K]  HN.js
│               │   │   │   │       ├── [4.6K]  HR.js
```

```
│               │   │   │   │       ├── [4.9K]  HT.js
│               │   │   │   │       ├── [4.5K]  HU.js
│               │   │   │   │       ├── [4.5K]  ID.js
│               │   │   │   │       ├── [4.6K]  IE.js
│               │   │   │   │       ├── [4.8K]  IL.js
│               │   │   │   │       ├── [4.1K]  IM.js
│               │   │   │   │       ├── [4.6K]  IN.js
│               │   │   │   │       ├── [4.5K]  IQ.js
│               │   │   │   │       ├── [4.9K]  IR.js
│               │   │   │   │       ├── [4.3K]  IS.js
│               │   │   │   │       ├── [4.9K]  IT.js
│               │   │   │   │       ├── [4.1K]  JE.js
│               │   │   │   │       ├── [4.7K]  JM.js
│               │   │   │   │       ├── [4.7K]  JO.js
│               │   │   │   │       ├── [4.9K]  JP.js
│               │   │   │   │       ├── [4.8K]  KE.js
│               │   │   │   │       ├── [4.6K]  KG.js
│               │   │   │   │       ├── [4.7K]  KH.js
│               │   │   │   │       ├── [3.5K]  KI.js
│               │   │   │   │       ├── [3.9K]  KM.js
│               │   │   │   │       ├── [4.5K]  KN.js
│               │   │   │   │       ├── [3.0K]  KP.js
│               │   │   │   │       ├── [4.5K]  KR.js
│               │   │   │   │       ├── [4.7K]  KW.js
│               │   │   │   │       ├── [4.3K]  KY.js
│               │   │   │   │       ├── [4.6K]  KZ.js
│               │   │   │   │       ├── [4.7K]  LA.js
│               │   │   │   │       ├── [4.6K]  LB.js
│               │   │   │   │       ├── [4.4K]  LC.js
│               │   │   │   │       ├── [4.2K]  LI.js
│               │   │   │   │       ├── [4.1K]  LK.js
│               │   │   │   │       ├── [4.7K]  LR.js
│               │   │   │   │       ├── [4.4K]  LS.js
│               │   │   │   │       ├── [4.5K]  LT.js
│               │   │   │   │       ├── [4.6K]  LU.js
│               │   │   │   │       ├── [4.6K]  LV.js
│               │   │   │   │       ├── [4.9K]  LY.js
│               │   │   │   │       ├── [5.2K]  MA.js
│               │   │   │   │       ├── [4.2K]  MC.js
│               │   │   │   │       ├── [4.4K]  MD.js
│               │   │   │   │       ├── [4.3K]  ME.js
│               │   │   │   │       ├── [5.0K]  MG.js
│               │   │   │   │       ├── [3.5K]  MH.js
│               │   │   │   │       ├── [4.6K]  MK.js
│               │   │   │   │       ├── [5.0K]  ML.js
│               │   │   │   │       ├── [4.9K]  MM.js
│               │   │   │   │       ├── [4.8K]  MN.js
│               │   │   │   │       ├── [4.4K]  MO.js
│               │   │   │   │       ├── [3.8K]  MP.js
│               │   │   │   │       ├── [4.2K]  MQ.js
│               │   │   │   │       ├── [4.5K]  MR.js
│               │   │   │   │       ├── [3.3K]  MS.js
│               │   │   │   │       ├── [4.5K]  MT.js
│               │   │   │   │       ├── [4.6K]  MU.js
│               │   │   │   │       ├── [4.2K]  MV.js
│               │   │   │   │       ├── [5.0K]  MW.js
```

```
│               │   │   │   │       ├── [4.7K]  MX.js
│               │   │   │   │       ├── [4.3K]  MY.js
│               │   │   │   │       ├── [5.1K]  MZ.js
│               │   │   │   │       ├── [4.7K]  NA.js
│               │   │   │   │       ├── [4.3K]  NC.js
│               │   │   │   │       ├── [4.8K]  NE.js
│               │   │   │   │       ├── [3.0K]  NF.js
│               │   │   │   │       ├── [5.0K]  NG.js
│               │   │   │   │       ├── [4.6K]  NI.js
│               │   │   │   │       ├── [5.0K]  NL.js
│               │   │   │   │       ├── [4.4K]  NO.js
│               │   │   │   │       ├── [4.3K]  NP.js
│               │   │   │   │       ├── [3.3K]  NR.js
│               │   │   │   │       ├── [3.0K]  NU.js
│               │   │   │   │       ├── [4.7K]  NZ.js
│               │   │   │   │       ├── [4.7K]  OM.js
│               │   │   │   │       ├── [4.6K]  PA.js
│               │   │   │   │       ├── [4.6K]  PE.js
│               │   │   │   │       ├── [4.1K]  PF.js
│               │   │   │   │       ├── [4.7K]  PG.js
│               │   │   │   │       ├── [4.6K]  PH.js
│               │   │   │   │       ├── [4.8K]  PK.js
│               │   │   │   │       ├── [4.7K]  PL.js
│               │   │   │   │       ├── [3.4K]  PM.js
│               │   │   │   │       ├── [2.9K]  PN.js
│               │   │   │   │       ├── [4.4K]  PR.js
│               │   │   │   │       ├── [4.7K]  PS.js
│               │   │   │   │       ├── [4.6K]  PT.js
│               │   │   │   │       ├── [3.5K]  PW.js
│               │   │   │   │       ├── [4.6K]  PY.js
│               │   │   │   │       ├── [4.6K]  QA.js
│               │   │   │   │       ├── [4.3K]  RE.js
│               │   │   │   │       ├── [4.5K]  RO.js
│               │   │   │   │       ├── [4.9K]  RS.js
│               │   │   │   │       ├── [5.1K]  RU.js
│               │   │   │   │       ├── [4.8K]  RW.js
│               │   │   │   │       ├── [4.7K]  SA.js
│               │   │   │   │       ├── [4.1K]  SB.js
│               │   │   │   │       ├── [5.6K]  SC.js
│               │   │   │   │       ├── [4.7K]  SD.js
│               │   │   │   │       ├── [4.6K]  SE.js
│               │   │   │   │       ├── [4.8K]  SG.js
│               │   │   │   │       ├── [3.1K]  SH.js
│               │   │   │   │       ├── [4.5K]  SI.js
│               │   │   │   │       ├── [4.6K]  SK.js
│               │   │   │   │       ├── [5.0K]  SL.js
│               │   │   │   │       ├── [3.7K]  SM.js
│               │   │   │   │       ├── [4.8K]  SN.js
│               │   │   │   │       ├── [4.8K]  SO.js
│               │   │   │   │       ├── [4.5K]  SR.js
│               │   │   │   │       ├── [3.7K]  ST.js
│               │   │   │   │       ├── [4.5K]  SV.js
│               │   │   │   │       ├── [5.0K]  SY.js
│               │   │   │   │       ├── [4.7K]  SZ.js
│               │   │   │   │       ├── [4.3K]  TC.js
│               │   │   │   │       ├── [4.4K]  TD.js
```

```
│               │   │   │   │       ├── [5.0K]  TG.js
│               │   │   │   │       ├── [4.7K]  TH.js
│               │   │   │   │       ├── [4.6K]  TJ.js
│               │   │   │   │       ├── [4.8K]  TL.js
│               │   │   │   │       ├── [3.4K]  TM.js
│               │   │   │   │       ├── [4.7K]  TN.js
│               │   │   │   │       ├── [3.8K]  TO.js
│               │   │   │   │       ├── [5.0K]  TR.js
│               │   │   │   │       ├── [4.5K]  TT.js
│               │   │   │   │       ├── [3.2K]  TV.js
│               │   │   │   │       ├── [4.7K]  TW.js
│               │   │   │   │       ├── [5.0K]  TZ.js
│               │   │   │   │       ├── [5.0K]  UA.js
│               │   │   │   │       ├── [5.1K]  UG.js
│               │   │   │   │       ├── [5.0K]  US.js
│               │   │   │   │       ├── [4.7K]  UY.js
│               │   │   │   │       ├── [4.8K]  UZ.js
│               │   │   │   │       ├── [3.2K]  VA.js
│               │   │   │   │       ├── [4.2K]  VC.js
│               │   │   │   │       ├── [4.9K]  VE.js
│               │   │   │   │       ├── [4.6K]  VG.js
│               │   │   │   │       ├── [4.4K]  VI.js
│               │   │   │   │       ├── [3.6K]  VN.js
│               │   │   │   │       ├── [3.8K]  VU.js
│               │   │   │   │       ├── [3.2K]  WF.js
│               │   │   │   │       ├── [3.8K]  WS.js
│               │   │   │   │       ├── [4.5K]  YE.js
│               │   │   │   │       ├── [4.1K]  YT.js
│               │   │   │   │       ├── [4.8K]  ZA.js
│               │   │   │   │       ├── [4.7K]  ZM.js
│               │   │   │   │       ├── [5.1K]  ZW.js
│               │   │   │   │       ├── [5.1K]  alt-af.js
│               │   │   │   │       ├── [3.2K]  alt-an.js
│               │   │   │   │       ├── [4.7K]  alt-as.js
│               │   │   │   │       ├── [4.7K]  alt-eu.js
│               │   │   │   │       ├── [4.7K]  alt-na.js
│               │   │   │   │       ├── [4.5K]  alt-oc.js
│               │   │   │   │       ├── [4.3K]  alt-sa.js
│               │   │   │   │       └── [4.8K]  alt-ww.js
│               │   │   │   ├── [ 128]  dist
│               │   │   │   │   ├── [ 128]  lib
│               │   │   │   │   │   ├── [ 306]  statuses.js
│               │   │   │   │   │   └── [ 111]  supported.js
│               │   │   │   │   └── [ 288]  unpacker
│               │   │   │   │       ├── [1.4K]  agents.js
│               │   │   │   │       ├── [  71]  browserVersions.js
│               │   │   │   │       ├── [  57]  browsers.js
│               │   │   │   │       ├── [1.3K]  feature.js
│               │   │   │   │       ├── [ 141]  features.js
│               │   │   │   │       ├── [ 198]  index.js
│               │   │   │   │       └── [ 550]  region.js
│               │   │   │   └── [ 742]  package.json
│               │   │   ├── [ 160]  client-only
│               │   │   │   ├── [ 144]  error.js
│               │   │   │   ├── [   0]  index.js
│               │   │   │   └── [ 467]  package.json
```

```
│               │   │   ├── [ 192]  color
│               │   │   │   ├── [1.0K]  LICENSE
│               │   │   │   ├── [3.6K]  README.md
│               │   │   │   ├── [ 11K]  index.js
│               │   │   │   └── [ 896]  package.json
│               │   │   ├── [ 288]  color-convert
│               │   │   │   ├── [1.4K]  CHANGELOG.md
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [2.8K]  README.md
│               │   │   │   ├── [ 17K]  conversions.js
│               │   │   │   ├── [1.7K]  index.js
│               │   │   │   ├── [ 827]  package.json
│               │   │   │   └── [2.2K]  route.js
│               │   │   ├── [ 192]  color-name
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [ 384]  README.md
│               │   │   │   ├── [4.5K]  index.js
│               │   │   │   └── [ 607]  package.json
│               │   │   ├── [ 192]  color-string
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [2.5K]  README.md
│               │   │   │   ├── [5.6K]  index.js
│               │   │   │   └── [ 732]  package.json
│               │   │   ├── [ 224]  detect-libc
│               │   │   │   ├── [ 11K]  LICENSE
│               │   │   │   ├── [3.1K]  README.md
│               │   │   │   ├── [ 436]  index.d.ts
│               │   │   │   ├── [ 160]  lib
│               │   │   │   │   ├── [6.1K]  detect-libc.js
│               │   │   │   │   ├── [ 717]  filesystem.js
│               │   │   │   │   └── [ 569]  process.js
│               │   │   │   └── [1.1K]  package.json
│               │   │   ├── [ 224]  is-arrayish
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [ 704]  README.md
│               │   │   │   ├── [ 318]  index.js
│               │   │   │   ├── [1.0K]  package.json
│               │   │   │   └── [ 50K]  yarn-error.log
│               │   │   ├── [ 512]  nanoid
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [1.5K]  README.md
│               │   │   │   ├── [ 288]  async
│               │   │   │   │   ├── [2.6K]  index.browser.cjs
│               │   │   │   │   ├── [ 984]  index.browser.js
│               │   │   │   │   ├── [2.8K]  index.cjs
│               │   │   │   │   ├── [1.5K]  index.d.ts
│               │   │   │   │   ├── [ 982]  index.js
│               │   │   │   │   ├── [ 820]  index.native.js
│               │   │   │   │   └── [ 233]  package.json
│               │   │   │   ├── [  96]  bin
│               │   │   │   │   └── [1.1K]  nanoid.cjs
│               │   │   │   ├── [2.8K]  index.browser.cjs
│               │   │   │   ├── [1.0K]  index.browser.js
│               │   │   │   ├── [3.3K]  index.cjs
│               │   │   │   ├── [2.2K]  index.d.cts
│               │   │   │   ├── [2.2K]  index.d.ts
```

```
│               │   │   │   ├── [1.3K]  index.js
│               │   │   │   ├── [ 169]  nanoid.js
│               │   │   │   ├── [ 192]  non-secure
│               │   │   │   │   ├── [1.1K]  index.cjs
│               │   │   │   │   ├── [ 983]  index.d.ts
│               │   │   │   │   ├── [ 497]  index.js
│               │   │   │   │   └── [  99]  package.json
│               │   │   │   ├── [2.2K]  package.json
│               │   │   │   └── [ 160]  url-alphabet
│               │   │   │       ├── [ 280]  index.cjs
│               │   │   │       ├── [ 110]  index.js
│               │   │   │       └── [  99]  package.json
│               │   │   ├── [1.9K]  next
│               │   │   │   ├── [3.3K]  README.md
│               │   │   │   ├── [  38]  amp.d.ts
│               │   │   │   ├── [  50]  amp.js
│               │   │   │   ├── [  89]  app.d.ts
│               │   │   │   ├── [  46]  app.js
│               │   │   │   ├── [  42]  babel.d.ts
│               │   │   │   ├── [  54]  babel.js
│               │   │   │   ├── [5.4K]  cache.d.ts
│               │   │   │   ├── [1.5K]  cache.js
│               │   │   │   ├── [  36]  client.d.ts
│               │   │   │   ├── [  48]  client.js
│               │   │   │   ├── [ 128]  compat
│               │   │   │   │   ├── [  45]  router.d.ts
│               │   │   │   │   └── [  57]  router.js
│               │   │   │   ├── [ 149]  config.d.ts
│               │   │   │   ├── [  70]  config.js
│               │   │   │   ├── [  44]  constants.d.ts
│               │   │   │   ├── [  56]  constants.js
│               │   │   │   ├── [ 672]  dist
│               │   │   │   │   ├── [1.6K]  api
│               │   │   │   │   │   ├── [  96]  app-dynamic.d.ts
│               │   │   │   │   │   ├── [ 136]  app-dynamic.js
│               │   │   │   │   │   ├── [ 270]  app-dynamic.js.map
│               │   │   │   │   │   ├── [  72]  app.d.ts
│               │   │   │   │   │   ├── [ 104]  app.js
│               │   │   │   │   │   ├── [ 237]  app.js.map
│               │   │   │   │   │   ├── [  41]  constants.d.ts
│               │   │   │   │   │   ├── [  79]  constants.js
│               │   │   │   │   │   ├── [ 175]  constants.js.map
│               │   │   │   │   │   ├── [  82]  document.d.ts
│               │   │   │   │   │   ├── [ 119]  document.js
│               │   │   │   │   │   ├── [ 254]  document.js.map
│               │   │   │   │   │   ├── [  88]  dynamic.d.ts
│               │   │   │   │   │   ├── [ 124]  dynamic.js
│               │   │   │   │   │   ├── [ 258]  dynamic.js.map
│               │   │   │   │   │   ├── [  74]  form.d.ts
│               │   │   │   │   │   ├── [ 107]  form.js
│               │   │   │   │   │   ├── [ 241]  form.js.map
│               │   │   │   │   │   ├── [  82]  head.d.ts
│               │   │   │   │   │   ├── [ 115]  head.js
│               │   │   │   │   │   ├── [ 249]  head.js.map
│               │   │   │   │   │   ├── [ 132]  headers.d.ts
│               │   │   │   │   │   ├── [ 168]  headers.js
```

```
│           │   │   │   │   │   ├── [ 300]  headers.js.map
│           │   │   │   │   │   ├── [ 102]  image.d.ts
│           │   │   │   │   │   ├── [ 136]  image.js
│           │   │   │   │   │   ├── [ 270]  image.js.map
│           │   │   │   │   │   ├── [  74]  link.d.ts
│           │   │   │   │   │   ├── [ 107]  link.js
│           │   │   │   │   │   ├── [ 241]  link.js.map
│           │   │   │   │   │   ├── [  49]  navigation.d.ts
│           │   │   │   │   │   ├── [  88]  navigation.js
│           │   │   │   │   │   ├── [ 184]  navigation.js.map
│           │   │   │   │   │   ├── [  62]  navigation.react-server.d.ts
│           │   │   │   │   │   ├── [ 114]  navigation.react-server.js
│           │   │   │   │   │   ├── [ 210]  navigation.react-
server.js.map
│           │   │   │   │   │   ├── [  45]  og.d.ts
│           │   │   │   │   │   ├── [  76]  og.js
│           │   │   │   │   │   ├── [ 172]  og.js.map
│           │   │   │   │   │   ├── [  78]  router.d.ts
│           │   │   │   │   │   ├── [ 113]  router.js
│           │   │   │   │   │   ├── [ 247]  router.js.map
│           │   │   │   │   │   ├── [  78]  script.d.ts
│           │   │   │   │   │   ├── [ 113]  script.js
│           │   │   │   │   │   ├── [ 247]  script.js.map
│           │   │   │   │   │   ├── [  45]  server.d.ts
│           │   │   │   │   │   ├── [  80]  server.js
│           │   │   │   │   │   └── [ 176]  server.js.map
│           │   │   │   │   ├── [ 160]  bin
│           │   │   │   │   │   ├── [ 13K]  next
│           │   │   │   │   │   ├── [  53]  next.d.ts
│           │   │   │   │   │   └── [ 22K]  next.map
│           │   │   │   │   ├── [3.4K]  build
│           │   │   │   │   │   ├── [ 160]  adapter
│           │   │   │   │   │   │   ├── [ 929]  build-complete.d.ts
│           │   │   │   │   │   │   ├── [ 22K]  build-complete.js
│           │   │   │   │   │   │   └── [ 31K]  build-complete.js.map
│           │   │   │   │   │   ├── [ 431]  after-production-
compile.d.ts
│           │   │   │   │   │   ├── [3.3K]  after-production-compile.js
│           │   │   │   │   │   ├── [3.1K]  after-production-
compile.js.map
│           │   │   │   │   │   ├── [ 352]  analysis
│           │   │   │   │   │   │   ├── [ 833]  extract-const-value.d.ts
│           │   │   │   │   │   │   ├── [6.7K]  extract-const-value.js
│           │   │   │   │   │   │   ├── [ 11K]  extract-const-
value.js.map
│           │   │   │   │   │   │   ├── [3.6K]  get-page-static-
info.d.ts
│           │   │   │   │   │   │   ├── [ 22K]  get-page-static-info.js
│           │   │   │   │   │   │   ├── [ 32K]  get-page-static-
info.js.map
│           │   │   │   │   │   │   ├── [ 229]  parse-module.d.ts
│           │   │   │   │   │   │   ├── [ 734]  parse-module.js
│           │   │   │   │   │   │   └── [1.1K]  parse-module.js.map
│           │   │   │   │   │   ├── [ 224]  babel
│           │   │   │   │   │   │   ├── [ 480]  loader
│           │   │   │   │   │   │   │   ├── [ 849]  get-config.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [ 16K]  get-config.js
│           │   │   │   │   │   │   │   ├── [ 25K]  get-config.js.map
│           │   │   │   │   │   │   │   ├── [ 204]  index.d.ts
│           │   │   │   │   │   │   │   ├── [2.3K]  index.js
│           │   │   │   │   │   │   │   ├── [3.9K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 433]  transform.d.ts
│           │   │   │   │   │   │   │   ├── [3.9K]  transform.js
│           │   │   │   │   │   │   │   ├── [6.1K]  transform.js.map
│           │   │   │   │   │   │   │   ├── [1.6K]  types.d.ts
│           │   │   │   │   │   │   │   ├── [ 634]  util.d.ts
│           │   │   │   │   │   │   │   ├── [ 411]  util.js
│           │   │   │   │   │   │   │   └── [1.1K]  util.js.map
│           │   │   │   │   │   │   ├── [ 928]  plugins
│           │   │   │   │   │   │   │   ├── [ 122]  amp-attributes.d.ts
│           │   │   │   │   │   │   │   ├── [1.0K]  amp-attributes.js
│           │   │   │   │   │   │   │   ├── [1.5K]  amp-
attributes.js.map
│           │   │   │   │   │   │   │   ├── [ 135]  commonjs.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  commonjs.js
│           │   │   │   │   │   │   │   ├── [1.8K]  commonjs.js.map
│           │   │   │   │   │   │   │   ├── [ 230]  jsx-pragma.d.ts
│           │   │   │   │   │   │   │   ├── [3.6K]  jsx-pragma.js
│           │   │   │   │   │   │   │   ├── [6.3K]  jsx-pragma.js.map
│           │   │   │   │   │   │   │   ├── [ 142]  next-font-
unsupported.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  next-font-
unsupported.js
│           │   │   │   │   │   │   │   ├── [1.8K]  next-font-
unsupported.js.map
│           │   │   │   │   │   │   │   ├── [ 234]  next-page-
config.d.ts
│           │   │   │   │   │   │   │   ├── [8.8K]  next-page-config.js
│           │   │   │   │   │   │   │   ├── [ 12K]  next-page-
config.js.map
│           │   │   │   │   │   │   │   ├── [ 142]  next-page-disallow-
re-export-all-exports.d.ts
│           │   │   │   │   │   │   │   ├── [1.2K]  next-page-disallow-
re-export-all-exports.js
│           │   │   │   │   │   │   │   ├── [1.5K]  next-page-disallow-
re-export-all-exports.js.map
│           │   │   │   │   │   │   │   ├── [ 634]  next-ssg-
transform.d.ts
│           │   │   │   │   │   │   │   ├── [ 16K]  next-ssg-
transform.js
│           │   │   │   │   │   │   │   ├── [ 24K]  next-ssg-
transform.js.map
│           │   │   │   │   │   │   │   ├── [ 230]  optimize-hook-
destructuring.d.ts
│           │   │   │   │   │   │   │   ├── [2.4K]  optimize-hook-
destructuring.js
│           │   │   │   │   │   │   │   ├── [4.5K]  optimize-hook-
destructuring.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  react-loadable-
plugin.d.ts
│           │   │   │   │   │   │   │   ├── [7.8K]  react-loadable-
plugin.js
```

```
│           │   │   │   │   │   │   │   └── [ 12K]  react-loadable-
plugin.js.map
│           │   │   │   │   │   │   ├── [ 809]  preset.d.ts
│           │   │   │   │   │   │   ├── [7.4K]  preset.js
│           │   │   │   │   │   │   └── [ 12K]  preset.js.map
│           │   │   │   │   │   ├── [2.0K]  build-context.d.ts
│           │   │   │   │   │   ├── [1.6K]  build-context.js
│           │   │   │   │   │   ├── [3.9K]  build-context.js.map
│           │   │   │   │   │   ├── [ 757]  collect-build-traces.d.ts
│           │   │   │   │   │   ├── [ 24K]  collect-build-traces.js
│           │   │   │   │   │   ├── [ 35K]  collect-build-traces.js.map
│           │   │   │   │   │   ├── [ 543]  compiler.d.ts
│           │   │   │   │   │   ├── [3.2K]  compiler.js
│           │   │   │   │   │   ├── [4.7K]  compiler.js.map
│           │   │   │   │   │   ├── [1.3K]  create-compiler-aliases.d.ts
│           │   │   │   │   │   ├── [ 26K]  create-compiler-aliases.js
│           │   │   │   │   │   ├── [ 39K]  create-compiler-
aliases.js.map
│           │   │   │   │   │   ├── [1.2K]  define-env.d.ts
│           │   │   │   │   │   ├── [ 14K]  define-env.js
│           │   │   │   │   │   ├── [ 23K]  define-env.js.map
│           │   │   │   │   │   ├── [  69]  deployment-id.d.ts
│           │   │   │   │   │   ├── [ 466]  deployment-id.js
│           │   │   │   │   │   ├── [ 523]  deployment-id.js.map
│           │   │   │   │   │   ├── [  76]  duration-to-string.d.ts
│           │   │   │   │   │   ├── [ 758]  duration-to-string.js
│           │   │   │   │   │   ├── [1.1K]  duration-to-string.js.map
│           │   │   │   │   │   ├── [8.0K]  entries.d.ts
│           │   │   │   │   │   ├── [ 37K]  entries.js
│           │   │   │   │   │   ├── [ 61K]  entries.js.map
│           │   │   │   │   │   ├── [ 138]  generate-build-id.d.ts
│           │   │   │   │   │   ├── [1006]  generate-build-id.js
│           │   │   │   │   │   ├── [1.2K]  generate-build-id.js.map
│           │   │   │   │   │   ├── [  77]  get-babel-config-file.d.ts
│           │   │   │   │   │   ├── [ 856]  get-babel-config-file.js
│           │   │   │   │   │   ├── [1.1K]  get-babel-config-file.js.map
│           │   │   │   │   │   ├── [1.7K]  get-babel-loader-config.d.ts
│           │   │   │   │   │   ├── [3.5K]  get-babel-loader-config.js
│           │   │   │   │   │   ├── [4.8K]  get-babel-loader-
config.js.map
│           │   │   │   │   │   ├── [ 470]  handle-entrypoints.d.ts
│           │   │   │   │   │   ├── [6.4K]  handle-entrypoints.js
│           │   │   │   │   │   ├── [7.0K]  handle-entrypoints.js.map
│           │   │   │   │   │   ├── [1.4K]  handle-externals.d.ts
│           │   │   │   │   │   ├── [ 14K]  handle-externals.js
│           │   │   │   │   │   ├── [ 21K]  handle-externals.js.map
│           │   │   │   │   │   ├── [9.1K]  index.d.ts
│           │   │   │   │   │   ├── [150K]  index.js
│           │   │   │   │   │   ├── [221K]  index.js.map
│           │   │   │   │   │   ├── [  74]  is-writeable.d.ts
│           │   │   │   │   │   ├── [ 653]  is-writeable.js
│           │   │   │   │   │   ├── [ 656]  is-writeable.js.map
│           │   │   │   │   │   ├── [ 288]  jest
│           │   │   │   │   │   │   ├── [ 448]  __mocks__
│           │   │   │   │   │   │   │   ├── [   0]  empty.d.ts
│           │   │   │   │   │   │   │   ├── [ 433]  empty.js
```

```
│   │   │   │   │   │   │   │   ├── [ 210]  empty.js.map
│   │   │   │   │   │   │   │   ├── [   0]  fileMock.d.ts
│   │   │   │   │   │   │   │   ├── [ 500]  fileMock.js
│   │   │   │   │   │   │   │   ├── [ 389]  fileMock.js.map
│   │   │   │   │   │   │   │   ├── [   0]  nextFontMock.d.ts
│   │   │   │   │   │   │   │   ├── [ 655]  nextFontMock.js
│   │   │   │   │   │   │   │   ├── [ 615]  nextFontMock.js.map
│   │   │   │   │   │   │   │   ├── [   0]  styleMock.d.ts
│   │   │   │   │   │   │   │   ├── [ 397]  styleMock.js
│   │   │   │   │   │   │   │   └── [ 207]  styleMock.js.map
│   │   │   │   │   │   │   ├── [ 960]  jest.d.ts
│   │   │   │   │   │   │   ├── [ 10K]  jest.js
│   │   │   │   │   │   │   ├── [ 11K]  jest.js.map
│   │   │   │   │   │   │   ├── [  53]  object-proxy.d.ts
│   │   │   │   │   │   │   ├── [1.9K]  object-proxy.js
│   │   │   │   │   │   │   └── [1.8K]  object-proxy.js.map
│   │   │   │   │   │   ├── [1009]  load-entrypoint.d.ts
│   │   │   │   │   │   ├── [1.5K]  load-entrypoint.js
│   │   │   │   │   │   ├── [3.0K]  load-entrypoint.js.map
│   │   │   │   │   │   ├── [ 514]  load-jsconfig.d.ts
│   │   │   │   │   │   ├── [5.6K]  load-jsconfig.js
│   │   │   │   │   │   ├── [6.4K]  load-jsconfig.js.map
│   │   │   │   │   │   ├── [  96]  manifests
│   │   │   │   │   │   │   └── [ 160]  formatter
│   │   │   │   │   │   │       ├── [ 291]  format-manifest.d.ts
│   │   │   │   │   │   │       ├── [ 557]  format-manifest.js
│   │   │   │   │   │   │       └── [ 635]  format-
manifest.js.map
│   │   │   │   │   │   ├── [ 256]  next-config-ts
│   │   │   │   │   │   │   ├── [ 252]  require-hook.d.ts
│   │   │   │   │   │   │   ├── [2.6K]  require-hook.js
│   │   │   │   │   │   │   ├── [3.6K]  require-hook.js.map
│   │   │   │   │   │   │   ├── [ 175]  transpile-config.d.ts
│   │   │   │   │   │   │   ├── [4.0K]  transpile-config.js
│   │   │   │   │   │   │   └── [6.5K]  transpile-config.js.map
│   │   │   │   │   │   ├── [ 161]  next-dir-paths.d.ts
│   │   │   │   │   │   ├── [1.1K]  next-dir-paths.js
│   │   │   │   │   │   ├── [ 735]  next-dir-paths.js.map
│   │   │   │   │   │   ├── [ 609]  normalize-catchall-
routes.d.ts
│   │   │   │   │   │   ├── [4.0K]  normalize-catchall-routes.js
│   │   │   │   │   │   ├── [6.5K]  normalize-catchall-
routes.js.map
│   │   │   │   │   │   ├── [ 448]  output
│   │   │   │   │   │   │   ├── [ 220]  format.d.ts
│   │   │   │   │   │   │   ├── [2.1K]  format.js
│   │   │   │   │   │   │   ├── [3.1K]  format.js.map
│   │   │   │   │   │   │   ├── [ 702]  index.d.ts
│   │   │   │   │   │   │   ├── [9.0K]  index.js
│   │   │   │   │   │   │   ├── [ 15K]  index.js.map
│   │   │   │   │   │   │   ├── [ 739]  log.d.ts
│   │   │   │   │   │   │   ├── [3.4K]  log.js
│   │   │   │   │   │   │   ├── [4.6K]  log.js.map
│   │   │   │   │   │   │   ├── [ 630]  store.d.ts
│   │   │   │   │   │   │   ├── [6.8K]  store.js
│   │   │   │   │   │   │   └── [9.0K]  store.js.map
```

```
│           │   │   │   │   │   ├── [  39]  page-extensions-type.d.ts
│           │   │   │   │   │   ├── [ 130]  page-extensions-type.js
│           │   │   │   │   │   ├── [  67]  page-extensions-type.js.map
│           │   │   │   │   │   ├── [ 384]  polyfills
│           │   │   │   │   │   │   ├── [ 256]  fetch
│           │   │   │   │   │   │   │   ├── [ 113]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 181]  index.js
│           │   │   │   │   │   │   │   ├── [ 463]  index.js.map
│           │   │   │   │   │   │   │   ├── [   0]  whatwg-fetch.d.ts
│           │   │   │   │   │   │   │   ├── [ 200]  whatwg-fetch.js
│           │   │   │   │   │   │   │   └── [ 497]  whatwg-fetch.js.map
│           │   │   │   │   │   │   ├── [ 286]  object-assign.d.ts
│           │   │   │   │   │   │   ├── [ 163]  object-assign.js
│           │   │   │   │   │   │   ├── [ 412]  object-assign.js.map
│           │   │   │   │   │   │   ├── [ 544]  object.assign
│           │   │   │   │   │   │   │   ├── [   0]  auto.d.ts
│           │   │   │   │   │   │   │   ├── [  55]  auto.js
│           │   │   │   │   │   │   │   ├── [ 163]  auto.js.map
│           │   │   │   │   │   │   │   ├── [   0]  implementation.d.ts
│           │   │   │   │   │   │   │   ├── [  89]  implementation.js
│           │   │   │   │   │   │   │   ├── [ 257]
implementation.js.map
│           │   │   │   │   │   │   │   ├── [ 574]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 304]  index.js
│           │   │   │   │   │   │   │   ├── [ 704]  index.js.map
│           │   │   │   │   │   │   │   ├── [   0]  polyfill.d.ts
│           │   │   │   │   │   │   │   ├── [ 110]  polyfill.js
│           │   │   │   │   │   │   │   ├── [ 294]  polyfill.js.map
│           │   │   │   │   │   │   │   ├── [   0]  shim.d.ts
│           │   │   │   │   │   │   │   ├── [ 106]  shim.js
│           │   │   │   │   │   │   │   └── [ 290]  shim.js.map
│           │   │   │   │   │   │   ├── [1.3K]  polyfill-module.js
│           │   │   │   │   │   │   ├── [110K]  polyfill-nomodule.js
│           │   │   │   │   │   │   ├── [   0]  process.d.ts
│           │   │   │   │   │   │   ├── [ 341]  process.js
│           │   │   │   │   │   │   └── [ 549]  process.js.map
│           │   │   │   │   │   ├── [ 206]  preview-key-utils.d.ts
│           │   │   │   │   │   ├── [3.6K]  preview-key-utils.js
│           │   │   │   │   │   ├── [5.8K]  preview-key-utils.js.map
│           │   │   │   │   │   ├── [ 120]  progress.d.ts
│           │   │   │   │   │   ├── [4.6K]  progress.js
│           │   │   │   │   │   ├── [4.5K]  progress.js.map
│           │   │   │   │   │   ├── [ 506]  rendering-mode.d.ts
│           │   │   │   │   │   ├── [ 826]  rendering-mode.js
│           │   │   │   │   │   ├── [ 721]  rendering-mode.js.map
│           │   │   │   │   │   ├── [ 160]  segment-config
│           │   │   │   │   │   │   ├── [ 352]  app
│           │   │   │   │   │   │   │   ├── [1.4K]  app-segment-
config.d.ts
│           │   │   │   │   │   │   │   ├── [3.0K]  app-segment-
config.js
│           │   │   │   │   │   │   │   ├── [5.8K]  app-segment-
config.js.map
│           │   │   │   │   │   │   │   ├── [1.0K]  app-segments.d.ts
│           │   │   │   │   │   │   │   ├── [6.4K]  app-segments.js
│           │   │   │   │   │   │   │   ├── [ 10K]  app-segments.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 543]  collect-root-param-
keys.d.ts
│           │   │   │   │   │   │   │   ├── [2.0K]  collect-root-param-
keys.js
│           │   │   │   │   │   │   │   └── [3.2K]  collect-root-param-
keys.js.map
│           │   │   │   │   │   │   ├── [ 160]  middleware
│           │   │   │   │   │   │   │   ├── [ 632]  middleware-
config.d.ts
│           │   │   │   │   │   │   │   ├── [3.7K]  middleware-config.js
│           │   │   │   │   │   │   │   └── [6.5K]  middleware-
config.js.map
│           │   │   │   │   │   │   └── [ 160]  pages
│           │   │   │   │   │   │       ├── [1012]  pages-segment-
config.d.ts
│           │   │   │   │   │   │       ├── [2.0K]  pages-segment-
config.js
│           │   │   │   │   │   │       └── [3.7K]  pages-segment-
config.js.map
│           │   │   │   │   │   ├── [ 218]  spinner.d.ts
│           │   │   │   │   │   ├── [4.6K]  spinner.js
│           │   │   │   │   │   ├── [4.9K]  spinner.js.map
│           │   │   │   │   │   ├── [ 448]  static-paths
│           │   │   │   │   │   │   ├── [6.2K]  app.d.ts
│           │   │   │   │   │   │   ├── [ 32K]  app.js
│           │   │   │   │   │   │   ├── [ 49K]  app.js.map
│           │   │   │   │   │   │   ├── [ 391]  pages.d.ts
│           │   │   │   │   │   │   ├── [9.0K]  pages.js
│           │   │   │   │   │   │   ├── [ 13K]  pages.js.map
│           │   │   │   │   │   │   ├── [1.3K]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   ├── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [ 499]  utils.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  utils.js
│           │   │   │   │   │   │   └── [1.3K]  utils.js.map
│           │   │   │   │   │   ├── [ 608]  swc
│           │   │   │   │   │   │   ├── [ 16K]  generated-native.d.ts
│           │   │   │   │   │   │   ├── [ 819]  generated-wasm.d.ts
│           │   │   │   │   │   │   ├── [  54]  helpers.d.ts
│           │   │   │   │   │   │   ├── [ 301]  helpers.js
│           │   │   │   │   │   │   ├── [ 274]  helpers.js.map
│           │   │   │   │   │   │   ├── [2.4K]  index.d.ts
│           │   │   │   │   │   │   ├── [ 50K]  index.js
│           │   │   │   │   │   │   ├── [ 79K]  index.js.map
│           │   │   │   │   │   │   ├── [ 608]  jest-transformer.d.ts
│           │   │   │   │   │   │   ├── [3.4K]  jest-transformer.js
│           │   │   │   │   │   │   ├── [5.3K]  jest-transformer.js.map
│           │   │   │   │   │   │   ├── [5.6K]  options.d.ts
│           │   │   │   │   │   │   ├── [ 16K]  options.js
│           │   │   │   │   │   │   ├── [ 26K]  options.js.map
│           │   │   │   │   │   │   ├── [ 11K]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   └── [  67]  types.js.map
│           │   │   │   │   │   ├── [1.0K]  templates
│           │   │   │   │   │   │   ├── [ 898]  app-page.d.ts
│           │   │   │   │   │   │   ├── [ 51K]  app-page.js
```

```
│               │   │   │   │   │   │   ├── [ 69K]  app-page.js.map
│               │   │   │   │   │   │   ├── [ 791]  app-route.d.ts
│               │   │   │   │   │   │   ├── [ 18K]  app-route.js
│               │   │   │   │   │   │   ├── [ 24K]  app-route.js.map
│               │   │   │   │   │   │   ├── [ 210]  edge-app-route.d.ts
│               │   │   │   │   │   │   ├── [2.9K]  edge-app-route.js
│               │   │   │   │   │   │   ├── [2.1K]  edge-app-route.js.map
│               │   │   │   │   │   │   ├── [ 283]  edge-ssr-app.d.ts
│               │   │   │   │   │   │   ├── [ 13K]  edge-ssr-app.js
│               │   │   │   │   │   │   ├── [ 20K]  edge-ssr-app.js.map
│               │   │   │   │   │   │   ├── [ 283]  edge-ssr.d.ts
│               │   │   │   │   │   │   ├── [ 13K]  edge-ssr.js
│               │   │   │   │   │   │   ├── [ 19K]  edge-ssr.js.map
│               │   │   │   │   │   │   ├── [ 266]  helpers.d.ts
│               │   │   │   │   │   │   ├── [1.1K]  helpers.js
│               │   │   │   │   │   │   ├── [1.4K]  helpers.js.map
│               │   │   │   │   │   │   ├── [ 262]  middleware.d.ts
│               │   │   │   │   │   │   ├── [3.7K]  middleware.js
│               │   │   │   │   │   │   ├── [3.7K]  middleware.js.map
│               │   │   │   │   │   │   ├── [ 302]  pages-api.d.ts
│               │   │   │   │   │   │   ├── [7.4K]  pages-api.js
│               │   │   │   │   │   │   ├── [9.6K]  pages-api.js.map
│               │   │   │   │   │   │   ├── [ 254]  pages-edge-api.d.ts
│               │   │   │   │   │   │   ├── [1.2K]  pages-edge-api.js
│               │   │   │   │   │   │   ├── [1.3K]  pages-edge-api.js.map
│               │   │   │   │   │   │   ├── [ 836]  pages.d.ts
│               │   │   │   │   │   │   ├── [5.3K]  pages.js
│               │   │   │   │   │   │   └── [4.0K]  pages.js.map
│               │   │   │   │   │   ├── [ 256]  turbopack-build
│               │   │   │   │   │   │   ├── [ 408]  impl.d.ts
│               │   │   │   │   │   │   ├── [9.5K]  impl.js
│               │   │   │   │   │   │   ├── [ 14K]  impl.js.map
│               │   │   │   │   │   │   ├── [ 113]  index.d.ts
│               │   │   │   │   │   │   ├── [2.6K]  index.js
│               │   │   │   │   │   │   └── [3.7K]  index.js.map
│               │   │   │   │   │   ├── [ 640]  turborepo-access-trace
│               │   │   │   │   │   │   ├── [ 394]  env.d.ts
│               │   │   │   │   │   │   ├── [ 732]  env.js
│               │   │   │   │   │   │   ├── [1.4K]  env.js.map
│               │   │   │   │   │   │   ├── [ 850]  helpers.d.ts
│               │   │   │   │   │   │   ├── [3.4K]  helpers.js
│               │   │   │   │   │   │   ├── [5.3K]  helpers.js.map
│               │   │   │   │   │   │   ├── [ 210]  index.d.ts
│               │   │   │   │   │   │   ├── [ 816]  index.js
│               │   │   │   │   │   │   ├── [ 560]  index.js.map
│               │   │   │   │   │   │   ├── [1.1K]  result.d.ts
│               │   │   │   │   │   │   ├── [1.8K]  result.js
│               │   │   │   │   │   │   ├── [3.2K]  result.js.map
│               │   │   │   │   │   │   ├── [ 388]  tcp.d.ts
│               │   │   │   │   │   │   ├── [1.4K]  tcp.js
│               │   │   │   │   │   │   ├── [2.2K]  tcp.js.map
│               │   │   │   │   │   │   ├── [1.2K]  types.d.ts
│               │   │   │   │   │   │   ├── [ 203]  types.js
│               │   │   │   │   │   │   └── [1.4K]  types.js.map
│               │   │   │   │   │   ├── [ 570]  type-check.d.ts
│               │   │   │   │   │   ├── [7.1K]  type-check.js
```

```
│           │   │   │   │   │   ├── [9.0K]  type-check.js.map
│           │   │   │   │   │   ├── [8.5K]  utils.d.ts
│           │   │   │   │   │   ├── [ 59K]  utils.js
│           │   │   │   │   │   ├── [ 94K]  utils.js.map
│           │   │   │   │   │   ├── [ 480]  webpack
│           │   │   │   │   │   │   ├── [ 192]  alias
│           │   │   │   │   │   │   │   ├── [1.2K]  react-dom-server-
experimental.js
│           │   │   │   │   │   │   │   ├── [1.9K]  react-dom-server-
experimental.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  react-dom-server.js
│           │   │   │   │   │   │   │   └── [1.8K]  react-dom-
server.js.map
│           │   │   │   │   │   │   ├── [ 783]  cache-invalidation.d.ts
│           │   │   │   │   │   │   ├── [3.4K]  cache-invalidation.js
│           │   │   │   │   │   │   ├── [4.7K]  cache-
invalidation.js.map
│           │   │   │   │   │   │   ├── [ 384]  config
│           │   │   │   │   │   │   │   ├── [ 224]  blocks
│           │   │   │   │   │   │   │   │   ├── [ 251]  base.d.ts
│           │   │   │   │   │   │   │   │   ├── [3.7K]  base.js
│           │   │   │   │   │   │   │   │   ├── [5.5K]  base.js.map
│           │   │   │   │   │   │   │   │   ├── [ 384]  css
│           │   │   │   │   │   │   │   │   │   ├── [ 504]  index.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [ 23K]  index.js
│           │   │   │   │   │   │   │   │   │   ├── [ 31K]  index.js.map
│           │   │   │   │   │   │   │   │   │   ├── [ 736]  loaders
│           │   │   │   │   │   │   │   │   │   │   ├── [ 297]
client.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [2.1K]
client.js
│           │   │   │   │   │   │   │   │   │   │   ├── [3.2K]
client.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── [ 102]  file-
resolve.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [ 481]  file-
resolve.js
│           │   │   │   │   │   │   │   │   │   │   ├── [ 685]  file-
resolve.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── [ 201]
getCssModuleLocalIdent.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [1.9K]
getCssModuleLocalIdent.js
│           │   │   │   │   │   │   │   │   │   │   ├── [2.8K]
getCssModuleLocalIdent.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── [ 289]
global.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [2.4K]
global.js
│           │   │   │   │   │   │   │   │   │   │   ├── [4.0K]
global.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── [  53]
index.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [ 649]  index.js
│           │   │   │   │   │   │   │   │   │   │   ├── [ 234]
index.js.map
```

```
│           │   │   │   │   │   │   │   │   │   │   ├── [ 289]
modules.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [3.5K]
modules.js
│           │   │   │   │   │   │   │   │   │   │   ├── [5.3K]
modules.js.map
│           │   │   │   │   │   │   │   │   │   │   ├── [ 261]  next-
font.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [2.2K]  next-
font.js
│           │   │   │   │   │   │   │   │   │   │   └── [3.8K]  next-
font.js.map
│           │   │   │   │   │   │   │   │   │   ├── [ 237]
messages.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [2.0K]  messages.js
│           │   │   │   │   │   │   │   │   │   ├── [2.0K]
messages.js.map
│           │   │   │   │   │   │   │   │   │   ├── [ 204]  plugins.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [8.5K]  plugins.js
│           │   │   │   │   │   │   │   │   │   └── [ 13K]
plugins.js.map
│           │   │   │   │   │   │   │   │   └── [ 256]  images
│           │   │   │   │   │   │   │   │       ├── [ 265]  index.d.ts
│           │   │   │   │   │   │   │   │       ├── [1.2K]  index.js
│           │   │   │   │   │   │   │   │       ├── [1.6K]  index.js.map
│           │   │   │   │   │   │   │   │       ├── [  63]
messages.d.ts
│           │   │   │   │   │   │   │   │       ├── [ 696]  messages.js
│           │   │   │   │   │   │   │   │       └── [ 775]
messages.js.map
│           │   │   │   │   │   │   │   ├── [ 477]  helpers.d.ts
│           │   │   │   │   │   │   │   ├── [2.4K]  helpers.js
│           │   │   │   │   │   │   │   ├── [2.9K]  helpers.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  index.d.ts
│           │   │   │   │   │   │   │   ├── [1.5K]  index.js
│           │   │   │   │   │   │   │   ├── [3.4K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 998]  utils.d.ts
│           │   │   │   │   │   │   │   ├── [ 324]  utils.js
│           │   │   │   │   │   │   │   └── [1.4K]  utils.js.map
│           │   │   │   │   │   │   ├── [2.6K]  loaders
│           │   │   │   │   │   │   │   ├── [  96]  css-loader
│           │   │   │   │   │   │   │   └── [ 512]  src
│           │   │   │   │   │   │   │       ├── [  99]
CssSyntaxError.d.ts
│           │   │   │   │   │   │   │       ├── [1.0K]
CssSyntaxError.js
│           │   │   │   │   │   │   │       ├── [1.6K]
CssSyntaxError.js.map
│           │   │   │   │   │   │   │       ├── [ 104]
camelcase.d.ts
│           │   │   │   │   │   │   │       ├── [4.2K]  camelcase.js
│           │   │   │   │   │   │   │       ├── [6.4K]
camelcase.js.map
│           │   │   │   │   │   │   │       ├── [  96]  index.d.ts
│           │   │   │   │   │   │   │       ├── [ 11K]  index.js
│           │   │   │   │   │   │   │       ├── [ 17K]  index.js.map
```

```
│           │   │   │   │   │   │   │   │       ├── [ 448]  plugins
│           │   │   │   │   │   │   │   │       │   ├── [ 194]
index.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [1.0K]  index.js
│           │   │   │   │   │   │   │   │       │   ├── [ 514]
index.js.map
│           │   │   │   │   │   │   │   │       │   ├── [ 177]  postcss-
icss-parser.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [4.1K]  postcss-
icss-parser.js
│           │   │   │   │   │   │   │   │       │   ├── [6.2K]  postcss-
icss-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── [ 295]  postcss-
import-parser.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [8.7K]  postcss-
import-parser.js
│           │   │   │   │   │   │   │   │       │   ├── [ 12K]  postcss-
import-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── [ 264]  postcss-
url-parser.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [ 14K]  postcss-
url-parser.js
│           │   │   │   │   │   │   │   │       │   └── [ 20K]  postcss-
url-parser.js.map
│           │   │   │   │   │   │   │   │       ├── [ 256]  runtime
│           │   │   │   │   │   │   │   │       │   ├── [ 128]  api.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [3.1K]  api.js
│           │   │   │   │   │   │   │   │       │   ├── [5.1K]
api.js.map
│           │   │   │   │   │   │   │   │       │   ├── [   0]
getUrl.d.ts
│           │   │   │   │   │   │   │   │       │   ├── [ 911]
getUrl.js
│           │   │   │   │   │   │   │   │       │   └── [1.7K]
getUrl.js.map
│           │   │   │   │   │   │   │   │       ├── [2.0K]  utils.d.ts
│           │   │   │   │   │   │   │   │       ├── [ 17K]  utils.js
│           │   │   │   │   │   │   │   │       └── [ 27K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [ 128]  devtool
│           │   │   │   │   │   │   │   │   ├── [4.3K]  devtool-style-
inject.js
│           │   │   │   │   │   │   │   │   └── [6.9K]  devtool-style-
inject.js.map
│           │   │   │   │   │   │   │   ├── [ 156]  empty-loader.d.ts
│           │   │   │   │   │   │   │   ├── [ 320]  empty-loader.js
│           │   │   │   │   │   │   │   ├── [ 388]  empty-loader.js.map
│           │   │   │   │   │   │   │   ├── [ 156]  error-loader.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  error-loader.js
│           │   │   │   │   │   │   │   ├── [1.6K]  error-loader.js.map
│           │   │   │   │   │   │   │   ├── [1.5K]  get-module-build-
info.d.ts
│           │   │   │   │   │   │   │   ├── [ 358]  get-module-build-
info.js
│           │   │   │   │   │   │   │   ├── [1.9K]  get-module-build-
info.js.map
│           │   │   │   │   │   │   │   ├── [  96]  lightningcss-loader
```

```
│           │   │   │   │   │   │   │   │   └── [ 640]  src
│           │   │   │   │   │   │   │   │       ├── [1000]  codegen.d.ts
│           │   │   │   │   │   │   │   │       ├── [6.4K]  codegen.js
│           │   │   │   │   │   │   │   │       ├── [ 11K]
codegen.js.map
│           │   │   │   │   │   │   │   │       ├── [ 135]  index.d.ts
│           │   │   │   │   │   │   │   │       ├── [ 649]  index.js
│           │   │   │   │   │   │   │   │       ├── [ 446]  index.js.map
│           │   │   │   │   │   │   │   │       ├── [  79]
interface.d.ts
│           │   │   │   │   │   │   │   │       ├── [ 398]  interface.js
│           │   │   │   │   │   │   │   │       ├── [ 306]
interface.js.map
│           │   │   │   │   │   │   │   │       ├── [ 211]  loader.d.ts
│           │   │   │   │   │   │   │   │       ├── [ 16K]  loader.js
│           │   │   │   │   │   │   │   │       ├── [ 24K]
loader.js.map
│           │   │   │   │   │   │   │   │       ├── [ 239]  minify.d.ts
│           │   │   │   │   │   │   │   │       ├── [4.2K]  minify.js
│           │   │   │   │   │   │   │   │       ├── [7.8K]
minify.js.map
│           │   │   │   │   │   │   │   │       ├── [  91]  utils.d.ts
│           │   │   │   │   │   │   │   │       ├── [1.7K]  utils.js
│           │   │   │   │   │   │   │   │       └── [3.1K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [ 352]  metadata
│           │   │   │   │   │   │   │   │   ├── [ 663]  discover.d.ts
│           │   │   │   │   │   │   │   │   ├── [4.8K]  discover.js
│           │   │   │   │   │   │   │   │   ├── [8.1K]  discover.js.map
│           │   │   │   │   │   │   │   │   ├── [ 491]  resolve-route-
data.d.ts
│           │   │   │   │   │   │   │   │   ├── [7.0K]  resolve-route-
data.js
│           │   │   │   │   │   │   │   │   ├── [ 11K]  resolve-route-
data.js.map
│           │   │   │   │   │   │   │   │   ├── [ 817]  types.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 159]  types.js
│           │   │   │   │   │   │   │   │   └── [1.1K]  types.js.map
│           │   │   │   │   │   │   │   ├── [ 639]  modularize-import-
loader.d.ts
│           │   │   │   │   │   │   │   ├── [1.2K]  modularize-import-
loader.js
│           │   │   │   │   │   │   │   ├── [1.7K]  modularize-import-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 256]  next-app-loader
│           │   │   │   │   │   │   │   │   ├── [ 540]  create-app-
route-code.d.ts
│           │   │   │   │   │   │   │   │   ├── [3.2K]  create-app-
route-code.js
│           │   │   │   │   │   │   │   │   ├── [4.9K]  create-app-
route-code.js.map
│           │   │   │   │   │   │   │   │   ├── [1.7K]  index.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 32K]  index.js
│           │   │   │   │   │   │   │   │   └── [ 47K]  index.js.map
│           │   │   │   │   │   │   │   ├── [3.1K]  next-barrel-
loader.d.ts
```

```
|           |   |   |   |   |   |   |   ├── [ 10K]  next-barrel-
loader.js
|           |   |   |   |   |   |   |   ├── [ 15K]  next-barrel-
loader.js.map
|           |   |   |   |   |   |   |   ├── [ 186]  next-client-pages-
loader.d.ts
|           |   |   |   |   |   |   |   ├── [1.2K]  next-client-pages-
loader.js
|           |   |   |   |   |   |   |   ├── [1.9K]  next-client-pages-
loader.js.map
|           |   |   |   |   |   |   |   ├── [ 160]  next-edge-app-route-
loader
|           |   |   |   |   |   |   |   |   ├── [ 445]  index.d.ts
|           |   |   |   |   |   |   |   |   ├── [2.4K]  index.js
|           |   |   |   |   |   |   |   |   └── [4.5K]  index.js.map
|           |   |   |   |   |   |   |   ├── [ 370]  next-edge-function-
loader.d.ts
|           |   |   |   |   |   |   |   ├── [1.9K]  next-edge-function-
loader.js
|           |   |   |   |   |   |   |   ├── [3.1K]  next-edge-function-
loader.js.map
|           |   |   |   |   |   |   |   ├── [ 160]  next-edge-ssr-loader
|           |   |   |   |   |   |   |   |   ├── [ 868]  index.d.ts
|           |   |   |   |   |   |   |   |   ├── [4.7K]  index.js
|           |   |   |   |   |   |   |   |   └── [9.5K]  index.js.map
|           |   |   |   |   |   |   |   ├── [ 161]  next-error-browser-
binary-loader.d.ts
|           |   |   |   |   |   |   |   ├── [ 714]  next-error-browser-
binary-loader.js
|           |   |   |   |   |   |   |   ├── [ 929]  next-error-browser-
binary-loader.js.map
|           |   |   |   |   |   |   |   ├── [ 476]  next-flight-action-
entry-loader.d.ts
|           |   |   |   |   |   |   |   ├── [ 972]  next-flight-action-
entry-loader.js
|           |   |   |   |   |   |   |   ├── [1.9K]  next-flight-action-
entry-loader.js.map
|           |   |   |   |   |   |   |   ├── [ 624]  next-flight-client-
entry-loader.d.ts
|           |   |   |   |   |   |   |   ├── [1.9K]  next-flight-client-
entry-loader.js
|           |   |   |   |   |   |   |   ├── [4.0K]  next-flight-client-
entry-loader.js.map
|           |   |   |   |   |   |   |   ├── [ 182]  next-flight-client-
module-loader.d.ts
|           |   |   |   |   |   |   |   ├── [2.2K]  next-flight-client-
module-loader.js
|           |   |   |   |   |   |   |   ├── [3.3K]  next-flight-client-
module-loader.js.map
|           |   |   |   |   |   |   |   ├── [ 420]  next-flight-css-
loader.d.ts
|           |   |   |   |   |   |   |   ├── [2.0K]  next-flight-css-
loader.js
|           |   |   |   |   |   |   |   ├── [3.0K]  next-flight-css-
loader.js.map
|           |   |   |   |   |   |   |   ├── [ 736]  next-flight-loader
```

```
|           |   |   |   |   |   |   |   ├── [ 213]  action-client-
wrapper.d.ts
|           |   |   |   |   |   |   |   ├── [1002]  action-client-
wrapper.js
|           |   |   |   |   |   |   |   ├── [ 894]  action-client-
wrapper.js.map
|           |   |   |   |   |   |   |   ├── [  72]  action-
validate.d.ts
|           |   |   |   |   |   |   |   ├── [1.0K]  action-
validate.js
|           |   |   |   |   |   |   |   ├── [1.1K]  action-
validate.js.map
|           |   |   |   |   |   |   |   ├── [  72]  cache-
wrapper.d.ts
|           |   |   |   |   |   |   |   ├── [ 342]  cache-wrapper.js
|           |   |   |   |   |   |   |   ├── [ 279]  cache-
wrapper.js.map
|           |   |   |   |   |   |   |   ├── [ 403]  index.d.ts
|           |   |   |   |   |   |   |   ├── [9.8K]  index.js
|           |   |   |   |   |   |   |   ├── [ 14K]  index.js.map
|           |   |   |   |   |   |   |   ├── [  61]  module-
proxy.d.ts
|           |   |   |   |   |   |   |   ├── [ 420]  module-proxy.js
|           |   |   |   |   |   |   |   ├── [ 515]  module-
proxy.js.map
|           |   |   |   |   |   |   |   ├── [  75]  server-
reference.d.ts
|           |   |   |   |   |   |   |   ├── [ 403]  server-
reference.js
|           |   |   |   |   |   |   |   ├── [ 372]  server-
reference.js.map
|           |   |   |   |   |   |   |   ├── [ 104]  track-dynamic-
import.d.ts
|           |   |   |   |   |   |   |   ├── [ 400]  track-dynamic-
import.js
|           |   |   |   |   |   |   |   └── [ 332]  track-dynamic-
import.js.map
|           |   |   |   |   |   |   ├── [ 237]  next-flight-server-
reference-proxy-loader.d.ts
|           |   |   |   |   |   |   ├── [1.3K]  next-flight-server-
reference-proxy-loader.js
|           |   |   |   |   |   |   ├── [1.8K]  next-flight-server-
reference-proxy-loader.js.map
|           |   |   |   |   |   |   ├── [ 256]  next-font-loader
|           |   |   |   |   |   |   |   ├── [  65]  index.d.ts
|           |   |   |   |   |   |   |   ├── [6.1K]  index.js
|           |   |   |   |   |   |   |   ├── [8.8K]  index.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  postcss-next-
font.d.ts
|           |   |   |   |   |   |   |   ├── [6.8K]  postcss-next-
font.js
|           |   |   |   |   |   |   |   └── [9.3K]  postcss-next-
font.js.map
|           |   |   |   |   |   |   ├── [ 256]  next-image-loader
|           |   |   |   |   |   |   |   ├── [ 447]  blur.d.ts
|           |   |   |   |   |   |   |   ├── [2.8K]  blur.js
```

```
│           │   │   │   │   │   │   │   │   ├── [4.7K]  blur.js.map
│           │   │   │   │   │   │   │   │   ├── [ 132]  index.d.ts
│           │   │   │   │   │   │   │   │   ├── [2.9K]  index.js
│           │   │   │   │   │   │   │   │   └── [4.5K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 248]  next-invalid-import-
error-loader.d.ts
│           │   │   │   │   │   │   │   ├── [ 568]  next-invalid-import-
error-loader.js
│           │   │   │   │   │   │   │   ├── [ 733]  next-invalid-import-
error-loader.js.map
│           │   │   │   │   │   │   │   ├── [ 506]  next-metadata-image-
loader.d.ts
│           │   │   │   │   │   │   │   ├── [6.2K]  next-metadata-image-
loader.js
│           │   │   │   │   │   │   │   ├── [9.5K]  next-metadata-image-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 398]  next-metadata-route-
loader.d.ts
│           │   │   │   │   │   │   │   ├── [9.2K]  next-metadata-route-
loader.js
│           │   │   │   │   │   │   │   ├── [ 13K]  next-metadata-route-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 115]  next-middleware-
asset-loader.d.ts
│           │   │   │   │   │   │   │   ├── [1.3K]  next-middleware-
asset-loader.js
│           │   │   │   │   │   │   │   ├── [1.5K]  next-middleware-
asset-loader.js.map
│           │   │   │   │   │   │   │   ├── [ 530]  next-middleware-
loader.d.ts
│           │   │   │   │   │   │   │   ├── [2.0K]  next-middleware-
loader.js
│           │   │   │   │   │   │   │   ├── [3.5K]  next-middleware-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 114]  next-middleware-
wasm-loader.d.ts
│           │   │   │   │   │   │   │   ├── [1.2K]  next-middleware-
wasm-loader.js
│           │   │   │   │   │   │   │   ├── [1.5K]  next-middleware-
wasm-loader.js.map
│           │   │   │   │   │   │   │   ├── [ 278]  next-root-params-
loader.d.ts
│           │   │   │   │   │   │   │   ├── [6.5K]  next-root-params-
loader.js
│           │   │   │   │   │   │   │   ├── [8.3K]  next-root-params-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 160]  next-route-loader
│           │   │   │   │   │   │   │   │   ├── [2.4K]  index.d.ts
│           │   │   │   │   │   │   │   │   ├── [5.2K]  index.js
│           │   │   │   │   │   │   │   │   └── [8.9K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 192]  next-style-loader
│           │   │   │   │   │   │   │   │   ├── [  11]  index.d.ts
│           │   │   │   │   │   │   │   │   ├── [7.3K]  index.js
│           │   │   │   │   │   │   │   │   ├── [ 11K]  index.js.map
│           │   │   │   │   │   │   │   │   └── [ 352]  runtime
```

```
│           │   │   │   │   │   │   │       ├── [  47]
injectStylesIntoLinkTag.d.ts
│           │   │   │   │   │   │   │       ├── [2.2K]
injectStylesIntoLinkTag.js
│           │   │   │   │   │   │   │       ├── [3.8K]
injectStylesIntoLinkTag.js.map
│           │   │   │   │   │   │   │       ├── [ 756]
injectStylesIntoStyleTag.d.ts
│           │   │   │   │   │   │   │       ├── [7.8K]
injectStylesIntoStyleTag.js
│           │   │   │   │   │   │   │       ├── [ 14K]
injectStylesIntoStyleTag.js.map
│           │   │   │   │   │   │   │       ├── [  77]
isEqualLocals.d.ts
│           │   │   │   │   │   │   │       ├── [ 550]
isEqualLocals.js
│           │   │   │   │   │   │   │       └── [1.2K]
isEqualLocals.js.map
│           │   │   │   │   │   │   ├── [ 866]  next-swc-loader.d.ts
│           │   │   │   │   │   │   ├── [ 11K]  next-swc-loader.js
│           │   │   │   │   │   │   ├── [ 15K]  next-swc-
loader.js.map
│           │   │   │   │   │   │   ├── [  96]  postcss-loader
│           │   │   │   │   │   │   │   └── [ 448]  src
│           │   │   │   │   │   │   │       ├── [ 270]  Error.d.ts
│           │   │   │   │   │   │   │       ├── [1.0K]  Error.js
│           │   │   │   │   │   │   │       ├── [1.7K]  Error.js.map
│           │   │   │   │   │   │   │       ├── [ 284]  Warning.d.ts
│           │   │   │   │   │   │   │       ├── [ 863]  Warning.js
│           │   │   │   │   │   │   │       ├── [1.4K]
Warning.js.map
│           │   │   │   │   │   │   │       ├── [ 246]  index.d.ts
│           │   │   │   │   │   │   │       ├── [4.4K]  index.js
│           │   │   │   │   │   │   │       ├── [6.8K]  index.js.map
│           │   │   │   │   │   │   │       ├── [ 229]  utils.d.ts
│           │   │   │   │   │   │   │       ├── [3.1K]  utils.js
│           │   │   │   │   │   │   │       └── [4.1K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 192]  resolve-url-loader
│           │   │   │   │   │   │   │   ├── [ 298]  index.d.ts
│           │   │   │   │   │   │   │   ├── [4.0K]  index.js
│           │   │   │   │   │   │   │   ├── [5.6K]  index.js.map
│           │   │   │   │   │   │   │   └── [ 448]  lib
│           │   │   │   │   │   │   │       ├── [ 270]  file-
protocol.d.ts
│           │   │   │   │   │   │   │       ├── [2.7K]  file-
protocol.js
│           │   │   │   │   │   │   │       ├── [3.1K]  file-
protocol.js.map
│           │   │   │   │   │   │   │       ├── [ 575]  join-
function.d.ts
│           │   │   │   │   │   │   │       ├── [7.7K]  join-
function.js
│           │   │   │   │   │   │   │       ├── [ 11K]  join-
function.js.map
│           │   │   │   │   │   │   │       ├── [ 102]  postcss.d.ts
│           │   │   │   │   │   │   │       ├── [4.2K]  postcss.js
```

```
|           |   |   |   |   |   |   |   |       ├── [5.7K]
postcss.js.map
|           |   |   |   |   |   |   |   |       ├── [ 287]  value-
processor.d.ts
|           |   |   |   |   |   |   |   |       ├── [5.0K]  value-
processor.js
|           |   |   |   |   |   |   |   |       └── [7.1K]  value-
processor.js.map
|           |   |   |   |   |   |   |   ├── [ 589]  utils.d.ts
|           |   |   |   |   |   |   |   ├── [3.7K]  utils.js
|           |   |   |   |   |   |   |   └── [5.7K]  utils.js.map
|           |   |   |   |   |   |   ├── [2.5K]  plugins
|           |   |   |   |   |   |   |   ├── [ 288]  app-build-manifest-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [2.2K]  app-build-manifest-
plugin.js
|           |   |   |   |   |   |   |   ├── [3.6K]  app-build-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [1.8K]  build-manifest-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 12K]  build-manifest-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 20K]  build-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 415]  copy-file-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [2.3K]  copy-file-plugin.js
|           |   |   |   |   |   |   |   ├── [3.8K]  copy-file-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 175]  css-chunking-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 14K]  css-chunking-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 20K]  css-chunking-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 574]  css-minimizer-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [4.1K]  css-minimizer-
plugin.js
|           |   |   |   |   |   |   |   ├── [6.5K]  css-minimizer-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 775]  devtools-ignore-
list-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [3.3K]  devtools-ignore-
list-plugin.js
|           |   |   |   |   |   |   |   ├── [5.6K]  devtools-ignore-
list-plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 869]  eval-source-map-dev-
tool-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [9.9K]  eval-source-map-dev-
tool-plugin.js
|           |   |   |   |   |   |   |   ├── [ 17K]  eval-source-map-dev-
tool-plugin.js.map
|           |   |   |   |   |   |   |   ├── [3.0K]  flight-client-entry-
plugin.d.ts
```

```
|           |   |   |   |   |   |   |   ├── [ 40K]  flight-client-entry-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 64K]  flight-client-entry-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [2.1K]  flight-manifest-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 23K]  flight-manifest-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 33K]  flight-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [2.2K]  jsconfig-paths-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [8.1K]  jsconfig-paths-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 14K]  jsconfig-paths-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 517]  memory-with-gc-
cache-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [4.6K]  memory-with-gc-
cache-plugin.js
|           |   |   |   |   |   |   |   ├── [6.8K]  memory-with-gc-
cache-plugin.js.map
|           |   |   |   |   |   |   |   ├── [1.7K]  middleware-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 29K]  middleware-plugin.js
|           |   |   |   |   |   |   |   ├── [ 48K]  middleware-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 190]  mini-css-extract-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 724]  mini-css-extract-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 568]  mini-css-extract-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [  96]  minify-webpack-
plugin
|           |   |   |   |   |   |   |   |   └── [ 160]  src
|           |   |   |   |   |   |   |   |       ├── [ 536]  index.d.ts
|           |   |   |   |   |   |   |   |       ├── [8.6K]  index.js
|           |   |   |   |   |   |   |   |       └── [ 15K]  index.js.map
|           |   |   |   |   |   |   |   ├── [ 305]  next-drop-client-
page-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [3.5K]  next-drop-client-
page-plugin.js
|           |   |   |   |   |   |   |   ├── [5.1K]  next-drop-client-
page-plugin.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  next-font-manifest-
plugin.d.ts
|           |   |   |   |   |   |   |   ├── [6.7K]  next-font-manifest-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 11K]  next-font-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [2.4K]  next-trace-
entrypoints-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [ 29K]  next-trace-
entrypoints-plugin.js
```

```
│           │   │   │   │   │   │   ├── [ 45K]  next-trace-
entrypoints-plugin.js.map
│           │   │   │   │   │   │   ├── [ 256]  next-types-plugin
│           │   │   │   │   │   │   │   ├── [1.2K]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 26K]  index.js
│           │   │   │   │   │   │   │   ├── [ 42K]  index.js.map
│           │   │   │   │   │   │   │   ├── [  48]  shared.d.ts
│           │   │   │   │   │   │   │   ├── [ 329]  shared.js
│           │   │   │   │   │   │   │   └── [ 332]  shared.js.map
│           │   │   │   │   │   │   ├── [ 416]  nextjs-require-
cache-hot-reloader.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  nextjs-require-
cache-hot-reloader.js
│           │   │   │   │   │   │   ├── [3.4K]  nextjs-require-
cache-hot-reloader.js.map
│           │   │   │   │   │   │   ├── [ 140]  optional-peer-
dependency-resolve-plugin.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  optional-peer-
dependency-resolve-plugin.js
│           │   │   │   │   │   │   ├── [3.0K]  optional-peer-
dependency-resolve-plugin.js.map
│           │   │   │   │   │   │   ├── [ 754]  pages-manifest-
plugin.d.ts
│           │   │   │   │   │   │   ├── [5.8K]  pages-manifest-
plugin.js
│           │   │   │   │   │   │   ├── [9.0K]  pages-manifest-
plugin.js.map
│           │   │   │   │   │   │   ├── [ 926]  profiling-
plugin.d.ts
│           │   │   │   │   │   │   ├── [ 13K]  profiling-plugin.js
│           │   │   │   │   │   │   ├── [ 22K]  profiling-
plugin.js.map
│           │   │   │   │   │   │   ├── [1.6K]  react-loadable-
plugin.d.ts
│           │   │   │   │   │   │   ├── [8.1K]  react-loadable-
plugin.js
│           │   │   │   │   │   │   ├── [ 13K]  react-loadable-
plugin.js.map
│           │   │   │   │   │   │   ├── [ 789]  rspack-flight-
client-entry-plugin.d.ts
│           │   │   │   │   │   │   ├── [4.3K]  rspack-flight-
client-entry-plugin.js
│           │   │   │   │   │   │   ├── [7.8K]  rspack-flight-
client-entry-plugin.js.map
│           │   │   │   │   │   │   ├── [ 284]  rspack-profiling-
plugin.d.ts
│           │   │   │   │   │   │   ├── [2.9K]  rspack-profiling-
plugin.js
│           │   │   │   │   │   │   ├── [3.8K]  rspack-profiling-
plugin.js.map
│           │   │   │   │   │   │   ├── [ 413]  slow-module-
detection-plugin.d.ts
│           │   │   │   │   │   │   ├── [8.4K]  slow-module-
detection-plugin.js
│           │   │   │   │   │   │   ├── [ 13K]  slow-module-
detection-plugin.js.map
```

```
|           |   |   |   |   |   |   |   ├── [ 326]  subresource-
integrity-plugin.d.ts
|           |   |   |   |   |   |   |   ├── [2.6K]  subresource-
integrity-plugin.js
|           |   |   |   |   |   |   |   ├── [4.3K]  subresource-
integrity-plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 352]  telemetry-plugin
|           |   |   |   |   |   |   |   |   ├── [2.2K]  telemetry-
plugin.d.ts
|           |   |   |   |   |   |   |   |   ├── [6.0K]  telemetry-
plugin.js
|           |   |   |   |   |   |   |   |   ├── [ 12K]  telemetry-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [ 326]  update-
telemetry-loader-context-from-swc.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.0K]  update-
telemetry-loader-context-from-swc.js
|           |   |   |   |   |   |   |   |   ├── [1.9K]  update-
telemetry-loader-context-from-swc.js.map
|           |   |   |   |   |   |   |   |   ├── [ 645]  use-cache-
tracker-utils.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.2K]  use-cache-
tracker-utils.js
|           |   |   |   |   |   |   |   |   └── [1.9K]  use-cache-
tracker-utils.js.map
|           |   |   |   |   |   |   |   └── [1.2K]  wellknown-errors-
plugin
|           |   |   |   |   |   |   |       ├── [ 434]
getModuleTrace.d.ts
|           |   |   |   |   |   |   |       ├── [3.6K]
getModuleTrace.js
|           |   |   |   |   |   |   |       ├── [5.0K]
getModuleTrace.js.map
|           |   |   |   |   |   |   |       ├── [ 159]  index.d.ts
|           |   |   |   |   |   |   |       ├── [1.9K]  index.js
|           |   |   |   |   |   |   |       ├── [2.6K]  index.js.map
|           |   |   |   |   |   |   |       ├── [ 310]  parse-dynamic-
code-evaluation-error.d.ts
|           |   |   |   |   |   |   |       ├── [ 925]  parse-dynamic-
code-evaluation-error.js
|           |   |   |   |   |   |   |       ├── [1.5K]  parse-dynamic-
code-evaluation-error.js.map
|           |   |   |   |   |   |   |       ├── [ 255]  parseBabel.d.ts
|           |   |   |   |   |   |   |       ├── [1.3K]  parseBabel.js
|           |   |   |   |   |   |   |       ├── [2.2K]
parseBabel.js.map
|           |   |   |   |   |   |   |       ├── [ 154]  parseCss.d.ts
|           |   |   |   |   |   |   |       ├── [1.3K]  parseCss.js
|           |   |   |   |   |   |   |       ├── [2.2K]  parseCss.js.map
|           |   |   |   |   |   |   |       ├── [ 254]
parseNextAppLoaderError.d.ts
|           |   |   |   |   |   |   |       ├── [ 827]
parseNextAppLoaderError.js
|           |   |   |   |   |   |   |       ├── [1.4K]
parseNextAppLoaderError.js.map
```

```
│           │   │   │   │   │   │   │       ├── [ 154]
parseNextFontError.d.ts
│           │   │   │   │   │   │   │       ├── [1.2K]
parseNextFontError.js
│           │   │   │   │   │   │   │       ├── [1.9K]
parseNextFontError.js.map
│           │   │   │   │   │   │   │       ├── [ 292]
parseNextInvalidImportError.d.ts
│           │   │   │   │   │   │   │       ├── [1.1K]
parseNextInvalidImportError.js
│           │   │   │   │   │   │   │       ├── [1.9K]
parseNextInvalidImportError.js.map
│           │   │   │   │   │   │   │       ├── [ 377]
parseNotFoundError.d.ts
│           │   │   │   │   │   │   │       ├── [8.0K]
parseNotFoundError.js
│           │   │   │   │   │   │   │       ├── [ 12K]
parseNotFoundError.js.map
│           │   │   │   │   │   │   │       ├── [ 183]  parseScss.d.ts
│           │   │   │   │   │   │   │       ├── [1.6K]  parseScss.js
│           │   │   │   │   │   │   │       ├── [2.6K]  parseScss.js.map
│           │   │   │   │   │   │   │       ├── [ 288]
simpleWebpackError.d.ts
│           │   │   │   │   │   │   │       ├── [ 403]
simpleWebpackError.js
│           │   │   │   │   │   │   │       ├── [ 864]
simpleWebpackError.js.map
│           │   │   │   │   │   │   │       ├── [ 287]
webpackModuleError.d.ts
│           │   │   │   │   │   │   │       ├── [5.0K]
webpackModuleError.js
│           │   │   │   │   │   │   │       └── [5.9K]
webpackModuleError.js.map
│           │   │   │   │   │   │   ├── [ 146]  stringify-request.d.ts
│           │   │   │   │   │   │   ├── [ 441]  stringify-request.js
│           │   │   │   │   │   │   ├── [ 697]  stringify-request.js.map
│           │   │   │   │   │   │   ├── [ 910]  utils.d.ts
│           │   │   │   │   │   │   ├── [4.4K]  utils.js
│           │   │   │   │   │   │   └── [7.0K]  utils.js.map
│           │   │   │   │   │   ├── [ 256]  webpack-build
│           │   │   │   │   │   │   ├── [ 882]  impl.d.ts
│           │   │   │   │   │   │   ├── [ 18K]  impl.js
│           │   │   │   │   │   │   ├── [ 25K]  impl.js.map
│           │   │   │   │   │   │   ├── [ 655]  index.d.ts
│           │   │   │   │   │   │   ├── [7.1K]  index.js
│           │   │   │   │   │   │   └── [8.7K]  index.js.map
│           │   │   │   │   │   ├── [ 160]  webpack-config-rules
│           │   │   │   │   │   │   ├── [ 223]  resolve.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  resolve.js
│           │   │   │   │   │   │   └── [1.9K]  resolve.js.map
│           │   │   │   │   │   ├── [4.7K]  webpack-config.d.ts
│           │   │   │   │   │   ├── [111K]  webpack-config.js
│           │   │   │   │   │   ├── [155K]  webpack-config.js.map
│           │   │   │   │   │   ├── [ 172]  worker.d.ts
│           │   │   │   │   │   ├── [ 890]  worker.js
│           │   │   │   │   │   ├── [ 523]  worker.js.map
```

```
│           │   │   │   │   │   ├── [  87]  write-build-id.d.ts
│           │   │   │   │   │   ├── [ 559]  write-build-id.js
│           │   │   │   │   │   └── [ 718]  write-build-id.js.map
│           │   │   │   │   ├── [ 960]  cli
│           │   │   │   │   │   ├── [ 160]  internal
│           │   │   │   │   │   │   ├── [  79]  turbo-trace-server.d.ts
│           │   │   │   │   │   │   ├── [ 478]  turbo-trace-server.js
│           │   │   │   │   │   │   └── [ 570]  turbo-trace-
server.js.map
│           │   │   │   │   │   ├── [ 596]  next-build.d.ts
│           │   │   │   │   │   ├── [3.4K]  next-build.js
│           │   │   │   │   │   ├── [5.8K]  next-build.js.map
│           │   │   │   │   │   ├── [ 561]  next-dev.d.ts
│           │   │   │   │   │   ├── [ 14K]  next-dev.js
│           │   │   │   │   │   ├── [ 21K]  next-dev.js.map
│           │   │   │   │   │   ├── [  62]  next-export.d.ts
│           │   │   │   │   │   ├── [ 626]  next-export.js
│           │   │   │   │   │   ├── [ 704]  next-export.js.map
│           │   │   │   │   │   ├── [ 487]  next-info.d.ts
│           │   │   │   │   │   ├── [ 20K]  next-info.js
│           │   │   │   │   │   ├── [ 29K]  next-info.js.map
│           │   │   │   │   │   ├── [ 719]  next-lint.d.ts
│           │   │   │   │   │   ├── [5.7K]  next-lint.js
│           │   │   │   │   │   ├── [9.4K]  next-lint.js.map
│           │   │   │   │   │   ├── [ 425]  next-start.d.ts
│           │   │   │   │   │   ├── [1.2K]  next-start.js
│           │   │   │   │   │   ├── [1.7K]  next-start.js.map
│           │   │   │   │   │   ├── [ 214]  next-telemetry.d.ts
│           │   │   │   │   │   ├── [1.7K]  next-telemetry.js
│           │   │   │   │   │   ├── [2.6K]  next-telemetry.js.map
│           │   │   │   │   │   ├── [ 344]  next-test.d.ts
│           │   │   │   │   │   ├── [8.0K]  next-test.js
│           │   │   │   │   │   ├── [ 11K]  next-test.js.map
│           │   │   │   │   │   ├── [ 196]  next-typegen.d.ts
│           │   │   │   │   │   ├── [6.7K]  next-typegen.js
│           │   │   │   │   │   └── [8.8K]  next-typegen.js.map
│           │   │   │   │   ├── [5.0K]  client
│           │   │   │   │   │   ├── [  79]  add-base-path.d.ts
│           │   │   │   │   │   ├── [1010]  add-base-path.js
│           │   │   │   │   │   ├── [ 973]  add-base-path.js.map
│           │   │   │   │   │   ├── [ 121]  add-locale.d.ts
│           │   │   │   │   │   ├── [1.0K]  add-locale.js
│           │   │   │   │   │   ├── [ 900]  add-locale.js.map
│           │   │   │   │   │   ├── [ 285]  app-bootstrap.d.ts
│           │   │   │   │   │   ├── [2.7K]  app-bootstrap.js
│           │   │   │   │   │   ├── [3.9K]  app-bootstrap.js.map
│           │   │   │   │   │   ├── [ 111]  app-build-id.d.ts
│           │   │   │   │   │   ├── [1.7K]  app-build-id.js
│           │   │   │   │   │   ├── [1.4K]  app-build-id.js.map
│           │   │   │   │   │   ├── [  91]  app-call-server.d.ts
│           │   │   │   │   │   ├── [1.1K]  app-call-server.js
│           │   │   │   │   │   ├── [1017]  app-call-server.js.map
│           │   │   │   │   │   ├── [ 256]  app-dir
│           │   │   │   │   │   │   ├── [ 231]  form.d.ts
│           │   │   │   │   │   │   ├── [7.3K]  form.js
│           │   │   │   │   │   │   ├── [ 11K]  form.js.map
```

```
│           │   │   │   │   │   │   ├── [6.3K]  link.d.ts
│           │   │   │   │   │   │   ├── [ 19K]  link.js
│           │   │   │   │   │   │   └── [ 34K]  link.js.map
│           │   │   │   │   │   ├── [  90]  app-find-source-map-url.d.ts
│           │   │   │   │   │   ├── [1.6K]  app-find-source-map-url.js
│           │   │   │   │   │   ├── [2.0K]  app-find-source-map-
url.js.map
│           │   │   │   │   │   ├── [  45]  app-globals.d.ts
│           │   │   │   │   │   ├── [ 708]  app-globals.js
│           │   │   │   │   │   ├── [ 591]  app-globals.js.map
│           │   │   │   │   │   ├── [ 625]  app-index.d.ts
│           │   │   │   │   │   ├── [ 11K]  app-index.js
│           │   │   │   │   │   ├── [ 17K]  app-index.js.map
│           │   │   │   │   │   ├── [  40]  app-link-gc.d.ts
│           │   │   │   │   │   ├── [4.4K]  app-link-gc.js
│           │   │   │   │   │   ├── [5.0K]  app-link-gc.js.map
│           │   │   │   │   │   ├── [  24]  app-next-dev.d.ts
│           │   │   │   │   │   ├── [1.2K]  app-next-dev.js
│           │   │   │   │   │   ├── [1.2K]  app-next-dev.js.map
│           │   │   │   │   │   ├── [  11]  app-next-turbopack.d.ts
│           │   │   │   │   │   ├── [1.3K]  app-next-turbopack.js
│           │   │   │   │   │   ├── [1.6K]  app-next-turbopack.js.map
│           │   │   │   │   │   ├── [  24]  app-next.d.ts
│           │   │   │   │   │   ├── [1.3K]  app-next.js
│           │   │   │   │   │   ├── [1.2K]  app-next.js.map
│           │   │   │   │   │   ├── [  11]  app-webpack.d.ts
│           │   │   │   │   │   ├── [3.1K]  app-webpack.js
│           │   │   │   │   │   ├── [3.1K]  app-webpack.js.map
│           │   │   │   │   │   ├── [ 363]  assign-location.d.ts
│           │   │   │   │   │   ├── [1.2K]  assign-location.js
│           │   │   │   │   │   ├── [1.5K]  assign-location.js.map
│           │   │   │   │   │   ├── [ 160]  compat
│           │   │   │   │   │   │   ├── [ 615]  router.d.ts
│           │   │   │   │   │   │   ├── [ 797]  router.js
│           │   │   │   │   │   │   └── [1.0K]  router.js.map
│           │   │   │   │   │   ├── [3.8K]  components
│           │   │   │   │   │   │   ├── [ 196]  app-router-
announcer.d.ts
│           │   │   │   │   │   │   ├── [3.3K]  app-router-announcer.js
│           │   │   │   │   │   │   ├── [4.6K]  app-router-
announcer.js.map
│           │   │   │   │   │   │   ├── [1.2K]  app-router-headers.d.ts
│           │   │   │   │   │   │   ├── [3.7K]  app-router-headers.js
│           │   │   │   │   │   │   ├── [3.0K]  app-router-
headers.js.map
│           │   │   │   │   │   │   ├── [2.0K]  app-router-instance.d.ts
│           │   │   │   │   │   │   ├── [ 14K]  app-router-instance.js
│           │   │   │   │   │   │   ├── [ 21K]  app-router-
instance.js.map
│           │   │   │   │   │   │   ├── [ 932]  app-router.d.ts
│           │   │   │   │   │   │   ├── [ 24K]  app-router.js
│           │   │   │   │   │   │   ├── [ 34K]  app-router.js.map
│           │   │   │   │   │   │   ├── [  80]  bailout-to-client-
rendering.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  bailout-to-client-
rendering.js
```

```
│           │   │   │   │   │   │   ├── [1.6K]  bailout-to-client-
rendering.js.map
│           │   │   │   │   │   │   ├── [1.4K]  bfcache.d.ts
│           │   │   │   │   │   │   ├── [3.9K]  bfcache.js
│           │   │   │   │   │   │   ├── [6.2K]  bfcache.js.map
│           │   │   │   │   │   │   ├── [ 736]  builtin
│           │   │   │   │   │   │   │   ├── [ 155]  default.d.ts
│           │   │   │   │   │   │   │   ├── [1.0K]  default.js
│           │   │   │   │   │   │   │   ├── [ 529]  default.js.map
│           │   │   │   │   │   │   │   ├── [  78]  forbidden.d.ts
│           │   │   │   │   │   │   │   ├── [ 885]  forbidden.js
│           │   │   │   │   │   │   │   ├── [ 551]  forbidden.js.map
│           │   │   │   │   │   │   │   ├── [ 222]  global-error.d.ts
│           │   │   │   │   │   │   │   ├── [3.2K]  global-error.js
│           │   │   │   │   │   │   │   ├── [2.7K]  global-error.js.map
│           │   │   │   │   │   │   │   ├── [ 107]  global-not-
found.d.ts
│           │   │   │   │   │   │   │   ├── [1.1K]  global-not-found.js
│           │   │   │   │   │   │   │   ├── [ 716]  global-not-
found.js.map
│           │   │   │   │   │   │   │   ├── [ 158]  layout.d.ts
│           │   │   │   │   │   │   │   ├── [1011]  layout.js
│           │   │   │   │   │   │   │   ├── [ 519]  layout.js.map
│           │   │   │   │   │   │   │   ├── [  77]  not-found.d.ts
│           │   │   │   │   │   │   │   ├── [ 880]  not-found.js
│           │   │   │   │   │   │   │   ├── [ 546]  not-found.js.map
│           │   │   │   │   │   │   │   ├── [  81]  unauthorized.d.ts
│           │   │   │   │   │   │   │   ├── [ 904]  unauthorized.js
│           │   │   │   │   │   │   │   └── [ 570]  unauthorized.js.map
│           │   │   │   │   │   │   ├── [ 876]  client-page.d.ts
│           │   │   │   │   │   │   ├── [2.5K]  client-page.js
│           │   │   │   │   │   │   ├── [3.8K]  client-page.js.map
│           │   │   │   │   │   │   ├── [ 842]  client-segment.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  client-segment.js
│           │   │   │   │   │   │   ├── [3.0K]  client-segment.js.map
│           │   │   │   │   │   │   ├── [ 230]  dev-root-http-access-
fallback-boundary.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  dev-root-http-access-
fallback-boundary.js
│           │   │   │   │   │   │   ├── [1.3K]  dev-root-http-access-
fallback-boundary.js.map
│           │   │   │   │   │   │   ├── [1.5K]  error-boundary.d.ts
│           │   │   │   │   │   │   ├── [5.4K]  error-boundary.js
│           │   │   │   │   │   │   ├── [7.2K]  error-boundary.js.map
│           │   │   │   │   │   │   ├── [ 256]  errors
│           │   │   │   │   │   │   │   ├── [ 870]  graceful-degrade-
boundary.d.ts
│           │   │   │   │   │   │   │   ├── [2.7K]  graceful-degrade-
boundary.js
│           │   │   │   │   │   │   │   ├── [3.9K]  graceful-degrade-
boundary.js.map
│           │   │   │   │   │   │   │   ├── [ 273]  root-error-
boundary.d.ts
│           │   │   │   │   │   │   │   ├── [1.7K]  root-error-
boundary.js
```

```
│           │   │   │   │   │   │   │   └── [1.7K]  root-error-
boundary.js.map
│           │   │   │   │   │   │   ├── [  44]  forbidden.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  forbidden.js
│           │   │   │   │   │   │   ├── [1.9K]  forbidden.js.map
│           │   │   │   │   │   │   ├── [  78]  handle-isr-error.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  handle-isr-error.js
│           │   │   │   │   │   │   ├── [1.3K]  handle-isr-error.js.map
│           │   │   │   │   │   │   ├── [ 326]  hooks-server-
context.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  hooks-server-context.js
│           │   │   │   │   │   │   ├── [1.2K]  hooks-server-
context.js.map
│           │   │   │   │   │   │   ├── [ 352]  http-access-fallback
│           │   │   │   │   │   │   │   ├── [ 771]  error-boundary.d.ts
│           │   │   │   │   │   │   │   ├── [6.0K]  error-boundary.js
│           │   │   │   │   │   │   │   ├── [8.9K]  error-
boundary.js.map
│           │   │   │   │   │   │   │   ├── [ 158]  error-fallback.d.ts
│           │   │   │   │   │   │   │   ├── [2.8K]  error-fallback.js
│           │   │   │   │   │   │   │   ├── [2.1K]  error-
fallback.js.map
│           │   │   │   │   │   │   │   ├── [ 914]  http-access-
fallback.d.ts
│           │   │   │   │   │   │   │   ├── [2.3K]  http-access-
fallback.js
│           │   │   │   │   │   │   │   └── [2.7K]  http-access-
fallback.js.map
│           │   │   │   │   │   │   ├── [ 431]  is-next-router-
error.d.ts
│           │   │   │   │   │   │   ├── [ 886]  is-next-router-error.js
│           │   │   │   │   │   │   ├── [ 899]  is-next-router-
error.js.map
│           │   │   │   │   │   │   ├── [ 999]  layout-router.d.ts
│           │   │   │   │   │   │   ├── [ 27K]  layout-router.js
│           │   │   │   │   │   │   ├── [ 37K]  layout-router.js.map
│           │   │   │   │   │   │   ├── [2.2K]  links.d.ts
│           │   │   │   │   │   │   ├── [ 14K]  links.js
│           │   │   │   │   │   │   ├── [ 21K]  links.js.map
│           │   │   │   │   │   │   ├── [ 154]  match-segments.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  match-segments.js
│           │   │   │   │   │   │   ├── [1.0K]  match-segments.js.map
│           │   │   │   │   │   │   ├── [ 256]  metadata
│           │   │   │   │   │   │   │   ├── [ 222]  async-metadata.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  async-metadata.js
│           │   │   │   │   │   │   │   ├── [1.4K]  async-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 140]  types.d.ts
│           │   │   │   │   │   │   │   ├── [ 439]  types.js
│           │   │   │   │   │   │   │   └── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [ 123]  nav-failure-handler.d.ts
│           │   │   │   │   │   │   ├── [2.4K]  nav-failure-handler.js
│           │   │   │   │   │   │   ├── [2.8K]  nav-failure-
handler.js.map
│           │   │   │   │   │   │   ├── [  11]  navigation-
untracked.d.ts
```

```
│           │   │   │   │   │   │   ├── [2.5K]  navigation-untracked.js
│           │   │   │   │   │   │   ├── [3.3K]  navigation-
untracked.js.map
│           │   │   │   │   │   │   ├── [4.5K]  navigation.d.ts
│           │   │   │   │   │   │   ├── [7.8K]  navigation.js
│           │   │   │   │   │   │   ├── [ 12K]  navigation.js.map
│           │   │   │   │   │   │   ├── [1.2K]  navigation.react-
server.d.ts
│           │   │   │   │   │   │   ├── [3.4K]  navigation.react-
server.js
│           │   │   │   │   │   │   ├── [2.8K]  navigation.react-
server.js.map
│           │   │   │   │   │   │   ├── [  42]  noop-head.d.ts
│           │   │   │   │   │   │   ├── [ 607]  noop-head.js
│           │   │   │   │   │   │   ├── [ 249]  noop-head.js.map
│           │   │   │   │   │   │   ├── [  43]  not-found.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  not-found.js
│           │   │   │   │   │   │   ├── [1.7K]  not-found.js.map
│           │   │   │   │   │   │   ├── [ 192]  promise-queue.d.ts
│           │   │   │   │   │   │   ├── [4.2K]  promise-queue.js
│           │   │   │   │   │   │   ├── [3.5K]  promise-queue.js.map
│           │   │   │   │   │   │   ├── [ 776]  redirect-boundary.d.ts
│           │   │   │   │   │   │   ├── [3.2K]  redirect-boundary.js
│           │   │   │   │   │   │   ├── [3.9K]  redirect-boundary.js.map
│           │   │   │   │   │   │   ├── [ 633]  redirect-error.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  redirect-error.js
│           │   │   │   │   │   │   ├── [2.1K]  redirect-error.js.map
│           │   │   │   │   │   │   ├── [ 120]  redirect-status-
code.d.ts
│           │   │   │   │   │   │   ├── [ 967]  redirect-status-code.js
│           │   │   │   │   │   │   ├── [ 330]  redirect-status-
code.js.map
│           │   │   │   │   │   │   ├── [2.4K]  redirect.d.ts
│           │   │   │   │   │   │   ├── [3.7K]  redirect.js
│           │   │   │   │   │   │   ├── [5.8K]  redirect.js.map
│           │   │   │   │   │   │   ├── [ 100]  render-from-template-
context.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  render-from-template-
context.js
│           │   │   │   │   │   │   ├── [ 645]  render-from-template-
context.js.map
│           │   │   │   │   │   │   ├── [2.2K]  router-reducer
│           │   │   │   │   │   │   │   ├── [1.5K]  aliased-prefetch-
navigations.d.ts
│           │   │   │   │   │   │   │   ├── [8.4K]  aliased-prefetch-
navigations.js
│           │   │   │   │   │   │   │   ├── [ 13K]  aliased-prefetch-
navigations.js.map
│           │   │   │   │   │   │   │   ├── [ 410]  apply-flight-
data.d.ts
│           │   │   │   │   │   │   │   ├── [2.5K]  apply-flight-data.js
│           │   │   │   │   │   │   │   ├── [3.4K]  apply-flight-
data.js.map
│           │   │   │   │   │   │   │   ├── [ 554]  apply-router-state-
patch-to-tree.d.ts
```

```
|           |   |   |   |   |   |   |   ├── [4.1K]  apply-router-state-
patch-to-tree.js
|           |   |   |   |   |   |   |   ├── [6.4K]  apply-router-state-
patch-to-tree.js.map
|           |   |   |   |   |   |   |   ├── [ 456]  clear-cache-node-
data-for-segment-path.d.ts
|           |   |   |   |   |   |   |   ├── [3.3K]  clear-cache-node-
data-for-segment-path.js
|           |   |   |   |   |   |   |   ├── [4.6K]  clear-cache-node-
data-for-segment-path.js.map
|           |   |   |   |   |   |   |   ├── [ 539]  compute-changed-
path.d.ts
|           |   |   |   |   |   |   |   ├── [5.4K]  compute-changed-
path.js
|           |   |   |   |   |   |   |   ├── [8.2K]  compute-changed-
path.js.map
|           |   |   |   |   |   |   |   ├── [ 122]  create-href-from-
url.d.ts
|           |   |   |   |   |   |   |   ├── [ 767]  create-href-from-
url.js
|           |   |   |   |   |   |   |   ├── [ 601]  create-href-from-
url.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  create-initial-
router-state.d.ts
|           |   |   |   |   |   |   |   ├── [6.3K]  create-initial-
router-state.js
|           |   |   |   |   |   |   |   ├── [8.9K]  create-initial-
router-state.js.map
|           |   |   |   |   |   |   |   ├── [ 172]  create-router-cache-
key.d.ts
|           |   |   |   |   |   |   |   ├── [1.4K]  create-router-cache-
key.js
|           |   |   |   |   |   |   |   ├── [1.4K]  create-router-cache-
key.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  fetch-server-
response.d.ts
|           |   |   |   |   |   |   |   ├── [ 14K]  fetch-server-
response.js
|           |   |   |   |   |   |   |   ├── [ 23K]  fetch-server-
response.js.map
|           |   |   |   |   |   |   |   ├── [ 688]  fill-cache-with-new-
subtree-data.d.ts
|           |   |   |   |   |   |   |   ├── [5.3K]  fill-cache-with-new-
subtree-data.js
|           |   |   |   |   |   |   |   ├── [8.2K]  fill-cache-with-new-
subtree-data.js.map
|           |   |   |   |   |   |   |   ├── [ 536]  fill-lazy-items-
till-leaf-with-head.d.ts
|           |   |   |   |   |   |   |   ├── [7.3K]  fill-lazy-items-
till-leaf-with-head.js
|           |   |   |   |   |   |   |   ├── [9.6K]  fill-lazy-items-
till-leaf-with-head.js.map
|           |   |   |   |   |   |   |   ├── [ 191]  handle-mutable.d.ts
|           |   |   |   |   |   |   |   ├── [3.4K]  handle-mutable.js
|           |   |   |   |   |   |   |   ├── [5.3K]  handle-
mutable.js.map
```

```
|           |   |   |   |   |   |   |   ├── [ 536]  handle-segment-
mismatch.d.ts
|           |   |   |   |   |   |   |   ├── [1.2K]  handle-segment-
mismatch.js
|           |   |   |   |   |   |   |   ├── [1.8K]  handle-segment-
mismatch.js.map
|           |   |   |   |   |   |   |   ├── [ 411]  invalidate-cache-
below-flight-segmentpath.d.ts
|           |   |   |   |   |   |   |   ├── [2.7K]  invalidate-cache-
below-flight-segmentpath.js
|           |   |   |   |   |   |   |   ├── [3.8K]  invalidate-cache-
below-flight-segmentpath.js.map
|           |   |   |   |   |   |   |   ├── [ 368]  invalidate-cache-by-
router-state.d.ts
|           |   |   |   |   |   |   |   ├── [1.4K]  invalidate-cache-by-
router-state.js
|           |   |   |   |   |   |   |   ├── [1.8K]  invalidate-cache-by-
router-state.js.map
|           |   |   |   |   |   |   |   ├── [ 198]  is-navigating-to-
new-root-layout.d.ts
|           |   |   |   |   |   |   |   ├── [2.4K]  is-navigating-to-
new-root-layout.js
|           |   |   |   |   |   |   |   ├── [3.0K]  is-navigating-to-
new-root-layout.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  ppr-navigations.d.ts
|           |   |   |   |   |   |   |   ├── [ 44K]  ppr-navigations.js
|           |   |   |   |   |   |   |   ├── [ 69K]  ppr-
navigations.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  prefetch-cache-
utils.d.ts
|           |   |   |   |   |   |   |   ├── [ 16K]  prefetch-cache-
utils.js
|           |   |   |   |   |   |   |   ├── [ 22K]  prefetch-cache-
utils.js.map
|           |   |   |   |   |   |   |   ├── [1.0K]  reducers
|           |   |   |   |   |   |   |   |   ├── [ 302]  find-head-in-
cache.d.ts
|           |   |   |   |   |   |   |   |   ├── [2.5K]  find-head-in-
cache.js
|           |   |   |   |   |   |   |   |   ├── [3.6K]  find-head-in-
cache.js.map
|           |   |   |   |   |   |   |   |   ├── [ 135]  get-segment-
value.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 685]  get-segment-
value.js
|           |   |   |   |   |   |   |   |   ├── [ 508]  get-segment-
value.js.map
|           |   |   |   |   |   |   |   |   ├── [ 193]  has-
interception-route-in-current-tree.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.5K]  has-
interception-route-in-current-tree.js
|           |   |   |   |   |   |   |   |   ├── [1.6K]  has-
interception-route-in-current-tree.js.map
|           |   |   |   |   |   |   |   |   ├── [ 292]  hmr-refresh-
reducer.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [4.6K]  hmr-refresh-
reducer.js
│           │   │   │   │   │   │   │   ├── [6.9K]  hmr-refresh-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 370]  navigate-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [ 21K]  navigate-
reducer.js
│           │   │   │   │   │   │   │   ├── [ 29K]  navigate-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 508]  prefetch-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [2.0K]  prefetch-
reducer.js
│           │   │   │   │   │   │   │   ├── [2.3K]  prefetch-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 204]  refresh-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [5.5K]  refresh-
reducer.js
│           │   │   │   │   │   │   │   ├── [8.0K]  refresh-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 204]  restore-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [2.5K]  restore-
reducer.js
│           │   │   │   │   │   │   │   ├── [3.2K]  restore-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 229]  server-action-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [ 15K]  server-action-
reducer.js
│           │   │   │   │   │   │   │   ├── [ 23K]  server-action-
reducer.js.map
│           │   │   │   │   │   │   │   ├── [ 216]  server-patch-
reducer.d.ts
│           │   │   │   │   │   │   │   ├── [3.3K]  server-patch-
reducer.js
│           │   │   │   │   │   │   │   └── [4.7K]  server-patch-
reducer.js.map
│           │   │   │   │   │   │   ├── [1.8K]  refetch-inactive-
parallel-segments.d.ts
│           │   │   │   │   │   │   ├── [4.8K]  refetch-inactive-
parallel-segments.js
│           │   │   │   │   │   │   ├── [7.7K]  refetch-inactive-
parallel-segments.js.map
│           │   │   │   │   │   │   ├── [8.9K]  router-reducer-
types.d.ts
│           │   │   │   │   │   │   ├── [2.4K]  router-reducer-
types.js
│           │   │   │   │   │   │   ├── [9.6K]  router-reducer-
types.js.map
│           │   │   │   │   │   │   ├── [ 261]  router-reducer.d.ts
│           │   │   │   │   │   │   ├── [2.7K]  router-reducer.js
│           │   │   │   │   │   │   ├── [3.2K]  router-
reducer.js.map
```

```
│           │   │   │   │   │   │   ├── [1.5K]  set-cache-busting-
search-param.d.ts
│           │   │   │   │   │   │   ├── [2.8K]  set-cache-busting-
search-param.js
│           │   │   │   │   │   │   ├── [4.7K]  set-cache-busting-
search-param.js.map
│           │   │   │   │   │   │   ├── [ 217]  should-hard-
navigate.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  should-hard-
navigate.js
│           │   │   │   │   │   │   └── [2.0K]  should-hard-
navigate.js.map
│           │   │   │   │   │   ├── [ 736]  segment-cache-impl
│           │   │   │   │   │   │   ├── [ 509]  cache-key.d.ts
│           │   │   │   │   │   │   ├── [ 877]  cache-key.js
│           │   │   │   │   │   │   ├── [1.4K]  cache-key.js.map
│           │   │   │   │   │   │   ├── [9.0K]  cache.d.ts
│           │   │   │   │   │   │   ├── [ 74K]  cache.js
│           │   │   │   │   │   │   ├── [116K]  cache.js.map
│           │   │   │   │   │   │   ├── [ 349]  lru.d.ts
│           │   │   │   │   │   │   ├── [4.0K]  lru.js
│           │   │   │   │   │   │   ├── [6.0K]  lru.js.map
│           │   │   │   │   │   │   ├── [1.6K]  navigation.d.ts
│           │   │   │   │   │   │   ├── [ 17K]  navigation.js
│           │   │   │   │   │   │   ├── [ 28K]  navigation.js.map
│           │   │   │   │   │   │   ├── [1.6K]  prefetch.d.ts
│           │   │   │   │   │   │   ├── [1.2K]  prefetch.js
│           │   │   │   │   │   │   ├── [2.8K]  prefetch.js.map
│           │   │   │   │   │   │   ├── [5.4K]  scheduler.d.ts
│           │   │   │   │   │   │   ├── [ 46K]  scheduler.js
│           │   │   │   │   │   │   ├── [ 72K]  scheduler.js.map
│           │   │   │   │   │   │   ├── [ 858]  tuple-map.d.ts
│           │   │   │   │   │   │   ├── [5.4K]  tuple-map.js
│           │   │   │   │   │   │   └── [8.3K]  tuple-map.js.map
│           │   │   │   │   │   ├── [3.4K]  segment-cache.d.ts
│           │   │   │   │   │   ├── [7.4K]  segment-cache.js
│           │   │   │   │   │   ├── [8.7K]  segment-cache.js.map
│           │   │   │   │   │   ├── [ 205]  static-generation-
bailout.d.ts
│           │   │   │   │   │   ├── [1.3K]  static-generation-
bailout.js
│           │   │   │   │   │   ├── [ 926]  static-generation-
bailout.js.map
│           │   │   │   │   │   ├── [ 160]  styles
│           │   │   │   │   │   │   ├── [  66]  access-error-
styles.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  access-error-
styles.js
│           │   │   │   │   │   │   └── [1.5K]  access-error-
styles.js.map
│           │   │   │   │   │   ├── [  47]  unauthorized.d.ts
│           │   │   │   │   │   ├── [2.1K]  unauthorized.js
│           │   │   │   │   │   ├── [2.0K]  unauthorized.js.map
│           │   │   │   │   │   ├── [ 790]  unrecognized-action-
error.d.ts
```

```
│           │   │   │   │   │   │   ├── [1.2K]  unrecognized-action-
error.js
│           │   │   │   │   │   │   ├── [1.5K]  unrecognized-action-
error.js.map
│           │   │   │   │   │   │   ├── [ 183]  unresolved-thenable.d.ts
│           │   │   │   │   │   │   ├── [ 769]  unresolved-thenable.js
│           │   │   │   │   │   │   ├── [ 450]  unresolved-
thenable.js.map
│           │   │   │   │   │   │   ├── [  64]  unstable-
rethrow.browser.d.ts
│           │   │   │   │   │   │   ├── [1011]  unstable-
rethrow.browser.js
│           │   │   │   │   │   │   ├── [ 832]  unstable-
rethrow.browser.js.map
│           │   │   │   │   │   │   ├── [ 591]  unstable-rethrow.d.ts
│           │   │   │   │   │   │   ├── [1.2K]  unstable-rethrow.js
│           │   │   │   │   │   │   ├── [1.1K]  unstable-rethrow.js.map
│           │   │   │   │   │   │   ├── [  64]  unstable-
rethrow.server.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  unstable-
rethrow.server.js
│           │   │   │   │   │   │   ├── [1.5K]  unstable-
rethrow.server.js.map
│           │   │   │   │   │   │   ├── [ 330]  use-action-queue.d.ts
│           │   │   │   │   │   │   ├── [2.8K]  use-action-queue.js
│           │   │   │   │   │   │   └── [3.2K]  use-action-queue.js.map
│           │   │   │   │   │   ├── [ 141]  detect-domain-locale.d.ts
│           │   │   │   │   │   ├── [ 922]  detect-domain-locale.js
│           │   │   │   │   │   ├── [ 722]  detect-domain-locale.js.map
│           │   │   │   │   │   ├── [ 800]  dev
│           │   │   │   │   │   │   ├── [  11]  amp-dev.d.ts
│           │   │   │   │   │   │   ├── [3.9K]  amp-dev.js
│           │   │   │   │   │   │   ├── [6.1K]  amp-dev.js.map
│           │   │   │   │   │   │   ├── [ 160]  error-overlay
│           │   │   │   │   │   │   │   ├── [  70]  websocket.d.ts
│           │   │   │   │   │   │   │   ├── [ 966]  websocket.js
│           │   │   │   │   │   │   │   └── [ 615]  websocket.js.map
│           │   │   │   │   │   │   ├── [  57]  fouc.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  fouc.js
│           │   │   │   │   │   │   ├── [2.0K]  fouc.js.map
│           │   │   │   │   │   │   ├── [ 354]  hot-middleware-
client.d.ts
│           │   │   │   │   │   │   ├── [4.3K]  hot-middleware-client.js
│           │   │   │   │   │   │   ├── [4.7K]  hot-middleware-
client.js.map
│           │   │   │   │   │   │   ├── [ 416]  hot-reloader
│           │   │   │   │   │   │   │   ├── [ 256]  app
│           │   │   │   │   │   │   │   │   ├── [ 401]  hot-reloader-
app.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 21K]  hot-reloader-
app.js
│           │   │   │   │   │   │   │   │   ├── [ 28K]  hot-reloader-
app.js.map
│           │   │   │   │   │   │   │   │   ├── [ 566]  use-
websocket.d.ts
│           │   │   │   │   │   │   │   │   ├── [4.3K]  use-websocket.js
```

```
│           │   │   │   │   │   │   │   └── [5.8K]  use-
websocket.js.map
│           │   │   │   │   │   │   ├── [  79]  get-socket-url.d.ts
│           │   │   │   │   │   │   ├── [1.4K]  get-socket-url.js
│           │   │   │   │   │   │   ├── [1.6K]  get-socket-
url.js.map
│           │   │   │   │   │   │   ├── [ 256]  pages
│           │   │   │   │   │   │   │   ├── [1.7K]  hot-reloader-
pages.d.ts
│           │   │   │   │   │   │   │   ├── [ 18K]  hot-reloader-
pages.js
│           │   │   │   │   │   │   │   ├── [ 25K]  hot-reloader-
pages.js.map
│           │   │   │   │   │   │   │   ├── [ 384]  websocket.d.ts
│           │   │   │   │   │   │   │   ├── [3.9K]  websocket.js
│           │   │   │   │   │   │   │   └── [5.3K]  websocket.js.map
│           │   │   │   │   │   │   ├── [ 409]  shared.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  shared.js
│           │   │   │   │   │   │   ├── [1.8K]  shared.js.map
│           │   │   │   │   │   │   ├── [ 888]  turbopack-hot-
reloader-common.d.ts
│           │   │   │   │   │   │   ├── [8.5K]  turbopack-hot-
reloader-common.js
│           │   │   │   │   │   │   └── [8.1K]  turbopack-hot-
reloader-common.js.map
│           │   │   │   │   │   ├── [  41]  noop-turbopack-hmr.d.ts
│           │   │   │   │   │   ├── [ 742]  noop-turbopack-hmr.js
│           │   │   │   │   │   ├── [ 386]  noop-turbopack-
hmr.js.map
│           │   │   │   │   │   ├── [  83]  on-demand-entries-
client.d.ts
│           │   │   │   │   │   ├── [2.1K]  on-demand-entries-
client.js
│           │   │   │   │   │   ├── [2.1K]  on-demand-entries-
client.js.map
│           │   │   │   │   │   ├── [ 861]  report-hmr-latency.d.ts
│           │   │   │   │   │   ├── [1.9K]  report-hmr-latency.js
│           │   │   │   │   │   ├── [2.5K]  report-hmr-
latency.js.map
│           │   │   │   │   │   ├── [  77]  runtime-error-
handler.d.ts
│           │   │   │   │   │   ├── [ 661]  runtime-error-handler.js
│           │   │   │   │   │   └── [ 305]  runtime-error-
handler.js.map
│           │   │   │   │   ├── [1.5K]  flight-data-helpers.d.ts
│           │   │   │   │   ├── [5.3K]  flight-data-helpers.js
│           │   │   │   │   ├── [8.5K]  flight-data-helpers.js.map
│           │   │   │   │   ├── [2.8K]  form-shared.d.ts
│           │   │   │   │   ├── [7.0K]  form-shared.js
│           │   │   │   │   ├── [ 11K]  form-shared.js.map
│           │   │   │   │   ├── [ 489]  form.d.ts
│           │   │   │   │   ├── [5.7K]  form.js
│           │   │   │   │   ├── [8.1K]  form.js.map
│           │   │   │   │   ├── [ 220]  get-domain-locale.d.ts
│           │   │   │   │   ├── [1.5K]  get-domain-locale.js
│           │   │   │   │   ├── [2.4K]  get-domain-locale.js.map
```

```
│           │   │   │   │   │   ├── [  60]  has-base-path.d.ts
│           │   │   │   │   │   ├── [ 807]  has-base-path.js
│           │   │   │   │   │   ├── [ 605]  has-base-path.js.map
│           │   │   │   │   │   ├── [1.0K]  head-manager.d.ts
│           │   │   │   │   │   ├── [4.9K]  head-manager.js
│           │   │   │   │   │   ├── [8.1K]  head-manager.js.map
│           │   │   │   │   │   ├── [1.3K]  image-component.d.ts
│           │   │   │   │   │   ├── [ 14K]  image-component.js
│           │   │   │   │   │   ├── [ 21K]  image-component.js.map
│           │   │   │   │   │   ├── [ 773]  index.d.ts
│           │   │   │   │   │   ├── [ 33K]  index.js
│           │   │   │   │   │   ├── [ 51K]  index.js.map
│           │   │   │   │   │   ├── [ 160]  legacy
│           │   │   │   │   │   │   ├── [1.9K]  image.d.ts
│           │   │   │   │   │   │   ├── [ 37K]  image.js
│           │   │   │   │   │   │   └── [ 56K]  image.js.map
│           │   │   │   │   │   ├── [ 160]  lib
│           │   │   │   │   │   │   ├── [ 193]  console.d.ts
│           │   │   │   │   │   │   ├── [5.7K]  console.js
│           │   │   │   │   │   │   └── [7.5K]  console.js.map
│           │   │   │   │   │   ├── [4.9K]  link.d.ts
│           │   │   │   │   │   ├── [ 19K]  link.js
│           │   │   │   │   │   ├── [ 34K]  link.js.map
│           │   │   │   │   │   ├── [  11]  next-dev-turbopack.d.ts
│           │   │   │   │   │   ├── [1.9K]  next-dev-turbopack.js
│           │   │   │   │   │   ├── [2.9K]  next-dev-turbopack.js.map
│           │   │   │   │   │   ├── [  20]  next-dev.d.ts
│           │   │   │   │   │   ├── [1.2K]  next-dev.js
│           │   │   │   │   │   ├── [1.2K]  next-dev.js.map
│           │   │   │   │   │   ├── [  48]  next-turbopack.d.ts
│           │   │   │   │   │   ├── [1.4K]  next-turbopack.js
│           │   │   │   │   │   ├── [2.3K]  next-turbopack.js.map
│           │   │   │   │   │   ├── [ 135]  next.d.ts
│           │   │   │   │   │   ├── [ 787]  next.js
│           │   │   │   │   │   ├── [ 860]  next.js.map
│           │   │   │   │   │   ├── [ 144]  normalize-locale-path.d.ts
│           │   │   │   │   │   ├── [ 883]  normalize-locale-path.js
│           │   │   │   │   │   ├── [ 883]  normalize-locale-path.js.map
│           │   │   │   │   │   ├── [ 190]  normalize-trailing-
slash.d.ts
│           │   │   │   │   │   ├── [1.4K]  normalize-trailing-slash.js
│           │   │   │   │   │   ├── [1.7K]  normalize-trailing-
slash.js.map
│           │   │   │   │   │   ├── [ 123]  page-bootstrap.d.ts
│           │   │   │   │   │   ├── [7.3K]  page-bootstrap.js
│           │   │   │   │   │   ├── [8.8K]  page-bootstrap.js.map
│           │   │   │   │   │   ├── [1.3K]  page-loader.d.ts
│           │   │   │   │   │   ├── [7.4K]  page-loader.js
│           │   │   │   │   │   ├── [ 12K]  page-loader.js.map
│           │   │   │   │   │   ├── [ 160]  portal
│           │   │   │   │   │   │   ├── [ 186]  index.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  index.js
│           │   │   │   │   │   │   └── [1.2K]  index.js.map
│           │   │   │   │   │   ├── [ 352]  react-client-callbacks
│           │   │   │   │   │   │   ├── [ 241]  error-boundary-
callbacks.d.ts
```

```
│           │   │   │   │   │   │   ├── [5.8K]  error-boundary-
callbacks.js
│           │   │   │   │   │   │   ├── [7.5K]  error-boundary-
callbacks.js.map
│           │   │   │   │   │   │   ├── [ 206]  on-recoverable-
error.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  on-recoverable-error.js
│           │   │   │   │   │   │   ├── [2.1K]  on-recoverable-
error.js.map
│           │   │   │   │   │   │   ├── [  66]  report-global-error.d.ts
│           │   │   │   │   │   │   ├── [ 799]  report-global-error.js
│           │   │   │   │   │   │   └── [ 685]  report-global-
error.js.map
│           │   │   │   │   │   ├── [  62]  remove-base-path.d.ts
│           │   │   │   │   │   ├── [1.1K]  remove-base-path.js
│           │   │   │   │   │   ├── [1.1K]  remove-base-path.js.map
│           │   │   │   │   │   ├── [  77]  remove-locale.d.ts
│           │   │   │   │   │   ├── [1.1K]  remove-locale.js
│           │   │   │   │   │   ├── [1.3K]  remove-locale.js.map
│           │   │   │   │   │   ├── [ 640]  request
│           │   │   │   │   │   │   ├── [ 119]  params.browser.d.ts
│           │   │   │   │   │   │   ├── [ 152]  params.browser.dev.d.ts
│           │   │   │   │   │   │   ├── [7.0K]  params.browser.dev.js
│           │   │   │   │   │   │   ├── [9.9K]
params.browser.dev.js.map
│           │   │   │   │   │   │   ├── [ 816]  params.browser.js
│           │   │   │   │   │   │   ├── [ 671]  params.browser.js.map
│           │   │   │   │   │   │   ├── [ 152]  params.browser.prod.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  params.browser.prod.js
│           │   │   │   │   │   │   ├── [2.5K]
params.browser.prod.js.map
│           │   │   │   │   │   │   ├── [ 138]  search-
params.browser.d.ts
│           │   │   │   │   │   │   ├── [ 193]  search-
params.browser.dev.d.ts
│           │   │   │   │   │   │   ├── [6.7K]  search-
params.browser.dev.js
│           │   │   │   │   │   │   ├── [ 10K]  search-
params.browser.dev.js.map
│           │   │   │   │   │   │   ├── [ 867]  search-params.browser.js
│           │   │   │   │   │   │   ├── [ 738]  search-
params.browser.js.map
│           │   │   │   │   │   │   ├── [ 193]  search-
params.browser.prod.d.ts
│           │   │   │   │   │   │   ├── [2.3K]  search-
params.browser.prod.js
│           │   │   │   │   │   │   └── [3.1K]  search-
params.browser.prod.js.map
│           │   │   │   │   │   ├── [ 265]  request-idle-callback.d.ts
│           │   │   │   │   │   ├── [1.4K]  request-idle-callback.js
│           │   │   │   │   │   ├── [1.4K]  request-idle-callback.js.map
│           │   │   │   │   │   ├── [ 396]  resolve-href.d.ts
│           │   │   │   │   │   ├── [5.4K]  resolve-href.js
│           │   │   │   │   │   ├── [7.7K]  resolve-href.js.map
│           │   │   │   │   │   ├── [ 115]  route-announcer.d.ts
│           │   │   │   │   │   ├── [3.2K]  route-announcer.js
```

```
│           │   │   │   │   │   ├── [3.5K]  route-announcer.js.map
│           │   │   │   │   │   ├── [1.7K]  route-loader.d.ts
│           │   │   │   │   │   ├── [ 14K]  route-loader.js
│           │   │   │   │   │   ├── [ 22K]  route-loader.js.map
│           │   │   │   │   │   ├── [1.1K]  route-params.d.ts
│           │   │   │   │   │   ├── [8.1K]  route-params.js
│           │   │   │   │   │   ├── [ 11K]  route-params.js.map
│           │   │   │   │   │   ├── [1.1K]  router.d.ts
│           │   │   │   │   │   ├── [6.6K]  router.js
│           │   │   │   │   │   ├── [8.6K]  router.js.map
│           │   │   │   │   │   ├── [ 923]  script.d.ts
│           │   │   │   │   │   ├── [ 14K]  script.js
│           │   │   │   │   │   ├── [ 18K]  script.js.map
│           │   │   │   │   │   ├── [  86]  set-attributes-from-
props.d.ts
│           │   │   │   │   │   ├── [2.3K]  set-attributes-from-props.js
│           │   │   │   │   │   ├── [3.0K]  set-attributes-from-
props.js.map
│           │   │   │   │   │   ├── [ 256]  tracing
│           │   │   │   │   │   │   ├── [  96]  report-to-socket.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  report-to-socket.js
│           │   │   │   │   │   │   ├── [1.1K]  report-to-socket.js.map
│           │   │   │   │   │   │   ├── [ 999]  tracer.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  tracer.js
│           │   │   │   │   │   │   └── [2.9K]  tracer.js.map
│           │   │   │   │   │   ├── [ 544]  trusted-types.d.ts
│           │   │   │   │   │   ├── [1.5K]  trusted-types.js
│           │   │   │   │   │   ├── [1.9K]  trusted-types.js.map
│           │   │   │   │   │   ├── [  53]  use-client-disallowed.d.ts
│           │   │   │   │   │   ├── [1006]  use-client-disallowed.js
│           │   │   │   │   │   ├── [ 753]  use-client-disallowed.js.map
│           │   │   │   │   │   ├── [ 412]  use-intersection.d.ts
│           │   │   │   │   │   ├── [3.8K]  use-intersection.js
│           │   │   │   │   │   ├── [6.5K]  use-intersection.js.map
│           │   │   │   │   │   ├── [ 139]  use-merged-ref.d.ts
│           │   │   │   │   │   ├── [2.3K]  use-merged-ref.js
│           │   │   │   │   │   ├── [3.4K]  use-merged-ref.js.map
│           │   │   │   │   │   ├── [ 156]  web-vitals.d.ts
│           │   │   │   │   │   ├── [1.1K]  web-vitals.js
│           │   │   │   │   │   ├── [1008]  web-vitals.js.map
│           │   │   │   │   │   ├── [  11]  webpack.d.ts
│           │   │   │   │   │   ├── [2.2K]  webpack.js
│           │   │   │   │   │   ├── [2.5K]  webpack.js.map
│           │   │   │   │   │   ├── [ 505]  with-router.d.ts
│           │   │   │   │   │   ├── [1.4K]  with-router.js
│           │   │   │   │   │   └── [1.9K]  with-router.js.map
│           │   │   │   │   ├── [4.5K]  compiled
│           │   │   │   │   │   ├── [  96]  @ampproject
│           │   │   │   │   │   │   └── [ 160]  toolbox-optimizer
│           │   │   │   │   │   │       ├── [ 11K]  LICENSE
│           │   │   │   │   │   │       ├── [491K]  index.js
│           │   │   │   │   │   │       └── [ 106]  package.json
│           │   │   │   │   │   ├── [  96]  @babel
│           │   │   │   │   │   │   └── [ 224]  runtime
│           │   │   │   │   │   │       ├── [1.1K]  LICENSE
│           │   │   │   │   │   │       ├── [ 267]  README.md
```

```
│           │   │   │   │   │   │       ├── [3.7K]  helpers
│           │   │   │   │   │   │       │   ├── [ 155]  AwaitValue.js
│           │   │   │   │   │   │       │   ├── [ 170]  OverloadYield.js
│           │   │   │   │   │   │       │   ├── [ 653]
applyDecoratedDescriptor.js
│           │   │   │   │   │   │       │   ├── [8.2K]  applyDecs.js
│           │   │   │   │   │   │       │   ├── [6.0K]  applyDecs2203.js
│           │   │   │   │   │   │       │   ├── [6.4K]
applyDecs2203R.js
│           │   │   │   │   │   │       │   ├── [7.3K]  applyDecs2301.js
│           │   │   │   │   │   │       │   ├── [5.0K]  applyDecs2305.js
│           │   │   │   │   │   │       │   ├── [4.5K]  applyDecs2311.js
│           │   │   │   │   │   │       │   ├── [ 268]
arrayLikeToArray.js
│           │   │   │   │   │   │       │   ├── [ 177]
arrayWithHoles.js
│           │   │   │   │   │   │       │   ├── [ 258]
arrayWithoutHoles.js
│           │   │   │   │   │   │       │   ├── [ 313]
assertClassBrand.js
│           │   │   │   │   │   │       │   ├── [ 276]
assertThisInitialized.js
│           │   │   │   │   │   │       │   ├── [ 841]
asyncGeneratorDelegate.js
│           │   │   │   │   │   │       │   ├── [1.5K]  asyncIterator.js
│           │   │   │   │   │   │       │   ├── [ 701]
asyncToGenerator.js
│           │   │   │   │   │   │       │   ├── [ 238]
awaitAsyncGenerator.js
│           │   │   │   │   │   │       │   ├── [ 509]  callSuper.js
│           │   │   │   │   │   │       │   ├── [ 326]  checkInRHS.js
│           │   │   │   │   │   │       │   ├── [ 271]
checkPrivateRedeclaration.js
│           │   │   │   │   │   │       │   ├── [ 410]
classApplyDescriptorDestructureSet.js
│           │   │   │   │   │   │       │   ├── [ 206]
classApplyDescriptorGet.js
│           │   │   │   │   │   │       │   ├── [ 311]
classApplyDescriptorSet.js
│           │   │   │   │   │   │       │   ├── [ 229]
classCallCheck.js
│           │   │   │   │   │   │       │   ├── [ 272]
classCheckPrivateStaticAccess.js
│           │   │   │   │   │   │       │   ├── [ 305]
classCheckPrivateStaticFieldDescriptor.js
│           │   │   │   │   │   │       │   ├── [ 277]
classExtractFieldDescriptor.js
│           │   │   │   │   │   │       │   ├── [ 246]
classNameTDZError.js
│           │   │   │   │   │   │       │   ├── [ 430]
classPrivateFieldDestructureSet.js
│           │   │   │   │   │   │       │   ├── [ 375]
classPrivateFieldGet.js
│           │   │   │   │   │   │       │   ├── [ 257]
classPrivateFieldGet2.js
```

```
|           |   |   |   |   |   |       |   ├── [ 294]
classPrivateFieldInitSpec.js
|           |   |   |   |   |   |       |   ├── [ 280]
classPrivateFieldLooseBase.js
|           |   |   |   |   |   |       |   ├── [ 207]
classPrivateFieldLooseKey.js
|           |   |   |   |   |   |       |   ├── [ 384]
classPrivateFieldSet.js
|           |   |   |   |   |   |       |   ├── [ 266]
classPrivateFieldSet2.js
|           |   |   |   |   |   |       |   ├── [ 250]
classPrivateGetter.js
|           |   |   |   |   |   |       |   ├── [ 256]
classPrivateMethodGet.js
|           |   |   |   |   |   |       |   ├── [ 290]
classPrivateMethodInitSpec.js
|           |   |   |   |   |   |       |   ├── [ 219]
classPrivateMethodSet.js
|           |   |   |   |   |   |       |   ├── [ 259]
classPrivateSetter.js
|           |   |   |   |   |   |       |   ├── [ 571]
classStaticPrivateFieldDestructureSet.js
|           |   |   |   |   |   |       |   ├── [ 524]
classStaticPrivateFieldSpecGet.js
|           |   |   |   |   |   |       |   ├── [ 533]
classStaticPrivateFieldSpecSet.js
|           |   |   |   |   |   |       |   ├── [ 268]
classStaticPrivateMethodGet.js
|           |   |   |   |   |   |       |   ├── [ 242]
classStaticPrivateMethodSet.js
|           |   |   |   |   |   |       |   ├── [ 475]  construct.js
|           |   |   |   |   |   |       |   ├── [ 583]  createClass.js
|           |   |   |   |   |   |       |   ├── [1.3K]
createForOfIteratorHelper.js
|           |   |   |   |   |   |       |   ├── [ 826]
createForOfIteratorHelperLoose.js
|           |   |   |   |   |   |       |   ├── [ 639]  createSuper.js
|           |   |   |   |   |   |       |   ├── [9.7K]  decorate.js
|           |   |   |   |   |   |       |   ├── [ 369]  defaults.js
|           |   |   |   |   |   |       |   ├── [ 261]
defineAccessor.js
|           |   |   |   |   |   |       |   ├── [ 580]
defineEnumerableProperties.js
|           |   |   |   |   |   |       |   ├── [ 362]
defineProperty.js
|           |   |   |   |   |   |       |   ├── [ 974]  dispose.js
|           |   |   |   |   |   |       |   ├── [3.7K]  esm
|           |   |   |   |   |   |       |   |   ├── [  82]
AwaitValue.js
|           |   |   |   |   |   |       |   |   ├── [  97]
OverloadYield.js
|           |   |   |   |   |   |       |   |   ├── [ 580]
applyDecoratedDescriptor.js
|           |   |   |   |   |   |       |   |   ├── [8.1K]  applyDecs.js
|           |   |   |   |   |   |       |   |   ├── [5.9K]
applyDecs2203.js
```

```
|           |   |   |   |   |   |       |   |   ├── [6.2K]
applyDecs2203R.js
|           |   |   |   |   |   |       |   |   ├── [7.1K]
applyDecs2301.js
|           |   |   |   |   |   |       |   |   ├── [4.9K]
applyDecs2305.js
|           |   |   |   |   |   |       |   |   ├── [4.4K]
applyDecs2311.js
|           |   |   |   |   |   |       |   |   ├── [ 195]
arrayLikeToArray.js
|           |   |   |   |   |   |       |   |   ├── [ 104]
arrayWithHoles.js
|           |   |   |   |   |   |       |   |   ├── [ 182]
arrayWithoutHoles.js
|           |   |   |   |   |   |       |   |   ├── [ 240]
assertClassBrand.js
|           |   |   |   |   |   |       |   |   ├── [ 203]
assertThisInitialized.js
|           |   |   |   |   |   |       |   |   ├── [ 765]
asyncGeneratorDelegate.js
|           |   |   |   |   |   |       |   |   ├── [1.5K]
asyncIterator.js
|           |   |   |   |   |   |       |   |   ├── [ 628]
asyncToGenerator.js
|           |   |   |   |   |   |       |   |   ├── [ 162]
awaitAsyncGenerator.js
|           |   |   |   |   |   |       |   |   ├── [ 427]  callSuper.js
|           |   |   |   |   |   |       |   |   ├── [ 239]
checkInRHS.js
|           |   |   |   |   |   |       |   |   ├── [ 198]
checkPrivateRedeclaration.js
|           |   |   |   |   |   |       |   |   ├── [ 337]
classApplyDescriptorDestructureSet.js
|           |   |   |   |   |   |       |   |   ├── [ 133]
classApplyDescriptorGet.js
|           |   |   |   |   |   |       |   |   ├── [ 238]
classApplyDescriptorSet.js
|           |   |   |   |   |   |       |   |   ├── [ 156]
classCallCheck.js
|           |   |   |   |   |   |       |   |   ├── [ 196]
classCheckPrivateStaticAccess.js
|           |   |   |   |   |   |       |   |   ├── [ 232]
classCheckPrivateStaticFieldDescriptor.js
|           |   |   |   |   |   |       |   |   ├── [ 201]
classExtractFieldDescriptor.js
|           |   |   |   |   |   |       |   |   ├── [ 173]
classNameTDZError.js
|           |   |   |   |   |   |       |   |   ├── [ 351]
classPrivateFieldDestructureSet.js
|           |   |   |   |   |   |       |   |   ├── [ 296]
classPrivateFieldGet.js
|           |   |   |   |   |   |       |   |   ├── [ 181]
classPrivateFieldGet2.js
|           |   |   |   |   |   |       |   |   ├── [ 218]
classPrivateFieldInitSpec.js
```

```
|           |   |   |   |   |   |       |   |   ├── [ 207]
classPrivateFieldLooseBase.js
|           |   |   |   |   |   |       |   |   ├── [ 134]
classPrivateFieldLooseKey.js
|           |   |   |   |   |   |       |   |   ├── [ 305]
classPrivateFieldSet.js
|           |   |   |   |   |   |       |   |   ├── [ 190]
classPrivateFieldSet2.js
|           |   |   |   |   |   |       |   |   ├── [ 174]
classPrivateGetter.js
|           |   |   |   |   |   |       |   |   ├── [ 180]
classPrivateMethodGet.js
|           |   |   |   |   |   |       |   |   ├── [ 214]
classPrivateMethodInitSpec.js
|           |   |   |   |   |   |       |   |   ├── [ 146]
classPrivateMethodSet.js
|           |   |   |   |   |   |       |   |   ├── [ 183]
classPrivateSetter.js
|           |   |   |   |   |   |       |   |   ├── [ 489]
classStaticPrivateFieldDestructureSet.js
|           |   |   |   |   |   |       |   |   ├── [ 442]
classStaticPrivateFieldSpecGet.js
|           |   |   |   |   |   |       |   |   ├── [ 451]
classStaticPrivateFieldSpecSet.js
|           |   |   |   |   |   |       |   |   ├── [ 192]
classStaticPrivateMethodGet.js
|           |   |   |   |   |   |       |   |   ├── [ 169]
classStaticPrivateMethodSet.js
|           |   |   |   |   |   |       |   |   ├── [ 396]  construct.js
|           |   |   |   |   |   |       |   |   ├── [ 507]
createClass.js
|           |   |   |   |   |   |       |   |   ├── [1.2K]
createForOfIteratorHelper.js
|           |   |   |   |   |   |       |   |   ├── [ 750]
createForOfIteratorHelperLoose.js
|           |   |   |   |   |   |       |   |   ├── [ 557]
createSuper.js
|           |   |   |   |   |   |       |   |   ├── [9.6K]  decorate.js
|           |   |   |   |   |   |       |   |   ├── [ 296]  defaults.js
|           |   |   |   |   |   |       |   |   ├── [ 188]
defineAccessor.js
|           |   |   |   |   |   |       |   |   ├── [ 507]
defineEnumerableProperties.js
|           |   |   |   |   |   |       |   |   ├── [ 286]
defineProperty.js
|           |   |   |   |   |   |       |   |   ├── [ 901]  dispose.js
|           |   |   |   |   |   |       |   |   ├── [ 336]  extends.js
|           |   |   |   |   |   |       |   |   ├── [ 412]  get.js
|           |   |   |   |   |   |       |   |   ├── [ 244]
getPrototypeOf.js
|           |   |   |   |   |   |       |   |   ├── [  70]  identity.js
|           |   |   |   |   |   |       |   |   ├── [ 767]
importDeferProxy.js
|           |   |   |   |   |   |       |   |   ├── [ 460]  inherits.js
|           |   |   |   |   |   |       |   |   ├── [ 216]
inheritsLoose.js
```

```
|           |   |   |   |   |   |       |   |   ├── [ 292]
initializerDefineProperty.js
|           |   |   |   |   |   |       |   |   ├── [ 243]
initializerWarningHelper.js
|           |   |   |   |   |   |       |   |   ├── [ 188]
instanceof.js
|           |   |   |   |   |   |       |   |   ├── [ 141]
interopRequireDefault.js
|           |   |   |   |   |   |       |   |   ├── [ 957]
interopRequireWildcard.js
|           |   |   |   |   |   |       |   |   ├── [ 207]
isNativeFunction.js
|           |   |   |   |   |   |       |   |   ├── [ 308]
isNativeReflectConstruct.js
|           |   |   |   |   |   |       |   |   ├── [ 187]
iterableToArray.js
|           |   |   |   |   |   |       |   |   ├── [ 717]
iterableToArrayLimit.js
|           |   |   |   |   |   |       |   |   ├── [ 744]  jsx.js
|           |   |   |   |   |   |       |   |   ├── [ 300]
maybeArrayLike.js
|           |   |   |   |   |   |       |   |   ├── [ 147]
newArrowCheck.js
|           |   |   |   |   |   |       |   |   ├── [ 235]
nonIterableRest.js
|           |   |   |   |   |   |       |   |   ├── [ 234]
nonIterableSpread.js
|           |   |   |   |   |   |       |   |   ├── [ 150]
nullishReceiverError.js
|           |   |   |   |   |   |       |   |   ├── [ 155]
objectDestructuringEmpty.js
|           |   |   |   |   |   |       |   |   ├── [ 533]
objectSpread.js
|           |   |   |   |   |   |       |   |   ├── [ 843]
objectSpread2.js
|           |   |   |   |   |   |       |   |   ├── [ 477]
objectWithoutProperties.js
|           |   |   |   |   |   |       |   |   ├── [ 270]
objectWithoutPropertiesLoose.js
|           |   |   |   |   |   |       |   |   ├── [  35]  package.json
|           |   |   |   |   |   |       |   |   ├── [ 403]
possibleConstructorReturn.js
|           |   |   |   |   |   |       |   |   ├── [ 119]
readOnlyError.js
|           |   |   |   |   |   |       |   |   ├── [ 11K]
regeneratorRuntime.js
|           |   |   |   |   |   |       |   |   ├── [ 774]  set.js
|           |   |   |   |   |   |       |   |   ├── [ 328]
setFunctionName.js
|           |   |   |   |   |   |       |   |   ├── [ 232]
setPrototypeOf.js
|           |   |   |   |   |   |       |   |   ├── [ 176]
skipFirstGeneratorNext.js
|           |   |   |   |   |   |       |   |   ├── [ 424]
slicedToArray.js
```

```
|           |   |   |   |   |   |       |   |   ├── [ 211]
superPropBase.js
|           |   |   |   |   |   |       |   |   ├── [ 308]
superPropGet.js
|           |   |   |   |   |   |       |   |   ├── [ 222]
superPropSet.js
|           |   |   |   |   |   |       |   |   ├── [ 216]
taggedTemplateLiteral.js
|           |   |   |   |   |   |       |   |   ├── [ 143]
taggedTemplateLiteralLoose.js
|           |   |   |   |   |   |       |   |   ├── [ 130]  tdz.js
|           |   |   |   |   |   |       |   |   ├── [ 198]
temporalRef.js
|           |   |   |   |   |   |       |   |   ├── [  74]
temporalUndefined.js
|           |   |   |   |   |   |       |   |   ├── [ 388]  toArray.js
|           |   |   |   |   |   |       |   |   ├── [ 423]
toConsumableArray.js
|           |   |   |   |   |   |       |   |   ├── [ 407]
toPrimitive.js
|           |   |   |   |   |   |       |   |   ├── [ 227]
toPropertyKey.js
|           |   |   |   |   |   |       |   |   ├── [ 215]  toSetter.js
|           |   |   |   |   |   |       |   |   ├── [ 354]
tsRewriteRelativeImportExtensions.js
|           |   |   |   |   |   |       |   |   ├── [ 366]  typeof.js
|           |   |   |   |   |   |       |   |   ├── [ 497]
unsupportedIterableToArray.js
|           |   |   |   |   |   |       |   |   ├── [ 522]  using.js
|           |   |   |   |   |   |       |   |   ├── [1.7K]  usingCtx.js
|           |   |   |   |   |   |       |   |   ├── [1.8K]
wrapAsyncGenerator.js
|           |   |   |   |   |   |       |   |   ├── [ 984]
wrapNativeSuper.js
|           |   |   |   |   |   |       |   |   ├── [1.8K]
wrapRegExp.js
|           |   |   |   |   |   |       |   |   └── [ 122]
writeOnlyError.js
|           |   |   |   |   |   |       |   ├── [ 504]  extends.js
|           |   |   |   |   |   |       |   ├── [ 583]  get.js
|           |   |   |   |   |   |       |   ├── [ 412]
getPrototypeOf.js
|           |   |   |   |   |   |       |   ├── [ 143]  identity.js
|           |   |   |   |   |   |       |   ├── [ 840]
importDeferProxy.js
|           |   |   |   |   |   |       |   ├── [ 536]  inherits.js
|           |   |   |   |   |   |       |   ├── [ 292]  inheritsLoose.js
|           |   |   |   |   |   |       |   ├── [ 365]
initializerDefineProperty.js
|           |   |   |   |   |   |       |   ├── [ 316]
initializerWarningHelper.js
|           |   |   |   |   |   |       |   ├── [ 261]  instanceof.js
|           |   |   |   |   |   |       |   ├── [ 214]
interopRequireDefault.js
|           |   |   |   |   |   |       |   ├── [1.0K]
interopRequireWildcard.js
```

```
|           |   |   |   |   |   |       |   ├── [ 280]
isNativeFunction.js
|           |   |   |   |   |   |       |   ├── [ 476]
isNativeReflectConstruct.js
|           |   |   |   |   |   |       |   ├── [ 260]
iterableToArray.js
|           |   |   |   |   |   |       |   ├── [ 790]
iterableToArrayLimit.js
|           |   |   |   |   |   |       |   ├── [ 817]  jsx.js
|           |   |   |   |   |   |       |   ├── [ 376]
maybeArrayLike.js
|           |   |   |   |   |   |       |   ├── [ 220]  newArrowCheck.js
|           |   |   |   |   |   |       |   ├── [ 308]
nonIterableRest.js
|           |   |   |   |   |   |       |   ├── [ 307]
nonIterableSpread.js
|           |   |   |   |   |   |       |   ├── [ 223]
nullishReceiverError.js
|           |   |   |   |   |   |       |   ├── [ 228]
objectDestructuringEmpty.js
|           |   |   |   |   |   |       |   ├── [ 609]  objectSpread.js
|           |   |   |   |   |   |       |   ├── [ 919]  objectSpread2.js
|           |   |   |   |   |   |       |   ├── [ 553]
objectWithoutProperties.js
|           |   |   |   |   |   |       |   ├── [ 343]
objectWithoutPropertiesLoose.js
|           |   |   |   |   |   |       |   ├── [ 493]
possibleConstructorReturn.js
|           |   |   |   |   |   |       |   ├── [ 192]  readOnlyError.js
|           |   |   |   |   |   |       |   ├── [ 11K]
regeneratorRuntime.js
|           |   |   |   |   |   |       |   ├── [ 853]  set.js
|           |   |   |   |   |   |       |   ├── [ 415]
setFunctionName.js
|           |   |   |   |   |   |       |   ├── [ 400]
setPrototypeOf.js
|           |   |   |   |   |   |       |   ├── [ 249]
skipFirstGeneratorNext.js
|           |   |   |   |   |   |       |   ├── [ 509]  slicedToArray.js
|           |   |   |   |   |   |       |   ├── [ 287]  superPropBase.js
|           |   |   |   |   |   |       |   ├── [ 387]  superPropGet.js
|           |   |   |   |   |   |       |   ├── [ 301]  superPropSet.js
|           |   |   |   |   |   |       |   ├── [ 289]
taggedTemplateLiteral.js
|           |   |   |   |   |   |       |   ├── [ 216]
taggedTemplateLiteralLoose.js
|           |   |   |   |   |   |       |   ├── [ 203]  tdz.js
|           |   |   |   |   |   |       |   ├── [ 277]  temporalRef.js
|           |   |   |   |   |   |       |   ├── [ 147]
temporalUndefined.js
|           |   |   |   |   |   |       |   ├── [ 473]  toArray.js
|           |   |   |   |   |   |       |   ├── [ 508]
toConsumableArray.js
|           |   |   |   |   |   |       |   ├── [ 494]  toPrimitive.js
|           |   |   |   |   |   |       |   ├── [ 317]  toPropertyKey.js
|           |   |   |   |   |   |       |   ├── [ 288]  toSetter.js
```

```
│           │   │   │   │   │   │       │   ├── [ 427]
tsRewriteRelativeImportExtensions.js
│           │   │   │   │   │   │       │   ├── [ 534]  typeof.js
│           │   │   │   │   │   │       │   ├── [ 573]
unsupportedIterableToArray.js
│           │   │   │   │   │   │       │   ├── [ 595]  using.js
│           │   │   │   │   │   │       │   ├── [1.8K]  usingCtx.js
│           │   │   │   │   │   │       │   ├── [1.9K]
wrapAsyncGenerator.js
│           │   │   │   │   │   │       │   ├── [1.1K]
wrapNativeSuper.js
│           │   │   │   │   │   │       │   ├── [1.9K]  wrapRegExp.js
│           │   │   │   │   │   │       │   └── [ 195]
writeOnlyError.js
│           │   │   │   │   │   │       ├── [ 31K]  package.json
│           │   │   │   │   │   │       └── [  96]  regenerator
│           │   │   │   │   │   │           └── [ 448]  index.js
│           │   │   │   │   │   ├── [ 160]  @edge-runtime
│           │   │   │   │   │   │   ├── [ 160]  cookies
│           │   │   │   │   │   │   │   ├── [9.4K]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 10K]  index.js
│           │   │   │   │   │   │   │   └── [  87]  package.json
│           │   │   │   │   │   │   ├── [ 160]  ponyfill
│           │   │   │   │   │   │   │   ├── [  41]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 824]  index.js
│           │   │   │   │   │   │   │   └── [ 111]  package.json
│           │   │   │   │   │   │   └── [1.0K]  primitives
│           │   │   │   │   │   │       ├── [ 706]  abort-
controller.d.ts
│           │   │   │   │   │   │       ├── [   0]  abort-
controller.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [1.8K]  abort-
controller.js.text.js
│           │   │   │   │   │   │       ├── [ 385]  console.d.ts
│           │   │   │   │   │   │       ├── [   0]  console.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [9.3K]  console.js.text.js
│           │   │   │   │   │   │       ├── [ 314]  crypto.d.ts
│           │   │   │   │   │   │       ├── [1.5K]  crypto.js
│           │   │   │   │   │   │       ├── [   0]  crypto.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [ 11K]  events.d.ts
│           │   │   │   │   │   │       ├── [   0]  events.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [ 960]  events.js.text.js
│           │   │   │   │   │   │       ├── [ 868]  fetch.d.ts
│           │   │   │   │   │   │       ├── [778K]  fetch.js
│           │   │   │   │   │   │       ├── [ 256]  fetch.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [2.6K]  index.d.ts
│           │   │   │   │   │   │       ├── [ 148]  index.js
│           │   │   │   │   │   │       ├── [   0]  index.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [ 664]  load.d.ts
│           │   │   │   │   │   │       ├── [782K]  load.js
│           │   │   │   │   │   │       ├── [ 256]  load.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [  90]  package.json
│           │   │   │   │   │   │       ├── [1.7K]  stream.js
│           │   │   │   │   │   │       ├── [   0]  stream.js.LEGAL.txt
│           │   │   │   │   │   │       ├── [ 215]  timers.d.ts
│           │   │   │   │   │   │       ├── [   0]  timers.js.LEGAL.txt
```

```
│           │   │   │   │   │   │       ├── [ 674]  timers.js.text.js
│           │   │   │   │   │   │       ├── [1.4K]  url.d.ts
│           │   │   │   │   │   │       ├── [   0]  url.js.LEGAL.txt
│           │   │   │   │   │   │       └── [ 21K]  url.js.text.js
│           │   │   │   │   │   ├── [  96]  @hapi
│           │   │   │   │   │   │   └── [ 128]  accept
│           │   │   │   │   │   │       ├── [ 27K]  index.js
│           │   │   │   │   │   │       └── [  67]  package.json
│           │   │   │   │   │   ├── [  96]  @mswjs
│           │   │   │   │   │   │   └── [  96]  interceptors
│           │   │   │   │   │   │       └── [ 128]  ClientRequest
│           │   │   │   │   │   │           ├── [ 36K]  index.js
│           │   │   │   │   │   │           └── [  95]  package.json
│           │   │   │   │   │   ├── [  96]  @napi-rs
│           │   │   │   │   │   │   └── [ 160]  triples
│           │   │   │   │   │   │       ├── [1.0K]  LICENSE
│           │   │   │   │   │   │       ├── [4.9K]  index.js
│           │   │   │   │   │   │       └── [ 104]  package.json
│           │   │   │   │   │   ├── [ 128]  @next
│           │   │   │   │   │   │   ├── [ 192]  font
│           │   │   │   │   │   │   │   ├── [ 416]  dist
│           │   │   │   │   │   │   │   │   ├── [  53]  constants.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 221]  constants.js
│           │   │   │   │   │   │   │   │   ├── [  96]  fontkit
│           │   │   │   │   │   │   │   │   │   └── [796K]  index.js
│           │   │   │   │   │   │   │   │   ├── [ 197]  format-
available-values.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 383]  format-
available-values.js
│           │   │   │   │   │   │   │   │   ├── [ 992]  google
│           │   │   │   │   │   │   │   │   │   ├── [ 482]  fetch-css-
from-google-fonts.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [1.3K]  fetch-css-
from-google-fonts.js
│           │   │   │   │   │   │   │   │   │   ├── [ 226]  fetch-font-
file.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [ 957]  fetch-font-
file.js
│           │   │   │   │   │   │   │   │   │   ├── [ 293]  fetch-
resource.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [1.9K]  fetch-
resource.js
│           │   │   │   │   │   │   │   │   │   ├── [ 413]  find-font-
files-in-css.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [1.5K]  find-font-
files-in-css.js
│           │   │   │   │   │   │   │   │   │   ├── [439K]  font-
data.json
│           │   │   │   │   │   │   │   │   │   ├── [ 518]  get-
fallback-font-override-metrics.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [2.4K]  get-
fallback-font-override-metrics.js
│           │   │   │   │   │   │   │   │   │   ├── [ 314]  get-font-
axes.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [3.0K]  get-font-
axes.js
```

```
|           |   |   |   |   |   |   |   |   |   ├── [ 290]  get-google-
fonts-url.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [2.2K]  get-google-
fonts-url.js
|           |   |   |   |   |   |   |   |   |   ├── [ 180]  get-proxy-
agent.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [ 914]  get-proxy-
agent.js
|           |   |   |   |   |   |   |   |   |   ├── [ 365]  google-
fonts-metadata.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [ 381]  google-
fonts-metadata.js
|           |   |   |   |   |   |   |   |   |   ├── [808K]  index.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [  77]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [ 138]  loader.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [8.3K]  loader.js
|           |   |   |   |   |   |   |   |   |   ├── [ 155]  retry.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [ 674]  retry.js
|           |   |   |   |   |   |   |   |   |   ├── [ 231]  sort-fonts-
variant-values.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [1.1K]  sort-fonts-
variant-values.js
|           |   |   |   |   |   |   |   |   |   ├── [ 504]  validate-
google-font-function-call.d.ts
|           |   |   |   |   |   |   |   |   |   └── [5.0K]  validate-
google-font-function-call.js
|           |   |   |   |   |   |   |   |   ├── [ 384]  local
|           |   |   |   |   |   |   |   |   |   ├── [ 742]  get-
fallback-metrics-from-font-file.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [3.8K]  get-
fallback-metrics-from-font-file.js
|           |   |   |   |   |   |   |   |   |   ├── [ 703]  index.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [ 161]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [ 136]  loader.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [4.4K]  loader.js
|           |   |   |   |   |   |   |   |   |   ├── [ 732]  pick-font-
file-for-fallback-generation.d.ts
|           |   |   |   |   |   |   |   |   |   ├── [3.9K]  pick-font-
file-for-fallback-generation.js
|           |   |   |   |   |   |   |   |   |   ├── [ 631]  validate-
local-font-function-call.d.ts
|           |   |   |   |   |   |   |   |   |   └── [2.4K]  validate-
local-font-function-call.js
|           |   |   |   |   |   |   |   |   ├── [ 173]  next-font-
error.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 345]  next-font-
error.js
|           |   |   |   |   |   |   |   |   ├── [ 345]  types.d.ts
|           |   |   |   |   |   |   |   |   └── [  77]  types.js
|           |   |   |   |   |   |   |   ├── [ 192]  google
|           |   |   |   |   |   |   |   |   ├── [  31]  index.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 588]  index.js
|           |   |   |   |   |   |   |   |   ├── [  48]  loader.d.ts
|           |   |   |   |   |   |   |   |   └── [  50]  loader.js
|           |   |   |   |   |   |   |   ├── [ 192]  local
|           |   |   |   |   |   |   |   |   ├── [  46]  index.d.ts
```

```
│           │   │   │   │   │   │   │   │   ├── [ 587]  index.js
│           │   │   │   │   │   │   │   │   ├── [  47]  loader.d.ts
│           │   │   │   │   │   │   │   │   └── [  49]  loader.js
│           │   │   │   │   │   │   │   └── [  64]  package.json
│           │   │   │   │   │   │   └── [  96]  react-refresh-utils
│           │   │   │   │   │   │       └── [ 288]  dist
│           │   │   │   │   │   │           ├── [6.0K]
ReactRefreshWebpackPlugin.js
│           │   │   │   │   │   │           ├── [3.7K]
ReactRefreshWebpackPlugin.js.map
│           │   │   │   │   │   │           ├── [ 192]  internal
│           │   │   │   │   │   │           │   ├── [3.9K]
ReactRefreshModule.runtime.js
│           │   │   │   │   │   │           │   ├── [1.6K]
ReactRefreshModule.runtime.js.map
│           │   │   │   │   │   │           │   ├── [6.0K]  helpers.js
│           │   │   │   │   │   │           │   └── [3.5K]
helpers.js.map
│           │   │   │   │   │   │           ├── [1.2K]  loader.js
│           │   │   │   │   │   │           ├── [ 694]  loader.js.map
│           │   │   │   │   │   │           ├── [1.2K]  runtime.js
│           │   │   │   │   │   │           └── [ 694]  runtime.js.map
│           │   │   │   │   │   ├── [  96]  @opentelemetry
│           │   │   │   │   │   │   └── [ 160]  api
│           │   │   │   │   │   │       ├── [ 11K]  LICENSE
│           │   │   │   │   │   │       ├── [ 28K]  index.js
│           │   │   │   │   │   │       └── [ 104]  package.json
│           │   │   │   │   │   ├── [ 128]  @vercel
│           │   │   │   │   │   │   ├── [ 160]  nft
│           │   │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   │   ├── [259K]  index.js
│           │   │   │   │   │   │   │   └── [  57]  package.json
│           │   │   │   │   │   │   └── [ 544]  og
│           │   │   │   │   │   │       ├── [ 16K]  LICENSE
│           │   │   │   │   │   │       ├── [  96]  emoji
│           │   │   │   │   │   │       │   └── [ 481]  index.d.ts
│           │   │   │   │   │   │       ├── [  96]  figma
│           │   │   │   │   │   │       │   └── [ 407]  index.d.ts
│           │   │   │   │   │   │       ├── [ 417]  index.edge.d.ts
│           │   │   │   │   │   │       ├── [704K]  index.edge.js
│           │   │   │   │   │   │       ├── [1.2K]  index.node.d.ts
│           │   │   │   │   │   │       ├── [705K]  index.node.js
│           │   │   │   │   │   │       ├── [  96]  language
│           │   │   │   │   │   │       │   └── [ 629]  index.d.ts
│           │   │   │   │   │   │       ├── [ 27K]  noto-sans-v27-latin-
regular.ttf
│           │   │   │   │   │   │       ├── [ 122]  og.d.ts
│           │   │   │   │   │   │       ├── [ 340]  package.json
│           │   │   │   │   │   │       ├── [1.3M]  resvg.wasm
│           │   │   │   │   │   │       ├── [ 128]  satori
│           │   │   │   │   │   │       │   ├── [ 16K]  LICENSE
│           │   │   │   │   │   │       │   └── [4.7K]  index.d.ts
│           │   │   │   │   │   │       ├── [3.5K]  types.d.ts
│           │   │   │   │   │   │       └── [ 87K]  yoga.wasm
│           │   │   │   │   │   ├── [ 160]  acorn
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
```

```
│           │   │   │   │   │   │   ├── [119K]  acorn.js
│           │   │   │   │   │   │   └── [  51]  package.json
│           │   │   │   │   │   ├── [ 160]  amphtml-validator
│           │   │   │   │   │   │   ├── [ 24K]  index.js
│           │   │   │   │   │   │   ├── [ 102]  package.json
│           │   │   │   │   │   │   └── [3.8M]  validator_wasm.js
│           │   │   │   │   │   ├── [ 160]  anser
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [6.8K]  index.js
│           │   │   │   │   │   │   └── [ 127]  package.json
│           │   │   │   │   │   ├── [ 160]  assert
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 69K]  assert.js
│           │   │   │   │   │   │   └── [  53]  package.json
│           │   │   │   │   │   ├── [ 128]  async-retry
│           │   │   │   │   │   │   ├── [4.5K]  index.js
│           │   │   │   │   │   │   └── [  57]  package.json
│           │   │   │   │   │   ├── [ 128]  async-sema
│           │   │   │   │   │   │   ├── [3.0K]  index.js
│           │   │   │   │   │   │   └── [  80]  package.json
│           │   │   │   │   │   ├── [1.0K]  babel
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [1.3M]  bundle.js
│           │   │   │   │   │   │   ├── [  49]  code-frame.js
│           │   │   │   │   │   │   ├── [  63]  core-lib-block-hoist-
plugin.js
│           │   │   │   │   │   │   ├── [  53]  core-lib-config.js
│           │   │   │   │   │   │   ├── [  60]  core-lib-normalize-
file.js
│           │   │   │   │   │   │   ├── [  60]  core-lib-normalize-
opts.js
│           │   │   │   │   │   │   ├── [  57]  core-lib-plugin-pass.js
│           │   │   │   │   │   │   ├── [  44]  core.js
│           │   │   │   │   │   │   ├── [  52]  eslint-parser.js
│           │   │   │   │   │   │   ├── [  49]  generator.js
│           │   │   │   │   │   │   ├── [ 109]  package.json
│           │   │   │   │   │   │   ├── [  46]  parser.js
│           │   │   │   │   │   │   ├── [  69]  plugin-proposal-class-
properties.js
│           │   │   │   │   │   │   ├── [  73]  plugin-proposal-export-
namespace-from.js
│           │   │   │   │   │   │   ├── [  70]  plugin-proposal-numeric-
separator.js
│           │   │   │   │   │   │   ├── [  70]  plugin-proposal-object-
rest-spread.js
│           │   │   │   │   │   │   ├── [  58]  plugin-syntax-bigint.js
│           │   │   │   │   │   │   ├── [  65]  plugin-syntax-dynamic-
import.js
│           │   │   │   │   │   │   ├── [  68]  plugin-syntax-import-
attributes.js
│           │   │   │   │   │   │   ├── [  55]  plugin-syntax-jsx.js
│           │   │   │   │   │   │   ├── [  61]  plugin-transform-
define.js
│           │   │   │   │   │   │   ├── [  70]  plugin-transform-
modules-commonjs.js
```

```
│           │   │   │   │   │   │   ├── [  75]  plugin-transform-react-
remove-prop-types.js
│           │   │   │   │   │   │   ├── [  62]  plugin-transform-
runtime.js
│           │   │   │   │   │   │   ├── [  49]  preset-env.js
│           │   │   │   │   │   │   ├── [  51]  preset-react.js
│           │   │   │   │   │   │   ├── [  56]  preset-typescript.js
│           │   │   │   │   │   │   ├── [  48]  traverse.js
│           │   │   │   │   │   │   └── [  45]  types.js
│           │   │   │   │   │   ├── [ 128]  babel-packages
│           │   │   │   │   │   │   ├── [  56]  package.json
│           │   │   │   │   │   │   └── [1.5M]  packages-bundle.js
│           │   │   │   │   │   ├── [ 160]  browserify-zlib
│           │   │   │   │   │   │   ├── [3.4K]  LICENSE
│           │   │   │   │   │   │   ├── [ 58K]  index.js
│           │   │   │   │   │   │   └── [ 109]  package.json
│           │   │   │   │   │   ├── [ 160]  browserslist
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 66K]  index.js
│           │   │   │   │   │   │   └── [ 102]  package.json
│           │   │   │   │   │   ├── [ 160]  buffer
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 27K]  index.js
│           │   │   │   │   │   │   └── [ 146]  package.json
│           │   │   │   │   │   ├── [ 160]  busboy
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [ 25K]  index.js
│           │   │   │   │   │   │   └── [  79]  package.json
│           │   │   │   │   │   ├── [ 160]  bytes
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [1.6K]  index.js
│           │   │   │   │   │   │   └── [ 125]  package.json
│           │   │   │   │   │   ├── [ 160]  ci-info
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [3.7K]  index.js
│           │   │   │   │   │   │   └── [ 125]  package.json
│           │   │   │   │   │   ├── [ 160]  cli-select
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [6.4K]  index.js
│           │   │   │   │   │   │   └── [  94]  package.json
│           │   │   │   │   │   ├── [ 160]  client-only
│           │   │   │   │   │   │   ├── [ 144]  error.js
│           │   │   │   │   │   │   ├── [   0]  index.js
│           │   │   │   │   │   │   └── [ 467]  package.json
│           │   │   │   │   │   ├── [ 160]  commander
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 37K]  index.js
│           │   │   │   │   │   │   └── [ 102]  package.json
│           │   │   │   │   │   ├── [ 160]  comment-json
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [153K]  index.js
│           │   │   │   │   │   │   └── [  79]  package.json
│           │   │   │   │   │   ├── [ 160]  compression
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [301K]  index.js
│           │   │   │   │   │   │   └── [  57]  package.json
```

```
│               │   │   │   │   │   ├── [ 160]  conf
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [148K]  index.js
│               │   │   │   │   │   │   └── [ 142]  package.json
│               │   │   │   │   │   ├── [ 128]  constants-browserify
│               │   │   │   │   │   │   ├── [4.5K]  constants.json
│               │   │   │   │   │   │   └── [  58]  package.json
│               │   │   │   │   │   ├── [ 160]  content-disposition
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [4.6K]  index.js
│               │   │   │   │   │   │   └── [ 128]  package.json
│               │   │   │   │   │   ├── [ 160]  content-type
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [2.2K]  index.js
│               │   │   │   │   │   │   └── [ 121]  package.json
│               │   │   │   │   │   ├── [ 160]  cookie
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [2.0K]  index.js
│               │   │   │   │   │   │   └── [  99]  package.json
│               │   │   │   │   │   ├── [ 160]  cross-spawn
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [7.7K]  index.js
│               │   │   │   │   │   │   └── [ 100]  package.json
│               │   │   │   │   │   ├── [ 160]  crypto-browserify
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [355K]  index.js
│               │   │   │   │   │   │   └── [ 130]  package.json
│               │   │   │   │   │   ├── [ 128]  css.escape
│               │   │   │   │   │   │   ├── [1.1K]  css.escape.js
│               │   │   │   │   │   │   └── [ 130]  package.json
│               │   │   │   │   │   ├── [  96]  cssnano-simple
│               │   │   │   │   │   │   └── [262K]  index.js
│               │   │   │   │   │   ├── [ 128]  data-uri-to-buffer
│               │   │   │   │   │   │   ├── [1.0K]  index.js
│               │   │   │   │   │   │   └── [ 131]  package.json
│               │   │   │   │   │   ├── [ 160]  debug
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 11K]  index.js
│               │   │   │   │   │   │   └── [  98]  package.json
│               │   │   │   │   │   ├── [ 160]  devalue
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [4.9K]  devalue.umd.js
│               │   │   │   │   │   │   └── [  59]  package.json
│               │   │   │   │   │   ├── [ 128]  domain-browser
│               │   │   │   │   │   │   ├── [1.2K]  index.js
│               │   │   │   │   │   │   └── [ 123]  package.json
│               │   │   │   │   │   ├── [ 128]  edge-runtime
│               │   │   │   │   │   │   ├── [513K]  index.js
│               │   │   │   │   │   │   └── [  58]  package.json
│               │   │   │   │   │   ├── [ 160]  events
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [7.7K]  events.js
│               │   │   │   │   │   │   └── [ 128]  package.json
│               │   │   │   │   │   ├── [ 160]  find-up
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [2.9K]  index.js
```

```
│               │   │   │   │   │   │   └── [ 145]  package.json
│               │   │   │   │   │   ├── [ 160]  fresh
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [1.3K]  index.js
│               │   │   │   │   │   │   └── [ 125]  package.json
│               │   │   │   │   │   ├── [ 160]  glob
│               │   │   │   │   │   │   ├── [ 976]  LICENSE
│               │   │   │   │   │   │   ├── [ 36K]  glob.js
│               │   │   │   │   │   │   └── [ 112]  package.json
│               │   │   │   │   │   ├── [ 160]  gzip-size
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [3.2K]  index.js
│               │   │   │   │   │   │   └── [ 147]  package.json
│               │   │   │   │   │   ├── [ 160]  http-proxy
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 20K]  index.js
│               │   │   │   │   │   │   └── [ 111]  package.json
│               │   │   │   │   │   ├── [ 128]  http-proxy-agent
│               │   │   │   │   │   │   ├── [7.2K]  index.js
│               │   │   │   │   │   │   └── [ 129]  package.json
│               │   │   │   │   │   ├── [ 160]  https-browserify
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 950]  index.js
│               │   │   │   │   │   │   └── [ 153]  package.json
│               │   │   │   │   │   ├── [ 128]  https-proxy-agent
│               │   │   │   │   │   │   ├── [8.1K]  index.js
│               │   │   │   │   │   │   └── [ 130]  package.json
│               │   │   │   │   │   ├── [ 128]  icss-utils
│               │   │   │   │   │   │   ├── [2.6K]  index.js
│               │   │   │   │   │   │   └── [  80]  package.json
│               │   │   │   │   │   ├── [ 160]  ignore-loader
│               │   │   │   │   │   │   ├── [1.0K]  LICENSE
│               │   │   │   │   │   │   ├── [ 448]  index.js
│               │   │   │   │   │   │   └── [  43]  package.json
│               │   │   │   │   │   ├── [  96]  image-detector
│               │   │   │   │   │   │   └── [ 17K]  detector.js
│               │   │   │   │   │   ├── [ 160]  image-size
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 22K]  index.js
│               │   │   │   │   │   │   └── [ 113]  package.json
│               │   │   │   │   │   ├── [ 128]  is-animated
│               │   │   │   │   │   │   ├── [1.9K]  index.js
│               │   │   │   │   │   │   └── [ 114]  package.json
│               │   │   │   │   │   ├── [ 160]  is-docker
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 734]  index.js
│               │   │   │   │   │   │   └── [ 147]  package.json
│               │   │   │   │   │   ├── [ 160]  is-wsl
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 896]  index.js
│               │   │   │   │   │   │   └── [ 144]  package.json
│               │   │   │   │   │   ├── [ 224]  jest-worker
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 24K]  index.js
│               │   │   │   │   │   │   ├── [  57]  package.json
│               │   │   │   │   │   │   ├── [2.8K]  processChild.js
```

```
│             │    │    │    │    │    │    └── [3.1K]  threadChild.js
│             │    │    │    │    │    ├── [ 128]  json5
│             │    │    │    │    │    │    ├── [ 29K]  index.js
│             │    │    │    │    │    │    └── [ 102]  package.json
│             │    │    │    │    │    ├── [ 160]  jsonwebtoken
│             │    │    │    │    │    │    ├── [1.1K]  LICENSE
│             │    │    │    │    │    │    ├── [118K]  index.js
│             │    │    │    │    │    │    └── [  75]  package.json
│             │    │    │    │    │    ├── [ 160]  loader-runner
│             │    │    │    │    │    │    ├── [1.1K]  LICENSE
│             │    │    │    │    │    │    ├── [8.7K]  LoaderRunner.js
│             │    │    │    │    │    │    └── [  99]  package.json
│             │    │    │    │    │    ├── [ 160]  loader-utils2
│             │    │    │    │    │    │    ├── [1.0K]  LICENSE
│             │    │    │    │    │    │    ├── [ 55K]  index.js
│             │    │    │    │    │    │    └── [  91]  package.json
│             │    │    │    │    │    ├── [ 160]  loader-utils3
│             │    │    │    │    │    │    ├── [1.0K]  LICENSE
│             │    │    │    │    │    │    ├── [ 19K]  index.js
│             │    │    │    │    │    │    └── [  91]  package.json
│             │    │    │    │    │    ├── [ 160]  lodash.curry
│             │    │    │    │    │    │    ├── [1.9K]  LICENSE
│             │    │    │    │    │    │    ├── [8.1K]  index.js
│             │    │    │    │    │    │    └── [ 145]  package.json
│             │    │    │    │    │    ├── [ 160]  lru-cache
│             │    │    │    │    │    │    ├── [ 765]  LICENSE
│             │    │    │    │    │    │    ├── [9.3K]  index.js
│             │    │    │    │    │    │    └── [  96]  package.json
│             │    │    │    │    │    ├── [ 256]  mini-css-extract-plugin
│             │    │    │    │    │    │    ├── [1.0K]  LICENSE
│             │    │    │    │    │    │    ├── [ 454]  cjs.js
│             │    │    │    │    │    │    ├── [  96]  hmr
│             │    │    │    │    │    │    │    └── [3.1K]
hotModuleReplacement.js
│             │    │    │    │    │    │    ├── [ 20K]  index.js
│             │    │    │    │    │    │    ├── [9.2K]  loader.js
│             │    │    │    │    │    │    └── [ 100]  package.json
│             │    │    │    │    │    ├── [ 160]  nanoid
│             │    │    │    │    │    │    ├── [1.1K]  LICENSE
│             │    │    │    │    │    │    ├── [1.2K]  index.cjs
│             │    │    │    │    │    │    └── [  97]  package.json
│             │    │    │    │    │    ├── [ 160]  native-url
│             │    │    │    │    │    │    ├── [ 11K]  LICENSE
│             │    │    │    │    │    │    ├── [4.3K]  index.js
│             │    │    │    │    │    │    └── [  90]  package.json
│             │    │    │    │    │    ├── [ 160]  neo-async
│             │    │    │    │    │    │    ├── [1.1K]  LICENSE
│             │    │    │    │    │    │    ├── [ 55K]  async.js
│             │    │    │    │    │    │    └── [  55]  package.json
│             │    │    │    │    │    ├── [ 128]  next-devtools
│             │    │    │    │    │    │    ├── [803K]  index.js
│             │    │    │    │    │    │    └── [2.3M]  index.js.map
│             │    │    │    │    │    ├── [1.9K]  next-server
│             │    │    │    │    │    │    ├── [1.3M]  app-page-
experimental.runtime.dev.js
```

```
|           |   |   |   |   |   |   ├── [3.6M]  app-page-
experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [520K]  app-page-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── [2.6M]  app-page-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [1.3M]  app-page-turbo-
experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── [3.6M]  app-page-turbo-
experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [520K]  app-page-turbo-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── [2.6M]  app-page-turbo-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [1.2M]  app-page-
turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── [3.4M]  app-page-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [496K]  app-page-
turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── [2.5M]  app-page-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [1.2M]  app-page.runtime.dev.js
|           |   |   |   |   |   |   ├── [3.4M]  app-
page.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [496K]  app-page.runtime.prod.js
|           |   |   |   |   |   |   ├── [2.5M]  app-
page.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [270K]  app-route-
experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── [966K]  app-route-
experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [155K]  app-route-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── [904K]  app-route-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [270K]  app-route-turbo-
experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── [966K]  app-route-turbo-
experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [155K]  app-route-turbo-
experimental.runtime.prod.js
|           |   |   |   |   |   |   ├── [904K]  app-route-turbo-
experimental.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [267K]  app-route-
turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── [960K]  app-route-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [154K]  app-route-
turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── [901K]  app-route-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [267K]  app-route.runtime.dev.js
|           |   |   |   |   |   |   ├── [960K]  app-
route.runtime.dev.js.map
```

```
|           |   |   |   |   |   |   ├── [154K]  app-
route.runtime.prod.js
|           |   |   |   |   |   |   ├── [901K]  app-
route.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [ 686]  dist_client_dev_noop-
turbopack-hmr_js-experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── [ 443]  dist_client_dev_noop-
turbopack-hmr_js-experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [ 692]  dist_client_dev_noop-
turbopack-hmr_js-turbo-experimental.runtime.dev.js
|           |   |   |   |   |   |   ├── [ 449]  dist_client_dev_noop-
turbopack-hmr_js-turbo-experimental.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [ 679]  dist_client_dev_noop-
turbopack-hmr_js-turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── [ 436]  dist_client_dev_noop-
turbopack-hmr_js-turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [ 673]  dist_client_dev_noop-
turbopack-hmr_js.runtime.dev.js
|           |   |   |   |   |   |   ├── [ 430]  dist_client_dev_noop-
turbopack-hmr_js.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [158K]  pages-api-
turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── [582K]  pages-api-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [100K]  pages-api-
turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── [575K]  pages-api-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [158K]  pages-api.runtime.dev.js
|           |   |   |   |   |   |   ├── [582K]  pages-
api.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [100K]  pages-
api.runtime.prod.js
|           |   |   |   |   |   |   ├── [575K]  pages-
api.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [200K]  pages-
turbo.runtime.dev.js
|           |   |   |   |   |   |   ├── [708K]  pages-
turbo.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [123K]  pages-
turbo.runtime.prod.js
|           |   |   |   |   |   |   ├── [697K]  pages-
turbo.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [200K]  pages.runtime.dev.js
|           |   |   |   |   |   |   ├── [709K]  pages.runtime.dev.js.map
|           |   |   |   |   |   |   ├── [123K]  pages.runtime.prod.js
|           |   |   |   |   |   |   ├── [698K]
pages.runtime.prod.js.map
|           |   |   |   |   |   |   ├── [194K]  server.runtime.prod.js
|           |   |   |   |   |   |   └── [1.1M]
server.runtime.prod.js.map
|           |   |   |   |   |   ├── [ 160]  node-html-parser
|           |   |   |   |   |   |   ├── [1.0K]  LICENSE
|           |   |   |   |   |   |   ├── [199K]  index.js
|           |   |   |   |   |   |   └── [ 104]  package.json
|           |   |   |   |   |   ├── [ 160]  ora
```

```
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 84K]  index.js
│           │   │   │   │   │   │   └── [ 149]  package.json
│           │   │   │   │   │   ├── [ 160]  os-browserify
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 816]  browser.js
│           │   │   │   │   │   │   └── [ 104]  package.json
│           │   │   │   │   │   ├── [ 160]  p-limit
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [1.5K]  index.js
│           │   │   │   │   │   │   └── [ 153]  package.json
│           │   │   │   │   │   ├── [ 160]  p-queue
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [9.7K]  index.js
│           │   │   │   │   │   │   └── [  53]  package.json
│           │   │   │   │   │   ├── [ 160]  path-browserify
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [5.2K]  index.js
│           │   │   │   │   │   │   └── [ 152]  package.json
│           │   │   │   │   │   ├── [ 160]  path-to-regexp
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [7.1K]  index.js
│           │   │   │   │   │   │   └── [  60]  package.json
│           │   │   │   │   │   ├── [ 160]  picomatch
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 23K]  index.js
│           │   │   │   │   │   │   └── [ 116]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-flexbugs-fixes
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [1.9K]  index.js
│           │   │   │   │   │   │   └── [ 111]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-modules-extract-
imports
│           │   │   │   │   │   │   ├── [ 726]  LICENSE
│           │   │   │   │   │   │   ├── [2.7K]  index.js
│           │   │   │   │   │   │   └── [ 101]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-modules-local-by-
default
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 71K]  index.js
│           │   │   │   │   │   │   └── [ 104]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-modules-scope
│           │   │   │   │   │   │   ├── [ 750]  LICENSE
│           │   │   │   │   │   │   ├── [ 65K]  index.js
│           │   │   │   │   │   │   └── [  91]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-modules-values
│           │   │   │   │   │   │   ├── [ 749]  LICENSE
│           │   │   │   │   │   │   ├── [1.9K]  index.js
│           │   │   │   │   │   │   └── [  92]  package.json
│           │   │   │   │   │   ├── [  96]  postcss-plugin-stub-for-
cssnano-simple
│           │   │   │   │   │   │   └── [ 600]  index.js
│           │   │   │   │   │   ├── [ 128]  postcss-preset-env
│           │   │   │   │   │   │   ├── [375K]  index.cjs
│           │   │   │   │   │   │   └── [ 122]  package.json
│           │   │   │   │   │   ├── [ 160]  postcss-safe-parser
```

```
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 114]  package.json
│           │   │   │   │   │   │   └── [ 33K]  safe-parse.js
│           │   │   │   │   │   ├── [ 160]  postcss-scss
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 108]  package.json
│           │   │   │   │   │   │   └── [ 12K]  scss-syntax.js
│           │   │   │   │   │   ├── [ 160]  postcss-value-parser
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [5.7K]  index.js
│           │   │   │   │   │   │   └── [ 113]  package.json
│           │   │   │   │   │   ├── [ 160]  process
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [2.4K]  browser.js
│           │   │   │   │   │   │   └── [ 102]  package.json
│           │   │   │   │   │   ├── [ 128]  punycode
│           │   │   │   │   │   │   ├── [ 126]  package.json
│           │   │   │   │   │   │   └── [3.1K]  punycode.js
│           │   │   │   │   │   ├── [ 128]  querystring-es3
│           │   │   │   │   │   │   ├── [2.1K]  index.js
│           │   │   │   │   │   │   └── [  95]  package.json
│           │   │   │   │   │   ├── [ 160]  raw-body
│           │   │   │   │   │   │   ├── [1.2K]  LICENSE
│           │   │   │   │   │   │   ├── [284K]  index.js
│           │   │   │   │   │   │   └── [ 124]  package.json
│           │   │   │   │   │   ├── [ 384]  react
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 608]  cjs
│           │   │   │   │   │   │   │   ├── [1.1K]  react-compiler-
runtime.development.js
│           │   │   │   │   │   │   │   ├── [ 482]  react-compiler-
runtime.production.js
│           │   │   │   │   │   │   │   ├── [ 481]  react-compiler-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── [ 11K]  react-jsx-dev-
runtime.development.js
│           │   │   │   │   │   │   │   ├── [ 387]  react-jsx-dev-
runtime.production.js
│           │   │   │   │   │   │   │   ├── [ 386]  react-jsx-dev-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── [ 12K]  react-jsx-dev-
runtime.react-server.development.js
│           │   │   │   │   │   │   │   ├── [1.3K]  react-jsx-dev-
runtime.react-server.production.js
│           │   │   │   │   │   │   │   ├── [ 12K]  react-jsx-
runtime.development.js
│           │   │   │   │   │   │   │   ├── [ 976]  react-jsx-
runtime.production.js
│           │   │   │   │   │   │   │   ├── [ 975]  react-jsx-
runtime.profiling.js
│           │   │   │   │   │   │   │   ├── [ 12K]  react-jsx-
runtime.react-server.development.js
│           │   │   │   │   │   │   │   ├── [1.3K]  react-jsx-
runtime.react-server.production.js
│           │   │   │   │   │   │   │   ├── [ 46K]  react.development.js
│           │   │   │   │   │   │   │   ├── [ 17K]  react.production.js
```

```
|           |   |   |   |   |   |   |   ├── [ 29K]  react.react-
server.development.js
|           |   |   |   |   |   |   |   └── [ 13K]  react.react-
server.production.js
|           |   |   |   |   |   |   ├── [ 412]  compiler-runtime.js
|           |   |   |   |   |   |   ├── [ 186]  index.js
|           |   |   |   |   |   |   ├── [ 218]  jsx-dev-runtime.js
|           |   |   |   |   |   |   ├── [ 244]  jsx-dev-runtime.react-
server.js
|           |   |   |   |   |   |   ├── [ 210]  jsx-runtime.js
|           |   |   |   |   |   |   ├── [ 236]  jsx-runtime.react-
server.js
|           |   |   |   |   |   |   ├── [ 584]  package.json
|           |   |   |   |   |   |   └── [ 212]  react.react-server.js
|           |   |   |   |   |   ├── [ 608]  react-dom
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [ 704]  cjs
|           |   |   |   |   |   |   |   ├── [957K]  react-dom-
client.development.js
|           |   |   |   |   |   |   |   ├── [518K]  react-dom-
client.production.js
|           |   |   |   |   |   |   |   ├── [973K]  react-dom-
profiling.development.js
|           |   |   |   |   |   |   |   ├── [551K]  react-dom-
profiling.profiling.js
|           |   |   |   |   |   |   |   ├── [381K]  react-dom-server-
legacy.browser.development.js
|           |   |   |   |   |   |   |   ├── [229K]  react-dom-server-
legacy.browser.production.js
|           |   |   |   |   |   |   |   ├── [381K]  react-dom-server-
legacy.node.development.js
|           |   |   |   |   |   |   |   ├── [233K]  react-dom-server-
legacy.node.production.js
|           |   |   |   |   |   |   |   ├── [402K]  react-dom-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── [251K]  react-dom-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── [236K]  react-dom-
server.bun.production.js
|           |   |   |   |   |   |   |   ├── [403K]  react-dom-
server.edge.development.js
|           |   |   |   |   |   |   |   ├── [256K]  react-dom-
server.edge.production.js
|           |   |   |   |   |   |   |   ├── [403K]  react-dom-
server.node.development.js
|           |   |   |   |   |   |   |   ├── [257K]  react-dom-
server.node.production.js
|           |   |   |   |   |   |   |   ├── [ 705]  react-dom-test-
utils.production.js
|           |   |   |   |   |   |   |   ├── [ 17K]  react-
dom.development.js
|           |   |   |   |   |   |   |   ├── [6.5K]  react-
dom.production.js
|           |   |   |   |   |   |   |   ├── [ 14K]  react-dom.react-
server.development.js
```

```
|           |   |   |   |   |   |   |   └── [4.8K]  react-dom.react-
server.production.js
|           |   |   |   |   |   |   ├── [1.3K]  client.js
|           |   |   |   |   |   |   ├── [ 101]  client.react-server.js
|           |   |   |   |   |   |   ├── [1.3K]  index.js
|           |   |   |   |   |   |   ├── [2.2K]  package.json
|           |   |   |   |   |   |   ├── [1.3K]  profiling.js
|           |   |   |   |   |   |   ├── [ 104]  profiling.react-
server.js
|           |   |   |   |   |   |   ├── [ 220]  react-dom.react-
server.js
|           |   |   |   |   |   |   ├── [ 583]  server.browser.js
|           |   |   |   |   |   |   ├── [ 581]  server.edge.js
|           |   |   |   |   |   |   ├── [  58]  server.js
|           |   |   |   |   |   |   ├── [ 725]  server.node.js
|           |   |   |   |   |   |   ├── [ 101]  server.react-server.js
|           |   |   |   |   |   |   ├── [ 313]  static.edge.js
|           |   |   |   |   |   |   ├── [ 445]  static.node.js
|           |   |   |   |   |   |   └── [ 101]  static.react-server.js
|           |   |   |   |   |   ├── [ 640]  react-dom-experimental
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [ 768]  cjs
|           |   |   |   |   |   |   |   ├── [1.1M]  react-dom-
client.development.js
|           |   |   |   |   |   |   |   ├── [641K]  react-dom-
client.production.js
|           |   |   |   |   |   |   |   ├── [1.2M]  react-dom-
profiling.development.js
|           |   |   |   |   |   |   |   ├── [705K]  react-dom-
profiling.profiling.js
|           |   |   |   |   |   |   |   ├── [415K]  react-dom-server-
legacy.browser.development.js
|           |   |   |   |   |   |   |   ├── [258K]  react-dom-server-
legacy.browser.production.js
|           |   |   |   |   |   |   |   ├── [415K]  react-dom-server-
legacy.node.development.js
|           |   |   |   |   |   |   |   ├── [264K]  react-dom-server-
legacy.node.production.js
|           |   |   |   |   |   |   |   ├── [445K]  react-dom-
server.browser.development.js
|           |   |   |   |   |   |   |   ├── [287K]  react-dom-
server.browser.production.js
|           |   |   |   |   |   |   |   ├── [269K]  react-dom-
server.bun.production.js
|           |   |   |   |   |   |   |   ├── [446K]  react-dom-
server.edge.development.js
|           |   |   |   |   |   |   |   ├── [293K]  react-dom-
server.edge.production.js
|           |   |   |   |   |   |   |   ├── [452K]  react-dom-
server.node.development.js
|           |   |   |   |   |   |   |   ├── [301K]  react-dom-
server.node.production.js
|           |   |   |   |   |   |   |   ├── [ 718]  react-dom-test-
utils.production.js
|           |   |   |   |   |   |   |   ├── [1.2M]  react-dom-
unstable_testing.development.js
```

```
|           |   |   |   |   |   |   |   ├── [655K]  react-dom-
unstable_testing.production.js
|           |   |   |   |   |   |   |   ├── [ 17K]  react-
dom.development.js
|           |   |   |   |   |   |   |   ├── [6.6K]  react-
dom.production.js
|           |   |   |   |   |   |   |   ├── [ 14K]  react-dom.react-
server.development.js
|           |   |   |   |   |   |   |   └── [4.8K]  react-dom.react-
server.production.js
|           |   |   |   |   |   |   ├── [1.3K]  client.js
|           |   |   |   |   |   |   ├── [ 101]  client.react-server.js
|           |   |   |   |   |   |   ├── [1.3K]  index.js
|           |   |   |   |   |   |   ├── [2.4K]  package.json
|           |   |   |   |   |   |   ├── [1.3K]  profiling.js
|           |   |   |   |   |   |   ├── [ 104]  profiling.react-
server.js
|           |   |   |   |   |   |   ├── [ 220]  react-dom.react-
server.js
|           |   |   |   |   |   |   ├── [ 583]  server.browser.js
|           |   |   |   |   |   |   ├── [ 581]  server.edge.js
|           |   |   |   |   |   |   ├── [  58]  server.js
|           |   |   |   |   |   |   ├── [ 725]  server.node.js
|           |   |   |   |   |   |   ├── [ 101]  server.react-server.js
|           |   |   |   |   |   |   ├── [ 313]  static.edge.js
|           |   |   |   |   |   |   ├── [ 445]  static.node.js
|           |   |   |   |   |   |   ├── [ 101]  static.react-server.js
|           |   |   |   |   |   |   └── [ 111]  unstable_testing.react-
server.js
|           |   |   |   |   |   ├── [ 384]  react-experimental
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [ 608]  cjs
|           |   |   |   |   |   |   |   ├── [1.1K]  react-compiler-
runtime.development.js
|           |   |   |   |   |   |   |   ├── [ 495]  react-compiler-
runtime.production.js
|           |   |   |   |   |   |   |   ├── [ 494]  react-compiler-
runtime.profiling.js
|           |   |   |   |   |   |   |   ├── [ 11K]  react-jsx-dev-
runtime.development.js
|           |   |   |   |   |   |   |   ├── [ 387]  react-jsx-dev-
runtime.production.js
|           |   |   |   |   |   |   |   ├── [ 386]  react-jsx-dev-
runtime.profiling.js
|           |   |   |   |   |   |   |   ├── [ 13K]  react-jsx-dev-
runtime.react-server.development.js
|           |   |   |   |   |   |   |   ├── [1.3K]  react-jsx-dev-
runtime.react-server.production.js
|           |   |   |   |   |   |   |   ├── [ 12K]  react-jsx-
runtime.development.js
|           |   |   |   |   |   |   |   ├── [ 976]  react-jsx-
runtime.production.js
|           |   |   |   |   |   |   |   ├── [ 975]  react-jsx-
runtime.profiling.js
|           |   |   |   |   |   |   |   ├── [ 13K]  react-jsx-
runtime.react-server.development.js
```

```
|           |   |   |   |   |   |   |   ├── [1.3K]  react-jsx-
runtime.react-server.production.js
|           |   |   |   |   |   |   |   ├── [ 49K]  react.development.js
|           |   |   |   |   |   |   |   ├── [ 19K]  react.production.js
|           |   |   |   |   |   |   |   ├── [ 37K]  react.react-
server.development.js
|           |   |   |   |   |   |   |   └── [ 18K]  react.react-
server.production.js
|           |   |   |   |   |   |   ├── [ 412]  compiler-runtime.js
|           |   |   |   |   |   |   ├── [ 186]  index.js
|           |   |   |   |   |   |   ├── [ 218]  jsx-dev-runtime.js
|           |   |   |   |   |   |   ├── [ 244]  jsx-dev-runtime.react-
server.js
|           |   |   |   |   |   |   ├── [ 210]  jsx-runtime.js
|           |   |   |   |   |   |   ├── [ 236]  jsx-runtime.react-
server.js
|           |   |   |   |   |   |   ├── [ 597]  package.json
|           |   |   |   |   |   |   └── [ 212]  react.react-server.js
|           |   |   |   |   |   ├── [ 224]  react-is
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [2.3K]  README.md
|           |   |   |   |   |   |   ├── [ 128]  cjs
|           |   |   |   |   |   |   |   ├── [4.9K]  react-
is.development.js
|           |   |   |   |   |   |   |   └── [4.3K]  react-
is.production.js
|           |   |   |   |   |   |   ├── [ 192]  index.js
|           |   |   |   |   |   |   └── [ 540]  package.json
|           |   |   |   |   |   ├── [ 256]  react-refresh
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [ 584]  README.md
|           |   |   |   |   |   |   ├── [ 218]  babel.js
|           |   |   |   |   |   |   ├── [ 192]  cjs
|           |   |   |   |   |   |   |   ├── [ 26K]  react-refresh-
babel.development.js
|           |   |   |   |   |   |   |   ├── [7.9K]  react-refresh-
babel.production.min.js
|           |   |   |   |   |   |   |   ├── [ 20K]  react-refresh-
runtime.development.js
|           |   |   |   |   |   |   |   └── [ 353]  react-refresh-
runtime.production.min.js
|           |   |   |   |   |   |   ├── [ 882]  package.json
|           |   |   |   |   |   |   └── [ 222]  runtime.js
|           |   |   |   |   |   ├── [ 576]  react-server-dom-turbopack
|           |   |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   |   ├── [ 448]  cjs
|           |   |   |   |   |   |   |   ├── [125K]  react-server-dom-
turbopack-client.browser.development.js
|           |   |   |   |   |   |   |   ├── [ 57K]  react-server-dom-
turbopack-client.browser.production.js
|           |   |   |   |   |   |   |   ├── [123K]  react-server-dom-
turbopack-client.edge.development.js
|           |   |   |   |   |   |   |   ├── [ 63K]  react-server-dom-
turbopack-client.edge.production.js
|           |   |   |   |   |   |   |   ├── [128K]  react-server-dom-
turbopack-client.node.development.js
```

```
|           |   |   |   |   |   |   |   ├── [ 67K]  react-server-dom-
turbopack-client.node.production.js
|           |   |   |   |   |   |   |   ├── [179K]  react-server-dom-
turbopack-server.browser.development.js
|           |   |   |   |   |   |   |   ├── [ 93K]  react-server-dom-
turbopack-server.browser.production.js
|           |   |   |   |   |   |   |   ├── [183K]  react-server-dom-
turbopack-server.edge.development.js
|           |   |   |   |   |   |   |   ├── [ 94K]  react-server-dom-
turbopack-server.edge.production.js
|           |   |   |   |   |   |   |   ├── [209K]  react-server-dom-
turbopack-server.node.development.js
|           |   |   |   |   |   |   |   └── [101K]  react-server-dom-
turbopack-server.node.production.js
|           |   |   |   |   |   |   ├── [ 258]  client.browser.js
|           |   |   |   |   |   |   ├── [ 252]  client.edge.js
|           |   |   |   |   |   |   ├── [  61]  client.js
|           |   |   |   |   |   |   ├── [ 252]  client.node.js
|           |   |   |   |   |   |   ├── [ 286]  index.js
|           |   |   |   |   |   |   ├── [1.6K]  package.json
|           |   |   |   |   |   |   ├── [ 672]  server.browser.js
|           |   |   |   |   |   |   ├── [ 737]  server.edge.js
|           |   |   |   |   |   |   ├── [ 194]  server.js
|           |   |   |   |   |   |   ├── [ 853]  server.node.js
|           |   |   |   |   |   |   ├── [ 323]  static.browser.js
|           |   |   |   |   |   |   ├── [ 317]  static.edge.js
|           |   |   |   |   |   |   ├── [ 194]  static.js
|           |   |   |   |   |   |   └── [ 436]  static.node.js
|           |   |   |   |   |   ├── [ 576]  react-server-dom-turbopack-
experimental
|           |   |   |   |   |   ├── [1.1K]  LICENSE
|           |   |   |   |   |   ├── [ 448]  cjs
|           |   |   |   |   |   |   ├── [165K]  react-server-dom-
turbopack-client.browser.development.js
|           |   |   |   |   |   |   ├── [ 57K]  react-server-dom-
turbopack-client.browser.production.js
|           |   |   |   |   |   |   ├── [164K]  react-server-dom-
turbopack-client.edge.development.js
|           |   |   |   |   |   |   ├── [ 63K]  react-server-dom-
turbopack-client.edge.production.js
|           |   |   |   |   |   |   ├── [169K]  react-server-dom-
turbopack-client.node.development.js
|           |   |   |   |   |   |   ├── [ 68K]  react-server-dom-
turbopack-client.node.production.js
|           |   |   |   |   |   |   ├── [186K]  react-server-dom-
turbopack-server.browser.development.js
|           |   |   |   |   |   |   ├── [ 98K]  react-server-dom-
turbopack-server.browser.production.js
|           |   |   |   |   |   |   ├── [191K]  react-server-dom-
turbopack-server.edge.development.js
|           |   |   |   |   |   |   ├── [100K]  react-server-dom-
turbopack-server.edge.production.js
|           |   |   |   |   |   |   ├── [217K]  react-server-dom-
turbopack-server.node.development.js
|           |   |   |   |   |   |   └── [106K]  react-server-dom-
turbopack-server.node.production.js
```

```
│           │   │   │   │   │   │   ├── [ 258]  client.browser.js
│           │   │   │   │   │   │   ├── [ 252]  client.edge.js
│           │   │   │   │   │   │   ├── [  61]  client.js
│           │   │   │   │   │   │   ├── [ 252]  client.node.js
│           │   │   │   │   │   │   ├── [ 286]  index.js
│           │   │   │   │   │   │   ├── [1.6K]  package.json
│           │   │   │   │   │   │   ├── [ 672]  server.browser.js
│           │   │   │   │   │   │   ├── [ 737]  server.edge.js
│           │   │   │   │   │   │   ├── [ 194]  server.js
│           │   │   │   │   │   │   ├── [ 853]  server.node.js
│           │   │   │   │   │   │   ├── [ 323]  static.browser.js
│           │   │   │   │   │   │   ├── [ 317]  static.edge.js
│           │   │   │   │   │   │   ├── [ 194]  static.js
│           │   │   │   │   │   │   └── [ 436]  static.node.js
│           │   │   │   │   │   ├── [ 736]  react-server-dom-webpack
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 640]  cjs
│           │   │   │   │   │   │   │   ├── [125K]  react-server-dom-
webpack-client.browser.development.js
│           │   │   │   │   │   │   │   ├── [ 57K]  react-server-dom-
webpack-client.browser.production.js
│           │   │   │   │   │   │   │   ├── [123K]  react-server-dom-
webpack-client.edge.development.js
│           │   │   │   │   │   │   │   ├── [ 63K]  react-server-dom-
webpack-client.edge.production.js
│           │   │   │   │   │   │   │   ├── [128K]  react-server-dom-
webpack-client.node.development.js
│           │   │   │   │   │   │   │   ├── [ 67K]  react-server-dom-
webpack-client.node.production.js
│           │   │   │   │   │   │   │   ├── [127K]  react-server-dom-
webpack-client.node.unbundled.development.js
│           │   │   │   │   │   │   │   ├── [ 66K]  react-server-dom-
webpack-client.node.unbundled.production.js
│           │   │   │   │   │   │   │   ├── [2.3K]  react-server-dom-
webpack-node-register.js
│           │   │   │   │   │   │   │   ├── [ 14K]  react-server-dom-
webpack-plugin.js
│           │   │   │   │   │   │   │   ├── [180K]  react-server-dom-
webpack-server.browser.development.js
│           │   │   │   │   │   │   │   ├── [ 93K]  react-server-dom-
webpack-server.browser.production.js
│           │   │   │   │   │   │   │   ├── [183K]  react-server-dom-
webpack-server.edge.development.js
│           │   │   │   │   │   │   │   ├── [ 94K]  react-server-dom-
webpack-server.edge.production.js
│           │   │   │   │   │   │   │   ├── [209K]  react-server-dom-
webpack-server.node.development.js
│           │   │   │   │   │   │   │   ├── [101K]  react-server-dom-
webpack-server.node.production.js
│           │   │   │   │   │   │   │   ├── [208K]  react-server-dom-
webpack-server.node.unbundled.development.js
│           │   │   │   │   │   │   │   └── [100K]  react-server-dom-
webpack-server.node.unbundled.production.js
│           │   │   │   │   │   │   ├── [ 254]  client.browser.js
│           │   │   │   │   │   │   ├── [ 248]  client.edge.js
│           │   │   │   │   │   │   ├── [  61]  client.js
```

```
│           │   │   │   │   │   │   ├── [ 248]  client.node.js
│           │   │   │   │   │   │   ├── [ 268]  client.node.unbundled.js
│           │   │   │   │   │   │   ├── [ 284]  index.js
│           │   │   │   │   │   │   ├── [  92]  node-register.js
│           │   │   │   │   │   │   ├── [2.2K]  package.json
│           │   │   │   │   │   │   ├── [  85]  plugin.js
│           │   │   │   │   │   │   ├── [ 668]  server.browser.js
│           │   │   │   │   │   │   ├── [ 733]  server.edge.js
│           │   │   │   │   │   │   ├── [ 194]  server.js
│           │   │   │   │   │   │   ├── [ 849]  server.node.js
│           │   │   │   │   │   │   ├── [ 869]  server.node.unbundled.js
│           │   │   │   │   │   │   ├── [ 319]  static.browser.js
│           │   │   │   │   │   │   ├── [ 313]  static.edge.js
│           │   │   │   │   │   │   ├── [ 194]  static.js
│           │   │   │   │   │   │   ├── [ 432]  static.node.js
│           │   │   │   │   │   │   └── [ 369]  static.node.unbundled.js
│           │   │   │   │   │   ├── [ 736]  react-server-dom-webpack-
experimental
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 640]  cjs
│           │   │   │   │   │   │   │   ├── [166K]  react-server-dom-
webpack-client.browser.development.js
│           │   │   │   │   │   │   │   ├── [ 58K]  react-server-dom-
webpack-client.browser.production.js
│           │   │   │   │   │   │   │   ├── [164K]  react-server-dom-
webpack-client.edge.development.js
│           │   │   │   │   │   │   │   ├── [ 64K]  react-server-dom-
webpack-client.edge.production.js
│           │   │   │   │   │   │   │   ├── [169K]  react-server-dom-
webpack-client.node.development.js
│           │   │   │   │   │   │   │   ├── [ 68K]  react-server-dom-
webpack-client.node.production.js
│           │   │   │   │   │   │   │   ├── [168K]  react-server-dom-
webpack-client.node.unbundled.development.js
│           │   │   │   │   │   │   │   ├── [ 66K]  react-server-dom-
webpack-client.node.unbundled.production.js
│           │   │   │   │   │   │   │   ├── [2.3K]  react-server-dom-
webpack-node-register.js
│           │   │   │   │   │   │   │   ├── [ 14K]  react-server-dom-
webpack-plugin.js
│           │   │   │   │   │   │   │   ├── [187K]  react-server-dom-
webpack-server.browser.development.js
│           │   │   │   │   │   │   │   ├── [ 99K]  react-server-dom-
webpack-server.browser.production.js
│           │   │   │   │   │   │   │   ├── [191K]  react-server-dom-
webpack-server.edge.development.js
│           │   │   │   │   │   │   │   ├── [100K]  react-server-dom-
webpack-server.edge.production.js
│           │   │   │   │   │   │   │   ├── [217K]  react-server-dom-
webpack-server.node.development.js
│           │   │   │   │   │   │   │   ├── [106K]  react-server-dom-
webpack-server.node.production.js
│           │   │   │   │   │   │   │   ├── [216K]  react-server-dom-
webpack-server.node.unbundled.development.js
│           │   │   │   │   │   │   │   └── [105K]  react-server-dom-
webpack-server.node.unbundled.production.js
```

```
│           │   │   │   │   │   │   ├── [ 254]  client.browser.js
│           │   │   │   │   │   │   ├── [ 248]  client.edge.js
│           │   │   │   │   │   │   ├── [  61]  client.js
│           │   │   │   │   │   │   ├── [ 248]  client.node.js
│           │   │   │   │   │   │   ├── [ 268]  client.node.unbundled.js
│           │   │   │   │   │   │   ├── [ 284]  index.js
│           │   │   │   │   │   │   ├── [  92]  node-register.js
│           │   │   │   │   │   │   ├── [2.2K]  package.json
│           │   │   │   │   │   │   ├── [  85]  plugin.js
│           │   │   │   │   │   │   ├── [ 668]  server.browser.js
│           │   │   │   │   │   │   ├── [ 733]  server.edge.js
│           │   │   │   │   │   │   ├── [ 194]  server.js
│           │   │   │   │   │   │   ├── [ 849]  server.node.js
│           │   │   │   │   │   │   ├── [ 869]  server.node.unbundled.js
│           │   │   │   │   │   │   ├── [ 319]  static.browser.js
│           │   │   │   │   │   │   ├── [ 313]  static.edge.js
│           │   │   │   │   │   │   ├── [ 194]  static.js
│           │   │   │   │   │   │   ├── [ 432]  static.node.js
│           │   │   │   │   │   │   └── [ 369]  static.node.unbundled.js
│           │   │   │   │   │   ├── [ 224]  regenerator-runtime
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 758]  README.md
│           │   │   │   │   │   │   ├── [ 477]  package.json
│           │   │   │   │   │   │   ├── [ 252]  path.js
│           │   │   │   │   │   │   └── [ 24K]  runtime.js
│           │   │   │   │   │   ├── [ 160]  safe-stable-stringify
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [9.1K]  index.js
│           │   │   │   │   │   │   └── [  96]  package.json
│           │   │   │   │   │   ├── [ 160]  sass-loader
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [ 14K]  cjs.js
│           │   │   │   │   │   │   └── [  79]  package.json
│           │   │   │   │   │   ├── [ 288]  scheduler
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 320]  cjs
│           │   │   │   │   │   │   │   ├── [ 13K]  scheduler-
unstable_mock.development.js
│           │   │   │   │   │   │   │   ├── [ 12K]  scheduler-
unstable_mock.production.js
│           │   │   │   │   │   │   │   ├── [4.5K]  scheduler-
unstable_post_task.development.js
│           │   │   │   │   │   │   │   ├── [3.9K]  scheduler-
unstable_post_task.production.js
│           │   │   │   │   │   │   │   ├── [ 12K]
scheduler.development.js
│           │   │   │   │   │   │   │   ├── [ 12K]
scheduler.native.development.js
│           │   │   │   │   │   │   │   ├── [ 11K]
scheduler.native.production.js
│           │   │   │   │   │   │   │   └── [9.9K]
scheduler.production.js
│           │   │   │   │   │   │   ├── [ 194]  index.js
│           │   │   │   │   │   │   ├── [ 208]  index.native.js
│           │   │   │   │   │   │   ├── [  33]  package.json
│           │   │   │   │   │   │   ├── [ 222]  unstable_mock.js
```

```
│            │   │   │   │   │   │   └── [ 232]  unstable_post_task.js
│            │   │   │   │   │   ├── [ 288]  scheduler-experimental
│            │   │   │   │   │   │   ├── [1.1K]  LICENSE
│            │   │   │   │   │   │   ├── [ 320]  cjs
│            │   │   │   │   │   │   │   ├── [ 13K]  scheduler-
unstable_mock.development.js
│            │   │   │   │   │   │   │   ├── [ 12K]  scheduler-
unstable_mock.production.js
│            │   │   │   │   │   │   │   ├── [4.5K]  scheduler-
unstable_post_task.development.js
│            │   │   │   │   │   │   │   ├── [3.9K]  scheduler-
unstable_post_task.production.js
│            │   │   │   │   │   │   │   ├── [ 12K]
scheduler.development.js
│            │   │   │   │   │   │   │   ├── [ 12K]
scheduler.native.development.js
│            │   │   │   │   │   │   │   ├── [ 11K]
scheduler.native.production.js
│            │   │   │   │   │   │   │   └── [9.8K]
scheduler.production.js
│            │   │   │   │   │   │   ├── [ 194]  index.js
│            │   │   │   │   │   │   ├── [ 208]  index.native.js
│            │   │   │   │   │   │   ├── [  46]  package.json
│            │   │   │   │   │   │   ├── [ 222]  unstable_mock.js
│            │   │   │   │   │   │   └── [ 232]  unstable_post_task.js
│            │   │   │   │   │   ├── [ 160]  schema-utils2
│            │   │   │   │   │   │   ├── [1.0K]  LICENSE
│            │   │   │   │   │   │   ├── [172K]  index.js
│            │   │   │   │   │   │   └── [ 122]  package.json
│            │   │   │   │   │   ├── [ 160]  schema-utils3
│            │   │   │   │   │   │   ├── [1.0K]  LICENSE
│            │   │   │   │   │   │   ├── [173K]  index.js
│            │   │   │   │   │   │   └── [ 122]  package.json
│            │   │   │   │   │   ├── [ 160]  semver
│            │   │   │   │   │   │   ├── [ 765]  LICENSE
│            │   │   │   │   │   │   ├── [ 24K]  index.js
│            │   │   │   │   │   │   └── [  52]  package.json
│            │   │   │   │   │   ├── [ 160]  send
│            │   │   │   │   │   │   ├── [1.1K]  LICENSE
│            │   │   │   │   │   │   ├── [ 66K]  index.js
│            │   │   │   │   │   │   └── [  97]  package.json
│            │   │   │   │   │   ├── [ 160]  server-only
│            │   │   │   │   │   │   ├── [   0]  empty.js
│            │   │   │   │   │   │   ├── [ 144]  index.js
│            │   │   │   │   │   │   └── [ 467]  package.json
│            │   │   │   │   │   ├── [ 128]  setimmediate
│            │   │   │   │   │   │   ├── [  83]  package.json
│            │   │   │   │   │   │   └── [2.5K]  setImmediate.js
│            │   │   │   │   │   ├── [ 160]  shell-quote
│            │   │   │   │   │   │   ├── [1.1K]  LICENSE
│            │   │   │   │   │   │   ├── [2.7K]  index.js
│            │   │   │   │   │   │   └── [ 148]  package.json
│            │   │   │   │   │   ├── [ 160]  source-map
│            │   │   │   │   │   │   ├── [1.5K]  LICENSE
│            │   │   │   │   │   │   ├── [ 123]  package.json
│            │   │   │   │   │   │   └── [ 32K]  source-map.js
```

```
│             │   │   │   │   │   ├── [ 192]  source-map08
│             │   │   │   │   │   │   ├── [1.5K]  LICENSE
│             │   │   │   │   │   │   ├── [ 48K]  mappings.wasm
│             │   │   │   │   │   │   ├── [ 125]  package.json
│             │   │   │   │   │   │   └── [ 92K]  source-map.js
│             │   │   │   │   │   ├── [ 160]  stacktrace-parser
│             │   │   │   │   │   │   ├── [1.1K]  LICENSE
│             │   │   │   │   │   │   ├── [ 153]  package.json
│             │   │   │   │   │   │   └── [2.2K]  stack-trace-
parser.cjs.js
│             │   │   │   │   │   ├── [ 160]  stream-browserify
│             │   │   │   │   │   │   ├── [1.0K]  LICENSE
│             │   │   │   │   │   │   ├── [ 48K]  index.js
│             │   │   │   │   │   │   └── [ 154]  package.json
│             │   │   │   │   │   ├── [ 160]  stream-http
│             │   │   │   │   │   │   ├── [1.1K]  LICENSE
│             │   │   │   │   │   │   ├── [ 58K]  index.js
│             │   │   │   │   │   │   └── [  80]  package.json
│             │   │   │   │   │   ├── [ 128]  string-hash
│             │   │   │   │   │   │   ├── [ 484]  index.js
│             │   │   │   │   │   │   └── [ 134]  package.json
│             │   │   │   │   │   ├── [ 160]  string_decoder
│             │   │   │   │   │   │   ├── [2.3K]  LICENSE
│             │   │   │   │   │   │   ├── [  69]  package.json
│             │   │   │   │   │   │   └── [5.4K]  string_decoder.js
│             │   │   │   │   │   ├── [ 160]  strip-ansi
│             │   │   │   │   │   │   ├── [1.1K]  LICENSE
│             │   │   │   │   │   │   ├── [ 747]  index.js
│             │   │   │   │   │   │   └── [ 148]  package.json
│             │   │   │   │   │   ├── [ 128]  superstruct
│             │   │   │   │   │   │   ├── [ 12K]  index.cjs
│             │   │   │   │   │   │   └── [  58]  package.json
│             │   │   │   │   │   ├── [ 160]  tar
│             │   │   │   │   │   │   ├── [ 765]  LICENSE
│             │   │   │   │   │   │   ├── [ 96K]  index.js
│             │   │   │   │   │   │   └── [  72]  package.json
│             │   │   │   │   │   ├── [ 160]  terser
│             │   │   │   │   │   │   ├── [1.3K]  LICENSE
│             │   │   │   │   │   │   ├── [505K]  bundle.min.js
│             │   │   │   │   │   │   └── [ 138]  package.json
│             │   │   │   │   │   ├── [ 160]  text-table
│             │   │   │   │   │   │   ├── [1.0K]  LICENSE
│             │   │   │   │   │   │   ├── [1.6K]  index.js
│             │   │   │   │   │   │   └── [ 147]  package.json
│             │   │   │   │   │   ├── [ 128]  timers-browserify
│             │   │   │   │   │   │   ├── [1.6K]  main.js
│             │   │   │   │   │   │   └── [ 131]  package.json
│             │   │   │   │   │   ├── [ 160]  tty-browserify
│             │   │   │   │   │   │   ├── [1.0K]  LICENSE
│             │   │   │   │   │   │   ├── [ 382]  index.js
│             │   │   │   │   │   │   └── [ 151]  package.json
│             │   │   │   │   │   ├── [ 128]  ua-parser-js
│             │   │   │   │   │   │   ├── [ 128]  package.json
│             │   │   │   │   │   │   └── [ 17K]  ua-parser.js
│             │   │   │   │   │   ├── [ 128]  unistore
│             │   │   │   │   │   │   ├── [ 102]  package.json
```

```
│           │   │   │   │   │   │   └── [ 929]  unistore.js
│           │   │   │   │   │   ├── [ 160]  util
│           │   │   │   │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   │   │   │   ├── [ 106]  package.json
│           │   │   │   │   │   │   └── [ 33K]  util.js
│           │   │   │   │   │   ├── [ 160]  vm-browserify
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [2.6K]  index.js
│           │   │   │   │   │   │   └── [ 150]  package.json
│           │   │   │   │   │   ├── [ 160]  watchpack
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [  92]  package.json
│           │   │   │   │   │   │   └── [ 38K]  watchpack.js
│           │   │   │   │   │   ├── [ 160]  web-vitals
│           │   │   │   │   │   │   ├── [ 11K]  LICENSE
│           │   │   │   │   │   │   ├── [ 168]  package.json
│           │   │   │   │   │   │   └── [7.7K]  web-vitals.js
│           │   │   │   │   │   ├── [ 160]  web-vitals-attribution
│           │   │   │   │   │   │   ├── [ 11K]  LICENSE
│           │   │   │   │   │   │   ├── [ 180]  package.json
│           │   │   │   │   │   │   └── [ 13K]  web-
vitals.attribution.js
│           │   │   │   │   │   ├── [ 960]  webpack
│           │   │   │   │   │   │   ├── [  66]
BasicEvaluatedExpression.js
│           │   │   │   │   │   │   ├── [  57]  ExternalsPlugin.js
│           │   │   │   │   │   │   ├── [  69]
FetchCompileAsyncWasmPlugin.js
│           │   │   │   │   │   │   ├── [  64]
FetchCompileWasmPlugin.js
│           │   │   │   │   │   │   ├── [  72]
FetchCompileWasmTemplatePlugin.js
│           │   │   │   │   │   │   ├── [  54]  GraphHelpers.js
│           │   │   │   │   │   │   ├── [ 10K]
HotModuleReplacement.runtime.js
│           │   │   │   │   │   │   ├── [ 13K]
JavascriptHotModuleReplacement.runtime.js
│           │   │   │   │   │   │   ├── [1.0K]  LICENSE
│           │   │   │   │   │   │   ├── [  63]  LibraryTemplatePlugin.js
│           │   │   │   │   │   │   ├── [  63]  LimitChunkCountPlugin.js
│           │   │   │   │   │   │   ├── [  63]  ModuleFilenameHelpers.js
│           │   │   │   │   │   │   ├── [  63]  NodeEnvironmentPlugin.js
│           │   │   │   │   │   │   ├── [  58]  NodeTargetPlugin.js
│           │   │   │   │   │   │   ├── [  60]  NodeTemplatePlugin.js
│           │   │   │   │   │   │   ├── [  54]  NormalModule.js
│           │   │   │   │   │   │   ├── [  59]  SingleEntryPlugin.js
│           │   │   │   │   │   │   ├── [  77]
SourceMapDevToolModuleOptionsPlugin.js
│           │   │   │   │   │   │   ├── [  65]
WebWorkerTemplatePlugin.js
│           │   │   │   │   │   │   ├── [2.5M]  bundle5.js
│           │   │   │   │   │   │   ├── [1.2K]  lazy-compilation-node.js
│           │   │   │   │   │   │   ├── [2.0K]  lazy-compilation-web.js
│           │   │   │   │   │   │   ├── [  49]  package.js
│           │   │   │   │   │   │   ├── [  88]  package.json
│           │   │   │   │   │   │   ├── [  49]  sources.js
```

```
│               │   │   │   │   │   │   ├── [  49]  webpack-lib.js
│               │   │   │   │   │   │   ├── [ 441]  webpack.d.ts
│               │   │   │   │   │   │   └── [2.4K]  webpack.js
│               │   │   │   │   │   ├── [ 160]  webpack-sources1
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 23K]  index.js
│               │   │   │   │   │   │   └── [  94]  package.json
│               │   │   │   │   │   ├── [ 160]  webpack-sources3
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 34K]  index.js
│               │   │   │   │   │   │   └── [  94]  package.json
│               │   │   │   │   │   ├── [ 160]  ws
│               │   │   │   │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   │   │   │   ├── [ 45K]  index.js
│               │   │   │   │   │   │   └── [ 114]  package.json
│               │   │   │   │   │   ├── [ 160]  zod
│               │   │   │   │   │   │   ├── [1.0K]  LICENSE
│               │   │   │   │   │   │   ├── [ 76K]  index.cjs
│               │   │   │   │   │   │   └── [  98]  package.json
│               │   │   │   │   │   └── [ 160]  zod-validation-error
│               │   │   │   │   │       ├── [1.1K]  LICENSE
│               │   │   │   │   │       ├── [5.0K]  index.js
│               │   │   │   │   │       └── [ 171]  package.json
│               │   │   │   │   ├── [ 224]  diagnostics
│               │   │   │   │   │   ├── [1.4K]  build-diagnostics.d.ts
│               │   │   │   │   │   ├── [3.4K]  build-diagnostics.js
│               │   │   │   │   │   ├── [6.3K]  build-diagnostics.js.map
│               │   │   │   │   │   ├── [2.7K]  build-diagnostics.test.js
│               │   │   │   │   │   └── [3.8K]  build-
diagnostics.test.js.map
│               │   │   │   │   ├── [ 352]  esm
│               │   │   │   │   │   ├── [1.1K]  api
│               │   │   │   │   │   │   ├── [ 136]  app-dynamic.js
│               │   │   │   │   │   │   ├── [ 270]  app-dynamic.js.map
│               │   │   │   │   │   │   ├── [ 104]  app.js
│               │   │   │   │   │   │   ├── [ 237]  app.js.map
│               │   │   │   │   │   │   ├── [  79]  constants.js
│               │   │   │   │   │   │   ├── [ 175]  constants.js.map
│               │   │   │   │   │   │   ├── [ 119]  document.js
│               │   │   │   │   │   │   ├── [ 254]  document.js.map
│               │   │   │   │   │   │   ├── [ 124]  dynamic.js
│               │   │   │   │   │   │   ├── [ 258]  dynamic.js.map
│               │   │   │   │   │   │   ├── [ 107]  form.js
│               │   │   │   │   │   │   ├── [ 241]  form.js.map
│               │   │   │   │   │   │   ├── [ 115]  head.js
│               │   │   │   │   │   │   ├── [ 249]  head.js.map
│               │   │   │   │   │   │   ├── [ 168]  headers.js
│               │   │   │   │   │   │   ├── [ 300]  headers.js.map
│               │   │   │   │   │   │   ├── [ 136]  image.js
│               │   │   │   │   │   │   ├── [ 270]  image.js.map
│               │   │   │   │   │   │   ├── [ 107]  link.js
│               │   │   │   │   │   │   ├── [ 241]  link.js.map
│               │   │   │   │   │   │   ├── [  88]  navigation.js
│               │   │   │   │   │   │   ├── [ 184]  navigation.js.map
│               │   │   │   │   │   │   ├── [ 114]  navigation.react-
server.js
```

```
│           │   │   │   │   │   │   ├── [ 210]  navigation.react-
server.js.map
│           │   │   │   │   │   │   ├── [  76]  og.js
│           │   │   │   │   │   │   ├── [ 172]  og.js.map
│           │   │   │   │   │   │   ├── [ 113]  router.js
│           │   │   │   │   │   │   ├── [ 247]  router.js.map
│           │   │   │   │   │   │   ├── [ 113]  script.js
│           │   │   │   │   │   │   ├── [ 247]  script.js.map
│           │   │   │   │   │   │   ├── [  80]  server.js
│           │   │   │   │   │   │   └── [ 176]  server.js.map
│           │   │   │   │   │   ├── [2.4K]  build
│           │   │   │   │   │   │   ├── [ 128]  adapter
│           │   │   │   │   │   │   │   ├── [ 20K]  build-complete.js
│           │   │   │   │   │   │   │   └── [ 31K]  build-
complete.js.map
│           │   │   │   │   │   │   ├── [1.6K]  after-production-
compile.js
│           │   │   │   │   │   │   ├── [3.1K]  after-production-
compile.js.map
│           │   │   │   │   │   │   ├── [ 256]  analysis
│           │   │   │   │   │   │   │   ├── [6.5K]  extract-const-
value.js
│           │   │   │   │   │   │   │   ├── [ 11K]  extract-const-
value.js.map
│           │   │   │   │   │   │   │   ├── [ 19K]  get-page-static-
info.js
│           │   │   │   │   │   │   │   ├── [ 32K]  get-page-static-
info.js.map
│           │   │   │   │   │   │   │   ├── [ 621]  parse-module.js
│           │   │   │   │   │   │   │   └── [1.2K]  parse-module.js.map
│           │   │   │   │   │   │   ├── [ 192]  babel
│           │   │   │   │   │   │   │   ├── [ 352]  loader
│           │   │   │   │   │   │   │   │   ├── [ 14K]  get-config.js
│           │   │   │   │   │   │   │   │   ├── [ 25K]  get-
config.js.map
│           │   │   │   │   │   │   │   │   ├── [1.9K]  index.js
│           │   │   │   │   │   │   │   │   ├── [3.9K]  index.js.map
│           │   │   │   │   │   │   │   │   ├── [3.1K]  transform.js
│           │   │   │   │   │   │   │   │   ├── [6.1K]  transform.js.map
│           │   │   │   │   │   │   │   │   ├── [1.6K]  types.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 199]  util.js
│           │   │   │   │   │   │   │   │   └── [1.0K]  util.js.map
│           │   │   │   │   │   │   │   ├── [ 640]  plugins
│           │   │   │   │   │   │   │   │   ├── [ 843]  amp-
attributes.js
│           │   │   │   │   │   │   │   │   ├── [1.5K]  amp-
attributes.js.map
│           │   │   │   │   │   │   │   │   ├── [1013]  commonjs.js
│           │   │   │   │   │   │   │   │   ├── [1.8K]  commonjs.js.map
│           │   │   │   │   │   │   │   │   ├── [3.2K]  jsx-pragma.js
│           │   │   │   │   │   │   │   │   ├── [6.3K]  jsx-
pragma.js.map
│           │   │   │   │   │   │   │   │   ├── [1.2K]  next-font-
unsupported.js
│           │   │   │   │   │   │   │   │   ├── [1.7K]  next-font-
unsupported.js.map
```

```
|           |   |   |   |   |   |   |   |   ├── [8.6K]  next-page-
config.js
|           |   |   |   |   |   |   |   |   ├── [ 12K]  next-page-
config.js.map
|           |   |   |   |   |   |   |   |   ├── [ 968]  next-page-
disallow-re-export-all-exports.js
|           |   |   |   |   |   |   |   |   ├── [1.4K]  next-page-
disallow-re-export-all-exports.js.map
|           |   |   |   |   |   |   |   |   ├── [ 16K]  next-ssg-
transform.js
|           |   |   |   |   |   |   |   |   ├── [ 24K]  next-ssg-
transform.js.map
|           |   |   |   |   |   |   |   |   ├── [2.2K]  optimize-hook-
destructuring.js
|           |   |   |   |   |   |   |   |   ├── [4.5K]  optimize-hook-
destructuring.js.map
|           |   |   |   |   |   |   |   |   ├── [7.6K]  react-loadable-
plugin.js
|           |   |   |   |   |   |   |   |   └── [ 12K]  react-loadable-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [7.2K]  preset.js
|           |   |   |   |   |   |   |   └── [ 12K]  preset.js.map
|           |   |   |   |   |   |   ├── [1.3K]  build-context.js
|           |   |   |   |   |   |   ├── [4.0K]  build-context.js.map
|           |   |   |   |   |   |   ├── [ 21K]  collect-build-traces.js
|           |   |   |   |   |   |   ├── [ 35K]  collect-build-
traces.js.map
|           |   |   |   |   |   |   ├── [2.8K]  compiler.js
|           |   |   |   |   |   |   ├── [4.7K]  compiler.js.map
|           |   |   |   |   |   |   ├── [ 24K]  create-compiler-
aliases.js
|           |   |   |   |   |   |   ├── [ 39K]  create-compiler-
aliases.js.map
|           |   |   |   |   |   |   ├── [ 14K]  define-env.js
|           |   |   |   |   |   |   ├── [ 23K]  define-env.js.map
|           |   |   |   |   |   |   ├── [ 218]  deployment-id.js
|           |   |   |   |   |   |   ├── [ 506]  deployment-id.js.map
|           |   |   |   |   |   |   ├── [ 544]  duration-to-string.js
|           |   |   |   |   |   |   ├── [1.1K]  duration-to-
string.js.map
|           |   |   |   |   |   |   ├── [ 35K]  entries.js
|           |   |   |   |   |   |   ├── [ 60K]  entries.js.map
|           |   |   |   |   |   |   ├── [ 794]  generate-build-id.js
|           |   |   |   |   |   |   ├── [1.2K]  generate-build-id.js.map
|           |   |   |   |   |   |   ├── [ 622]  get-babel-config-file.js
|           |   |   |   |   |   |   ├── [1.1K]  get-babel-config-
file.js.map
|           |   |   |   |   |   |   ├── [2.9K]  get-babel-loader-
config.js
|           |   |   |   |   |   |   ├── [4.8K]  get-babel-loader-
config.js.map
|           |   |   |   |   |   |   ├── [4.5K]  handle-entrypoints.js
|           |   |   |   |   |   |   ├── [6.9K]  handle-
entrypoints.js.map
|           |   |   |   |   |   |   ├── [ 13K]  handle-externals.js
|           |   |   |   |   |   |   ├── [ 21K]  handle-externals.js.map
```

```
│           │   │   │   │   │   │   ├── [144K]  index.js
│           │   │   │   │   │   │   ├── [220K]  index.js.map
│           │   │   │   │   │   │   ├── [ 262]  is-writeable.js
│           │   │   │   │   │   │   ├── [ 635]  is-writeable.js.map
│           │   │   │   │   │   │   ├── [1.7K]  load-entrypoint.js
│           │   │   │   │   │   │   ├── [3.0K]  load-entrypoint.js.map
│           │   │   │   │   │   │   ├── [3.4K]  load-jsconfig.js
│           │   │   │   │   │   │   ├── [6.4K]  load-jsconfig.js.map
│           │   │   │   │   │   │   ├── [  96]  manifests
│           │   │   │   │   │   │   │   └── [ 128]  formatter
│           │   │   │   │   │   │   │       ├── [ 347]  format-
manifest.js
│           │   │   │   │   │   │   │       └── [ 620]  format-
manifest.js.map
│           │   │   │   │   │   │   ├── [ 192]  next-config-ts
│           │   │   │   │   │   │   │   ├── [1.9K]  require-hook.js
│           │   │   │   │   │   │   │   ├── [3.6K]  require-hook.js.map
│           │   │   │   │   │   │   │   ├── [3.7K]  transpile-config.js
│           │   │   │   │   │   │   │   └── [6.6K]  transpile-
config.js.map
│           │   │   │   │   │   │   ├── [ 301]  next-dir-paths.js
│           │   │   │   │   │   │   ├── [ 681]  next-dir-paths.js.map
│           │   │   │   │   │   │   ├── [4.1K]  normalize-catchall-
routes.js
│           │   │   │   │   │   │   ├── [6.5K]  normalize-catchall-
routes.js.map
│           │   │   │   │   │   │   ├── [ 320]  output
│           │   │   │   │   │   │   │   ├── [1.6K]  format.js
│           │   │   │   │   │   │   │   ├── [3.0K]  format.js.map
│           │   │   │   │   │   │   │   ├── [8.0K]  index.js
│           │   │   │   │   │   │   │   ├── [ 15K]  index.js.map
│           │   │   │   │   │   │   │   ├── [2.3K]  log.js
│           │   │   │   │   │   │   │   ├── [4.4K]  log.js.map
│           │   │   │   │   │   │   │   ├── [4.7K]  store.js
│           │   │   │   │   │   │   │   └── [9.0K]  store.js.map
│           │   │   │   │   │   │   ├── [  61]  page-extensions-type.js
│           │   │   │   │   │   │   ├── [ 180]  page-extensions-
type.js.map
│           │   │   │   │   │   │   ├── [ 256]  polyfills
│           │   │   │   │   │   │   │   ├── [ 192]  fetch
│           │   │   │   │   │   │   │   │   ├── [ 167]  index.js
│           │   │   │   │   │   │   │   │   ├── [ 463]  index.js.map
│           │   │   │   │   │   │   │   │   ├── [ 186]  whatwg-fetch.js
│           │   │   │   │   │   │   │   │   └── [ 497]  whatwg-
fetch.js.map
│           │   │   │   │   │   │   │   ├── [ 149]  object-assign.js
│           │   │   │   │   │   │   │   ├── [ 411]  object-assign.js.map
│           │   │   │   │   │   │   │   ├── [ 384]  object.assign
│           │   │   │   │   │   │   │   │   ├── [  41]  auto.js
│           │   │   │   │   │   │   │   │   ├── [ 163]  auto.js.map
│           │   │   │   │   │   │   │   │   ├── [  75]
implementation.js
│           │   │   │   │   │   │   │   │   ├── [ 256]
implementation.js.map
│           │   │   │   │   │   │   │   │   ├── [ 290]  index.js
│           │   │   │   │   │   │   │   │   ├── [ 703]  index.js.map
```

```
│           │   │   │   │   │   │   │   │   ├── [  96]  polyfill.js
│           │   │   │   │   │   │   │   │   ├── [ 293]  polyfill.js.map
│           │   │   │   │   │   │   │   │   ├── [  92]  shim.js
│           │   │   │   │   │   │   │   │   └── [ 289]  shim.js.map
│           │   │   │   │   │   │   │   ├── [ 327]  process.js
│           │   │   │   │   │   │   │   └── [ 548]  process.js.map
│           │   │   │   │   │   │   ├── [3.3K]  preview-key-utils.js
│           │   │   │   │   │   │   ├── [5.8K]  preview-key-utils.js.map
│           │   │   │   │   │   │   ├── [2.9K]  progress.js
│           │   │   │   │   │   │   ├── [4.5K]  progress.js.map
│           │   │   │   │   │   │   ├── [ 618]  rendering-mode.js
│           │   │   │   │   │   │   ├── [ 711]  rendering-mode.js.map
│           │   │   │   │   │   │   ├── [ 160]  segment-config
│           │   │   │   │   │   │   │   ├── [ 256]  app
│           │   │   │   │   │   │   │   ├── [2.7K]  app-segment-
config.js
│           │   │   │   │   │   │   │   ├── [5.8K]  app-segment-
config.js.map
│           │   │   │   │   │   │   │   ├── [6.2K]  app-segments.js
│           │   │   │   │   │   │   │   ├── [ 10K]  app-
segments.js.map
│           │   │   │   │   │   │   │   ├── [1.9K]  collect-root-
param-keys.js
│           │   │   │   │   │   │   │   └── [3.2K]  collect-root-
param-keys.js.map
│           │   │   │   │   │   │   │   ├── [ 128]  middleware
│           │   │   │   │   │   │   │   ├── [3.0K]  middleware-
config.js
│           │   │   │   │   │   │   │   └── [6.4K]  middleware-
config.js.map
│           │   │   │   │   │   │   │   └── [ 128]  pages
│           │   │   │   │   │   │   │       ├── [1.7K]  pages-segment-
config.js
│           │   │   │   │   │   │   │       └── [3.6K]  pages-segment-
config.js.map
│           │   │   │   │   │   │   ├── [2.8K]  spinner.js
│           │   │   │   │   │   │   ├── [4.8K]  spinner.js.map
│           │   │   │   │   │   │   ├── [ 320]  static-paths
│           │   │   │   │   │   │   │   ├── [ 34K]  app.js
│           │   │   │   │   │   │   │   ├── [ 49K]  app.js.map
│           │   │   │   │   │   │   │   ├── [8.5K]  pages.js
│           │   │   │   │   │   │   │   ├── [ 13K]  pages.js.map
│           │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   ├── [1.4K]  types.js.map
│           │   │   │   │   │   │   │   ├── [ 708]  utils.js
│           │   │   │   │   │   │   │   └── [1.3K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 448]  swc
│           │   │   │   │   │   │   │   ├── [ 16K]  generated-
native.d.ts
│           │   │   │   │   │   │   │   ├── [ 819]  generated-wasm.d.ts
│           │   │   │   │   │   │   │   ├── [  93]  helpers.js
│           │   │   │   │   │   │   │   ├── [ 257]  helpers.js.map
│           │   │   │   │   │   │   │   ├── [ 48K]  index.js
│           │   │   │   │   │   │   │   ├── [ 79K]  index.js.map
│           │   │   │   │   │   │   │   ├── [3.1K]  jest-transformer.js
```

```
│           │   │   │   │   │   │   │   ├── [5.3K]  jest-
transformer.js.map
│           │   │   │   │   │   │   │   ├── [ 15K]  options.js
│           │   │   │   │   │   │   │   ├── [ 26K]  options.js.map
│           │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   └── [ 12K]  types.js.map
│           │   │   │   │   │   │   ├── [ 704]  templates
│           │   │   │   │   │   │   │   ├── [ 48K]  app-page.js
│           │   │   │   │   │   │   │   ├── [ 69K]  app-page.js.map
│           │   │   │   │   │   │   │   ├── [ 15K]  app-route.js
│           │   │   │   │   │   │   │   ├── [ 24K]  app-route.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  edge-app-route.js
│           │   │   │   │   │   │   │   ├── [2.1K]  edge-app-
route.js.map
│           │   │   │   │   │   │   │   ├── [ 11K]  edge-ssr-app.js
│           │   │   │   │   │   │   │   ├── [ 20K]  edge-ssr-app.js.map
│           │   │   │   │   │   │   │   ├── [ 11K]  edge-ssr.js
│           │   │   │   │   │   │   │   ├── [ 19K]  edge-ssr.js.map
│           │   │   │   │   │   │   │   ├── [ 906]  helpers.js
│           │   │   │   │   │   │   │   ├── [1.4K]  helpers.js.map
│           │   │   │   │   │   │   │   ├── [2.1K]  middleware.js
│           │   │   │   │   │   │   │   ├── [3.7K]  middleware.js.map
│           │   │   │   │   │   │   │   ├── [5.4K]  pages-api.js
│           │   │   │   │   │   │   │   ├── [9.6K]  pages-api.js.map
│           │   │   │   │   │   │   │   ├── [ 814]  pages-edge-api.js
│           │   │   │   │   │   │   │   ├── [1.4K]  pages-edge-
api.js.map
│           │   │   │   │   │   │   │   ├── [2.2K]  pages.js
│           │   │   │   │   │   │   │   └── [3.9K]  pages.js.map
│           │   │   │   │   │   │   ├── [ 192]  turbopack-build
│           │   │   │   │   │   │   │   ├── [8.3K]  impl.js
│           │   │   │   │   │   │   │   ├── [ 14K]  impl.js.map
│           │   │   │   │   │   │   │   ├── [2.2K]  index.js
│           │   │   │   │   │   │   │   └── [3.7K]  index.js.map
│           │   │   │   │   │   │   ├── [ 448]  turborepo-access-trace
│           │   │   │   │   │   │   │   ├── [ 786]  env.js
│           │   │   │   │   │   │   │   ├── [1.4K]  env.js.map
│           │   │   │   │   │   │   │   ├── [3.2K]  helpers.js
│           │   │   │   │   │   │   │   ├── [5.3K]  helpers.js.map
│           │   │   │   │   │   │   │   ├── [ 172]  index.js
│           │   │   │   │   │   │   │   ├── [ 515]  index.js.map
│           │   │   │   │   │   │   │   ├── [1.6K]  result.js
│           │   │   │   │   │   │   │   ├── [3.2K]  result.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  tcp.js
│           │   │   │   │   │   │   │   ├── [2.2K]  tcp.js.map
│           │   │   │   │   │   │   │   ├── [ 200]  types.js
│           │   │   │   │   │   │   │   └── [1.4K]  types.js.map
│           │   │   │   │   │   │   ├── [5.2K]  type-check.js
│           │   │   │   │   │   │   ├── [9.0K]  type-check.js.map
│           │   │   │   │   │   │   ├── [ 53K]  utils.js
│           │   │   │   │   │   │   ├── [ 93K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 384]  webpack
│           │   │   │   │   │   │   │   ├── [ 192]  alias
│           │   │   │   │   │   │   │   │   ├── [1.2K]  react-dom-
server-experimental.js
```

```
|           |   |   |   |   |   |   |   |   ├── [1.9K]  react-dom-
server-experimental.js.map
|           |   |   |   |   |   |   |   |   ├── [1.1K]  react-dom-
server.js
|           |   |   |   |   |   |   |   |   └── [1.8K]  react-dom-
server.js.map
|           |   |   |   |   |   |   |   ├── [3.1K]  cache-
invalidation.js
|           |   |   |   |   |   |   |   ├── [4.7K]  cache-
invalidation.js.map
|           |   |   |   |   |   |   |   ├── [ 288]  config
|           |   |   |   |   |   |   |   |   ├── [ 192]  blocks
|           |   |   |   |   |   |   |   |   |   ├── [3.2K]  base.js
|           |   |   |   |   |   |   |   |   |   ├── [5.5K]  base.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 288]  css
|           |   |   |   |   |   |   |   |   |   |   ├── [ 22K]  index.js
|           |   |   |   |   |   |   |   |   |   |   ├── [ 31K]
index.js.map
|           |   |   |   |   |   |   |   |   |   |   ├── [ 512]  loaders
|           |   |   |   |   |   |   |   |   |   |   |   ├── [1.9K]
client.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [3.2K]
client.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [ 271]
file-resolve.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [ 668]
file-resolve.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [1.5K]
getCssModuleLocalIdent.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [2.8K]
getCssModuleLocalIdent.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [2.1K]
global.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [3.9K]
global.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [  87]
index.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [ 248]
index.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [3.2K]
modules.js
|           |   |   |   |   |   |   |   |   |   |   |   ├── [5.3K]
modules.js.map
|           |   |   |   |   |   |   |   |   |   |   |   ├── [2.0K]
next-font.js
|           |   |   |   |   |   |   |   |   |   |   |   └── [3.8K]
next-font.js.map
|           |   |   |   |   |   |   |   |   |   |   ├── [1.1K]
messages.js
|           |   |   |   |   |   |   |   |   |   |   ├── [1.8K]
messages.js.map
|           |   |   |   |   |   |   |   |   |   |   ├── [7.9K]
plugins.js
|           |   |   |   |   |   |   |   |   |   |   └── [ 13K]
plugins.js.map
|           |   |   |   |   |   |   |   |   |   └── [ 192]  images
```

```
│           │   │   │   │   │   │   │   │   │       ├── [ 859]  index.js
│           │   │   │   │   │   │   │   │   │       ├── [1.6K]
index.js.map
│           │   │   │   │   │   │   │   │   │       ├── [ 407]
messages.js
│           │   │   │   │   │   │   │   │   │       └── [ 755]
messages.js.map
│           │   │   │   │   │   │   │   │   ├── [1.7K]  helpers.js
│           │   │   │   │   │   │   │   │   ├── [2.9K]  helpers.js.map
│           │   │   │   │   │   │   │   │   ├── [1.2K]  index.js
│           │   │   │   │   │   │   │   │   ├── [3.4K]  index.js.map
│           │   │   │   │   │   │   │   │   ├── [ 134]  utils.js
│           │   │   │   │   │   │   │   │   └── [1.4K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [1.9K]  loaders
│           │   │   │   │   │   │   │   │   ├── [  96]  css-loader
│           │   │   │   │   │   │   │   │   │   └── [ 384]  src
│           │   │   │   │   │   │   │   │       ├── [ 862]
CssSyntaxError.js
│           │   │   │   │   │   │   │   │       ├── [1.6K]
CssSyntaxError.js.map
│           │   │   │   │   │   │   │   │       ├── [4.0K]
camelcase.js
│           │   │   │   │   │   │   │   │       ├── [6.4K]
camelcase.js.map
│           │   │   │   │   │   │   │   │       ├── [ 11K]  index.js
│           │   │   │   │   │   │   │   │       ├── [ 17K]
index.js.map
│           │   │   │   │   │   │   │   │       ├── [ 320]  plugins
│           │   │   │   │   │   │   │   │       │   ├── [ 228]
index.js
│           │   │   │   │   │   │   │   │       │   ├── [ 523]
index.js.map
│           │   │   │   │   │   │   │   │       │   ├── [3.9K]
postcss-icss-parser.js
│           │   │   │   │   │   │   │   │       │   ├── [6.2K]
postcss-icss-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── [8.3K]
postcss-import-parser.js
│           │   │   │   │   │   │   │   │       │   ├── [ 12K]
postcss-import-parser.js.map
│           │   │   │   │   │   │   │   │       │   ├── [ 14K]
postcss-url-parser.js
│           │   │   │   │   │   │   │   │       │   └── [ 20K]
postcss-url-parser.js.map
│           │   │   │   │   │   │   │   │       ├── [ 192]  runtime
│           │   │   │   │   │   │   │   │       │   ├── [3.0K]
api.js
│           │   │   │   │   │   │   │   │       │   ├── [5.1K]
api.js.map
│           │   │   │   │   │   │   │   │       │   ├── [ 897]
getUrl.js
│           │   │   │   │   │   │   │   │       │   └── [1.7K]
getUrl.js.map
│           │   │   │   │   │   │   │   │       ├── [ 14K]  utils.js
│           │   │   │   │   │   │   │   │       └── [ 27K]
utils.js.map
```

```
│           │   │   │   │   │   │   │   │   ├── [ 128]  devtool
│           │   │   │   │   │   │   │   │   │   ├── [4.3K]  devtool-
style-inject.js
│           │   │   │   │   │   │   │   │   │   └── [6.9K]  devtool-
style-inject.js.map
│           │   │   │   │   │   │   │   │   ├── [ 114]  empty-loader.js
│           │   │   │   │   │   │   │   │   ├── [ 374]  empty-
loader.js.map
│           │   │   │   │   │   │   │   │   ├── [1.0K]  error-loader.js
│           │   │   │   │   │   │   │   │   ├── [1.6K]  error-
loader.js.map
│           │   │   │   │   │   │   │   │   ├── [ 276]  get-module-
build-info.js
│           │   │   │   │   │   │   │   │   ├── [1.9K]  get-module-
build-info.js.map
│           │   │   │   │   │   │   │   │   ├── [  96]  lightningcss-
loader
│           │   │   │   │   │   │   │   │   └── [ 448]  src
│           │   │   │   │   │   │   │   │       ├── [5.6K]
codegen.js
│           │   │   │   │   │   │   │   │       ├── [ 11K]
codegen.js.map
│           │   │   │   │   │   │   │   │       ├── [ 169]  index.js
│           │   │   │   │   │   │   │   │       ├── [ 427]
index.js.map
│           │   │   │   │   │   │   │   │       ├── [ 198]
interface.js
│           │   │   │   │   │   │   │   │       ├── [ 295]
interface.js.map
│           │   │   │   │   │   │   │   │       ├── [ 15K]
loader.js
│           │   │   │   │   │   │   │   │       ├── [ 24K]
loader.js.map
│           │   │   │   │   │   │   │   │       ├── [4.0K]
minify.js
│           │   │   │   │   │   │   │   │       ├── [7.9K]
minify.js.map
│           │   │   │   │   │   │   │   │       ├── [1.5K]  utils.js
│           │   │   │   │   │   │   │   │       └── [3.1K]
utils.js.map
│           │   │   │   │   │   │   │   ├── [ 256]  metadata
│           │   │   │   │   │   │   │   │   ├── [4.1K]  discover.js
│           │   │   │   │   │   │   │   │   ├── [8.2K]
discover.js.map
│           │   │   │   │   │   │   │   │   ├── [6.4K]  resolve-
route-data.js
│           │   │   │   │   │   │   │   │   ├── [ 11K]  resolve-
route-data.js.map
│           │   │   │   │   │   │   │   │   ├── [  90]  types.js
│           │   │   │   │   │   │   │   │   └── [1.1K]  types.js.map
│           │   │   │   │   │   │   │   ├── [ 881]  modularize-
import-loader.js
│           │   │   │   │   │   │   │   ├── [1.7K]  modularize-
import-loader.js.map
│           │   │   │   │   │   │   │   ├── [ 192]  next-app-loader
```

```
|           |   |   |   |   |   |   |   |   |   ├── [2.7K]  create-app-
route-code.js
|           |   |   |   |   |   |   |   |   |   ├── [5.0K]  create-app-
route-code.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 30K]  index.js
|           |   |   |   |   |   |   |   |   |   └── [ 48K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [9.7K]  next-barrel-
loader.js
|           |   |   |   |   |   |   |   |   ├── [ 15K]  next-barrel-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── [1007]  next-client-
pages-loader.js
|           |   |   |   |   |   |   |   |   ├── [1.9K]  next-client-
pages-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 128]  next-edge-app-
route-loader
|           |   |   |   |   |   |   |   |   |   ├── [2.1K]  index.js
|           |   |   |   |   |   |   |   |   |   └── [4.5K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [1.6K]  next-edge-
function-loader.js
|           |   |   |   |   |   |   |   |   ├── [3.1K]  next-edge-
function-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 128]  next-edge-ssr-
loader
|           |   |   |   |   |   |   |   |   |   ├── [4.4K]  index.js
|           |   |   |   |   |   |   |   |   |   └── [9.5K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [ 505]  next-error-
browser-binary-loader.js
|           |   |   |   |   |   |   |   |   ├── [ 913]  next-error-
browser-binary-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 766]  next-flight-
action-entry-loader.js
|           |   |   |   |   |   |   |   |   ├── [1.9K]  next-flight-
action-entry-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [1.7K]  next-flight-
client-entry-loader.js
|           |   |   |   |   |   |   |   |   ├── [4.0K]  next-flight-
client-entry-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [1.9K]  next-flight-
client-module-loader.js
|           |   |   |   |   |   |   |   |   ├── [3.4K]  next-flight-
client-module-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [1.7K]  next-flight-css-
loader.js
|           |   |   |   |   |   |   |   |   ├── [3.0K]  next-flight-css-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 512]  next-flight-
loader
|           |   |   |   |   |   |   |   |   |   ├── [ 563]  action-
client-wrapper.js
|           |   |   |   |   |   |   |   |   |   ├── [ 907]  action-
client-wrapper.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 799]  action-
validate.js
|           |   |   |   |   |   |   |   |   |   ├── [1.1K]  action-
validate.js.map
```

```
|           |   |   |   |   |   |   |   |   |   ├── [ 114]  cache-
wrapper.js
|           |   |   |   |   |   |   |   |   |   ├── [ 274]  cache-
wrapper.js.map
|           |   |   |   |   |   |   |   |   |   ├── [9.3K]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [ 14K]  index.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 254]  module-
proxy.js
|           |   |   |   |   |   |   |   |   |   ├── [ 536]  module-
proxy.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 175]  server-
reference.js
|           |   |   |   |   |   |   |   |   |   ├── [ 369]  server-
reference.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 153]  track-
dynamic-import.js
|           |   |   |   |   |   |   |   |   |   └── [ 328]  track-
dynamic-import.js.map
|           |   |   |   |   |   |   |   |   ├── [1.1K]  next-flight-
server-reference-proxy-loader.js
|           |   |   |   |   |   |   |   |   ├── [1.8K]  next-flight-
server-reference-proxy-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 192]  next-font-loader
|           |   |   |   |   |   |   |   |   |   ├── [5.6K]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [8.8K]  index.js.map
|           |   |   |   |   |   |   |   |   |   ├── [6.3K]  postcss-
next-font.js
|           |   |   |   |   |   |   |   |   |   └── [9.2K]  postcss-
next-font.js.map
|           |   |   |   |   |   |   |   |   ├── [ 192]  next-image-
loader
|           |   |   |   |   |   |   |   |   |   ├── [2.4K]  blur.js
|           |   |   |   |   |   |   |   |   |   ├── [4.7K]  blur.js.map
|           |   |   |   |   |   |   |   |   |   ├── [2.2K]  index.js
|           |   |   |   |   |   |   |   |   |   └── [4.5K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [ 362]  next-invalid-
import-error-loader.js
|           |   |   |   |   |   |   |   |   ├── [ 721]  next-invalid-
import-error-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [5.5K]  next-metadata-
image-loader.js
|           |   |   |   |   |   |   |   |   ├── [9.5K]  next-metadata-
image-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [8.5K]  next-metadata-
route-loader.js
|           |   |   |   |   |   |   |   |   ├── [ 13K]  next-metadata-
route-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 718]  next-middleware-
asset-loader.js
|           |   |   |   |   |   |   |   |   ├── [1.5K]  next-middleware-
asset-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [1.5K]  next-middleware-
loader.js
|           |   |   |   |   |   |   |   |   ├── [3.5K]  next-middleware-
loader.js.map
```

```
|           |   |   |   |   |   |   |   |   ├── [ 661]  next-middleware-
wasm-loader.js
|           |   |   |   |   |   |   |   |   ├── [1.4K]  next-middleware-
wasm-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [4.7K]  next-root-
params-loader.js
|           |   |   |   |   |   |   |   |   ├── [8.4K]  next-root-
params-loader.js.map
|           |   |   |   |   |   |   |   |   ├── [ 128]  next-route-
loader
|           |   |   |   |   |   |   |   |   |   ├── [4.7K]  index.js
|           |   |   |   |   |   |   |   |   |   └── [8.9K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [ 160]  next-style-
loader
|           |   |   |   |   |   |   |   |   |   ├── [6.6K]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [ 11K]  index.js.map
|           |   |   |   |   |   |   |   |   |   └── [ 256]  runtime
|           |   |   |   |   |   |   |   |   |       ├── [2.2K]
injectStylesIntoLinkTag.js
|           |   |   |   |   |   |   |   |   |       ├── [3.8K]
injectStylesIntoLinkTag.js.map
|           |   |   |   |   |   |   |   |   |       ├── [7.7K]
injectStylesIntoStyleTag.js
|           |   |   |   |   |   |   |   |   |       ├── [ 14K]
injectStylesIntoStyleTag.js.map
|           |   |   |   |   |   |   |   |   |       ├── [ 536]
isEqualLocals.js
|           |   |   |   |   |   |   |   |   |       └── [1.2K]
isEqualLocals.js.map
|           |   |   |   |   |   |   |   |   ├── [8.9K]  next-swc-
loader.js
|           |   |   |   |   |   |   |   |   ├── [ 15K]  next-swc-
loader.js.map
|           |   |   |   |   |   |   |   |   ├── [  96]  postcss-loader
|           |   |   |   |   |   |   |   |   |   └── [ 320]  src
|           |   |   |   |   |   |   |   |   |       ├── [ 849]  Error.js
|           |   |   |   |   |   |   |   |   |       ├── [1.7K]
Error.js.map
|           |   |   |   |   |   |   |   |   |       ├── [ 675]
Warning.js
|           |   |   |   |   |   |   |   |   |       ├── [1.3K]
Warning.js.map
|           |   |   |   |   |   |   |   |   |       ├── [4.1K]  index.js
|           |   |   |   |   |   |   |   |   |       ├── [6.8K]
index.js.map
|           |   |   |   |   |   |   |   |   |       ├── [2.4K]  utils.js
|           |   |   |   |   |   |   |   |   |       └── [4.1K]
utils.js.map
|           |   |   |   |   |   |   |   |   ├── [ 160]  resolve-url-
loader
|           |   |   |   |   |   |   |   |   |   ├── [3.6K]  index.js
|           |   |   |   |   |   |   |   |   |   ├── [5.6K]  index.js.map
|           |   |   |   |   |   |   |   |   |   └── [ 320]  lib
|           |   |   |   |   |   |   |   |   |       ├── [2.3K]  file-
protocol.js
```

```
│           │   │   │   │   │   │   │   │   │       ├── [3.0K]  file-
protocol.js.map
│           │   │   │   │   │   │   │   │   │       ├── [7.5K]  join-
function.js
│           │   │   │   │   │   │   │   │   │       ├── [ 11K]  join-
function.js.map
│           │   │   │   │   │   │   │   │   │       ├── [3.7K]
postcss.js
│           │   │   │   │   │   │   │   │   │       ├── [5.7K]
postcss.js.map
│           │   │   │   │   │   │   │   │   │       ├── [4.6K]  value-
processor.js
│           │   │   │   │   │   │   │   │   │       └── [7.1K]  value-
processor.js.map
│           │   │   │   │   │   │   │   ├── [2.9K]  utils.js
│           │   │   │   │   │   │   │   └── [5.7K]  utils.js.map
│           │   │   │   │   │   │   ├── [1.8K]  plugins
│           │   │   │   │   │   │   │   ├── [1.8K]  app-build-
manifest-plugin.js
│           │   │   │   │   │   │   │   ├── [3.6K]  app-build-
manifest-plugin.js.map
│           │   │   │   │   │   │   │   ├── [ 12K]  build-manifest-
plugin.js
│           │   │   │   │   │   │   │   ├── [ 20K]  build-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── [2.0K]  copy-file-
plugin.js
│           │   │   │   │   │   │   │   ├── [3.8K]  copy-file-
plugin.js.map
│           │   │   │   │   │   │   │   ├── [ 14K]  css-chunking-
plugin.js
│           │   │   │   │   │   │   │   ├── [ 20K]  css-chunking-
plugin.js.map
│           │   │   │   │   │   │   │   ├── [3.5K]  css-minimizer-
plugin.js
│           │   │   │   │   │   │   │   ├── [6.5K]  css-minimizer-
plugin.js.map
│           │   │   │   │   │   │   │   ├── [3.1K]  devtools-ignore-
list-plugin.js
│           │   │   │   │   │   │   │   ├── [5.6K]  devtools-ignore-
list-plugin.js.map
│           │   │   │   │   │   │   │   ├── [9.7K]  eval-source-map-
dev-tool-plugin.js
│           │   │   │   │   │   │   │   ├── [ 17K]  eval-source-map-
dev-tool-plugin.js.map
│           │   │   │   │   │   │   │   ├── [ 39K]  flight-client-
entry-plugin.js
│           │   │   │   │   │   │   │   ├── [ 64K]  flight-client-
entry-plugin.js.map
│           │   │   │   │   │   │   │   ├── [ 21K]  flight-manifest-
plugin.js
│           │   │   │   │   │   │   │   ├── [ 33K]  flight-manifest-
plugin.js.map
│           │   │   │   │   │   │   │   ├── [7.3K]  jsconfig-paths-
plugin.js
```

```
|           |   |   |   |   |   |   |   ├── [ 14K]  jsconfig-paths-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [4.4K]  memory-with-gc-
cache-plugin.js
|           |   |   |   |   |   |   |   ├── [6.8K]  memory-with-gc-
cache-plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 28K]  middleware-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 48K]  middleware-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 350]  mini-css-
extract-plugin.js
|           |   |   |   |   |   |   |   ├── [ 559]  mini-css-
extract-plugin.js.map
|           |   |   |   |   |   |   |   ├── [  96]  minify-webpack-
plugin
|           |   |   |   |   |   |   |   |   └── [ 128]  src
|           |   |   |   |   |   |   |   |       ├── [8.2K]  index.js
|           |   |   |   |   |   |   |   |       └── [ 15K]
index.js.map
|           |   |   |   |   |   |   |   ├── [3.1K]  next-drop-
client-page-plugin.js
|           |   |   |   |   |   |   |   ├── [5.1K]  next-drop-
client-page-plugin.js.map
|           |   |   |   |   |   |   |   ├── [7.0K]  next-font-
manifest-plugin.js
|           |   |   |   |   |   |   |   ├── [ 11K]  next-font-
manifest-plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 28K]  next-trace-
entrypoints-plugin.js
|           |   |   |   |   |   |   |   ├── [ 45K]  next-trace-
entrypoints-plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 192]  next-types-
plugin
|           |   |   |   |   |   |   |   |   ├── [ 25K]  index.js
|           |   |   |   |   |   |   |   |   ├── [ 42K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [ 123]  shared.js
|           |   |   |   |   |   |   |   |   └── [ 321]
shared.js.map
|           |   |   |   |   |   |   |   ├── [1.8K]  nextjs-require-
cache-hot-reloader.js
|           |   |   |   |   |   |   |   ├── [3.4K]  nextjs-require-
cache-hot-reloader.js.map
|           |   |   |   |   |   |   |   ├── [1.8K]  optional-peer-
dependency-resolve-plugin.js
|           |   |   |   |   |   |   |   ├── [3.0K]  optional-peer-
dependency-resolve-plugin.js.map
|           |   |   |   |   |   |   |   ├── [4.6K]  pages-manifest-
plugin.js
|           |   |   |   |   |   |   |   ├── [9.0K]  pages-manifest-
plugin.js.map
|           |   |   |   |   |   |   |   ├── [ 12K]  profiling-
plugin.js
|           |   |   |   |   |   |   |   ├── [ 22K]  profiling-
plugin.js.map
```

```
|           |   |   |   |   |   |   |   |   ├── [7.7K]  react-loadable-
plugin.js
|           |   |   |   |   |   |   |   |   ├── [ 13K]  react-loadable-
plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [3.9K]  rspack-flight-
client-entry-plugin.js
|           |   |   |   |   |   |   |   |   ├── [7.8K]  rspack-flight-
client-entry-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [2.4K]  rspack-
profiling-plugin.js
|           |   |   |   |   |   |   |   |   ├── [3.7K]  rspack-
profiling-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [8.1K]  slow-module-
detection-plugin.js
|           |   |   |   |   |   |   |   |   ├── [ 13K]  slow-module-
detection-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [2.2K]  subresource-
integrity-plugin.js
|           |   |   |   |   |   |   |   |   ├── [4.3K]  subresource-
integrity-plugin.js.map
|           |   |   |   |   |   |   |   |   ├── [ 256]  telemetry-plugin
|           |   |   |   |   |   |   |   |   |   ├── [6.0K]  telemetry-
plugin.js
|           |   |   |   |   |   |   |   |   |   ├── [ 12K]  telemetry-
plugin.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 766]  update-
telemetry-loader-context-from-swc.js
|           |   |   |   |   |   |   |   |   |   ├── [1.8K]  update-
telemetry-loader-context-from-swc.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 986]  use-cache-
tracker-utils.js
|           |   |   |   |   |   |   |   |   |   └── [1.9K]  use-cache-
tracker-utils.js.map
|           |   |   |   |   |   |   |   |   └── [ 832]  wellknown-
errors-plugin
|           |   |   |   |   |   |   |   |       ├── [2.9K]
getModuleTrace.js
|           |   |   |   |   |   |   |   |       ├── [5.0K]
getModuleTrace.js.map
|           |   |   |   |   |   |   |   |       ├── [1.6K]  index.js
|           |   |   |   |   |   |   |   |       ├── [2.6K]  index.js.map
|           |   |   |   |   |   |   |   |       ├── [ 638]  parse-
dynamic-code-evaluation-error.js
|           |   |   |   |   |   |   |   |       ├── [1.5K]  parse-
dynamic-code-evaluation-error.js.map
|           |   |   |   |   |   |   |   |       ├── [ 998]
parseBabel.js
|           |   |   |   |   |   |   |   |       ├── [2.2K]
parseBabel.js.map
|           |   |   |   |   |   |   |   |       ├── [1003]  parseCss.js
|           |   |   |   |   |   |   |   |       ├── [2.2K]
parseCss.js.map
|           |   |   |   |   |   |   |   |       ├── [ 561]
parseNextAppLoaderError.js
|           |   |   |   |   |   |   |   |       ├── [1.4K]
parseNextAppLoaderError.js.map
```

```
│           │   │   │   │   │   │   │   │       ├── [1015]
parseNextFontError.js
│           │   │   │   │   │   │   │   │       ├── [1.9K]
parseNextFontError.js.map
│           │   │   │   │   │   │   │   │       ├── [ 836]
parseNextInvalidImportError.js
│           │   │   │   │   │   │   │   │       ├── [1.9K]
parseNextInvalidImportError.js.map
│           │   │   │   │   │   │   │   │       ├── [7.3K]
parseNotFoundError.js
│           │   │   │   │   │   │   │   │       ├── [ 12K]
parseNotFoundError.js.map
│           │   │   │   │   │   │   │   │       ├── [1.3K]  parseScss.js
│           │   │   │   │   │   │   │   │       ├── [2.6K]
parseScss.js.map
│           │   │   │   │   │   │   │   │       ├── [ 404]
simpleWebpackError.js
│           │   │   │   │   │   │   │   │       ├── [ 887]
simpleWebpackError.js.map
│           │   │   │   │   │   │   │   │       ├── [3.1K]
webpackModuleError.js
│           │   │   │   │   │   │   │   │       └── [5.9K]
webpackModuleError.js.map
│           │   │   │   │   │   │   │   ├── [ 227]  stringify-request.js
│           │   │   │   │   │   │   │   ├── [ 680]  stringify-
request.js.map
│           │   │   │   │   │   │   │   ├── [3.6K]  utils.js
│           │   │   │   │   │   │   │   └── [7.0K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 192]  webpack-build
│           │   │   │   │   │   │   │   ├── [ 15K]  impl.js
│           │   │   │   │   │   │   │   ├── [ 25K]  impl.js.map
│           │   │   │   │   │   │   │   ├── [5.2K]  index.js
│           │   │   │   │   │   │   │   └── [8.7K]  index.js.map
│           │   │   │   │   │   │   ├── [ 128]  webpack-config-rules
│           │   │   │   │   │   │   │   ├── [1.1K]  resolve.js
│           │   │   │   │   │   │   │   └── [1.8K]  resolve.js.map
│           │   │   │   │   │   │   ├── [106K]  webpack-config.js
│           │   │   │   │   │   │   ├── [155K]  webpack-config.js.map
│           │   │   │   │   │   │   ├── [ 206]  worker.js
│           │   │   │   │   │   │   ├── [ 481]  worker.js.map
│           │   │   │   │   │   │   ├── [ 331]  write-build-id.js
│           │   │   │   │   │   │   └── [ 743]  write-build-id.js.map
│           │   │   │   │   │   ├── [3.4K]  client
│           │   │   │   │   │   │   ├── [ 433]  add-base-path.js
│           │   │   │   │   │   │   ├── [ 978]  add-base-path.js.map
│           │   │   │   │   │   │   ├── [ 501]  add-locale.js
│           │   │   │   │   │   │   ├── [ 899]  add-locale.js.map
│           │   │   │   │   │   │   ├── [2.2K]  app-bootstrap.js
│           │   │   │   │   │   │   ├── [3.9K]  app-bootstrap.js.map
│           │   │   │   │   │   │   ├── [ 985]  app-build-id.js
│           │   │   │   │   │   │   ├── [1.4K]  app-build-id.js.map
│           │   │   │   │   │   │   ├── [ 600]  app-call-server.js
│           │   │   │   │   │   │   ├── [1.0K]  app-call-server.js.map
│           │   │   │   │   │   │   ├── [ 192]  app-dir
│           │   │   │   │   │   │   │   ├── [6.7K]  form.js
│           │   │   │   │   │   │   │   ├── [ 11K]  form.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 18K]  link.js
│           │   │   │   │   │   │   │   └── [ 34K]  link.js.map
│           │   │   │   │   │   │   ├── [1.1K]  app-find-source-map-
url.js
│           │   │   │   │   │   │   ├── [2.0K]  app-find-source-map-
url.js.map
│           │   │   │   │   │   │   ├── [ 301]  app-globals.js
│           │   │   │   │   │   │   ├── [ 600]  app-globals.js.map
│           │   │   │   │   │   │   ├── [ 10K]  app-index.js
│           │   │   │   │   │   │   ├── [ 17K]  app-index.js.map
│           │   │   │   │   │   │   ├── [3.9K]  app-link-gc.js
│           │   │   │   │   │   │   ├── [5.0K]  app-link-gc.js.map
│           │   │   │   │   │   │   ├── [ 733]  app-next-dev.js
│           │   │   │   │   │   │   ├── [1.2K]  app-next-dev.js.map
│           │   │   │   │   │   │   ├── [ 843]  app-next-turbopack.js
│           │   │   │   │   │   │   ├── [1.6K]  app-next-
turbopack.js.map
│           │   │   │   │   │   │   ├── [ 856]  app-next.js
│           │   │   │   │   │   │   ├── [1.2K]  app-next.js.map
│           │   │   │   │   │   │   ├── [2.7K]  app-webpack.js
│           │   │   │   │   │   │   ├── [3.1K]  app-webpack.js.map
│           │   │   │   │   │   │   ├── [ 995]  assign-location.js
│           │   │   │   │   │   │   ├── [1.5K]  assign-location.js.map
│           │   │   │   │   │   │   ├── [ 128]  compat
│           │   │   │   │   │   │   │   ├── [ 735]  router.js
│           │   │   │   │   │   │   │   └── [1.0K]  router.js.map
│           │   │   │   │   │   │   ├── [2.7K]  components
│           │   │   │   │   │   │   │   ├── [2.7K]  app-router-
announcer.js
│           │   │   │   │   │   │   │   ├── [4.6K]  app-router-
announcer.js.map
│           │   │   │   │   │   │   │   ├── [1.6K]  app-router-
headers.js
│           │   │   │   │   │   │   │   ├── [2.9K]  app-router-
headers.js.map
│           │   │   │   │   │   │   │   ├── [ 13K]  app-router-
instance.js
│           │   │   │   │   │   │   │   ├── [ 21K]  app-router-
instance.js.map
│           │   │   │   │   │   │   │   ├── [ 23K]  app-router.js
│           │   │   │   │   │   │   │   ├── [ 34K]  app-router.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  bailout-to-client-
rendering.js
│           │   │   │   │   │   │   │   ├── [1.7K]  bailout-to-client-
rendering.js.map
│           │   │   │   │   │   │   │   ├── [4.5K]  bfcache.js
│           │   │   │   │   │   │   │   ├── [6.2K]  bfcache.js.map
│           │   │   │   │   │   │   │   ├── [ 512]  builtin
│           │   │   │   │   │   │   │   │   ├── [ 237]  default.js
│           │   │   │   │   │   │   │   │   ├── [ 500]  default.js.map
│           │   │   │   │   │   │   │   │   ├── [ 347]  forbidden.js
│           │   │   │   │   │   │   │   │   ├── [ 549]  forbidden.js.map
│           │   │   │   │   │   │   │   │   ├── [2.6K]  global-error.js
│           │   │   │   │   │   │   │   │   ├── [2.7K]  global-
error.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 512]  global-not-
found.js
│           │   │   │   │   │   │   │   ├── [ 714]  global-not-
found.js.map
│           │   │   │   │   │   │   │   ├── [ 327]  layout.js
│           │   │   │   │   │   │   │   ├── [ 524]  layout.js.map
│           │   │   │   │   │   │   │   ├── [ 343]  not-found.js
│           │   │   │   │   │   │   │   ├── [ 544]  not-found.js.map
│           │   │   │   │   │   │   │   ├── [ 363]  unauthorized.js
│           │   │   │   │   │   │   │   └── [ 568]
unauthorized.js.map
│           │   │   │   │   │   │   ├── [2.5K]  client-page.js
│           │   │   │   │   │   │   ├── [3.8K]  client-page.js.map
│           │   │   │   │   │   │   ├── [2.1K]  client-segment.js
│           │   │   │   │   │   │   ├── [3.0K]  client-
segment.js.map
│           │   │   │   │   │   │   ├── [ 901]  dev-root-http-
access-fallback-boundary.js
│           │   │   │   │   │   │   ├── [1.3K]  dev-root-http-
access-fallback-boundary.js.map
│           │   │   │   │   │   │   ├── [4.6K]  error-boundary.js
│           │   │   │   │   │   │   ├── [7.3K]  error-
boundary.js.map
│           │   │   │   │   │   │   ├── [ 192]  errors
│           │   │   │   │   │   │   │   ├── [1.9K]  graceful-
degrade-boundary.js
│           │   │   │   │   │   │   │   ├── [3.8K]  graceful-
degrade-boundary.js.map
│           │   │   │   │   │   │   │   ├── [1012]  root-error-
boundary.js
│           │   │   │   │   │   │   │   └── [1.7K]  root-error-
boundary.js.map
│           │   │   │   │   │   │   ├── [1.5K]  forbidden.js
│           │   │   │   │   │   │   ├── [1.9K]  forbidden.js.map
│           │   │   │   │   │   │   ├── [ 709]  handle-isr-error.js
│           │   │   │   │   │   │   ├── [1.3K]  handle-isr-
error.js.map
│           │   │   │   │   │   │   ├── [ 534]  hooks-server-
context.js
│           │   │   │   │   │   │   ├── [1.1K]  hooks-server-
context.js.map
│           │   │   │   │   │   │   ├── [ 256]  http-access-fallback
│           │   │   │   │   │   │   │   ├── [5.5K]  error-
boundary.js
│           │   │   │   │   │   │   │   ├── [9.0K]  error-
boundary.js.map
│           │   │   │   │   │   │   │   ├── [2.1K]  error-
fallback.js
│           │   │   │   │   │   │   │   ├── [2.1K]  error-
fallback.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  http-access-
fallback.js
│           │   │   │   │   │   │   │   └── [2.6K]  http-access-
fallback.js.map
│           │   │   │   │   │   │   ├── [ 481]  is-next-router-
error.js
```

```
│           │   │   │   │   │   │   ├── [ 922]  is-next-router-
error.js.map
│           │   │   │   │   │   │   ├── [ 26K]  layout-router.js
│           │   │   │   │   │   │   ├── [ 37K]  layout-router.js.map
│           │   │   │   │   │   │   ├── [ 12K]  links.js
│           │   │   │   │   │   │   ├── [ 21K]  links.js.map
│           │   │   │   │   │   │   ├── [ 524]  match-segments.js
│           │   │   │   │   │   │   ├── [1.0K]  match-
segments.js.map
│           │   │   │   │   │   │   ├── [ 192]  metadata
│           │   │   │   │   │   │   │   ├── [ 858]  async-
metadata.js
│           │   │   │   │   │   │   │   ├── [1.4K]  async-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   └── [ 287]  types.js.map
│           │   │   │   │   │   │   ├── [1.6K]  nav-failure-
handler.js
│           │   │   │   │   │   │   ├── [2.8K]  nav-failure-
handler.js.map
│           │   │   │   │   │   │   ├── [2.3K]  navigation-
untracked.js
│           │   │   │   │   │   │   ├── [3.3K]  navigation-
untracked.js.map
│           │   │   │   │   │   │   ├── [8.9K]  navigation.js
│           │   │   │   │   │   │   ├── [ 13K]  navigation.js.map
│           │   │   │   │   │   │   ├── [1.9K]  navigation.react-
server.js
│           │   │   │   │   │   │   ├── [2.7K]  navigation.react-
server.js.map
│           │   │   │   │   │   │   ├── [  94]  noop-head.js
│           │   │   │   │   │   │   ├── [ 233]  noop-head.js.map
│           │   │   │   │   │   │   ├── [1.3K]  not-found.js
│           │   │   │   │   │   │   ├── [1.7K]  not-found.js.map
│           │   │   │   │   │   │   ├── [3.6K]  promise-queue.js
│           │   │   │   │   │   │   ├── [3.5K]  promise-queue.js.map
│           │   │   │   │   │   │   ├── [2.2K]  redirect-boundary.js
│           │   │   │   │   │   │   ├── [3.8K]  redirect-
boundary.js.map
│           │   │   │   │   │   │   ├── [1.1K]  redirect-error.js
│           │   │   │   │   │   │   ├── [2.1K]  redirect-
error.js.map
│           │   │   │   │   │   │   ├── [ 425]  redirect-status-
code.js
│           │   │   │   │   │   │   ├── [ 319]  redirect-status-
code.js.map
│           │   │   │   │   │   │   ├── [3.7K]  redirect.js
│           │   │   │   │   │   │   ├── [5.7K]  redirect.js.map
│           │   │   │   │   │   │   ├── [ 456]  render-from-
template-context.js
│           │   │   │   │   │   │   ├── [ 667]  render-from-
template-context.js.map
│           │   │   │   │   │   │   ├── [1.5K]  router-reducer
│           │   │   │   │   │   │   │   ├── [8.4K]  aliased-
prefetch-navigations.js
```

```
|           |   |   |   |   |   |   |   ├── [ 13K]  aliased-
prefetch-navigations.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  apply-flight-
data.js
|           |   |   |   |   |   |   |   ├── [3.4K]  apply-flight-
data.js.map
|           |   |   |   |   |   |   |   ├── [3.7K]  apply-router-
state-patch-to-tree.js
|           |   |   |   |   |   |   |   ├── [6.4K]  apply-router-
state-patch-to-tree.js.map
|           |   |   |   |   |   |   |   ├── [2.8K]  clear-cache-
node-data-for-segment-path.js
|           |   |   |   |   |   |   |   ├── [4.6K]  clear-cache-
node-data-for-segment-path.js.map
|           |   |   |   |   |   |   |   ├── [4.5K]  compute-changed-
path.js
|           |   |   |   |   |   |   |   ├── [8.2K]  compute-changed-
path.js.map
|           |   |   |   |   |   |   |   ├── [ 227]  create-href-
from-url.js
|           |   |   |   |   |   |   |   ├── [ 584]  create-href-
from-url.js.map
|           |   |   |   |   |   |   |   ├── [5.6K]  create-initial-
router-state.js
|           |   |   |   |   |   |   |   ├── [9.0K]  create-initial-
router-state.js.map
|           |   |   |   |   |   |   |   ├── [ 840]  create-router-
cache-key.js
|           |   |   |   |   |   |   |   ├── [1.4K]  create-router-
cache-key.js.map
|           |   |   |   |   |   |   |   ├── [ 14K]  fetch-server-
response.js
|           |   |   |   |   |   |   |   ├── [ 23K]  fetch-server-
response.js.map
|           |   |   |   |   |   |   |   ├── [4.3K]  fill-cache-with-
new-subtree-data.js
|           |   |   |   |   |   |   |   ├── [8.2K]  fill-cache-with-
new-subtree-data.js.map
|           |   |   |   |   |   |   |   ├── [6.7K]  fill-lazy-items-
till-leaf-with-head.js
|           |   |   |   |   |   |   |   ├── [9.6K]  fill-lazy-items-
till-leaf-with-head.js.map
|           |   |   |   |   |   |   |   ├── [2.8K]  handle-
mutable.js
|           |   |   |   |   |   |   |   ├── [5.3K]  handle-
mutable.js.map
|           |   |   |   |   |   |   |   ├── [ 867]  handle-segment-
mismatch.js
|           |   |   |   |   |   |   |   ├── [1.8K]  handle-segment-
mismatch.js.map
|           |   |   |   |   |   |   |   ├── [2.2K]  invalidate-
cache-below-flight-segmentpath.js
|           |   |   |   |   |   |   |   ├── [3.8K]  invalidate-
cache-below-flight-segmentpath.js.map
|           |   |   |   |   |   |   |   ├── [ 902]  invalidate-
cache-by-router-state.js
```

```
|           |   |   |   |   |   |   |   ├── [1.8K]  invalidate-
cache-by-router-state.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  is-navigating-
to-new-root-layout.js
|           |   |   |   |   |   |   |   ├── [3.0K]  is-navigating-
to-new-root-layout.js.map
|           |   |   |   |   |   |   |   ├── [ 45K]  ppr-
navigations.js
|           |   |   |   |   |   |   |   ├── [ 69K]  ppr-
navigations.js.map
|           |   |   |   |   |   |   |   ├── [ 14K]  prefetch-cache-
utils.js
|           |   |   |   |   |   |   |   ├── [ 22K]  prefetch-cache-
utils.js.map
|           |   |   |   |   |   |   |   ├── [ 704]  reducers
|           |   |   |   |   |   |   |   |   ├── [2.0K]  find-head-
in-cache.js
|           |   |   |   |   |   |   |   |   ├── [3.6K]  find-head-
in-cache.js.map
|           |   |   |   |   |   |   |   |   ├── [ 149]  get-segment-
value.js
|           |   |   |   |   |   |   |   |   ├── [ 491]  get-segment-
value.js.map
|           |   |   |   |   |   |   |   |   ├── [ 940]  has-
interception-route-in-current-tree.js
|           |   |   |   |   |   |   |   |   ├── [1.6K]  has-
interception-route-in-current-tree.js.map
|           |   |   |   |   |   |   |   |   ├── [3.8K]  hmr-refresh-
reducer.js
|           |   |   |   |   |   |   |   |   ├── [7.0K]  hmr-refresh-
reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [ 20K]  navigate-
reducer.js
|           |   |   |   |   |   |   |   |   ├── [ 29K]  navigate-
reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [1.2K]  prefetch-
reducer.js
|           |   |   |   |   |   |   |   |   ├── [2.3K]  prefetch-
reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [4.6K]  refresh-
reducer.js
|           |   |   |   |   |   |   |   |   ├── [8.2K]  refresh-
reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [2.0K]  restore-
reducer.js
|           |   |   |   |   |   |   |   |   ├── [3.2K]  restore-
reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [ 14K]  server-
action-reducer.js
|           |   |   |   |   |   |   |   |   ├── [ 23K]  server-
action-reducer.js.map
|           |   |   |   |   |   |   |   |   ├── [2.6K]  server-
patch-reducer.js
|           |   |   |   |   |   |   |   |   └── [4.7K]  server-
patch-reducer.js.map
```

```
|           |   |   |   |   |   |   |   ├── [5.0K]  refetch-
inactive-parallel-segments.js
|           |   |   |   |   |   |   |   ├── [7.8K]  refetch-
inactive-parallel-segments.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  router-reducer-
types.js
|           |   |   |   |   |   |   |   ├── [9.5K]  router-reducer-
types.js.map
|           |   |   |   |   |   |   |   ├── [2.1K]  router-
reducer.js
|           |   |   |   |   |   |   |   ├── [3.4K]  router-
reducer.js.map
|           |   |   |   |   |   |   |   ├── [3.2K]  set-cache-
busting-search-param.js
|           |   |   |   |   |   |   |   ├── [4.7K]  set-cache-
busting-search-param.js.map
|           |   |   |   |   |   |   |   ├── [1.1K]  should-hard-
navigate.js
|           |   |   |   |   |   |   |   └── [2.1K]  should-hard-
navigate.js.map
|           |   |   |   |   |   |   ├── [ 512]  segment-cache-impl
|           |   |   |   |   |   |   |   ├── [ 343]  cache-key.js
|           |   |   |   |   |   |   |   ├── [1.4K]  cache-key.js.map
|           |   |   |   |   |   |   |   ├── [ 72K]  cache.js
|           |   |   |   |   |   |   |   ├── [116K]  cache.js.map
|           |   |   |   |   |   |   |   ├── [3.7K]  lru.js
|           |   |   |   |   |   |   |   ├── [6.0K]  lru.js.map
|           |   |   |   |   |   |   |   ├── [ 17K]  navigation.js
|           |   |   |   |   |   |   |   ├── [ 28K]
navigation.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  prefetch.js
|           |   |   |   |   |   |   |   ├── [2.8K]  prefetch.js.map
|           |   |   |   |   |   |   |   ├── [ 45K]  scheduler.js
|           |   |   |   |   |   |   |   ├── [ 72K]  scheduler.js.map
|           |   |   |   |   |   |   |   ├── [5.3K]  tuple-map.js
|           |   |   |   |   |   |   |   └── [8.3K]  tuple-map.js.map
|           |   |   |   |   |   |   ├── [5.9K]  segment-cache.js
|           |   |   |   |   |   |   ├── [8.6K]  segment-cache.js.map
|           |   |   |   |   |   |   ├── [ 466]  static-generation-
bailout.js
|           |   |   |   |   |   |   ├── [ 877]  static-generation-
bailout.js.map
|           |   |   |   |   |   |   ├── [ 128]  styles
|           |   |   |   |   |   |   |   ├── [ 859]  access-error-
styles.js
|           |   |   |   |   |   |   |   └── [1.4K]  access-error-
styles.js.map
|           |   |   |   |   |   |   ├── [1.5K]  unauthorized.js
|           |   |   |   |   |   |   ├── [2.0K]  unauthorized.js.map
|           |   |   |   |   |   |   ├── [ 923]  unrecognized-action-
error.js
|           |   |   |   |   |   |   ├── [1.4K]  unrecognized-action-
error.js.map
|           |   |   |   |   |   |   ├── [ 227]  unresolved-
thenable.js
```

```
|           |   |   |   |   |   |   |   ├── [ 441]  unresolved-
thenable.js.map
|           |   |   |   |   |   |   |   ├── [ 433]  unstable-
rethrow.browser.js
|           |   |   |   |   |   |   |   ├── [ 841]  unstable-
rethrow.browser.js.map
|           |   |   |   |   |   |   |   ├── [ 712]  unstable-rethrow.js
|           |   |   |   |   |   |   |   ├── [1.1K]  unstable-
rethrow.js.map
|           |   |   |   |   |   |   |   ├── [ 854]  unstable-
rethrow.server.js
|           |   |   |   |   |   |   |   ├── [1.5K]  unstable-
rethrow.server.js.map
|           |   |   |   |   |   |   |   ├── [1.9K]  use-action-queue.js
|           |   |   |   |   |   |   |   └── [3.2K]  use-action-
queue.js.map
|           |   |   |   |   |   |   ├── [ 380]  detect-domain-locale.js
|           |   |   |   |   |   |   ├── [ 711]  detect-domain-
locale.js.map
|           |   |   |   |   |   |   ├── [ 576]  dev
|           |   |   |   |   |   |   |   ├── [3.2K]  amp-dev.js
|           |   |   |   |   |   |   |   ├── [6.1K]  amp-dev.js.map
|           |   |   |   |   |   |   |   ├── [ 128]  error-overlay
|           |   |   |   |   |   |   |   |   ├── [ 413]  websocket.js
|           |   |   |   |   |   |   |   |   └── [ 611]  websocket.js.map
|           |   |   |   |   |   |   |   ├── [1.2K]  fouc.js
|           |   |   |   |   |   |   |   ├── [2.0K]  fouc.js.map
|           |   |   |   |   |   |   |   ├── [3.6K]  hot-middleware-
client.js
|           |   |   |   |   |   |   |   ├── [4.7K]  hot-middleware-
client.js.map
|           |   |   |   |   |   |   |   ├── [ 320]  hot-reloader
|           |   |   |   |   |   |   |   |   ├── [ 192]  app
|           |   |   |   |   |   |   |   |   |   ├── [ 19K]  hot-
reloader-app.js
|           |   |   |   |   |   |   |   |   |   ├── [ 28K]  hot-
reloader-app.js.map
|           |   |   |   |   |   |   |   |   |   ├── [3.3K]  use-
websocket.js
|           |   |   |   |   |   |   |   |   |   └── [5.8K]  use-
websocket.js.map
|           |   |   |   |   |   |   |   |   ├── [ 863]  get-socket-
url.js
|           |   |   |   |   |   |   |   |   ├── [1.6K]  get-socket-
url.js.map
|           |   |   |   |   |   |   |   |   ├── [ 192]  pages
|           |   |   |   |   |   |   |   |   |   ├── [ 16K]  hot-
reloader-pages.js
|           |   |   |   |   |   |   |   |   |   ├── [ 25K]  hot-
reloader-pages.js.map
|           |   |   |   |   |   |   |   |   |   ├── [3.0K]  websocket.js
|           |   |   |   |   |   |   |   |   |   └── [5.3K]
websocket.js.map
|           |   |   |   |   |   |   |   |   ├── [1.0K]  shared.js
|           |   |   |   |   |   |   |   |   ├── [1.7K]  shared.js.map
```

```
│           │   │   │   │   │   │   │   │   ├── [7.9K]  turbopack-hot-
reloader-common.js
│           │   │   │   │   │   │   │   │   └── [8.1K]  turbopack-hot-
reloader-common.js.map
│           │   │   │   │   │   │   │   ├── [ 222]  noop-turbopack-
hmr.js
│           │   │   │   │   │   │   │   ├── [ 370]  noop-turbopack-
hmr.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  on-demand-entries-
client.js
│           │   │   │   │   │   │   │   ├── [2.1K]  on-demand-entries-
client.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  report-hmr-
latency.js
│           │   │   │   │   │   │   │   ├── [2.5K]  report-hmr-
latency.js.map
│           │   │   │   │   │   │   │   ├── [ 117]  runtime-error-
handler.js
│           │   │   │   │   │   │   │   └── [ 294]  runtime-error-
handler.js.map
│           │   │   │   │   │   │   ├── [5.0K]  flight-data-helpers.js
│           │   │   │   │   │   │   ├── [8.5K]  flight-data-
helpers.js.map
│           │   │   │   │   │   │   ├── [5.4K]  form-shared.js
│           │   │   │   │   │   │   ├── [ 10K]  form-shared.js.map
│           │   │   │   │   │   │   ├── [5.1K]  form.js
│           │   │   │   │   │   │   ├── [8.1K]  form.js.map
│           │   │   │   │   │   │   ├── [ 998]  get-domain-locale.js
│           │   │   │   │   │   │   ├── [2.4K]  get-domain-locale.js.map
│           │   │   │   │   │   │   ├── [ 257]  has-base-path.js
│           │   │   │   │   │   │   ├── [ 598]  has-base-path.js.map
│           │   │   │   │   │   │   ├── [4.9K]  head-manager.js
│           │   │   │   │   │   │   ├── [8.1K]  head-manager.js.map
│           │   │   │   │   │   │   ├── [ 13K]  image-component.js
│           │   │   │   │   │   │   ├── [ 21K]  image-component.js.map
│           │   │   │   │   │   │   ├── [ 31K]  index.js
│           │   │   │   │   │   │   ├── [ 52K]  index.js.map
│           │   │   │   │   │   │   ├── [ 128]  legacy
│           │   │   │   │   │   │   │   ├── [ 36K]  image.js
│           │   │   │   │   │   │   │   └── [ 56K]  image.js.map
│           │   │   │   │   │   │   ├── [ 128]  lib
│           │   │   │   │   │   │   │   ├── [4.8K]  console.js
│           │   │   │   │   │   │   │   └── [7.4K]  console.js.map
│           │   │   │   │   │   │   ├── [ 18K]  link.js
│           │   │   │   │   │   │   ├── [ 34K]  link.js.map
│           │   │   │   │   │   │   ├── [1.4K]  next-dev-turbopack.js
│           │   │   │   │   │   │   ├── [3.0K]  next-dev-
turbopack.js.map
│           │   │   │   │   │   │   ├── [ 626]  next-dev.js
│           │   │   │   │   │   │   ├── [1.2K]  next-dev.js.map
│           │   │   │   │   │   │   ├── [1.1K]  next-turbopack.js
│           │   │   │   │   │   │   ├── [2.3K]  next-turbopack.js.map
│           │   │   │   │   │   │   ├── [ 383]  next.js
│           │   │   │   │   │   │   ├── [ 893]  next.js.map
│           │   │   │   │   │   │   ├── [ 339]  normalize-locale-path.js
```

```
|           |   |   |   |   |   |   ├── [ 872]  normalize-locale-
path.js.map
|           |   |   |   |   |   |   ├── [ 935]  normalize-trailing-
slash.js
|           |   |   |   |   |   |   ├── [1.7K]  normalize-trailing-
slash.js.map
|           |   |   |   |   |   |   ├── [6.2K]  page-bootstrap.js
|           |   |   |   |   |   |   ├── [8.8K]  page-bootstrap.js.map
|           |   |   |   |   |   |   ├── [6.7K]  page-loader.js
|           |   |   |   |   |   |   ├── [ 12K]  page-loader.js.map
|           |   |   |   |   |   |   ├── [ 128]  portal
|           |   |   |   |   |   |   |   ├── [ 590]  index.js
|           |   |   |   |   |   |   |   └── [1.2K]  index.js.map
|           |   |   |   |   |   |   ├── [ 256]  react-client-callbacks
|           |   |   |   |   |   |   |   ├── [4.8K]  error-boundary-
callbacks.js
|           |   |   |   |   |   |   |   ├── [7.5K]  error-boundary-
callbacks.js.map
|           |   |   |   |   |   |   |   ├── [1.0K]  on-recoverable-
error.js
|           |   |   |   |   |   |   |   ├── [2.0K]  on-recoverable-
error.js.map
|           |   |   |   |   |   |   |   ├── [ 259]  report-global-
error.js
|           |   |   |   |   |   |   |   └── [ 674]  report-global-
error.js.map
|           |   |   |   |   |   |   ├── [ 526]  remove-base-path.js
|           |   |   |   |   |   |   ├── [1.1K]  remove-base-path.js.map
|           |   |   |   |   |   |   ├── [ 600]  remove-locale.js
|           |   |   |   |   |   |   ├── [1.3K]  remove-locale.js.map
|           |   |   |   |   |   |   ├── [ 448]  request
|           |   |   |   |   |   |   |   ├── [6.3K]
params.browser.dev.js
|           |   |   |   |   |   |   |   ├── [9.9K]
params.browser.dev.js.map
|           |   |   |   |   |   |   |   ├── [ 254]  params.browser.js
|           |   |   |   |   |   |   |   ├── [ 660]
params.browser.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]
params.browser.prod.js
|           |   |   |   |   |   |   |   ├── [2.5K]
params.browser.prod.js.map
|           |   |   |   |   |   |   |   ├── [6.0K]  search-
params.browser.dev.js
|           |   |   |   |   |   |   |   ├── [ 10K]  search-
params.browser.dev.js.map
|           |   |   |   |   |   |   |   ├── [ 293]  search-
params.browser.js
|           |   |   |   |   |   |   |   ├── [ 727]  search-
params.browser.js.map
|           |   |   |   |   |   |   |   ├── [1.7K]  search-
params.browser.prod.js
|           |   |   |   |   |   |   |   └── [3.1K]  search-
params.browser.prod.js.map
|           |   |   |   |   |   |   ├── [ 634]  request-idle-callback.js
```

```
│           │   │   │   │   │   │   ├── [1.4K]  request-idle-
callback.js.map
│           │   │   │   │   │   │   ├── [4.7K]  resolve-href.js
│           │   │   │   │   │   │   ├── [7.8K]  resolve-href.js.map
│           │   │   │   │   │   │   ├── [2.3K]  route-announcer.js
│           │   │   │   │   │   │   ├── [3.4K]  route-announcer.js.map
│           │   │   │   │   │   │   ├── [ 13K]  route-loader.js
│           │   │   │   │   │   │   ├── [ 22K]  route-loader.js.map
│           │   │   │   │   │   │   ├── [6.7K]  route-params.js
│           │   │   │   │   │   │   ├── [ 11K]  route-params.js.map
│           │   │   │   │   │   │   ├── [5.7K]  router.js
│           │   │   │   │   │   │   ├── [8.6K]  router.js.map
│           │   │   │   │   │   │   ├── [ 12K]  script.js
│           │   │   │   │   │   │   ├── [ 18K]  script.js.map
│           │   │   │   │   │   │   ├── [1.8K]  set-attributes-from-
props.js
│           │   │   │   │   │   │   ├── [3.0K]  set-attributes-from-
props.js.map
│           │   │   │   │   │   │   ├── [ 192]  tracing
│           │   │   │   │   │   │   │   ├── [ 613]  report-to-socket.js
│           │   │   │   │   │   │   │   ├── [1.0K]  report-to-
socket.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  tracer.js
│           │   │   │   │   │   │   │   └── [2.9K]  tracer.js.map
│           │   │   │   │   │   │   ├── [1.4K]  trusted-types.js
│           │   │   │   │   │   │   ├── [1.9K]  trusted-types.js.map
│           │   │   │   │   │   │   ├── [ 476]  use-client-disallowed.js
│           │   │   │   │   │   │   ├── [ 739]  use-client-
disallowed.js.map
│           │   │   │   │   │   │   ├── [3.2K]  use-intersection.js
│           │   │   │   │   │   │   ├── [6.5K]  use-intersection.js.map
│           │   │   │   │   │   │   ├── [2.3K]  use-merged-ref.js
│           │   │   │   │   │   │   ├── [3.5K]  use-merged-ref.js.map
│           │   │   │   │   │   │   ├── [ 491]  web-vitals.js
│           │   │   │   │   │   │   ├── [1005]  web-vitals.js.map
│           │   │   │   │   │   │   ├── [1.8K]  webpack.js
│           │   │   │   │   │   │   ├── [2.5K]  webpack.js.map
│           │   │   │   │   │   │   ├── [ 781]  with-router.js
│           │   │   │   │   │   │   └── [1.9K]  with-router.js.map
│           │   │   │   │   │   ├── [ 384]  export
│           │   │   │   │   │   │   ├── [ 320]  helpers
│           │   │   │   │   │   │   │   ├── [2.0K]  create-incremental-
cache.js
│           │   │   │   │   │   │   │   ├── [4.0K]  create-incremental-
cache.js.map
│           │   │   │   │   │   │   │   ├── [1.8K]  get-amp-html-
validator.js
│           │   │   │   │   │   │   │   ├── [2.5K]  get-amp-html-
validator.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  get-params.js
│           │   │   │   │   │   │   │   ├── [1.9K]  get-params.js.map
│           │   │   │   │   │   │   │   ├── [ 530]  is-dynamic-usage-
error.js
│           │   │   │   │   │   │   │   └── [ 978]  is-dynamic-usage-
error.js.map
│           │   │   │   │   │   │   ├── [ 33K]  index.js
```

```
│           │   │   │   │   │   │   ├── [ 54K]  index.js.map
│           │   │   │   │   │   │   ├── [ 320]  routes
│           │   │   │   │   │   │   │   ├── [8.8K]  app-page.js
│           │   │   │   │   │   │   │   ├── [ 14K]  app-page.js.map
│           │   │   │   │   │   │   │   ├── [5.4K]  app-route.js
│           │   │   │   │   │   │   │   ├── [9.8K]  app-route.js.map
│           │   │   │   │   │   │   │   ├── [7.5K]  pages.js
│           │   │   │   │   │   │   │   ├── [ 13K]  pages.js.map
│           │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   └── [ 376]  types.js.map
│           │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   ├── [4.8K]  types.js.map
│           │   │   │   │   │   │   ├── [ 678]  utils.js
│           │   │   │   │   │   │   ├── [1.1K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 20K]  worker.js
│           │   │   │   │   │   │   └── [ 34K]  worker.js.map
│           │   │   │   │   │   ├── [4.9K]  lib
│           │   │   │   │   │   │   ├── [2.0K]  batcher.js
│           │   │   │   │   │   │   ├── [4.1K]  batcher.js.map
│           │   │   │   │   │   │   ├── [ 903]  build-custom-route.js
│           │   │   │   │   │   │   ├── [2.4K]  build-custom-
route.js.map
│           │   │   │   │   │   │   ├── [ 694]  client-and-server-
references.js
│           │   │   │   │   │   │   ├── [1.6K]  client-and-server-
references.js.map
│           │   │   │   │   │   │   ├── [ 868]  coalesced-function.js
│           │   │   │   │   │   │   ├── [2.0K]  coalesced-
function.js.map
│           │   │   │   │   │   │   ├── [  86]  compile-error.js
│           │   │   │   │   │   │   ├── [ 216]  compile-error.js.map
│           │   │   │   │   │   │   ├── [8.2K]  constants.js
│           │   │   │   │   │   │   ├── [ 13K]  constants.js.map
│           │   │   │   │   │   │   ├── [2.1K]  create-client-router-
filter.js
│           │   │   │   │   │   │   ├── [3.9K]  create-client-router-
filter.js.map
│           │   │   │   │   │   │   ├── [  10]  default-transpiled-
packages.json
│           │   │   │   │   │   │   ├── [ 679]  detached-promise.js
│           │   │   │   │   │   │   ├── [1.3K]  detached-promise.js.map
│           │   │   │   │   │   │   ├── [1.3K]  detect-typo.js
│           │   │   │   │   │   │   ├── [2.7K]  detect-typo.js.map
│           │   │   │   │   │   │   ├── [4.7K]  download-swc.js
│           │   │   │   │   │   │   ├── [8.0K]  download-swc.js.map
│           │   │   │   │   │   │   ├── [1.4K]  error-telemetry-utils.js
│           │   │   │   │   │   │   ├── [2.3K]  error-telemetry-
utils.js.map
│           │   │   │   │   │   │   ├── [ 448]  eslint
│           │   │   │   │   │   │   │   ├── [2.8K]  customFormatter.js
│           │   │   │   │   │   │   │   ├── [5.7K]
customFormatter.js.map
│           │   │   │   │   │   │   │   ├── [ 846]
getESLintPromptValues.js
│           │   │   │   │   │   │   │   ├── [1.4K]
getESLintPromptValues.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 991]
hasEslintConfiguration.js
│           │   │   │   │   │   │   │   ├── [2.0K]
hasEslintConfiguration.js.map
│           │   │   │   │   │   │   │   ├── [ 14K]  runLintCheck.js
│           │   │   │   │   │   │   │   ├── [ 24K]  runLintCheck.js.map
│           │   │   │   │   │   │   │   ├── [1.7K]
writeDefaultConfig.js
│           │   │   │   │   │   │   │   ├── [3.5K]
writeDefaultConfig.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  writeOutputFile.js
│           │   │   │   │   │   │   │   └── [2.6K]
writeOutputFile.js.map
│           │   │   │   │   │   │   ├── [2.9K]  fallback.js
│           │   │   │   │   │   │   ├── [3.8K]  fallback.js.map
│           │   │   │   │   │   │   ├── [  82]  fatal-error.js
│           │   │   │   │   │   │   ├── [ 210]  fatal-error.js.map
│           │   │   │   │   │   │   ├── [ 814]  file-exists.js
│           │   │   │   │   │   │   ├── [1.4K]  file-exists.js.map
│           │   │   │   │   │   │   ├── [2.9K]  find-config.js
│           │   │   │   │   │   │   ├── [4.9K]  find-config.js.map
│           │   │   │   │   │   │   ├── [ 881]  find-pages-dir.js
│           │   │   │   │   │   │   ├── [1.5K]  find-pages-dir.js.map
│           │   │   │   │   │   │   ├── [2.5K]  find-root.js
│           │   │   │   │   │   │   ├── [4.2K]  find-root.js.map
│           │   │   │   │   │   │   ├── [2.5K]  format-cli-help-
output.js
│           │   │   │   │   │   │   ├── [4.8K]  format-cli-help-
output.js.map
│           │   │   │   │   │   │   ├── [ 706]  format-dynamic-import-
path.js
│           │   │   │   │   │   │   ├── [1.2K]  format-dynamic-import-
path.js.map
│           │   │   │   │   │   │   ├── [2.4K]  format-server-error.js
│           │   │   │   │   │   │   ├── [3.7K]  format-server-
error.js.map
│           │   │   │   │   │   │   ├── [ 192]  framework
│           │   │   │   │   │   │   │   ├── [1.5K]  boundary-
components.js
│           │   │   │   │   │   │   │   ├── [2.9K]  boundary-
components.js.map
│           │   │   │   │   │   │   │   ├── [ 321]  boundary-
constants.js
│           │   │   │   │   │   │   │   └── [ 637]  boundary-
constants.js.map
│           │   │   │   │   │   │   ├── [ 192]  fs
│           │   │   │   │   │   │   │   ├── [3.6K]  rename.js
│           │   │   │   │   │   │   │   ├── [5.2K]  rename.js.map
│           │   │   │   │   │   │   │   ├── [ 508]  write-atomic.js
│           │   │   │   │   │   │   │   └── [1.0K]  write-atomic.js.map
│           │   │   │   │   │   │   ├── [2.6K]  generate-interception-
routes-rewrites.js
│           │   │   │   │   │   │   ├── [4.3K]  generate-interception-
routes-rewrites.js.map
│           │   │   │   │   │   │   ├── [ 510]  get-files-in-dir.js
│           │   │   │   │   │   │   ├── [1.2K]  get-files-in-dir.js.map
```

```
│           │   │   │   │   │   │   ├── [1.0K]  get-network-host.js
│           │   │   │   │   │   │   ├── [1.9K]  get-network-host.js.map
│           │   │   │   │   │   │   ├── [1.5K]  get-package-version.js
│           │   │   │   │   │   │   ├── [3.1K]  get-package-
version.js.map
│           │   │   │   │   │   │   ├── [1.4K]  get-project-dir.js
│           │   │   │   │   │   │   ├── [2.3K]  get-project-dir.js.map
│           │   │   │   │   │   │   ├── [1.3K]  has-necessary-
dependencies.js
│           │   │   │   │   │   │   ├── [3.6K]  has-necessary-
dependencies.js.map
│           │   │   │   │   │   │   ├── [ 512]  helpers
│           │   │   │   │   │   │   │   ├── [2.3K]  get-cache-
directory.js
│           │   │   │   │   │   │   │   ├── [3.4K]  get-cache-
directory.js.map
│           │   │   │   │   │   │   │   ├── [ 539]  get-npx-command.js
│           │   │   │   │   │   │   │   ├── [ 949]  get-npx-
command.js.map
│           │   │   │   │   │   │   │   ├── [ 862]  get-online.js
│           │   │   │   │   │   │   │   ├── [1.6K]  get-online.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  get-pkg-manager.js
│           │   │   │   │   │   │   │   ├── [2.0K]  get-pkg-
manager.js.map
│           │   │   │   │   │   │   │   ├── [1.7K]  get-registry.js
│           │   │   │   │   │   │   │   ├── [2.6K]  get-registry.js.map
│           │   │   │   │   │   │   │   ├── [1.9K]  get-reserved-port.js
│           │   │   │   │   │   │   │   ├── [3.1K]  get-reserved-
port.js.map
│           │   │   │   │   │   │   │   ├── [2.2K]  install.js
│           │   │   │   │   │   │   │   └── [3.8K]  install.js.map
│           │   │   │   │   │   │   ├── [ 322]  import-next-warning.js
│           │   │   │   │   │   │   ├── [ 506]  import-next-
warning.js.map
│           │   │   │   │   │   │   ├── [3.9K]  inline-static-env.js
│           │   │   │   │   │   │   ├── [7.0K]  inline-static-env.js.map
│           │   │   │   │   │   │   ├── [ 886]  install-dependencies.js
│           │   │   │   │   │   │   ├── [1.9K]  install-
dependencies.js.map
│           │   │   │   │   │   │   ├── [ 115]  interop-default.js
│           │   │   │   │   │   │   ├── [ 293]  interop-default.js.map
│           │   │   │   │   │   │   ├── [ 171]  is-api-route.js
│           │   │   │   │   │   │   ├── [ 363]  is-api-route.js.map
│           │   │   │   │   │   │   ├── [ 124]  is-app-page-route.js
│           │   │   │   │   │   │   ├── [ 316]  is-app-page-route.js.map
│           │   │   │   │   │   │   ├── [ 127]  is-app-route-route.js
│           │   │   │   │   │   │   ├── [ 322]  is-app-route-
route.js.map
│           │   │   │   │   │   │   ├── [ 218]  is-edge-runtime.js
│           │   │   │   │   │   │   ├── [ 571]  is-edge-runtime.js.map
│           │   │   │   │   │   │   ├── [1.9K]  is-error.js
│           │   │   │   │   │   │   ├── [2.8K]  is-error.js.map
│           │   │   │   │   │   │   ├── [ 387]  is-internal-component.js
│           │   │   │   │   │   │   ├── [ 698]  is-internal-
component.js.map
│           │   │   │   │   │   │   ├── [4.1K]  is-serializable-props.js
```

```
│           │   │   │   │   │   │   ├── [6.3K]  is-serializable-
props.js.map
│           │   │   │   │   │   │   ├── [  18]  known-edge-safe-
packages.json
│           │   │   │   │   │   │   ├── [ 22K]  load-custom-routes.js
│           │   │   │   │   │   │   ├── [ 38K]  load-custom-
routes.js.map
│           │   │   │   │   │   │   ├── [ 320]  memory
│           │   │   │   │   │   │   │   ├── [1.0K]  gc-observer.js
│           │   │   │   │   │   │   │   ├── [1.8K]  gc-observer.js.map
│           │   │   │   │   │   │   │   ├── [1001]  shutdown.js
│           │   │   │   │   │   │   │   ├── [2.1K]  shutdown.js.map
│           │   │   │   │   │   │   │   ├── [1.9K]  startup.js
│           │   │   │   │   │   │   │   ├── [2.8K]  startup.js.map
│           │   │   │   │   │   │   │   ├── [3.5K]  trace.js
│           │   │   │   │   │   │   │   └── [6.6K]  trace.js.map
│           │   │   │   │   │   │   ├── [ 672]  metadata
│           │   │   │   │   │   │   │   ├── [ 610]  clone-metadata.js
│           │   │   │   │   │   │   │   ├── [1.4K]  clone-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 416]  constants.js
│           │   │   │   │   │   │   │   ├── [ 983]  constants.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  default-metadata.js
│           │   │   │   │   │   │   │   ├── [2.6K]  default-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 512]  generate
│           │   │   │   │   │   │   │   │   ├── [1.5K]  alternate.js
│           │   │   │   │   │   │   │   │   ├── [2.9K]  alternate.js.map
│           │   │   │   │   │   │   │   │   ├── [8.4K]  basic.js
│           │   │   │   │   │   │   │   │   ├── [ 14K]  basic.js.map
│           │   │   │   │   │   │   │   │   ├── [ 794]  icon-mark.js
│           │   │   │   │   │   │   │   │   ├── [1.0K]  icon-mark.js.map
│           │   │   │   │   │   │   │   │   ├── [1.8K]  icons.js
│           │   │   │   │   │   │   │   │   ├── [3.1K]  icons.js.map
│           │   │   │   │   │   │   │   │   ├── [2.8K]  meta.js
│           │   │   │   │   │   │   │   │   ├── [5.4K]  meta.js.map
│           │   │   │   │   │   │   │   │   ├── [ 15K]  opengraph.js
│           │   │   │   │   │   │   │   │   ├── [ 18K]  opengraph.js.map
│           │   │   │   │   │   │   │   │   ├── [ 607]  utils.js
│           │   │   │   │   │   │   │   │   └── [1.3K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [4.5K]  get-metadata-
route.js
│           │   │   │   │   │   │   │   ├── [7.2K]  get-metadata-
route.js.map
│           │   │   │   │   │   │   │   ├── [6.2K]  is-metadata-route.js
│           │   │   │   │   │   │   │   ├── [9.8K]  is-metadata-
route.js.map
│           │   │   │   │   │   │   │   ├── [ 209]  metadata-context.js
│           │   │   │   │   │   │   │   ├── [ 654]  metadata-
context.js.map
│           │   │   │   │   │   │   │   ├── [ 10K]  metadata.js
│           │   │   │   │   │   │   │   ├── [ 18K]  metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 30K]  resolve-metadata.js
│           │   │   │   │   │   │   │   ├── [ 52K]  resolve-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 384]  resolvers
```

```
│           │   │   │   │   │   │   │   │   ├── [6.9K]  resolve-
basics.js
│           │   │   │   │   │   │   │   │   ├── [ 14K]  resolve-
basics.js.map
│           │   │   │   │   │   │   │   │   ├── [ 932]  resolve-icons.js
│           │   │   │   │   │   │   │   │   ├── [2.0K]  resolve-
icons.js.map
│           │   │   │   │   │   │   │   │   ├── [7.2K]  resolve-
opengraph.js
│           │   │   │   │   │   │   │   │   ├── [ 13K]  resolve-
opengraph.js.map
│           │   │   │   │   │   │   │   │   ├── [ 937]  resolve-title.js
│           │   │   │   │   │   │   │   │   ├── [1.9K]  resolve-
title.js.map
│           │   │   │   │   │   │   │   │   ├── [4.6K]  resolve-url.js
│           │   │   │   │   │   │   │   │   └── [8.3K]  resolve-
url.js.map
│           │   │   │   │   │   │   │   └── [ 640]  types
│           │   │   │   │   │   │   │       ├── [ 123]  alternative-
urls-types.js
│           │   │   │   │   │   │   │       ├── [6.4K]  alternative-
urls-types.js.map
│           │   │   │   │   │   │   │       ├── [ 633]  extra-types.js
│           │   │   │   │   │   │   │       ├── [4.7K]  extra-
types.js.map
│           │   │   │   │   │   │   │       ├── [  46]  icons.js
│           │   │   │   │   │   │   │       ├── [ 335]  icons.js.map
│           │   │   │   │   │   │   │       ├── [  55]  manifest-
types.js
│           │   │   │   │   │   │   │       ├── [3.1K]  manifest-
types.js.map
│           │   │   │   │   │   │   │       ├── [ 639]  metadata-
interface.js
│           │   │   │   │   │   │   │       ├── [ 22K]  metadata-
interface.js.map
│           │   │   │   │   │   │   │       ├── [  87]  metadata-
types.js
│           │   │   │   │   │   │   │       ├── [5.3K]  metadata-
types.js.map
│           │   │   │   │   │   │   │       ├── [  56]  opengraph-
types.js
│           │   │   │   │   │   │   │       ├── [9.2K]  opengraph-
types.js.map
│           │   │   │   │   │   │   │       ├── [  50]  resolvers.js
│           │   │   │   │   │   │   │       ├── [1000]  resolvers.js.map
│           │   │   │   │   │   │   │       ├── [ 149]  twitter-types.js
│           │   │   │   │   │   │   │       └── [3.1K]  twitter-
types.js.map
│           │   │   │   │   │   │   ├── [ 224]  mime-type.js
│           │   │   │   │   │   │   ├── [ 448]  mime-type.js.map
│           │   │   │   │   │   │   ├── [5.9K]  mkcert.js
│           │   │   │   │   │   │   ├── [9.5K]  mkcert.js.map
│           │   │   │   │   │   │   ├── [2.4K]  multi-file-writer.js
│           │   │   │   │   │   │   ├── [4.1K]  multi-file-writer.js.map
│           │   │   │   │   │   │   ├── [ 258]  needs-experimental-
react.js
```

```
│           │   │   │   │   │   │   ├── [ 680]  needs-experimental-
react.js.map
│           │   │   │   │   │   │   ├── [ 130]  non-nullable.js
│           │   │   │   │   │   │   ├── [ 335]  non-nullable.js.map
│           │   │   │   │   │   │   ├── [ 172]  normalize-path.js
│           │   │   │   │   │   │   ├── [ 426]  normalize-path.js.map
│           │   │   │   │   │   │   ├── [ 233]  oxford-comma-list.js
│           │   │   │   │   │   │   ├── [ 701]  oxford-comma-list.js.map
│           │   │   │   │   │   │   ├── [ 229]  page-types.js
│           │   │   │   │   │   │   ├── [ 262]  page-types.js.map
│           │   │   │   │   │   │   ├── [5.2K]  patch-incorrect-
lockfile.js
│           │   │   │   │   │   │   ├── [9.0K]  patch-incorrect-
lockfile.js.map
│           │   │   │   │   │   │   ├── [ 178]  pick.js
│           │   │   │   │   │   │   ├── [ 496]  pick.js.map
│           │   │   │   │   │   │   ├── [3.3K]  picocolors.js
│           │   │   │   │   │   │   ├── [5.9K]  picocolors.js.map
│           │   │   │   │   │   │   ├── [2.8K]  pretty-bytes.js
│           │   │   │   │   │   │   ├── [4.0K]  pretty-bytes.js.map
│           │   │   │   │   │   │   ├── [ 509]  realpath.js
│           │   │   │   │   │   │   ├── [ 837]  realpath.js.map
│           │   │   │   │   │   │   ├── [2.3K]  recursive-copy.js
│           │   │   │   │   │   │   ├── [4.4K]  recursive-copy.js.map
│           │   │   │   │   │   │   ├── [2.2K]  recursive-delete.js
│           │   │   │   │   │   │   ├── [4.1K]  recursive-delete.js.map
│           │   │   │   │   │   │   ├── [5.1K]  recursive-readdir.js
│           │   │   │   │   │   │   ├── [8.3K]  recursive-readdir.js.map
│           │   │   │   │   │   │   ├── [ 834]  redirect-status.js
│           │   │   │   │   │   │   ├── [1.7K]  redirect-status.js.map
│           │   │   │   │   │   │   ├── [1.2K]  require-instrumentation-
client.js
│           │   │   │   │   │   │   ├── [1.9K]  require-instrumentation-
client.js.map
│           │   │   │   │   │   │   ├── [1.6K]  resolve-from.js
│           │   │   │   │   │   │   ├── [2.6K]  resolve-from.js.map
│           │   │   │   │   │   │   ├── [4.3K]  route-pattern-
normalizer.js
│           │   │   │   │   │   │   ├── [6.4K]  route-pattern-
normalizer.js.map
│           │   │   │   │   │   │   ├── [2.3K]  scheduler.js
│           │   │   │   │   │   │   ├── [3.4K]  scheduler.js.map
│           │   │   │   │   │   │   ├── [ 271]  semver-noop.js
│           │   │   │   │   │   │   ├── [ 436]  semver-noop.js.map
│           │   │   │   │   │   │   ├── [1.3K]  server-external-
packages.json
│           │   │   │   │   │   │   ├── [ 278]  setup-exception-
listeners.js
│           │   │   │   │   │   │   ├── [ 590]  setup-exception-
listeners.js.map
│           │   │   │   │   │   │   ├── [2.1K]  static-env.js
│           │   │   │   │   │   │   ├── [3.7K]  static-env.js.map
│           │   │   │   │   │   │   ├── [2.4K]  try-to-parse-path.js
│           │   │   │   │   │   │   ├── [4.4K]  try-to-parse-path.js.map
│           │   │   │   │   │   │   ├── [6.8K]  turbopack-warning.js
│           │   │   │   │   │   │   ├── [ 11K]  turbopack-warning.js.map
```

```
│           │   │   │   │   │   │   ├── [ 512]  typescript
│           │   │   │   │   │   │   │   ├── [ 14K]
diagnosticFormatter.js
│           │   │   │   │   │   │   │   ├── [ 22K]
diagnosticFormatter.js.map
│           │   │   │   │   │   │   │   ├── [2.4K]
getTypeScriptConfiguration.js
│           │   │   │   │   │   │   │   ├── [4.0K]
getTypeScriptConfiguration.js.map
│           │   │   │   │   │   │   │   ├── [1.5K]
getTypeScriptIntent.js
│           │   │   │   │   │   │   │   ├── [2.7K]
getTypeScriptIntent.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]
missingDependencyError.js
│           │   │   │   │   │   │   │   ├── [2.4K]
missingDependencyError.js.map
│           │   │   │   │   │   │   │   ├── [3.6K]  runTypeCheck.js
│           │   │   │   │   │   │   │   ├── [7.0K]  runTypeCheck.js.map
│           │   │   │   │   │   │   │   ├── [2.0K]
writeAppTypeDeclarations.js
│           │   │   │   │   │   │   │   ├── [3.6K]
writeAppTypeDeclarations.js.map
│           │   │   │   │   │   │   │   ├── [ 12K]
writeConfigurationDefaults.js
│           │   │   │   │   │   │   │   └── [ 22K]
writeConfigurationDefaults.js.map
│           │   │   │   │   │   │   ├── [1.3K]  url.js
│           │   │   │   │   │   │   ├── [2.8K]  url.js.map
│           │   │   │   │   │   │   ├── [2.8K]  verify-partytown-
setup.js
│           │   │   │   │   │   │   ├── [5.0K]  verify-partytown-
setup.js.map
│           │   │   │   │   │   │   ├── [3.7K]  verify-root-layout.js
│           │   │   │   │   │   │   ├── [6.5K]  verify-root-
layout.js.map
│           │   │   │   │   │   │   ├── [5.2K]  verify-typescript-
setup.js
│           │   │   │   │   │   │   ├── [8.8K]  verify-typescript-
setup.js.map
│           │   │   │   │   │   │   ├── [2.6K]  verifyAndLint.js
│           │   │   │   │   │   │   ├── [4.6K]  verifyAndLint.js.map
│           │   │   │   │   │   │   ├── [ 248]  wait.js
│           │   │   │   │   │   │   ├── [ 478]  wait.js.map
│           │   │   │   │   │   │   ├── [ 380]  with-promise-cache.js
│           │   │   │   │   │   │   ├── [1.3K]  with-promise-
cache.js.map
│           │   │   │   │   │   │   ├── [7.8K]  worker.js
│           │   │   │   │   │   │   └── [ 13K]  worker.js.map
│           │   │   │   │   │   ├── [ 160]  next-devtools
│           │   │   │   │   │   ├── [ 544]  server
│           │   │   │   │   │   │   ├── [1.2K]  dev-indicator-
middleware.js
│           │   │   │   │   │   │   ├── [2.5K]  dev-indicator-
middleware.js.map
```

```
│           │   │   │   │   │   │   ├── [2.3K]  devtools-config-
middleware.js
│           │   │   │   │   │   │   ├── [4.7K]  devtools-config-
middleware.js.map
│           │   │   │   │   │   │   ├── [ 256]  font
│           │   │   │   │   │   │   │   ├── [ 15K]  geist-latin-
ext.woff2
│           │   │   │   │   │   │   │   ├── [ 28K]  geist-
latin.woff2
│           │   │   │   │   │   │   │   ├── [ 13K]  geist-mono-
latin-ext.woff2
│           │   │   │   │   │   │   │   ├── [ 31K]  geist-mono-
latin.woff2
│           │   │   │   │   │   │   │   ├── [1.8K]  get-dev-overlay-
font-middleware.js
│           │   │   │   │   │   │   │   └── [3.6K]  get-dev-overlay-
font-middleware.js.map
│           │   │   │   │   │   │   ├── [1.1K]  get-next-error-
feedback-middleware.js
│           │   │   │   │   │   │   ├── [2.2K]  get-next-error-
feedback-middleware.js.map
│           │   │   │   │   │   │   ├── [ 24K]  launch-editor.js
│           │   │   │   │   │   │   ├── [ 31K]  launch-editor.js.map
│           │   │   │   │   │   │   ├── [ 988]  middleware-
response.js
│           │   │   │   │   │   │   ├── [2.1K]  middleware-
response.js.map
│           │   │   │   │   │   │   ├── [2.7K]  restart-dev-server-
middleware.js
│           │   │   │   │   │   │   ├── [5.0K]  restart-dev-server-
middleware.js.map
│           │   │   │   │   │   │   ├── [1.8K]  shared.js
│           │   │   │   │   │   │   └── [4.0K]  shared.js.map
│           │   │   │   │   │   ├── [ 768]  shared
│           │   │   │   │   │   │   ├── [ 806]  console-error.js
│           │   │   │   │   │   │   ├── [1.6K]  console-error.js.map
│           │   │   │   │   │   │   ├── [ 847]  deepmerge.js
│           │   │   │   │   │   │   ├── [1.6K]  deepmerge.js.map
│           │   │   │   │   │   │   ├── [ 799]  devtools-config-
schema.js
│           │   │   │   │   │   │   ├── [1.7K]  devtools-config-
schema.js.map
│           │   │   │   │   │   │   ├── [1.4K]  forward-logs-
shared.js
│           │   │   │   │   │   │   ├── [3.7K]  forward-logs-
shared.js.map
│           │   │   │   │   │   │   ├── [  56]  hydration-error.js
│           │   │   │   │   │   │   ├── [ 333]  hydration-
error.js.map
│           │   │   │   │   │   │   ├── [1.9K]  react-18-hydration-
error.js
│           │   │   │   │   │   │   ├── [3.3K]  react-18-hydration-
error.js.map
│           │   │   │   │   │   │   ├── [2.7K]  react-19-hydration-
error.js
```

```
│           │   │   │   │   │   │   ├── [4.5K]  react-19-hydration-
error.js.map
│           │   │   │   │   │   │   ├── [4.7K]  stack-frame.js
│           │   │   │   │   │   │   ├── [8.2K]  stack-frame.js.map
│           │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   ├── [ 216]  types.js.map
│           │   │   │   │   │   │   ├── [1.6K]  version-staleness.js
│           │   │   │   │   │   │   ├── [2.2K]  version-
staleness.js.map
│           │   │   │   │   │   │   ├── [ 823]  webpack-module-
path.js
│           │   │   │   │   │   │   └── [1.4K]  webpack-module-
path.js.map
│           │   │   │   │   │   └── [ 192]  userspace
│           │   │   │   │   │       ├── [ 480]  app
│           │   │   │   │   │       │   ├── [1.9K]  app-dev-overlay-
error-boundary.js
│           │   │   │   │   │       │   ├── [3.4K]  app-dev-overlay-
error-boundary.js.map
│           │   │   │   │   │       │   ├── [ 392]  app-dev-overlay-
setup.js
│           │   │   │   │   │       │   ├── [ 769]  app-dev-overlay-
setup.js.map
│           │   │   │   │   │       │   ├── [ 653]  client-entry.js
│           │   │   │   │   │       │   ├── [1.0K]  client-
entry.js.map
│           │   │   │   │   │       │   ├── [ 448]  errors
│           │   │   │   │   │       │   │   ├── [ 208]  index.js
│           │   │   │   │   │       │   │   ├── [ 478]  index.js.map
│           │   │   │   │   │       │   │   ├── [1.9K]  intercept-
console-error.js
│           │   │   │   │   │       │   │   ├── [3.0K]  intercept-
console-error.js.map
│           │   │   │   │   │       │   │   ├── [2.4K]  replay-ssr-
only-errors.js
│           │   │   │   │   │       │   │   ├── [3.5K]  replay-ssr-
only-errors.js.map
│           │   │   │   │   │       │   │   ├── [ 903]  stitched-
error.js
│           │   │   │   │   │       │   │   ├── [1.7K]  stitched-
error.js.map
│           │   │   │   │   │       │   │   ├── [3.9K]  use-error-
handler.js
│           │   │   │   │   │       │   │   ├── [7.0K]  use-error-
handler.js.map
│           │   │   │   │   │       │   │   ├── [ 653]  use-forward-
console-log.js
│           │   │   │   │   │       │   │   └── [1.3K]  use-forward-
console-log.js.map
│           │   │   │   │   │       │   ├── [ 12K]  forward-logs.js
│           │   │   │   │   │       │   ├── [ 20K]  forward-
logs.js.map
│           │   │   │   │   │       │   ├── [3.6K]  segment-
explorer-node.js
│           │   │   │   │   │       │   ├── [6.4K]  segment-
explorer-node.js.map
```

```
│           │   │   │   │   │   │       │   ├── [ 369]  terminal-
logging-config.js
│           │   │   │   │   │   │       │   └── [ 937]  terminal-
logging-config.js.map
│           │   │   │   │   │   │       ├── [ 256]  pages
│           │   │   │   │   │   │       │   ├── [6.5K]  hydration-error-
state.js
│           │   │   │   │   │   │       │   ├── [ 11K]  hydration-error-
state.js.map
│           │   │   │   │   │   │       │   ├── [ 670]  pages-dev-
overlay-error-boundary.js
│           │   │   │   │   │   │       │   ├── [1.3K]  pages-dev-
overlay-error-boundary.js.map
│           │   │   │   │   │   │       │   ├── [4.0K]  pages-dev-
overlay-setup.js
│           │   │   │   │   │   │       │   └── [7.0K]  pages-dev-
overlay-setup.js.map
│           │   │   │   │   │   │       ├── [ 530]  use-app-dev-
rendering-indicator.js
│           │   │   │   │   │   │       └── [1010]  use-app-dev-
rendering-indicator.js.map
│           │   │   │   │   │   ├── [ 256]  pages
│           │   │   │   │   │   │   ├── [ 899]  _app.js
│           │   │   │   │   │   │   ├── [1.9K]  _app.js.map
│           │   │   │   │   │   │   ├── [ 38K]  _document.js
│           │   │   │   │   │   │   ├── [ 60K]  _document.js.map
│           │   │   │   │   │   │   ├── [5.2K]  _error.js
│           │   │   │   │   │   │   └── [6.7K]  _error.js.map
│           │   │   │   │   │   ├── [3.9K]  server
│           │   │   │   │   │   │   ├── [  38]  ReactDOMServerPages.d.ts
│           │   │   │   │   │   │   ├── [ 584]  ReactDOMServerPages.js
│           │   │   │   │   │   │   ├── [ 956]
ReactDOMServerPages.js.map
│           │   │   │   │   │   │   ├── [3.8K]  accept-header.js
│           │   │   │   │   │   │   ├── [6.3K]  accept-header.js.map
│           │   │   │   │   │   │   ├── [ 448]  after
│           │   │   │   │   │   │   │   ├── [5.5K]  after-context.js
│           │   │   │   │   │   │   │   ├── [8.7K]  after-context.js.map
│           │   │   │   │   │   │   │   ├── [ 809]  after.js
│           │   │   │   │   │   │   │   ├── [1.2K]  after.js.map
│           │   │   │   │   │   │   │   ├── [2.1K]  awaiter.js
│           │   │   │   │   │   │   │   ├── [3.6K]  awaiter.js.map
│           │   │   │   │   │   │   │   ├── [ 850]  builtin-request-
context.js
│           │   │   │   │   │   │   │   ├── [2.1K]  builtin-request-
context.js.map
│           │   │   │   │   │   │   │   ├── [  59]  index.js
│           │   │   │   │   │   │   │   ├── [ 165]  index.js.map
│           │   │   │   │   │   │   │   ├── [1011]  run-with-after.js
│           │   │   │   │   │   │   │   └── [2.1K]  run-with-
after.js.map
│           │   │   │   │   │   │   ├── [ 288]  api-utils
│           │   │   │   │   │   │   │   ├── [ 471]  get-cookie-parser.js
│           │   │   │   │   │   │   │   ├── [1.1K]  get-cookie-
parser.js.map
│           │   │   │   │   │   │   │   ├── [5.4K]  index.js
```

```
│           │   │   │   │   │   │   │   ├── [ 10K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 256]  node
│           │   │   │   │   │   │   │   │   ├── [ 16K]  api-resolver.js
│           │   │   │   │   │   │   │   │   ├── [ 26K]  api-
resolver.js.map
│           │   │   │   │   │   │   │   │   ├── [2.1K]  parse-body.js
│           │   │   │   │   │   │   │   │   ├── [3.2K]  parse-
body.js.map
│           │   │   │   │   │   │   │   │   ├── [3.0K]  try-get-preview-
data.js
│           │   │   │   │   │   │   │   │   └── [5.6K]  try-get-preview-
data.js.map
│           │   │   │   │   │   │   │   ├── [ 238]  web.js
│           │   │   │   │   │   │   │   └── [ 520]  web.js.map
│           │   │   │   │   │   │   ├── [3.5K]  app-render
│           │   │   │   │   │   │   │   ├── [ 192]  action-async-
storage-instance.js
│           │   │   │   │   │   │   │   ├── [ 503]  action-async-
storage-instance.js.map
│           │   │   │   │   │   │   │   ├── [ 302]  action-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── [ 765]  action-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── [ 42K]  action-handler.js
│           │   │   │   │   │   │   │   ├── [ 60K]  action-
handler.js.map
│           │   │   │   │   │   │   │   ├── [3.6K]  action-utils.js
│           │   │   │   │   │   │   │   ├── [5.4K]  action-utils.js.map
│           │   │   │   │   │   │   │   ├── [ 199]  after-task-async-
storage-instance.js
│           │   │   │   │   │   │   │   ├── [ 523]  after-task-async-
storage-instance.js.map
│           │   │   │   │   │   │   │   ├── [ 311]  after-task-async-
storage.external.js
│           │   │   │   │   │   │   │   ├── [1.0K]  after-task-async-
storage.external.js.map
│           │   │   │   │   │   │   │   ├── [6.6K]  app-render-
prerender-utils.js
│           │   │   │   │   │   │   │   ├── [ 11K]  app-render-
prerender-utils.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  app-render-render-
utils.js
│           │   │   │   │   │   │   │   ├── [1.6K]  app-render-render-
utils.js.map
│           │   │   │   │   │   │   │   ├── [154K]  app-render.js
│           │   │   │   │   │   │   │   ├── [234K]  app-render.js.map
│           │   │   │   │   │   │   │   ├── [1.5K]  async-local-
storage.js
│           │   │   │   │   │   │   │   ├── [2.7K]  async-local-
storage.js.map
│           │   │   │   │   │   │   │   ├── [5.6K]  cache-signal.js
│           │   │   │   │   │   │   │   ├── [7.9K]  cache-signal.js.map
│           │   │   │   │   │   │   │   ├── [ 13K]  collect-segment-
data.js
│           │   │   │   │   │   │   │   ├── [ 22K]  collect-segment-
data.js.map
```

```
|           |   |   |   |   |   |   |   ├── [1.1K]  create-component-
styles-and-scripts.js
|           |   |   |   |   |   |   |   ├── [2.4K]  create-component-
styles-and-scripts.js.map
|           |   |   |   |   |   |   |   ├── [ 39K]  create-component-
tree.js
|           |   |   |   |   |   |   |   ├── [ 58K]  create-component-
tree.js.map
|           |   |   |   |   |   |   |   ├── [8.7K]  create-error-
handler.js
|           |   |   |   |   |   |   |   ├── [ 14K]  create-error-
handler.js.map
|           |   |   |   |   |   |   |   ├── [3.2K]  create-flight-
router-state-from-loader-tree.js
|           |   |   |   |   |   |   |   ├── [5.5K]  create-flight-
router-state-from-loader-tree.js.map
|           |   |   |   |   |   |   |   ├── [2.7K]  csrf-protection.js
|           |   |   |   |   |   |   |   ├── [3.8K]  csrf-
protection.js.map
|           |   |   |   |   |   |   |   ├── [ 207]  dynamic-access-
async-storage-instance.js
|           |   |   |   |   |   |   |   ├── [ 537]  dynamic-access-
async-storage-instance.js.map
|           |   |   |   |   |   |   |   ├── [ 339]  dynamic-access-
async-storage.external.js
|           |   |   |   |   |   |   |   ├── [ 823]  dynamic-access-
async-storage.external.js.map
|           |   |   |   |   |   |   |   ├── [ 30K]  dynamic-rendering.js
|           |   |   |   |   |   |   |   ├── [ 45K]  dynamic-
rendering.js.map
|           |   |   |   |   |   |   |   ├── [4.2K]  encryption-utils-
server.js
|           |   |   |   |   |   |   |   ├── [7.0K]  encryption-utils-
server.js.map
|           |   |   |   |   |   |   |   ├── [6.4K]  encryption-utils.js
|           |   |   |   |   |   |   |   ├── [ 11K]  encryption-
utils.js.map
|           |   |   |   |   |   |   |   ├── [ 11K]  encryption.js
|           |   |   |   |   |   |   |   ├── [ 16K]  encryption.js.map
|           |   |   |   |   |   |   |   ├── [3.1K]  entry-base.js
|           |   |   |   |   |   |   |   ├── [5.9K]  entry-base.js.map
|           |   |   |   |   |   |   |   ├── [ 509]  flight-render-
result.js
|           |   |   |   |   |   |   |   ├── [ 987]  flight-render-
result.js.map
|           |   |   |   |   |   |   |   ├── [ 779]  get-asset-query-
string.js
|           |   |   |   |   |   |   |   ├── [1.5K]  get-asset-query-
string.js.map
|           |   |   |   |   |   |   |   ├── [1.4K]  get-css-inlined-
link-tags.js
|           |   |   |   |   |   |   |   ├── [2.5K]  get-css-inlined-
link-tags.js.map
|           |   |   |   |   |   |   |   ├── [2.8K]  get-layer-assets.js
|           |   |   |   |   |   |   |   ├── [5.5K]  get-layer-
assets.js.map
```

```
|           |   |   |   |   |   |   |   ├── [1.3K]  get-preloadable-
fonts.js
|           |   |   |   |   |   |   |   ├── [2.3K]  get-preloadable-
fonts.js.map
|           |   |   |   |   |   |   |   ├── [1.7K]  get-script-nonce-
from-header.js
|           |   |   |   |   |   |   |   ├── [2.7K]  get-script-nonce-
from-header.js.map
|           |   |   |   |   |   |   |   ├── [1.3K]  get-segment-param.js
|           |   |   |   |   |   |   |   ├── [2.3K]  get-segment-
param.js.map
|           |   |   |   |   |   |   |   ├── [ 664]  get-short-dynamic-
param-type.js
|           |   |   |   |   |   |   |   ├── [1.1K]  get-short-dynamic-
param-type.js.map
|           |   |   |   |   |   |   |   ├── [ 312]  has-loading-
component-in-tree.js
|           |   |   |   |   |   |   |   ├── [ 796]  has-loading-
component-in-tree.js.map
|           |   |   |   |   |   |   |   ├── [ 181]  interop-default.js
|           |   |   |   |   |   |   |   ├── [ 394]  interop-
default.js.map
|           |   |   |   |   |   |   |   ├── [4.0K]  make-get-server-
inserted-html.js
|           |   |   |   |   |   |   |   ├── [6.5K]  make-get-server-
inserted-html.js.map
|           |   |   |   |   |   |   |   ├── [ 128]  metadata-insertion
|           |   |   |   |   |   |   |   |   ├── [ 688]  create-server-
inserted-metadata.js
|           |   |   |   |   |   |   |   |   └── [1.2K]  create-server-
inserted-metadata.js.map
|           |   |   |   |   |   |   |   ├── [ 256]  module-loading
|           |   |   |   |   |   |   |   |   ├── [2.7K]  track-dynamic-
import.js
|           |   |   |   |   |   |   |   |   ├── [3.4K]  track-dynamic-
import.js.map
|           |   |   |   |   |   |   |   |   ├── [ 530]  track-module-
loading.external.js
|           |   |   |   |   |   |   |   |   ├── [ 893]  track-module-
loading.external.js.map
|           |   |   |   |   |   |   |   |   ├── [2.2K]  track-module-
loading.instance.js
|           |   |   |   |   |   |   |   |   └── [3.3K]  track-module-
loading.instance.js.map
|           |   |   |   |   |   |   |   ├── [1.5K]  parse-and-validate-
flight-router-state.js
|           |   |   |   |   |   |   |   ├── [2.4K]  parse-and-validate-
flight-router-state.js.map
|           |   |   |   |   |   |   |   ├── [ 798]  parse-loader-tree.js
|           |   |   |   |   |   |   |   ├── [1.4K]  parse-loader-
tree.js.map
|           |   |   |   |   |   |   |   ├── [5.3K]  postponed-state.js
|           |   |   |   |   |   |   |   ├── [8.9K]  postponed-
state.js.map
|           |   |   |   |   |   |   |   ├── [2.2K]  prospective-render-
utils.js
```

```
│           │   │   │   │   │   │   ├── [3.3K]  prospective-render-
utils.js.map
│           │   │   │   │   │   │   ├── [ 370]  react-large-shell-
error.js
│           │   │   │   │   │   │   ├── [ 773]  react-large-shell-
error.js.map
│           │   │   │   │   │   │   ├── [ 316]  react-server.node.js
│           │   │   │   │   │   │   ├── [ 637]  react-
server.node.js.map
│           │   │   │   │   │   │   ├── [2.4K]  render-css-
resource.js
│           │   │   │   │   │   │   ├── [3.9K]  render-css-
resource.js.map
│           │   │   │   │   │   │   ├── [2.4K]  required-scripts.js
│           │   │   │   │   │   │   ├── [4.2K]  required-
scripts.js.map
│           │   │   │   │   │   │   ├── [ 256]  rsc
│           │   │   │   │   │   │   │   ├── [ 279]  postpone.js
│           │   │   │   │   │   │   │   ├── [ 454]  postpone.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  preloads.js
│           │   │   │   │   │   │   │   ├── [2.1K]  preloads.js.map
│           │   │   │   │   │   │   │   ├── [ 662]  taint.js
│           │   │   │   │   │   │   │   └── [1.4K]  taint.js.map
│           │   │   │   │   │   │   ├── [2.7K]  segment-explorer-
path.js
│           │   │   │   │   │   │   ├── [5.1K]  segment-explorer-
path.js.map
│           │   │   │   │   │   │   ├── [1.0K]  server-inserted-
html.js
│           │   │   │   │   │   │   ├── [1.7K]  server-inserted-
html.js.map
│           │   │   │   │   │   │   ├── [ 365]  strip-flight-
headers.js
│           │   │   │   │   │   │   ├── [ 738]  strip-flight-
headers.js.map
│           │   │   │   │   │   │   ├── [2.0K]  types.js
│           │   │   │   │   │   │   ├── [ 13K]  types.js.map
│           │   │   │   │   │   │   ├── [6.6K]  use-flight-
response.js
│           │   │   │   │   │   │   ├── [ 11K]  use-flight-
response.js.map
│           │   │   │   │   │   │   ├── [ 11K]  walk-tree-with-
flight-router-state.js
│           │   │   │   │   │   │   ├── [ 17K]  walk-tree-with-
flight-router-state.js.map
│           │   │   │   │   │   │   ├── [ 188]  work-async-storage-
instance.js
│           │   │   │   │   │   │   ├── [ 491]  work-async-storage-
instance.js.map
│           │   │   │   │   │   │   ├── [ 292]  work-async-
storage.external.js
│           │   │   │   │   │   │   ├── [4.2K]  work-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── [ 197]  work-unit-async-
storage-instance.js
```

```
│           │   │   │   │   │   │   ├── [ 517]  work-unit-async-
storage-instance.js.map
│           │   │   │   │   │   │   ├── [6.3K]  work-unit-async-
storage.external.js
│           │   │   │   │   │   │   └── [ 20K]  work-unit-async-
storage.external.js.map
│           │   │   │   │   │   ├── [ 320]  async-storage
│           │   │   │   │   │   │   ├── [2.4K]  draft-mode-
provider.js
│           │   │   │   │   │   │   ├── [4.8K]  draft-mode-
provider.js.map
│           │   │   │   │   │   │   ├── [5.7K]  request-store.js
│           │   │   │   │   │   │   ├── [ 13K]  request-store.js.map
│           │   │   │   │   │   │   ├── [ 413]  with-store.js
│           │   │   │   │   │   │   ├── [ 775]  with-store.js.map
│           │   │   │   │   │   │   ├── [3.9K]  work-store.js
│           │   │   │   │   │   │   └── [8.7K]  work-store.js.map
│           │   │   │   │   │   ├── [ 320]  base-http
│           │   │   │   │   │   │   ├── [1.7K]  helpers.js
│           │   │   │   │   │   │   ├── [2.7K]  helpers.js.map
│           │   │   │   │   │   │   ├── [1.1K]  index.js
│           │   │   │   │   │   │   ├── [3.8K]  index.js.map
│           │   │   │   │   │   │   ├── [3.9K]  node.js
│           │   │   │   │   │   │   ├── [7.8K]  node.js.map
│           │   │   │   │   │   │   ├── [3.7K]  web.js
│           │   │   │   │   │   │   └── [7.4K]  web.js.map
│           │   │   │   │   │   ├── [ 94K]  base-server.js
│           │   │   │   │   │   ├── [158K]  base-server.js.map
│           │   │   │   │   │   ├── [1.9K]  body-streams.js
│           │   │   │   │   │   ├── [3.7K]  body-streams.js.map
│           │   │   │   │   │   ├── [ 324]  cache-dir.js
│           │   │   │   │   │   ├── [ 698]  cache-dir.js.map
│           │   │   │   │   │   ├── [ 656]  ci-info.js
│           │   │   │   │   │   ├── [1.3K]  ci-info.js.map
│           │   │   │   │   │   ├── [1.7K]  client-component-
renderer-logger.js
│           │   │   │   │   │   ├── [2.9K]  client-component-
renderer-logger.js.map
│           │   │   │   │   │   ├── [ 26K]  config-schema.js
│           │   │   │   │   │   ├── [ 52K]  config-schema.js.map
│           │   │   │   │   │   ├── [6.4K]  config-shared.js
│           │   │   │   │   │   ├── [ 56K]  config-shared.js.map
│           │   │   │   │   │   ├── [5.5K]  config-utils.js
│           │   │   │   │   │   ├── [6.4K]  config-utils.js.map
│           │   │   │   │   │   ├── [ 68K]  config.js
│           │   │   │   │   │   ├── [ 95K]  config.js.map
│           │   │   │   │   │   ├── [2.3K]  create-deduped-by-
callsite-server-error-logger.js
│           │   │   │   │   │   ├── [3.6K]  create-deduped-by-
callsite-server-error-logger.js.map
│           │   │   │   │   │   ├── [2.3K]  crypto-utils.js
│           │   │   │   │   │   ├── [4.2K]  crypto-utils.js.map
│           │   │   │   │   │   ├── [1.2K]  dev
│           │   │   │   │   │   │   ├── [ 192]  browser-logs
│           │   │   │   │   │   │   │   ├── [ 16K]  receive-logs.js
```

```
│           │   │   │   │   │   │   │   ├── [ 27K]  receive-
logs.js.map
│           │   │   │   │   │   │   │   ├── [7.7K]  source-map.js
│           │   │   │   │   │   │   │   └── [ 14K]  source-
map.js.map
│           │   │   │   │   │   │   ├── [ 120]  dev-indicator-
server-state.js
│           │   │   │   │   │   │   ├── [ 369]  dev-indicator-
server-state.js.map
│           │   │   │   │   │   │   ├── [2.8K]  get-source-map-from-
file.js
│           │   │   │   │   │   │   ├── [4.2K]  get-source-map-from-
file.js.map
│           │   │   │   │   │   │   ├── [9.3K]  hot-middleware.js
│           │   │   │   │   │   │   ├── [ 14K]  hot-
middleware.js.map
│           │   │   │   │   │   │   ├── [ 42K]  hot-reloader-
turbopack.js
│           │   │   │   │   │   │   ├── [ 65K]  hot-reloader-
turbopack.js.map
│           │   │   │   │   │   │   ├── [1.3K]  hot-reloader-
types.js
│           │   │   │   │   │   │   ├── [5.8K]  hot-reloader-
types.js.map
│           │   │   │   │   │   │   ├── [ 63K]  hot-reloader-
webpack.js
│           │   │   │   │   │   │   ├── [ 96K]  hot-reloader-
webpack.js.map
│           │   │   │   │   │   │   ├── [4.2K]  log-requests.js
│           │   │   │   │   │   │   ├── [8.3K]  log-requests.js.map
│           │   │   │   │   │   │   ├── [ 149]  messages.js
│           │   │   │   │   │   │   ├── [ 299]  messages.js.map
│           │   │   │   │   │   │   ├── [ 15K]  middleware-
turbopack.js
│           │   │   │   │   │   │   ├── [ 25K]  middleware-
turbopack.js.map
│           │   │   │   │   │   │   ├── [ 19K]  middleware-
webpack.js
│           │   │   │   │   │   │   ├── [ 32K]  middleware-
webpack.js.map
│           │   │   │   │   │   │   ├── [ 32K]  next-dev-server.js
│           │   │   │   │   │   │   ├── [ 56K]  next-dev-
server.js.map
│           │   │   │   │   │   │   ├── [2.0K]  node-stack-frames.js
│           │   │   │   │   │   │   ├── [3.5K]  node-stack-
frames.js.map
│           │   │   │   │   │   │   ├── [ 29K]  on-demand-entry-
handler.js
│           │   │   │   │   │   │   ├── [ 49K]  on-demand-entry-
handler.js.map
│           │   │   │   │   │   │   ├── [2.0K]  parse-version-
info.js
│           │   │   │   │   │   │   ├── [3.2K]  parse-version-
info.js.map
│           │   │   │   │   │   │   ├── [1.1K]  require-cache.js
│           │   │   │   │   │   │   ├── [2.0K]  require-cache.js.map
```

```
│           │   │   │   │   │   │   ├── [3.5K]  static-paths-
worker.js
│           │   │   │   │   │   │   ├── [6.9K]  static-paths-
worker.js.map
│           │   │   │   │   │   │   ├── [ 28K]  turbopack-utils.js
│           │   │   │   │   │   │   └── [ 46K]  turbopack-
utils.js.map
│           │   │   │   │   │   ├── [2.9K]  dynamic-rendering-
utils.js
│           │   │   │   │   │   ├── [4.8K]  dynamic-rendering-
utils.js.map
│           │   │   │   │   │   ├── [1.5K]  font-utils.js
│           │   │   │   │   │   ├── [3.0K]  font-utils.js.map
│           │   │   │   │   │   ├── [ 452]  get-app-route-from-
entrypoint.js
│           │   │   │   │   │   ├── [ 852]  get-app-route-from-
entrypoint.js.map
│           │   │   │   │   │   ├── [ 547]  get-page-files.js
│           │   │   │   │   │   ├── [1.7K]  get-page-files.js.map
│           │   │   │   │   │   ├── [ 794]  get-route-from-
entrypoint.js
│           │   │   │   │   │   ├── [1.4K]  get-route-from-
entrypoint.js.map
│           │   │   │   │   │   ├── [ 510]  htmlescape.js
│           │   │   │   │   │   ├── [ 961]  htmlescape.js.map
│           │   │   │   │   │   ├── [ 29K]  image-optimizer.js
│           │   │   │   │   │   ├── [ 48K]  image-optimizer.js.map
│           │   │   │   │   │   ├── [ 192]  instrumentation
│           │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   ├── [1.0K]  types.js.map
│           │   │   │   │   │   │   ├── [ 238]  utils.js
│           │   │   │   │   │   │   └── [ 642]  utils.js.map
│           │   │   │   │   │   ├── [ 578]  internal-utils.js
│           │   │   │   │   │   ├── [1.3K]  internal-utils.js.map
│           │   │   │   │   │   ├── [2.5K]  lib
│           │   │   │   │   │   │   ├── [1.1K]  app-dir-module.js
│           │   │   │   │   │   │   ├── [2.5K]  app-dir-
module.js.map
│           │   │   │   │   │   │   ├── [2.7K]  app-info-log.js
│           │   │   │   │   │   │   ├── [5.7K]  app-info-log.js.map
│           │   │   │   │   │   │   ├── [ 519]  async-callback-
set.js
│           │   │   │   │   │   │   ├── [1.1K]  async-callback-
set.js.map
│           │   │   │   │   │   │   ├── [ 583]  cache-control.js
│           │   │   │   │   │   │   ├── [1.6K]  cache-control.js.map
│           │   │   │   │   │   │   ├── [ 192]  cache-handlers
│           │   │   │   │   │   │   │   ├── [4.2K]
default.external.js
│           │   │   │   │   │   │   │   ├── [7.4K]
default.external.js.map
│           │   │   │   │   │   │   │   ├── [ 524]  types.js
│           │   │   │   │   │   │   │   └── [4.7K]  types.js.map
│           │   │   │   │   │   │   ├── [2.2K]  chrome-devtools-
workspace.js
```

```
|           |   |   |   |   |   |   |   ├── [4.0K]  chrome-devtools-
workspace.js.map
|           |   |   |   |   |   |   |   ├── [2.8K]  clone-response.js
|           |   |   |   |   |   |   |   ├── [4.3K]  clone-
response.js.map
|           |   |   |   |   |   |   |   ├── [1020]  cpu-profile.js
|           |   |   |   |   |   |   |   ├── [2.0K]  cpu-profile.js.map
|           |   |   |   |   |   |   |   ├── [ 458]  decode-query-path-
parameter.js
|           |   |   |   |   |   |   |   ├── [ 740]  decode-query-path-
parameter.js.map
|           |   |   |   |   |   |   |   ├── [5.0K]  dedupe-fetch.js
|           |   |   |   |   |   |   |   ├── [7.2K]  dedupe-fetch.js.map
|           |   |   |   |   |   |   |   ├── [3.0K]  dev-bundler-
service.js
|           |   |   |   |   |   |   |   ├── [5.7K]  dev-bundler-
service.js.map
|           |   |   |   |   |   |   |   ├── [1.1K]  etag.js
|           |   |   |   |   |   |   |   ├── [2.1K]  etag.js.map
|           |   |   |   |   |   |   |   ├── [ 192]  experimental
|           |   |   |   |   |   |   |   |   ├── [1.2K]  create-env-
definitions.js
|           |   |   |   |   |   |   |   |   ├── [2.3K]  create-env-
definitions.js.map
|           |   |   |   |   |   |   |   |   ├── [1.9K]  ppr.js
|           |   |   |   |   |   |   |   |   └── [2.8K]  ppr.js.map
|           |   |   |   |   |   |   |   ├── [5.3K]  find-page-file.js
|           |   |   |   |   |   |   |   ├── [9.3K]  find-page-
file.js.map
|           |   |   |   |   |   |   |   ├── [ 523]  fix-mojibake.js
|           |   |   |   |   |   |   |   ├── [1.0K]  fix-mojibake.js.map
|           |   |   |   |   |   |   |   ├── [ 332]  format-hostname.js
|           |   |   |   |   |   |   |   ├── [ 616]  format-
hostname.js.map
|           |   |   |   |   |   |   |   ├── [5.4K]  i18n-provider.js
|           |   |   |   |   |   |   |   ├── [8.8K]  i18n-provider.js.map
|           |   |   |   |   |   |   |   ├── [2.4K]  implicit-tags.js
|           |   |   |   |   |   |   |   ├── [5.1K]  implicit-tags.js.map
|           |   |   |   |   |   |   |   ├── [ 384]  incremental-cache
|           |   |   |   |   |   |   |   |   ├── [ 16K]  file-system-
cache.js
|           |   |   |   |   |   |   |   |   ├── [ 24K]  file-system-
cache.js.map
|           |   |   |   |   |   |   |   |   ├── [ 19K]  index.js
|           |   |   |   |   |   |   |   |   ├── [ 33K]  index.js.map
|           |   |   |   |   |   |   |   |   ├── [1.4K]  memory-
cache.external.js
|           |   |   |   |   |   |   |   |   ├── [2.4K]  memory-
cache.external.js.map
|           |   |   |   |   |   |   |   |   ├── [2.7K]  shared-cache-
controls.external.js
|           |   |   |   |   |   |   |   |   ├── [4.2K]  shared-cache-
controls.external.js.map
|           |   |   |   |   |   |   |   |   ├── [ 459]  tags-
manifest.external.js
```

```
│           │   │   │   │   │   │   │   └── [ 980]  tags-
manifest.external.js.map
│           │   │   │   │   │   │   ├── [2.0K]  is-ipv6.js
│           │   │   │   │   │   │   ├── [3.3K]  is-ipv6.js.map
│           │   │   │   │   │   │   ├── [ 939]  lazy-result.js
│           │   │   │   │   │   │   ├── [1.8K]  lazy-result.js.map
│           │   │   │   │   │   │   ├── [6.3K]  lru-cache.js
│           │   │   │   │   │   │   ├── [ 10K]  lru-cache.js.map
│           │   │   │   │   │   │   ├── [ 312]  match-next-data-
pathname.js
│           │   │   │   │   │   │   ├── [ 629]  match-next-data-
pathname.js.map
│           │   │   │   │   │   │   ├── [ 13K]  mock-request.js
│           │   │   │   │   │   │   ├── [ 21K]  mock-request.js.map
│           │   │   │   │   │   │   ├── [ 256]  module-loader
│           │   │   │   │   │   │   │   ├── [ 102]  module-loader.js
│           │   │   │   │   │   │   │   ├── [ 297]  module-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 644]  node-module-
loader.js
│           │   │   │   │   │   │   │   ├── [1.1K]  node-module-
loader.js.map
│           │   │   │   │   │   │   │   ├── [ 560]  route-module-
loader.js
│           │   │   │   │   │   │   │   └── [1.2K]  route-module-
loader.js.map
│           │   │   │   │   │   │   ├── [ 364]  node-fs-methods.js
│           │   │   │   │   │   │   ├── [ 946]  node-fs-
methods.js.map
│           │   │   │   │   │   │   ├── [1.5K]  parse-stack.js
│           │   │   │   │   │   │   ├── [2.9K]  parse-stack.js.map
│           │   │   │   │   │   │   ├── [ 44K]  patch-fetch.js
│           │   │   │   │   │   │   ├── [ 63K]  patch-fetch.js.map
│           │   │   │   │   │   │   ├── [1.3K]  patch-set-header.js
│           │   │   │   │   │   │   ├── [2.4K]  patch-set-
header.js.map
│           │   │   │   │   │   │   ├── [2.9K]  render-server.js
│           │   │   │   │   │   │   ├── [6.1K]  render-server.js.map
│           │   │   │   │   │   │   ├── [ 29K]  router-server.js
│           │   │   │   │   │   │   ├── [ 46K]  router-server.js.map
│           │   │   │   │   │   │   ├── [1.0K]  router-utils
│           │   │   │   │   │   │   │   ├── [2.9K]  block-cross-
site.js
│           │   │   │   │   │   │   │   ├── [5.1K]  block-cross-
site.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  build-data-
route.js
│           │   │   │   │   │   │   │   ├── [2.6K]  build-data-
route.js.map
│           │   │   │   │   │   │   │   ├── [2.0K]  build-prefetch-
segment-data-route.js
│           │   │   │   │   │   │   │   ├── [3.6K]  build-prefetch-
segment-data-route.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  decode-path-
params.js
```

```
│           │   │   │   │   │   │   │   │   ├── [1.6K]  decode-path-
params.js.map
│           │   │   │   │   │   │   │   │   ├── [ 23K]  filesystem.js
│           │   │   │   │   │   │   │   │   ├── [ 37K]
filesystem.js.map
│           │   │   │   │   │   │   │   │   ├── [2.6K]  instrumentation-
globals.external.js
│           │   │   │   │   │   │   │   │   ├── [4.7K]  instrumentation-
globals.external.js.map
│           │   │   │   │   │   │   │   │   ├── [4.5K]  instrumentation-
node-extensions.js
│           │   │   │   │   │   │   │   │   ├── [7.0K]  instrumentation-
node-extensions.js.map
│           │   │   │   │   │   │   │   │   ├── [ 234]  is-postpone.js
│           │   │   │   │   │   │   │   │   ├── [ 579]  is-
postpone.js.map
│           │   │   │   │   │   │   │   │   ├── [3.8K]  proxy-request.js
│           │   │   │   │   │   │   │   │   ├── [6.4K]  proxy-
request.js.map
│           │   │   │   │   │   │   │   │   ├── [ 31K]  resolve-
routes.js
│           │   │   │   │   │   │   │   │   ├── [ 46K]  resolve-
routes.js.map
│           │   │   │   │   │   │   │   │   ├── [ 10K]  route-types-
utils.js
│           │   │   │   │   │   │   │   │   ├── [ 19K]  route-types-
utils.js.map
│           │   │   │   │   │   │   │   │   ├── [ 180]  router-server-
context.js
│           │   │   │   │   │   │   │   │   ├── [2.2K]  router-server-
context.js.map
│           │   │   │   │   │   │   │   │   ├── [ 43K]  setup-dev-
bundler.js
│           │   │   │   │   │   │   │   │   ├── [ 67K]  setup-dev-
bundler.js.map
│           │   │   │   │   │   │   │   │   ├── [ 20K]  typegen.js
│           │   │   │   │   │   │   │   │   ├── [ 30K]  typegen.js.map
│           │   │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   │   └── [ 354]  types.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  server-action-
request-meta.js
│           │   │   │   │   │   │   │   ├── [2.7K]  server-action-
request-meta.js.map
│           │   │   │   │   │   │   │   ├── [ 128]  server-ipc
│           │   │   │   │   │   │   │   │   ├── [1.6K]  utils.js
│           │   │   │   │   │   │   │   │   └── [2.8K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [8.0K]  source-maps.js
│           │   │   │   │   │   │   │   ├── [ 14K]  source-maps.js.map
│           │   │   │   │   │   │   │   ├── [ 16K]  start-server.js
│           │   │   │   │   │   │   │   ├── [ 27K]  start-server.js.map
│           │   │   │   │   │   │   │   ├── [ 762]  streaming-
metadata.js
│           │   │   │   │   │   │   │   ├── [1.5K]  streaming-
metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 582]  to-route.js
│           │   │   │   │   │   │   │   ├── [ 848]  to-route.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 256]  trace
│           │   │   │   │   │   │   │   │   ├── [7.3K]  constants.js
│           │   │   │   │   │   │   │   │   ├── [6.6K]  constants.js.map
│           │   │   │   │   │   │   │   │   ├── [8.7K]  tracer.js
│           │   │   │   │   │   │   │   │   ├── [ 21K]  tracer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 440]  utils.js
│           │   │   │   │   │   │   │   │   └── [ 945]  utils.js.map
│           │   │   │   │   │   │   │   ├── [  46]  types.js
│           │   │   │   │   │   │   │   ├── [ 451]  types.js.map
│           │   │   │   │   │   │   │   ├── [8.3K]  utils.js
│           │   │   │   │   │   │   │   ├── [ 13K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [ 755]  worker-utils.js
│           │   │   │   │   │   │   │   └── [1.1K]  worker-utils.js.map
│           │   │   │   │   │   │   ├── [6.1K]  load-components.js
│           │   │   │   │   │   │   ├── [ 13K]  load-components.js.map
│           │   │   │   │   │   │   ├── [1.5K]  load-default-error-
components.js
│           │   │   │   │   │   │   ├── [3.8K]  load-default-error-
components.js.map
│           │   │   │   │   │   │   ├── [2.3K]  load-
manifest.external.js
│           │   │   │   │   │   │   ├── [5.6K]  load-
manifest.external.js.map
│           │   │   │   │   │   │   ├── [ 320]  match-bundle.js
│           │   │   │   │   │   │   ├── [ 705]  match-bundle.js.map
│           │   │   │   │   │   │   ├── [ 64K]  next-server.js
│           │   │   │   │   │   │   ├── [107K]  next-server.js.map
│           │   │   │   │   │   │   ├── [  91]  next-typescript.js
│           │   │   │   │   │   │   ├── [ 215]  next-typescript.js.map
│           │   │   │   │   │   │   ├── [ 13K]  next.js
│           │   │   │   │   │   │   ├── [ 26K]  next.js.map
│           │   │   │   │   │   │   ├── [ 876]  node-environment-
baseline.js
│           │   │   │   │   │   │   ├── [1.5K]  node-environment-
baseline.js.map
│           │   │   │   │   │   │   ├── [ 512]  node-environment-
extensions
│           │   │   │   │   │   │   │   ├── [6.0K]  console-dev.js
│           │   │   │   │   │   │   │   ├── [9.1K]  console-dev.js.map
│           │   │   │   │   │   │   │   ├── [2.2K]  date.js
│           │   │   │   │   │   │   │   ├── [3.4K]  date.js.map
│           │   │   │   │   │   │   │   ├── [ 151]  error-inspect.js
│           │   │   │   │   │   │   │   ├── [ 369]  error-inspect.js.map
│           │   │   │   │   │   │   │   ├── [5.3K]  node-crypto.js
│           │   │   │   │   │   │   │   ├── [7.9K]  node-crypto.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  random.js
│           │   │   │   │   │   │   │   ├── [1.7K]  random.js.map
│           │   │   │   │   │   │   │   ├── [6.3K]  utils.js
│           │   │   │   │   │   │   │   ├── [8.0K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [1.8K]  web-crypto.js
│           │   │   │   │   │   │   │   └── [2.9K]  web-crypto.js.map
│           │   │   │   │   │   │   ├── [ 757]  node-environment.js
│           │   │   │   │   │   │   ├── [1.1K]  node-environment.js.map
│           │   │   │   │   │   │   ├── [ 544]  node-polyfill-crypto.js
│           │   │   │   │   │   │   ├── [1013]  node-polyfill-
crypto.js.map
```

```
|           |   |   |   |   |   |   ├── [ 576]  normalizers
|           |   |   |   |   |   |   |   ├── [ 951]  absolute-filename-
normalizer.js
|           |   |   |   |   |   |   |   ├── [1.6K]  absolute-filename-
normalizer.js.map
|           |   |   |   |   |   |   |   ├── [ 128]  built
|           |   |   |   |   |   |   |   |   ├── [ 384]  app
|           |   |   |   |   |   |   |   |   |   ├── [1.1K]  app-bundle-
path-normalizer.js
|           |   |   |   |   |   |   |   |   |   ├── [2.0K]  app-bundle-
path-normalizer.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 418]  app-
filename-normalizer.js
|           |   |   |   |   |   |   |   |   |   ├── [ 877]  app-
filename-normalizer.js.map
|           |   |   |   |   |   |   |   |   |   ├── [1.3K]  app-page-
normalizer.js
|           |   |   |   |   |   |   |   |   |   ├── [2.1K]  app-page-
normalizer.js.map
|           |   |   |   |   |   |   |   |   |   ├── [1.2K]  app-
pathname-normalizer.js
|           |   |   |   |   |   |   |   |   |   ├── [2.0K]  app-
pathname-normalizer.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 907]  index.js
|           |   |   |   |   |   |   |   |   |   └── [2.2K]  index.js.map
|           |   |   |   |   |   |   |   |   └── [ 384]  pages
|           |   |   |   |   |   |   |   |       ├── [1.0K]  index.js
|           |   |   |   |   |   |   |   |       ├── [2.2K]  index.js.map
|           |   |   |   |   |   |   |   |       ├── [1.1K]  pages-
bundle-path-normalizer.js
|           |   |   |   |   |   |   |   |       ├── [2.0K]  pages-
bundle-path-normalizer.js.map
|           |   |   |   |   |   |   |   |       ├── [ 422]  pages-
filename-normalizer.js
|           |   |   |   |   |   |   |   |       ├── [ 885]  pages-
filename-normalizer.js.map
|           |   |   |   |   |   |   |   |       ├── [ 363]  pages-page-
normalizer.js
|           |   |   |   |   |   |   |   |       ├── [ 791]  pages-page-
normalizer.js.map
|           |   |   |   |   |   |   |   |       ├── [ 371]  pages-
pathname-normalizer.js
|           |   |   |   |   |   |   |   |       └── [ 803]  pages-
pathname-normalizer.js.map
|           |   |   |   |   |   |   |   ├── [ 542]  locale-route-
normalizer.js
|           |   |   |   |   |   |   |   ├── [1.1K]  locale-route-
normalizer.js.map
|           |   |   |   |   |   |   |   ├── [  51]  normalizer.js
|           |   |   |   |   |   |   |   ├── [ 219]  normalizer.js.map
|           |   |   |   |   |   |   |   ├── [ 524]  normalizers.js
|           |   |   |   |   |   |   |   ├── [1.1K]  normalizers.js.map
|           |   |   |   |   |   |   |   ├── [ 314]  prefixing-
normalizer.js
|           |   |   |   |   |   |   |   ├── [ 884]  prefixing-
normalizer.js.map
```

```
│           │   │   │   │   │   │   │   ├── [ 576]  request
│           │   │   │   │   │   │   │   │   ├── [ 525]  base-path.js
│           │   │   │   │   │   │   │   │   ├── [ 873]  base-path.js.map
│           │   │   │   │   │   │   │   │   ├── [1.1K]  next-data.js
│           │   │   │   │   │   │   │   │   ├── [2.1K]  next-data.js.map
│           │   │   │   │   │   │   │   │   ├── [  60]  pathname-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── [ 372]  pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 646]  prefetch-rsc.js
│           │   │   │   │   │   │   │   │   ├── [1.3K]  prefetch-
rsc.js.map
│           │   │   │   │   │   │   │   │   ├── [1021]  prefix.js
│           │   │   │   │   │   │   │   │   ├── [1.8K]  prefix.js.map
│           │   │   │   │   │   │   │   │   ├── [ 262]  rsc.js
│           │   │   │   │   │   │   │   │   ├── [ 668]  rsc.js.map
│           │   │   │   │   │   │   │   │   ├── [ 709]  segment-prefix-
rsc.js
│           │   │   │   │   │   │   │   │   ├── [1.6K]  segment-prefix-
rsc.js.map
│           │   │   │   │   │   │   │   │   ├── [ 577]  suffix.js
│           │   │   │   │   │   │   │   │   └── [1.2K]  suffix.js.map
│           │   │   │   │   │   │   │   ├── [ 236]  underscore-
normalizer.js
│           │   │   │   │   │   │   │   ├── [ 576]  underscore-
normalizer.js.map
│           │   │   │   │   │   │   │   ├── [ 130]  wrap-normalizer-
fn.js
│           │   │   │   │   │   │   │   └── [ 406]  wrap-normalizer-
fn.js.map
│           │   │   │   │   │   │   ├── [ 128]  og
│           │   │   │   │   │   │   │   ├── [2.0K]  image-response.js
│           │   │   │   │   │   │   │   └── [3.5K]  image-
response.js.map
│           │   │   │   │   │   │   ├── [ 360]  optimize-amp.js
│           │   │   │   │   │   │   ├── [ 823]  optimize-amp.js.map
│           │   │   │   │   │   │   ├── [ 17K]  patch-error-inspect.js
│           │   │   │   │   │   │   ├── [ 28K]  patch-error-
inspect.js.map
│           │   │   │   │   │   │   ├── [4.9K]  pipe-readable.js
│           │   │   │   │   │   │   ├── [7.5K]  pipe-readable.js.map
│           │   │   │   │   │   │   ├── [1.8K]  post-process.js
│           │   │   │   │   │   │   ├── [3.9K]  post-process.js.map
│           │   │   │   │   │   │   ├── [7.0K]  render-result.js
│           │   │   │   │   │   │   ├── [ 14K]  render-result.js.map
│           │   │   │   │   │   │   ├── [ 52K]  render.js
│           │   │   │   │   │   │   ├── [ 83K]  render.js.map
│           │   │   │   │   │   │   ├── [ 704]  request
│           │   │   │   │   │   │   │   ├── [6.8K]  connection.js
│           │   │   │   │   │   │   │   ├── [8.3K]  connection.js.map
│           │   │   │   │   │   │   │   ├── [ 20K]  cookies.js
│           │   │   │   │   │   │   │   ├── [ 31K]  cookies.js.map
│           │   │   │   │   │   │   │   ├── [ 13K]  draft-mode.js
│           │   │   │   │   │   │   │   ├── [ 21K]  draft-mode.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  fallback-params.js
```

```
│           │   │   │   │   │   │   │   ├── [2.1K]  fallback-
params.js.map
│           │   │   │   │   │   │   │   ├── [ 17K]  headers.js
│           │   │   │   │   │   │   │   ├── [ 26K]  headers.js.map
│           │   │   │   │   │   │   │   ├── [ 25K]  params.js
│           │   │   │   │   │   │   │   ├── [ 38K]  params.js.map
│           │   │   │   │   │   │   │   ├── [3.9K]  pathname.js
│           │   │   │   │   │   │   │   ├── [6.1K]  pathname.js.map
│           │   │   │   │   │   │   │   ├── [ 13K]  root-params.js
│           │   │   │   │   │   │   │   ├── [ 18K]  root-params.js.map
│           │   │   │   │   │   │   │   ├── [ 30K]  search-params.js
│           │   │   │   │   │   │   │   ├── [ 46K]  search-params.js.map
│           │   │   │   │   │   │   │   ├── [2.1K]  utils.js
│           │   │   │   │   │   │   │   └── [3.0K]  utils.js.map
│           │   │   │   │   │   │   ├── [1.3K]  request-meta.js
│           │   │   │   │   │   │   ├── [9.2K]  request-meta.js.map
│           │   │   │   │   │   │   ├── [2.2K]  require-hook.js
│           │   │   │   │   │   │   ├── [4.3K]  require-hook.js.map
│           │   │   │   │   │   │   ├── [3.0K]  require.js
│           │   │   │   │   │   │   ├── [6.0K]  require.js.map
│           │   │   │   │   │   │   ├── [ 320]  response-cache
│           │   │   │   │   │   │   │   ├── [6.9K]  index.js
│           │   │   │   │   │   │   │   ├── [ 11K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 760]  types.js
│           │   │   │   │   │   │   │   ├── [7.4K]  types.js.map
│           │   │   │   │   │   │   │   ├── [3.2K]  utils.js
│           │   │   │   │   │   │   │   ├── [5.8K]  utils.js.map
│           │   │   │   │   │   │   │   ├── [3.8K]  web.js
│           │   │   │   │   │   │   │   └── [6.2K]  web.js.map
│           │   │   │   │   │   │   ├── [ 192]  resume-data-cache
│           │   │   │   │   │   │   │   ├── [2.4K]  cache-store.js
│           │   │   │   │   │   │   │   ├── [5.4K]  cache-store.js.map
│           │   │   │   │   │   │   │   ├── [3.8K]  resume-data-cache.js
│           │   │   │   │   │   │   │   └── [9.6K]  resume-data-
cache.js.map
│           │   │   │   │   │   │   ├── [2.8K]  revalidation-utils.js
│           │   │   │   │   │   │   ├── [5.6K]  revalidation-
utils.js.map
│           │   │   │   │   │   │   ├── [ 448]  route-definitions
│           │   │   │   │   │   │   │   ├── [ 286]  app-page-route-
definition.js
│           │   │   │   │   │   │   │   ├── [ 836]  app-page-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── [  67]  app-route-route-
definition.js
│           │   │   │   │   │   │   │   ├── [ 371]  app-route-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── [  64]  locale-route-
definition.js
│           │   │   │   │   │   │   │   ├── [ 730]  locale-route-
definition.js.map
│           │   │   │   │   │   │   │   ├── [  67]  pages-api-route-
definition.js
│           │   │   │   │   │   │   │   ├── [ 390]  pages-api-route-
definition.js.map
```

```
|           |   |   |   |   |   |   |   ├── [  63]  pages-route-
definition.js
|           |   |   |   |   |   |   |   ├── [ 379]  pages-route-
definition.js.map
|           |   |   |   |   |   |   |   ├── [  57]  route-definition.js
|           |   |   |   |   |   |   |   └── [ 698]  route-
definition.js.map
|           |   |   |   |   |   |   ├── [ 829]  route-kind.js
|           |   |   |   |   |   |   ├── [ 927]  route-kind.js.map
|           |   |   |   |   |   |   ├── [ 256]  route-matcher-managers
|           |   |   |   |   |   |   |   ├── [ 12K]  default-route-
matcher-manager.js
|           |   |   |   |   |   |   |   ├── [ 17K]  default-route-
matcher-manager.js.map
|           |   |   |   |   |   |   |   ├── [3.5K]  dev-route-matcher-
manager.js
|           |   |   |   |   |   |   |   ├── [6.7K]  dev-route-matcher-
manager.js.map
|           |   |   |   |   |   |   |   ├── [  62]  route-matcher-
manager.js
|           |   |   |   |   |   |   |   └── [2.3K]  route-matcher-
manager.js.map
|           |   |   |   |   |   |   ├── [ 512]  route-matcher-providers
|           |   |   |   |   |   |   |   ├── [1.9K]  app-page-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [3.6K]  app-page-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [1.4K]  app-route-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [2.9K]  app-route-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [ 416]  dev
|           |   |   |   |   |   |   |   |   ├── [3.7K]  dev-app-page-
route-matcher-provider.js
|           |   |   |   |   |   |   |   |   ├── [6.1K]  dev-app-page-
route-matcher-provider.js.map
|           |   |   |   |   |   |   |   |   ├── [4.7K]  dev-app-route-
route-matcher-provider.js
|           |   |   |   |   |   |   |   |   ├── [7.4K]  dev-app-route-
route-matcher-provider.js.map
|           |   |   |   |   |   |   |   |   ├── [2.8K]  dev-pages-api-
route-matcher-provider.js
|           |   |   |   |   |   |   |   |   ├── [5.1K]  dev-pages-api-
route-matcher-provider.js.map
|           |   |   |   |   |   |   |   |   ├── [2.8K]  dev-pages-route-
matcher-provider.js
|           |   |   |   |   |   |   |   |   ├── [5.1K]  dev-pages-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   |   ├── [ 770]  file-cache-
route-matcher-provider.js
|           |   |   |   |   |   |   |   |   ├── [1.6K]  file-cache-
route-matcher-provider.js.map
|           |   |   |   |   |   |   |   |   └── [  96]  helpers
|           |   |   |   |   |   |   |   |       └── [ 256]  file-reader
|           |   |   |   |   |   |   |   |           ├── [3.3K]  batched-
file-reader.js
```

```
|           |   |   |   |   |   |   |   |           ├── [6.0K]  batched-
file-reader.js.map
|           |   |   |   |   |   |   |   |           ├── [1.4K]  default-
file-reader.js
|           |   |   |   |   |   |   |   |           ├── [2.5K]  default-
file-reader.js.map
|           |   |   |   |   |   |   |   |           ├── [  52]  file-
reader.js
|           |   |   |   |   |   |   |   |           └── [ 423]  file-
reader.js.map
|           |   |   |   |   |   |   |   ├── [ 160]  helpers
|           |   |   |   |   |   |   |   ├── [ 737]  cached-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [1.8K]  cached-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   └── [ 256]  manifest-loaders
|           |   |   |   |   |   |   |       ├── [  56]  manifest-
loader.js
|           |   |   |   |   |   |   |       ├── [ 320]  manifest-
loader.js.map
|           |   |   |   |   |   |   |       ├── [ 523]  node-
manifest-loader.js
|           |   |   |   |   |   |   |       ├── [1.2K]  node-
manifest-loader.js.map
|           |   |   |   |   |   |   |       ├── [ 207]  server-
manifest-loader.js
|           |   |   |   |   |   |   |       └── [ 680]  server-
manifest-loader.js.map
|           |   |   |   |   |   |   ├── [ 422]  manifest-route-
matcher-provider.js
|           |   |   |   |   |   |   ├── [1.1K]  manifest-route-
matcher-provider.js.map
|           |   |   |   |   |   |   ├── [2.1K]  pages-api-route-
matcher-provider.js
|           |   |   |   |   |   |   ├── [4.1K]  pages-api-route-
matcher-provider.js.map
|           |   |   |   |   |   |   ├── [2.6K]  pages-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [4.7K]  pages-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [  63]  route-matcher-
provider.js
|           |   |   |   |   |   |   └── [ 365]  route-matcher-
provider.js.map
|           |   |   |   |   |   ├── [ 448]  route-matchers
|           |   |   |   |   |   |   ├── [ 265]  app-page-route-
matcher.js
|           |   |   |   |   |   |   ├── [ 746]  app-page-route-
matcher.js.map
|           |   |   |   |   |   |   ├── [ 159]  app-route-route-
matcher.js
|           |   |   |   |   |   |   ├── [ 478]  app-route-route-
matcher.js.map
|           |   |   |   |   |   |   ├── [2.8K]  locale-route-
matcher.js
```

```
|           |   |   |   |   |   |   |   ├── [4.5K]  locale-route-
matcher.js.map
|           |   |   |   |   |   |   |   ├── [ 291]  pages-api-route-
matcher.js
|           |   |   |   |   |   |   |   ├── [ 749]  pages-api-route-
matcher.js.map
|           |   |   |   |   |   |   |   ├── [ 281]  pages-route-
matcher.js
|           |   |   |   |   |   |   |   ├── [ 720]  pages-route-
matcher.js.map
|           |   |   |   |   |   |   |   ├── [1.4K]  route-matcher.js
|           |   |   |   |   |   |   |   └── [2.9K]  route-matcher.js.map
|           |   |   |   |   |   |   ├── [ 448]  route-matches
|           |   |   |   |   |   |   |   ├── [  61]  app-page-route-
match.js
|           |   |   |   |   |   |   |   ├── [ 386]  app-page-route-
match.js.map
|           |   |   |   |   |   |   |   ├── [  62]  app-route-route-
match.js
|           |   |   |   |   |   |   |   ├── [ 394]  app-route-route-
match.js.map
|           |   |   |   |   |   |   |   ├── [  59]  locale-route-
match.js
|           |   |   |   |   |   |   |   ├── [ 432]  locale-route-
match.js.map
|           |   |   |   |   |   |   |   ├── [ 373]  pages-api-route-
match.js
|           |   |   |   |   |   |   |   ├── [ 963]  pages-api-route-
match.js.map
|           |   |   |   |   |   |   |   ├── [  58]  pages-route-match.js
|           |   |   |   |   |   |   |   ├── [ 396]  pages-route-
match.js.map
|           |   |   |   |   |   |   |   ├── [ 186]  route-match.js
|           |   |   |   |   |   |   |   └── [ 802]  route-match.js.map
|           |   |   |   |   |   |   ├── [ 320]  route-modules
|           |   |   |   |   |   |   |   ├── [ 352]  app-page
|           |   |   |   |   |   |   |   |   ├── [ 128]  helpers
|           |   |   |   |   |   |   |   |   |   ├── [1.7K]  prerender-
manifest-matcher.js
|           |   |   |   |   |   |   |   |   |   └── [3.4K]  prerender-
manifest-matcher.js.map
|           |   |   |   |   |   |   |   |   ├── [  25]
module.compiled.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.6K]
module.compiled.js
|           |   |   |   |   |   |   |   |   ├── [2.3K]
module.compiled.js.map
|           |   |   |   |   |   |   |   |   ├── [3.2K]  module.js
|           |   |   |   |   |   |   |   |   ├── [8.0K]  module.js.map
|           |   |   |   |   |   |   |   |   ├── [ 470]  module.render.js
|           |   |   |   |   |   |   |   |   ├── [ 918]
module.render.js.map
|           |   |   |   |   |   |   |   |   └── [ 160]  vendored
|           |   |   |   |   |   |   |   |       ├── [ 576]  contexts
|           |   |   |   |   |   |   |   |       |   ├── [ 123]  amp-
context.js
```

```
|           |   |   |   |   |   |   |   |       |   ├── [ 426]  amp-
context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 136]  app-
router-context.js
|           |   |   |   |   |   |   |   |       |   ├── [ 447]  app-
router-context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 715]
entrypoints.js
|           |   |   |   |   |   |   |   |       |   ├── [1.2K]
entrypoints.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 140]  head-
manager-context.js
|           |   |   |   |   |   |   |   |       |   ├── [ 453]  head-
manager-context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 140]  hooks-
client-context.js
|           |   |   |   |   |   |   |   |       |   ├── [ 453]  hooks-
client-context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 140]  image-
config-context.js
|           |   |   |   |   |   |   |   |       |   ├── [ 453]  image-
config-context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 129]  router-
context.js
|           |   |   |   |   |   |   |   |       |   ├── [ 435]  router-
context.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 140]  server-
inserted-html.js
|           |   |   |   |   |   |   |   |       |   └── [ 453]  server-
inserted-html.js.map
|           |   |   |   |   |   |   |   |       ├── [ 704]  rsc
|           |   |   |   |   |   |   |   |       |   ├── [2.7K]
entrypoints.js
|           |   |   |   |   |   |   |   |       |   ├── [4.8K]
entrypoints.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 145]  react-
compiler-runtime.js
|           |   |   |   |   |   |   |   |       |   ├── [ 456]  react-
compiler-runtime.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 120]  react-
dom.js
|           |   |   |   |   |   |   |   |       |   ├── [ 417]  react-
dom.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 142]  react-
jsx-dev-runtime.js
|           |   |   |   |   |   |   |   |       |   ├── [ 451]  react-
jsx-dev-runtime.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 135]  react-
jsx-runtime.js
|           |   |   |   |   |   |   |   |       |   ├── [ 439]  react-
jsx-runtime.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 165]  react-
server-dom-turbopack-server.js
|           |   |   |   |   |   |   |   |       |   ├── [ 485]  react-
server-dom-turbopack-server.js.map
```

```
|           |   |   |   |   |   |   |   |       |   ├── [ 165]  react-
server-dom-turbopack-static.js
|           |   |   |   |   |   |   |   |       |   ├── [ 485]  react-
server-dom-turbopack-static.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 161]  react-
server-dom-webpack-server.js
|           |   |   |   |   |   |   |   |       |   ├── [ 479]  react-
server-dom-webpack-server.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 161]  react-
server-dom-webpack-static.js
|           |   |   |   |   |   |   |   |       |   ├── [ 479]  react-
server-dom-webpack-static.js.map
|           |   |   |   |   |   |   |   |       |   ├── [ 113]  react.js
|           |   |   |   |   |   |   |   |       |   └── [ 407]
react.js.map
|           |   |   |   |   |   |   |   |       └── [ 640]  ssr
|           |   |   |   |   |   |   |   |           ├── [2.0K]
entrypoints.js
|           |   |   |   |   |   |   |   |           ├── [3.6K]
entrypoints.js.map
|           |   |   |   |   |   |   |   |           ├── [ 145]  react-
compiler-runtime.js
|           |   |   |   |   |   |   |   |           ├── [ 456]  react-
compiler-runtime.js.map
|           |   |   |   |   |   |   |   |           ├── [ 133]  react-
dom-server.js
|           |   |   |   |   |   |   |   |           ├── [ 436]  react-
dom-server.js.map
|           |   |   |   |   |   |   |   |           ├── [ 120]  react-
dom.js
|           |   |   |   |   |   |   |   |           ├── [ 417]  react-
dom.js.map
|           |   |   |   |   |   |   |   |           ├── [ 142]  react-
jsx-dev-runtime.js
|           |   |   |   |   |   |   |   |           ├── [ 451]  react-
jsx-dev-runtime.js.map
|           |   |   |   |   |   |   |   |           ├── [ 135]  react-
jsx-runtime.js
|           |   |   |   |   |   |   |   |           ├── [ 439]  react-
jsx-runtime.js.map
|           |   |   |   |   |   |   |   |           ├── [ 165]  react-
server-dom-turbopack-client.js
|           |   |   |   |   |   |   |   |           ├── [ 485]  react-
server-dom-turbopack-client.js.map
|           |   |   |   |   |   |   |   |           ├── [ 161]  react-
server-dom-webpack-client.js
|           |   |   |   |   |   |   |   |           ├── [ 479]  react-
server-dom-webpack-client.js.map
|           |   |   |   |   |   |   |   |           ├── [ 113]  react.js
|           |   |   |   |   |   |   |   |           └── [ 407]
react.js.map
|           |   |   |   |   |   |   |   ├── [ 320]  app-route
|           |   |   |   |   |   |   |   |   ├── [ 384]  helpers
|           |   |   |   |   |   |   |   |   |   ├── [3.1K]  auto-
implement-methods.js
```

```
|           |   |   |   |   |   |   |   |   |   ├── [4.6K]  auto-
implement-methods.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 333]  clean-url.js
|           |   |   |   |   |   |   |   |   |   ├── [ 682]  clean-
url.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 600]  get-
pathname-from-absolute-path.js
|           |   |   |   |   |   |   |   |   |   ├── [1.2K]  get-
pathname-from-absolute-path.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 534]  is-static-
gen-enabled.js
|           |   |   |   |   |   |   |   |   |   ├── [1.1K]  is-static-
gen-enabled.js.map
|           |   |   |   |   |   |   |   |   |   ├── [ 405]  parsed-url-
query-to-params.js
|           |   |   |   |   |   |   |   |   |   └── [ 951]  parsed-url-
query-to-params.js.map
|           |   |   |   |   |   |   |   |   ├── [  25]
module.compiled.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.6K]
module.compiled.js
|           |   |   |   |   |   |   |   |   ├── [2.3K]
module.compiled.js.map
|           |   |   |   |   |   |   |   |   ├── [ 46K]  module.js
|           |   |   |   |   |   |   |   |   ├── [ 66K]  module.js.map
|           |   |   |   |   |   |   |   |   ├── [ 331]  shared-
modules.js
|           |   |   |   |   |   |   |   |   └── [ 524]  shared-
modules.js.map
|           |   |   |   |   |   |   |   ├── [ 545]  checks.js
|           |   |   |   |   |   |   |   ├── [1.7K]  checks.js.map
|           |   |   |   |   |   |   |   ├── [ 416]  pages
|           |   |   |   |   |   |   |   |   ├── [ 128]  builtin
|           |   |   |   |   |   |   |   |   |   ├── [ 944]  _error.js
|           |   |   |   |   |   |   |   |   |   └── [1.9K]
_error.js.map
|           |   |   |   |   |   |   |   |   ├── [  25]
module.compiled.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 761]
module.compiled.js
|           |   |   |   |   |   |   |   |   ├── [1.2K]
module.compiled.js.map
|           |   |   |   |   |   |   |   |   ├── [ 796]  module.js
|           |   |   |   |   |   |   |   |   ├── [5.1K]  module.js.map
|           |   |   |   |   |   |   |   |   ├── [ 466]  module.render.js
|           |   |   |   |   |   |   |   |   ├── [ 881]
module.render.js.map
|           |   |   |   |   |   |   |   |   ├── [ 30K]  pages-handler.js
|           |   |   |   |   |   |   |   |   ├── [ 43K]  pages-
handler.js.map
|           |   |   |   |   |   |   |   |   └── [  96]  vendored
|           |   |   |   |   |   |   |   |       └── [ 768]  contexts
|           |   |   |   |   |   |   |   |           ├── [ 123]  amp-
context.js
|           |   |   |   |   |   |   |   |           ├── [ 423]  amp-
context.js.map
```

```
|           |   |   |   |   |   |   |   |           ├── [ 136]  app-
router-context.js
|           |   |   |   |   |   |   |   |           ├── [ 444]  app-
router-context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 974]
entrypoints.js
|           |   |   |   |   |   |   |   |           ├── [1.6K]
entrypoints.js.map
|           |   |   |   |   |   |   |   |           ├── [ 140]  head-
manager-context.js
|           |   |   |   |   |   |   |   |           ├── [ 450]  head-
manager-context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 140]  hooks-
client-context.js
|           |   |   |   |   |   |   |   |           ├── [ 450]  hooks-
client-context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 125]  html-
context.js
|           |   |   |   |   |   |   |   |           ├── [ 426]  html-
context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 140]  image-
config-context.js
|           |   |   |   |   |   |   |   |           ├── [ 450]  image-
config-context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 133]
loadable-context.js
|           |   |   |   |   |   |   |   |           ├── [ 438]
loadable-context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 118]
loadable.js
|           |   |   |   |   |   |   |   |           ├── [ 416]
loadable.js.map
|           |   |   |   |   |   |   |   |           ├── [ 129]  router-
context.js
|           |   |   |   |   |   |   |   |           ├── [ 432]  router-
context.js.map
|           |   |   |   |   |   |   |   |           ├── [ 140]  server-
inserted-html.js
|           |   |   |   |   |   |   |   |           └── [ 450]  server-
inserted-html.js.map
|           |   |   |   |   |   |   |   ├── [ 224]  pages-api
|           |   |   |   |   |   |   |   |   ├── [  25]
module.compiled.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 781]
module.compiled.js
|           |   |   |   |   |   |   |   |   ├── [1.3K]
module.compiled.js.map
|           |   |   |   |   |   |   |   |   ├── [1.5K]  module.js
|           |   |   |   |   |   |   |   |   └── [5.2K]  module.js.map
|           |   |   |   |   |   |   |   ├── [ 26K]  route-module.js
|           |   |   |   |   |   |   |   └── [ 48K]  route-module.js.map
|           |   |   |   |   |   |   ├── [2.1K]  send-payload.js
|           |   |   |   |   |   |   ├── [4.1K]  send-payload.js.map
|           |   |   |   |   |   |   ├── [3.0K]  send-response.js
|           |   |   |   |   |   |   ├── [4.5K]  send-response.js.map
|           |   |   |   |   |   |   ├── [1.3K]  serve-static.js
```

```
│           │   │   │   │   │   │   ├── [2.5K]  serve-static.js.map
│           │   │   │   │   │   │   ├── [1.0K]  server-route-utils.js
│           │   │   │   │   │   │   ├── [2.0K]  server-route-
utils.js.map
│           │   │   │   │   │   │   ├── [ 15K]  server-utils.js
│           │   │   │   │   │   │   ├── [ 26K]  server-utils.js.map
│           │   │   │   │   │   │   ├── [ 832]  setup-http-agent-env.js
│           │   │   │   │   │   │   ├── [1.4K]  setup-http-agent-
env.js.map
│           │   │   │   │   │   │   ├── [ 256]  stream-utils
│           │   │   │   │   │   │   │   ├── [2.0K]  encoded-tags.js
│           │   │   │   │   │   │   │   ├── [2.1K]  encoded-tags.js.map
│           │   │   │   │   │   │   │   ├── [ 27K]  node-web-streams-
helper.js
│           │   │   │   │   │   │   │   ├── [ 42K]  node-web-streams-
helper.js.map
│           │   │   │   │   │   │   │   ├── [1.7K]  uint8array-
helpers.js
│           │   │   │   │   │   │   │   └── [3.0K]  uint8array-
helpers.js.map
│           │   │   │   │   │   │   ├── [ 288]  typescript
│           │   │   │   │   │   │   │   ├── [1.3K]  constant.js
│           │   │   │   │   │   │   │   ├── [2.3K]  constant.js.map
│           │   │   │   │   │   │   │   ├── [9.5K]  index.js
│           │   │   │   │   │   │   │   ├── [ 17K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 512]  rules
│           │   │   │   │   │   │   │   │   ├── [5.7K]  client-
boundary.js
│           │   │   │   │   │   │   │   │   ├── [8.1K]  client-
boundary.js.map
│           │   │   │   │   │   │   │   │   ├── [ 26K]  config.js
│           │   │   │   │   │   │   │   │   ├── [ 37K]  config.js.map
│           │   │   │   │   │   │   │   │   ├── [6.1K]  entry.js
│           │   │   │   │   │   │   │   │   ├── [9.2K]  entry.js.map
│           │   │   │   │   │   │   │   │   ├── [1.1K]  error.js
│           │   │   │   │   │   │   │   │   ├── [2.1K]  error.js.map
│           │   │   │   │   │   │   │   │   ├── [ 11K]  metadata.js
│           │   │   │   │   │   │   │   │   ├── [ 16K]  metadata.js.map
│           │   │   │   │   │   │   │   │   ├── [4.3K]  server-
boundary.js
│           │   │   │   │   │   │   │   │   ├── [8.0K]  server-
boundary.js.map
│           │   │   │   │   │   │   │   │   ├── [3.3K]  server.js
│           │   │   │   │   │   │   │   │   └── [5.4K]  server.js.map
│           │   │   │   │   │   │   │   ├── [5.0K]  utils.js
│           │   │   │   │   │   │   │   └── [8.7K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 448]  use-cache
│           │   │   │   │   │   │   │   ├── [7.3K]  cache-life.js
│           │   │   │   │   │   │   │   ├── [9.8K]  cache-life.js.map
│           │   │   │   │   │   │   │   ├── [1.4K]  cache-tag.js
│           │   │   │   │   │   │   │   ├── [1.9K]  cache-tag.js.map
│           │   │   │   │   │   │   │   ├── [ 152]  constants.js
│           │   │   │   │   │   │   │   ├── [ 371]  constants.js.map
│           │   │   │   │   │   │   │   ├── [4.6K]  handlers.js
│           │   │   │   │   │   │   │   ├── [7.2K]  handlers.js.map
│           │   │   │   │   │   │   │   ├── [ 653]  use-cache-errors.js
```

```
│           │   │   │   │   │   │   │   ├── [1.2K]  use-cache-
errors.js.map
│           │   │   │   │   │   │   │   ├── [ 64K]  use-cache-wrapper.js
│           │   │   │   │   │   │   │   └── [ 90K]  use-cache-
wrapper.js.map
│           │   │   │   │   │   │   ├── [2.6K]  utils.js
│           │   │   │   │   │   │   ├── [4.0K]  utils.js.map
│           │   │   │   │   │   │   └── [ 864]  web
│           │   │   │   │   │   │       ├── [ 17K]  adapter.js
│           │   │   │   │   │   │       ├── [ 28K]  adapter.js.map
│           │   │   │   │   │   │       ├── [4.8K]  edge-route-module-
wrapper.js
│           │   │   │   │   │   │       ├── [8.4K]  edge-route-module-
wrapper.js.map
│           │   │   │   │   │   │       ├── [ 851]  error.js
│           │   │   │   │   │   │       ├── [1.3K]  error.js.map
│           │   │   │   │   │   │       ├── [ 128]  exports
│           │   │   │   │   │   │       │   ├── [ 589]  index.js
│           │   │   │   │   │   │       │   └── [1.1K]  index.js.map
│           │   │   │   │   │   │       ├── [ 582]  get-edge-preview-
props.js
│           │   │   │   │   │   │       ├── [1.0K]  get-edge-preview-
props.js.map
│           │   │   │   │   │   │       ├── [4.0K]  globals.js
│           │   │   │   │   │   │       ├── [5.9K]  globals.js.map
│           │   │   │   │   │   │       ├── [ 557]  http.js
│           │   │   │   │   │   │       ├── [1.1K]  http.js.map
│           │   │   │   │   │   │       ├── [1.6K]  internal-edge-wait-
until.js
│           │   │   │   │   │   │       ├── [2.8K]  internal-edge-wait-
until.js.map
│           │   │   │   │   │   │       ├── [7.0K]  next-url.js
│           │   │   │   │   │   │       ├── [ 13K]  next-url.js.map
│           │   │   │   │   │   │       ├── [ 384]  sandbox
│           │   │   │   │   │   │       │   ├── [ 18K]  context.js
│           │   │   │   │   │   │       │   ├── [ 29K]  context.js.map
│           │   │   │   │   │   │       │   ├── [1.1K]  fetch-inline-
assets.js
│           │   │   │   │   │   │       │   ├── [2.4K]  fetch-inline-
assets.js.map
│           │   │   │   │   │   │       │   ├── [ 109]  index.js
│           │   │   │   │   │   │       │   ├── [ 273]  index.js.map
│           │   │   │   │   │   │       │   ├── [2.4K]  resource-
managers.js
│           │   │   │   │   │   │       │   ├── [4.4K]  resource-
managers.js.map
│           │   │   │   │   │   │       │   ├── [4.8K]  sandbox.js
│           │   │   │   │   │   │       │   └── [8.9K]  sandbox.js.map
│           │   │   │   │   │   │       ├── [ 736]  spec-extension
│           │   │   │   │   │   │       │   ├── [ 320]  adapters
│           │   │   │   │   │   │       │   │   ├── [6.8K]  headers.js
│           │   │   │   │   │   │       │   │   ├── [ 12K]
headers.js.map
│           │   │   │   │   │   │       │   │   ├── [4.9K]  next-
request.js
```

```
│           │   │   │   │   │   │       │   │   ├── [7.8K]  next-
request.js.map
│           │   │   │   │   │   │       │   │   ├── [ 581]  reflect.js
│           │   │   │   │   │   │       │   │   ├── [1.5K]
reflect.js.map
│           │   │   │   │   │   │       │   │   ├── [6.5K]  request-
cookies.js
│           │   │   │   │   │   │       │   │   └── [ 11K]  request-
cookies.js.map
│           │   │   │   │   │   │       │   ├── [ 145]  cookies.js
│           │   │   │   │   │   │       │   ├── [ 365]  cookies.js.map
│           │   │   │   │   │   │       │   ├── [2.7K]  fetch-event.js
│           │   │   │   │   │   │       │   ├── [4.7K]  fetch-
event.js.map
│           │   │   │   │   │   │       │   ├── [ 587]  image-
response.js
│           │   │   │   │   │   │       │   ├── [ 719]  image-
response.js.map
│           │   │   │   │   │   │       │   ├── [2.9K]  request.js
│           │   │   │   │   │   │       │   ├── [5.5K]  request.js.map
│           │   │   │   │   │   │       │   ├── [4.9K]  response.js
│           │   │   │   │   │   │       │   ├── [8.5K]  response.js.map
│           │   │   │   │   │   │       │   ├── [8.4K]  revalidate.js
│           │   │   │   │   │   │       │   ├── [ 11K]
revalidate.js.map
│           │   │   │   │   │   │       │   ├── [ 15K]  unstable-
cache.js
│           │   │   │   │   │   │       │   ├── [ 22K]  unstable-
cache.js.map
│           │   │   │   │   │   │       │   ├── [2.3K]  unstable-no-
store.js
│           │   │   │   │   │   │       │   ├── [3.0K]  unstable-no-
store.js.map
│           │   │   │   │   │   │       │   ├── [ 228]  url-pattern.js
│           │   │   │   │   │   │       │   ├── [ 469]  url-
pattern.js.map
│           │   │   │   │   │   │       │   ├── [ 780]  user-agent.js
│           │   │   │   │   │   │       │   └── [1.7K]  user-
agent.js.map
│           │   │   │   │   │   │       ├── [ 408]  types.js
│           │   │   │   │   │   │       ├── [2.0K]  types.js.map
│           │   │   │   │   │   │       ├── [5.5K]  utils.js
│           │   │   │   │   │   │       ├── [8.2K]  utils.js.map
│           │   │   │   │   │   │       ├── [2.2K]  web-on-close.js
│           │   │   │   │   │   │       └── [3.3K]  web-on-close.js.map
│           │   │   │   │   │   └── [  96]  shared
│           │   │   │   │   │       └── [3.8K]  lib
│           │   │   │   │   │           ├── [ 238]  amp-context.shared-
runtime.js
│           │   │   │   │   │           ├── [ 580]  amp-context.shared-
runtime.js.map
│           │   │   │   │   │           ├── [ 215]  amp-mode.js
│           │   │   │   │   │           ├── [ 469]  amp-mode.js.map
│           │   │   │   │   │           ├── [ 319]  amp.js
│           │   │   │   │   │           ├── [ 626]  amp.js.map
│           │   │   │   │   │           ├── [ 610]  app-dynamic.js
```

```
│           │   │   │   │   │           ├── [1.8K]  app-dynamic.js.map
│           │   │   │   │   │           ├── [ 705]  app-router-
context.shared-runtime.js
│           │   │   │   │   │           ├── [6.1K]  app-router-
context.shared-runtime.js.map
│           │   │   │   │   │           ├── [2.7K]  bloom-filter.js
│           │   │   │   │   │           ├── [5.4K]  bloom-filter.js.map
│           │   │   │   │   │           ├── [ 817]  canary-only.js
│           │   │   │   │   │           ├── [1.4K]  canary-only.js.map
│           │   │   │   │   │           ├── [6.8K]  constants.js
│           │   │   │   │   │           ├── [ 11K]  constants.js.map
│           │   │   │   │   │           ├── [1.0K]  deep-freeze.js
│           │   │   │   │   │           ├── [1.7K]  deep-freeze.js.map
│           │   │   │   │   │           ├── [ 279]  deep-readonly.js
│           │   │   │   │   │           ├── [ 575]  deep-readonly.js.map
│           │   │   │   │   │           ├── [ 117]  dset.d.ts
│           │   │   │   │   │           ├── [1.7K]  dset.js
│           │   │   │   │   │           ├── [2.5K]  dset.js.map
│           │   │   │   │   │           ├── [4.3K]  dynamic.js
│           │   │   │   │   │           ├── [7.3K]  dynamic.js.map
│           │   │   │   │   │           ├── [ 154]  encode-uri-path.js
│           │   │   │   │   │           ├── [ 452]  encode-uri-
path.js.map
│           │   │   │   │   │           ├── [ 379]  error-source.js
│           │   │   │   │   │           ├── [ 983]  error-source.js.map
│           │   │   │   │   │           ├── [ 128]  errors
│           │   │   │   │   │           │   ├── [ 103]  constants.js
│           │   │   │   │   │           │   └── [ 257]  constants.js.map
│           │   │   │   │   │           ├── [ 476]  escape-regexp.js
│           │   │   │   │   │           ├── [ 835]  escape-regexp.js.map
│           │   │   │   │   │           ├── [2.5K]  fnv1a.js
│           │   │   │   │   │           ├── [4.0K]  fnv1a.js.map
│           │   │   │   │   │           ├── [7.9K]  format-webpack-
messages.js
│           │   │   │   │   │           ├── [ 13K]  format-webpack-
messages.js.map
│           │   │   │   │   │           ├── [ 749]  get-hostname.js
│           │   │   │   │   │           ├── [1.3K]  get-hostname.js.map
│           │   │   │   │   │           ├── [ 24K]  get-img-props.js
│           │   │   │   │   │           ├── [ 37K]  get-img-props.js.map
│           │   │   │   │   │           ├── [2.0K]  get-rspack.js
│           │   │   │   │   │           ├── [2.7K]  get-rspack.js.map
│           │   │   │   │   │           ├── [ 409]  get-webpack-
bundler.js
│           │   │   │   │   │           ├── [ 737]  get-webpack-
bundler.js.map
│           │   │   │   │   │           ├── [ 901]  hash.js
│           │   │   │   │   │           ├── [1.4K]  hash.js.map
│           │   │   │   │   │           ├── [ 256]  head-manager-
context.shared-runtime.js
│           │   │   │   │   │           ├── [ 862]  head-manager-
context.shared-runtime.js.map
│           │   │   │   │   │           ├── [5.6K]  head.js
│           │   │   │   │   │           ├── [9.4K]  head.js.map
│           │   │   │   │   │           ├── [ 497]  hooks-client-
context.shared-runtime.js
```

```
|           |   |   |   |   |           ├── [1.1K]  hooks-client-
context.shared-runtime.js.map
|           |   |   |   |   |           ├── [ 688]  html-context.shared-
runtime.js
|           |   |   |   |   |           ├── [2.7K]  html-context.shared-
runtime.js.map
|           |   |   |   |   |           ├── [ 256]  i18n
|           |   |   |   |   |           |   ├── [ 744]  detect-domain-
locale.js
|           |   |   |   |   |           |   ├── [1.4K]  detect-domain-
locale.js.map
|           |   |   |   |   |           |   ├── [2.8K]  get-locale-
redirect.js
|           |   |   |   |   |           |   ├── [5.6K]  get-locale-
redirect.js.map
|           |   |   |   |   |           |   ├── [1.9K]  normalize-
locale-path.js
|           |   |   |   |   |           |   └── [3.1K]  normalize-
locale-path.js.map
|           |   |   |   |   |           ├── [1.3K]  image-blur-svg.js
|           |   |   |   |   |           ├── [2.1K]  image-blur-
svg.js.map
|           |   |   |   |   |           ├── [ 325]  image-config-
context.shared-runtime.js
|           |   |   |   |   |           ├── [ 783]  image-config-
context.shared-runtime.js.map
|           |   |   |   |   |           ├── [ 883]  image-config.js
|           |   |   |   |   |           ├── [5.3K]  image-config.js.map
|           |   |   |   |   |           ├── [1.2K]  image-external.js
|           |   |   |   |   |           ├── [2.1K]  image-
external.js.map
|           |   |   |   |   |           ├── [4.8K]  image-loader.js
|           |   |   |   |   |           ├── [6.6K]  image-loader.js.map
|           |   |   |   |   |           ├── [ 291]  invariant-error.js
|           |   |   |   |   |           ├── [ 666]  invariant-
error.js.map
|           |   |   |   |   |           ├── [ 748]  is-internal.js
|           |   |   |   |   |           ├── [1.2K]  is-internal.js.map
|           |   |   |   |   |           ├── [ 704]  is-plain-object.js
|           |   |   |   |   |           ├── [1.2K]  is-plain-
object.js.map
|           |   |   |   |   |           ├── [ 335]  is-thenable.js
|           |   |   |   |   |           ├── [ 664]  is-thenable.js.map
|           |   |   |   |   |           ├── [ 160]  isomorphic
|           |   |   |   |   |           |   ├── [  31]  path.d.ts
|           |   |   |   |   |           |   ├── [ 394]  path.js
|           |   |   |   |   |           |   └── [ 713]  path.js.map
|           |   |   |   |   |           ├── [ 384]  lazy-dynamic
|           |   |   |   |   |           |   ├── [ 797]  bailout-to-
csr.js
|           |   |   |   |   |           |   ├── [1.3K]  bailout-to-
csr.js.map
|           |   |   |   |   |           |   ├── [ 604]  dynamic-bailout-
to-csr.js
|           |   |   |   |   |           |   ├── [ 993]  dynamic-bailout-
to-csr.js.map
```

```
|           |   |   |   |   |           |   ├── [2.5K]  loadable.js
|           |   |   |   |   |           |   ├── [4.2K]  loadable.js.map
|           |   |   |   |   |           |   ├── [2.3K]  preload-
chunks.js
|           |   |   |   |   |           |   ├── [3.6K]  preload-
chunks.js.map
|           |   |   |   |   |           |   ├── [  46]  types.js
|           |   |   |   |   |           |   └── [ 629]  types.js.map
|           |   |   |   |   |           ├── [ 259]  loadable-
context.shared-runtime.js
|           |   |   |   |   |           ├── [ 651]  loadable-
context.shared-runtime.js.map
|           |   |   |   |   |           ├── [7.8K]  loadable.shared-
runtime.js
|           |   |   |   |   |           ├── [ 14K]  loadable.shared-
runtime.js.map
|           |   |   |   |   |           ├── [3.1K]  magic-identifier.js
|           |   |   |   |   |           ├── [4.0K]  magic-
identifier.js.map
|           |   |   |   |   |           ├── [ 878]  match-local-
pattern.js
|           |   |   |   |   |           ├── [1.6K]  match-local-
pattern.js.map
|           |   |   |   |   |           ├── [1.5K]  match-remote-
pattern.js
|           |   |   |   |   |           ├── [2.6K]  match-remote-
pattern.js.map
|           |   |   |   |   |           ├── [2.0K]  mitt.js
|           |   |   |   |   |           ├── [2.9K]  mitt.js.map
|           |   |   |   |   |           ├── [ 199]  modern-browserslist-
target.d.ts
|           |   |   |   |   |           ├── [ 638]  modern-browserslist-
target.js
|           |   |   |   |   |           ├── [ 893]  modern-browserslist-
target.js.map
|           |   |   |   |   |           ├── [ 196]  no-fallback-
error.external.js
|           |   |   |   |   |           ├── [ 410]  no-fallback-
error.external.js.map
|           |   |   |   |   |           ├── [ 737]  normalized-asset-
prefix.js
|           |   |   |   |   |           ├── [1.3K]  normalized-asset-
prefix.js.map
|           |   |   |   |   |           ├── [ 640]  page-path
|           |   |   |   |   |           |   ├── [1.4K]  absolute-path-
to-page.js
|           |   |   |   |   |           |   ├── [2.4K]  absolute-path-
to-page.js.map
|           |   |   |   |   |           |   ├── [ 207]  denormalize-app-
path.js
|           |   |   |   |   |           |   ├── [ 447]  denormalize-app-
path.js.map
|           |   |   |   |   |           |   ├── [ 647]  denormalize-
page-path.js
|           |   |   |   |   |           |   ├── [1.1K]  denormalize-
page-path.js.map
```

```
|           |   |   |   |   |           |   ├── [ 306]  ensure-leading-
slash.js
|           |   |   |   |   |           |   ├── [ 557]  ensure-leading-
slash.js.map
|           |   |   |   |   |           |   ├── [1.3K]  get-page-
paths.js
|           |   |   |   |   |           |   ├── [2.0K]  get-page-
paths.js.map
|           |   |   |   |   |           |   ├── [ 481]  normalize-data-
path.js
|           |   |   |   |   |           |   ├── [ 894]  normalize-data-
path.js.map
|           |   |   |   |   |           |   ├── [1.1K]  normalize-page-
path.js
|           |   |   |   |   |           |   ├── [1.9K]  normalize-page-
path.js.map
|           |   |   |   |   |           |   ├── [ 291]  normalize-path-
sep.js
|           |   |   |   |   |           |   ├── [ 534]  normalize-path-
sep.js.map
|           |   |   |   |   |           |   ├── [ 909]  remove-page-
path-tail.js
|           |   |   |   |   |           |   └── [1.5K]  remove-page-
path-tail.js.map
|           |   |   |   |   |           ├── [ 372]  promise-with-
resolvers.js
|           |   |   |   |   |           ├── [ 762]  promise-with-
resolvers.js.map
|           |   |   |   |   |           ├── [ 224]  router
|           |   |   |   |   |           |   ├── [4.1K]  adapters.js
|           |   |   |   |   |           |   ├── [6.7K]  adapters.js.map
|           |   |   |   |   |           |   ├── [ 80K]  router.js
|           |   |   |   |   |           |   ├── [127K]  router.js.map
|           |   |   |   |   |           |   └── [2.6K]  utils
|           |   |   |   |   |           |       ├── [1020]  add-
locale.js
|           |   |   |   |   |           |       ├── [1.7K]  add-
locale.js.map
|           |   |   |   |   |           |       ├── [ 432]  add-path-
prefix.js
|           |   |   |   |   |           |       ├── [ 888]  add-path-
prefix.js.map
|           |   |   |   |   |           |       ├── [ 490]  add-path-
suffix.js
|           |   |   |   |   |           |       ├── [ 948]  add-path-
suffix.js.map
|           |   |   |   |   |           |       ├── [1.7K]  app-paths.js
|           |   |   |   |   |           |       ├── [2.7K]  app-
paths.js.map
|           |   |   |   |   |           |       ├── [ 262]  as-path-to-
search-params.js
|           |   |   |   |   |           |       ├── [ 549]  as-path-to-
search-params.js.map
|           |   |   |   |   |           |       ├── [ 580]  cache-
busting-search-param.js
```

```
|           |   |   |   |   |           |       ├── [1.3K]  cache-
busting-search-param.js.map
|           |   |   |   |   |           |       ├── [ 850]  compare-
states.js
|           |   |   |   |   |           |       ├── [1.9K]  compare-
states.js.map
|           |   |   |   |   |           |       ├── [2.3K]  disable-
smooth-scroll.js
|           |   |   |   |   |           |       ├── [3.5K]  disable-
smooth-scroll.js.map
|           |   |   |   |   |           |       ├── [ 307]  escape-path-
delimiters.js
|           |   |   |   |   |           |       ├── [ 737]  escape-path-
delimiters.js.map
|           |   |   |   |   |           |       ├── [ 908]  format-next-
pathname-info.js
|           |   |   |   |   |           |       ├── [2.0K]  format-next-
pathname-info.js.map
|           |   |   |   |   |           |       ├── [3.2K]  format-
url.js
|           |   |   |   |   |           |       ├── [5.6K]  format-
url.js.map
|           |   |   |   |   |           |       ├── [ 437]  get-asset-
path-from-route.js
|           |   |   |   |   |           |       ├── [ 830]  get-asset-
path-from-route.js.map
|           |   |   |   |   |           |       ├── [5.2K]  get-dynamic-
param.js
|           |   |   |   |   |           |       ├── [7.3K]  get-dynamic-
param.js.map
|           |   |   |   |   |           |       ├── [2.1K]  get-next-
pathname-info.js
|           |   |   |   |   |           |       ├── [5.1K]  get-next-
pathname-info.js.map
|           |   |   |   |   |           |       ├── [ 716]  get-route-
from-asset-path.js
|           |   |   |   |   |           |       ├── [1.3K]  get-route-
from-asset-path.js.map
|           |   |   |   |   |           |       ├── [ 909]  html-bots.js
|           |   |   |   |   |           |       ├── [1.1K]  html-
bots.js.map
|           |   |   |   |   |           |       ├── [ 155]  index.js
|           |   |   |   |   |           |       ├── [ 389]  index.js.map
|           |   |   |   |   |           |       ├── [3.6K]
interception-routes.js
|           |   |   |   |   |           |       ├── [4.9K]
interception-routes.js.map
|           |   |   |   |   |           |       ├── [2.0K]  interpolate-
as.js
|           |   |   |   |   |           |       ├── [3.7K]  interpolate-
as.js.map
|           |   |   |   |   |           |       ├── [1.1K]  is-bot.js
|           |   |   |   |   |           |       ├── [1.9K]  is-
bot.js.map
|           |   |   |   |   |           |       ├── [ 884]  is-
dynamic.js
```

```
|           |   |   |   |   |           |       ├── [1.5K]  is-
dynamic.js.map
|           |   |   |   |   |           |       ├── [ 722]  is-local-
url.js
|           |   |   |   |   |           |       ├── [1.3K]  is-local-
url.js.map
|           |   |   |   |   |           |       ├── [ 678]  middleware-
route-matcher.js
|           |   |   |   |   |           |       ├── [1.7K]  middleware-
route-matcher.js.map
|           |   |   |   |   |           |       ├── [ 250]  omit.js
|           |   |   |   |   |           |       ├── [ 761]  omit.js.map
|           |   |   |   |   |           |       ├── [ 841]  parse-
path.js
|           |   |   |   |   |           |       ├── [1.5K]  parse-
path.js.map
|           |   |   |   |   |           |       ├── [1.2K]  parse-
relative-url.js
|           |   |   |   |   |           |       ├── [2.9K]  parse-
relative-url.js.map
|           |   |   |   |   |           |       ├── [ 722]  parse-url.js
|           |   |   |   |   |           |       ├── [1.8K]  parse-
url.js.map
|           |   |   |   |   |           |       ├── [ 595]  path-has-
prefix.js
|           |   |   |   |   |           |       ├── [1002]  path-has-
prefix.js.map
|           |   |   |   |   |           |       ├── [1.9K]  path-
match.js
|           |   |   |   |   |           |       ├── [3.7K]  path-
match.js.map
|           |   |   |   |   |           |       ├── [9.6K]  prepare-
destination.js
|           |   |   |   |   |           |       ├── [ 17K]  prepare-
destination.js.map
|           |   |   |   |   |           |       ├── [1.7K]
querystring.js
|           |   |   |   |   |           |       ├── [3.1K]
querystring.js.map
|           |   |   |   |   |           |       ├── [ 851]  relativize-
url.js
|           |   |   |   |   |           |       ├── [1.8K]  relativize-
url.js.map
|           |   |   |   |   |           |       ├── [1.3K]  remove-path-
prefix.js
|           |   |   |   |   |           |       ├── [2.0K]  remove-path-
prefix.js.map
|           |   |   |   |   |           |       ├── [ 332]  remove-
trailing-slash.js
|           |   |   |   |   |           |       ├── [ 583]  remove-
trailing-slash.js.map
|           |   |   |   |   |           |       ├── [4.1K]  resolve-
rewrites.js
|           |   |   |   |   |           |       ├── [7.6K]  resolve-
rewrites.js.map
```

```
|           |   |   |   |   |           |       ├── [3.3K]  route-match-
utils.js
|           |   |   |   |   |           |       ├── [5.5K]  route-match-
utils.js.map
|           |   |   |   |   |           |       ├── [1.2K]  route-
matcher.js
|           |   |   |   |   |           |       ├── [2.5K]  route-
matcher.js.map
|           |   |   |   |   |           |       ├── [9.1K]  route-
regex.js
|           |   |   |   |   |           |       ├── [ 17K]  route-
regex.js.map
|           |   |   |   |   |           |       ├── [8.3K]  sortable-
routes.js
|           |   |   |   |   |           |       ├── [ 12K]  sortable-
routes.js.map
|           |   |   |   |   |           |       ├── [ 11K]  sorted-
routes.js
|           |   |   |   |   |           |       └── [ 14K]  sorted-
routes.js.map
|           |   |   |   |   |           ├── [ 237]  router-
context.shared-runtime.js
|           |   |   |   |   |           ├── [ 621]  router-
context.shared-runtime.js.map
|           |   |   |   |   |           ├── [ 199]  runtime-
config.external.js
|           |   |   |   |   |           ├── [ 449]  runtime-
config.external.js.map
|           |   |   |   |   |           ├── [ 192]  segment-cache
|           |   |   |   |   |           |   ├── [2.6K]  output-export-
prefetch-encoding.js
|           |   |   |   |   |           |   ├── [3.8K]  output-export-
prefetch-encoding.js.map
|           |   |   |   |   |           |   ├── [4.2K]  segment-value-
encoding.js
|           |   |   |   |   |           |   └── [7.4K]  segment-value-
encoding.js.map
|           |   |   |   |   |           ├── [ 741]  segment.js
|           |   |   |   |   |           ├── [1.6K]  segment.js.map
|           |   |   |   |   |           ├── [ 748]  server-inserted-
html.shared-runtime.js
|           |   |   |   |   |           ├── [1.4K]  server-inserted-
html.shared-runtime.js.map
|           |   |   |   |   |           ├── [1.8K]  server-reference-
info.js
|           |   |   |   |   |           ├── [3.3K]  server-reference-
info.js.map
|           |   |   |   |   |           ├── [2.5K]  side-effect.js
|           |   |   |   |   |           ├── [3.9K]  side-effect.js.map
|           |   |   |   |   |           ├── [  43]  styled-jsx.d.ts
|           |   |   |   |   |           ├── [  85]  styled-jsx.js
|           |   |   |   |   |           ├── [ 230]  styled-jsx.js.map
|           |   |   |   |   |           ├── [ 384]  turbopack
|           |   |   |   |   |           |   ├── [1.4K]  compilation-
events.js
```

```
│           │   │   │   │   │           │   ├── [2.1K]  compilation-
events.js.map
│           │   │   │   │   │           │   ├── [ 462]  entry-key.js
│           │   │   │   │   │           │   ├── [1.3K]  entry-key.js.map
│           │   │   │   │   │           │   ├── [1.7K]  internal-
error.js
│           │   │   │   │   │           │   ├── [2.7K]  internal-
error.js.map
│           │   │   │   │   │           │   ├── [ 22K]  manifest-
loader.js
│           │   │   │   │   │           │   ├── [ 43K]  manifest-
loader.js.map
│           │   │   │   │   │           │   ├── [9.9K]  utils.js
│           │   │   │   │   │           │   └── [ 17K]  utils.js.map
│           │   │   │   │   │           ├── [ 256]  utils
│           │   │   │   │   │           │   ├── [ 294]  error-once.js
│           │   │   │   │   │           │   ├── [ 730]  error-
once.js.map
│           │   │   │   │   │           │   ├── [1.4K]  reflect-utils.js
│           │   │   │   │   │           │   ├── [2.3K]  reflect-
utils.js.map
│           │   │   │   │   │           │   ├── [ 295]  warn-once.js
│           │   │   │   │   │           │   └── [ 730]  warn-once.js.map
│           │   │   │   │   │           ├── [4.6K]  utils.js
│           │   │   │   │   │           ├── [ 15K]  utils.js.map
│           │   │   │   │   │           ├── [2.6K]  zod.js
│           │   │   │   │   │           └── [4.4K]  zod.js.map
│           │   │   │   │   ├── [ 128]  experimental
│           │   │   │   │   │   ├── [  96]  testing
│           │   │   │   │   │   │   └── [ 448]  server
│           │   │   │   │   │   │       ├── [1.2K]  config-testing-
utils.d.ts
│           │   │   │   │   │   │       ├── [4.7K]  config-testing-
utils.js
│           │   │   │   │   │   │       ├── [8.5K]  config-testing-
utils.js.map
│           │   │   │   │   │   │       ├── [ 154]  index.d.ts
│           │   │   │   │   │   │       ├── [1.2K]  index.js
│           │   │   │   │   │   │       ├── [ 453]  index.js.map
│           │   │   │   │   │   │       ├── [ 849]  middleware-testing-
utils.d.ts
│           │   │   │   │   │   │       ├── [1.1K]  middleware-testing-
utils.js
│           │   │   │   │   │   │       ├── [2.4K]  middleware-testing-
utils.js.map
│           │   │   │   │   │   │       ├── [ 931]  utils.d.ts
│           │   │   │   │   │   │       ├── [1.7K]  utils.js
│           │   │   │   │   │   │       └── [2.8K]  utils.js.map
│           │   │   │   │   │   └── [ 608]  testmode
│           │   │   │   │   │       ├── [ 416]  context.d.ts
│           │   │   │   │   │       ├── [1.4K]  context.js
│           │   │   │   │   │       ├── [2.3K]  context.js.map
│           │   │   │   │   │       ├── [ 317]  fetch.d.ts
│           │   │   │   │   │       ├── [4.1K]  fetch.js
│           │   │   │   │   │       ├── [6.6K]  fetch.js.map
│           │   │   │   │   │       ├── [ 114]  httpget.d.ts
```

```
│           │   │   │   │   │       ├── [ 824]  httpget.js
│           │   │   │   │   │       ├── [1.2K]  httpget.js.map
│           │   │   │   │   │       ├── [ 928]  playwright
│           │   │   │   │   │       │   ├── [ 630]  default-config.d.ts
│           │   │   │   │   │       │   ├── [1.4K]  default-config.js
│           │   │   │   │   │       │   ├── [2.4K]  default-
config.js.map
│           │   │   │   │   │       │   ├── [ 871]  index.d.ts
│           │   │   │   │   │       │   ├── [3.9K]  index.js
│           │   │   │   │   │       │   ├── [3.3K]  index.js.map
│           │   │   │   │   │       │   ├── [ 830]  msw.d.ts
│           │   │   │   │   │       │   ├── [2.8K]  msw.js
│           │   │   │   │   │       │   ├── [3.5K]  msw.js.map
│           │   │   │   │   │       │   ├── [ 523]  next-fixture.d.ts
│           │   │   │   │   │       │   ├── [1.9K]  next-fixture.js
│           │   │   │   │   │       │   ├── [4.0K]  next-fixture.js.map
│           │   │   │   │   │       │   ├── [ 132]  next-options.d.ts
│           │   │   │   │   │       │   ├── [ 122]  next-options.js
│           │   │   │   │   │       │   ├── [  67]  next-options.js.map
│           │   │   │   │   │       │   ├── [ 433]  next-worker-
fixture.d.ts
│           │   │   │   │   │       │   ├── [1.4K]  next-worker-
fixture.js
│           │   │   │   │   │       │   ├── [2.8K]  next-worker-
fixture.js.map
│           │   │   │   │   │       │   ├── [ 262]  page-route.d.ts
│           │   │   │   │   │       │   ├── [1.9K]  page-route.js
│           │   │   │   │   │       │   ├── [3.7K]  page-route.js.map
│           │   │   │   │   │       │   ├── [ 247]  report.d.ts
│           │   │   │   │   │       │   ├── [3.6K]  report.js
│           │   │   │   │   │       │   ├── [6.2K]  report.js.map
│           │   │   │   │   │       │   ├── [ 433]  step.d.ts
│           │   │   │   │   │       │   ├── [ 762]  step.js
│           │   │   │   │   │       │   └── [1.5K]  step.js.map
│           │   │   │   │   │       ├── [ 448]  proxy
│           │   │   │   │   │       │   ├── [ 375]  fetch-api.d.ts
│           │   │   │   │   │       │   ├── [1.3K]  fetch-api.js
│           │   │   │   │   │       │   ├── [2.6K]  fetch-api.js.map
│           │   │   │   │   │       │   ├── [ 145]  index.d.ts
│           │   │   │   │   │       │   ├── [ 302]  index.js
│           │   │   │   │   │       │   ├── [ 341]  index.js.map
│           │   │   │   │   │       │   ├── [ 205]  server.d.ts
│           │   │   │   │   │       │   ├── [2.4K]  server.js
│           │   │   │   │   │       │   ├── [3.9K]  server.js.map
│           │   │   │   │   │       │   ├── [1.3K]  types.d.ts
│           │   │   │   │   │       │   ├── [ 671]  types.js
│           │   │   │   │   │       │   └── [1.7K]  types.js.map
│           │   │   │   │   │       ├── [ 209]  server-edge.d.ts
│           │   │   │   │   │       ├── [ 831]  server-edge.js
│           │   │   │   │   │       ├── [ 951]  server-edge.js.map
│           │   │   │   │   │       ├── [ 393]  server.d.ts
│           │   │   │   │   │       ├── [1.7K]  server.js
│           │   │   │   │   │       └── [2.4K]  server.js.map
│           │   │   │   │   ├── [ 512]  export
│           │   │   │   │   │   ├── [ 448]  helpers
```

```
│           │   │   │   │   │   │   ├── [ 552]  create-incremental-
cache.d.ts
│           │   │   │   │   │   │   ├── [2.5K]  create-incremental-
cache.js
│           │   │   │   │   │   │   ├── [4.0K]  create-incremental-
cache.js.map
│           │   │   │   │   │   │   ├── [1.4K]  get-amp-html-
validator.d.ts
│           │   │   │   │   │   │   ├── [1.4K]  get-amp-html-
validator.js
│           │   │   │   │   │   │   ├── [2.5K]  get-amp-html-
validator.js.map
│           │   │   │   │   │   │   ├── [ 324]  get-params.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  get-params.js
│           │   │   │   │   │   │   ├── [1.9K]  get-params.js.map
│           │   │   │   │   │   │   ├── [  69]  is-dynamic-usage-
error.d.ts
│           │   │   │   │   │   │   ├── [ 839]  is-dynamic-usage-
error.js
│           │   │   │   │   │   │   └── [ 935]  is-dynamic-usage-
error.js.map
│           │   │   │   │   │   ├── [ 326]  index.d.ts
│           │   │   │   │   │   ├── [ 36K]  index.js
│           │   │   │   │   │   ├── [ 54K]  index.js.map
│           │   │   │   │   │   ├── [ 448]  routes
│           │   │   │   │   │   │   ├── [1.0K]  app-page.d.ts
│           │   │   │   │   │   │   ├── [9.0K]  app-page.js
│           │   │   │   │   │   │   ├── [ 14K]  app-page.js.map
│           │   │   │   │   │   │   ├── [1.1K]  app-route.d.ts
│           │   │   │   │   │   │   ├── [6.0K]  app-route.js
│           │   │   │   │   │   │   ├── [9.6K]  app-route.js.map
│           │   │   │   │   │   │   ├── [1.1K]  pages.d.ts
│           │   │   │   │   │   │   ├── [8.0K]  pages.js
│           │   │   │   │   │   │   ├── [ 13K]  pages.js.map
│           │   │   │   │   │   │   ├── [ 245]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   └── [  67]  types.js.map
│           │   │   │   │   │   ├── [4.7K]  types.d.ts
│           │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   ├── [  67]  types.js.map
│           │   │   │   │   │   ├── [ 151]  utils.d.ts
│           │   │   │   │   │   ├── [ 902]  utils.js
│           │   │   │   │   │   ├── [1.1K]  utils.js.map
│           │   │   │   │   │   ├── [ 195]  worker.d.ts
│           │   │   │   │   │   ├── [ 21K]  worker.js
│           │   │   │   │   │   └── [ 33K]  worker.js.map
│           │   │   │   │   ├── [7.1K]  lib
│           │   │   │   │   │   ├── [2.1K]  batcher.d.ts
│           │   │   │   │   │   ├── [2.1K]  batcher.js
│           │   │   │   │   │   ├── [4.1K]  batcher.js.map
│           │   │   │   │   │   ├── [ 505]  build-custom-route.d.ts
│           │   │   │   │   │   ├── [1.2K]  build-custom-route.js
│           │   │   │   │   │   ├── [2.4K]  build-custom-route.js.map
│           │   │   │   │   │   ├── [ 455]  client-and-server-
references.d.ts
```

```
│           │   │   │   │   │   ├── [1.3K]  client-and-server-
references.js
│           │   │   │   │   │   ├── [1.7K]  client-and-server-
references.js.map
│           │   │   │   │   │   ├── [ 327]  coalesced-function.d.ts
│           │   │   │   │   │   ├── [1.1K]  coalesced-function.js
│           │   │   │   │   │   ├── [2.0K]  coalesced-function.js.map
│           │   │   │   │   │   ├── [  52]  compile-error.d.ts
│           │   │   │   │   │   ├── [ 292]  compile-error.js
│           │   │   │   │   │   ├── [ 232]  compile-error.js.map
│           │   │   │   │   │   ├── [7.7K]  constants.d.ts
│           │   │   │   │   │   ├── [ 14K]  constants.js
│           │   │   │   │   │   ├── [ 14K]  constants.js.map
│           │   │   │   │   │   ├── [ 341]  create-client-router-
filter.d.ts
│           │   │   │   │   │   ├── [2.4K]  create-client-router-
filter.js
│           │   │   │   │   │   ├── [3.9K]  create-client-router-
filter.js.map
│           │   │   │   │   │   ├── [  10]  default-transpiled-
packages.json
│           │   │   │   │   │   ├── [ 387]  detached-promise.d.ts
│           │   │   │   │   │   ├── [ 891]  detached-promise.js
│           │   │   │   │   │   ├── [1.3K]  detached-promise.js.map
│           │   │   │   │   │   ├── [ 105]  detect-typo.d.ts
│           │   │   │   │   │   ├── [1.5K]  detect-typo.js
│           │   │   │   │   │   ├── [2.7K]  detect-typo.js.map
│           │   │   │   │   │   ├── [ 257]  download-swc.d.ts
│           │   │   │   │   │   ├── [7.0K]  download-swc.js
│           │   │   │   │   │   ├── [8.1K]  download-swc.js.map
│           │   │   │   │   │   ├── [ 650]  error-telemetry-utils.d.ts
│           │   │   │   │   │   ├── [1.4K]  error-telemetry-utils.js
│           │   │   │   │   │   ├── [2.3K]  error-telemetry-utils.js.map
│           │   │   │   │   │   ├── [ 640]  eslint
│           │   │   │   │   │   │   ├── [ 670]  customFormatter.d.ts
│           │   │   │   │   │   │   ├── [3.6K]  customFormatter.js
│           │   │   │   │   │   │   ├── [5.7K]  customFormatter.js.map
│           │   │   │   │   │   │   ├── [ 471]
getESLintPromptValues.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  getESLintPromptValues.js
│           │   │   │   │   │   │   ├── [1.4K]
getESLintPromptValues.js.map
│           │   │   │   │   │   │   ├── [ 303]
hasEslintConfiguration.d.ts
│           │   │   │   │   │   │   ├── [1.2K]
hasEslintConfiguration.js
│           │   │   │   │   │   │   ├── [2.0K]
hasEslintConfiguration.js.map
│           │   │   │   │   │   │   ├── [ 901]  runLintCheck.d.ts
│           │   │   │   │   │   │   ├── [ 17K]  runLintCheck.js
│           │   │   │   │   │   │   ├── [ 24K]  runLintCheck.js.map
│           │   │   │   │   │   │   ├── [ 337]  writeDefaultConfig.d.ts
│           │   │   │   │   │   │   ├── [3.7K]  writeDefaultConfig.js
│           │   │   │   │   │   │   ├── [3.5K]
writeDefaultConfig.js.map
│           │   │   │   │   │   │   ├── [ 249]  writeOutputFile.d.ts
```

```
│           │   │   │   │   │   │   ├── [3.2K]  writeOutputFile.js
│           │   │   │   │   │   │   └── [2.6K]  writeOutputFile.js.map
│           │   │   │   │   │   ├── [1.5K]  fallback.d.ts
│           │   │   │   │   │   ├── [3.2K]  fallback.js
│           │   │   │   │   │   ├── [3.8K]  fallback.js.map
│           │   │   │   │   │   ├── [  50]  fatal-error.d.ts
│           │   │   │   │   │   ├── [ 284]  fatal-error.js
│           │   │   │   │   │   ├── [ 226]  fatal-error.js.map
│           │   │   │   │   │   ├── [ 169]  file-exists.d.ts
│           │   │   │   │   │   ├── [1.4K]  file-exists.js
│           │   │   │   │   │   ├── [1.4K]  file-exists.js.map
│           │   │   │   │   │   ├── [ 314]  find-config.d.ts
│           │   │   │   │   │   ├── [3.4K]  find-config.js
│           │   │   │   │   │   ├── [4.9K]  find-config.js.map
│           │   │   │   │   │   ├── [ 206]  find-pages-dir.d.ts
│           │   │   │   │   │   ├── [1.5K]  find-pages-dir.js
│           │   │   │   │   │   ├── [1.6K]  find-pages-dir.js.map
│           │   │   │   │   │   ├── [ 133]  find-root.d.ts
│           │   │   │   │   │   ├── [4.5K]  find-root.js
│           │   │   │   │   │   ├── [4.2K]  find-root.js.map
│           │   │   │   │   │   ├── [ 174]  format-cli-help-output.d.ts
│           │   │   │   │   │   ├── [2.8K]  format-cli-help-output.js
│           │   │   │   │   │   ├── [4.8K]  format-cli-help-
output.js.map
│           │   │   │   │   │   ├── [ 419]  format-dynamic-import-
path.d.ts
│           │   │   │   │   │   ├── [ 784]  format-dynamic-import-
path.js
│           │   │   │   │   │   ├── [1.1K]  format-dynamic-import-
path.js.map
│           │   │   │   │   │   ├── [ 368]  format-server-error.d.ts
│           │   │   │   │   │   ├── [2.6K]  format-server-error.js
│           │   │   │   │   │   ├── [3.7K]  format-server-error.js.map
│           │   │   │   │   │   ├── [ 256]  framework
│           │   │   │   │   │   │   ├── [ 433]  boundary-components.d.ts
│           │   │   │   │   │   │   ├── [2.3K]  boundary-components.js
│           │   │   │   │   │   │   ├── [2.9K]  boundary-
components.js.map
│           │   │   │   │   │   │   ├── [ 306]  boundary-constants.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  boundary-constants.js
│           │   │   │   │   │   │   └── [ 691]  boundary-
constants.js.map
│           │   │   │   │   │   ├── [ 256]  fs
│           │   │   │   │   │   │   ├── [ 286]  rename.d.ts
│           │   │   │   │   │   │   ├── [3.6K]  rename.js
│           │   │   │   │   │   │   ├── [5.2K]  rename.js.map
│           │   │   │   │   │   │   ├── [  91]  write-atomic.d.ts
│           │   │   │   │   │   │   ├── [ 758]  write-atomic.js
│           │   │   │   │   │   │   └── [1.0K]  write-atomic.js.map
│           │   │   │   │   │   ├── [ 319]  generate-interception-
routes-rewrites.d.ts
│           │   │   │   │   │   ├── [3.2K]  generate-interception-
routes-rewrites.js
│           │   │   │   │   │   ├── [4.3K]  generate-interception-
routes-rewrites.js.map
│           │   │   │   │   │   ├── [  75]  get-files-in-dir.d.ts
```

```
│           │   │   │   │   │   ├── [ 927]  get-files-in-dir.js
│           │   │   │   │   │   ├── [1.2K]  get-files-in-dir.js.map
│           │   │   │   │   │   ├── [  80]  get-network-host.d.ts
│           │   │   │   │   │   ├── [1.4K]  get-network-host.js
│           │   │   │   │   │   ├── [1.9K]  get-network-host.js.map
│           │   │   │   │   │   ├── [ 364]  get-package-version.d.ts
│           │   │   │   │   │   ├── [3.6K]  get-package-version.js
│           │   │   │   │   │   ├── [3.2K]  get-package-version.js.map
│           │   │   │   │   │   ├── [  85]  get-project-dir.d.ts
│           │   │   │   │   │   ├── [1.9K]  get-project-dir.js
│           │   │   │   │   │   ├── [2.3K]  get-project-dir.js.map
│           │   │   │   │   │   ├── [1.2K]  has-necessary-
dependencies.d.ts
│           │   │   │   │   │   ├── [1.6K]  has-necessary-
dependencies.js
│           │   │   │   │   │   ├── [3.6K]  has-necessary-
dependencies.js.map
│           │   │   │   │   │   ├── [ 736]  helpers
│           │   │   │   │   │   │   ├── [  92]  get-cache-directory.d.ts
│           │   │   │   │   │   │   ├── [2.6K]  get-cache-directory.js
│           │   │   │   │   │   │   ├── [3.4K]  get-cache-
directory.js.map
│           │   │   │   │   │   │   ├── [  64]  get-npx-command.d.ts
│           │   │   │   │   │   │   ├── [ 796]  get-npx-command.js
│           │   │   │   │   │   │   ├── [ 946]  get-npx-command.js.map
│           │   │   │   │   │   │   ├── [  55]  get-online.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  get-online.js
│           │   │   │   │   │   │   ├── [1.6K]  get-online.js.map
│           │   │   │   │   │   │   ├── [ 126]  get-pkg-manager.d.ts
│           │   │   │   │   │   │   ├── [1.7K]  get-pkg-manager.js
│           │   │   │   │   │   │   ├── [2.0K]  get-pkg-manager.js.map
│           │   │   │   │   │   │   ├── [ 216]  get-registry.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  get-registry.js
│           │   │   │   │   │   │   ├── [2.5K]  get-registry.js.map
│           │   │   │   │   │   │   ├── [2.5K]  get-reserved-port.d.ts
│           │   │   │   │   │   │   ├── [2.5K]  get-reserved-port.js
│           │   │   │   │   │   │   ├── [3.1K]  get-reserved-port.js.map
│           │   │   │   │   │   │   ├── [ 734]  install.d.ts
│           │   │   │   │   │   │   ├── [2.5K]  install.js
│           │   │   │   │   │   │   └── [3.8K]  install.js.map
│           │   │   │   │   │   ├── [  11]  import-next-warning.d.ts
│           │   │   │   │   │   ├── [1.8K]  import-next-warning.js
│           │   │   │   │   │   ├── [ 534]  import-next-warning.js.map
│           │   │   │   │   │   ├── [ 203]  inline-static-env.d.ts
│           │   │   │   │   │   ├── [4.5K]  inline-static-env.js
│           │   │   │   │   │   ├── [6.9K]  inline-static-env.js.map
│           │   │   │   │   │   ├── [ 170]  install-dependencies.d.ts
│           │   │   │   │   │   ├── [1.3K]  install-dependencies.js
│           │   │   │   │   │   ├── [1.9K]  install-dependencies.js.map
│           │   │   │   │   │   ├── [  55]  interop-default.d.ts
│           │   │   │   │   │   ├── [ 325]  interop-default.js
│           │   │   │   │   │   ├── [ 310]  interop-default.js.map
│           │   │   │   │   │   ├── [  61]  is-api-route.d.ts
│           │   │   │   │   │   ├── [ 373]  is-api-route.js
│           │   │   │   │   │   ├── [ 380]  is-api-route.js.map
│           │   │   │   │   │   ├── [  64]  is-app-page-route.d.ts
```

```
│               │   │   │   │   │   ├── [ 334]  is-app-page-route.js
│               │   │   │   │   │   ├── [ 333]  is-app-page-route.js.map
│               │   │   │   │   │   ├── [  65]  is-app-route-route.d.ts
│               │   │   │   │   │   ├── [ 339]  is-app-route-route.js
│               │   │   │   │   │   ├── [ 339]  is-app-route-route.js.map
│               │   │   │   │   │   ├── [ 126]  is-edge-runtime.d.ts
│               │   │   │   │   │   ├── [ 445]  is-edge-runtime.js
│               │   │   │   │   │   ├── [ 580]  is-edge-runtime.js.map
│               │   │   │   │   │   ├── [ 440]  is-error.d.ts
│               │   │   │   │   │   ├── [2.3K]  is-error.js
│               │   │   │   │   │   ├── [2.8K]  is-error.js.map
│               │   │   │   │   │   ├── [ 144]  is-internal-component.d.ts
│               │   │   │   │   │   ├── [ 881]  is-internal-component.js
│               │   │   │   │   │   ├── [ 747]  is-internal-component.js.map
│               │   │   │   │   │   ├── [ 228]  is-serializable-props.d.ts
│               │   │   │   │   │   ├── [4.6K]  is-serializable-props.js
│               │   │   │   │   │   ├── [6.4K]  is-serializable-props.js.map
│               │   │   │   │   │   ├── [  18]  known-edge-safe-
packages.json
│               │   │   │   │   │   ├── [1.5K]  load-custom-routes.d.ts
│               │   │   │   │   │   ├── [ 22K]  load-custom-routes.js
│               │   │   │   │   │   ├── [ 38K]  load-custom-routes.js.map
│               │   │   │   │   │   ├── [ 448]  memory
│               │   │   │   │   │   │   ├── [ 486]  gc-observer.d.ts
│               │   │   │   │   │   │   ├── [1.3K]  gc-observer.js
│               │   │   │   │   │   │   ├── [1.8K]  gc-observer.js.map
│               │   │   │   │   │   │   ├── [  60]  shutdown.d.ts
│               │   │   │   │   │   │   ├── [1.3K]  shutdown.js
│               │   │   │   │   │   │   ├── [2.1K]  shutdown.js.map
│               │   │   │   │   │   │   ├── [  59]  startup.d.ts
│               │   │   │   │   │   │   ├── [2.4K]  startup.js
│               │   │   │   │   │   │   ├── [2.8K]  startup.js.map
│               │   │   │   │   │   │   ├── [ 808]  trace.d.ts
│               │   │   │   │   │   │   ├── [4.3K]  trace.js
│               │   │   │   │   │   │   └── [6.7K]  trace.js.map
│               │   │   │   │   │   ├── [ 928]  metadata
│               │   │   │   │   │   │   ├── [ 188]  clone-metadata.d.ts
│               │   │   │   │   │   │   ├── [ 818]  clone-metadata.js
│               │   │   │   │   │   │   ├── [1.4K]  clone-metadata.js.map
│               │   │   │   │   │   │   ├── [ 245]  constants.d.ts
│               │   │   │   │   │   │   ├── [ 868]  constants.js
│               │   │   │   │   │   │   ├── [1018]  constants.js.map
│               │   │   │   │   │   │   ├── [ 220]  default-metadata.d.ts
│               │   │   │   │   │   │   ├── [1.9K]  default-metadata.js
│               │   │   │   │   │   │   ├── [2.6K]  default-metadata.js.map
│               │   │   │   │   │   │   ├── [ 736]  generate
│               │   │   │   │   │   │   │   ├── [ 311]  alternate.d.ts
│               │   │   │   │   │   │   │   ├── [1.9K]  alternate.js
│               │   │   │   │   │   │   │   ├── [2.9K]  alternate.js.map
│               │   │   │   │   │   │   │   ├── [1.6K]  basic.d.ts
│               │   │   │   │   │   │   │   ├── [ 10K]  basic.js
│               │   │   │   │   │   │   │   ├── [ 14K]  basic.js.map
│               │   │   │   │   │   │   │   ├── [  85]  icon-mark.d.ts
│               │   │   │   │   │   │   │   ├── [ 498]  icon-mark.js
│               │   │   │   │   │   │   │   ├── [ 969]  icon-mark.js.map
│               │   │   │   │   │   │   │   ├── [ 269]  icons.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [2.0K]  icons.js
│           │   │   │   │   │   │   │   ├── [3.1K]  icons.js.map
│           │   │   │   │   │   │   │   ├── [ 891]  meta.d.ts
│           │   │   │   │   │   │   │   ├── [3.5K]  meta.js
│           │   │   │   │   │   │   │   ├── [5.5K]  meta.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  opengraph.d.ts
│           │   │   │   │   │   │   │   ├── [ 17K]  opengraph.js
│           │   │   │   │   │   │   │   ├── [ 19K]  opengraph.js.map
│           │   │   │   │   │   │   │   ├── [ 313]  utils.d.ts
│           │   │   │   │   │   │   │   ├── [1.1K]  utils.js
│           │   │   │   │   │   │   │   └── [1.4K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 693]  get-metadata-route.d.ts
│           │   │   │   │   │   │   ├── [4.6K]  get-metadata-route.js
│           │   │   │   │   │   │   ├── [7.1K]  get-metadata-
route.js.map
│           │   │   │   │   │   │   ├── [2.0K]  is-metadata-route.d.ts
│           │   │   │   │   │   │   ├── [5.8K]  is-metadata-route.js
│           │   │   │   │   │   │   ├── [9.7K]  is-metadata-route.js.map
│           │   │   │   │   │   │   ├── [ 242]  metadata-context.d.ts
│           │   │   │   │   │   │   ├── [ 433]  metadata-context.js
│           │   │   │   │   │   │   ├── [ 671]  metadata-context.js.map
│           │   │   │   │   │   │   ├── [1.4K]  metadata.d.ts
│           │   │   │   │   │   │   ├── [ 12K]  metadata.js
│           │   │   │   │   │   │   ├── [ 18K]  metadata.js.map
│           │   │   │   │   │   │   ├── [1.8K]  resolve-metadata.d.ts
│           │   │   │   │   │   │   ├── [ 32K]  resolve-metadata.js
│           │   │   │   │   │   │   ├── [ 52K]  resolve-metadata.js.map
│           │   │   │   │   │   │   ├── [ 544]  resolvers
│           │   │   │   │   │   │   │   ├── [1.1K]  resolve-basics.d.ts
│           │   │   │   │   │   │   │   ├── [8.0K]  resolve-basics.js
│           │   │   │   │   │   │   │   ├── [ 14K]  resolve-
basics.js.map
│           │   │   │   │   │   │   │   ├── [ 250]  resolve-icons.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  resolve-icons.js
│           │   │   │   │   │   │   │   ├── [2.0K]  resolve-icons.js.map
│           │   │   │   │   │   │   │   ├── [1.0K]  resolve-
opengraph.d.ts
│           │   │   │   │   │   │   │   ├── [7.8K]  resolve-opengraph.js
│           │   │   │   │   │   │   │   ├── [ 13K]  resolve-
opengraph.js.map
│           │   │   │   │   │   │   │   ├── [ 264]  resolve-title.d.ts
│           │   │   │   │   │   │   │   ├── [1.1K]  resolve-title.js
│           │   │   │   │   │   │   │   ├── [1.9K]  resolve-title.js.map
│           │   │   │   │   │   │   │   ├── [1.2K]  resolve-url.d.ts
│           │   │   │   │   │   │   │   ├── [5.1K]  resolve-url.js
│           │   │   │   │   │   │   │   └── [8.3K]  resolve-url.js.map
│           │   │   │   │   │   │   └── [ 928]  types
│           │   │   │   │   │   │       ├── [4.6K]  alternative-urls-
types.d.ts
│           │   │   │   │   │   │       ├── [ 192]  alternative-urls-
types.js
│           │   │   │   │   │   │       ├── [6.4K]  alternative-urls-
types.js.map
│           │   │   │   │   │   │       ├── [3.3K]  extra-types.d.ts
│           │   │   │   │   │   │       ├── [ 312]  extra-types.js
│           │   │   │   │   │   │       ├── [4.6K]  extra-types.js.map
```

```
│           │   │   │   │   │   │       ├── [ 200]  icons.d.ts
│           │   │   │   │   │   │       ├── [ 115]  icons.js
│           │   │   │   │   │   │       ├── [  67]  icons.js.map
│           │   │   │   │   │   │       ├── [2.6K]  manifest-types.d.ts
│           │   │   │   │   │   │       ├── [ 124]  manifest-types.js
│           │   │   │   │   │   │       ├── [  67]  manifest-
types.js.map
│           │   │   │   │   │   │       ├── [ 20K]  metadata-
interface.d.ts
│           │   │   │   │   │   │       ├── [ 708]  metadata-
interface.js
│           │   │   │   │   │   │       ├── [ 22K]  metadata-
interface.js.map
│           │   │   │   │   │   │       ├── [4.8K]  metadata-types.d.ts
│           │   │   │   │   │   │       ├── [ 156]  metadata-types.js
│           │   │   │   │   │   │       ├── [5.3K]  metadata-
types.js.map
│           │   │   │   │   │   │       ├── [8.8K]  opengraph-types.d.ts
│           │   │   │   │   │   │       ├── [ 125]  opengraph-types.js
│           │   │   │   │   │   │       ├── [  67]  opengraph-
types.js.map
│           │   │   │   │   │   │       ├── [ 801]  resolvers.d.ts
│           │   │   │   │   │   │       ├── [ 119]  resolvers.js
│           │   │   │   │   │   │       ├── [  67]  resolvers.js.map
│           │   │   │   │   │   │       ├── [2.6K]  twitter-types.d.ts
│           │   │   │   │   │   │       ├── [ 218]  twitter-types.js
│           │   │   │   │   │   │       └── [3.1K]  twitter-types.js.map
│           │   │   │   │   │   ├── [ 230]  mime-type.d.ts
│           │   │   │   │   │   ├── [ 444]  mime-type.js
│           │   │   │   │   │   ├── [ 458]  mime-type.js.map
│           │   │   │   │   │   ├── [ 229]  mkcert.d.ts
│           │   │   │   │   │   ├── [8.1K]  mkcert.js
│           │   │   │   │   │   ├── [9.5K]  mkcert.js.map
│           │   │   │   │   │   ├── [1.4K]  multi-file-writer.d.ts
│           │   │   │   │   │   ├── [2.5K]  multi-file-writer.js
│           │   │   │   │   │   ├── [4.1K]  multi-file-writer.js.map
│           │   │   │   │   │   ├── [ 136]  needs-experimental-
react.d.ts
│           │   │   │   │   │   ├── [ 484]  needs-experimental-react.js
│           │   │   │   │   │   ├── [ 697]  needs-experimental-
react.js.map
│           │   │   │   │   │   ├── [  75]  non-nullable.d.ts
│           │   │   │   │   │   ├── [ 334]  non-nullable.js
│           │   │   │   │   │   ├── [ 352]  non-nullable.js.map
│           │   │   │   │   │   ├── [  61]  normalize-path.d.ts
│           │   │   │   │   │   ├── [ 549]  normalize-path.js
│           │   │   │   │   │   ├── [ 437]  normalize-path.js.map
│           │   │   │   │   │   ├── [  69]  oxford-comma-list.d.ts
│           │   │   │   │   │   ├── [ 451]  oxford-comma-list.js
│           │   │   │   │   │   ├── [ 718]  oxford-comma-list.js.map
│           │   │   │   │   │   ├── [  97]  page-types.d.ts
│           │   │   │   │   │   ├── [ 431]  page-types.js
│           │   │   │   │   │   ├── [ 273]  page-types.js.map
│           │   │   │   │   │   ├── [ 324]  patch-incorrect-
lockfile.d.ts
│           │   │   │   │   │   ├── [6.9K]  patch-incorrect-lockfile.js
```

```
│           │   │   │   │   │   ├── [9.0K]  patch-incorrect-
lockfile.js.map
│           │   │   │   │   │   ├── [  83]  pick.d.ts
│           │   │   │   │   │   ├── [ 368]  pick.js
│           │   │   │   │   │   ├── [ 513]  pick.js.map
│           │   │   │   │   │   ├── [1.4K]  picocolors.d.ts
│           │   │   │   │   │   ├── [5.2K]  picocolors.js
│           │   │   │   │   │   ├── [6.1K]  picocolors.js.map
│           │   │   │   │   │   ├── [  76]  pretty-bytes.d.ts
│           │   │   │   │   │   ├── [3.0K]  pretty-bytes.js
│           │   │   │   │   │   ├── [4.0K]  pretty-bytes.js.map
│           │   │   │   │   │   ├── [  87]  realpath.d.ts
│           │   │   │   │   │   ├── [ 572]  realpath.js
│           │   │   │   │   │   ├── [ 795]  realpath.js.map
│           │   │   │   │   │   ├── [ 218]  recursive-copy.d.ts
│           │   │   │   │   │   ├── [2.8K]  recursive-copy.js
│           │   │   │   │   │   ├── [4.4K]  recursive-copy.js.map
│           │   │   │   │   │   ├── [ 321]  recursive-delete.d.ts
│           │   │   │   │   │   ├── [2.6K]  recursive-delete.js
│           │   │   │   │   │   ├── [4.1K]  recursive-delete.js.map
│           │   │   │   │   │   ├── [1.0K]  recursive-readdir.d.ts
│           │   │   │   │   │   ├── [5.3K]  recursive-readdir.js
│           │   │   │   │   │   ├── [8.3K]  recursive-readdir.js.map
│           │   │   │   │   │   ├── [ 260]  redirect-status.d.ts
│           │   │   │   │   │   ├── [1.3K]  redirect-status.js
│           │   │   │   │   │   ├── [1.8K]  redirect-status.js.map
│           │   │   │   │   │   ├── [   0]  require-instrumentation-
client.d.ts
│           │   │   │   │   │   ├── [1.3K]  require-instrumentation-
client.js
│           │   │   │   │   │   ├── [1.9K]  require-instrumentation-
client.js.map
│           │   │   │   │   │   ├── [ 102]  resolve-from.d.ts
│           │   │   │   │   │   ├── [2.1K]  resolve-from.js
│           │   │   │   │   │   ├── [2.6K]  resolve-from.js.map
│           │   │   │   │   │   ├── [1.1K]  route-pattern-
normalizer.d.ts
│           │   │   │   │   │   ├── [4.4K]  route-pattern-normalizer.js
│           │   │   │   │   │   ├── [6.5K]  route-pattern-
normalizer.js.map
│           │   │   │   │   │   ├── [1.5K]  scheduler.d.ts
│           │   │   │   │   │   ├── [1.8K]  scheduler.js
│           │   │   │   │   │   ├── [3.4K]  scheduler.js.map
│           │   │   │   │   │   ├── [  46]  semver-noop.d.ts
│           │   │   │   │   │   ├── [ 471]  semver-noop.js
│           │   │   │   │   │   ├── [ 452]  semver-noop.js.map
│           │   │   │   │   │   ├── [1.3K]  server-external-
packages.json
│           │   │   │   │   │   ├── [   0]  setup-exception-
listeners.d.ts
│           │   │   │   │   │   ├── [ 292]  setup-exception-listeners.js
│           │   │   │   │   │   ├── [ 591]  setup-exception-
listeners.js.map
│           │   │   │   │   │   ├── [ 605]  static-env.d.ts
│           │   │   │   │   │   ├── [2.6K]  static-env.js
│           │   │   │   │   │   ├── [3.8K]  static-env.js.map
```

```
│           │   │   │   │   │   ├── [ 696]  try-to-parse-path.d.ts
│           │   │   │   │   │   ├── [2.5K]  try-to-parse-path.js
│           │   │   │   │   │   ├── [4.4K]  try-to-parse-path.js.map
│           │   │   │   │   │   ├── [ 189]  turbopack-warning.d.ts
│           │   │   │   │   │   ├── [8.6K]  turbopack-warning.js
│           │   │   │   │   │   ├── [ 11K]  turbopack-warning.js.map
│           │   │   │   │   │   ├── [ 736]  typescript
│           │   │   │   │   │   │   ├── [ 195]  diagnosticFormatter.d.ts
│           │   │   │   │   │   │   ├── [ 15K]  diagnosticFormatter.js
│           │   │   │   │   │   │   ├── [ 22K]
diagnosticFormatter.js.map
│           │   │   │   │   │   │   ├── [ 176]
getTypeScriptConfiguration.d.ts
│           │   │   │   │   │   │   ├── [3.0K]
getTypeScriptConfiguration.js
│           │   │   │   │   │   │   ├── [4.0K]
getTypeScriptConfiguration.js.map
│           │   │   │   │   │   │   ├── [ 206]  getTypeScriptIntent.d.ts
│           │   │   │   │   │   │   ├── [1.9K]  getTypeScriptIntent.js
│           │   │   │   │   │   │   ├── [2.7K]
getTypeScriptIntent.js.map
│           │   │   │   │   │   │   ├── [ 172]
missingDependencyError.d.ts
│           │   │   │   │   │   │   ├── [1.6K]
missingDependencyError.js
│           │   │   │   │   │   │   ├── [2.5K]
missingDependencyError.js.map
│           │   │   │   │   │   │   ├── [ 371]  runTypeCheck.d.ts
│           │   │   │   │   │   │   ├── [4.1K]  runTypeCheck.js
│           │   │   │   │   │   │   ├── [7.0K]  runTypeCheck.js.map
│           │   │   │   │   │   │   ├── [ 264]
writeAppTypeDeclarations.d.ts
│           │   │   │   │   │   │   ├── [2.5K]
writeAppTypeDeclarations.js
│           │   │   │   │   │   │   ├── [3.6K]
writeAppTypeDeclarations.js.map
│           │   │   │   │   │   │   ├── [ 338]
writeConfigurationDefaults.d.ts
│           │   │   │   │   │   │   ├── [ 15K]
writeConfigurationDefaults.js
│           │   │   │   │   │   │   └── [ 22K]
writeConfigurationDefaults.js.map
│           │   │   │   │   │   ├── [ 333]  url.d.ts
│           │   │   │   │   │   ├── [1.9K]  url.js
│           │   │   │   │   │   ├── [2.9K]  url.js.map
│           │   │   │   │   │   ├── [  93]  verify-partytown-setup.d.ts
│           │   │   │   │   │   ├── [4.8K]  verify-partytown-setup.js
│           │   │   │   │   │   ├── [5.0K]  verify-partytown-
setup.js.map
│           │   │   │   │   │   ├── [ 335]  verify-root-layout.d.ts
│           │   │   │   │   │   ├── [5.5K]  verify-root-layout.js
│           │   │   │   │   │   ├── [6.5K]  verify-root-layout.js.map
│           │   │   │   │   │   ├── [ 540]  verify-typescript-setup.d.ts
│           │   │   │   │   │   ├── [7.3K]  verify-typescript-setup.js
│           │   │   │   │   │   ├── [8.7K]  verify-typescript-
setup.js.map
```

```
│           │   │   │   │   │   ├── [ 247]  verifyAndLint.d.ts
│           │   │   │   │   │   ├── [3.1K]  verifyAndLint.js
│           │   │   │   │   │   ├── [4.6K]  verifyAndLint.js.map
│           │   │   │   │   │   ├── [ 180]  wait.d.ts
│           │   │   │   │   │   ├── [ 438]  wait.js
│           │   │   │   │   │   ├── [ 494]  wait.js.map
│           │   │   │   │   │   ├── [ 377]  with-promise-cache.d.ts
│           │   │   │   │   │   ├── [ 594]  with-promise-cache.js
│           │   │   │   │   │   ├── [1.4K]  with-promise-cache.js.map
│           │   │   │   │   │   ├── [1.2K]  worker.d.ts
│           │   │   │   │   │   ├── [8.2K]  worker.js
│           │   │   │   │   │   └── [ 13K]  worker.js.map
│           │   │   │   │   ├── [ 352]  next-devtools
│           │   │   │   │   │   ├── [ 448]  dev-overlay
│           │   │   │   │   │   │   ├── [ 672]  components
│           │   │   │   │   │   │   │   ├── [  96]  call-stack
│           │   │   │   │   │   │   │   │   └── [ 413]  call-stack.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  call-stack-frame
│           │   │   │   │   │   │   │   │   └── [1.8K]  call-stack-
frame.d.ts
│           │   │   │   │   │   │   │   ├── [ 128]  code-frame
│           │   │   │   │   │   │   │   │   ├── [2.8K]  code-frame.d.ts
│           │   │   │   │   │   │   │   │   └── [ 459]  parse-code-
frame.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  copy-button
│           │   │   │   │   │   │   │   │   └── [ 980]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 160]  devtools-indicator
│           │   │   │   │   │   │   │   │   ├── [ 586]  devtools-
indicator.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 160]  hooks
│           │   │   │   │   │   │   │   │   │   ├── [  94]  use-measure-
width.d.ts
│           │   │   │   │   │   │   │   │   │   ├── [ 601]  use-minimum-
loading-time-multiple.d.ts
│           │   │   │   │   │   │   │   │   │   └── [ 103]  use-update-
animation.d.ts
│           │   │   │   │   │   │   │   │   └── [ 181]  next-logo.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  devtools-panel
│           │   │   │   │   │   │   │   │   └── [ 128]  resize
│           │   │   │   │   │   │   │   │       ├── [ 309]  resize-
handle.d.ts
│           │   │   │   │   │   │   │   │       └── [1.2K]  resize-
provider.d.ts
│           │   │   │   │   │   │   │   ├── [ 256]  dialog
│           │   │   │   │   │   │   │   │   ├── [ 231]  dialog-body.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 243]  dialog-
content.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 179]  dialog-
header.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 304]  dialog.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 129]  index.d.ts
│           │   │   │   │   │   │   │   │   └── [  37]  styles.d.ts
│           │   │   │   │   │   │   │   ├── [ 512]  errors
│           │   │   │   │   │   │   │   │   ├── [ 192]  dev-tools-
indicator
```

```
│           │   │   │   │   │   │   │   │   │   ├── [ 224]  dev-tools-
info
│           │   │   │   │   │   │   │   │   │   │   ├── [ 304]  dev-
tools-header.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [ 911]  route-
info.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [ 239]
shortcut-recorder.d.ts
│           │   │   │   │   │   │   │   │   │   │   ├── [1.7K]
turbopack-info.d.ts
│           │   │   │   │   │   │   │   │   │   │   └── [ 658]  user-
preferences.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 633]  drag-
context.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 621]
draggable.d.ts
│           │   │   │   │   │   │   │   │   └── [ 650]  utils.d.ts
│           │   │   │   │   │   │   │   ├── [ 160]  dialog
│           │   │   │   │   │   │   │   │   ├── [ 288]  body.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 859]  dialog.d.ts
│           │   │   │   │   │   │   │   │   └── [1.1K]  header.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  environment-
name-label
│           │   │   │   │   │   │   │   │   └── [ 540]  environment-
name-label.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-message
│           │   │   │   │   │   │   │   │   └── [1.7K]  error-
message.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay
│           │   │   │   │   │   │   │   │   └── [ 789]  error-
overlay.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay-
bottom-stack
│           │   │   │   │   │   │   │   │   └── [2.2K]  index.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay-
call-stack
│           │   │   │   │   │   │   │   │   └── [ 354]  error-
overlay-call-stack.d.ts
│           │   │   │   │   │   │   │   ├── [ 128]  error-overlay-
footer
│           │   │   │   │   │   │   │   ├── [  96]  error-
feedback
│           │   │   │   │   │   │   │   │   └── [1.4K]  error-
feedback.d.ts
│           │   │   │   │   │   │   │   └── [1.7K]  error-
overlay-footer.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay-
layout
│           │   │   │   │   │   │   │   │   └── [1.3K]  error-
overlay-layout.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay-
nav
│           │   │   │   │   │   │   │   │   └── [2.8K]  error-
overlay-nav.d.ts
│           │   │   │   │   │   │   │   ├── [  96]  error-overlay-
pagination
```

```
|           |   |   |   |   |   |   |   |   |   └── [1.5K]  error-
overlay-pagination.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 256]  error-overlay-
toolbar
|           |   |   |   |   |   |   |   |   ├── [ 173]  copy-error-
button.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 130]  docs-link-
button.d.ts
|           |   |   |   |   |   |   |   |   ├── [1.4K]  error-
overlay-toolbar.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 188]  issue-
feedback-button.d.ts
|           |   |   |   |   |   |   |   |   ├── [ 164]  nodejs-
inspector-button.d.ts
|           |   |   |   |   |   |   |   |   └── [ 196]  use-restart-
server.d.ts
|           |   |   |   |   |   |   |   ├── [  96]  error-type-label
|           |   |   |   |   |   |   |   |   └── [ 662]  error-type-
label.d.ts
|           |   |   |   |   |   |   |   └── [  96]  overlay
|           |   |   |   |   |   |   |       └── [ 228]  overlay.d.ts
|           |   |   |   |   |   |   ├── [  96]  fader
|           |   |   |   |   |   |   |   └── [ 894]  index.d.ts
|           |   |   |   |   |   |   ├── [  96]  hot-linked-text
|           |   |   |   |   |   |   |   └── [ 137]  index.d.ts
|           |   |   |   |   |   |   ├── [  96]  hydration-diff
|           |   |   |   |   |   |   |   └── [ 954]  diff-view.d.ts
|           |   |   |   |   |   |   ├── [ 224]  overlay
|           |   |   |   |   |   |   |   ├── [  78]  body-locker.d.ts
|           |   |   |   |   |   |   |   ├── [  91]  index.d.ts
|           |   |   |   |   |   |   |   ├── [ 229]  overlay-
backdrop.d.ts
|           |   |   |   |   |   |   |   ├── [ 228]  overlay.d.ts
|           |   |   |   |   |   |   |   └── [  49]  styles.d.ts
|           |   |   |   |   |   |   ├── [ 160]  overview
|           |   |   |   |   |   |   |   ├── [ 363]  segment-
boundary-trigger.d.ts
|           |   |   |   |   |   |   |   ├── [ 261]  segment-
explorer.d.ts
|           |   |   |   |   |   |   |   └── [ 197]  segment-
suggestion.d.ts
|           |   |   |   |   |   |   ├── [  96]  resizer
|           |   |   |   |   |   |   |   └── [ 236]  index.d.ts
|           |   |   |   |   |   |   ├── [ 117]  shadow-portal.d.ts
|           |   |   |   |   |   |   ├── [ 160]  terminal
|           |   |   |   |   |   |   |   ├── [ 663]  editor-link.d.ts
|           |   |   |   |   |   |   |   ├── [  39]  index.d.ts
|           |   |   |   |   |   |   |   └── [ 817]  terminal.d.ts
|           |   |   |   |   |   |   ├── [ 128]  toast
|           |   |   |   |   |   |   |   ├── [  55]  index.d.ts
|           |   |   |   |   |   |   |   └── [ 306]  toast.d.ts
|           |   |   |   |   |   |   ├── [  96]  tooltip
|           |   |   |   |   |   |   |   └── [ 418]  tooltip.d.ts
|           |   |   |   |   |   |   └── [  96]  version-staleness-
info
```

```
│           │   │   │   │   │   │       └── [1.9K]  version-
staleness-info.d.ts
│           │   │   │   │   │   ├── [ 160]  container
│           │   │   │   │   │   │   ├── [ 294]  build-error.d.ts
│           │   │   │   │   │   │   ├── [2.6K]  errors.d.ts
│           │   │   │   │   │   │   └── [ 160]  runtime-error
│           │   │   │   │   │   │       ├── [2.9K]  component-stack-
pseudo-html.d.ts
│           │   │   │   │   │   │       ├── [3.1K]  index.d.ts
│           │   │   │   │   │   │       └── [ 641]  render-
error.d.ts
│           │   │   │   │   │   ├── [ 411]  dev-overlay.d.ts
│           │   │   │   │   │   ├── [  96]  font
│           │   │   │   │   │   │   └── [  45]  font-styles.d.ts
│           │   │   │   │   │   ├── [ 192]  hooks
│           │   │   │   │   │   │   ├── [1.1K]  use-active-runtime-
error.d.ts
│           │   │   │   │   │   │   ├── [ 965]  use-delayed-
render.d.ts
│           │   │   │   │   │   │   ├── [ 160]  use-on-click-
outside.d.ts
│           │   │   │   │   │   │   └── [ 129]  use-shortcuts.d.ts
│           │   │   │   │   │   ├── [ 544]  icons
│           │   │   │   │   │   │   ├── [  86]  chevron-up-down.d.ts
│           │   │   │   │   │   │   ├── [ 125]  collapse-icon.d.ts
│           │   │   │   │   │   │   ├── [ 110]  cross.d.ts
│           │   │   │   │   │   │   ├── [  77]  dark-icon.d.ts
│           │   │   │   │   │   │   ├── [ 116]  eclipse.d.ts
│           │   │   │   │   │   │   ├── [ 244]  external.d.ts
│           │   │   │   │   │   │   ├── [  76]  eye-icon.d.ts
│           │   │   │   │   │   │   ├── [ 109]  file.d.ts
│           │   │   │   │   │   │   ├── [  77]  gear-icon.d.ts
│           │   │   │   │   │   │   ├── [ 148]  left-arrow.d.ts
│           │   │   │   │   │   │   ├── [  78]  light-icon.d.ts
│           │   │   │   │   │   │   ├── [ 149]  right-arrow.d.ts
│           │   │   │   │   │   │   ├── [  79]  system-icon.d.ts
│           │   │   │   │   │   │   ├── [ 128]  thumbs
│           │   │   │   │   │   │   │   ├── [ 152]  thumbs-down.d.ts
│           │   │   │   │   │   │   │   └── [ 150]  thumbs-up.d.ts
│           │   │   │   │   │   │   └── [ 112]  warning.d.ts
│           │   │   │   │   │   ├── [ 160]  menu
│           │   │   │   │   │   │   ├── [ 778]  context.d.ts
│           │   │   │   │   │   │   ├── [ 595]  dev-overlay-
menu.d.ts
│           │   │   │   │   │   │   └── [ 256]  panel-router.d.ts
│           │   │   │   │   │   ├── [  96]  panel
│           │   │   │   │   │   │   └── [ 930]  dynamic-panel.d.ts
│           │   │   │   │   │   ├── [ 884]  segment-explorer-
trie.d.ts
│           │   │   │   │   │   ├── [7.6K]  shared.d.ts
│           │   │   │   │   │   ├── [ 128]  styles
│           │   │   │   │   │   │   ├── [  84]  component-
styles.d.ts
│           │   │   │   │   │   │   └── [  46]  scale-updater.d.ts
│           │   │   │   │   │   └── [ 320]  utils
│           │   │   │   │   │       ├── [  96]  css.d.ts
```

```
│           │   │   │   │   │   │       ├── [ 292]  cx.d.ts
│           │   │   │   │   │   │       ├── [ 642]  get-error-by-
type.d.ts
│           │   │   │   │   │   │       ├── [ 162]  indicator-
metrics.d.ts
│           │   │   │   │   │   │       ├── [3.3K]  lorem.d.ts
│           │   │   │   │   │   │       ├── [ 107]  parse-url-from-
text.d.ts
│           │   │   │   │   │   │       ├── [ 122]  save-devtools-
config.d.ts
│           │   │   │   │   │   │       └── [ 168]  use-open-in-
editor.d.ts
│           │   │   │   │   │   ├── [2.4K]  dev-overlay.browser.d.ts
│           │   │   │   │   │   ├── [ 145]  dev-overlay.shim.d.ts
│           │   │   │   │   │   ├── [1.8K]  dev-overlay.shim.js
│           │   │   │   │   │   ├── [1.3K]  dev-overlay.shim.js.map
│           │   │   │   │   │   ├── [ 125]  entrypoint.d.ts
│           │   │   │   │   │   ├── [ 768]  server
│           │   │   │   │   │   │   ├── [ 201]  dev-indicator-
middleware.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  dev-indicator-
middleware.js
│           │   │   │   │   │   │   ├── [2.5K]  dev-indicator-
middleware.js.map
│           │   │   │   │   │   │   ├── [ 449]  devtools-config-
middleware.d.ts
│           │   │   │   │   │   │   ├── [3.3K]  devtools-config-
middleware.js
│           │   │   │   │   │   │   ├── [4.7K]  devtools-config-
middleware.js.map
│           │   │   │   │   │   │   ├── [ 288]  font
│           │   │   │   │   │   │   │   ├── [ 15K]  geist-latin-
ext.woff2
│           │   │   │   │   │   │   │   ├── [ 28K]  geist-latin.woff2
│           │   │   │   │   │   │   │   ├── [ 13K]  geist-mono-latin-
ext.woff2
│           │   │   │   │   │   │   │   ├── [ 31K]  geist-mono-
latin.woff2
│           │   │   │   │   │   │   │   ├── [ 196]  get-dev-overlay-
font-middleware.d.ts
│           │   │   │   │   │   │   │   ├── [2.8K]  get-dev-overlay-
font-middleware.js
│           │   │   │   │   │   │   │   └── [3.5K]  get-dev-overlay-
font-middleware.js.map
│           │   │   │   │   │   │   ├── [ 277]  get-next-error-feedback-
middleware.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  get-next-error-feedback-
middleware.js
│           │   │   │   │   │   │   ├── [2.2K]  get-next-error-feedback-
middleware.js.map
│           │   │   │   │   │   │   ├── [ 553]  launch-editor.d.ts
│           │   │   │   │   │   │   ├── [ 25K]  launch-editor.js
│           │   │   │   │   │   │   ├── [ 31K]  launch-editor.js.map
│           │   │   │   │   │   │   ├── [ 439]  middleware-response.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  middleware-response.js
```

```
│           │   │   │   │   │   │   ├── [2.1K]  middleware-
response.js.map
│           │   │   │   │   │   │   ├── [ 560]  restart-dev-server-
middleware.d.ts
│           │   │   │   │   │   │   ├── [3.3K]  restart-dev-server-
middleware.js
│           │   │   │   │   │   │   ├── [5.0K]  restart-dev-server-
middleware.js.map
│           │   │   │   │   │   │   ├── [1.0K]  shared.d.ts
│           │   │   │   │   │   │   ├── [2.6K]  shared.js
│           │   │   │   │   │   │   └── [4.0K]  shared.js.map
│           │   │   │   │   │   ├── [1.1K]  shared
│           │   │   │   │   │   │   ├── [ 344]  console-error.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  console-error.js
│           │   │   │   │   │   │   ├── [1.6K]  console-error.js.map
│           │   │   │   │   │   │   ├── [  66]  deepmerge.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  deepmerge.js
│           │   │   │   │   │   │   ├── [1.6K]  deepmerge.js.map
│           │   │   │   │   │   │   ├── [ 175]  devtools-config-
schema.d.ts
│           │   │   │   │   │   │   ├── [1.4K]  devtools-config-
schema.js
│           │   │   │   │   │   │   ├── [1.7K]  devtools-config-
schema.js.map
│           │   │   │   │   │   │   ├── [1.3K]  forward-logs-shared.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  forward-logs-shared.js
│           │   │   │   │   │   │   ├── [3.8K]  forward-logs-
shared.js.map
│           │   │   │   │   │   │   ├── [ 100]  hydration-error.d.ts
│           │   │   │   │   │   │   ├── [ 449]  hydration-error.js
│           │   │   │   │   │   │   ├── [  67]  hydration-error.js.map
│           │   │   │   │   │   │   ├── [ 311]  react-18-hydration-
error.d.ts
│           │   │   │   │   │   │   ├── [2.9K]  react-18-hydration-
error.js
│           │   │   │   │   │   │   ├── [3.4K]  react-18-hydration-
error.js.map
│           │   │   │   │   │   │   ├── [ 503]  react-19-hydration-
error.d.ts
│           │   │   │   │   │   │   ├── [3.9K]  react-19-hydration-
error.js
│           │   │   │   │   │   │   ├── [4.6K]  react-19-hydration-
error.js.map
│           │   │   │   │   │   │   ├── [ 825]  stack-frame.d.ts
│           │   │   │   │   │   │   ├── [5.6K]  stack-frame.js
│           │   │   │   │   │   │   ├── [8.2K]  stack-frame.js.map
│           │   │   │   │   │   │   ├── [  74]  types.d.ts
│           │   │   │   │   │   │   ├── [ 439]  types.js
│           │   │   │   │   │   │   ├── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [ 229]  version-staleness.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  version-staleness.js
│           │   │   │   │   │   │   ├── [2.3K]  version-staleness.js.map
│           │   │   │   │   │   │   ├── [ 418]  webpack-module-path.d.ts
│           │   │   │   │   │   │   ├── [1.4K]  webpack-module-path.js
│           │   │   │   │   │   │   └── [1.4K]  webpack-module-
path.js.map
```

```
|           |   |   |   |   |   └── [ 224]  userspace
|           |   |   |   |   |       ├── [ 672]  app
|           |   |   |   |   |       |   ├── [1006]  app-dev-overlay-
error-boundary.d.ts
|           |   |   |   |   |       |   ├── [2.8K]  app-dev-overlay-
error-boundary.js
|           |   |   |   |   |       |   ├── [3.3K]  app-dev-overlay-
error-boundary.js.map
|           |   |   |   |   |       |   ├── [  11]  app-dev-overlay-
setup.d.ts
|           |   |   |   |   |       |   ├── [ 842]  app-dev-overlay-
setup.js
|           |   |   |   |   |       |   ├── [ 729]  app-dev-overlay-
setup.js.map
|           |   |   |   |   |       |   ├── [ 171]  client-entry.d.ts
|           |   |   |   |   |       |   ├── [1.3K]  client-entry.js
|           |   |   |   |   |       |   ├── [ 982]  client-entry.js.map
|           |   |   |   |   |       |   ├── [ 640]  errors
|           |   |   |   |   |       |   |   ├── [ 174]  index.d.ts
|           |   |   |   |   |       |   |   ├── [1.2K]  index.js
|           |   |   |   |   |       |   |   ├── [ 507]  index.js.map
|           |   |   |   |   |       |   |   ├── [ 178]  intercept-
console-error.d.ts
|           |   |   |   |   |       |   |   ├── [2.9K]  intercept-
console-error.js
|           |   |   |   |   |       |   |   ├── [3.0K]  intercept-
console-error.js.map
|           |   |   |   |   |       |   |   ├── [ 320]  replay-ssr-only-
errors.d.ts
|           |   |   |   |   |       |   |   ├── [2.8K]  replay-ssr-only-
errors.js
|           |   |   |   |   |       |   |   ├── [3.4K]  replay-ssr-only-
errors.js.map
|           |   |   |   |   |       |   |   ├── [ 362]  stitched-
error.d.ts
|           |   |   |   |   |       |   |   ├── [2.1K]  stitched-
error.js
|           |   |   |   |   |       |   |   ├── [1.8K]  stitched-
error.js.map
|           |   |   |   |   |       |   |   ├── [ 394]  use-error-
handler.d.ts
|           |   |   |   |   |       |   |   ├── [5.2K]  use-error-
handler.js
|           |   |   |   |   |       |   |   ├── [7.0K]  use-error-
handler.js.map
|           |   |   |   |   |       |   |   ├── [ 188]  use-forward-
console-log.d.ts
|           |   |   |   |   |       |   |   ├── [1.2K]  use-forward-
console-log.js
|           |   |   |   |   |       |   |   └── [1.3K]  use-forward-
console-log.js.map
|           |   |   |   |   |       |   ├── [1.4K]  forward-logs.d.ts
|           |   |   |   |   |       |   ├── [ 13K]  forward-logs.js
|           |   |   |   |   |       |   ├── [ 20K]  forward-logs.js.map
|           |   |   |   |   |       |   ├── [1.1K]  segment-explorer-
node.d.ts
```

```
|           |   |   |   |   |       |   ├── [5.0K]  segment-explorer-
node.js
|           |   |   |   |   |       |   ├── [6.5K]  segment-explorer-
node.js.map
|           |   |   |   |   |       |   ├── [ 222]  terminal-logging-
config.d.ts
|           |   |   |   |   |       |   ├── [1.2K]  terminal-logging-
config.js
|           |   |   |   |   |       |   └── [ 988]  terminal-logging-
config.js.map
|           |   |   |   |   |       ├── [ 352]  pages
|           |   |   |   |   |       |   ├── [ 331]  hydration-error-
state.d.ts
|           |   |   |   |   |       |   ├── [7.3K]  hydration-error-
state.js
|           |   |   |   |   |       |   ├── [ 10K]  hydration-error-
state.js.map
|           |   |   |   |   |       |   ├── [ 493]  pages-dev-overlay-
error-boundary.d.ts
|           |   |   |   |   |       |   ├── [1.3K]  pages-dev-overlay-
error-boundary.js
|           |   |   |   |   |       |   ├── [1.3K]  pages-dev-overlay-
error-boundary.js.map
|           |   |   |   |   |       |   ├── [ 354]  pages-dev-overlay-
setup.d.ts
|           |   |   |   |   |       |   ├── [5.0K]  pages-dev-overlay-
setup.js
|           |   |   |   |   |       |   └── [6.9K]  pages-dev-overlay-
setup.js.map
|           |   |   |   |   |       ├── [  97]  use-app-dev-rendering-
indicator.d.ts
|           |   |   |   |   |       ├── [1.1K]  use-app-dev-rendering-
indicator.js
|           |   |   |   |   |       └── [1004]  use-app-dev-rendering-
indicator.js.map
|           |   |   |   |   ├── [ 352]  pages
|           |   |   |   |   |   ├── [ 981]  _app.d.ts
|           |   |   |   |   |   ├── [1.5K]  _app.js
|           |   |   |   |   |   ├── [1.8K]  _app.js.map
|           |   |   |   |   |   ├── [2.9K]  _document.d.ts
|           |   |   |   |   |   ├── [ 41K]  _document.js
|           |   |   |   |   |   ├── [ 60K]  _document.js.map
|           |   |   |   |   |   ├── [ 660]  _error.d.ts
|           |   |   |   |   |   ├── [6.0K]  _error.js
|           |   |   |   |   |   └── [6.7K]  _error.js.map
|           |   |   |   |   ├── [5.4K]  server
|           |   |   |   |   |   ├── [  38]  ReactDOMServerPages.d.ts
|           |   |   |   |   |   ├── [ 598]  ReactDOMServerPages.js
|           |   |   |   |   |   ├── [ 957]  ReactDOMServerPages.js.map
|           |   |   |   |   |   ├── [  98]  accept-header.d.ts
|           |   |   |   |   |   ├── [4.0K]  accept-header.js
|           |   |   |   |   |   ├── [6.3K]  accept-header.js.map
|           |   |   |   |   |   ├── [ 640]  after
|           |   |   |   |   |   |   ├── [ 738]  after-context.d.ts
|           |   |   |   |   |   |   ├── [6.1K]  after-context.js
|           |   |   |   |   |   |   ├── [8.6K]  after-context.js.map
```

```
│           │   │   │   │   │   │   ├── [ 300]  after.d.ts
│           │   │   │   │   │   │   ├── [ 928]  after.js
│           │   │   │   │   │   │   ├── [1.2K]  after.js.map
│           │   │   │   │   │   │   ├── [ 981]  awaiter.d.ts
│           │   │   │   │   │   │   ├── [2.1K]  awaiter.js
│           │   │   │   │   │   │   ├── [3.6K]  awaiter.js.map
│           │   │   │   │   │   │   ├── [ 840]  builtin-request-
context.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  builtin-request-
context.js
│           │   │   │   │   │   │   ├── [2.1K]  builtin-request-
context.js.map
│           │   │   │   │   │   │   ├── [  25]  index.d.ts
│           │   │   │   │   │   │   ├── [ 568]  index.js
│           │   │   │   │   │   │   ├── [ 161]  index.js.map
│           │   │   │   │   │   │   ├── [ 445]  run-with-after.d.ts
│           │   │   │   │   │   │   ├── [1.2K]  run-with-after.js
│           │   │   │   │   │   │   └── [2.0K]  run-with-after.js.map
│           │   │   │   │   │   ├── [ 384]  api-utils
│           │   │   │   │   │   │   ├── [ 273]  get-cookie-parser.d.ts
│           │   │   │   │   │   │   ├── [ 599]  get-cookie-parser.js
│           │   │   │   │   │   │   ├── [1.1K]  get-cookie-parser.js.map
│           │   │   │   │   │   │   ├── [2.3K]  index.d.ts
│           │   │   │   │   │   │   ├── [6.4K]  index.js
│           │   │   │   │   │   │   ├── [ 10K]  index.js.map
│           │   │   │   │   │   │   ├── [ 352]  node
│           │   │   │   │   │   │   │   ├── [ 763]  api-resolver.d.ts
│           │   │   │   │   │   │   │   ├── [ 16K]  api-resolver.js
│           │   │   │   │   │   │   │   ├── [ 26K]  api-resolver.js.map
│           │   │   │   │   │   │   │   ├── [ 274]  parse-body.d.ts
│           │   │   │   │   │   │   │   ├── [2.4K]  parse-body.js
│           │   │   │   │   │   │   │   ├── [3.2K]  parse-body.js.map
│           │   │   │   │   │   │   │   ├── [ 436]  try-get-preview-
data.d.ts
│           │   │   │   │   │   │   │   ├── [3.2K]  try-get-preview-
data.js
│           │   │   │   │   │   │   │   └── [5.6K]  try-get-preview-
data.js.map
│           │   │   │   │   │   │   ├── [  61]  web.d.ts
│           │   │   │   │   │   │   ├── [ 440]  web.js
│           │   │   │   │   │   │   └── [ 535]  web.js.map
│           │   │   │   │   │   ├── [5.1K]  app-render
│           │   │   │   │   │   │   ├── [ 144]  action-async-storage-
instance.d.ts
│           │   │   │   │   │   │   ├── [ 446]  action-async-storage-
instance.js
│           │   │   │   │   │   │   ├── [ 502]  action-async-storage-
instance.js.map
│           │   │   │   │   │   │   ├── [ 359]  action-async-
storage.external.d.ts
│           │   │   │   │   │   │   ├── [ 399]  action-async-
storage.external.js
│           │   │   │   │   │   │   ├── [ 704]  action-async-
storage.external.js.map
│           │   │   │   │   │   │   ├── [1.8K]  action-handler.d.ts
│           │   │   │   │   │   │   ├── [ 43K]  action-handler.js
```

```
|           |   |   |   |   |   |   ├── [ 60K]  action-handler.js.map
|           |   |   |   |   |   |   ├── [ 518]  action-utils.d.ts
|           |   |   |   |   |   |   ├── [3.8K]  action-utils.js
|           |   |   |   |   |   |   ├── [5.4K]  action-utils.js.map
|           |   |   |   |   |   |   ├── [ 157]  after-task-async-
storage-instance.d.ts
|           |   |   |   |   |   |   ├── [ 459]  after-task-async-
storage-instance.js
|           |   |   |   |   |   |   ├── [ 522]  after-task-async-
storage-instance.js.map
|           |   |   |   |   |   |   ├── [ 649]  after-task-async-
storage.external.d.ts
|           |   |   |   |   |   |   ├── [ 419]  after-task-async-
storage.external.js
|           |   |   |   |   |   |   ├── [ 971]  after-task-async-
storage.external.js.map
|           |   |   |   |   |   |   ├── [1.8K]  app-render-prerender-
utils.d.ts
|           |   |   |   |   |   |   ├── [7.1K]  app-render-prerender-
utils.js
|           |   |   |   |   |   |   ├── [ 11K]  app-render-prerender-
utils.js.map
|           |   |   |   |   |   |   ├── [ 335]  app-render-render-
utils.d.ts
|           |   |   |   |   |   |   ├── [1.1K]  app-render-render-
utils.js
|           |   |   |   |   |   |   ├── [1.6K]  app-render-render-
utils.js.map
|           |   |   |   |   |   |   ├── [4.0K]  app-render.d.ts
|           |   |   |   |   |   |   ├── [162K]  app-render.js
|           |   |   |   |   |   |   ├── [235K]  app-render.js.map
|           |   |   |   |   |   |   ├── [ 316]  async-local-storage.d.ts
|           |   |   |   |   |   |   ├── [2.0K]  async-local-storage.js
|           |   |   |   |   |   |   ├── [2.7K]  async-local-
storage.js.map
|           |   |   |   |   |   |   ├── [1.2K]  cache-signal.d.ts
|           |   |   |   |   |   |   ├── [5.8K]  cache-signal.js
|           |   |   |   |   |   |   ├── [8.0K]  cache-signal.js.map
|           |   |   |   |   |   |   ├── [1.1K]  collect-segment-
data.d.ts
|           |   |   |   |   |   |   ├── [ 13K]  collect-segment-data.js
|           |   |   |   |   |   |   ├── [ 22K]  collect-segment-
data.js.map
|           |   |   |   |   |   |   ├── [ 410]  create-component-styles-
and-scripts.d.ts
|           |   |   |   |   |   |   ├── [1.6K]  create-component-styles-
and-scripts.js
|           |   |   |   |   |   |   ├── [2.4K]  create-component-styles-
and-scripts.js.map
|           |   |   |   |   |   |   ├── [1.0K]  create-component-
tree.d.ts
|           |   |   |   |   |   |   ├── [ 41K]  create-component-tree.js
|           |   |   |   |   |   |   ├── [ 58K]  create-component-
tree.js.map
|           |   |   |   |   |   |   ├── [1.4K]  create-error-
handler.d.ts
```

```
|           |   |   |   |   |   |   ├── [ 10K]  create-error-handler.js
|           |   |   |   |   |   |   ├── [ 14K]  create-error-
handler.js.map
|           |   |   |   |   |   |   ├── [ 500]  create-flight-router-
state-from-loader-tree.d.ts
|           |   |   |   |   |   |   ├── [3.7K]  create-flight-router-
state-from-loader-tree.js
|           |   |   |   |   |   |   ├── [5.6K]  create-flight-router-
state-from-loader-tree.js.map
|           |   |   |   |   |   |   ├── [ 104]  csrf-protection.d.ts
|           |   |   |   |   |   |   ├── [3.0K]  csrf-protection.js
|           |   |   |   |   |   |   ├── [3.8K]  csrf-protection.js.map
|           |   |   |   |   |   |   ├── [ 163]  dynamic-access-async-
storage-instance.d.ts
|           |   |   |   |   |   |   ├── [ 475]  dynamic-access-async-
storage-instance.js
|           |   |   |   |   |   |   ├── [ 536]  dynamic-access-async-
storage-instance.js.map
|           |   |   |   |   |   |   ├── [ 393]  dynamic-access-async-
storage.external.d.ts
|           |   |   |   |   |   |   ├── [ 443]  dynamic-access-async-
storage.external.js
|           |   |   |   |   |   |   ├── [ 762]  dynamic-access-async-
storage.external.js.map
|           |   |   |   |   |   |   ├── [6.0K]  dynamic-rendering.d.ts
|           |   |   |   |   |   |   ├── [ 32K]  dynamic-rendering.js
|           |   |   |   |   |   |   ├── [ 45K]  dynamic-rendering.js.map
|           |   |   |   |   |   |   ├── [ 141]  encryption-utils-
server.d.ts
|           |   |   |   |   |   |   ├── [4.7K]  encryption-utils-
server.js
|           |   |   |   |   |   |   ├── [7.0K]  encryption-utils-
server.js.map
|           |   |   |   |   |   |   ├── [1.4K]  encryption-utils.d.ts
|           |   |   |   |   |   |   ├── [7.7K]  encryption-utils.js
|           |   |   |   |   |   |   ├── [ 11K]  encryption-utils.js.map
|           |   |   |   |   |   |   ├── [ 241]  encryption.d.ts
|           |   |   |   |   |   |   ├── [ 12K]  encryption.js
|           |   |   |   |   |   |   ├── [ 16K]  encryption.js.map
|           |   |   |   |   |   |   ├── [2.1K]  entry-base.d.ts
|           |   |   |   |   |   |   ├── [8.3K]  entry-base.js
|           |   |   |   |   |   |   ├── [6.1K]  entry-base.js.map
|           |   |   |   |   |   |   ├── [ 353]  flight-render-
result.d.ts
|           |   |   |   |   |   |   ├── [ 794]  flight-render-result.js
|           |   |   |   |   |   |   ├── [ 967]  flight-render-
result.js.map
|           |   |   |   |   |   |   ├── [ 153]  get-asset-query-
string.d.ts
|           |   |   |   |   |   |   ├── [ 999]  get-asset-query-
string.js
|           |   |   |   |   |   |   ├── [1.6K]  get-asset-query-
string.js.map
|           |   |   |   |   |   |   ├── [ 524]  get-css-inlined-link-
tags.d.ts
```

```
│           │   │   │   │   │   │   ├── [1.5K]  get-css-inlined-link-
tags.js
│           │   │   │   │   │   │   ├── [2.5K]  get-css-inlined-link-
tags.js.map
│           │   │   │   │   │   │   ├── [ 599]  get-layer-assets.d.ts
│           │   │   │   │   │   │   ├── [3.3K]  get-layer-assets.js
│           │   │   │   │   │   │   ├── [5.4K]  get-layer-assets.js.map
│           │   │   │   │   │   │   ├── [ 709]  get-preloadable-
fonts.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  get-preloadable-fonts.js
│           │   │   │   │   │   │   ├── [2.3K]  get-preloadable-
fonts.js.map
│           │   │   │   │   │   │   ├── [  94]  get-script-nonce-from-
header.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  get-script-nonce-from-
header.js
│           │   │   │   │   │   │   ├── [2.7K]  get-script-nonce-from-
header.js.map
│           │   │   │   │   │   │   ├── [ 228]  get-segment-param.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  get-segment-param.js
│           │   │   │   │   │   │   ├── [2.3K]  get-segment-param.js.map
│           │   │   │   │   │   │   ├── [ 362]  get-short-dynamic-param-
type.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  get-short-dynamic-param-
type.js
│           │   │   │   │   │   │   ├── [1.2K]  get-short-dynamic-param-
type.js.map
│           │   │   │   │   │   │   ├── [ 135]  has-loading-component-
in-tree.d.ts
│           │   │   │   │   │   │   ├── [ 544]  has-loading-component-
in-tree.js
│           │   │   │   │   │   │   ├── [ 813]  has-loading-component-
in-tree.js.map
│           │   │   │   │   │   │   ├── [ 121]  interop-default.d.ts
│           │   │   │   │   │   │   ├── [ 391]  interop-default.js
│           │   │   │   │   │   │   ├── [ 409]  interop-default.js.map
│           │   │   │   │   │   │   ├── [ 500]  make-get-server-
inserted-html.d.ts
│           │   │   │   │   │   │   ├── [4.5K]  make-get-server-
inserted-html.js
│           │   │   │   │   │   │   ├── [6.4K]  make-get-server-
inserted-html.js.map
│           │   │   │   │   │   │   ├── [ 160]  metadata-insertion
│           │   │   │   │   │   │   │   ├── [ 104]  create-server-
inserted-metadata.d.ts
│           │   │   │   │   │   │   │   ├── [ 926]  create-server-
inserted-metadata.js
│           │   │   │   │   │   │   │   └── [1.2K]  create-server-
inserted-metadata.js.map
│           │   │   │   │   │   │   ├── [ 352]  module-loading
│           │   │   │   │   │   │   │   ├── [ 563]  track-dynamic-
import.d.ts
│           │   │   │   │   │   │   │   ├── [2.6K]  track-dynamic-
import.js
│           │   │   │   │   │   │   │   ├── [3.3K]  track-dynamic-
import.js.map
```

```
|           |   |   |   |   |   |   |   ├── [ 189]  track-module-
loading.external.d.ts
|           |   |   |   |   |   |   |   ├── [1.1K]  track-module-
loading.external.js
|           |   |   |   |   |   |   |   ├── [ 871]  track-module-
loading.external.js.map
|           |   |   |   |   |   |   |   ├── [ 570]  track-module-
loading.instance.d.ts
|           |   |   |   |   |   |   |   ├── [2.5K]  track-module-
loading.instance.js
|           |   |   |   |   |   |   |   └── [3.3K]  track-module-
loading.instance.js.map
|           |   |   |   |   |   |   ├── [ 388]  parse-and-validate-
flight-router-state.d.ts
|           |   |   |   |   |   |   ├── [1.8K]  parse-and-validate-
flight-router-state.js
|           |   |   |   |   |   |   ├── [2.4K]  parse-and-validate-
flight-router-state.js.map
|           |   |   |   |   |   |   ├── [ 430]  parse-loader-tree.d.ts
|           |   |   |   |   |   |   ├── [1009]  parse-loader-tree.js
|           |   |   |   |   |   |   ├── [1.4K]  parse-loader-tree.js.map
|           |   |   |   |   |   |   ├── [2.1K]  postponed-state.d.ts
|           |   |   |   |   |   |   ├── [6.3K]  postponed-state.js
|           |   |   |   |   |   |   ├── [9.0K]  postponed-state.js.map
|           |   |   |   |   |   |   ├── [ 115]  prospective-render-
utils.d.ts
|           |   |   |   |   |   |   ├── [2.5K]  prospective-render-
utils.js
|           |   |   |   |   |   |   ├── [3.3K]  prospective-render-
utils.js.map
|           |   |   |   |   |   |   ├── [ 107]  react-large-shell-
error.d.ts
|           |   |   |   |   |   |   ├── [ 596]  react-large-shell-
error.js
|           |   |   |   |   |   |   ├── [ 789]  react-large-shell-
error.js.map
|           |   |   |   |   |   |   ├── [ 152]  react-server.node.d.ts
|           |   |   |   |   |   |   ├── [1.1K]  react-server.node.js
|           |   |   |   |   |   |   ├── [ 714]  react-server.node.js.map
|           |   |   |   |   |   |   ├── [ 612]  render-css-resource.d.ts
|           |   |   |   |   |   |   ├── [2.4K]  render-css-resource.js
|           |   |   |   |   |   |   ├── [3.9K]  render-css-
resource.js.map
|           |   |   |   |   |   |   ├── [ 444]  required-scripts.d.ts
|           |   |   |   |   |   |   ├── [2.8K]  required-scripts.js
|           |   |   |   |   |   |   ├── [4.2K]  required-scripts.js.map
|           |   |   |   |   |   |   ├── [ 352]  rsc
|           |   |   |   |   |   |   |   ├── [  49]  postpone.d.ts
|           |   |   |   |   |   |   |   ├── [ 512]  postpone.js
|           |   |   |   |   |   |   |   ├── [ 459]  postpone.js.map
|           |   |   |   |   |   |   |   ├── [ 365]  preloads.d.ts
|           |   |   |   |   |   |   |   ├── [1.7K]  preloads.js
|           |   |   |   |   |   |   |   ├── [2.2K]  preloads.js.map
|           |   |   |   |   |   |   |   ├── [ 328]  taint.d.ts
|           |   |   |   |   |   |   |   ├── [2.5K]  taint.js
|           |   |   |   |   |   |   |   └── [1.4K]  taint.js.map
```

```
|           |   |   |   |   |   |   ├── [ 956]  segment-explorer-
path.d.ts
|           |   |   |   |   |   |   ├── [3.8K]  segment-explorer-path.js
|           |   |   |   |   |   |   ├── [5.2K]  segment-explorer-
path.js.map
|           |   |   |   |   |   |   ├── [ 293]  server-inserted-
html.d.ts
|           |   |   |   |   |   |   ├── [1.5K]  server-inserted-html.js
|           |   |   |   |   |   |   ├── [1.7K]  server-inserted-
html.js.map
|           |   |   |   |   |   |   ├── [ 245]  strip-flight-
headers.d.ts
|           |   |   |   |   |   |   ├── [ 494]  strip-flight-headers.js
|           |   |   |   |   |   |   ├── [ 725]  strip-flight-
headers.js.map
|           |   |   |   |   |   |   ├── [9.9K]  types.d.ts
|           |   |   |   |   |   |   ├── [2.9K]  types.js
|           |   |   |   |   |   |   ├── [ 13K]  types.js.map
|           |   |   |   |   |   |   ├── [1.1K]  use-flight-response.d.ts
|           |   |   |   |   |   |   ├── [6.7K]  use-flight-response.js
|           |   |   |   |   |   |   ├── [ 11K]  use-flight-
response.js.map
|           |   |   |   |   |   |   ├── [1.4K]  walk-tree-with-flight-
router-state.d.ts
|           |   |   |   |   |   |   ├── [ 11K]  walk-tree-with-flight-
router-state.js
|           |   |   |   |   |   |   ├── [ 17K]  walk-tree-with-flight-
router-state.js.map
|           |   |   |   |   |   |   ├── [ 136]  work-async-storage-
instance.d.ts
|           |   |   |   |   |   |   ├── [ 438]  work-async-storage-
instance.js
|           |   |   |   |   |   |   ├── [ 490]  work-async-storage-
instance.js.map
|           |   |   |   |   |   |   ├── [3.7K]  work-async-
storage.external.d.ts
|           |   |   |   |   |   |   ├── [ 387]  work-async-
storage.external.js
|           |   |   |   |   |   |   ├── [4.1K]  work-async-
storage.external.js.map
|           |   |   |   |   |   |   ├── [ 153]  work-unit-async-storage-
instance.d.ts
|           |   |   |   |   |   |   ├── [ 455]  work-unit-async-storage-
instance.js
|           |   |   |   |   |   |   ├── [ 516]  work-unit-async-storage-
instance.js.map
|           |   |   |   |   |   |   ├── [ 12K]  work-unit-async-
storage.external.d.ts
|           |   |   |   |   |   |   ├── [7.6K]  work-unit-async-
storage.external.js
|           |   |   |   |   |   |   └── [ 21K]  work-unit-async-
storage.external.js.map
|           |   |   |   |   |   ├── [ 448]  async-storage
|           |   |   |   |   |   |   ├── [ 688]  draft-mode-provider.d.ts
|           |   |   |   |   |   |   ├── [2.7K]  draft-mode-provider.js
```

```
│            │   │   │   │   │   │   ├── [4.8K]  draft-mode-
provider.js.map
│            │   │   │   │   │   │   ├── [2.5K]  request-store.d.ts
│            │   │   │   │   │   │   ├── [6.4K]  request-store.js
│            │   │   │   │   │   │   ├── [ 13K]  request-store.js.map
│            │   │   │   │   │   │   ├── [ 587]  with-store.d.ts
│            │   │   │   │   │   │   ├── [ 120]  with-store.js
│            │   │   │   │   │   │   ├── [  67]  with-store.js.map
│            │   │   │   │   │   │   ├── [1.7K]  work-store.d.ts
│            │   │   │   │   │   │   ├── [4.2K]  work-store.js
│            │   │   │   │   │   │   └── [8.6K]  work-store.js.map
│            │   │   │   │   │   ├── [ 448]  base-http
│            │   │   │   │   │   │   ├── [1.9K]  helpers.d.ts
│            │   │   │   │   │   │   ├── [1.0K]  helpers.js
│            │   │   │   │   │   │   ├── [2.6K]  helpers.js.map
│            │   │   │   │   │   │   ├── [2.2K]  index.d.ts
│            │   │   │   │   │   │   ├── [1.6K]  index.js
│            │   │   │   │   │   │   ├── [3.8K]  index.js.map
│            │   │   │   │   │   │   ├── [1.9K]  node.d.ts
│            │   │   │   │   │   │   ├── [4.5K]  node.js
│            │   │   │   │   │   │   ├── [7.8K]  node.js.map
│            │   │   │   │   │   │   ├── [1.4K]  web.d.ts
│            │   │   │   │   │   │   ├── [4.2K]  web.js
│            │   │   │   │   │   │   └── [7.3K]  web.js.map
│            │   │   │   │   │   ├── [ 14K]  base-server.d.ts
│            │   │   │   │   │   ├── [ 99K]  base-server.js
│            │   │   │   │   │   ├── [159K]  base-server.js.map
│            │   │   │   │   │   ├── [ 454]  body-streams.d.ts
│            │   │   │   │   │   ├── [2.4K]  body-streams.js
│            │   │   │   │   │   ├── [3.8K]  body-streams.js.map
│            │   │   │   │   │   ├── [  82]  cache-dir.d.ts
│            │   │   │   │   │   ├── [ 757]  cache-dir.js
│            │   │   │   │   │   ├── [ 703]  cache-dir.js.map
│            │   │   │   │   │   ├── [4.1M]  capsize-font-metrics.json
│            │   │   │   │   │   ├── [ 124]  ci-info.d.ts
│            │   │   │   │   │   ├── [1.1K]  ci-info.js
│            │   │   │   │   │   ├── [1.3K]  ci-info.js.map
│            │   │   │   │   │   ├── [ 405]  client-component-renderer-
logger.d.ts
│            │   │   │   │   │   ├── [2.2K]  client-component-renderer-
logger.js
│            │   │   │   │   │   ├── [3.0K]  client-component-renderer-
logger.js.map
│            │   │   │   │   │   ├── [ 151]  config-schema.d.ts
│            │   │   │   │   │   ├── [ 29K]  config-schema.js
│            │   │   │   │   │   ├── [ 55K]  config-schema.js.map
│            │   │   │   │   │   ├── [ 48K]  config-shared.d.ts
│            │   │   │   │   │   ├── [7.1K]  config-shared.js
│            │   │   │   │   │   ├── [ 56K]  config-shared.js.map
│            │   │   │   │   │   ├── [  49]  config-utils.d.ts
│            │   │   │   │   │   ├── [5.8K]  config-utils.js
│            │   │   │   │   │   ├── [6.4K]  config-utils.js.map
│            │   │   │   │   │   ├── [1.1K]  config.d.ts
│            │   │   │   │   │   ├── [ 71K]  config.js
│            │   │   │   │   │   ├── [ 95K]  config.js.map
```

```
│           │   │   │   │   │   ├── [ 591]  create-deduped-by-callsite-
server-error-logger.d.ts
│           │   │   │   │   │   ├── [3.5K]  create-deduped-by-callsite-
server-error-logger.js
│           │   │   │   │   │   ├── [3.6K]  create-deduped-by-callsite-
server-error-logger.js.map
│           │   │   │   │   │   ├── [ 171]  crypto-utils.d.ts
│           │   │   │   │   │   ├── [3.0K]  crypto-utils.js
│           │   │   │   │   │   ├── [4.3K]  crypto-utils.js.map
│           │   │   │   │   │   ├── [1.7K]  dev
│           │   │   │   │   │   │   ├── [ 256]  browser-logs
│           │   │   │   │   │   │   │   ├── [1.2K]  receive-logs.d.ts
│           │   │   │   │   │   │   │   ├── [ 17K]  receive-logs.js
│           │   │   │   │   │   │   │   ├── [ 27K]  receive-logs.js.map
│           │   │   │   │   │   │   │   ├── [2.0K]  source-map.d.ts
│           │   │   │   │   │   │   │   ├── [8.4K]  source-map.js
│           │   │   │   │   │   │   │   └── [ 14K]  source-map.js.map
│           │   │   │   │   │   │   ├── [ 148]  dev-indicator-server-
state.d.ts
│           │   │   │   │   │   │   ├── [ 348]  dev-indicator-server-
state.js
│           │   │   │   │   │   │   ├── [ 380]  dev-indicator-server-
state.js.map
│           │   │   │   │   │   │   ├── [ 168]  get-source-map-from-
file.d.ts
│           │   │   │   │   │   │   ├── [3.4K]  get-source-map-from-
file.js
│           │   │   │   │   │   │   ├── [4.2K]  get-source-map-from-
file.js.map
│           │   │   │   │   │   │   ├── [1.8K]  hot-middleware.d.ts
│           │   │   │   │   │   │   ├── [9.6K]  hot-middleware.js
│           │   │   │   │   │   │   ├── [ 14K]  hot-middleware.js.map
│           │   │   │   │   │   │   ├── [ 367]  hot-reloader-
turbopack.d.ts
│           │   │   │   │   │   │   ├── [ 45K]  hot-reloader-
turbopack.js
│           │   │   │   │   │   │   ├── [ 64K]  hot-reloader-
turbopack.js.map
│           │   │   │   │   │   │   ├── [5.6K]  hot-reloader-types.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  hot-reloader-types.js
│           │   │   │   │   │   │   ├── [5.8K]  hot-reloader-
types.js.map
│           │   │   │   │   │   │   ├── [3.8K]  hot-reloader-
webpack.d.ts
│           │   │   │   │   │   │   ├── [ 66K]  hot-reloader-webpack.js
│           │   │   │   │   │   │   ├── [ 96K]  hot-reloader-
webpack.js.map
│           │   │   │   │   │   │   ├── [ 637]  log-requests.d.ts
│           │   │   │   │   │   │   ├── [4.8K]  log-requests.js
│           │   │   │   │   │   │   ├── [8.4K]  log-requests.js.map
│           │   │   │   │   │   │   ├── [ 120]  messages.d.ts
│           │   │   │   │   │   │   ├── [ 385]  messages.js
│           │   │   │   │   │   │   ├── [ 308]  messages.js.map
│           │   │   │   │   │   │   ├── [ 929]  middleware-
turbopack.d.ts
│           │   │   │   │   │   │   ├── [ 16K]  middleware-turbopack.js
```

```
│           │   │   │   │   │   │   ├── [ 25K]  middleware-
turbopack.js.map
│           │   │   │   │   │   │   ├── [2.3K]  middleware-webpack.d.ts
│           │   │   │   │   │   │   ├── [ 20K]  middleware-webpack.js
│           │   │   │   │   │   │   ├── [ 32K]  middleware-
webpack.js.map
│           │   │   │   │   │   │   ├── [5.8K]  next-dev-server.d.ts
│           │   │   │   │   │   │   ├── [ 35K]  next-dev-server.js
│           │   │   │   │   │   │   ├── [ 56K]  next-dev-server.js.map
│           │   │   │   │   │   │   ├── [ 154]  node-stack-frames.d.ts
│           │   │   │   │   │   │   ├── [2.3K]  node-stack-frames.js
│           │   │   │   │   │   │   ├── [3.5K]  node-stack-frames.js.map
│           │   │   │   │   │   │   ├── [4.8K]  on-demand-entry-
handler.d.ts
│           │   │   │   │   │   │   ├── [ 30K]  on-demand-entry-
handler.js
│           │   │   │   │   │   │   ├── [ 49K]  on-demand-entry-
handler.js.map
│           │   │   │   │   │   │   ├── [ 329]  parse-version-info.d.ts
│           │   │   │   │   │   │   ├── [3.6K]  parse-version-info.js
│           │   │   │   │   │   │   ├── [3.3K]  parse-version-
info.js.map
│           │   │   │   │   │   │   ├── [  61]  require-cache.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  require-cache.js
│           │   │   │   │   │   │   ├── [2.0K]  require-cache.js.map
│           │   │   │   │   │   │   ├── [1.7K]  static-paths-worker.d.ts
│           │   │   │   │   │   │   ├── [3.7K]  static-paths-worker.js
│           │   │   │   │   │   │   ├── [6.7K]  static-paths-
worker.js.map
│           │   │   │   │   │   │   ├── [5.5K]  turbopack-utils.d.ts
│           │   │   │   │   │   │   ├── [ 31K]  turbopack-utils.js
│           │   │   │   │   │   │   └── [ 46K]  turbopack-utils.js.map
│           │   │   │   │   │   ├── [ 425]  dynamic-rendering-utils.d.ts
│           │   │   │   │   │   ├── [3.3K]  dynamic-rendering-utils.js
│           │   │   │   │   │   ├── [4.8K]  dynamic-rendering-
utils.js.map
│           │   │   │   │   │   ├── [ 177]  font-utils.d.ts
│           │   │   │   │   │   ├── [1.7K]  font-utils.js
│           │   │   │   │   │   ├── [3.0K]  font-utils.js.map
│           │   │   │   │   │   ├── [  85]  get-app-route-from-
entrypoint.d.ts
│           │   │   │   │   │   ├── [ 832]  get-app-route-from-
entrypoint.js
│           │   │   │   │   │   ├── [ 865]  get-app-route-from-
entrypoint.js.map
│           │   │   │   │   │   ├── [ 536]  get-page-files.d.ts
│           │   │   │   │   │   ├── [ 807]  get-page-files.js
│           │   │   │   │   │   ├── [1.7K]  get-page-files.js.map
│           │   │   │   │   │   ├── [  97]  get-route-from-
entrypoint.d.ts
│           │   │   │   │   │   ├── [1.2K]  get-route-from-entrypoint.js
│           │   │   │   │   │   ├── [1.4K]  get-route-from-
entrypoint.js.map
│           │   │   │   │   │   ├── [ 110]  htmlescape.d.ts
│           │   │   │   │   │   ├── [ 986]  htmlescape.js
│           │   │   │   │   │   ├── [1000]  htmlescape.js.map
```

```
│           │   │   │   │   │   ├── [4.5K]  image-optimizer.d.ts
│           │   │   │   │   │   ├── [ 32K]  image-optimizer.js
│           │   │   │   │   │   ├── [ 48K]  image-optimizer.js.map
│           │   │   │   │   │   ├── [ 256]  instrumentation
│           │   │   │   │   │   │   ├── [ 791]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   ├── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [ 157]  utils.d.ts
│           │   │   │   │   │   │   ├── [ 458]  utils.js
│           │   │   │   │   │   │   └── [ 659]  utils.js.map
│           │   │   │   │   │   ├── [ 223]  internal-utils.d.ts
│           │   │   │   │   │   ├── [1.1K]  internal-utils.js
│           │   │   │   │   │   ├── [1.3K]  internal-utils.js.map
│           │   │   │   │   │   ├── [3.6K]  lib
│           │   │   │   │   │   │   ├── [ 623]  app-dir-module.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  app-dir-module.js
│           │   │   │   │   │   │   ├── [2.6K]  app-dir-module.js.map
│           │   │   │   │   │   │   ├── [ 617]  app-info-log.d.ts
│           │   │   │   │   │   │   ├── [4.7K]  app-info-log.js
│           │   │   │   │   │   │   ├── [5.7K]  app-info-log.js.map
│           │   │   │   │   │   │   ├── [ 140]  async-callback-set.d.ts
│           │   │   │   │   │   │   ├── [ 733]  async-callback-set.js
│           │   │   │   │   │   │   ├── [1.1K]  async-callback-
set.js.map
│           │   │   │   │   │   │   ├── [ 572]  cache-control.d.ts
│           │   │   │   │   │   │   ├── [ 815]  cache-control.js
│           │   │   │   │   │   │   ├── [1.6K]  cache-control.js.map
│           │   │   │   │   │   │   ├── [ 256]  cache-handlers
│           │   │   │   │   │   │   │   ├── [ 582]
default.external.d.ts
│           │   │   │   │   │   │   │   ├── [4.5K]  default.external.js
│           │   │   │   │   │   │   │   ├── [7.4K]
default.external.js.map
│           │   │   │   │   │   │   │   ├── [4.6K]  types.d.ts
│           │   │   │   │   │   │   │   ├── [ 178]  types.js
│           │   │   │   │   │   │   │   └── [4.7K]  types.js.map
│           │   │   │   │   │   │   ├── [ 418]  chrome-devtools-
workspace.d.ts
│           │   │   │   │   │   │   ├── [4.3K]  chrome-devtools-
workspace.js
│           │   │   │   │   │   │   ├── [4.1K]  chrome-devtools-
workspace.js.map
│           │   │   │   │   │   │   ├── [ 531]  clone-response.d.ts
│           │   │   │   │   │   │   ├── [2.6K]  clone-response.js
│           │   │   │   │   │   │   ├── [4.3K]  clone-response.js.map
│           │   │   │   │   │   │   ├── [ 112]  cpu-profile.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  cpu-profile.js
│           │   │   │   │   │   │   ├── [2.0K]  cpu-profile.js.map
│           │   │   │   │   │   │   ├── [ 189]  decode-query-path-
parameter.d.ts
│           │   │   │   │   │   │   ├── [ 688]  decode-query-path-
parameter.js
│           │   │   │   │   │   │   ├── [ 755]  decode-query-path-
parameter.js.map
│           │   │   │   │   │   │   ├── [ 147]  dedupe-fetch.d.ts
│           │   │   │   │   │   │   ├── [6.6K]  dedupe-fetch.js
```

```
│           │   │   │   │   │   │   ├── [7.2K]  dedupe-fetch.js.map
│           │   │   │   │   │   │   ├── [1.2K]  dev-bundler-service.d.ts
│           │   │   │   │   │   │   ├── [3.2K]  dev-bundler-service.js
│           │   │   │   │   │   │   ├── [5.7K]  dev-bundler-
service.js.map
│           │   │   │   │   │   │   ├── [ 453]  etag.d.ts
│           │   │   │   │   │   │   ├── [1.5K]  etag.js
│           │   │   │   │   │   │   ├── [2.1K]  etag.js.map
│           │   │   │   │   │   │   ├── [ 256]  experimental
│           │   │   │   │   │   │   │   ├── [ 216]  create-env-
definitions.d.ts
│           │   │   │   │   │   │   │   ├── [1.5K]  create-env-
definitions.js
│           │   │   │   │   │   │   │   ├── [2.3K]  create-env-
definitions.js.map
│           │   │   │   │   │   │   │   ├── [1.3K]  ppr.d.ts
│           │   │   │   │   │   │   │   ├── [1.8K]  ppr.js
│           │   │   │   │   │   │   │   └── [2.8K]  ppr.js.map
│           │   │   │   │   │   │   ├── [1.4K]  find-page-file.d.ts
│           │   │   │   │   │   │   ├── [5.3K]  find-page-file.js
│           │   │   │   │   │   │   ├── [9.2K]  find-page-file.js.map
│           │   │   │   │   │   │   ├── [  60]  fix-mojibake.d.ts
│           │   │   │   │   │   │   ├── [ 727]  fix-mojibake.js
│           │   │   │   │   │   │   ├── [1.0K]  fix-mojibake.js.map
│           │   │   │   │   │   │   ├── [ 215]  format-hostname.d.ts
│           │   │   │   │   │   │   ├── [ 408]  format-hostname.js
│           │   │   │   │   │   │   ├── [ 610]  format-hostname.js.map
│           │   │   │   │   │   │   ├── [2.3K]  i18n-provider.d.ts
│           │   │   │   │   │   │   ├── [5.5K]  i18n-provider.js
│           │   │   │   │   │   │   ├── [8.8K]  i18n-provider.js.map
│           │   │   │   │   │   │   ├── [ 986]  implicit-tags.d.ts
│           │   │   │   │   │   │   ├── [2.6K]  implicit-tags.js
│           │   │   │   │   │   │   ├── [5.1K]  implicit-tags.js.map
│           │   │   │   │   │   │   ├── [ 544]  incremental-cache
│           │   │   │   │   │   │   │   ├── [1.0K]  file-system-
cache.d.ts
│           │   │   │   │   │   │   │   ├── [ 17K]  file-system-cache.js
│           │   │   │   │   │   │   │   ├── [ 24K]  file-system-
cache.js.map
│           │   │   │   │   │   │   │   ├── [3.8K]  index.d.ts
│           │   │   │   │   │   │   │   ├── [ 20K]  index.js
│           │   │   │   │   │   │   │   ├── [ 33K]  index.js.map
│           │   │   │   │   │   │   │   ├── [ 182]  memory-
cache.external.d.ts
│           │   │   │   │   │   │   │   ├── [1.6K]  memory-
cache.external.js
│           │   │   │   │   │   │   │   ├── [2.4K]  memory-
cache.external.js.map
│           │   │   │   │   │   │   │   ├── [1.8K]  shared-cache-
controls.external.d.ts
│           │   │   │   │   │   │   │   ├── [2.7K]  shared-cache-
controls.external.js
│           │   │   │   │   │   │   │   ├── [4.2K]  shared-cache-
controls.external.js.map
│           │   │   │   │   │   │   │   ├── [ 195]  tags-
manifest.external.d.ts
```

```
│           │   │   │   │   │   │   ├── [ 794]  tags-
manifest.external.js
│           │   │   │   │   │   │   └── [ 985]  tags-
manifest.external.js.map
│           │   │   │   │   │   ├── [  52]  is-ipv6.d.ts
│           │   │   │   │   │   ├── [2.2K]  is-ipv6.js
│           │   │   │   │   │   ├── [3.3K]  is-ipv6.js.map
│           │   │   │   │   │   ├── [ 565]  lazy-result.d.ts
│           │   │   │   │   │   ├── [1.2K]  lazy-result.js
│           │   │   │   │   │   ├── [1.9K]  lazy-result.js.map
│           │   │   │   │   │   ├── [3.3K]  lru-cache.d.ts
│           │   │   │   │   │   ├── [5.8K]  lru-cache.js
│           │   │   │   │   │   ├── [ 10K]  lru-cache.js.map
│           │   │   │   │   │   ├── [ 113]  match-next-data-
pathname.d.ts
│           │   │   │   │   │   ├── [ 551]  match-next-data-
pathname.js
│           │   │   │   │   │   ├── [ 636]  match-next-data-
pathname.js.map
│           │   │   │   │   │   ├── [4.0K]  mock-request.d.ts
│           │   │   │   │   │   ├── [ 14K]  mock-request.js
│           │   │   │   │   │   ├── [ 21K]  mock-request.js.map
│           │   │   │   │   │   ├── [ 352]  module-loader
│           │   │   │   │   │   │   ├── [ 125]  module-loader.d.ts
│           │   │   │   │   │   │   ├── [ 171]  module-loader.js
│           │   │   │   │   │   │   ├── [ 287]  module-loader.js.map
│           │   │   │   │   │   │   ├── [ 209]  node-module-
loader.d.ts
│           │   │   │   │   │   │   ├── [ 805]  node-module-
loader.js
│           │   │   │   │   │   │   ├── [1.1K]  node-module-
loader.js.map
│           │   │   │   │   │   │   ├── [ 346]  route-module-
loader.d.ts
│           │   │   │   │   │   │   ├── [ 796]  route-module-
loader.js
│           │   │   │   │   │   │   └── [1.2K]  route-module-
loader.js.map
│           │   │   │   │   │   ├── [  93]  node-fs-methods.d.ts
│           │   │   │   │   │   ├── [ 772]  node-fs-methods.js
│           │   │   │   │   │   ├── [ 976]  node-fs-methods.js.map
│           │   │   │   │   │   ├── [ 293]  parse-stack.d.ts
│           │   │   │   │   │   ├── [1.8K]  parse-stack.js
│           │   │   │   │   │   ├── [2.9K]  parse-stack.js.map
│           │   │   │   │   │   ├── [ 958]  patch-fetch.d.ts
│           │   │   │   │   │   ├── [ 45K]  patch-fetch.js
│           │   │   │   │   │   ├── [ 63K]  patch-fetch.js.map
│           │   │   │   │   │   ├── [ 464]  patch-set-header.d.ts
│           │   │   │   │   │   ├── [1.4K]  patch-set-header.js
│           │   │   │   │   │   ├── [2.4K]  patch-set-header.js.map
│           │   │   │   │   │   ├── [3.7K]  render-server.d.ts
│           │   │   │   │   │   ├── [3.8K]  render-server.js
│           │   │   │   │   │   ├── [6.2K]  render-server.js.map
│           │   │   │   │   │   ├── [ 816]  router-server.d.ts
│           │   │   │   │   │   ├── [ 32K]  router-server.js
│           │   │   │   │   │   ├── [ 45K]  router-server.js.map
```

```
│           │   │   │   │   │   │   ├── [1.5K]  router-utils
│           │   │   │   │   │   │   │   ├── [ 277]  block-cross-
site.d.ts
│           │   │   │   │   │   │   │   ├── [3.2K]  block-cross-site.js
│           │   │   │   │   │   │   │   ├── [5.1K]  block-cross-
site.js.map
│           │   │   │   │   │   │   │   ├── [ 236]  build-data-
route.d.ts
│           │   │   │   │   │   │   │   ├── [1.9K]  build-data-route.js
│           │   │   │   │   │   │   │   ├── [2.6K]  build-data-
route.js.map
│           │   │   │   │   │   │   │   ├── [ 788]  build-prefetch-
segment-data-route.d.ts
│           │   │   │   │   │   │   │   ├── [2.6K]  build-prefetch-
segment-data-route.js
│           │   │   │   │   │   │   │   ├── [3.6K]  build-prefetch-
segment-data-route.js.map
│           │   │   │   │   │   │   │   ├── [ 345]  decode-path-
params.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  decode-path-
params.js
│           │   │   │   │   │   │   │   ├── [1.5K]  decode-path-
params.js.map
│           │   │   │   │   │   │   │   ├── [2.7K]  filesystem.d.ts
│           │   │   │   │   │   │   │   ├── [ 26K]  filesystem.js
│           │   │   │   │   │   │   │   ├── [ 37K]  filesystem.js.map
│           │   │   │   │   │   │   │   ├── [ 504]  instrumentation-
globals.external.d.ts
│           │   │   │   │   │   │   │   ├── [3.5K]  instrumentation-
globals.external.js
│           │   │   │   │   │   │   │   ├── [4.6K]  instrumentation-
globals.external.js.map
│           │   │   │   │   │   │   │   ├── [ 194]  instrumentation-
node-extensions.d.ts
│           │   │   │   │   │   │   │   ├── [4.9K]  instrumentation-
node-extensions.js
│           │   │   │   │   │   │   │   ├── [7.0K]  instrumentation-
node-extensions.js.map
│           │   │   │   │   │   │   │   ├── [  57]  is-postpone.d.ts
│           │   │   │   │   │   │   │   ├── [ 436]  is-postpone.js
│           │   │   │   │   │   │   │   ├── [ 597]  is-postpone.js.map
│           │   │   │   │   │   │   │   ├── [ 370]  proxy-request.d.ts
│           │   │   │   │   │   │   │   ├── [4.2K]  proxy-request.js
│           │   │   │   │   │   │   │   ├── [6.4K]  proxy-request.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  resolve-routes.d.ts
│           │   │   │   │   │   │   │   ├── [ 33K]  resolve-routes.js
│           │   │   │   │   │   │   │   ├── [ 46K]  resolve-
routes.js.map
│           │   │   │   │   │   │   │   ├── [2.4K]  route-types-
utils.d.ts
│           │   │   │   │   │   │   │   ├── [ 11K]  route-types-utils.js
│           │   │   │   │   │   │   │   ├── [ 19K]  route-types-
utils.js.map
│           │   │   │   │   │   │   │   ├── [1.1K]  router-server-
context.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [ 689]  router-server-
context.js
│           │   │   │   │   │   │   │   ├── [2.2K]  router-server-
context.js.map
│           │   │   │   │   │   │   │   ├── [2.7K]  setup-dev-
bundler.d.ts
│           │   │   │   │   │   │   │   ├── [ 46K]  setup-dev-bundler.js
│           │   │   │   │   │   │   │   ├── [ 67K]  setup-dev-
bundler.js.map
│           │   │   │   │   │   │   │   ├── [ 337]  typegen.d.ts
│           │   │   │   │   │   │   │   ├── [ 21K]  typegen.js
│           │   │   │   │   │   │   │   ├── [ 30K]  typegen.js.map
│           │   │   │   │   │   │   │   ├── [ 181]  types.d.ts
│           │   │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   │   └── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [ 537]  server-action-request-
meta.d.ts
│           │   │   │   │   │   │   ├── [1.8K]  server-action-request-
meta.js
│           │   │   │   │   │   │   ├── [2.7K]  server-action-request-
meta.js.map
│           │   │   │   │   │   │   ├── [ 160]  server-ipc
│           │   │   │   │   │   │   │   ├── [ 401]  utils.d.ts
│           │   │   │   │   │   │   │   ├── [2.3K]  utils.js
│           │   │   │   │   │   │   │   └── [2.9K]  utils.js.map
│           │   │   │   │   │   │   ├── [1.9K]  source-maps.d.ts
│           │   │   │   │   │   │   ├── [8.8K]  source-maps.js
│           │   │   │   │   │   │   ├── [ 15K]  source-maps.js.map
│           │   │   │   │   │   │   ├── [1.0K]  start-server.d.ts
│           │   │   │   │   │   │   ├── [ 19K]  start-server.js
│           │   │   │   │   │   │   ├── [ 27K]  start-server.js.map
│           │   │   │   │   │   │   ├── [ 274]  streaming-metadata.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  streaming-metadata.js
│           │   │   │   │   │   │   ├── [1.6K]  streaming-
metadata.js.map
│           │   │   │   │   │   │   ├── [ 506]  to-route.d.ts
│           │   │   │   │   │   │   ├── [ 778]  to-route.js
│           │   │   │   │   │   │   ├── [ 863]  to-route.js.map
│           │   │   │   │   │   │   ├── [ 352]  trace
│           │   │   │   │   │   │   │   ├── [4.6K]  constants.d.ts
│           │   │   │   │   │   │   │   ├── [8.6K]  constants.js
│           │   │   │   │   │   │   │   ├── [6.6K]  constants.js.map
│           │   │   │   │   │   │   │   ├── [5.9K]  tracer.d.ts
│           │   │   │   │   │   │   │   ├── [9.4K]  tracer.js
│           │   │   │   │   │   │   │   ├── [ 21K]  tracer.js.map
│           │   │   │   │   │   │   │   ├── [ 424]  utils.d.ts
│           │   │   │   │   │   │   │   ├── [ 443]  utils.js
│           │   │   │   │   │   │   │   └── [ 950]  utils.js.map
│           │   │   │   │   │   │   ├── [ 291]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   ├── [  67]  types.js.map
│           │   │   │   │   │   │   ├── [2.9K]  utils.d.ts
│           │   │   │   │   │   │   ├── [8.1K]  utils.js
│           │   │   │   │   │   │   ├── [ 13K]  utils.js.map
│           │   │   │   │   │   │   ├── [  57]  worker-utils.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  worker-utils.js
```

```
│           │   │   │   │   │   │   └── [1.1K]  worker-utils.js.map
│           │   │   │   │   │   ├── [2.9K]  load-components.d.ts
│           │   │   │   │   │   ├── [6.9K]  load-components.js
│           │   │   │   │   │   ├── [ 13K]  load-components.js.map
│           │   │   │   │   │   ├── [1.3K]  load-default-error-
components.d.ts
│           │   │   │   │   │   ├── [1.8K]  load-default-error-
components.js
│           │   │   │   │   │   ├── [3.7K]  load-default-error-
components.js.map
│           │   │   │   │   │   ├── [1.8K]  load-manifest.external.d.ts
│           │   │   │   │   │   ├── [3.0K]  load-manifest.external.js
│           │   │   │   │   │   ├── [5.7K]  load-
manifest.external.js.map
│           │   │   │   │   │   ├── [  82]  match-bundle.d.ts
│           │   │   │   │   │   ├── [ 686]  match-bundle.js
│           │   │   │   │   │   ├── [ 718]  match-bundle.js.map
│           │   │   │   │   │   ├── [ 11K]  next-server.d.ts
│           │   │   │   │   │   ├── [ 68K]  next-server.js
│           │   │   │   │   │   ├── [107K]  next-server.js.map
│           │   │   │   │   │   ├── [  47]  next-typescript.d.ts
│           │   │   │   │   │   ├── [ 318]  next-typescript.js
│           │   │   │   │   │   ├── [ 222]  next-typescript.js.map
│           │   │   │   │   │   ├── [3.6K]  next.d.ts
│           │   │   │   │   │   ├── [ 15K]  next.js
│           │   │   │   │   │   ├── [ 26K]  next.js.map
│           │   │   │   │   │   ├── [   0]  node-environment-
baseline.d.ts
│           │   │   │   │   │   ├── [ 890]  node-environment-baseline.js
│           │   │   │   │   │   ├── [1.5K]  node-environment-
baseline.js.map
│           │   │   │   │   │   ├── [ 736]  node-environment-extensions
│           │   │   │   │   │   │   ├── [  11]  console-dev.d.ts
│           │   │   │   │   │   │   ├── [6.2K]  console-dev.js
│           │   │   │   │   │   │   ├── [9.0K]  console-dev.js.map
│           │   │   │   │   │   │   ├── [  11]  date.d.ts
│           │   │   │   │   │   │   ├── [2.3K]  date.js
│           │   │   │   │   │   │   ├── [3.4K]  date.js.map
│           │   │   │   │   │   │   ├── [  11]  error-inspect.d.ts
│           │   │   │   │   │   │   ├── [ 252]  error-inspect.js
│           │   │   │   │   │   │   ├── [ 361]  error-inspect.js.map
│           │   │   │   │   │   │   ├── [ 481]  node-crypto.d.ts
│           │   │   │   │   │   │   ├── [5.5K]  node-crypto.js
│           │   │   │   │   │   │   ├── [7.9K]  node-crypto.js.map
│           │   │   │   │   │   │   ├── [ 447]  random.d.ts
│           │   │   │   │   │   │   ├── [1.2K]  random.js
│           │   │   │   │   │   │   ├── [1.7K]  random.js.map
│           │   │   │   │   │   │   ├── [ 125]  utils.d.ts
│           │   │   │   │   │   │   ├── [6.6K]  utils.js
│           │   │   │   │   │   │   ├── [7.9K]  utils.js.map
│           │   │   │   │   │   │   ├── [ 480]  web-crypto.d.ts
│           │   │   │   │   │   │   ├── [1.9K]  web-crypto.js
│           │   │   │   │   │   │   └── [2.9K]  web-crypto.js.map
│           │   │   │   │   │   ├── [ 287]  node-environment.d.ts
│           │   │   │   │   │   ├── [ 648]  node-environment.js
│           │   │   │   │   │   ├── [1.0K]  node-environment.js.map
```

```
│           │   │   │   │   │   ├── [   0]  node-polyfill-crypto.d.ts
│           │   │   │   │   │   ├── [ 558]  node-polyfill-crypto.js
│           │   │   │   │   │   ├── [1014]  node-polyfill-crypto.js.map
│           │   │   │   │   │   ├── [ 800]  normalizers
│           │   │   │   │   │   │   ├── [ 800]  absolute-filename-
normalizer.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  absolute-filename-
normalizer.js
│           │   │   │   │   │   │   ├── [1.6K]  absolute-filename-
normalizer.js.map
│           │   │   │   │   │   │   ├── [ 128]  built
│           │   │   │   │   │   │   │   ├── [ 544]  app
│           │   │   │   │   │   │   │   │   ├── [ 480]  app-bundle-path-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── [1.7K]  app-bundle-path-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── [2.0K]  app-bundle-path-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 224]  app-filename-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 671]  app-filename-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── [ 859]  app-filename-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 206]  app-page-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── [1.6K]  app-page-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── [2.1K]  app-page-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 380]  app-pathname-
normalizer.d.ts
│           │   │   │   │   │   │   │   │   ├── [1.7K]  app-pathname-
normalizer.js
│           │   │   │   │   │   │   │   │   ├── [2.0K]  app-pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   │   ├── [ 814]  index.d.ts
│           │   │   │   │   │   │   │   │   ├── [1.4K]  index.js
│           │   │   │   │   │   │   │   │   └── [2.2K]  index.js.map
│           │   │   │   │   │   │   │   └── [ 544]  pages
│           │   │   │   │   │   │   │       ├── [ 757]  index.d.ts
│           │   │   │   │   │   │   │       ├── [1.6K]  index.js
│           │   │   │   │   │   │   │       ├── [2.2K]  index.js.map
│           │   │   │   │   │   │   │       ├── [ 389]  pages-bundle-
path-normalizer.d.ts
│           │   │   │   │   │   │   │       ├── [1.7K]  pages-bundle-
path-normalizer.js
│           │   │   │   │   │   │   │       ├── [1.9K]  pages-bundle-
path-normalizer.js.map
│           │   │   │   │   │   │   │       ├── [ 226]  pages-filename-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── [ 679]  pages-filename-
normalizer.js
│           │   │   │   │   │   │   │       ├── [ 867]  pages-filename-
normalizer.js.map
```

```
│           │   │   │   │   │   │   │       ├── [ 234]  pages-page-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── [ 631]  pages-page-
normalizer.js
│           │   │   │   │   │   │   │       ├── [ 774]  pages-page-
normalizer.js.map
│           │   │   │   │   │   │   │       ├── [ 238]  pages-pathname-
normalizer.d.ts
│           │   │   │   │   │   │   │       ├── [ 647]  pages-pathname-
normalizer.js
│           │   │   │   │   │   │   │       └── [ 786]  pages-pathname-
normalizer.js.map
│           │   │   │   │   │   │   ├── [ 568]  locale-route-
normalizer.d.ts
│           │   │   │   │   │   │   ├── [ 693]  locale-route-
normalizer.js
│           │   │   │   │   │   │   ├── [1.1K]  locale-route-
normalizer.js.map
│           │   │   │   │   │   │   ├── [  73]  normalizer.d.ts
│           │   │   │   │   │   │   ├── [ 120]  normalizer.js
│           │   │   │   │   │   │   ├── [  67]  normalizer.js.map
│           │   │   │   │   │   │   ├── [ 432]  normalizers.d.ts
│           │   │   │   │   │   │   ├── [ 568]  normalizers.js
│           │   │   │   │   │   │   ├── [1.1K]  normalizers.js.map
│           │   │   │   │   │   │   ├── [ 238]  prefixing-
normalizer.d.ts
│           │   │   │   │   │   │   ├── [ 712]  prefixing-normalizer.js
│           │   │   │   │   │   │   ├── [ 897]  prefixing-
normalizer.js.map
│           │   │   │   │   │   │   ├── [ 832]  request
│           │   │   │   │   │   │   │   ├── [ 268]  base-path.d.ts
│           │   │   │   │   │   │   │   ├── [ 751]  base-path.js
│           │   │   │   │   │   │   │   ├── [ 876]  base-path.js.map
│           │   │   │   │   │   │   │   ├── [ 337]  next-data.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  next-data.js
│           │   │   │   │   │   │   │   ├── [2.1K]  next-data.js.map
│           │   │   │   │   │   │   │   ├── [ 206]  pathname-
normalizer.d.ts
│           │   │   │   │   │   │   │   ├── [ 129]  pathname-
normalizer.js
│           │   │   │   │   │   │   │   ├── [  67]  pathname-
normalizer.js.map
│           │   │   │   │   │   │   │   ├── [ 353]  prefetch-rsc.d.ts
│           │   │   │   │   │   │   │   ├── [ 903]  prefetch-rsc.js
│           │   │   │   │   │   │   │   ├── [1.3K]  prefetch-rsc.js.map
│           │   │   │   │   │   │   │   ├── [ 281]  prefix.d.ts
│           │   │   │   │   │   │   │   ├── [1.2K]  prefix.js
│           │   │   │   │   │   │   │   ├── [1.8K]  prefix.js.map
│           │   │   │   │   │   │   │   ├── [ 247]  rsc.d.ts
│           │   │   │   │   │   │   │   ├── [ 490]  rsc.js
│           │   │   │   │   │   │   │   ├── [ 654]  rsc.js.map
│           │   │   │   │   │   │   │   ├── [ 344]  segment-prefix-
rsc.d.ts
│           │   │   │   │   │   │   │   ├── [ 949]  segment-prefix-
rsc.js
```

```
│           │   │   │   │   │   │   │   ├── [1.6K]  segment-prefix-
rsc.js.map
│           │   │   │   │   │   │   │   ├── [ 281]  suffix.d.ts
│           │   │   │   │   │   │   │   ├── [ 807]  suffix.js
│           │   │   │   │   │   │   │   └── [1.3K]  suffix.js.map
│           │   │   │   │   │   │   ├── [ 227]  underscore-
normalizer.d.ts
│           │   │   │   │   │   │   ├── [ 388]  underscore-normalizer.js
│           │   │   │   │   │   │   ├── [ 581]  underscore-
normalizer.js.map
│           │   │   │   │   │   │   ├── [ 136]  wrap-normalizer-fn.d.ts
│           │   │   │   │   │   │   ├── [ 344]  wrap-normalizer-fn.js
│           │   │   │   │   │   │   └── [ 423]  wrap-normalizer-
fn.js.map
│           │   │   │   │   │   ├── [ 160]  og
│           │   │   │   │   │   │   ├── [ 553]  image-response.d.ts
│           │   │   │   │   │   │   ├── [1.9K]  image-response.js
│           │   │   │   │   │   │   └── [3.5K]  image-response.js.map
│           │   │   │   │   │   ├── [  78]  optimize-amp.d.ts
│           │   │   │   │   │   ├── [ 549]  optimize-amp.js
│           │   │   │   │   │   ├── [ 839]  optimize-amp.js.map
│           │   │   │   │   │   ├── [ 467]  patch-error-inspect.d.ts
│           │   │   │   │   │   ├── [ 19K]  patch-error-inspect.js
│           │   │   │   │   │   ├── [ 28K]  patch-error-inspect.js.map
│           │   │   │   │   │   ├── [ 291]  pipe-readable.d.ts
│           │   │   │   │   │   ├── [5.5K]  pipe-readable.js
│           │   │   │   │   │   ├── [7.5K]  pipe-readable.js.map
│           │   │   │   │   │   ├── [ 372]  post-process.d.ts
│           │   │   │   │   │   ├── [2.0K]  post-process.js
│           │   │   │   │   │   ├── [3.9K]  post-process.js.map
│           │   │   │   │   │   ├── [6.1K]  render-result.d.ts
│           │   │   │   │   │   ├── [7.4K]  render-result.js
│           │   │   │   │   │   ├── [ 14K]  render-result.js.map
│           │   │   │   │   │   ├── [4.8K]  render.d.ts
│           │   │   │   │   │   ├── [ 54K]  render.js
│           │   │   │   │   │   ├── [ 83K]  render.js.map
│           │   │   │   │   │   ├── [1.0K]  request
│           │   │   │   │   │   │   ├── [ 254]  connection.d.ts
│           │   │   │   │   │   │   ├── [7.0K]  connection.js
│           │   │   │   │   │   │   ├── [8.2K]  connection.js.map
│           │   │   │   │   │   │   ├── [1.7K]  cookies.d.ts
│           │   │   │   │   │   │   ├── [ 20K]  cookies.js
│           │   │   │   │   │   │   ├── [ 31K]  cookies.js.map
│           │   │   │   │   │   │   ├── [1.9K]  draft-mode.d.ts
│           │   │   │   │   │   │   ├── [ 14K]  draft-mode.js
│           │   │   │   │   │   │   ├── [ 20K]  draft-mode.js.map
│           │   │   │   │   │   │   ├── [ 179]  fallback-params.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  fallback-params.js
│           │   │   │   │   │   │   ├── [2.1K]  fallback-params.js.map
│           │   │   │   │   │   │   ├── [2.3K]  headers.d.ts
│           │   │   │   │   │   │   ├── [ 17K]  headers.js
│           │   │   │   │   │   │   ├── [ 26K]  headers.js.map
│           │   │   │   │   │   │   ├── [2.3K]  params.d.ts
│           │   │   │   │   │   │   ├── [ 27K]  params.js
│           │   │   │   │   │   │   ├── [ 38K]  params.js.map
│           │   │   │   │   │   │   ├── [ 200]  pathname.d.ts
```

```
│            │   │   │   │   │   │   ├── [4.3K]  pathname.js
│            │   │   │   │   │   │   ├── [6.0K]  pathname.js.map
│            │   │   │   │   │   │   ├── [ 188]  root-params.d.ts
│            │   │   │   │   │   │   ├── [ 14K]  root-params.js
│            │   │   │   │   │   │   ├── [ 18K]  root-params.js.map
│            │   │   │   │   │   │   ├── [2.4K]  search-params.d.ts
│            │   │   │   │   │   │   ├── [ 32K]  search-params.js
│            │   │   │   │   │   │   ├── [ 46K]  search-params.js.map
│            │   │   │   │   │   │   ├── [ 487]  utils.d.ts
│            │   │   │   │   │   │   ├── [3.1K]  utils.js
│            │   │   │   │   │   │   └── [3.1K]  utils.js.map
│            │   │   │   │   │   ├── [7.8K]  request-meta.d.ts
│            │   │   │   │   │   ├── [1.4K]  request-meta.js
│            │   │   │   │   │   ├── [9.2K]  request-meta.js.map
│            │   │   │   │   │   ├── [ 266]  require-hook.d.ts
│            │   │   │   │   │   ├── [2.8K]  require-hook.js
│            │   │   │   │   │   ├── [4.3K]  require-hook.js.map
│            │   │   │   │   │   ├── [ 377]  require.d.ts
│            │   │   │   │   │   ├── [3.8K]  require.js
│            │   │   │   │   │   ├── [5.9K]  require.js.map
│            │   │   │   │   │   ├── [ 448]  response-cache
│            │   │   │   │   │   │   ├── [ 775]  index.d.ts
│            │   │   │   │   │   │   ├── [7.5K]  index.js
│            │   │   │   │   │   │   ├── [ 11K]  index.js.map
│            │   │   │   │   │   │   ├── [6.4K]  types.d.ts
│            │   │   │   │   │   │   ├── [1.2K]  types.js
│            │   │   │   │   │   │   ├── [7.5K]  types.js.map
│            │   │   │   │   │   │   ├── [ 540]  utils.d.ts
│            │   │   │   │   │   │   ├── [4.1K]  utils.js
│            │   │   │   │   │   │   ├── [5.9K]  utils.js.map
│            │   │   │   │   │   │   ├── [ 704]  web.d.ts
│            │   │   │   │   │   │   ├── [4.0K]  web.js
│            │   │   │   │   │   │   └── [6.2K]  web.js.map
│            │   │   │   │   │   ├── [ 256]  resume-data-cache
│            │   │   │   │   │   │   ├── [1.8K]  cache-store.d.ts
│            │   │   │   │   │   │   ├── [2.6K]  cache-store.js
│            │   │   │   │   │   │   ├── [5.4K]  cache-store.js.map
│            │   │   │   │   │   │   ├── [4.1K]  resume-data-cache.d.ts
│            │   │   │   │   │   │   ├── [3.8K]  resume-data-cache.js
│            │   │   │   │   │   │   └── [9.6K]  resume-data-cache.js.map
│            │   │   │   │   │   ├── [ 541]  revalidation-utils.d.ts
│            │   │   │   │   │   ├── [3.3K]  revalidation-utils.js
│            │   │   │   │   │   ├── [5.6K]  revalidation-utils.js.map
│            │   │   │   │   │   ├── [ 640]  route-definitions
│            │   │   │   │   │   │   ├── [ 434]  app-page-route-
definition.d.ts
│            │   │   │   │   │   │   ├── [ 448]  app-page-route-
definition.js
│            │   │   │   │   │   │   ├── [ 827]  app-page-route-
definition.js.map
│            │   │   │   │   │   │   ├── [ 197]  app-route-route-
definition.d.ts
│            │   │   │   │   │   │   ├── [ 136]  app-route-route-
definition.js
│            │   │   │   │   │   │   ├── [  67]  app-route-route-
definition.js.map
```

```
|           |   |   |   |   |   |   ├── [ 581]  locale-route-
definition.d.ts
|           |   |   |   |   |   |   ├── [ 133]  locale-route-
definition.js
|           |   |   |   |   |   |   ├── [  67]  locale-route-
definition.js.map
|           |   |   |   |   |   |   ├── [ 216]  pages-api-route-
definition.d.ts
|           |   |   |   |   |   |   ├── [ 136]  pages-api-route-
definition.js
|           |   |   |   |   |   |   ├── [  67]  pages-api-route-
definition.js.map
|           |   |   |   |   |   |   ├── [ 209]  pages-route-
definition.d.ts
|           |   |   |   |   |   |   ├── [ 132]  pages-route-
definition.js
|           |   |   |   |   |   |   ├── [  67]  pages-route-
definition.js.map
|           |   |   |   |   |   |   ├── [ 552]  route-definition.d.ts
|           |   |   |   |   |   |   ├── [ 126]  route-definition.js
|           |   |   |   |   |   |   └── [  67]  route-definition.js.map
|           |   |   |   |   |   ├── [ 720]  route-kind.d.ts
|           |   |   |   |   |   ├── [1.0K]  route-kind.js
|           |   |   |   |   |   ├── [ 937]  route-kind.js.map
|           |   |   |   |   |   ├── [ 352]  route-matcher-managers
|           |   |   |   |   |   |   ├── [1.8K]  default-route-matcher-
manager.d.ts
|           |   |   |   |   |   |   ├── [ 12K]  default-route-matcher-
manager.js
|           |   |   |   |   |   |   ├── [ 17K]  default-route-matcher-
manager.js.map
|           |   |   |   |   |   |   ├── [1.1K]  dev-route-matcher-
manager.d.ts
|           |   |   |   |   |   |   ├── [5.4K]  dev-route-matcher-
manager.js
|           |   |   |   |   |   |   ├── [6.7K]  dev-route-matcher-
manager.js.map
|           |   |   |   |   |   |   ├── [2.2K]  route-matcher-
manager.d.ts
|           |   |   |   |   |   |   ├── [ 131]  route-matcher-manager.js
|           |   |   |   |   |   |   └── [  67]  route-matcher-
manager.js.map
|           |   |   |   |   |   ├── [ 704]  route-matcher-providers
|           |   |   |   |   |   |   ├── [ 555]  app-page-route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [2.2K]  app-page-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [3.6K]  app-page-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [ 560]  app-route-route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [1.7K]  app-route-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [2.8K]  app-route-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [ 576]  dev
```

```
|           |   |   |   |   |   |   |   ├── [ 663]  dev-app-page-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   |   ├── [4.0K]  dev-app-page-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [6.0K]  dev-app-page-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [ 664]  dev-app-route-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   |   ├── [5.4K]  dev-app-route-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [7.4K]  dev-app-route-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [ 878]  dev-pages-api-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   |   ├── [3.3K]  dev-pages-api-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [5.0K]  dev-pages-api-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [ 862]  dev-pages-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   |   ├── [3.3K]  dev-pages-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [5.0K]  dev-pages-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   ├── [ 521]  file-cache-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   |   ├── [ 961]  file-cache-route-
matcher-provider.js
|           |   |   |   |   |   |   |   ├── [1.6K]  file-cache-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   └── [  96]  helpers
|           |   |   |   |   |   |   |       └── [ 352]  file-reader
|           |   |   |   |   |   |   |           ├── [ 465]  batched-
file-reader.d.ts
|           |   |   |   |   |   |   |           ├── [3.4K]  batched-
file-reader.js
|           |   |   |   |   |   |   |           ├── [6.0K]  batched-
file-reader.js.map
|           |   |   |   |   |   |   |           ├── [1.2K]  default-
file-reader.d.ts
|           |   |   |   |   |   |   |           ├── [1.5K]  default-
file-reader.js
|           |   |   |   |   |   |   |           ├── [2.5K]  default-
file-reader.js.map
|           |   |   |   |   |   |   |           ├── [ 236]  file-
reader.d.ts
|           |   |   |   |   |   |   |           ├── [ 121]  file-
reader.js
|           |   |   |   |   |   |   |           └── [  67]  file-
reader.js.map
|           |   |   |   |   |   |   ├── [ 192]  helpers
|           |   |   |   |   |   |   ├── [ 696]  cached-route-
matcher-provider.d.ts
|           |   |   |   |   |   |   ├── [ 895]  cached-route-
matcher-provider.js
```

```
|           |   |   |   |   |   |   |   ├── [1.9K]  cached-route-
matcher-provider.js.map
|           |   |   |   |   |   |   |   └── [ 352]  manifest-loaders
|           |   |   |   |   |   |   |       ├── [ 124]  manifest-
loader.d.ts
|           |   |   |   |   |   |   |       ├── [ 125]  manifest-
loader.js
|           |   |   |   |   |   |   |       ├── [  67]  manifest-
loader.js.map
|           |   |   |   |   |   |   |       ├── [ 279]  node-manifest-
loader.d.ts
|           |   |   |   |   |   |   |       ├── [ 916]  node-manifest-
loader.js
|           |   |   |   |   |   |   |       ├── [1.2K]  node-manifest-
loader.js.map
|           |   |   |   |   |   |   |       ├── [ 269]  server-manifest-
loader.d.ts
|           |   |   |   |   |   |   |       ├── [ 429]  server-manifest-
loader.js
|           |   |   |   |   |   |   |       └── [ 696]  server-manifest-
loader.js.map
|           |   |   |   |   |   |   ├── [ 475]  manifest-route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [ 690]  manifest-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [1.1K]  manifest-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [ 695]  pages-api-route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [2.4K]  pages-api-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [4.0K]  pages-api-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [ 679]  pages-route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [2.9K]  pages-route-matcher-
provider.js
|           |   |   |   |   |   |   ├── [4.6K]  pages-route-matcher-
provider.js.map
|           |   |   |   |   |   |   ├── [ 193]  route-matcher-
provider.d.ts
|           |   |   |   |   |   |   ├── [ 132]  route-matcher-
provider.js
|           |   |   |   |   |   |   └── [  67]  route-matcher-
provider.js.map
|           |   |   |   |   |   ├── [ 640]  route-matchers
|           |   |   |   |   |   |   ├── [ 260]  app-page-route-
matcher.d.ts
|           |   |   |   |   |   |   ├── [ 501]  app-page-route-
matcher.js
|           |   |   |   |   |   |   ├── [ 747]  app-page-route-
matcher.js.map
|           |   |   |   |   |   |   ├── [ 236]  app-route-route-
matcher.d.ts
|           |   |   |   |   |   |   ├── [ 397]  app-route-route-
matcher.js
```

```
│           │   │   │   │   │   │   ├── [ 479]  app-route-route-
matcher.js.map
│           │   │   │   │   │   │   ├── [1.8K]  locale-route-
matcher.d.ts
│           │   │   │   │   │   │   ├── [3.0K]  locale-route-matcher.js
│           │   │   │   │   │   │   ├── [4.5K]  locale-route-
matcher.js.map
│           │   │   │   │   │   │   ├── [ 401]  pages-api-route-
matcher.d.ts
│           │   │   │   │   │   │   ├── [ 847]  pages-api-route-
matcher.js
│           │   │   │   │   │   │   ├── [ 764]  pages-api-route-
matcher.js.map
│           │   │   │   │   │   │   ├── [ 382]  pages-route-matcher.d.ts
│           │   │   │   │   │   │   ├── [ 819]  pages-route-matcher.js
│           │   │   │   │   │   │   ├── [ 735]  pages-route-
matcher.js.map
│           │   │   │   │   │   │   ├── [1.0K]  route-matcher.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  route-matcher.js
│           │   │   │   │   │   │   └── [2.9K]  route-matcher.js.map
│           │   │   │   │   │   ├── [ 640]  route-matches
│           │   │   │   │   │   │   ├── [ 225]  app-page-route-
match.d.ts
│           │   │   │   │   │   │   ├── [ 130]  app-page-route-match.js
│           │   │   │   │   │   │   ├── [  67]  app-page-route-
match.js.map
│           │   │   │   │   │   │   ├── [ 229]  app-route-route-
match.d.ts
│           │   │   │   │   │   │   ├── [ 131]  app-route-route-match.js
│           │   │   │   │   │   │   ├── [  67]  app-route-route-
match.js.map
│           │   │   │   │   │   │   ├── [ 271]  locale-route-match.d.ts
│           │   │   │   │   │   │   ├── [ 128]  locale-route-match.js
│           │   │   │   │   │   │   ├── [  67]  locale-route-
match.js.map
│           │   │   │   │   │   │   ├── [ 497]  pages-api-route-
match.d.ts
│           │   │   │   │   │   │   ├── [ 434]  pages-api-route-match.js
│           │   │   │   │   │   │   ├── [ 952]  pages-api-route-
match.js.map
│           │   │   │   │   │   │   ├── [ 235]  pages-route-match.d.ts
│           │   │   │   │   │   │   ├── [ 127]  pages-route-match.js
│           │   │   │   │   │   │   ├── [  67]  pages-route-match.js.map
│           │   │   │   │   │   │   ├── [ 640]  route-match.d.ts
│           │   │   │   │   │   │   ├── [ 121]  route-match.js
│           │   │   │   │   │   │   └── [  67]  route-match.js.map
│           │   │   │   │   │   ├── [ 384]  route-modules
│           │   │   │   │   │   │   ├── [ 416]  app-page
│           │   │   │   │   │   │   │   ├── [ 160]  helpers
│           │   │   │   │   │   │   │   │   ├── [ 761]  prerender-
manifest-matcher.d.ts
│           │   │   │   │   │   │   │   │   ├── [1.9K]  prerender-
manifest-matcher.js
│           │   │   │   │   │   │   │   │   └── [3.4K]  prerender-
manifest-matcher.js.map
│           │   │   │   │   │   │   │   ├── [  25]  module.compiled.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [1.6K]  module.compiled.js
│           │   │   │   │   │   │   │   ├── [2.3K]
module.compiled.js.map
│           │   │   │   │   │   │   │   ├── [3.9K]  module.d.ts
│           │   │   │   │   │   │   │   ├── [5.3K]  module.js
│           │   │   │   │   │   │   │   ├── [8.0K]  module.js.map
│           │   │   │   │   │   │   │   ├── [ 121]  module.render.d.ts
│           │   │   │   │   │   │   │   ├── [ 686]  module.render.js
│           │   │   │   │   │   │   │   ├── [ 929]  module.render.js.map
│           │   │   │   │   │   │   │   └── [ 160]  vendored
│           │   │   │   │   │   │   │       ├── [ 832]  contexts
│           │   │   │   │   │   │   │       │   ├── [   0]  amp-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 137]  amp-
context.js
│           │   │   │   │   │   │   │       │   ├── [ 427]  amp-
context.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  app-router-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 150]  app-router-
context.js
│           │   │   │   │   │   │   │       │   ├── [ 448]  app-router-
context.js.map
│           │   │   │   │   │   │   │       │   ├── [ 675]
entrypoints.d.ts
│           │   │   │   │   │   │   │       │   ├── [3.5K]
entrypoints.js
│           │   │   │   │   │   │   │       │   ├── [1.1K]
entrypoints.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  head-
manager-context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 154]  head-
manager-context.js
│           │   │   │   │   │   │   │       │   ├── [ 454]  head-
manager-context.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  hooks-
client-context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 154]  hooks-
client-context.js
│           │   │   │   │   │   │   │       │   ├── [ 454]  hooks-
client-context.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  image-
config-context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 154]  image-
config-context.js
│           │   │   │   │   │   │   │       │   ├── [ 454]  image-
config-context.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  router-
context.d.ts
│           │   │   │   │   │   │   │       │   ├── [ 143]  router-
context.js
│           │   │   │   │   │   │   │       │   ├── [ 436]  router-
context.js.map
│           │   │   │   │   │   │   │       │   ├── [   0]  server-
inserted-html.d.ts
```

```
|           |   |   |   |   |   |   |       |   ├── [ 154]  server-
inserted-html.js
|           |   |   |   |   |   |   |       |   └── [ 454]  server-
inserted-html.js.map
|           |   |   |   |   |   |   |       ├── [1.0K]  rsc
|           |   |   |   |   |   |   |       |   ├── [ 622]
entrypoints.d.ts
|           |   |   |   |   |   |   |       |   ├── [5.3K]
entrypoints.js
|           |   |   |   |   |   |   |       |   ├── [4.8K]
entrypoints.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
compiler-runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 159]  react-
compiler-runtime.js
|           |   |   |   |   |   |   |       |   ├── [ 457]  react-
compiler-runtime.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
dom.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 134]  react-dom.js
|           |   |   |   |   |   |   |       |   ├── [ 418]  react-
dom.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-jsx-
dev-runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 156]  react-jsx-
dev-runtime.js
|           |   |   |   |   |   |   |       |   ├── [ 452]  react-jsx-
dev-runtime.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-jsx-
runtime.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 149]  react-jsx-
runtime.js
|           |   |   |   |   |   |   |       |   ├── [ 440]  react-jsx-
runtime.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
server-dom-turbopack-server.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 179]  react-
server-dom-turbopack-server.js
|           |   |   |   |   |   |   |       |   ├── [ 486]  react-
server-dom-turbopack-server.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
server-dom-turbopack-static.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 179]  react-
server-dom-turbopack-static.js
|           |   |   |   |   |   |   |       |   ├── [ 486]  react-
server-dom-turbopack-static.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
server-dom-webpack-server.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 175]  react-
server-dom-webpack-server.js
|           |   |   |   |   |   |   |       |   ├── [ 480]  react-
server-dom-webpack-server.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react-
server-dom-webpack-static.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 175]  react-
server-dom-webpack-static.js
```

```
|           |   |   |   |   |   |   |       |   ├── [ 480]  react-
server-dom-webpack-static.js.map
|           |   |   |   |   |   |   |       |   ├── [   0]  react.d.ts
|           |   |   |   |   |   |   |       |   ├── [ 127]  react.js
|           |   |   |   |   |   |   |       |   └── [ 408]  react.js.map
|           |   |   |   |   |   |   |       └── [ 928]  ssr
|           |   |   |   |   |   |   |           ├── [ 548]
entrypoints.d.ts
|           |   |   |   |   |   |   |           ├── [4.5K]
entrypoints.js
|           |   |   |   |   |   |   |           ├── [3.6K]
entrypoints.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-
compiler-runtime.d.ts
|           |   |   |   |   |   |   |           ├── [ 159]  react-
compiler-runtime.js
|           |   |   |   |   |   |   |           ├── [ 457]  react-
compiler-runtime.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-dom-
server.d.ts
|           |   |   |   |   |   |   |           ├── [ 147]  react-dom-
server.js
|           |   |   |   |   |   |   |           ├── [ 437]  react-dom-
server.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-
dom.d.ts
|           |   |   |   |   |   |   |           ├── [ 134]  react-dom.js
|           |   |   |   |   |   |   |           ├── [ 418]  react-
dom.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-jsx-
dev-runtime.d.ts
|           |   |   |   |   |   |   |           ├── [ 156]  react-jsx-
dev-runtime.js
|           |   |   |   |   |   |   |           ├── [ 452]  react-jsx-
dev-runtime.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-jsx-
runtime.d.ts
|           |   |   |   |   |   |   |           ├── [ 149]  react-jsx-
runtime.js
|           |   |   |   |   |   |   |           ├── [ 440]  react-jsx-
runtime.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-
server-dom-turbopack-client.d.ts
|           |   |   |   |   |   |   |           ├── [ 179]  react-
server-dom-turbopack-client.js
|           |   |   |   |   |   |   |           ├── [ 486]  react-
server-dom-turbopack-client.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react-
server-dom-webpack-client.d.ts
|           |   |   |   |   |   |   |           ├── [ 175]  react-
server-dom-webpack-client.js
|           |   |   |   |   |   |   |           ├── [ 480]  react-
server-dom-webpack-client.js.map
|           |   |   |   |   |   |   |           ├── [   0]  react.d.ts
|           |   |   |   |   |   |   |           ├── [ 127]  react.js
|           |   |   |   |   |   |   |           └── [ 408]  react.js.map
```

```
│           │   │   │   │   │   │   ├── [ 384]  app-route
│           │   │   │   │   │   │   │   ├── [ 544]  helpers
│           │   │   │   │   │   │   │   │   ├── [ 238]  auto-implement-
methods.d.ts
│           │   │   │   │   │   │   │   │   ├── [3.3K]  auto-implement-
methods.js
│           │   │   │   │   │   │   │   │   ├── [4.6K]  auto-implement-
methods.js.map
│           │   │   │   │   │   │   │   │   ├── [ 202]  clean-url.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 531]  clean-url.js
│           │   │   │   │   │   │   │   │   ├── [ 697]  clean-url.js.map
│           │   │   │   │   │   │   │   │   ├── [ 196]  get-pathname-
from-absolute-path.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 836]  get-pathname-
from-absolute-path.js
│           │   │   │   │   │   │   │   │   ├── [1.2K]  get-pathname-
from-absolute-path.js.map
│           │   │   │   │   │   │   │   │   ├── [ 159]  is-static-gen-
enabled.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 513]  is-static-gen-
enabled.js
│           │   │   │   │   │   │   │   │   ├── [1.1K]  is-static-gen-
enabled.js.map
│           │   │   │   │   │   │   │   │   ├── [ 273]  parsed-url-
query-to-params.d.ts
│           │   │   │   │   │   │   │   │   ├── [ 515]  parsed-url-
query-to-params.js
│           │   │   │   │   │   │   │   │   └── [ 954]  parsed-url-
query-to-params.js.map
│           │   │   │   │   │   │   │   ├── [  25]  module.compiled.d.ts
│           │   │   │   │   │   │   │   ├── [1.6K]  module.compiled.js
│           │   │   │   │   │   │   │   ├── [2.3K]
module.compiled.js.map
│           │   │   │   │   │   │   │   ├── [5.3K]  module.d.ts
│           │   │   │   │   │   │   │   ├── [ 48K]  module.js
│           │   │   │   │   │   │   │   ├── [ 66K]  module.js.map
│           │   │   │   │   │   │   │   ├── [  91]  shared-modules.d.ts
│           │   │   │   │   │   │   │   ├── [2.0K]  shared-modules.js
│           │   │   │   │   │   │   │   └── [ 512]  shared-
modules.js.map
│           │   │   │   │   │   │   ├── [ 722]  checks.d.ts
│           │   │   │   │   │   │   ├── [1.3K]  checks.js
│           │   │   │   │   │   │   ├── [1.8K]  checks.js.map
│           │   │   │   │   │   │   ├── [ 512]  pages
│           │   │   │   │   │   │   │   ├── [ 160]  builtin
│           │   │   │   │   │   │   │   │   ├── [ 272]  _error.d.ts
│           │   │   │   │   │   │   │   │   ├── [3.0K]  _error.js
│           │   │   │   │   │   │   │   │   └── [1.9K]  _error.js.map
│           │   │   │   │   │   │   │   ├── [  25]  module.compiled.d.ts
│           │   │   │   │   │   │   │   ├── [ 775]  module.compiled.js
│           │   │   │   │   │   │   │   ├── [1.2K]
module.compiled.js.map
│           │   │   │   │   │   │   │   ├── [3.6K]  module.d.ts
│           │   │   │   │   │   │   │   ├── [2.7K]  module.js
│           │   │   │   │   │   │   │   ├── [5.1K]  module.js.map
│           │   │   │   │   │   │   │   ├── [ 104]  module.render.d.ts
```

```
│           │   │   │   │   │   │   │   ├── [ 686]  module.render.js
│           │   │   │   │   │   │   │   ├── [ 892]  module.render.js.map
│           │   │   │   │   │   │   │   ├── [ 776]  pages-handler.d.ts
│           │   │   │   │   │   │   │   ├── [ 31K]  pages-handler.js
│           │   │   │   │   │   │   │   ├── [ 43K]  pages-handler.js.map
│           │   │   │   │   │   │   │   └── [  96]  vendored
│           │   │   │   │   │   │   │       └── [1.1K]  contexts
│           │   │   │   │   │   │   │           ├── [   0]  amp-
context.d.ts
│           │   │   │   │   │   │   │           ├── [ 137]  amp-
context.js
│           │   │   │   │   │   │   │           ├── [ 424]  amp-
context.js.map
│           │   │   │   │   │   │   │           ├── [   0]  app-router-
context.d.ts
│           │   │   │   │   │   │   │           ├── [ 150]  app-router-
context.js
│           │   │   │   │   │   │   │           ├── [ 445]  app-router-
context.js.map
│           │   │   │   │   │   │   │           ├── [ 934]
entrypoints.d.ts
│           │   │   │   │   │   │   │           ├── [4.2K]
entrypoints.js
│           │   │   │   │   │   │   │           ├── [1.5K]
entrypoints.js.map
│           │   │   │   │   │   │   │           ├── [   0]  head-
manager-context.d.ts
│           │   │   │   │   │   │   │           ├── [ 154]  head-
manager-context.js
│           │   │   │   │   │   │   │           ├── [ 451]  head-
manager-context.js.map
│           │   │   │   │   │   │   │           ├── [   0]  hooks-
client-context.d.ts
│           │   │   │   │   │   │   │           ├── [ 154]  hooks-
client-context.js
│           │   │   │   │   │   │   │           ├── [ 451]  hooks-
client-context.js.map
│           │   │   │   │   │   │   │           ├── [   0]  html-
context.d.ts
│           │   │   │   │   │   │   │           ├── [ 139]  html-
context.js
│           │   │   │   │   │   │   │           ├── [ 427]  html-
context.js.map
│           │   │   │   │   │   │   │           ├── [   0]  image-
config-context.d.ts
│           │   │   │   │   │   │   │           ├── [ 154]  image-
config-context.js
│           │   │   │   │   │   │   │           ├── [ 451]  image-
config-context.js.map
│           │   │   │   │   │   │   │           ├── [   0]  loadable-
context.d.ts
│           │   │   │   │   │   │   │           ├── [ 147]  loadable-
context.js
│           │   │   │   │   │   │   │           ├── [ 439]  loadable-
context.js.map
```

```
|           |   |   |   |   |   |   |           ├── [   0]
loadable.d.ts
|           |   |   |   |   |   |   |           ├── [ 132]  loadable.js
|           |   |   |   |   |   |   |           ├── [ 417]
loadable.js.map
|           |   |   |   |   |   |   |           ├── [   0]  router-
context.d.ts
|           |   |   |   |   |   |   |           ├── [ 143]  router-
context.js
|           |   |   |   |   |   |   |           ├── [ 433]  router-
context.js.map
|           |   |   |   |   |   |   |           ├── [   0]  server-
inserted-html.d.ts
|           |   |   |   |   |   |   |           ├── [ 154]  server-
inserted-html.js
|           |   |   |   |   |   |   |           └── [ 451]  server-
inserted-html.js.map
|           |   |   |   |   |   |   ├── [ 256]  pages-api
|           |   |   |   |   |   |   |   ├── [  25]  module.compiled.d.ts
|           |   |   |   |   |   |   |   ├── [ 795]  module.compiled.js
|           |   |   |   |   |   |   |   ├── [1.3K]
module.compiled.js.map
|           |   |   |   |   |   |   |   ├── [3.0K]  module.d.ts
|           |   |   |   |   |   |   |   ├── [2.0K]  module.js
|           |   |   |   |   |   |   |   └── [5.2K]  module.js.map
|           |   |   |   |   |   |   ├── [5.8K]  route-module.d.ts
|           |   |   |   |   |   |   ├── [ 27K]  route-module.js
|           |   |   |   |   |   |   └── [ 48K]  route-module.js.map
|           |   |   |   |   |   ├── [ 597]  send-payload.d.ts
|           |   |   |   |   |   ├── [2.8K]  send-payload.js
|           |   |   |   |   |   ├── [4.1K]  send-payload.js.map
|           |   |   |   |   |   ├── [ 420]  send-response.d.ts
|           |   |   |   |   |   ├── [3.0K]  send-response.js
|           |   |   |   |   |   ├── [4.5K]  send-response.js.map
|           |   |   |   |   |   ├── [ 403]  serve-static.d.ts
|           |   |   |   |   |   ├── [2.1K]  serve-static.js
|           |   |   |   |   |   ├── [2.6K]  serve-static.js.map
|           |   |   |   |   |   ├── [ 197]  server-route-utils.d.ts
|           |   |   |   |   |   ├── [1.1K]  server-route-utils.js
|           |   |   |   |   |   ├── [1.9K]  server-route-utils.js.map
|           |   |   |   |   |   ├── [3.1K]  server-utils.d.ts
|           |   |   |   |   |   ├── [ 16K]  server-utils.js
|           |   |   |   |   |   ├── [ 25K]  server-utils.js.map
|           |   |   |   |   |   ├── [ 172]  setup-http-agent-env.d.ts
|           |   |   |   |   |   ├── [1.0K]  setup-http-agent-env.js
|           |   |   |   |   |   ├── [1.4K]  setup-http-agent-env.js.map
|           |   |   |   |   |   ├── [ 352]  stream-utils
|           |   |   |   |   |   |   ├── [ 479]  encoded-tags.d.ts
|           |   |   |   |   |   |   ├── [2.2K]  encoded-tags.js
|           |   |   |   |   |   |   ├── [2.1K]  encoded-tags.js.map
|           |   |   |   |   |   |   ├── [3.3K]  node-web-streams-
helper.d.ts
|           |   |   |   |   |   |   ├── [ 29K]  node-web-streams-
helper.js
|           |   |   |   |   |   |   ├── [ 43K]  node-web-streams-
helper.js.map
```

```
│           │   │   │   │   │   │   ├── [ 616]  uint8array-helpers.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  uint8array-helpers.js
│           │   │   │   │   │   │   └── [3.1K]  uint8array-
helpers.js.map
│           │   │   │   │   │   ├── [ 384]  typescript
│           │   │   │   │   │   │   ├── [ 770]  constant.d.ts
│           │   │   │   │   │   │   ├── [2.3K]  constant.js
│           │   │   │   │   │   │   ├── [2.4K]  constant.js.map
│           │   │   │   │   │   │   ├── [ 470]  index.d.ts
│           │   │   │   │   │   │   ├── [ 10K]  index.js
│           │   │   │   │   │   │   ├── [ 17K]  index.js.map
│           │   │   │   │   │   │   ├── [ 736]  rules
│           │   │   │   │   │   │   │   ├── [ 424]  client-boundary.d.ts
│           │   │   │   │   │   │   │   ├── [6.0K]  client-boundary.js
│           │   │   │   │   │   │   │   ├── [8.2K]  client-
boundary.js.map
│           │   │   │   │   │   │   │   ├── [ 622]  config.d.ts
│           │   │   │   │   │   │   │   ├── [ 27K]  config.js
│           │   │   │   │   │   │   │   ├── [ 37K]  config.js.map
│           │   │   │   │   │   │   │   ├── [ 372]  entry.d.ts
│           │   │   │   │   │   │   │   ├── [6.6K]  entry.js
│           │   │   │   │   │   │   │   ├── [9.3K]  entry.js.map
│           │   │   │   │   │   │   │   ├── [ 222]  error.d.ts
│           │   │   │   │   │   │   │   ├── [1.4K]  error.js
│           │   │   │   │   │   │   │   ├── [2.1K]  error.js.map
│           │   │   │   │   │   │   │   ├── [ 738]  metadata.d.ts
│           │   │   │   │   │   │   │   ├── [ 12K]  metadata.js
│           │   │   │   │   │   │   │   ├── [ 16K]  metadata.js.map
│           │   │   │   │   │   │   │   ├── [ 636]  server-boundary.d.ts
│           │   │   │   │   │   │   │   ├── [4.6K]  server-boundary.js
│           │   │   │   │   │   │   │   ├── [8.1K]  server-
boundary.js.map
│           │   │   │   │   │   │   │   ├── [ 447]  server.d.ts
│           │   │   │   │   │   │   │   ├── [3.5K]  server.js
│           │   │   │   │   │   │   │   └── [5.4K]  server.js.map
│           │   │   │   │   │   │   ├── [1.2K]  utils.d.ts
│           │   │   │   │   │   │   ├── [6.4K]  utils.js
│           │   │   │   │   │   │   └── [8.9K]  utils.js.map
│           │   │   │   │   │   ├── [ 640]  use-cache
│           │   │   │   │   │   │   ├── [ 300]  cache-life.d.ts
│           │   │   │   │   │   │   ├── [7.6K]  cache-life.js
│           │   │   │   │   │   │   ├── [9.7K]  cache-life.js.map
│           │   │   │   │   │   │   ├── [  59]  cache-tag.d.ts
│           │   │   │   │   │   │   ├── [1.6K]  cache-tag.js
│           │   │   │   │   │   │   ├── [1.9K]  cache-tag.js.map
│           │   │   │   │   │   │   ├── [ 101]  constants.d.ts
│           │   │   │   │   │   │   ├── [ 664]  constants.js
│           │   │   │   │   │   │   ├── [ 407]  constants.js.map
│           │   │   │   │   │   │   ├── [1.4K]  handlers.d.ts
│           │   │   │   │   │   │   ├── [4.7K]  handlers.js
│           │   │   │   │   │   │   ├── [7.2K]  handlers.js.map
│           │   │   │   │   │   │   ├── [ 296]  use-cache-errors.d.ts
│           │   │   │   │   │   │   ├── [1.1K]  use-cache-errors.js
│           │   │   │   │   │   │   ├── [1.3K]  use-cache-errors.js.map
│           │   │   │   │   │   │   ├── [ 571]  use-cache-wrapper.d.ts
│           │   │   │   │   │   │   ├── [ 66K]  use-cache-wrapper.js
```

```
│           │   │   │   │   │   │   └── [ 90K]  use-cache-wrapper.js.map
│           │   │   │   │   │   ├── [ 332]  utils.d.ts
│           │   │   │   │   │   ├── [3.1K]  utils.js
│           │   │   │   │   │   ├── [4.1K]  utils.js.map
│           │   │   │   │   │   └── [1.2K]  web
│           │   │   │   │   │       ├── [1021]  adapter.d.ts
│           │   │   │   │   │       ├── [ 18K]  adapter.js
│           │   │   │   │   │       ├── [ 28K]  adapter.js.map
│           │   │   │   │   │       ├── [1.3K]  edge-route-module-
wrapper.d.ts
│           │   │   │   │   │       ├── [5.1K]  edge-route-module-
wrapper.js
│           │   │   │   │   │       ├── [8.3K]  edge-route-module-
wrapper.js.map
│           │   │   │   │   │       ├── [ 264]  error.d.ts
│           │   │   │   │   │       ├── [1.4K]  error.js
│           │   │   │   │   │       ├── [1.4K]  error.js.map
│           │   │   │   │   │       ├── [ 160]  exports
│           │   │   │   │   │       │   ├── [ 478]  index.d.ts
│           │   │   │   │   │       │   ├── [1.7K]  index.js
│           │   │   │   │   │       │   └── [1.1K]  index.js.map
│           │   │   │   │   │       ├── [ 387]  get-edge-preview-
props.d.ts
│           │   │   │   │   │       ├── [ 802]  get-edge-preview-
props.js
│           │   │   │   │   │       ├── [1.0K]  get-edge-preview-
props.js.map
│           │   │   │   │   │       ├── [ 402]  globals.d.ts
│           │   │   │   │   │       ├── [4.7K]  globals.js
│           │   │   │   │   │       ├── [6.0K]  globals.js.map
│           │   │   │   │   │       ├── [ 674]  http.d.ts
│           │   │   │   │   │       ├── [ 795]  http.js
│           │   │   │   │   │       ├── [1.1K]  http.js.map
│           │   │   │   │   │       ├── [ 156]  internal-edge-wait-
until.d.ts
│           │   │   │   │   │       ├── [2.1K]  internal-edge-wait-
until.js
│           │   │   │   │   │       ├── [2.9K]  internal-edge-wait-
until.js.map
│           │   │   │   │   │       ├── [1.7K]  next-url.d.ts
│           │   │   │   │   │       ├── [7.3K]  next-url.js
│           │   │   │   │   │       ├── [ 13K]  next-url.js.map
│           │   │   │   │   │       ├── [ 544]  sandbox
│           │   │   │   │   │       │   ├── [1.6K]  context.d.ts
│           │   │   │   │   │       │   ├── [ 18K]  context.js
│           │   │   │   │   │       │   ├── [ 28K]  context.js.map
│           │   │   │   │   │       │   ├── [ 571]  fetch-inline-
assets.d.ts
│           │   │   │   │   │       │   ├── [1.1K]  fetch-inline-
assets.js
│           │   │   │   │   │       │   ├── [2.4K]  fetch-inline-
assets.js.map
│           │   │   │   │   │       │   ├── [  75]  index.d.ts
│           │   │   │   │   │       │   ├── [ 764]  index.js
│           │   │   │   │   │       │   ├── [ 271]  index.js.map
```

```
│           │   │   │   │   │       │   ├── [ 753]  resource-
managers.d.ts
│           │   │   │   │   │       │   ├── [2.8K]  resource-managers.js
│           │   │   │   │   │       │   ├── [4.4K]  resource-
managers.js.map
│           │   │   │   │   │       │   ├── [ 967]  sandbox.d.ts
│           │   │   │   │   │       │   ├── [5.4K]  sandbox.js
│           │   │   │   │   │       │   └── [8.9K]  sandbox.js.map
│           │   │   │   │   │       ├── [1.0K]  spec-extension
│           │   │   │   │   │       │   ├── [ 448]  adapters
│           │   │   │   │   │       │   │   ├── [1.9K]  headers.d.ts
│           │   │   │   │   │       │   │   ├── [7.3K]  headers.js
│           │   │   │   │   │       │   │   ├── [ 12K]  headers.js.map
│           │   │   │   │   │       │   │   ├── [1.4K]  next-
request.d.ts
│           │   │   │   │   │       │   │   ├── [5.2K]  next-request.js
│           │   │   │   │   │       │   │   ├── [7.8K]  next-
request.js.map
│           │   │   │   │   │       │   │   ├── [ 401]  reflect.d.ts
│           │   │   │   │   │       │   │   ├── [ 791]  reflect.js
│           │   │   │   │   │       │   │   ├── [1.5K]  reflect.js.map
│           │   │   │   │   │       │   │   ├── [1.2K]  request-
cookies.d.ts
│           │   │   │   │   │       │   │   ├── [7.8K]  request-
cookies.js
│           │   │   │   │   │       │   │   └── [ 11K]  request-
cookies.js.map
│           │   │   │   │   │       │   ├── [ 110]  cookies.d.ts
│           │   │   │   │   │       │   ├── [ 714]  cookies.js
│           │   │   │   │   │       │   ├── [ 410]  cookies.js.map
│           │   │   │   │   │       │   ├── [1.4K]  fetch-event.d.ts
│           │   │   │   │   │       │   ├── [3.2K]  fetch-event.js
│           │   │   │   │   │       │   ├── [4.8K]  fetch-event.js.map
│           │   │   │   │   │       │   ├── [ 295]  image-response.d.ts
│           │   │   │   │   │       │   ├── [ 795]  image-response.js
│           │   │   │   │   │       │   ├── [ 734]  image-
response.js.map
│           │   │   │   │   │       │   ├── [1.2K]  request.d.ts
│           │   │   │   │   │       │   ├── [3.1K]  request.js
│           │   │   │   │   │       │   ├── [5.5K]  request.js.map
│           │   │   │   │   │       │   ├── [1.6K]  response.d.ts
│           │   │   │   │   │       │   ├── [4.9K]  response.js
│           │   │   │   │   │       │   ├── [8.5K]  response.js.map
│           │   │   │   │   │       │   ├── [1.4K]  revalidate.d.ts
│           │   │   │   │   │       │   ├── [8.1K]  revalidate.js
│           │   │   │   │   │       │   ├── [ 11K]  revalidate.js.map
│           │   │   │   │   │       │   ├── [ 546]  unstable-cache.d.ts
│           │   │   │   │   │       │   ├── [ 15K]  unstable-cache.js
│           │   │   │   │   │       │   ├── [ 22K]  unstable-
cache.js.map
│           │   │   │   │   │       │   ├── [ 748]  unstable-no-
store.d.ts
│           │   │   │   │   │       │   ├── [1.9K]  unstable-no-store.js
│           │   │   │   │   │       │   ├── [2.9K]  unstable-no-
store.js.map
│           │   │   │   │   │       │   ├── [  80]  url-pattern.d.ts
```

```
│           │   │   │   │   │       │   ├── [ 400]  url-pattern.js
│           │   │   │   │   │       │   ├── [ 462]  url-pattern.js.map
│           │   │   │   │   │       │   ├── [ 668]  user-agent.d.ts
│           │   │   │   │   │       │   ├── [1.5K]  user-agent.js
│           │   │   │   │   │       │   └── [1.8K]  user-agent.js.map
│           │   │   │   │   │       ├── [1.9K]  types.d.ts
│           │   │   │   │   │       ├── [ 115]  types.js
│           │   │   │   │   │       ├── [  67]  types.js.map
│           │   │   │   │   │       ├── [1.2K]  utils.d.ts
│           │   │   │   │   │       ├── [4.8K]  utils.js
│           │   │   │   │   │       ├── [8.2K]  utils.js.map
│           │   │   │   │   │       ├── [ 542]  web-on-close.d.ts
│           │   │   │   │   │       ├── [2.7K]  web-on-close.js
│           │   │   │   │   │       └── [3.3K]  web-on-close.js.map
│           │   │   │   │   ├── [  96]  shared
│           │   │   │   │   │   └── [5.4K]  lib
│           │   │   │   │   │       ├── [  85]  amp-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── [ 592]  amp-context.shared-
runtime.js
│           │   │   │   │   │       ├── [ 581]  amp-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── [ 191]  amp-mode.d.ts
│           │   │   │   │   │       ├── [ 419]  amp-mode.js
│           │   │   │   │   │       ├── [ 486]  amp-mode.js.map
│           │   │   │   │   │       ├── [  43]  amp.d.ts
│           │   │   │   │   │       ├── [1.0K]  amp.js
│           │   │   │   │   │       ├── [ 608]  amp.js.map
│           │   │   │   │   │       ├── [ 875]  app-dynamic.d.ts
│           │   │   │   │   │       ├── [1.2K]  app-dynamic.js
│           │   │   │   │   │       ├── [1.8K]  app-dynamic.js.map
│           │   │   │   │   │       ├── [5.0K]  app-router-
context.shared-runtime.d.ts
│           │   │   │   │   │       ├── [1.6K]  app-router-
context.shared-runtime.js
│           │   │   │   │   │       ├── [6.2K]  app-router-
context.shared-runtime.js.map
│           │   │   │   │   │       ├── [ 598]  bloom-filter.d.ts
│           │   │   │   │   │       ├── [2.9K]  bloom-filter.js
│           │   │   │   │   │       ├── [5.4K]  bloom-filter.js.map
│           │   │   │   │   │       ├── [ 170]  canary-only.d.ts
│           │   │   │   │   │       ├── [1.3K]  canary-only.js
│           │   │   │   │   │       ├── [1.4K]  canary-only.js.map
│           │   │   │   │   │       ├── [5.8K]  constants.d.ts
│           │   │   │   │   │       ├── [ 15K]  constants.js
│           │   │   │   │   │       ├── [ 12K]  constants.js.map
│           │   │   │   │   │       ├── [ 512]  deep-freeze.d.ts
│           │   │   │   │   │       ├── [ 868]  deep-freeze.js
│           │   │   │   │   │       ├── [1.7K]  deep-freeze.js.map
│           │   │   │   │   │       ├── [ 389]  deep-readonly.d.ts
│           │   │   │   │   │       ├── [ 348]  deep-readonly.js
│           │   │   │   │   │       ├── [ 565]  deep-readonly.js.map
│           │   │   │   │   │       ├── [ 117]  dset.d.ts
│           │   │   │   │   │       ├── [1.9K]  dset.js
│           │   │   │   │   │       ├── [2.5K]  dset.js.map
│           │   │   │   │   │       ├── [1.7K]  dynamic.d.ts
```

```
│           │   │   │   │   │       ├── [5.3K]  dynamic.js
│           │   │   │   │   │       ├── [7.3K]  dynamic.js.map
│           │   │   │   │   │       ├── [  61]  encode-uri-path.d.ts
│           │   │   │   │   │       ├── [ 362]  encode-uri-path.js
│           │   │   │   │   │       ├── [ 469]  encode-uri-path.js.map
│           │   │   │   │   │       ├── [ 231]  error-source.d.ts
│           │   │   │   │   │       ├── [ 858]  error-source.js
│           │   │   │   │   │       ├── [1.0K]  error-source.js.map
│           │   │   │   │   │       ├── [ 160]  errors
│           │   │   │   │   │       │   ├── [  73]  constants.d.ts
│           │   │   │   │   │       │   ├── [ 655]  constants.js
│           │   │   │   │   │       │   └── [ 266]  constants.js.map
│           │   │   │   │   │       ├── [  65]  escape-regexp.d.ts
│           │   │   │   │   │       ├── [ 694]  escape-regexp.js
│           │   │   │   │   │       ├── [ 852]  escape-regexp.js.map
│           │   │   │   │   │       ├── [ 335]  fnv1a.d.ts
│           │   │   │   │   │       ├── [2.7K]  fnv1a.js
│           │   │   │   │   │       ├── [4.0K]  fnv1a.js.map
│           │   │   │   │   │       ├── [  82]  format-webpack-
messages.d.ts
│           │   │   │   │   │       ├── [8.3K]  format-webpack-
messages.js
│           │   │   │   │   │       ├── [ 13K]  format-webpack-
messages.js.map
│           │   │   │   │   │       ├── [ 454]  get-hostname.d.ts
│           │   │   │   │   │       ├── [ 679]  get-hostname.js
│           │   │   │   │   │       ├── [1.3K]  get-hostname.js.map
│           │   │   │   │   │       ├── [3.3K]  get-img-props.d.ts
│           │   │   │   │   │       ├── [ 25K]  get-img-props.js
│           │   │   │   │   │       ├── [ 37K]  get-img-props.js.map
│           │   │   │   │   │       ├── [ 100]  get-rspack.d.ts
│           │   │   │   │   │       ├── [2.5K]  get-rspack.js
│           │   │   │   │   │       ├── [2.7K]  get-rspack.js.map
│           │   │   │   │   │       ├── [ 264]  get-webpack-bundler.d.ts
│           │   │   │   │   │       ├── [ 632]  get-webpack-bundler.js
│           │   │   │   │   │       ├── [ 725]  get-webpack-
bundler.js.map
│           │   │   │   │   │       ├── [ 109]  hash.d.ts
│           │   │   │   │   │       ├── [1.3K]  hash.js
│           │   │   │   │   │       ├── [1.5K]  hash.js.map
│           │   │   │   │   │       ├── [ 288]  head-manager-
context.shared-runtime.d.ts
│           │   │   │   │   │       ├── [ 616]  head-manager-
context.shared-runtime.js
│           │   │   │   │   │       ├── [ 863]  head-manager-
context.shared-runtime.js.map
│           │   │   │   │   │       ├── [ 446]  head.d.ts
│           │   │   │   │   │       ├── [6.8K]  head.js
│           │   │   │   │   │       ├── [9.4K]  head.js.map
│           │   │   │   │   │       ├── [ 308]  hooks-client-
context.shared-runtime.d.ts
│           │   │   │   │   │       ├── [1.1K]  hooks-client-
context.shared-runtime.js
│           │   │   │   │   │       ├── [1.1K]  hooks-client-
context.shared-runtime.js.map
```

```
│           │   │   │   │   │       ├── [1.8K]  html-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── [1.1K]  html-context.shared-
runtime.js
│           │   │   │   │   │       ├── [2.7K]  html-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── [ 352]  i18n
│           │   │   │   │   │       │   ├── [ 220]  detect-domain-
locale.d.ts
│           │   │   │   │   │       │   ├── [ 962]  detect-domain-
locale.js
│           │   │   │   │   │       │   ├── [1.4K]  detect-domain-
locale.js.map
│           │   │   │   │   │       │   ├── [ 673]  get-locale-
redirect.d.ts
│           │   │   │   │   │       │   ├── [3.1K]  get-locale-
redirect.js
│           │   │   │   │   │       │   ├── [5.5K]  get-locale-
redirect.js.map
│           │   │   │   │   │       │   ├── [ 515]  normalize-locale-
path.d.ts
│           │   │   │   │   │       │   ├── [1.8K]  normalize-locale-
path.js
│           │   │   │   │   │       │   └── [3.1K]  normalize-locale-
path.js.map
│           │   │   │   │   │       ├── [ 370]  image-blur-svg.d.ts
│           │   │   │   │   │       ├── [1.5K]  image-blur-svg.js
│           │   │   │   │   │       ├── [2.1K]  image-blur-svg.js.map
│           │   │   │   │   │       ├── [ 163]  image-config-
context.shared-runtime.d.ts
│           │   │   │   │   │       ├── [ 693]  image-config-
context.shared-runtime.js
│           │   │   │   │   │       ├── [ 766]  image-config-
context.shared-runtime.js.map
│           │   │   │   │   │       ├── [3.9K]  image-config.d.ts
│           │   │   │   │   │       ├── [1.3K]  image-config.js
│           │   │   │   │   │       ├── [5.3K]  image-config.js.map
│           │   │   │   │   │       ├── [ 742]  image-external.d.ts
│           │   │   │   │   │       ├── [1.5K]  image-external.js
│           │   │   │   │   │       ├── [2.1K]  image-external.js.map
│           │   │   │   │   │       ├── [ 271]  image-loader.d.ts
│           │   │   │   │   │       ├── [5.0K]  image-loader.js
│           │   │   │   │   │       ├── [6.6K]  image-loader.js.map
│           │   │   │   │   │       ├── [ 112]  invariant-error.d.ts
│           │   │   │   │   │       ├── [ 501]  invariant-error.js
│           │   │   │   │   │       ├── [ 682]  invariant-error.js.map
│           │   │   │   │   │       ├── [ 355]  is-internal.d.ts
│           │   │   │   │   │       ├── [1.3K]  is-internal.js
│           │   │   │   │   │       ├── [1.3K]  is-internal.js.map
│           │   │   │   │   │       ├── [ 125]  is-plain-object.d.ts
│           │   │   │   │   │       ├── [1.2K]  is-plain-object.js
│           │   │   │   │   │       ├── [1.2K]  is-plain-object.js.map
│           │   │   │   │   │       ├── [ 233]  is-thenable.d.ts
│           │   │   │   │   │       ├── [ 537]  is-thenable.js
│           │   │   │   │   │       ├── [ 679]  is-thenable.js.map
│           │   │   │   │   │       ├── [ 160]  isomorphic
```

```
│           │   │   │   │   │       │   ├── [  31]  path.d.ts
│           │   │   │   │   │       │   ├── [ 408]  path.js
│           │   │   │   │   │       │   └── [ 713]  path.js.map
│           │   │   │   │   │       ├── [ 544]  lazy-dynamic
│           │   │   │   │   │       │   ├── [ 462]  bailout-to-csr.d.ts
│           │   │   │   │   │       │   ├── [1.1K]  bailout-to-csr.js
│           │   │   │   │   │       │   ├── [1.4K]  bailout-to-
csr.js.map
│           │   │   │   │   │       │   ├── [ 437]  dynamic-bailout-to-
csr.d.ts
│           │   │   │   │   │       │   ├── [ 673]  dynamic-bailout-to-
csr.js
│           │   │   │   │   │       │   ├── [ 980]  dynamic-bailout-to-
csr.js.map
│           │   │   │   │   │       │   ├── [ 412]  loadable.d.ts
│           │   │   │   │   │       │   ├── [2.9K]  loadable.js
│           │   │   │   │   │       │   ├── [4.2K]  loadable.js.map
│           │   │   │   │   │       │   ├── [ 145]  preload-chunks.d.ts
│           │   │   │   │   │       │   ├── [2.6K]  preload-chunks.js
│           │   │   │   │   │       │   ├── [3.6K]  preload-
chunks.js.map
│           │   │   │   │   │       │   ├── [ 481]  types.d.ts
│           │   │   │   │   │       │   ├── [ 115]  types.js
│           │   │   │   │   │       │   └── [  67]  types.js.map
│           │   │   │   │   │       ├── [ 156]  loadable-context.shared-
runtime.d.ts
│           │   │   │   │   │       ├── [ 613]  loadable-context.shared-
runtime.js
│           │   │   │   │   │       ├── [ 652]  loadable-context.shared-
runtime.js.map
│           │   │   │   │   │       ├── [1.5K]  loadable.shared-
runtime.d.ts
│           │   │   │   │   │       ├── [8.3K]  loadable.shared-
runtime.js
│           │   │   │   │   │       ├── [ 14K]  loadable.shared-
runtime.js.map
│           │   │   │   │   │       ├── [ 128]  magic-identifier.d.ts
│           │   │   │   │   │       ├── [3.6K]  magic-identifier.js
│           │   │   │   │   │       ├── [4.0K]  magic-identifier.js.map
│           │   │   │   │   │       ├── [ 253]  match-local-pattern.d.ts
│           │   │   │   │   │       ├── [1.3K]  match-local-pattern.js
│           │   │   │   │   │       ├── [1.7K]  match-local-
pattern.js.map
│           │   │   │   │   │       ├── [ 268]  match-remote-
pattern.d.ts
│           │   │   │   │   │       ├── [1.9K]  match-remote-pattern.js
│           │   │   │   │   │       ├── [2.7K]  match-remote-
pattern.js.map
│           │   │   │   │   │       ├── [ 263]  mitt.d.ts
│           │   │   │   │   │       ├── [2.2K]  mitt.js
│           │   │   │   │   │       ├── [2.9K]  mitt.js.map
│           │   │   │   │   │       ├── [ 199]  modern-browserslist-
target.d.ts
│           │   │   │   │   │       ├── [ 652]  modern-browserslist-
target.js
```

```
|           |   |   |   |   |       ├── [ 893]  modern-browserslist-
target.js.map
|           |   |   |   |   |       ├── [  74]  no-fallback-
error.external.d.ts
|           |   |   |   |   |       ├── [ 408]  no-fallback-
error.external.js
|           |   |   |   |   |       ├── [ 426]  no-fallback-
error.external.js.map
|           |   |   |   |   |       ├── [  88]  normalized-asset-
prefix.d.ts
|           |   |   |   |   |       ├── [ 961]  normalized-asset-
prefix.js
|           |   |   |   |   |       ├── [1.3K]  normalized-asset-
prefix.js.map
|           |   |   |   |   |       ├── [ 928]  page-path
|           |   |   |   |   |       |   ├── [1003]  absolute-path-to-
page.d.ts
|           |   |   |   |   |       |   ├── [1.1K]  absolute-path-to-
page.js
|           |   |   |   |   |       |   ├── [2.3K]  absolute-path-to-
page.js.map
|           |   |   |   |   |       |   ├── [  70]  denormalize-app-
path.d.ts
|           |   |   |   |   |       |   ├── [ 433]  denormalize-app-
path.js
|           |   |   |   |   |       |   ├── [ 464]  denormalize-app-
path.js.map
|           |   |   |   |   |       |   ├── [ 353]  denormalize-page-
path.d.ts
|           |   |   |   |   |       |   ├── [ 611]  denormalize-page-
path.js
|           |   |   |   |   |       |   ├── [1.1K]  denormalize-page-
path.js.map
|           |   |   |   |   |       |   ├── [ 225]  ensure-leading-
slash.d.ts
|           |   |   |   |   |       |   ├── [ 524]  ensure-leading-
slash.js
|           |   |   |   |   |       |   ├── [ 572]  ensure-leading-
slash.js.map
|           |   |   |   |   |       |   ├── [ 617]  get-page-paths.d.ts
|           |   |   |   |   |       |   ├── [1.1K]  get-page-paths.js
|           |   |   |   |   |       |   ├── [1.9K]  get-page-
paths.js.map
|           |   |   |   |   |       |   ├── [ 133]  normalize-data-
path.d.ts
|           |   |   |   |   |       |   ├── [ 655]  normalize-data-
path.js
|           |   |   |   |   |       |   ├── [ 890]  normalize-data-
path.js.map
|           |   |   |   |   |       |   ├── [ 451]  normalize-page-
path.d.ts
|           |   |   |   |   |       |   ├── [ 988]  normalize-page-
path.js
|           |   |   |   |   |       |   ├── [1.9K]  normalize-page-
path.js.map
```

```
|           |   |   |   |   |       |   ├── [ 228]  normalize-path-
sep.d.ts
|           |   |   |   |   |       |   ├── [ 505]  normalize-path-
sep.js
|           |   |   |   |   |       |   ├── [ 549]  normalize-path-
sep.js.map
|           |   |   |   |   |       |   ├── [ 651]  remove-page-path-
tail.d.ts
|           |   |   |   |   |       |   ├── [ 649]  remove-page-path-
tail.js
|           |   |   |   |   |       |   └── [1.5K]  remove-page-path-
tail.js.map
|           |   |   |   |   |       ├── [  82]  promise-with-
resolvers.d.ts
|           |   |   |   |   |       ├── [ 606]  promise-with-
resolvers.js
|           |   |   |   |   |       ├── [ 779]  promise-with-
resolvers.js.map
|           |   |   |   |   |       ├── [ 288]  router
|           |   |   |   |   |       |   ├── [1.1K]  adapters.d.ts
|           |   |   |   |   |       |   ├── [4.9K]  adapters.js
|           |   |   |   |   |       |   ├── [6.7K]  adapters.js.map
|           |   |   |   |   |       |   ├── [7.9K]  router.d.ts
|           |   |   |   |   |       |   ├── [ 84K]  router.js
|           |   |   |   |   |       |   ├── [128K]  router.js.map
|           |   |   |   |   |       |   └── [3.8K]  utils
|           |   |   |   |   |       |       ├── [ 365]  add-locale.d.ts
|           |   |   |   |   |       |       ├── [1.0K]  add-locale.js
|           |   |   |   |   |       |       ├── [1.7K]  add-
locale.js.map
|           |   |   |   |   |       |       ├── [ 200]  add-path-
prefix.d.ts
|           |   |   |   |   |       |       ├── [ 536]  add-path-
prefix.js
|           |   |   |   |   |       |       ├── [ 885]  add-path-
prefix.js.map
|           |   |   |   |   |       |       ├── [ 258]  add-path-
suffix.d.ts
|           |   |   |   |   |       |       ├── [ 536]  add-path-
suffix.js
|           |   |   |   |   |       |       ├── [ 944]  add-path-
suffix.js.map
|           |   |   |   |   |       |       ├── [ 900]  app-paths.d.ts
|           |   |   |   |   |       |       ├── [1.5K]  app-paths.js
|           |   |   |   |   |       |       ├── [2.6K]  app-paths.js.map
|           |   |   |   |   |       |       ├── [  79]  as-path-to-
search-params.d.ts
|           |   |   |   |   |       |       ├── [ 484]  as-path-to-
search-params.js
|           |   |   |   |   |       |       ├── [ 565]  as-path-to-
search-params.js.map
|           |   |   |   |   |       |       ├── [ 257]  cache-busting-
search-param.d.ts
|           |   |   |   |   |       |       ├── [ 832]  cache-busting-
search-param.js
```

```
│           │   │   │   │   │       │       ├── [1.3K]  cache-busting-
search-param.js.map
│           │   │   │   │   │       │       ├── [ 146]  compare-
states.d.ts
│           │   │   │   │   │       │       ├── [1.0K]  compare-
states.js
│           │   │   │   │   │       │       ├── [1.9K]  compare-
states.js.map
│           │   │   │   │   │       │       ├── [ 304]  disable-smooth-
scroll.d.ts
│           │   │   │   │   │       │       ├── [2.5K]  disable-smooth-
scroll.js
│           │   │   │   │   │       │       ├── [3.5K]  disable-smooth-
scroll.js.map
│           │   │   │   │   │       │       ├── [  96]  escape-path-
delimiters.d.ts
│           │   │   │   │   │       │       ├── [ 508]  escape-path-
delimiters.js
│           │   │   │   │   │       │       ├── [ 753]  escape-path-
delimiters.js.map
│           │   │   │   │   │       │       ├── [ 261]  format-next-
pathname-info.d.ts
│           │   │   │   │   │       │       ├── [1.3K]  format-next-
pathname-info.js
│           │   │   │   │   │       │       ├── [2.0K]  format-next-
pathname-info.js.map
│           │   │   │   │   │       │       ├── [ 216]  format-url.d.ts
│           │   │   │   │   │       │       ├── [3.9K]  format-url.js
│           │   │   │   │   │       │       ├── [5.6K]  format-
url.js.map
│           │   │   │   │   │       │       ├── [  84]  get-asset-path-
from-route.d.ts
│           │   │   │   │   │       │       ├── [ 639]  get-asset-path-
from-route.js
│           │   │   │   │   │       │       ├── [ 846]  get-asset-path-
from-route.js.map
│           │   │   │   │   │       │       ├── [2.7K]  get-dynamic-
param.d.ts
│           │   │   │   │   │       │       ├── [3.9K]  get-dynamic-
param.js
│           │   │   │   │   │       │       ├── [7.3K]  get-dynamic-
param.js.map
│           │   │   │   │   │       │       ├── [1.4K]  get-next-
pathname-info.d.ts
│           │   │   │   │   │       │       ├── [2.4K]  get-next-
pathname-info.js
│           │   │   │   │   │       │       ├── [5.1K]  get-next-
pathname-info.js.map
│           │   │   │   │   │       │       ├── [  88]  get-route-from-
asset-path.d.ts
│           │   │   │   │   │       │       ├── [ 931]  get-route-from-
asset-path.js
│           │   │   │   │   │       │       ├── [1.3K]  get-route-from-
asset-path.js.map
│           │   │   │   │   │       │       ├── [  53]  html-bots.d.ts
│           │   │   │   │   │       │       ├── [1.1K]  html-bots.js
```

```
│           │   │   │   │   │       │       ├── [1.1K]  html-bots.js.map
│           │   │   │   │   │       │       ├── [ 121]  index.d.ts
│           │   │   │   │   │       │       ├── [ 766]  index.js
│           │   │   │   │   │       │       ├── [ 430]  index.js.map
│           │   │   │   │   │       │       ├── [ 312]  interception-
routes.d.ts
│           │   │   │   │   │       │       ├── [4.3K]  interception-
routes.js
│           │   │   │   │   │       │       ├── [4.9K]  interception-
routes.js.map
│           │   │   │   │   │       │       ├── [ 195]  interpolate-
as.d.ts
│           │   │   │   │   │       │       ├── [2.2K]  interpolate-
as.js
│           │   │   │   │   │       │       ├── [3.7K]  interpolate-
as.js.map
│           │   │   │   │   │       │       ├── [ 291]  is-bot.d.ts
│           │   │   │   │   │       │       ├── [1.7K]  is-bot.js
│           │   │   │   │   │       │       ├── [2.0K]  is-bot.js.map
│           │   │   │   │   │       │       ├── [ 316]  is-dynamic.d.ts
│           │   │   │   │   │       │       ├── [ 867]  is-dynamic.js
│           │   │   │   │   │       │       ├── [1.5K]  is-
dynamic.js.map
│           │   │   │   │   │       │       ├── [ 147]  is-local-
url.d.ts
│           │   │   │   │   │       │       ├── [ 854]  is-local-url.js
│           │   │   │   │   │       │       ├── [1.2K]  is-local-
url.js.map
│           │   │   │   │   │       │       ├── [ 463]  middleware-
route-matcher.d.ts
│           │   │   │   │   │       │       ├── [ 947]  middleware-
route-matcher.js
│           │   │   │   │   │       │       ├── [1.7K]  middleware-
route-matcher.js.map
│           │   │   │   │   │       │       ├── [ 126]  omit.d.ts
│           │   │   │   │   │       │       ├── [ 440]  omit.js
│           │   │   │   │   │       │       ├── [ 778]  omit.js.map
│           │   │   │   │   │       │       ├── [ 320]  parse-path.d.ts
│           │   │   │   │   │       │       ├── [1.0K]  parse-path.js
│           │   │   │   │   │       │       ├── [1.5K]  parse-
path.js.map
│           │   │   │   │   │       │       ├── [ 745]  parse-relative-
url.d.ts
│           │   │   │   │   │       │       ├── [1.4K]  parse-relative-
url.js
│           │   │   │   │   │       │       ├── [2.9K]  parse-relative-
url.js.map
│           │   │   │   │   │       │       ├── [ 365]  parse-url.d.ts
│           │   │   │   │   │       │       ├── [ 954]  parse-url.js
│           │   │   │   │   │       │       ├── [1.8K]  parse-url.js.map
│           │   │   │   │   │       │       ├── [ 364]  path-has-
prefix.d.ts
│           │   │   │   │   │       │       ├── [ 535]  path-has-
prefix.js
│           │   │   │   │   │       │       ├── [ 996]  path-has-
prefix.js.map
```

```
|           |   |   |   |   |       |       ├── [ 989]  path-match.d.ts
|           |   |   |   |   |       |       ├── [1.9K]  path-match.js
|           |   |   |   |   |       |       ├── [3.7K]  path-
match.js.map
|           |   |   |   |   |       |       ├── [1.5K]  prepare-
destination.d.ts
|           |   |   |   |   |       |       ├── [ 10K]  prepare-
destination.js
|           |   |   |   |   |       |       ├── [ 17K]  prepare-
destination.js.map
|           |   |   |   |   |       |       ├── [ 348]  querystring.d.ts
|           |   |   |   |   |       |       ├── [2.2K]  querystring.js
|           |   |   |   |   |       |       ├── [3.2K]
querystring.js.map
|           |   |   |   |   |       |       ├── [ 679]  relativize-
url.d.ts
|           |   |   |   |   |       |       ├── [1.1K]  relativize-
url.js
|           |   |   |   |   |       |       ├── [1.8K]  relativize-
url.js.map
|           |   |   |   |   |       |       ├── [ 389]  remove-path-
prefix.d.ts
|           |   |   |   |   |       |       ├── [1.2K]  remove-path-
prefix.js
|           |   |   |   |   |       |       ├── [2.0K]  remove-path-
prefix.js.map
|           |   |   |   |   |       |       ├── [ 259]  remove-trailing-
slash.d.ts
|           |   |   |   |   |       |       ├── [ 552]  remove-trailing-
slash.js
|           |   |   |   |   |       |       ├── [ 598]  remove-trailing-
slash.js.map
|           |   |   |   |   |       |       ├── [ 682]  resolve-
rewrites.d.ts
|           |   |   |   |   |       |       ├── [4.6K]  resolve-
rewrites.js
|           |   |   |   |   |       |       ├── [7.6K]  resolve-
rewrites.js.map
|           |   |   |   |   |       |       ├── [1.5K]  route-match-
utils.d.ts
|           |   |   |   |   |       |       ├── [3.6K]  route-match-
utils.js
|           |   |   |   |   |       |       ├── [5.6K]  route-match-
utils.js.map
|           |   |   |   |   |       |       ├── [ 384]  route-
matcher.d.ts
|           |   |   |   |   |       |       ├── [1.5K]  route-matcher.js
|           |   |   |   |   |       |       ├── [2.5K]  route-
matcher.js.map
|           |   |   |   |   |       |       ├── [3.4K]  route-regex.d.ts
|           |   |   |   |   |       |       ├── [9.3K]  route-regex.js
|           |   |   |   |   |       |       ├── [ 17K]  route-
regex.js.map
|           |   |   |   |   |       |       ├── [4.1K]  sortable-
routes.d.ts
```

```
|           |   |   |   |   |       |       ├── [6.2K]  sortable-
routes.js
|           |   |   |   |   |       |       ├── [ 12K]  sortable-
routes.js.map
|           |   |   |   |   |       |       ├── [ 344]  sorted-
routes.d.ts
|           |   |   |   |   |       |       ├── [ 11K]  sorted-routes.js
|           |   |   |   |   |       |       └── [ 14K]  sorted-
routes.js.map
|           |   |   |   |   |       ├── [ 148]  router-context.shared-
runtime.d.ts
|           |   |   |   |   |       ├── [ 587]  router-context.shared-
runtime.js
|           |   |   |   |   |       ├── [ 622]  router-context.shared-
runtime.js.map
|           |   |   |   |   |       ├── [ 119]  runtime-
config.external.d.ts
|           |   |   |   |   |       ├── [ 635]  runtime-
config.external.js
|           |   |   |   |   |       ├── [ 481]  runtime-
config.external.js.map
|           |   |   |   |   |       ├── [ 256]  segment-cache
|           |   |   |   |   |       |   ├── [ 271]  output-export-
prefetch-encoding.d.ts
|           |   |   |   |   |       |   ├── [3.1K]  output-export-
prefetch-encoding.js
|           |   |   |   |   |       |   ├── [3.9K]  output-export-
prefetch-encoding.js.map
|           |   |   |   |   |       |   ├── [1.2K]  segment-value-
encoding.d.ts
|           |   |   |   |   |       |   ├── [5.4K]  segment-value-
encoding.js
|           |   |   |   |   |       |   └── [7.5K]  segment-value-
encoding.js.map
|           |   |   |   |   |       ├── [ 504]  segment.d.ts
|           |   |   |   |   |       ├── [1.5K]  segment.js
|           |   |   |   |   |       ├── [1.7K]  segment.js.map
|           |   |   |   |   |       ├── [ 288]  server-inserted-
html.shared-runtime.d.ts
|           |   |   |   |   |       ├── [1.1K]  server-inserted-
html.shared-runtime.js
|           |   |   |   |   |       ├── [1.3K]  server-inserted-
html.shared-runtime.js.map
|           |   |   |   |   |       ├── [1.1K]  server-reference-
info.d.ts
|           |   |   |   |   |       ├── [1.6K]  server-reference-info.js
|           |   |   |   |   |       ├── [3.3K]  server-reference-
info.js.map
|           |   |   |   |   |       ├── [ 452]  side-effect.d.ts
|           |   |   |   |   |       ├── [2.7K]  side-effect.js
|           |   |   |   |   |       ├── [3.9K]  side-effect.js.map
|           |   |   |   |   |       ├── [  43]  styled-jsx.d.ts
|           |   |   |   |   |       ├── [  99]  styled-jsx.js
|           |   |   |   |   |       ├── [ 231]  styled-jsx.js.map
|           |   |   |   |   |       ├── [ 544]  turbopack
```

```
│           │   │   │   │   │       │   ├── [ 446]  compilation-
events.d.ts
│           │   │   │   │   │       │   ├── [1.5K]  compilation-
events.js
│           │   │   │   │   │       │   ├── [2.1K]  compilation-
events.js.map
│           │   │   │   │   │       │   ├── [ 665]  entry-key.d.ts
│           │   │   │   │   │       │   ├── [ 800]  entry-key.js
│           │   │   │   │   │       │   ├── [1.3K]  entry-key.js.map
│           │   │   │   │   │       │   ├── [ 857]  internal-error.d.ts
│           │   │   │   │   │       │   ├── [1.8K]  internal-error.js
│           │   │   │   │   │       │   ├── [2.7K]  internal-
error.js.map
│           │   │   │   │   │       │   ├── [2.8K]  manifest-loader.d.ts
│           │   │   │   │   │       │   ├── [ 24K]  manifest-loader.js
│           │   │   │   │   │       │   ├── [ 43K]  manifest-
loader.js.map
│           │   │   │   │   │       │   ├── [1.5K]  utils.d.ts
│           │   │   │   │   │       │   ├── [ 11K]  utils.js
│           │   │   │   │   │       │   └── [ 17K]  utils.js.map
│           │   │   │   │   │       ├── [ 352]  utils
│           │   │   │   │   │       │   ├── [  66]  error-once.d.ts
│           │   │   │   │   │       │   ├── [ 479]  error-once.js
│           │   │   │   │   │       │   ├── [ 730]  error-once.js.map
│           │   │   │   │   │       │   ├── [ 244]  reflect-utils.d.ts
│           │   │   │   │   │       │   ├── [2.1K]  reflect-utils.js
│           │   │   │   │   │       │   ├── [2.4K]  reflect-utils.js.map
│           │   │   │   │   │       │   ├── [  64]  warn-once.d.ts
│           │   │   │   │   │       │   ├── [ 479]  warn-once.js
│           │   │   │   │   │       │   └── [ 730]  warn-once.js.map
│           │   │   │   │   │       ├── [9.0K]  utils.d.ts
│           │   │   │   │   │       ├── [6.1K]  utils.js
│           │   │   │   │   │       ├── [ 16K]  utils.js.map
│           │   │   │   │   │       ├── [ 381]  zod.d.ts
│           │   │   │   │   │       ├── [3.3K]  zod.js
│           │   │   │   │   │       └── [4.4K]  zod.js.map
│           │   │   │   │   ├── [  96]  styled-jsx
│           │   │   │   │   └── [ 224]  types
│           │   │   │   │       ├── [ 512]  css.d.ts
│           │   │   │   │       ├── [ 160]  global.d.ts
│           │   │   │   │       ├── [ 682]  index.d.ts
│           │   │   │   │       ├── [ 261]  macro.d.ts
│           │   │   │   │       └── [  91]  style.d.ts
│           │   │   │   ├── [ 736]  telemetry
│           │   │   │   │   ├── [ 433]  anonymous-meta.d.ts
│           │   │   │   │   ├── [2.9K]  anonymous-meta.js
│           │   │   │   │   ├── [2.7K]  anonymous-meta.js.map
│           │   │   │   │   ├── [  11]  detached-flush.d.ts
│           │   │   │   │   ├── [1.8K]  detached-flush.js
│           │   │   │   │   ├── [2.5K]  detached-flush.js.map
│           │   │   │   │   ├── [ 832]  events
│           │   │   │   │   │   ├── [4.7K]  build.d.ts
│           │   │   │   │   │   ├── [4.8K]  build.js
│           │   │   │   │   │   ├── [ 10K]  build.js.map
│           │   │   │   │   │   ├── [ 459]  error-feedback.d.ts
│           │   │   │   │   │   ├── [ 736]  error-feedback.js
```

```
│           │   │   │   │   │   │   ├── [ 899]  error-feedback.js.map
│           │   │   │   │   │   │   ├── [  79]  index.d.ts
│           │   │   │   │   │   │   ├── [ 726]  index.js
│           │   │   │   │   │   │   ├── [ 231]  index.js.map
│           │   │   │   │   │   │   ├── [ 235]  plugins.d.ts
│           │   │   │   │   │   │   ├── [1.4K]  plugins.js
│           │   │   │   │   │   │   ├── [2.1K]  plugins.js.map
│           │   │   │   │   │   │   ├── [ 455]  session-stopped.d.ts
│           │   │   │   │   │   │   ├── [1.0K]  session-stopped.js
│           │   │   │   │   │   │   ├── [2.0K]  session-stopped.js.map
│           │   │   │   │   │   │   ├── [ 452]  swc-load-failure.d.ts
│           │   │   │   │   │   │   ├── [1.9K]  swc-load-failure.js
│           │   │   │   │   │   │   ├── [3.4K]  swc-load-failure.js.map
│           │   │   │   │   │   │   ├── [ 313]  swc-plugins.d.ts
│           │   │   │   │   │   │   ├── [2.0K]  swc-plugins.js
│           │   │   │   │   │   │   ├── [2.6K]  swc-plugins.js.map
│           │   │   │   │   │   │   ├── [2.1K]  version.d.ts
│           │   │   │   │   │   │   ├── [4.9K]  version.js
│           │   │   │   │   │   │   └── [9.3K]  version.js.map
│           │   │   │   │   │   ├── [  67]  flush-and-exit.d.ts
│           │   │   │   │   │   ├── [ 481]  flush-and-exit.js
│           │   │   │   │   │   ├── [ 679]  flush-and-exit.js.map
│           │   │   │   │   │   ├── [ 355]  post-telemetry-payload.d.ts
│           │   │   │   │   │   ├── [1.5K]  post-telemetry-payload.js
│           │   │   │   │   │   ├── [2.0K]  post-telemetry-
payload.js.map
│           │   │   │   │   │   ├── [2.6K]  post-telemetry-
payload.test.js
│           │   │   │   │   │   ├── [3.9K]  post-telemetry-
payload.test.js.map
│           │   │   │   │   │   ├── [  60]  project-id.d.ts
│           │   │   │   │   │   ├── [1.6K]  project-id.js
│           │   │   │   │   │   ├── [2.3K]  project-id.js.map
│           │   │   │   │   │   ├── [1.0K]  storage.d.ts
│           │   │   │   │   │   ├── [ 12K]  storage.js
│           │   │   │   │   │   └── [ 16K]  storage.js.map
│           │   │   │   │   ├── [ 736]  trace
│           │   │   │   │   │   ├── [ 430]  index.d.ts
│           │   │   │   │   │   ├── [1.2K]  index.js
│           │   │   │   │   │   ├── [1002]  index.js.map
│           │   │   │   │   │   ├── [ 512]  report
│           │   │   │   │   │   │   ├── [ 361]  index.d.ts
│           │   │   │   │   │   │   ├── [ 940]  index.js
│           │   │   │   │   │   │   ├── [1.4K]  index.js.map
│           │   │   │   │   │   │   ├── [2.2K]  index.test.js
│           │   │   │   │   │   │   ├── [3.6K]  index.test.js.map
│           │   │   │   │   │   │   ├── [ 559]  to-json.d.ts
│           │   │   │   │   │   │   ├── [4.6K]  to-json.js
│           │   │   │   │   │   │   ├── [7.5K]  to-json.js.map
│           │   │   │   │   │   │   ├── [ 178]  to-telemetry.d.ts
│           │   │   │   │   │   │   ├── [ 849]  to-telemetry.js
│           │   │   │   │   │   │   ├── [1.4K]  to-telemetry.js.map
│           │   │   │   │   │   │   ├── [ 191]  types.d.ts
│           │   │   │   │   │   │   ├── [ 115]  types.js
│           │   │   │   │   │   │   └── [  67]  types.js.map
│           │   │   │   │   │   ├── [ 150]  shared.d.ts
```

```
│               │   │   │   │   │   ├── [ 976]  shared.js
│               │   │   │   │   │   ├── [1.1K]  shared.js.map
│               │   │   │   │   │   ├── [  11]  trace-uploader.d.ts
│               │   │   │   │   │   ├── [5.0K]  trace-uploader.js
│               │   │   │   │   │   ├── [8.0K]  trace-uploader.js.map
│               │   │   │   │   │   ├── [1.4K]  trace.d.ts
│               │   │   │   │   │   ├── [6.0K]  trace.js
│               │   │   │   │   │   ├── [9.3K]  trace.js.map
│               │   │   │   │   │   ├── [7.7K]  trace.test.js
│               │   │   │   │   │   ├── [ 12K]  trace.test.js.map
│               │   │   │   │   │   ├── [ 349]  types.d.ts
│               │   │   │   │   │   ├── [ 115]  types.js
│               │   │   │   │   │   ├── [  67]  types.js.map
│               │   │   │   │   │   ├── [ 267]  upload-trace.d.ts
│               │   │   │   │   │   ├── [1.3K]  upload-trace.js
│               │   │   │   │   │   └── [2.3K]  upload-trace.js.map
│               │   │   │   │   └── [8.7K]  types.d.ts
│               │   │   │   ├── [ 109]  document.d.ts
│               │   │   │   ├── [  51]  document.js
│               │   │   │   ├── [ 113]  dynamic.d.ts
│               │   │   │   ├── [  54]  dynamic.js
│               │   │   │   ├── [  97]  error.d.ts
│               │   │   │   ├── [  48]  error.js
│               │   │   │   ├── [ 128]  experimental
│               │   │   │   │   ├── [ 128]  testing
│               │   │   │   │   │   ├── [  55]  server.d.ts
│               │   │   │   │   │   └── [  67]  server.js
│               │   │   │   │   └── [ 224]  testmode
│               │   │   │   │       ├── [ 128]  playwright
│               │   │   │   │       │   ├── [  67]  msw.d.ts
│               │   │   │   │       │   └── [  79]  msw.js
│               │   │   │   │       ├── [  60]  playwright.d.ts
│               │   │   │   │       ├── [  72]  playwright.js
│               │   │   │   │       ├── [  55]  proxy.d.ts
│               │   │   │   │       └── [  67]  proxy.js
│               │   │   │   ├── [ 160]  font
│               │   │   │   │   ├── [ 160]  google
│               │   │   │   │   │   ├── [  58]  index.d.ts
│               │   │   │   │   │   ├── [   0]  index.js
│               │   │   │   │   │   └── [  37]  target.css
│               │   │   │   │   ├── [ 669]  index.d.ts
│               │   │   │   │   └── [ 160]  local
│               │   │   │   │       ├── [  67]  index.d.ts
│               │   │   │   │       ├── [   0]  index.js
│               │   │   │   │       └── [  37]  target.css
│               │   │   │   ├── [  93]  form.d.ts
│               │   │   │   ├── [  47]  form.js
│               │   │   │   ├── [ 101]  head.d.ts
│               │   │   │   ├── [  51]  head.js
│               │   │   │   ├── [ 141]  headers.d.ts
│               │   │   │   ├── [ 229]  headers.js
│               │   │   │   ├── [  96]  image-types
│               │   │   │   │   └── [1.3K]  global.d.ts
│               │   │   │   ├── [ 123]  image.d.ts
│               │   │   │   ├── [  61]  image.js
│               │   │   │   ├── [ 783]  index.d.ts
```

```
│               │   │   │   ├── [ 109]  jest.d.ts
│               │   │   │   ├── [  51]  jest.js
│               │   │   │   ├── [ 128]  legacy
│               │   │   │   │   ├── [ 113]  image.d.ts
│               │   │   │   │   └── [  56]  image.js
│               │   │   │   ├── [1.1K]  license.md
│               │   │   │   ├── [  93]  link.d.ts
│               │   │   │   ├── [  47]  link.js
│               │   │   │   ├── [  96]  navigation-types
│               │   │   │   │   └── [  96]  compat
│               │   │   │   │       └── [1.8K]  navigation.d.ts
│               │   │   │   ├── [  52]  navigation.d.ts
│               │   │   │   ├── [  64]  navigation.js
│               │   │   │   ├── [  48]  og.d.ts
│               │   │   │   ├── [  60]  og.js
│               │   │   │   ├── [ 11K]  package.json
│               │   │   │   ├── [ 140]  root-params.d.ts
│               │   │   │   ├── [ 141]  root-params.js
│               │   │   │   ├── [ 101]  router.d.ts
│               │   │   │   ├── [  49]  router.js
│               │   │   │   ├── [ 101]  script.d.ts
│               │   │   │   ├── [  49]  script.js
│               │   │   │   ├── [1.2K]  server.d.ts
│               │   │   │   ├── [1.5K]  server.js
│               │   │   │   ├── [ 128]  types
│               │   │   │   │   ├── [2.4K]  compiled.d.ts
│               │   │   │   │   └── [2.5K]  global.d.ts
│               │   │   │   ├── [  68]  types.d.ts
│               │   │   │   ├── [  14]  types.js
│               │   │   │   ├── [  41]  web-vitals.d.ts
│               │   │   │   └── [  53]  web-vitals.js
│               │   │   ├── [ 288]  picocolors
│               │   │   │   ├── [ 787]  LICENSE
│               │   │   │   ├── [ 622]  README.md
│               │   │   │   ├── [ 552]  package.json
│               │   │   │   ├── [ 598]  picocolors.browser.js
│               │   │   │   ├── [ 138]  picocolors.d.ts
│               │   │   │   ├── [2.6K]  picocolors.js
│               │   │   │   └── [1013]  types.d.ts
│               │   │   ├── [ 192]  postcss
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [1.2K]  README.md
│               │   │   │   ├── [1.7K]  lib
│               │   │   │   │   ├── [2.8K]  at-rule.d.ts
│               │   │   │   │   ├── [ 471]  at-rule.js
│               │   │   │   │   ├── [1.7K]  comment.d.ts
│               │   │   │   │   ├── [ 203]  comment.js
│               │   │   │   │   ├── [ 13K]  container.d.ts
│               │   │   │   │   ├── [ 10K]  container.js
│               │   │   │   │   ├── [6.4K]  css-syntax-error.d.ts
│               │   │   │   │   ├── [2.5K]  css-syntax-error.js
│               │   │   │   │   ├── [3.7K]  declaration.d.ts
│               │   │   │   │   ├── [ 495]  declaration.js
│               │   │   │   │   ├── [1.9K]  document.d.ts
│               │   │   │   │   ├── [ 654]  document.js
│               │   │   │   │   ├── [ 162]  fromJSON.d.ts
```

```
│            │   │   │   │   ├── [1.5K]  fromJSON.js
│            │   │   │   │   ├── [4.3K]  input.d.ts
│            │   │   │   │   ├── [6.0K]  input.js
│            │   │   │   │   ├── [4.9K]  lazy-result.d.ts
│            │   │   │   │   ├── [ 13K]  lazy-result.js
│            │   │   │   │   ├── [1.4K]  list.d.ts
│            │   │   │   │   ├── [1.2K]  list.js
│            │   │   │   │   ├── [9.4K]  map-generator.js
│            │   │   │   │   ├── [1.5K]  no-work-result.d.ts
│            │   │   │   │   ├── [2.5K]  no-work-result.js
│            │   │   │   │   ├── [ 14K]  node.d.ts
│            │   │   │   │   ├── [8.5K]  node.js
│            │   │   │   │   ├── [ 135]  parse.d.ts
│            │   │   │   │   ├── [1.1K]  parse.js
│            │   │   │   │   ├── [ 14K]  parser.js
│            │   │   │   │   ├── [1.0K]  postcss.d.mts
│            │   │   │   │   ├── [ 11K]  postcss.d.ts
│            │   │   │   │   ├── [2.8K]  postcss.js
│            │   │   │   │   ├── [ 980]  postcss.mjs
│            │   │   │   │   ├── [1.8K]  previous-map.d.ts
│            │   │   │   │   ├── [3.8K]  previous-map.js
│            │   │   │   │   ├── [3.3K]  processor.d.ts
│            │   │   │   │   ├── [1.8K]  processor.js
│            │   │   │   │   ├── [4.3K]  result.d.ts
│            │   │   │   │   ├── [ 745]  result.js
│            │   │   │   │   ├── [2.2K]  root.d.ts
│            │   │   │   │   ├── [1.2K]  root.js
│            │   │   │   │   ├── [2.6K]  rule.d.ts
│            │   │   │   │   ├── [ 569]  rule.js
│            │   │   │   │   ├── [1.4K]  stringifier.d.ts
│            │   │   │   │   ├── [8.0K]  stringifier.js
│            │   │   │   │   ├── [ 165]  stringify.d.ts
│            │   │   │   │   ├── [ 213]  stringify.js
│            │   │   │   │   ├── [  91]  symbols.js
│            │   │   │   │   ├── [1.4K]  terminal-highlight.js
│            │   │   │   │   ├── [6.4K]  tokenize.js
│            │   │   │   │   ├── [ 256]  warn-once.js
│            │   │   │   │   ├── [2.9K]  warning.d.ts
│            │   │   │   │   └── [ 739]  warning.js
│            │   │   │   └── [2.4K]  package.json
│            │   │   ├── [ 416]  react
│            │   │   │   ├── [1.1K]  LICENSE
│            │   │   │   ├── [1.1K]  README.md
│            │   │   │   ├── [ 608]  cjs
│            │   │   │   │   ├── [1.1K]  react-compiler-
runtime.development.js
│            │   │   │   │   ├── [ 463]  react-compiler-
runtime.production.js
│            │   │   │   │   ├── [ 462]  react-compiler-
runtime.profiling.js
│            │   │   │   │   ├── [ 12K]  react-jsx-dev-
runtime.development.js
│            │   │   │   │   ├── [ 387]  react-jsx-dev-
runtime.production.js
│            │   │   │   │   ├── [ 386]  react-jsx-dev-
runtime.profiling.js
```

```
│           │   │   │   │   ├── [ 13K]  react-jsx-dev-runtime.react-
server.development.js
│           │   │   │   │   ├── [1.3K]  react-jsx-dev-runtime.react-
server.production.js
│           │   │   │   │   ├── [ 12K]  react-jsx-runtime.development.js
│           │   │   │   │   ├── [ 976]  react-jsx-runtime.production.js
│           │   │   │   │   ├── [ 975]  react-jsx-runtime.profiling.js
│           │   │   │   │   ├── [ 13K]  react-jsx-runtime.react-
server.development.js
│           │   │   │   │   ├── [1.3K]  react-jsx-runtime.react-
server.production.js
│           │   │   │   │   ├── [ 44K]  react.development.js
│           │   │   │   │   ├── [ 17K]  react.production.js
│           │   │   │   │   ├── [ 28K]  react.react-
server.development.js
│           │   │   │   │   └── [ 13K]  react.react-server.production.js
│           │   │   │   ├── [ 412]  compiler-runtime.js
│           │   │   │   ├── [ 186]  index.js
│           │   │   │   ├── [ 218]  jsx-dev-runtime.js
│           │   │   │   ├── [ 244]  jsx-dev-runtime.react-server.js
│           │   │   │   ├── [ 210]  jsx-runtime.js
│           │   │   │   ├── [ 236]  jsx-runtime.react-server.js
│           │   │   │   ├── [1.2K]  package.json
│           │   │   │   └── [ 212]  react.react-server.js
│           │   │   ├── [ 768]  react-dom
│           │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   ├── [1.1K]  README.md
│           │   │   │   ├── [ 768]  cjs
│           │   │   │   │   ├── [928K]  react-dom-client.development.js
│           │   │   │   │   ├── [503K]  react-dom-client.production.js
│           │   │   │   │   ├── [944K]  react-dom-
profiling.development.js
│           │   │   │   │   ├── [533K]  react-dom-profiling.profiling.js
│           │   │   │   │   ├── [354K]  react-dom-server-
legacy.browser.development.js
│           │   │   │   │   ├── [206K]  react-dom-server-
legacy.browser.production.js
│           │   │   │   │   ├── [354K]  react-dom-server-
legacy.node.development.js
│           │   │   │   │   ├── [210K]  react-dom-server-
legacy.node.production.js
│           │   │   │   │   ├── [369K]  react-dom-
server.browser.development.js
│           │   │   │   │   ├── [225K]  react-dom-
server.browser.production.js
│           │   │   │   │   ├── [315K]  react-dom-
server.bun.development.js
│           │   │   │   │   ├── [210K]  react-dom-
server.bun.production.js
│           │   │   │   │   ├── [370K]  react-dom-
server.edge.development.js
│           │   │   │   │   ├── [230K]  react-dom-
server.edge.production.js
│           │   │   │   │   ├── [366K]  react-dom-
server.node.development.js
```

```
│           │   │   │   │   ├── [226K]  react-dom-
server.node.production.js
│           │   │   │   │   ├── [ 793]  react-dom-test-
utils.development.js
│           │   │   │   │   ├── [ 686]  react-dom-test-
utils.production.js
│           │   │   │   │   ├── [ 17K]  react-dom.development.js
│           │   │   │   │   ├── [6.5K]  react-dom.production.js
│           │   │   │   │   ├── [ 14K]  react-dom.react-
server.development.js
│           │   │   │   │   └── [4.8K]  react-dom.react-
server.production.js
│           │   │   │   ├── [1.3K]  client.js
│           │   │   │   ├── [ 101]  client.react-server.js
│           │   │   │   ├── [1.3K]  index.js
│           │   │   │   ├── [3.0K]  package.json
│           │   │   │   ├── [1.3K]  profiling.js
│           │   │   │   ├── [ 104]  profiling.react-server.js
│           │   │   │   ├── [ 220]  react-dom.react-server.js
│           │   │   │   ├── [ 583]  server.browser.js
│           │   │   │   ├── [ 579]  server.bun.js
│           │   │   │   ├── [ 581]  server.edge.js
│           │   │   │   ├── [  58]  server.js
│           │   │   │   ├── [ 619]  server.node.js
│           │   │   │   ├── [ 101]  server.react-server.js
│           │   │   │   ├── [ 319]  static.browser.js
│           │   │   │   ├── [ 313]  static.edge.js
│           │   │   │   ├── [  58]  static.js
│           │   │   │   ├── [ 361]  static.node.js
│           │   │   │   ├── [ 101]  static.react-server.js
│           │   │   │   └── [ 216]  test-utils.js
│           │   │   ├── [ 320]  scheduler
│           │   │   │   ├── [1.1K]  LICENSE
│           │   │   │   ├── [ 346]  README.md
│           │   │   │   ├── [ 320]  cjs
│           │   │   │   │   ├── [ 13K]  scheduler-
unstable_mock.development.js
│           │   │   │   │   ├── [ 12K]  scheduler-
unstable_mock.production.js
│           │   │   │   │   ├── [4.5K]  scheduler-
unstable_post_task.development.js
│           │   │   │   │   ├── [3.9K]  scheduler-
unstable_post_task.production.js
│           │   │   │   │   ├── [ 12K]  scheduler.development.js
│           │   │   │   │   ├── [ 12K]  scheduler.native.development.js
│           │   │   │   │   ├── [ 11K]  scheduler.native.production.js
│           │   │   │   │   └── [9.9K]  scheduler.production.js
│           │   │   │   ├── [ 194]  index.js
│           │   │   │   ├── [ 208]  index.native.js
│           │   │   │   ├── [ 564]  package.json
│           │   │   │   ├── [ 222]  unstable_mock.js
│           │   │   │   └── [ 232]  unstable_post_task.js
│           │   │   ├── [ 416]  semver
│           │   │   │   ├── [ 765]  LICENSE
│           │   │   │   ├── [ 24K]  README.md
│           │   │   │   ├── [  96]  bin
```

```
│               │   │   │   │   └── [4.6K]  semver.js
│               │   │   │   ├── [ 192]  classes
│               │   │   │   │   ├── [3.5K]  comparator.js
│               │   │   │   │   ├── [ 143]  index.js
│               │   │   │   │   ├── [ 15K]  range.js
│               │   │   │   │   └── [9.1K]  semver.js
│               │   │   │   ├── [ 832]  functions
│               │   │   │   │   ├── [ 205]  clean.js
│               │   │   │   │   ├── [ 961]  cmp.js
│               │   │   │   │   ├── [2.0K]  coerce.js
│               │   │   │   │   ├── [ 281]  compare-build.js
│               │   │   │   │   ├── [ 132]  compare-loose.js
│               │   │   │   │   ├── [ 170]  compare.js
│               │   │   │   │   ├── [1.4K]  diff.js
│               │   │   │   │   ├── [ 126]  eq.js
│               │   │   │   │   ├── [ 124]  gt.js
│               │   │   │   │   ├── [ 127]  gte.js
│               │   │   │   │   ├── [ 478]  inc.js
│               │   │   │   │   ├── [ 124]  lt.js
│               │   │   │   │   ├── [ 127]  lte.js
│               │   │   │   │   ├── [ 136]  major.js
│               │   │   │   │   ├── [ 136]  minor.js
│               │   │   │   │   ├── [ 128]  neq.js
│               │   │   │   │   ├── [ 331]  parse.js
│               │   │   │   │   ├── [ 136]  patch.js
│               │   │   │   │   ├── [ 234]  prerelease.js
│               │   │   │   │   ├── [ 132]  rcompare.js
│               │   │   │   │   ├── [ 163]  rsort.js
│               │   │   │   │   ├── [ 247]  satisfies.js
│               │   │   │   │   ├── [ 161]  sort.js
│               │   │   │   │   └── [ 176]  valid.js
│               │   │   │   ├── [2.6K]  index.js
│               │   │   │   ├── [ 256]  internal
│               │   │   │   │   ├── [ 873]  constants.js
│               │   │   │   │   ├── [ 240]  debug.js
│               │   │   │   │   ├── [ 424]  identifiers.js
│               │   │   │   │   ├── [ 802]  lrucache.js
│               │   │   │   │   ├── [ 338]  parse-options.js
│               │   │   │   │   └── [8.0K]  re.js
│               │   │   │   ├── [1.6K]  package.json
│               │   │   │   ├── [  83]  preload.js
│               │   │   │   ├── [ 619]  range.bnf
│               │   │   │   └── [ 416]  ranges
│               │   │   │       ├── [ 231]  gtr.js
│               │   │   │       ├── [ 224]  intersects.js
│               │   │   │       ├── [ 227]  ltr.js
│               │   │   │       ├── [ 593]  max-satisfying.js
│               │   │   │       ├── [ 591]  min-satisfying.js
│               │   │   │       ├── [1.5K]  min-version.js
│               │   │   │       ├── [2.2K]  outside.js
│               │   │   │       ├── [1.3K]  simplify.js
│               │   │   │       ├── [7.3K]  subset.js
│               │   │   │       ├── [ 282]  to-comparators.js
│               │   │   │       └── [ 326]  valid.js
│               │   │   ├── [ 256]  sharp
│               │   │   │   ├── [ 10K]  LICENSE
```

```
│               │   │   │   ├── [3.1K]  README.md
│               │   │   │   ├── [  96]  install
│               │   │   │   │   └── [1.2K]  check.js
│               │   │   │   ├── [ 512]  lib
│               │   │   │   │   ├── [5.2K]  channel.js
│               │   │   │   │   ├── [5.2K]  colour.js
│               │   │   │   │   ├── [8.8K]  composite.js
│               │   │   │   │   ├── [ 19K]  constructor.js
│               │   │   │   │   ├── [ 89K]  index.d.ts
│               │   │   │   │   ├── [ 395]  index.js
│               │   │   │   │   ├── [ 32K]  input.js
│               │   │   │   │   ├── [3.1K]  is.js
│               │   │   │   │   ├── [5.8K]  libvips.js
│               │   │   │   │   ├── [ 33K]  operation.js
│               │   │   │   │   ├── [ 59K]  output.js
│               │   │   │   │   ├── [ 21K]  resize.js
│               │   │   │   │   ├── [4.0K]  sharp.js
│               │   │   │   │   └── [9.2K]  utility.js
│               │   │   │   ├── [7.5K]  package.json
│               │   │   │   └── [ 512]  src
│               │   │   │       ├── [ 10K]  binding.gyp
│               │   │   │       ├── [ 38K]  common.cc
│               │   │   │       ├── [ 10K]  common.h
│               │   │   │       ├── [ 13K]  metadata.cc
│               │   │   │       ├── [1.7K]  metadata.h
│               │   │   │       ├── [ 16K]  operations.cc
│               │   │   │       ├── [3.5K]  operations.h
│               │   │   │       ├── [ 83K]  pipeline.cc
│               │   │   │       ├── [9.5K]  pipeline.h
│               │   │   │       ├── [1.6K]  sharp.cc
│               │   │   │       ├── [6.5K]  stats.cc
│               │   │   │       ├── [1.2K]  stats.h
│               │   │   │       ├── [9.2K]  utilities.cc
│               │   │   │       └── [ 736]  utilities.h
│               │   │   ├── [ 192]  simple-swizzle
│               │   │   │   ├── [1.1K]  LICENSE
│               │   │   │   ├── [1.2K]  README.md
│               │   │   │   ├── [ 571]  index.js
│               │   │   │   └── [ 726]  package.json
│               │   │   ├── [ 256]  source-map-js
│               │   │   │   ├── [1.5K]  LICENSE
│               │   │   │   ├── [ 25K]  README.md
│               │   │   │   ├── [ 480]  lib
│               │   │   │   │   ├── [3.1K]  array-set.js
│               │   │   │   │   ├── [4.6K]  base64-vlq.js
│               │   │   │   │   ├── [1.5K]  base64.js
│               │   │   │   │   ├── [4.1K]  binary-search.js
│               │   │   │   │   ├── [2.3K]  mapping-list.js
│               │   │   │   │   ├── [4.0K]  quick-sort.js
│               │   │   │   │   ├── [  40]  source-map-consumer.d.ts
│               │   │   │   │   ├── [ 41K]  source-map-consumer.js
│               │   │   │   │   ├── [  41]  source-map-generator.d.ts
│               │   │   │   │   ├── [ 15K]  source-map-generator.js
│               │   │   │   │   ├── [  33]  source-node.d.ts
│               │   │   │   │   ├── [ 13K]  source-node.js
│               │   │   │   │   └── [ 15K]  util.js
```

```
│               │   │   │   ├── [2.5K]  package.json
│               │   │   │   ├── [3.3K]  source-map.d.ts
│               │   │   │   └── [ 405]  source-map.js
│               │   │   ├── [ 608]  styled-jsx
│               │   │   │   ├── [  68]  babel-test.js
│               │   │   │   ├── [  49]  babel.js
│               │   │   │   ├── [ 512]  css.d.ts
│               │   │   │   ├── [ 469]  css.js
│               │   │   │   ├── [ 160]  dist
│               │   │   │   │   ├── [  96]  babel
│               │   │   │   │   │   └── [770K]  index.js
│               │   │   │   │   ├── [  96]  index
│               │   │   │   │   │   └── [ 18K]  index.js
│               │   │   │   │   └── [  96]  webpack
│               │   │   │   │       └── [182K]  index.js
│               │   │   │   ├── [ 160]  global.d.ts
│               │   │   │   ├── [ 682]  index.d.ts
│               │   │   │   ├── [  41]  index.js
│               │   │   │   ├── [ 128]  lib
│               │   │   │   │   ├── [  76]  style-transform.js
│               │   │   │   │   └── [  51]  stylesheet.js
│               │   │   │   ├── [1.1K]  license.md
│               │   │   │   ├── [ 261]  macro.d.ts
│               │   │   │   ├── [  49]  macro.js
│               │   │   │   ├── [3.2K]  package.json
│               │   │   │   ├── [ 31K]  readme.md
│               │   │   │   ├── [  91]  style.d.ts
│               │   │   │   ├── [  47]  style.js
│               │   │   │   └── [  65]  webpack.js
│               │   │   └── [ 448]  tslib
│               │   │       ├── [ 822]  CopyrightNotice.txt
│               │   │       ├── [ 655]  LICENSE.txt
│               │   │       ├── [3.9K]  README.md
│               │   │       ├── [2.7K]  SECURITY.md
│               │   │       ├── [ 160]  modules
│               │   │       │   ├── [ 801]  index.d.ts
│               │   │       │   ├── [1.4K]  index.js
│               │   │       │   └── [  26]  package.json
│               │   │       ├── [1.2K]  package.json
│               │   │       ├── [ 18K]  tslib.d.ts
│               │   │       ├── [  36]  tslib.es6.html
│               │   │       ├── [ 19K]  tslib.es6.js
│               │   │       ├── [ 17K]  tslib.es6.mjs
│               │   │       ├── [  32]  tslib.html
│               │   │       └── [ 23K]  tslib.js
│               │   ├── [ 825]  overview.sh
│               │   ├── [ 29K]  package-lock.json
│               │   ├── [ 445]  package.json
│               │   ├── [ 192]  scripts
│               │   │   ├── [ 876]  egotod_init.sh
│               │   │   ├── [ 530]  exports.sh
│               │   │   ├── [2.0K]  log_inversion.sh
│               │   │   └── [ 743]  resonanz_capture.sh
│               │   ├── [ 160]  tables
│               │   │   ├── [ 319]  2_5_discussion_matrix.md
│               │   │   ├── [ 565]  2_5_diskussion_matrix.md
```

```
│           │   │   └── [ 492]  3_5_theory_bridge.md
│           │   ├── [ 160]  templates
│           │   │   ├── [ 214]  performance_setlist.md
│           │   │   ├── [ 282]  song_template.md
│           │   │   └── [ 285]  video_shotlist.md
│           │   └── [ 224]  venv
│           │       ├── [  69]  .gitignore
│           │       ├── [ 480]  bin
│           │       │   ├── [8.8K]  Activate.ps1
│           │       │   ├── [2.2K]  activate
│           │       │   ├── [ 973]  activate.csh
│           │       │   ├── [2.2K]  activate.fish
│           │       │   ├── [ 264]  fastapi
│           │       │   ├── [ 287]  normalizer
│           │       │   ├── [ 275]  pip
│           │       │   ├── [ 275]  pip3
│           │       │   ├── [ 275]  pip3.13
│           │       │   ├── [  10]  python -> python3.13
│           │       │   ├── [  10]  python3 -> python3.13
│           │       │   ├── [  44]  python3.13 -> /opt/homebrew/opt/
python@3.13/bin/python3.13
│           │       │   └── [ 265]  uvicorn
│           │       ├── [  96]  include
│           │       │   └── [  64]  python3.13
│           │       ├── [  96]  lib
│           │       │   └── [  96]  python3.13
│           │       │       └── [1.2K]  site-packages
│           │       │           ├── [ 192]  annotated_types
│           │       │           │   ├── [ 13K]  __init__.py
│           │       │           │   ├── [   0]  py.typed
│           │       │           │   └── [6.3K]  test_cases.py
│           │       │           ├── [ 224]  annotated_types-0.7.0.dist-
info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [ 15K]  METADATA
│           │       │           │   ├── [ 802]  RECORD
│           │       │           │   ├── [  87]  WHEEL
│           │       │           │   └── [  96]  licenses
│           │       │           │       └── [1.1K]  LICENSE
│           │       │           ├── [ 480]  anyio
│           │       │           │   ├── [5.8K]  __init__.py
│           │       │           │   ├── [ 192]  _backends
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 95K]  _asyncio.py
│           │       │           │   │   └── [ 41K]  _trio.py
│           │       │           │   ├── [ 608]  _core
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [5.5K]
_asyncio_selector_thread.py
│           │       │           │   │   ├── [7.0K]  _contextmanagers.py
│           │       │           │   │   ├── [4.6K]  _eventloop.py
│           │       │           │   │   ├── [3.6K]  _exceptions.py
│           │       │           │   │   ├── [ 23K]  _fileio.py
│           │       │           │   │   ├── [ 435]  _resources.py
│           │       │           │   │   ├── [ 905]  _signals.py
│           │       │           │   │   ├── [ 31K]  _sockets.py
```

```
│   │   │   │   │   │   │   ├── [1.8K]  _streams.py
│   │   │   │   │   │   │   ├── [7.9K]  _subprocesses.py
│   │   │   │   │   │   │   ├── [ 20K]  _synchronization.py
│   │   │   │   │   │   │   ├── [4.6K]  _tasks.py
│   │   │   │   │   │   │   ├── [ 19K]  _tempfile.py
│   │   │   │   │   │   │   ├── [2.1K]  _testing.py
│   │   │   │   │   │   │   └── [2.4K]  _typedattr.py
│   │   │   │   │   │   ├── [ 352]  abc
│   │   │   │   │   │   │   ├── [2.8K]  __init__.py
│   │   │   │   │   │   │   ├── [ 10K]  _eventloop.py
│   │   │   │   │   │   │   ├── [ 783]  _resources.py
│   │   │   │   │   │   │   ├── [ 13K]  _sockets.py
│   │   │   │   │   │   │   ├── [7.5K]  _streams.py
│   │   │   │   │   │   │   ├── [2.0K]  _subprocesses.py
│   │   │   │   │   │   │   ├── [3.5K]  _tasks.py
│   │   │   │   │   │   │   └── [1.8K]  _testing.py
│   │   │   │   │   │   ├── [ 17K]  from_thread.py
│   │   │   │   │   │   ├── [4.1K]  lowlevel.py
│   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   ├── [9.2K]  pytest_plugin.py
│   │   │   │   │   │   ├── [ 320]  streams
│   │   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   │   ├── [6.0K]  buffered.py
│   │   │   │   │   │   │   ├── [4.3K]  file.py
│   │   │   │   │   │   │   ├── [ 10K]  memory.py
│   │   │   │   │   │   │   ├── [4.2K]  stapled.py
│   │   │   │   │   │   │   ├── [5.5K]  text.py
│   │   │   │   │   │   │   └── [ 15K]  tls.py
│   │   │   │   │   │   ├── [6.8K]  to_interpreter.py
│   │   │   │   │   │   ├── [9.4K]  to_process.py
│   │   │   │   │   │   └── [2.3K]  to_thread.py
│   │   │   │   │   ├── [ 288]  anyio-4.10.0.dist-info
│   │   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   │   ├── [3.9K]  METADATA
│   │   │   │   │   │   ├── [6.0K]  RECORD
│   │   │   │   │   │   ├── [  91]  WHEEL
│   │   │   │   │   │   ├── [  39]  entry_points.txt
│   │   │   │   │   │   ├── [  96]  licenses
│   │   │   │   │   │   │   └── [1.1K]  LICENSE
│   │   │   │   │   │   └── [   6]  top_level.txt
│   │   │   │   │   ├── [ 256]  certifi
│   │   │   │   │   │   ├── [  94]  __init__.py
│   │   │   │   │   │   ├── [ 243]  __main__.py
│   │   │   │   │   │   ├── [281K]  cacert.pem
│   │   │   │   │   │   ├── [3.3K]  core.py
│   │   │   │   │   │   └── [   0]  py.typed
│   │   │   │   │   ├── [ 256]  certifi-2025.8.3.dist-info
│   │   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   │   ├── [2.4K]  METADATA
│   │   │   │   │   │   ├── [1017]  RECORD
│   │   │   │   │   │   ├── [  91]  WHEEL
│   │   │   │   │   │   ├── [  96]  licenses
│   │   │   │   │   │   │   └── [ 989]  LICENSE
│   │   │   │   │   │   └── [   8]  top_level.txt
│   │   │   │   │   ├── [ 544]  charset_normalizer
│   │   │   │   │   │   ├── [1.6K]  __init__.py
```

```
│           │       │           │   ├── [ 109]  __main__.py
│           │       │           │   ├── [ 22K]  api.py
│           │       │           │   ├── [ 12K]  cd.py
│           │       │           │   ├── [ 160]  cli
│           │       │           │   │   ├── [ 136]  __init__.py
│           │       │           │   │   └── [ 12K]  __main__.py
│           │       │           │   ├── [ 42K]  constant.py
│           │       │           │   ├── [2.7K]  legacy.py
│           │       │           │   ├── [113K]  md.cpython-313-darwin.so
│           │       │           │   ├── [ 20K]  md.py
│           │       │           │   ├── [520K]  md__mypyc.cpython-313-
darwin.so
│           │       │           │   ├── [ 12K]  models.py
│           │       │           │   ├── [   0]  py.typed
│           │       │           │   ├── [ 12K]  utils.py
│           │       │           │   └── [ 115]  version.py
│           │       │           ├── [ 288]
charset_normalizer-3.4.3.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [ 36K]  METADATA
│           │       │           │   ├── [2.7K]  RECORD
│           │       │           │   ├── [ 142]  WHEEL
│           │       │           │   ├── [  65]  entry_points.txt
│           │       │           │   ├── [  96]  licenses
│           │       │           │   │   └── [1.0K]  LICENSE
│           │       │           │   └── [  19]  top_level.txt
│           │       │           ├── [ 640]  click
│           │       │           │   ├── [4.4K]  __init__.py
│           │       │           │   ├── [ 18K]  _compat.py
│           │       │           │   ├── [ 26K]  _termui_impl.py
│           │       │           │   ├── [1.4K]  _textwrap.py
│           │       │           │   ├── [8.3K]  _winconsole.py
│           │       │           │   ├── [115K]  core.py
│           │       │           │   ├── [ 18K]  decorators.py
│           │       │           │   ├── [9.7K]  exceptions.py
│           │       │           │   ├── [9.5K]  formatting.py
│           │       │           │   ├── [1.9K]  globals.py
│           │       │           │   ├── [ 19K]  parser.py
│           │       │           │   ├── [   0]  py.typed
│           │       │           │   ├── [ 19K]  shell_completion.py
│           │       │           │   ├── [ 30K]  termui.py
│           │       │           │   ├── [ 18K]  testing.py
│           │       │           │   ├── [ 37K]  types.py
│           │       │           │   └── [ 20K]  utils.py
│           │       │           ├── [ 224]  click-8.2.1.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [2.4K]  METADATA
│           │       │           │   ├── [2.4K]  RECORD
│           │       │           │   ├── [  82]  WHEEL
│           │       │           │   └── [  96]  licenses
│           │       │           │       └── [1.4K]  LICENSE.txt
│           │       │           ├── [ 992]  fastapi
│           │       │           │   ├── [1.1K]  __init__.py
│           │       │           │   ├── [  37]  __main__.py
│           │       │           │   ├── [ 24K]  _compat.py
│           │       │           │   ├── [172K]  applications.py
```

```
│   │   │   │   │   │   ├── [1.7K]  background.py
│   │   │   │   │   │   ├── [ 418]  cli.py
│   │   │   │   │   │   ├── [1.4K]  concurrency.py
│   │   │   │   │   │   ├── [5.6K]  datastructures.py
│   │   │   │   │   │   ├── [ 192]  dependencies
│   │   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   │   ├── [1.5K]  models.py
│   │   │   │   │   │   │   └── [ 36K]  utils.py
│   │   │   │   │   │   ├── [ 11K]  encoders.py
│   │   │   │   │   │   ├── [1.3K]  exception_handlers.py
│   │   │   │   │   │   ├── [4.9K]  exceptions.py
│   │   │   │   │   │   ├── [  54]  logger.py
│   │   │   │   │   │   ├── [ 288]  middleware
│   │   │   │   │   │   │   ├── [  58]  __init__.py
│   │   │   │   │   │   │   ├── [  79]  cors.py
│   │   │   │   │   │   │   ├── [  79]  gzip.py
│   │   │   │   │   │   │   ├── [ 115]  httpsredirect.py
│   │   │   │   │   │   │   ├── [ 109]  trustedhost.py
│   │   │   │   │   │   │   └── [  79]  wsgi.py
│   │   │   │   │   │   ├── [ 256]  openapi
│   │   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   │   ├── [ 153]  constants.py
│   │   │   │   │   │   │   ├── [ 10K]  docs.py
│   │   │   │   │   │   │   ├── [ 15K]  models.py
│   │   │   │   │   │   │   └── [ 23K]  utils.py
│   │   │   │   │   │   ├── [ 63K]  param_functions.py
│   │   │   │   │   │   ├── [ 28K]  params.py
│   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   ├── [ 142]  requests.py
│   │   │   │   │   │   ├── [1.7K]  responses.py
│   │   │   │   │   │   ├── [172K]  routing.py
│   │   │   │   │   │   ├── [ 320]  security
│   │   │   │   │   │   │   ├── [ 881]  __init__.py
│   │   │   │   │   │   │   ├── [8.9K]  api_key.py
│   │   │   │   │   │   │   ├── [ 141]  base.py
│   │   │   │   │   │   │   ├── [ 13K]  http.py
│   │   │   │   │   │   │   ├── [ 22K]  oauth2.py
│   │   │   │   │   │   │   ├── [2.7K]
open_id_connect_url.py
│   │   │   │   │   │   │   └── [ 293]  utils.py
│   │   │   │   │   │   ├── [  69]  staticfiles.py
│   │   │   │   │   │   ├── [  76]  templating.py
│   │   │   │   │   │   ├── [  66]  testclient.py
│   │   │   │   │   │   ├── [ 383]  types.py
│   │   │   │   │   │   ├── [7.8K]  utils.py
│   │   │   │   │   │   └── [ 222]  websockets.py
│   │   │   │   │   ├── [ 288]  fastapi-0.116.1.dist-info
│   │   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   │   ├── [ 27K]  METADATA
│   │   │   │   │   │   ├── [6.5K]  RECORD
│   │   │   │   │   │   ├── [   0]  REQUESTED
│   │   │   │   │   │   ├── [  90]  WHEEL
│   │   │   │   │   │   ├── [  61]  entry_points.txt
│   │   │   │   │   │   └── [  96]  licenses
│   │   │   │   │   │       └── [1.1K]  LICENSE
│   │   │   │   │   ├── [ 480]  h11
```

```
│           │       │           │   ├── [1.5K]  __init__.py
│           │       │           │   ├── [4.7K]  _abnf.py
│           │       │           │   ├── [ 26K]  _connection.py
│           │       │           │   ├── [ 12K]  _events.py
│           │       │           │   ├── [ 10K]  _headers.py
│           │       │           │   ├── [8.4K]  _readers.py
│           │       │           │   ├── [5.1K]  _receivebuffer.py
│           │       │           │   ├── [ 13K]  _state.py
│           │       │           │   ├── [4.8K]  _util.py
│           │       │           │   ├── [ 686]  _version.py
│           │       │           │   ├── [5.0K]  _writers.py
│           │       │           │   └── [   7]  py.typed
│           │       │           ├── [ 256]  h11-0.16.0.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [8.2K]  METADATA
│           │       │           │   ├── [1.8K]  RECORD
│           │       │           │   ├── [  91]  WHEEL
│           │       │           │   ├── [  96]  licenses
│           │       │           │   │   └── [1.1K]  LICENSE.txt
│           │       │           │   └── [   4]  top_level.txt
│           │       │           ├── [ 384]  idna
│           │       │           │   ├── [ 868]  __init__.py
│           │       │           │   ├── [3.3K]  codec.py
│           │       │           │   ├── [ 316]  compat.py
│           │       │           │   ├── [ 13K]  core.py
│           │       │           │   ├── [ 76K]  idnadata.py
│           │       │           │   ├── [1.9K]  intranges.py
│           │       │           │   ├── [  21]  package_data.py
│           │       │           │   ├── [   0]  py.typed
│           │       │           │   └── [234K]  uts46data.py
│           │       │           ├── [ 224]  idna-3.10.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [1.5K]  LICENSE.md
│           │       │           │   ├── [9.9K]  METADATA
│           │       │           │   ├── [1.4K]  RECORD
│           │       │           │   └── [  81]  WHEEL
│           │       │           ├── [ 288]  pip
│           │       │           │   ├── [ 353]  __init__.py
│           │       │           │   ├── [ 854]  __main__.py
│           │       │           │   ├── [1.4K]  __pip-runner__.py
│           │       │           │   ├── [ 800]  _internal
│           │       │           │   │   ├── [ 511]  __init__.py
│           │       │           │   │   ├── [ 11K]  build_env.py
│           │       │           │   │   ├── [ 10K]  cache.py
│           │       │           │   │   ├── [ 512]  cli
│           │       │           │   │   │   ├── [ 131]  __init__.py
│           │       │           │   │   │   ├── [7.0K]
autocompletion.py
│           │       │           │   │   │   ├── [8.5K]  base_command.py
│           │       │           │   │   │   ├── [ 31K]  cmdoptions.py
│           │       │           │   │   │   ├── [ 817]
command_context.py
│           │       │           │   │   │   ├── [5.6K]  index_command.py
│           │       │           │   │   │   ├── [2.7K]  main.py
│           │       │           │   │   │   ├── [4.2K]  main_parser.py
│           │       │           │   │   │   ├── [ 11K]  parser.py
```

```
│   │   │   │   │   │   │   ├── [4.6K]  progress_bars.py
│   │   │   │   │   │   │   ├── [ 13K]  req_command.py
│   │   │   │   │   │   │   ├── [7.2K]  spinners.py
│   │   │   │   │   │   │   └── [ 116]  status_codes.py
│   │   │   │   │   │   ├── [ 704]  commands
│   │   │   │   │   │   │   ├── [3.9K]  __init__.py
│   │   │   │   │   │   │   ├── [8.0K]  cache.py
│   │   │   │   │   │   │   ├── [2.2K]  check.py
│   │   │   │   │   │   │   ├── [4.4K]  completion.py
│   │   │   │   │   │   │   ├── [9.9K]  configuration.py
│   │   │   │   │   │   │   ├── [6.6K]  debug.py
│   │   │   │   │   │   │   ├── [5.1K]  download.py
│   │   │   │   │   │   │   ├── [3.0K]  freeze.py
│   │   │   │   │   │   │   ├── [1.6K]  hash.py
│   │   │   │   │   │   │   ├── [1.1K]  help.py
│   │   │   │   │   │   │   ├── [5.1K]  index.py
│   │   │   │   │   │   │   ├── [3.1K]  inspect.py
│   │   │   │   │   │   │   ├── [ 29K]  install.py
│   │   │   │   │   │   │   ├── [ 13K]  list.py
│   │   │   │   │   │   │   ├── [5.8K]  lock.py
│   │   │   │   │   │   │   ├── [5.6K]  search.py
│   │   │   │   │   │   │   ├── [7.9K]  show.py
│   │   │   │   │   │   │   ├── [3.8K]  uninstall.py
│   │   │   │   │   │   │   └── [6.2K]  wheel.py
│   │   │   │   │   │   ├── [ 14K]  configuration.py
│   │   │   │   │   │   ├── [ 256]  distributions
│   │   │   │   │   │   │   ├── [ 858]  __init__.py
│   │   │   │   │   │   │   ├── [1.8K]  base.py
│   │   │   │   │   │   │   ├── [ 929]  installed.py
│   │   │   │   │   │   │   ├── [6.8K]  sdist.py
│   │   │   │   │   │   │   └── [1.3K]  wheel.py
│   │   │   │   │   │   ├── [ 28K]  exceptions.py
│   │   │   │   │   │   ├── [ 224]  index
│   │   │   │   │   │   │   ├── [  29]  __init__.py
│   │   │   │   │   │   │   ├── [ 16K]  collector.py
│   │   │   │   │   │   │   ├── [ 38K]
package_finder.py
│   │   │   │   │   │   │   └── [8.4K]  sources.py
│   │   │   │   │   │   ├── [ 224]  locations
│   │   │   │   │   │   │   ├── [ 14K]  __init__.py
│   │   │   │   │   │   │   ├── [5.8K]  _distutils.py
│   │   │   │   │   │   │   ├── [7.5K]  _sysconfig.py
│   │   │   │   │   │   │   └── [2.5K]  base.py
│   │   │   │   │   │   ├── [ 338]  main.py
│   │   │   │   │   │   ├── [ 256]  metadata
│   │   │   │   │   │   │   ├── [5.6K]  __init__.py
│   │   │   │   │   │   │   ├── [2.6K]  _json.py
│   │   │   │   │   │   │   ├── [ 25K]  base.py
│   │   │   │   │   │   │   ├── [ 224]  importlib
│   │   │   │   │   │   │   │   ├── [ 135]  __init__.py
│   │   │   │   │   │   │   │   ├── [2.7K]  _compat.py
│   │   │   │   │   │   │   │   ├── [8.1K]  _dists.py
│   │   │   │   │   │   │   │   └── [5.2K]  _envs.py
│   │   │   │   │   │   │   └── [ 10K]  pkg_resources.py
│   │   │   │   │   │   ├── [ 512]  models
│   │   │   │   │   │   │   ├── [  62]  __init__.py
```

```
│           │       │           │   │   │   ├── [ 753]  candidate.py
│           │       │           │   │   │   ├── [6.4K]  direct_url.py
│           │       │           │   │   │   ├── [2.4K]
format_control.py
│           │       │           │   │   │   ├── [1.0K]  index.py
│           │       │           │   │   │   ├── [2.8K]
installation_report.py
│           │       │           │   │   │   ├── [ 21K]  link.py
│           │       │           │   │   │   ├── [6.1K]  pylock.py
│           │       │           │   │   │   ├── [ 575]  scheme.py
│           │       │           │   │   │   ├── [4.4K]  search_scope.py
│           │       │           │   │   │   ├── [2.0K]
selection_prefs.py
│           │       │           │   │   │   ├── [4.1K]  target_python.py
│           │       │           │   │   │   └── [5.4K]  wheel.py
│           │       │           │   │   ├── [ 352]  network
│           │       │           │   │   │   ├── [  49]  __init__.py
│           │       │           │   │   │   ├── [ 20K]  auth.py
│           │       │           │   │   │   ├── [5.2K]  cache.py
│           │       │           │   │   │   ├── [ 12K]  download.py
│           │       │           │   │   │   ├── [7.5K]  lazy_wheel.py
│           │       │           │   │   │   ├── [ 19K]  session.py
│           │       │           │   │   │   ├── [4.0K]  utils.py
│           │       │           │   │   │   └── [1.8K]  xmlrpc.py
│           │       │           │   │   ├── [ 288]  operations
│           │       │           │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   ├── [ 352]  build
│           │       │           │   │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   │   ├── [4.7K]
build_tracker.py
│           │       │           │   │   │   │   ├── [1.4K]  metadata.py
│           │       │           │   │   │   │   ├── [1.5K]
metadata_editable.py
│           │       │           │   │   │   │   ├── [2.1K]
metadata_legacy.py
│           │       │           │   │   │   │   ├── [1.1K]  wheel.py
│           │       │           │   │   │   │   ├── [1.4K]
wheel_editable.py
│           │       │           │   │   │   │   └── [3.5K]
wheel_legacy.py
│           │       │           │   │   │   ├── [5.8K]  check.py
│           │       │           │   │   │   ├── [9.6K]  freeze.py
│           │       │           │   │   │   ├── [ 192]  install
│           │       │           │   │   │   │   ├── [  50]  __init__.py
│           │       │           │   │   │   │   ├── [1.3K]
editable_legacy.py
│           │       │           │   │   │   │   └── [ 27K]  wheel.py
│           │       │           │   │   │   └── [ 28K]  prepare.py
│           │       │           │   │   ├── [7.1K]  pyproject.py
│           │       │           │   │   ├── [ 320]  req
│           │       │           │   │   │   ├── [3.0K]  __init__.py
│           │       │           │   │   │   ├── [ 18K]  constructors.py
│           │       │           │   │   │   ├── [2.6K]
req_dependency_group.py
│           │       │           │   │   │   ├── [ 20K]  req_file.py
│           │       │           │   │   │   ├── [ 35K]  req_install.py
```

```
│           │       │           │   │   │   ├── [2.8K]  req_set.py
│           │       │           │   │   │   └── [ 24K]  req_uninstall.py
│           │       │           │   │   ├── [ 224]  resolution
│           │       │           │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   ├── [ 577]  base.py
│           │       │           │   │   │   ├── [ 160]  legacy
│           │       │           │   │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   │   └── [ 23K]  resolver.py
│           │       │           │   │   │   └── [ 384]  resolvelib
│           │       │           │   │   │       ├── [   0]  __init__.py
│           │       │           │   │   │       ├── [4.9K]  base.py
│           │       │           │   │   │       ├── [ 20K]
candidates.py
│           │       │           │   │   │       ├── [ 32K]  factory.py
│           │       │           │   │   │       ├── [5.9K]
found_candidates.py
│           │       │           │   │   │       ├── [ 11K]  provider.py
│           │       │           │   │   │       ├── [3.2K]  reporter.py
│           │       │           │   │   │       ├── [7.9K]
requirements.py
│           │       │           │   │   │       └── [ 13K]  resolver.py
│           │       │           │   │   ├── [8.1K]
self_outdated_check.py
│           │       │           │   │   ├── [ 928]  utils
│           │       │           │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   ├── [3.3K]  _jaraco_text.py
│           │       │           │   │   │   ├── [1015]  _log.py
│           │       │           │   │   │   ├── [1.6K]  appdirs.py
│           │       │           │   │   │   ├── [2.5K]  compat.py
│           │       │           │   │   │   ├── [6.5K]
compatibility_tags.py
│           │       │           │   │   │   ├── [ 241]  datetime.py
│           │       │           │   │   │   ├── [3.6K]  deprecation.py
│           │       │           │   │   │   ├── [3.1K]
direct_url_helpers.py
│           │       │           │   │   │   ├── [2.4K]  egg_link.py
│           │       │           │   │   │   ├── [3.2K]  entrypoints.py
│           │       │           │   │   │   ├── [4.9K]  filesystem.py
│           │       │           │   │   │   ├── [ 689]  filetypes.py
│           │       │           │   │   │   ├── [3.6K]  glibc.py
│           │       │           │   │   │   ├── [4.9K]  hashes.py
│           │       │           │   │   │   ├── [ 12K]  logging.py
│           │       │           │   │   │   ├── [ 23K]  misc.py
│           │       │           │   │   │   ├── [1.6K]  packaging.py
│           │       │           │   │   │   ├── [1.4K]  retry.py
│           │       │           │   │   │   ├── [4.4K]
setuptools_build.py
│           │       │           │   │   │   ├── [8.8K]  subprocess.py
│           │       │           │   │   │   ├── [9.1K]  temp_dir.py
│           │       │           │   │   │   ├── [ 12K]  unpacking.py
│           │       │           │   │   │   ├── [1.6K]  urls.py
│           │       │           │   │   │   ├── [3.4K]  virtualenv.py
│           │       │           │   │   │   └── [4.4K]  wheel.py
│           │       │           │   │   ├── [ 288]  vcs
│           │       │           │   │   │   ├── [ 596]  __init__.py
│           │       │           │   │   │   ├── [3.6K]  bazaar.py
```

```
│           │       │           │   │   │   ├── [ 19K]  git.py
│           │       │           │   │   │   ├── [5.4K]  mercurial.py
│           │       │           │   │   │   ├── [ 12K]  subversion.py
│           │       │           │   │   │   └── [ 22K]
versioncontrol.py
│           │       │           │   │   └── [ 11K]  wheel_builder.py
│           │       │           │   ├── [ 768]  _vendor
│           │       │           │   │   ├── [4.8K]  __init__.py
│           │       │           │   │   ├── [ 448]  cachecontrol
│           │       │           │   │   │   ├── [ 677]  __init__.py
│           │       │           │   │   │   ├── [1.7K]  _cmd.py
│           │       │           │   │   │   ├── [6.4K]  adapter.py
│           │       │           │   │   │   ├── [1.9K]  cache.py
│           │       │           │   │   │   ├── [ 192]  caches
│           │       │           │   │   │   │   ├── [ 303]  __init__.py
│           │       │           │   │   │   │   ├── [4.0K]
file_cache.py
│           │       │           │   │   │   │   └── [1.4K]
redis_cache.py
│           │       │           │   │   │   ├── [ 19K]  controller.py
│           │       │           │   │   │   ├── [4.2K]  filewrapper.py
│           │       │           │   │   │   ├── [4.8K]  heuristics.py
│           │       │           │   │   │   ├── [   0]  py.typed
│           │       │           │   │   │   ├── [5.0K]  serialize.py
│           │       │           │   │   │   └── [1.4K]  wrapper.py
│           │       │           │   │   ├── [ 256]  certifi
│           │       │           │   │   │   ├── [  94]  __init__.py
│           │       │           │   │   │   ├── [ 255]  __main__.py
│           │       │           │   │   │   ├── [283K]  cacert.pem
│           │       │           │   │   │   ├── [3.4K]  core.py
│           │       │           │   │   │   └── [   0]  py.typed
│           │       │           │   │   ├── [ 320]  dependency_groups
│           │       │           │   │   │   ├── [ 250]  __init__.py
│           │       │           │   │   │   ├── [1.7K]  __main__.py
│           │       │           │   │   │   ├── [7.9K]
_implementation.py
│           │       │           │   │   │   ├── [1.7K]
_lint_dependency_groups.py
│           │       │           │   │   │   ├── [1.8K]  _pip_wrapper.py
│           │       │           │   │   │   ├── [ 285]  _toml_compat.py
│           │       │           │   │   │   └── [   0]  py.typed
│           │       │           │   │   ├── [ 448]  distlib
│           │       │           │   │   │   ├── [ 625]  __init__.py
│           │       │           │   │   │   ├── [ 40K]  compat.py
│           │       │           │   │   │   ├── [ 11K]  resources.py
│           │       │           │   │   │   ├── [ 18K]  scripts.py
│           │       │           │   │   │   ├── [ 96K]  t32.exe
│           │       │           │   │   │   ├── [178K]  t64-arm.exe
│           │       │           │   │   │   ├── [106K]  t64.exe
│           │       │           │   │   │   ├── [ 65K]  util.py
│           │       │           │   │   │   ├── [ 90K]  w32.exe
│           │       │           │   │   │   ├── [164K]  w64-arm.exe
│           │       │           │   │   │   └── [100K]  w64.exe
│           │       │           │   │   ├── [ 224]  distro
│           │       │           │   │   │   ├── [ 981]  __init__.py
│           │       │           │   │   │   ├── [  64]  __main__.py
```

```
│   │   │   │   │   │   │   ├── [ 48K]  distro.py
│   │   │   │   │   │   │   └── [   0]  py.typed
│   │   │   │   │   │   ├── [ 384]  idna
│   │   │   │   │   │   │   ├── [ 868]  __init__.py
│   │   │   │   │   │   │   ├── [3.3K]  codec.py
│   │   │   │   │   │   │   ├── [ 316]  compat.py
│   │   │   │   │   │   │   ├── [ 13K]  core.py
│   │   │   │   │   │   │   ├── [ 76K]  idnadata.py
│   │   │   │   │   │   │   ├── [1.9K]  intranges.py
│   │   │   │   │   │   │   ├── [  21]  package_data.py
│   │   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   │   └── [234K]  uts46data.py
│   │   │   │   │   │   ├── [ 224]  msgpack
│   │   │   │   │   │   │   ├── [1.1K]  __init__.py
│   │   │   │   │   │   │   ├── [1.1K]  exceptions.py
│   │   │   │   │   │   │   ├── [5.6K]  ext.py
│   │   │   │   │   │   │   └── [ 32K]  fallback.py
│   │   │   │   │   │   ├── [ 608]  packaging
│   │   │   │   │   │   │   ├── [ 494]  __init__.py
│   │   │   │   │   │   │   ├── [3.2K]  _elffile.py
│   │   │   │   │   │   │   ├── [9.4K]  _manylinux.py
│   │   │   │   │   │   │   ├── [2.6K]  _musllinux.py
│   │   │   │   │   │   │   ├── [ 10K]  _parser.py
│   │   │   │   │   │   │   ├── [1.4K]  _structures.py
│   │   │   │   │   │   │   ├── [5.2K]  _tokenizer.py
│   │   │   │   │   │   │   ├── [ 160]  licenses
│   │   │   │   │   │   │   │   ├── [5.6K]  __init__.py
│   │   │   │   │   │   │   │   └── [ 47K]  _spdx.py
│   │   │   │   │   │   │   ├── [ 12K]  markers.py
│   │   │   │   │   │   │   ├── [ 34K]  metadata.py
│   │   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   │   ├── [2.9K]  requirements.py
│   │   │   │   │   │   │   ├── [ 39K]  specifiers.py
│   │   │   │   │   │   │   ├── [ 22K]  tags.py
│   │   │   │   │   │   │   ├── [4.9K]  utils.py
│   │   │   │   │   │   │   └── [ 16K]  version.py
│   │   │   │   │   │   ├── [ 128]  pkg_resources
│   │   │   │   │   │   │   └── [122K]  __init__.py
│   │   │   │   │   │   ├── [ 384]  platformdirs
│   │   │   │   │   │   │   ├── [ 22K]  __init__.py
│   │   │   │   │   │   │   ├── [1.5K]  __main__.py
│   │   │   │   │   │   │   ├── [8.8K]  android.py
│   │   │   │   │   │   │   ├── [9.1K]  api.py
│   │   │   │   │   │   │   ├── [6.0K]  macos.py
│   │   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   │   ├── [ 10K]  unix.py
│   │   │   │   │   │   │   ├── [ 511]  version.py
│   │   │   │   │   │   │   └── [9.9K]  windows.py
│   │   │   │   │   │   ├── [ 704]  pygments
│   │   │   │   │   │   │   ├── [2.9K]  __init__.py
│   │   │   │   │   │   │   ├── [ 353]  __main__.py
│   │   │   │   │   │   │   ├── [1.7K]  console.py
│   │   │   │   │   │   │   ├── [1.9K]  filter.py
│   │   │   │   │   │   │   ├── [ 128]  filters
│   │   │   │   │   │   │   │   └── [ 39K]  __init__.py
│   │   │   │   │   │   │   ├── [4.3K]  formatter.py
```

```
│   │   │   │
```

```
│           │       │           │   │   │   │   ├── [1.7K]  criterion.py
│           │       │           │   │   │   │   ├── [1.7K]
exceptions.py
│           │       │           │   │   │   │   └── [ 23K]
resolution.py
│           │       │           │   │   │   └── [6.3K]  structs.py
│           │       │           │   │   ├── [2.5K]  rich
│           │       │           │   │   │   ├── [5.9K]  __init__.py
│           │       │           │   │   │   ├── [7.7K]  __main__.py
│           │       │           │   │   │   ├── [ 10K]  _cell_widths.py
│           │       │           │   │   │   ├── [137K]  _emoji_codes.py
│           │       │           │   │   │   ├── [1.0K]
_emoji_replace.py
│           │       │           │   │   │   ├── [2.1K]
_export_format.py
│           │       │           │   │   │   ├── [ 265]  _extension.py
│           │       │           │   │   │   ├── [ 799]  _fileno.py
│           │       │           │   │   │   ├── [9.4K]  _inspect.py
│           │       │           │   │   │   ├── [3.1K]  _log_render.py
│           │       │           │   │   │   ├── [1.2K]  _loop.py
│           │       │           │   │   │   ├── [1.4K]  _null_file.py
│           │       │           │   │   │   ├── [6.9K]  _palettes.py
│           │       │           │   │   │   ├── [ 423]  _pick.py
│           │       │           │   │   │   ├── [5.2K]  _ratio.py
│           │       │           │   │   │   ├── [ 19K]  _spinners.py
│           │       │           │   │   │   ├── [ 351]  _stack.py
│           │       │           │   │   │   ├── [ 417]  _timer.py
│           │       │           │   │   │   ├── [ 22K]
_win32_console.py
│           │       │           │   │   │   ├── [1.9K]  _windows.py
│           │       │           │   │   │   ├── [2.7K]
_windows_renderer.py
│           │       │           │   │   │   ├── [3.3K]  _wrap.py
│           │       │           │   │   │   ├── [ 890]  abc.py
│           │       │           │   │   │   ├── [ 10K]  align.py
│           │       │           │   │   │   ├── [6.8K]  ansi.py
│           │       │           │   │   │   ├── [3.2K]  bar.py
│           │       │           │   │   │   ├── [ 10K]  box.py
│           │       │           │   │   │   ├── [5.0K]  cells.py
│           │       │           │   │   │   ├── [ 18K]  color.py
│           │       │           │   │   │   ├── [1.0K]  color_triplet.py
│           │       │           │   │   │   ├── [7.0K]  columns.py
│           │       │           │   │   │   ├── [ 98K]  console.py
│           │       │           │   │   │   ├── [1.3K]  constrain.py
│           │       │           │   │   │   ├── [5.4K]  containers.py
│           │       │           │   │   │   ├── [6.3K]  control.py
│           │       │           │   │   │   ├── [8.1K]
default_styles.py
│           │       │           │   │   │   ├── [1.0K]  diagnose.py
│           │       │           │   │   │   ├── [2.3K]  emoji.py
│           │       │           │   │   │   ├── [ 642]  errors.py
│           │       │           │   │   │   ├── [1.6K]  file_proxy.py
│           │       │           │   │   │   ├── [2.4K]  filesize.py
│           │       │           │   │   │   ├── [9.4K]  highlighter.py
│           │       │           │   │   │   ├── [4.9K]  json.py
│           │       │           │   │   │   ├── [3.2K]  jupyter.py
```

```
│   │   │   │   │   │   ├── [ 14K]  layout.py
│   │   │   │   │   │   ├── [ 15K]  live.py
│   │   │   │   │   │   ├── [3.4K]  live_render.py
│   │   │   │   │   │   ├── [ 12K]  logging.py
│   │   │   │   │   │   ├── [8.3K]  markup.py
│   │   │   │   │   │   ├── [5.2K]  measure.py
│   │   │   │   │   │   ├── [4.8K]  padding.py
│   │   │   │   │   │   ├── [ 828]  pager.py
│   │   │   │   │   │   ├── [3.3K]  palette.py
│   │   │   │   │   │   ├── [ 11K]  panel.py
│   │   │   │   │   │   ├── [ 36K]  pretty.py
│   │   │   │   │   │   ├── [ 59K]  progress.py
│   │   │   │   │   │   ├── [8.0K]  progress_bar.py
│   │   │   │   │   │   ├── [ 12K]  prompt.py
│   │   │   │   │   │   ├── [1.4K]  protocol.py
│   │   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   │   ├── [ 166]  region.py
│   │   │   │   │   │   ├── [4.3K]  repr.py
│   │   │   │   │   │   ├── [4.5K]  rule.py
│   │   │   │   │   │   ├── [2.8K]  scope.py
│   │   │   │   │   │   ├── [1.6K]  screen.py
│   │   │   │   │   │   ├── [ 24K]  segment.py
│   │   │   │   │   │   ├── [4.1K]  spinner.py
│   │   │   │   │   │   ├── [4.3K]  status.py
│   │   │   │   │   │   ├── [ 26K]  style.py
│   │   │   │   │   │   ├── [1.2K]  styled.py
│   │   │   │   │   │   ├── [ 36K]  syntax.py
│   │   │   │   │   │   ├── [ 39K]  table.py
│   │   │   │   │   │   ├── [3.3K]
terminal_theme.py
│   │   │   │   │   │   ├── [ 46K]  text.py
│   │   │   │   │   │   ├── [3.7K]  theme.py
│   │   │   │   │   │   ├── [ 102]  themes.py
│   │   │   │   │   │   ├── [ 35K]  traceback.py
│   │   │   │   │   │   └── [9.2K]  tree.py
│   │   │   │   │   ├── [ 256]  tomli
│   │   │   │   │   │   ├── [ 314]  __init__.py
│   │   │   │   │   │   ├── [ 25K]  _parser.py
│   │   │   │   │   │   ├── [3.1K]  _re.py
│   │   │   │   │   │   ├── [ 254]  _types.py
│   │   │   │   │   │   └── [  26]  py.typed
│   │   │   │   │   ├── [ 192]  tomli_w
│   │   │   │   │   │   ├── [ 169]  __init__.py
│   │   │   │   │   │   ├── [6.8K]  _writer.py
│   │   │   │   │   │   └── [  26]  py.typed
│   │   │   │   │   ├── [ 320]  truststore
│   │   │   │   │   │   ├── [1.3K]  __init__.py
│   │   │   │   │   │   ├── [ 11K]  _api.py
│   │   │   │   │   │   ├── [ 20K]  _macos.py
│   │   │   │   │   │   ├── [2.3K]  _openssl.py
│   │   │   │   │   │   ├── [1.1K]
_ssl_constants.py
│   │   │   │   │   │   ├── [ 18K]  _windows.py
│   │   │   │   │   │   └── [   0]  py.typed
│   │   │   │   │   ├── [ 544]  urllib3
│   │   │   │   │   │   ├── [3.3K]  __init__.py
```

```
│           │       │           │   │   │   ├── [ 11K]  _collections.py
│           │       │           │   │   │   ├── [  64]  _version.py
│           │       │           │   │   │   ├── [ 20K]  connection.py
│           │       │           │   │   │   ├── [ 39K]
connectionpool.py
│           │       │           │   │   │   ├── [ 352]  contrib
│           │       │           │   │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   │   ├── [ 957]
_appengine_environ.py
│           │       │           │   │   │   │   ├── [ 192]
_securetransport
│           │       │           │   │   │   │   │   ├── [   0]
__init__.py
│           │       │           │   │   │   │   │   ├── [ 17K]
bindings.py
│           │       │           │   │   │   │   │   └── [ 14K]
low_level.py
│           │       │           │   │   │   │   ├── [ 11K]  appengine.py
│           │       │           │   │   │   │   ├── [4.4K]  ntlmpool.py
│           │       │           │   │   │   │   ├── [ 17K]  pyopenssl.py
│           │       │           │   │   │   │   ├── [ 34K]
securetransport.py
│           │       │           │   │   │   │   └── [6.9K]  socks.py
│           │       │           │   │   │   ├── [8.0K]  exceptions.py
│           │       │           │   │   │   ├── [8.4K]  fields.py
│           │       │           │   │   │   ├── [2.4K]  filepost.py
│           │       │           │   │   │   ├── [ 192]  packages
│           │       │           │   │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   │   ├── [ 192]  backports
│           │       │           │   │   │   │   │   ├── [   0]
__init__.py
│           │       │           │   │   │   │   │   ├── [1.4K]
makefile.py
│           │       │           │   │   │   │   │   └── [5.2K]
weakref_finalize.py
│           │       │           │   │   │   └── [ 34K]  six.py
│           │       │           │   │   ├── [ 20K]  poolmanager.py
│           │       │           │   │   ├── [6.5K]  request.py
│           │       │           │   │   ├── [ 30K]  response.py
│           │       │           │   │   └── [ 512]  util
│           │       │           │   │       ├── [1.1K]  __init__.py
│           │       │           │   │       ├── [4.8K]
connection.py
│           │       │           │   │       ├── [1.6K]  proxy.py
│           │       │           │   │       ├── [ 498]  queue.py
│           │       │           │   │       ├── [3.9K]  request.py
│           │       │           │   │       ├── [3.4K]  response.py
│           │       │           │   │       ├── [ 22K]  retry.py
│           │       │           │   │       ├── [ 17K]  ssl_.py
│           │       │           │   │       ├── [5.6K]
ssl_match_hostname.py
│           │       │           │   │       ├── [6.7K]
ssltransport.py
│           │       │           │   │       ├── [9.9K]  timeout.py
│           │       │           │   │       ├── [ 14K]  url.py
│           │       │           │   │       └── [5.3K]  wait.py
```

```
│           │       │           │   │   └── [ 343]  vendor.txt
│           │       │           │   └── [ 286]  py.typed
│           │       │           ├── [ 320]  pip-25.2.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [4.6K]  METADATA
│           │       │           │   ├── [ 66K]  RECORD
│           │       │           │   ├── [   0]  REQUESTED
│           │       │           │   ├── [  91]  WHEEL
│           │       │           │   ├── [  87]  entry_points.txt
│           │       │           │   ├── [ 160]  licenses
│           │       │           │   │   ├── [ 11K]  AUTHORS.txt
│           │       │           │   │   ├── [1.1K]  LICENSE.txt
│           │       │           │   │   └── [  96]  src
│           │       │           │   │       └── [  96]  pip
│           │       │           │   │           └── [ 672]  _vendor
│           │       │           │   │               ├── [  96]
cachecontrol
│           │       │           │   │               │   └── [ 558]
LICENSE.txt
│           │       │           │   │               ├── [  96]  certifi
│           │       │           │   │               │   └── [ 989]
LICENSE
│           │       │           │   │               ├── [  96]
dependency_groups
│           │       │           │   │               │   └── [1.1K]
LICENSE.txt
│           │       │           │   │               ├── [  96]  distlib
│           │       │           │   │               │   └── [ 14K]
LICENSE.txt
│           │       │           │   │               ├── [  96]  distro
│           │       │           │   │               │   └── [ 11K]
LICENSE
│           │       │           │   │               ├── [  96]  idna
│           │       │           │   │               │   └── [1.5K]
LICENSE.md
│           │       │           │   │               ├── [  96]  msgpack
│           │       │           │   │               │   └── [ 614]
COPYING
│           │       │           │   │               ├── [ 160]
packaging
│           │       │           │   │               │   ├── [ 197]
LICENSE
│           │       │           │   │               │   ├── [9.9K]
LICENSE.APACHE
│           │       │           │   │               │   └── [1.3K]
LICENSE.BSD
│           │       │           │   │               ├── [  96]
pkg_resources
│           │       │           │   │               │   └── [1023]
LICENSE
│           │       │           │   │               ├── [  96]
platformdirs
│           │       │           │   │               │   └── [1.1K]
LICENSE
│           │       │           │   │               ├── [  96]  pygments
```

```
│           │       │           │   │               │   └── [1.3K]
LICENSE
│           │       │           │   │               ├── [  96]
pyproject_hooks
│           │       │           │   │               │   └── [1.1K]
LICENSE
│           │       │           │   │               ├── [  96]  requests
│           │       │           │   │               │   └── [9.9K]
LICENSE
│           │       │           │   │               ├── [  96]
resolvelib
│           │       │           │   │               │   └── [ 751]
LICENSE
│           │       │           │   │               ├── [  96]  rich
│           │       │           │   │               │   └── [1.0K]
LICENSE
│           │       │           │   │               ├── [ 128]  tomli
│           │       │           │   │               │   ├── [1.0K]
LICENSE
│           │       │           │   │               │   └── [ 121]
LICENSE-HEADER
│           │       │           │   │               ├── [  96]  tomli_w
│           │       │           │   │               │   └── [1.0K]
LICENSE
│           │       │           │   │               ├── [  96]
truststore
│           │       │           │   │               │   └── [1.1K]
LICENSE
│           │       │           │   │               └── [  96]  urllib3
│           │       │           │   │                   └── [1.1K]
LICENSE.txt
│           │       │           │   └── [   4]  top_level.txt
│           │       │           ├── [1.4K]  pydantic
│           │       │           │   ├── [ 15K]  __init__.py
│           │       │           │   ├── [1.0K]  _internal
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 14K]  _config.py
│           │       │           │   │   ├── [5.0K]  _core_metadata.py
│           │       │           │   │   ├── [6.6K]  _core_utils.py
│           │       │           │   │   ├── [8.8K]  _dataclasses.py
│           │       │           │   │   ├── [ 32K]  _decorators.py
│           │       │           │   │   ├── [6.0K]  _decorators_v1.py
│           │       │           │   │   ├── [ 25K]
_discriminated_union.py
│           │       │           │   │   ├── [3.7K]  _docs_extraction.py
│           │       │           │   │   ├── [ 23K]  _fields.py
│           │       │           │   │   ├── [ 611]  _forward_ref.py
│           │       │           │   │   ├── [131K]  _generate_schema.py
│           │       │           │   │   ├── [ 23K]  _generics.py
│           │       │           │   │   ├── [ 809]  _git.py
│           │       │           │   │   ├── [ 402]  _import_utils.py
│           │       │           │   │   ├── [ 144]
_internal_dataclass.py
│           │       │           │   │   ├── [ 16K]
_known_annotated_metadata.py
│           │       │           │   │   ├── [8.7K]  _mock_val_ser.py
```

```
│           │       │           │   │   ├── [ 34K]
_model_construction.py
│           │       │           │   │   ├── [ 13K]  _namespace_utils.py
│           │       │           │   │   ├── [5.0K]  _repr.py
│           │       │           │   │   ├── [8.9K]  _schema_gather.py
│           │       │           │   │   ├── [4.7K]
_schema_generation_shared.py
│           │       │           │   │   ├── [1.4K]  _serializers.py
│           │       │           │   │   ├── [6.6K]  _signature.py
│           │       │           │   │   ├── [ 28K]  _typing_extra.py
│           │       │           │   │   ├── [ 15K]  _utils.py
│           │       │           │   │   ├── [5.2K]  _validate_call.py
│           │       │           │   │   └── [ 20K]  _validators.py
│           │       │           │   ├── [ 12K]  _migration.py
│           │       │           │   ├── [2.1K]  alias_generators.py
│           │       │           │   ├── [4.8K]  aliases.py
│           │       │           │   ├── [4.3K]  annotated_handlers.py
│           │       │           │   ├── [ 148]  class_validators.py
│           │       │           │   ├── [ 21K]  color.py
│           │       │           │   ├── [ 41K]  config.py
│           │       │           │   ├── [ 16K]  dataclasses.py
│           │       │           │   ├── [ 150]  datetime_parse.py
│           │       │           │   ├── [ 145]  decorator.py
│           │       │           │   ├── [ 352]  deprecated
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 10K]  class_validators.py
│           │       │           │   │   ├── [2.6K]  config.py
│           │       │           │   │   ├── [7.4K]  copy_internals.py
│           │       │           │   │   ├── [ 11K]  decorator.py
│           │       │           │   │   ├── [4.5K]  json.py
│           │       │           │   │   ├── [2.5K]  parse.py
│           │       │           │   │   └── [3.3K]  tools.py
│           │       │           │   ├── [ 148]  env_settings.py
│           │       │           │   ├── [ 150]  error_wrappers.py
│           │       │           │   ├── [5.9K]  errors.py
│           │       │           │   ├── [ 192]  experimental
│           │       │           │   │   ├── [ 328]  __init__.py
│           │       │           │   │   ├── [1.8K]  arguments_schema.py
│           │       │           │   │   └── [ 23K]  pipeline.py
│           │       │           │   ├── [ 63K]  fields.py
│           │       │           │   ├── [ 17K]
functional_serializers.py
│           │       │           │   ├── [ 29K]  functional_validators.py
│           │       │           │   ├── [ 144]  generics.py
│           │       │           │   ├── [ 140]  json.py
│           │       │           │   ├── [113K]  json_schema.py
│           │       │           │   ├── [ 79K]  main.py
│           │       │           │   ├── [ 58K]  mypy.py
│           │       │           │   ├── [ 40K]  networks.py
│           │       │           │   ├── [ 141]  parse.py
│           │       │           │   ├── [ 192]  plugin
│           │       │           │   │   ├── [6.8K]  __init__.py
│           │       │           │   │   ├── [2.1K]  _loader.py
│           │       │           │   │   └── [5.1K]  _schema_validator.py
│           │       │           │   ├── [   0]  py.typed
│           │       │           │   ├── [6.1K]  root_model.py
```

```
│           │       │           │   ├── [ 142]  schema.py
│           │       │           │   ├── [ 141]  tools.py
│           │       │           │   ├── [ 30K]  type_adapter.py
│           │       │           │   ├── [102K]  types.py
│           │       │           │   ├── [ 138]  typing.py
│           │       │           │   ├── [ 141]  utils.py
│           │       │           │   ├── [ 960]  v1
│           │       │           │   │   ├── [2.9K]  __init__.py
│           │       │           │   │   ├── [ 14K]
_hypothesis_plugin.py
│           │       │           │   │   ├── [3.1K]  annotated_types.py
│           │       │           │   │   ├── [ 14K]  class_validators.py
│           │       │           │   │   ├── [ 16K]  color.py
│           │       │           │   │   ├── [6.4K]  config.py
│           │       │           │   │   ├── [ 18K]  dataclasses.py
│           │       │           │   │   ├── [7.5K]  datetime_parse.py
│           │       │           │   │   ├── [ 10K]  decorator.py
│           │       │           │   │   ├── [ 14K]  env_settings.py
│           │       │           │   │   ├── [5.1K]  error_wrappers.py
│           │       │           │   │   ├── [ 17K]  errors.py
│           │       │           │   │   ├── [ 49K]  fields.py
│           │       │           │   │   ├── [ 17K]  generics.py
│           │       │           │   │   ├── [3.3K]  json.py
│           │       │           │   │   ├── [ 44K]  main.py
│           │       │           │   │   ├── [ 38K]  mypy.py
│           │       │           │   │   ├── [ 22K]  networks.py
│           │       │           │   │   ├── [1.8K]  parse.py
│           │       │           │   │   ├── [   0]  py.typed
│           │       │           │   │   ├── [ 47K]  schema.py
│           │       │           │   │   ├── [2.8K]  tools.py
│           │       │           │   │   ├── [ 35K]  types.py
│           │       │           │   │   ├── [ 19K]  typing.py
│           │       │           │   │   ├── [ 25K]  utils.py
│           │       │           │   │   ├── [ 22K]  validators.py
│           │       │           │   │   └── [1.0K]  version.py
│           │       │           │   ├── [4.3K]
validate_call_decorator.py
│           │       │           │   ├── [ 146]  validators.py
│           │       │           │   ├── [2.6K]  version.py
│           │       │           │   └── [3.7K]  warnings.py
│           │       │           ├── [ 224]  pydantic-2.11.7.dist-info
│           │       │           │   ├── [   4]  INSTALLER
│           │       │           │   ├── [ 66K]  METADATA
│           │       │           │   ├── [ 15K]  RECORD
│           │       │           │   ├── [  87]  WHEEL
│           │       │           │   └── [  96]  licenses
│           │       │           │       └── [1.1K]  LICENSE
│           │       │           ├── [ 256]  pydantic_core
│           │       │           │   ├── [4.3K]  __init__.py
│           │       │           │   ├── [4.0M]
_pydantic_core.cpython-313-darwin.so
│           │       │           │   ├── [ 42K]  _pydantic_core.pyi
│           │       │           │   ├── [146K]  core_schema.py
│           │       │           │   └── [   0]  py.typed
│           │       │           ├── [ 224]  pydantic_core-2.33.2.dist-
info
```

```
│               │           │               │   ├── [   4]  INSTALLER
│               │           │               │   ├── [6.6K]  METADATA
│               │           │               │   ├── [ 992]  RECORD
│               │           │               │   ├── [ 104]  WHEEL
│               │           │               │   └── [  96]  licenses
│               │           │               │       └── [1.1K]  LICENSE
│               │           │               ├── [ 672]  requests
│               │           │               │   ├── [5.0K]  __init__.py
│               │           │               │   ├── [ 435]  __version__.py
│               │           │               │   ├── [1.5K]  _internal_utils.py
│               │           │               │   ├── [ 26K]  adapters.py
│               │           │               │   ├── [6.3K]  api.py
│               │           │               │   ├── [9.9K]  auth.py
│               │           │               │   ├── [ 429]  certs.py
│               │           │               │   ├── [2.1K]  compat.py
│               │           │               │   ├── [ 18K]  cookies.py
│               │           │               │   ├── [4.2K]  exceptions.py
│               │           │               │   ├── [3.8K]  help.py
│               │           │               │   ├── [ 733]  hooks.py
│               │           │               │   ├── [ 35K]  models.py
│               │           │               │   ├── [ 904]  packages.py
│               │           │               │   ├── [ 30K]  sessions.py
│               │           │               │   ├── [4.2K]  status_codes.py
│               │           │               │   ├── [2.8K]  structures.py
│               │           │               │   └── [ 32K]  utils.py
│               │           │               ├── [ 288]  requests-2.32.5.dist-info
│               │           │               │   ├── [   4]  INSTALLER
│               │           │               │   ├── [4.8K]  METADATA
│               │           │               │   ├── [2.8K]  RECORD
│               │           │               │   ├── [   0]  REQUESTED
│               │           │               │   ├── [  91]  WHEEL
│               │           │               │   ├── [  96]  licenses
│               │           │               │   │   └── [9.9K]  LICENSE
│               │           │               │   └── [   9]  top_level.txt
│               │           │               ├── [ 256]  sniffio
│               │           │               │   ├── [ 335]  __init__.py
│               │           │               │   ├── [2.8K]  _impl.py
│               │           │               │   ├── [ 160]  _tests
│               │           │               │   │   ├── [   0]  __init__.py
│               │           │               │   │   └── [2.0K]  test_sniffio.py
│               │           │               │   ├── [  89]  _version.py
│               │           │               │   └── [   0]  py.typed
│               │           │               ├── [ 320]  sniffio-1.3.1.dist-info
│               │           │               │   ├── [   4]  INSTALLER
│               │           │               │   ├── [ 185]  LICENSE
│               │           │               │   ├── [ 11K]  LICENSE.APACHE2
│               │           │               │   ├── [1.0K]  LICENSE.MIT
│               │           │               │   ├── [3.8K]  METADATA
│               │           │               │   ├── [1.4K]  RECORD
│               │           │               │   ├── [  92]  WHEEL
│               │           │               │   └── [   8]  top_level.txt
│               │           │               ├── [ 896]  starlette
│               │           │               │   ├── [  23]  __init__.py
│               │           │               │   ├── [2.2K]  _exception_handler.py
│               │           │               │   ├── [2.7K]  _utils.py
│               │           │               │   ├── [ 10K]  applications.py
```

```
│   │   │   │   │   ├── [4.8K]  authentication.py
│   │   │   │   │   ├── [1.2K]  background.py
│   │   │   │   │   ├── [1.7K]  concurrency.py
│   │   │   │   │   ├── [4.2K]  config.py
│   │   │   │   │   ├── [2.2K]  convertors.py
│   │   │   │   │   ├── [ 22K]  datastructures.py
│   │   │   │   │   ├── [5.0K]  endpoints.py
│   │   │   │   │   ├── [1.0K]  exceptions.py
│   │   │   │   │   ├── [ 11K]  formparsers.py
│   │   │   │   │   ├── [ 448]  middleware
│   │   │   │   │   │   ├── [1.2K]  __init__.py
│   │   │   │   │   │   ├── [1.7K]  authentication.py
│   │   │   │   │   │   ├── [9.4K]  base.py
│   │   │   │   │   │   ├── [6.9K]  cors.py
│   │   │   │   │   │   ├── [7.8K]  errors.py
│   │   │   │   │   │   ├── [2.7K]  exceptions.py
│   │   │   │   │   │   ├── [5.8K]  gzip.py
│   │   │   │   │   │   ├── [ 848]  httpsredirect.py
│   │   │   │   │   │   ├── [3.5K]  sessions.py
│   │   │   │   │   │   ├── [2.2K]  trustedhost.py
│   │   │   │   │   │   └── [5.2K]  wsgi.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 11K]  requests.py
│   │   │   │   │   ├── [ 20K]  responses.py
│   │   │   │   │   ├── [ 33K]  routing.py
│   │   │   │   │   ├── [5.0K]  schemas.py
│   │   │   │   │   ├── [8.3K]  staticfiles.py
│   │   │   │   │   ├── [2.8K]  status.py
│   │   │   │   │   ├── [8.1K]  templating.py
│   │   │   │   │   ├── [ 27K]  testclient.py
│   │   │   │   │   ├── [1.0K]  types.py
│   │   │   │   │   └── [8.1K]  websockets.py
│   │   │   │   ├── [ 224]  starlette-0.47.2.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [6.0K]  METADATA
│   │   │   │   │   ├── [5.1K]  RECORD
│   │   │   │   │   ├── [  87]  WHEEL
│   │   │   │   │   └── [  96]  licenses
│   │   │   │   │       └── [1.5K]  LICENSE.md
│   │   │   │   ├── [ 224]
typing_extensions-4.14.1.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [2.9K]  METADATA
│   │   │   │   │   ├── [ 580]  RECORD
│   │   │   │   │   ├── [  82]  WHEEL
│   │   │   │   │   └── [  96]  licenses
│   │   │   │   │       └── [ 14K]  LICENSE
│   │   │   │   ├── [154K]  typing_extensions.py
│   │   │   │   ├── [ 256]  typing_inspection
│   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   ├── [ 22K]  introspection.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 17K]  typing_objects.py
│   │   │   │   │   └── [9.0K]  typing_objects.pyi
│   │   │   │   ├── [ 224]
typing_inspection-0.4.1.dist-info
```

```
│   │   │   │
```

```
│           │       │           │   └── [  96]  licenses
│           │       │           │       └── [1.1K]  LICENSE.txt
│           │       │           ├── [ 608]  uvicorn
│           │       │           │   ├── [ 147]  __init__.py
│           │       │           │   ├── [  62]  __main__.py
│           │       │           │   ├── [2.7K]  _subprocess.py
│           │       │           │   ├── [7.6K]  _types.py
│           │       │           │   ├── [ 21K]  config.py
│           │       │           │   ├── [1.1K]  importer.py
│           │       │           │   ├── [ 192]  lifespan
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 332]  off.py
│           │       │           │   │   └── [5.1K]  on.py
│           │       │           │   ├── [4.1K]  logging.py
│           │       │           │   ├── [ 224]  loops
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 301]  asyncio.py
│           │       │           │   │   ├── [ 400]  auto.py
│           │       │           │   │   └── [ 148]  uvloop.py
│           │       │           │   ├── [ 17K]  main.py
│           │       │           │   ├── [ 256]  middleware
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 394]  asgi2.py
│           │       │           │   │   ├── [2.8K]  message_logger.py
│           │       │           │   │   ├── [5.7K]  proxy_headers.py
│           │       │           │   │   └── [6.9K]  wsgi.py
│           │       │           │   ├── [ 224]  protocols
│           │       │           │   │   ├── [   0]  __init__.py
│           │       │           │   │   ├── [ 256]  http
│           │       │           │   │   │   ├── [   0]  __init__.py
│           │       │           │   │   │   ├── [ 403]  auto.py
│           │       │           │   │   │   ├── [1.7K]  flow_control.py
│           │       │           │   │   │   ├── [ 20K]  h11_impl.py
│           │       │           │   │   │   └── [ 21K]
httptools_impl.py
│           │       │           │   │   ├── [1.8K]  utils.py
│           │       │           │   │   └── [ 256]  websockets
│           │       │           │   │       ├── [   0]  __init__.py
│           │       │           │   │       ├── [ 581]  auto.py
│           │       │           │   │       ├── [ 15K]
websockets_impl.py
│           │       │           │   │       ├── [ 17K]
websockets_sansio_impl.py
│           │       │           │   │       └── [ 15K]  wsproto_impl.py
│           │       │           │   ├── [   1]  py.typed
│           │       │           │   ├── [ 13K]  server.py
│           │       │           │   ├── [ 256]  supervisors
│           │       │           │   │   ├── [ 507]  __init__.py
│           │       │           │   │   ├── [3.9K]  basereload.py
│           │       │           │   │   ├── [7.3K]  multiprocess.py
│           │       │           │   │   ├── [1.5K]  statreload.py
│           │       │           │   │   └── [2.8K]  watchfilesreload.py
│           │       │           │   └── [3.8K]  workers.py
│           │       │           └── [ 288]  uvicorn-0.35.0.dist-info
│           │       │               ├── [   4]  INSTALLER
│           │       │               ├── [6.4K]  METADATA
```

```
│           │       │               ├── [6.2K]  RECORD
│           │       │               ├── [   0]  REQUESTED
│           │       │               ├── [  87]  WHEEL
│           │       │               ├── [  46]  entry_points.txt
│           │       │               └── [  96]  licenses
│           │       │                   └── [1.5K]  LICENSE.md
│           │       └── [ 351]  pyvenv.cfg
│           └── [ 81K]  master_matrix_2025-08-23_2118.tar.gz
├── [ 416]  modules
│   ├── [ 192]  cognitive
│   │   ├── [ 148]  __init__.py
│   │   ├── [ 257]  ethics.py
│   │   └── [1.4K]  resonance.py
│   ├── [ 256]  cognitive_modules
│   │   ├── [ 160]  ϕ-EMPATHY
│   │   │   ├── [  19]  README.md
│   │   │   ├── [ 143]  empathy_engine.py
│   │   │   └── [  39]  init.py
│   │   ├── [ 160]  ϕ-ETHICS-EVOLVE
│   │   │   ├── [  25]  README.md
│   │   │   ├── [ 430]  ethics_engine.py
│   │   │   └── [  45]  init.py
│   │   ├── [ 160]  ϕ-MIRROR
│   │   │   ├── [  18]  README.md
│   │   │   ├── [  38]  init.py
│   │   │   └── [ 534]  mirror_engine.py
│   │   ├── [ 160]  ϕ-RESONANCE-CORE
│   │   │   ├── [  26]  README.md
│   │   │   ├── [  46]  init.py
│   │   │   └── [ 225]  resonance_engine.py
│   │   ├── [ 192]  ϕ-SHADOW
│   │   │   ├── [  18]  README.md
│   │   │   ├── [  38]  init.py
│   │   │   ├── [ 395]  self_modifier.py
│   │   │   └── [1.4K]  shadow_engine.py
│   │   └── [ 160]  ϕ-SYMBIOSIS
│   │       ├── [  21]  README.md
│   │       ├── [  41]  init.py
│   │       └── [ 164]  symbiosis_engine.py
│   ├── [ 160]  core_modules
│   │   ├── [ 160]  ϕ-ETERNITY
│   │   │   ├── [  20]  README.md
│   │   │   ├── [ 312]  eternity_engine.py
│   │   │   └── [  40]  init.py
│   │   ├── [ 160]  ϕ-INFINITY
│   │   │   ├── [  20]  README.md
│   │   │   ├── [ 173]  infinity_engine.py
│   │   │   └── [  40]  init.py
│   │   └── [ 160]  ϕ-ORIGIN
│   │       ├── [  18]  README.md
│   │       ├── [  38]  init.py
│   │       └── [ 337]  origin_engine.py
│   ├── [ 192]  creative_modules
│   │   ├── [ 160]  ϕ-CHAOS
│   │   │   ├── [  17]  README.md
│   │   │   ├── [ 198]  chaos_engine.py
```

```
│   │   │   └── [  37]  init.py
│   │   ├── [ 160]  ϕ-COSMIC-WEAVE
│   │   │   ├── [  24]  README.md
│   │   │   ├── [ 297]  cosmic_weave_engine.py
│   │   │   └── [  44]  init.py
│   │   ├── [ 160]  ϕ-DREAM
│   │   │   ├── [  17]  README.md
│   │   │   ├── [ 532]  dream_engine.py
│   │   │   └── [ 121]  init.py
│   │   └── [ 160]  ϕ-METAMORPH
│   │       ├── [  21]  README.md
│   │       ├── [  41]  init.py
│   │       └── [ 165]  metamorph_engine.py
│   ├── [ 192]  experimental_modules
│   │   ├── [ 192]  ϕ-OMNIVERSE
│   │   │   ├── [  21]  README.md
│   │   │   ├── [  41]  init.py
│   │   │   ├── [ 769]  prophecy_engine.py
│   │   │   └── [ 250]  reality_simulator.py
│   │   ├── [ 160]  ϕ-SINGULARITY
│   │   │   ├── [  23]  README.md
│   │   │   ├── [  43]  init.py
│   │   │   └── [ 150]  singularity_engine.py
│   │   ├── [ 160]  ϕ-SOULFORGE
│   │   │   ├── [  21]  README.md
│   │   │   ├── [  41]  init.py
│   │   │   └── [ 396]  soulforge_engine.py
│   │   └── [ 160]  ϕ-VOID
│   │       ├── [  16]  README.md
│   │       ├── [  36]  init.py
│   │       └── [ 156]  void_engine.py
│   ├── [ 192]  integration_modules
│   │   ├── [ 160]  ϕ-AETHER
│   │   │   ├── [  18]  README.md
│   │   │   ├── [ 703]  aether_engine.py
│   │   │   └── [  38]  init.py
│   │   ├── [ 160]  ϕ-ARMOR
│   │   │   ├── [  17]  README.md
│   │   │   ├── [ 191]  armor_engine.py
│   │   │   └── [  37]  init.py
│   │   ├── [ 160]  ϕ-MYCELIUM
│   │   │   ├── [  20]  README.md
│   │   │   ├── [  40]  init.py
│   │   │   └── [ 152]  mycelium_engine.py
│   │   └── [ 160]  ϕ-NEXUS
│   │       ├── [  17]  README.md
│   │       ├── [  37]  init.py
│   │       └── [ 546]  nexus_engine.py
│   ├── [ 256]  memory
│   │   ├── [  77]  __init__.py
│   │   ├── [2.1K]  feed.py
│   │   ├── [4.0K]  ingest.py
│   │   ├── [2.4K]  query.py
│   │   └── [ 695]  query_cognitive.py
│   ├── [ 160]  security
│   │   ├── [2.1K]  policy.py
```

```
│   │   └── [ 842]  policy_cli.py
│   ├── [ 192]  security_modules
│   │   ├── [ 160]  ϕ-FIREWALL
│   │   │   ├── [  20]  README.md
│   │   │   ├── [ 531]  firewall_engine.py
│   │   │   └── [  40]  init.py
│   │   ├── [ 160]  ϕ-REDTEAM
│   │   │   ├── [  19]  README.md
│   │   │   ├── [  39]  init.py
│   │   │   └── [ 141]  redteam_engine.py
│   │   ├── [ 160]  ϕ-REGENERATE
│   │   │   ├── [  22]  README.md
│   │   │   ├── [  42]  init.py
│   │   │   └── [ 155]  regenerate_engine.py
│   │   └── [ 160]  ϕ-ZEROTRUST
│   │       ├── [  21]  README.md
│   │       ├── [  41]  init.py
│   │       └── [ 176]  zerotrust_engine.py
│   └── [3.4K]  selftest.py
├── [  96]  myths
│   └── [  94]  archetypes_and_legends.md
├── [1.5K]  phi
├── [   0]  phi_silence.txt
├── [ 203]  requirements.txt
├── [ 160]  rituals
│   ├── [ 411]  dream_ritual.sh
│   ├── [ 386]  myth_ritual.sh
│   └── [ 486]  resonance_ritual.sh
├── [  96]  runtime
│   └── [  96]  bin
│       └── [ 422]  mm
├── [   0]  test_silence.txt
├── [ 288]  tools
│   ├── [ 578]  accept_rag_test.py
│   ├── [4.6K]  compare_report.py
│   ├── [5.2K]  local_rag.py
│   ├── [ 11K]  local_rag.py.bak.20250814-071429
│   ├── [4.3K]  map_blueprint.py
│   ├── [2.8K]  pdf_extract.py
│   └── [3.6K]  policy_smoketest.py
├── [ 224]  venv_OLD_20250814_033532
│   ├── [1.5K]  bin
│   │   ├── [8.6K]  Activate.ps1
│   │   ├── [1.9K]  activate
│   │   ├── [ 862]  activate.csh
│   │   ├── [2.0K]  activate.fish
│   │   ├── [ 247]  chroma
│   │   ├── [ 248]  coloredlogs
│   │   ├── [ 246]  distro
│   │   ├── [ 246]  dotenv
│   │   ├── [ 250]  f2py
│   │   ├── [ 215]  flask
│   │   ├── [ 267]  google-oauthlib-tool
│   │   ├── [ 255]  hf
│   │   ├── [ 238]  httpx
│   │   ├── [ 273]  huggingface-cli
```

```
│   │   ├── [ 250]  humanfriendly
│   │   ├── [ 239]  isympy
│   │   ├── [1.2K]  jsondiff
│   │   ├── [3.8K]  jsonpatch
│   │   ├── [1.8K]  jsonpointer
│   │   ├── [ 247]  jsonschema
│   │   ├── [ 254]  markdown-it
│   │   ├── [ 260]  normalizer
│   │   ├── [ 250]  numpy-config
│   │   ├── [ 267]  onnxruntime_test
│   │   ├── [ 243]  openai
│   │   ├── [ 255]  pip
│   │   ├── [ 255]  pip3
│   │   ├── [ 255]  pip3.9
│   │   ├── [ 250]  pybase64
│   │   ├── [ 249]  pygmentize
│   │   ├── [ 259]  pyproject-build
│   │   ├── [ 246]  pyrsa-decrypt
│   │   ├── [ 246]  pyrsa-encrypt
│   │   ├── [ 244]  pyrsa-keygen
│   │   ├── [ 267]  pyrsa-priv2pub
│   │   ├── [ 240]  pyrsa-sign
│   │   ├── [ 244]  pyrsa-verify
│   │   ├── [   7]  python -> python3
│   │   ├── [  51]  python3 -> /Library/Developer/CommandLineTools/usr/
bin/python3
│   │   ├── [   7]  python3.9 -> python3
│   │   ├── [ 265]  tiny-agents
│   │   ├── [ 241]  tqdm
│   │   ├── [ 242]  typer
│   │   ├── [ 245]  uvicorn
│   │   ├── [ 245]  watchfiles
│   │   ├── [ 247]  websockets
│   │   └── [ 250]  wsdump
│   ├── [  96]  include
│   │   └── [  96]  site
│   │       └── [  96]  python3.9
│   │           └── [ 704]  pygame
│   │               ├── [ 470]  _blit_info.h
│   │               ├── [ 839]  _camera.h
│   │               ├── [ 11K]  _pygame.h
│   │               ├── [ 957]  _surface.h
│   │               ├── [5.5K]  camera.h
│   │               ├── [ 348]  font.h
│   │               ├── [3.2K]  freetype.h
│   │               ├── [ 448]  include
│   │               │   ├── [ 30K]  _pygame.h
│   │               │   ├── [4.8K]  bitmask.h
│   │               │   ├── [1.9K]  pgcompat.h
│   │               │   ├── [2.6K]  pgimport.h
│   │               │   ├── [2.3K]  pgplatform.h
│   │               │   ├── [1.2K]  pygame.h
│   │               │   ├── [1.8K]  pygame_bufferproxy.h
│   │               │   ├── [1.5K]  pygame_font.h
│   │               │   ├── [1.3K]  pygame_freetype.h
│   │               │   ├── [1.3K]  pygame_mask.h
```

```
│   │               │   ├── [2.0K]  pygame_mixer.h
│   │               │   └── [232K]  sse2neon.h
│   │               ├── [ 153]  mask.h
│   │               ├── [ 348]  mixer.h
│   │               ├── [6.9K]  palette.h
│   │               ├── [1.0K]  pgarrinter.h
│   │               ├── [ 179]  pgbufferproxy.h
│   │               ├── [ 737]  pgcompat.h
│   │               ├── [ 606]  pgopengl.h
│   │               ├── [ 553]  pgplatform.h
│   │               ├── [1.1K]  pygame.h
│   │               ├── [4.6K]  scrap.h
│   │               ├── [2.4K]  simd_blitters.h
│   │               └── [ 14K]  surface.h
│   ├── [  96]  lib
│   │   └── [  96]  python3.9
│   │       └── [8.6K]  site-packages
│   │           ├── [ 256]  MarkupSafe-3.0.2.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.4K]  LICENSE.txt
│   │           │   ├── [3.9K]  METADATA
│   │           │   ├── [1.3K]  RECORD
│   │           │   ├── [ 107]  WHEEL
│   │           │   └── [  11]  top_level.txt
│   │           ├── [ 288]  PyYAML-6.0.2.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.1K]  LICENSE
│   │           │   ├── [2.0K]  METADATA
│   │           │   ├── [4.5K]  RECORD
│   │           │   ├── [   0]  REQUESTED
│   │           │   ├── [ 108]  WHEEL
│   │           │   └── [  11]  top_level.txt
│   │           ├── [ 128]  _distutils_hack
│   │           │   ├── [3.6K]  __init__.py
│   │           │   └── [  44]  override.py
│   │           ├── [  96]  _yaml
│   │           │   └── [1.4K]  __init__.py
│   │           ├── [ 256]  aiohappyeyeballs
│   │           │   ├── [ 361]  __init__.py
│   │           │   ├── [6.7K]  _staggered.py
│   │           │   ├── [9.5K]  impl.py
│   │           │   ├── [   0]  py.typed
│   │           │   ├── [ 425]  types.py
│   │           │   └── [3.0K]  utils.py
│   │           ├── [ 224]  aiohappyeyeballs-2.6.1.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [ 14K]  LICENSE
│   │           │   ├── [5.8K]  METADATA
│   │           │   ├── [1.7K]  RECORD
│   │           │   └── [  88]  WHEEL
│   │           ├── [1.9K]  aiohttp
│   │           │   ├── [ 224]  .hash
│   │           │   │   ├── [  64]  _cparser.pxd.hash
│   │           │   │   ├── [  64]  _find_header.pxd.hash
│   │           │   │   ├── [  64]  _http_parser.pyx.hash
│   │           │   │   ├── [  64]  _http_writer.pyx.hash
```

```
│   │               │   │   └── [  64]  hdrs.py.hash
│   │               │   ├── [8.1K]  __init__.py
│   │               │   ├── [ 12K]  _cookie_helpers.py
│   │               │   ├── [4.2K]  _cparser.pxd
│   │               │   ├── [  68]  _find_header.pxd
│   │               │   ├── [2.0K]  _headers.pxi
│   │               │   ├── [363K]  _http_parser.cpython-39-darwin.so
│   │               │   ├── [ 28K]  _http_parser.pyx
│   │               │   ├── [ 81K]  _http_writer.cpython-39-darwin.so
│   │               │   ├── [4.5K]  _http_writer.pyx
│   │               │   ├── [ 480]  _websocket
│   │               │   │   ├── [ 160]  .hash
│   │               │   │   │   ├── [  64]  mask.pxd.hash
│   │               │   │   │   ├── [  64]  mask.pyx.hash
│   │               │   │   │   └── [  64]  reader_c.pxd.hash
│   │               │   │   ├── [  44]  __init__.py
│   │               │   │   ├── [4.9K]  helpers.py
│   │               │   │   ├── [ 78K]  mask.cpython-39-darwin.so
│   │               │   │   ├── [ 112]  mask.pxd
│   │               │   │   ├── [1.4K]  mask.pyx
│   │               │   │   ├── [2.1K]  models.py
│   │               │   │   ├── [1.0K]  reader.py
│   │               │   │   ├── [205K]  reader_c.cpython-39-darwin.so
│   │               │   │   ├── [2.6K]  reader_c.pxd
│   │               │   │   ├── [ 18K]  reader_c.py
│   │               │   │   ├── [ 18K]  reader_py.py
│   │               │   │   └── [7.0K]  writer.py
│   │               │   ├── [7.0K]  abc.py
│   │               │   ├── [3.0K]  base_protocol.py
│   │               │   ├── [ 56K]  client.py
│   │               │   ├── [ 11K]  client_exceptions.py
│   │               │   ├── [ 17K]  client_middleware_digest_auth.py
│   │               │   ├── [1.9K]  client_middlewares.py
│   │               │   ├── [ 12K]  client_proto.py
│   │               │   ├── [ 52K]  client_reqrep.py
│   │               │   ├── [ 15K]  client_ws.py
│   │               │   ├── [8.7K]  compression_utils.py
│   │               │   ├── [ 67K]  connector.py
│   │               │   ├── [ 18K]  cookiejar.py
│   │               │   ├── [6.3K]  formdata.py
│   │               │   ├── [5.0K]  hdrs.py
│   │               │   ├── [ 29K]  helpers.py
│   │               │   ├── [1.8K]  http.py
│   │               │   ├── [2.9K]  http_exceptions.py
│   │               │   ├── [ 36K]  http_parser.py
│   │               │   ├── [ 842]  http_websocket.py
│   │               │   ├── [ 12K]  http_writer.py
│   │               │   ├── [ 325]  log.py
│   │               │   ├── [ 39K]  multipart.py
│   │               │   ├── [ 40K]  payload.py
│   │               │   ├── [2.2K]  payload_streamer.py
│   │               │   ├── [   7]  py.typed
│   │               │   ├── [ 13K]  pytest_plugin.py
│   │               │   ├── [9.8K]  resolver.py
│   │               │   ├── [ 22K]  streams.py
│   │               │   ├── [ 961]  tcp_helpers.py
```

```
│   │               │   ├── [ 22K]  test_utils.py
│   │               │   ├── [ 14K]  tracing.py
│   │               │   ├── [1.6K]  typedefs.py
│   │               │   ├── [ 18K]  web.py
│   │               │   ├── [ 19K]  web_app.py
│   │               │   ├── [ 10K]  web_exceptions.py
│   │               │   ├── [ 16K]  web_fileresponse.py
│   │               │   ├── [7.7K]  web_log.py
│   │               │   ├── [4.1K]  web_middlewares.py
│   │               │   ├── [ 26K]  web_protocol.py
│   │               │   ├── [ 29K]  web_request.py
│   │               │   ├── [ 29K]  web_response.py
│   │               │   ├── [6.0K]  web_routedef.py
│   │               │   ├── [ 12K]  web_runner.py
│   │               │   ├── [2.8K]  web_server.py
│   │               │   ├── [ 43K]  web_urldispatcher.py
│   │               │   ├── [ 22K]  web_ws.py
│   │               │   └── [8.0K]  worker.py
│   │               ├── [ 256]  aiohttp-3.12.15.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [7.5K]  METADATA
│   │               │   ├── [ 15K]  RECORD
│   │               │   ├── [ 134]  WHEEL
│   │               │   ├── [ 128]  licenses
│   │               │   │   ├── [ 588]  LICENSE.txt
│   │               │   │   └── [  96]  vendor
│   │               │   │       └── [  96]  llhttp
│   │               │   │           └── [1.1K]  LICENSE
│   │               │   └── [   8]  top_level.txt
│   │               ├── [ 128]  aiosignal
│   │               │   ├── [1.5K]  __init__.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  aiosignal-1.4.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [3.6K]  METADATA
│   │               │   ├── [ 803]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 11K]  LICENSE
│   │               │   └── [  10]  top_level.txt
│   │               ├── [ 160]  annotated_types
│   │               │   ├── [ 13K]  __init__.py
│   │               │   ├── [   0]  py.typed
│   │               │   └── [6.3K]  test_cases.py
│   │               ├── [ 224]  annotated_types-0.7.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 15K]  METADATA
│   │               │   ├── [1002]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 448]  anyio
│   │               │   ├── [4.9K]  __init__.py
│   │               │   ├── [ 160]  _backends
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 91K]  _asyncio.py
```

```
│   │               │   │   └── [ 39K]  _trio.py
│   │               │   ├── [ 544]  _core
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [5.5K]  _asyncio_selector_thread.py
│   │               │   │   ├── [4.6K]  _eventloop.py
│   │               │   │   ├── [3.4K]  _exceptions.py
│   │               │   │   ├── [ 23K]  _fileio.py
│   │               │   │   ├── [ 435]  _resources.py
│   │               │   │   ├── [ 905]  _signals.py
│   │               │   │   ├── [ 27K]  _sockets.py
│   │               │   │   ├── [1.8K]  _streams.py
│   │               │   │   ├── [7.9K]  _subprocesses.py
│   │               │   │   ├── [ 20K]  _synchronization.py
│   │               │   │   ├── [4.6K]  _tasks.py
│   │               │   │   ├── [ 19K]  _tempfile.py
│   │               │   │   ├── [2.1K]  _testing.py
│   │               │   │   └── [2.4K]  _typedattr.py
│   │               │   ├── [ 320]  abc
│   │               │   │   ├── [2.6K]  __init__.py
│   │               │   │   ├── [9.5K]  _eventloop.py
│   │               │   │   ├── [ 783]  _resources.py
│   │               │   │   ├── [6.1K]  _sockets.py
│   │               │   │   ├── [6.4K]  _streams.py
│   │               │   │   ├── [2.0K]  _subprocesses.py
│   │               │   │   ├── [3.0K]  _tasks.py
│   │               │   │   └── [1.8K]  _testing.py
│   │               │   ├── [ 17K]  from_thread.py
│   │               │   ├── [4.1K]  lowlevel.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [9.2K]  pytest_plugin.py
│   │               │   ├── [ 288]  streams
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [4.4K]  buffered.py
│   │               │   │   ├── [4.3K]  file.py
│   │               │   │   ├── [ 10K]  memory.py
│   │               │   │   ├── [4.2K]  stapled.py
│   │               │   │   ├── [5.0K]  text.py
│   │               │   │   └── [ 13K]  tls.py
│   │               │   ├── [6.4K]  to_interpreter.py
│   │               │   ├── [9.4K]  to_process.py
│   │               │   └── [2.3K]  to_thread.py
│   │               ├── [ 288]  anyio-4.9.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [4.6K]  METADATA
│   │               │   ├── [9.7K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  39]  entry_points.txt
│   │               │   └── [   6]  top_level.txt
│   │               ├── [  96]  apiclient
│   │               │   └── [ 746]  __init__.py
│   │               ├── [ 128]  async_timeout
│   │               │   ├── [7.1K]  __init__.py
│   │               │   └── [  12]  py.typed
│   │               ├── [ 288]  async_timeout-4.0.3.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [ 568]  LICENSE
│   │               │   ├── [4.1K]  METADATA
│   │               │   ├── [ 922]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   ├── [  14]  top_level.txt
│   │               │   └── [   1]  zip-safe
│   │               ├── [ 800]  attr
│   │               │   ├── [2.0K]  __init__.py
│   │               │   ├── [ 11K]  __init__.pyi
│   │               │   ├── [4.0K]  _cmp.py
│   │               │   ├── [ 368]  _cmp.pyi
│   │               │   ├── [2.6K]  _compat.py
│   │               │   ├── [ 843]  _config.py
│   │               │   ├── [ 15K]  _funcs.py
│   │               │   ├── [ 94K]  _make.py
│   │               │   ├── [ 24K]  _next_gen.py
│   │               │   ├── [ 469]  _typing_compat.pyi
│   │               │   ├── [2.1K]  _version_info.py
│   │               │   ├── [ 209]  _version_info.pyi
│   │               │   ├── [3.8K]  converters.py
│   │               │   ├── [ 643]  converters.pyi
│   │               │   ├── [1.9K]  exceptions.py
│   │               │   ├── [ 539]  exceptions.pyi
│   │               │   ├── [1.8K]  filters.py
│   │               │   ├── [ 208]  filters.pyi
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [1.6K]  setters.py
│   │               │   ├── [ 584]  setters.pyi
│   │               │   ├── [ 20K]  validators.py
│   │               │   └── [2.5K]  validators.pyi
│   │               ├── [ 320]  attrs
│   │               │   ├── [1.1K]  __init__.py
│   │               │   ├── [7.7K]  __init__.pyi
│   │               │   ├── [  76]  converters.py
│   │               │   ├── [  76]  exceptions.py
│   │               │   ├── [  73]  filters.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [  73]  setters.py
│   │               │   └── [  76]  validators.py
│   │               ├── [ 224]  attrs-25.3.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  METADATA
│   │               │   ├── [5.3K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 384]  backoff
│   │               │   ├── [ 898]  __init__.py
│   │               │   ├── [6.6K]  _async.py
│   │               │   ├── [3.4K]  _common.py
│   │               │   ├── [9.6K]  _decorator.py
│   │               │   ├── [ 782]  _jitter.py
│   │               │   ├── [4.1K]  _sync.py
│   │               │   ├── [1.3K]  _typing.py
│   │               │   ├── [2.3K]  _wait_gen.py
│   │               │   ├── [   0]  py.typed
```

```
│   │   │   │   │   └── [  73]  types.py
│   │   │   │   ├── [ 224]  backoff-2.2.1.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.1K]  LICENSE
│   │   │   │   │   ├── [ 14K]  METADATA
│   │   │   │   │   ├── [2.4K]  RECORD
│   │   │   │   │   └── [  88]  WHEEL
│   │   │   │   ├── [ 192]  bcrypt
│   │   │   │   │   ├── [1000]  __init__.py
│   │   │   │   │   ├── [ 333]  __init__.pyi
│   │   │   │   │   ├── [1.1M]  _bcrypt.abi3.so
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 256]  bcrypt-4.3.0.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   │   ├── [9.8K]  METADATA
│   │   │   │   │   ├── [ 927]  RECORD
│   │   │   │   │   ├── [ 114]  WHEEL
│   │   │   │   │   └── [   7]  top_level.txt
│   │   │   │   ├── [ 192]  blinker
│   │   │   │   │   ├── [ 317]  __init__.py
│   │   │   │   │   ├── [1.6K]  _utilities.py
│   │   │   │   │   ├── [ 19K]  base.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 224]  blinker-1.9.0.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.0K]  LICENSE.txt
│   │   │   │   │   ├── [1.6K]  METADATA
│   │   │   │   │   ├── [1.1K]  RECORD
│   │   │   │   │   └── [  82]  WHEEL
│   │   │   │   ├── [ 416]  build
│   │   │   │   │   ├── [ 843]  __init__.py
│   │   │   │   │   ├── [ 14K]  __main__.py
│   │   │   │   │   ├── [ 13K]  _builder.py
│   │   │   │   │   ├── [ 192]  _compat
│   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   ├── [ 467]  importlib.py
│   │   │   │   │   │   ├── [ 816]  tarfile.py
│   │   │   │   │   │   └── [ 255]  tomllib.py
│   │   │   │   │   ├── [2.8K]  _ctx.py
│   │   │   │   │   ├── [1.6K]  _exceptions.py
│   │   │   │   │   ├── [ 673]  _types.py
│   │   │   │   │   ├── [2.3K]  _util.py
│   │   │   │   │   ├── [ 13K]  env.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   └── [1.7K]  util.py
│   │   │   │   ├── [ 256]  build-1.2.2.post1.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.1K]  LICENSE
│   │   │   │   │   ├── [6.3K]  METADATA
│   │   │   │   │   ├── [3.5K]  RECORD
│   │   │   │   │   ├── [  81]  WHEEL
│   │   │   │   │   └── [ 105]  entry_points.txt
│   │   │   │   ├── [ 192]  cachetools
│   │   │   │   │   ├── [ 21K]  __init__.py
│   │   │   │   │   ├── [3.7K]  _decorators.py
```

```
│   │               │   ├── [3.6K]  func.py
│   │               │   └── [1.7K]  keys.py
│   │               ├── [ 256]  cachetools-5.5.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [5.3K]  METADATA
│   │               │   ├── [1.4K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   └── [  11]  top_level.txt
│   │               ├── [ 224]  certifi
│   │               │   ├── [  94]  __init__.py
│   │               │   ├── [ 243]  __main__.py
│   │               │   ├── [283K]  cacert.pem
│   │               │   ├── [3.3K]  core.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  certifi-2025.7.14.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.4K]  METADATA
│   │               │   ├── [1.3K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 989]  LICENSE
│   │               │   └── [   8]  top_level.txt
│   │               ├── [ 512]  charset_normalizer
│   │               │   ├── [1.6K]  __init__.py
│   │               │   ├── [ 109]  __main__.py
│   │               │   ├── [ 22K]  api.py
│   │               │   ├── [ 12K]  cd.py
│   │               │   ├── [ 128]  cli
│   │               │   │   ├── [ 136]  __init__.py
│   │               │   │   └── [ 12K]  __main__.py
│   │               │   ├── [ 42K]  constant.py
│   │               │   ├── [2.2K]  legacy.py
│   │               │   ├── [113K]  md.cpython-39-darwin.so
│   │               │   ├── [ 20K]  md.py
│   │               │   ├── [487K]  md__mypyc.cpython-39-darwin.so
│   │               │   ├── [ 12K]  models.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 12K]  utils.py
│   │               │   └── [ 115]  version.py
│   │               ├── [ 288]  charset_normalizer-3.4.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 35K]  METADATA
│   │               │   ├── [3.9K]  RECORD
│   │               │   ├── [ 139]  WHEEL
│   │               │   ├── [  65]  entry_points.txt
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.0K]  LICENSE
│   │               │   └── [  19]  top_level.txt
│   │               ├── [ 928]  chromadb
│   │               │   ├── [ 13K]  __init__.py
│   │               │   ├── [ 512]  api
│   │               │   │   ├── [ 23K]  __init__.py
│   │               │   │   ├── [ 23K]  async_api.py
│   │               │   │   ├── [ 16K]  async_client.py
│   │               │   │   ├── [ 23K]  async_fastapi.py
```

```
│   │               │   │   ├── [3.6K]  base_http_client.py
│   │               │   │   ├── [ 16K]  client.py
│   │               │   │   ├── [ 26K]  collection_configuration.py
│   │               │   │   ├── [ 15K]  configuration.py
│   │               │   │   ├── [ 22K]  fastapi.py
│   │               │   │   ├── [ 160]  models
│   │               │   │   │   ├── [ 15K]  AsyncCollection.py
│   │               │   │   │   ├── [ 15K]  Collection.py
│   │               │   │   │   └── [ 18K]  CollectionCommon.py
│   │               │   │   ├── [ 18K]  rust.py
│   │               │   │   ├── [ 34K]  segment.py
│   │               │   │   ├── [3.4K]  shared_system_client.py
│   │               │   │   └── [ 34K]  types.py
│   │               │   ├── [ 168]  app.py
│   │               │   ├── [ 224]  auth
│   │               │   │   ├── [8.0K]  __init__.py
│   │               │   │   ├── [  96]  basic_authn
│   │               │   │   │   └── [5.0K]  __init__.py
│   │               │   │   ├── [  96]  simple_rbac_authz
│   │               │   │   │   └── [2.6K]  __init__.py
│   │               │   │   ├── [  96]  token_authn
│   │               │   │   │   └── [8.1K]  __init__.py
│   │               │   │   └── [  96]  utils
│   │               │   │       └── [3.3K]  __init__.py
│   │               │   ├── [1.2K]  base_types.py
│   │               │   ├── [5.6K]  chromadb_rust_bindings.pyi
│   │               │   ├── [ 160]  cli
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [1.5K]  cli.py
│   │               │   │   └── [1.2K]  utils.py
│   │               │   ├── [ 18K]  config.py
│   │               │   ├── [ 256]  db
│   │               │   │   ├── [3.0K]  __init__.py
│   │               │   │   ├── [5.6K]  base.py
│   │               │   │   ├── [ 192]  impl
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 128]  grpc
│   │               │   │   │   │   ├── [ 20K]  client.py
│   │               │   │   │   │   └── [ 20K]  server.py
│   │               │   │   │   ├── [9.2K]  sqlite.py
│   │               │   │   │   └── [5.2K]  sqlite_pool.py
│   │               │   │   ├── [9.4K]  migrations.py
│   │               │   │   ├── [ 128]  mixins
│   │               │   │   │   ├── [ 19K]  embeddings_queue.py
│   │               │   │   │   └── [ 36K]  sysdb.py
│   │               │   │   └── [6.0K]  system.py
│   │               │   ├── [3.9K]  errors.py
│   │               │   ├── [ 160]  execution
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 160]  executor
│   │               │   │   │   ├── [ 470]  abstract.py
│   │               │   │   │   ├── [8.8K]  distributed.py
│   │               │   │   │   └── [7.3K]  local.py
│   │               │   │   └── [ 128]  expression
│   │               │   │       ├── [1.4K]  operator.py
│   │               │   │       └── [ 550]  plan.py
```

```
│   │           │   ├── [  96]  experimental
│   │           │   │   └── [360K]  density_relevance.ipynb
│   │           │   ├── [ 128]  ingest
│   │           │   │   ├── [4.2K]  __init__.py
│   │           │   │   └── [  96]  impl
│   │           │   │       └── [1.8K]  utils.py
│   │           │   ├── [ 921]  log_config.yml
│   │           │   ├── [  96]  logservice
│   │           │   │   └── [5.7K]  logservice.py
│   │           │   ├── [ 192]  migrations
│   │           │   │   ├── [   0]  __init__.py
│   │           │   │   ├── [ 128]  embeddings_queue
│   │           │   │   │   ├── [ 261]  00001-embeddings.sqlite.sql
│   │           │   │   │   └── [  95]  00002-embeddings-queue-
config.sqlite.sql
│   │           │   │   ├── [ 224]  metadb
│   │           │   │   │   ├── [ 600]  00001-embedding-
metadata.sqlite.sql
│   │           │   │   │   ├── [ 334]  00002-embedding-
metadata.sqlite.sql
│   │           │   │   │   ├── [ 236]  00003-full-text-
tokenize.sqlite.sql
│   │           │   │   │   ├── [ 387]  00004-metadata-
indices.sqlite.sql
│   │           │   │   │   └── [1.4K]  00005-max-seq-id-int.sqlite.sql
│   │           │   │   └── [ 352]  sysdb
│   │           │   │       ├── [ 355]  00001-collections.sqlite.sql
│   │           │   │       ├── [ 385]  00002-segments.sqlite.sql
│   │           │   │       ├── [  54]  00003-collection-
dimension.sqlite.sql
│   │           │   │       ├── [1.2K]  00004-tenants-
databases.sqlite.sql
│   │           │   │       ├── [ 152]  00005-remove-topic.sqlite.sql
│   │           │   │       ├── [ 396]  00006-collection-segment-
metadata.sqlite.sql
│   │           │   │       ├── [ 106]  00007-collection-
config.sqlite.sql
│   │           │   │       ├── [ 248]  00008-maintenance-log.sqlite.sql
│   │           │   │       └── [ 327]  00009-segment-collection-not-
null.sqlite.sql
│   │           │   ├── [ 192]  proto
│   │           │   │   ├── [  24]  .gitignore
│   │           │   │   ├── [   0]  __init__.py
│   │           │   │   ├── [ 26K]  convert.py
│   │           │   │   └── [2.5K]  utils.py
│   │           │   ├── [   0]  py.typed
│   │           │   ├── [ 128]  quota
│   │           │   │   ├── [1.8K]  __init__.py
│   │           │   │   └── [  96]  simple_quota_enforcer
│   │           │   │       └── [1.5K]  __init__.py
│   │           │   ├── [ 128]  rate_limit
│   │           │   │   ├── [ 889]  __init__.py
│   │           │   │   └── [  96]  simple_rate_limit
│   │           │   │       └── [1.1K]  __init__.py
│   │           │   ├── [ 160]  segment
│   │           │   │   ├── [3.9K]  __init__.py
```

```
│   │               │   │   ├── [  96]  distributed
│   │               │   │   │   └── [2.6K]  __init__.py
│   │               │   │   └── [ 224]  impl
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [  96]  distributed
│   │               │   │       │   └── [ 13K]  segment_directory.py
│   │               │   │       ├── [ 192]  manager
│   │               │   │       │   ├── [   0]  __init__.py
│   │               │   │       │   ├── [ 128]  cache
│   │               │   │       │   │   ├── [   0]  __init__.py
│   │               │   │       │   │   └── [3.4K]  cache.py
│   │               │   │       │   ├── [2.9K]  distributed.py
│   │               │   │       │   └── [ 10K]  local.py
│   │               │   │       ├── [  96]  metadata
│   │               │   │       │   └── [ 25K]  sqlite.py
│   │               │   │       └── [ 224]  vector
│   │               │   │           ├── [4.1K]  batch.py
│   │               │   │           ├── [5.3K]  brute_force_index.py
│   │               │   │           ├── [3.1K]  hnsw_params.py
│   │               │   │           ├── [ 12K]  local_hnsw.py
│   │               │   │           └── [ 22K]  local_persistent_hnsw.py
│   │               │   ├── [1.5K]  serde.py
│   │               │   ├── [ 128]  server
│   │               │   │   ├── [ 172]  __init__.py
│   │               │   │   └── [ 128]  fastapi
│   │               │   │       ├── [ 69K]  __init__.py
│   │               │   │       └── [2.4K]  types.py
│   │               │   ├── [ 192]  telemetry
│   │               │   │   ├── [ 587]  README.md
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 160]  opentelemetry
│   │               │   │   │   ├── [5.9K]  __init__.py
│   │               │   │   │   ├── [ 405]  fastapi.py
│   │               │   │   │   └── [3.6K]  grpc.py
│   │               │   │   └── [ 160]  product
│   │               │   │       ├── [2.9K]  __init__.py
│   │               │   │       ├── [8.5K]  events.py
│   │               │   │       └── [2.1K]  posthog.py
│   │               │   ├── [ 736]  test
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 320]  api
│   │               │   │   │   ├── [2.2K]  test_collection.py
│   │               │   │   │   ├── [2.6K]  test_delete_database.py
│   │               │   │   │   ├── [ 290]  test_get_database.py
│   │               │   │   │   ├── [ 608]  test_invalid_update.py
│   │               │   │   │   ├── [2.0K]  test_limit_offset.py
│   │               │   │   │   ├── [3.1K]  test_list_databases.py
│   │               │   │   │   ├── [2.0K]  test_numpy_list_inputs.py
│   │               │   │   │   └── [3.1K]  test_types.py
│   │               │   │   ├── [  96]  auth
│   │               │   │   │   └── [3.0K]  test_auth_utils.py
│   │               │   │   ├── [ 288]  client
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 786]
create_http_client_with_basic_auth.py
│   │               │   │   │   ├── [3.0K]  test_cloud_client.py
```

```
│   │               │   │   │   ├── [ 557]  test_create_http_client.py
│   │               │   │   │   ├── [7.0K]  test_database_tenant.py
│   │               │   │   │   ├── [1.3K]  test_database_tenant_auth.py
│   │               │   │   │   └── [2.0K]
test_multiple_clients_concurrency.py
│   │               │   │   ├── [ 128]  configurations
│   │               │   │   │   ├── [ 43K]  test_collection_configuration.py
│   │               │   │   │   └── [3.6K]  test_configurations.py
│   │               │   │   ├── [ 36K]  conftest.py
│   │               │   │   ├── [  96]  data_loader
│   │               │   │   │   └── [3.6K]  test_data_loader.py
│   │               │   │   ├── [  96]  db
│   │               │   │   │   └── [1.7K]  test_log_purge.py
│   │               │   │   ├── [ 224]  distributed
│   │               │   │   │   ├── [ 233]  README.md
│   │               │   │   │   ├── [1.6K]  test_log_backpressure.py
│   │               │   │   │   ├── [ 14K]  test_log_failover.py
│   │               │   │   │   ├── [2.4K]  test_reroute.py
│   │               │   │   │   └── [2.8K]  test_sanity.py
│   │               │   │   ├── [ 320]  ef
│   │               │   │   │   ├── [3.2K]  test_custom_ef.py
│   │               │   │   │   ├── [2.6K]  test_default_ef.py
│   │               │   │   │   ├── [3.3K]  test_ef.py
│   │               │   │   │   ├── [6.0K]  test_multimodal_ef.py
│   │               │   │   │   ├── [1.8K]  test_ollama_ef.py
│   │               │   │   │   ├── [7.4K]  test_onnx_mini_lm_l6_v2.py
│   │               │   │   │   ├── [1.2K]  test_openai_ef.py
│   │               │   │   │   └── [ 603]  test_voyageai_ef.py
│   │               │   │   ├── [ 189]  openssl.cnf
│   │               │   │   ├── [ 512]  property
│   │               │   │   │   ├── [ 22K]  invariants.py
│   │               │   │   │   ├── [ 24K]  strategies.py
│   │               │   │   │   ├── [ 12K]  test_add.py
│   │               │   │   │   ├── [2.8K]  test_base64_conversion.py
│   │               │   │   │   ├── [3.8K]  test_client_url.py
│   │               │   │   │   ├── [ 12K]  test_collections.py
│   │               │   │   │   ├── [5.9K]
test_collections_with_database_tenant.py
│   │               │   │   │   ├── [7.5K]
test_collections_with_database_tenant_overwrite.py
│   │               │   │   │   ├── [ 13K]  test_cross_version_persist.py
│   │               │   │   │   ├── [ 51K]  test_embeddings.py
│   │               │   │   │   ├── [ 19K]  test_filtering.py
│   │               │   │   │   ├── [9.8K]  test_fork.py
│   │               │   │   │   ├── [ 23K]  test_persist.py
│   │               │   │   │   └── [3.3K]  test_restart_persist.py
│   │               │   │   ├── [  96]  segment
│   │               │   │   │   └── [ 128]  distributed
│   │               │   │   │       ├── [3.7K]  test_memberlist_provider.py
│   │               │   │   │       └── [2.2K]  test_rendezvous_hash.py
│   │               │   │   ├── [  96]  stress
│   │               │   │   │   └── [1.1K]  test_many_collections.py
│   │               │   │   ├── [ 55K]  test_api.py
│   │               │   │   ├── [4.2K]  test_chroma.py
│   │               │   │   ├── [4.9K]  test_cli.py
│   │               │   │   ├── [3.5K]  test_client.py
```

```
│   │           │   │   ├── [4.0K]  test_config.py
│   │           │   │   ├── [8.3K]  test_multithreaded.py
│   │           │   │   └── [ 224]  utils
│   │           │   │       ├── [2.3K]  cross_version.py
│   │           │   │       ├── [ 184]  distance_functions.py
│   │           │   │       ├── [4.5K]
test_embedding_function_schemas.py
│   │           │   │       ├── [5.8K]  test_result_df_transform.py
│   │           │   │       └── [ 964]  wait_for_version_increase.py
│   │           │   ├── [9.1K]  types.py
│   │           │   └── [ 512]  utils
│   │           │       ├── [ 378]  __init__.py
│   │           │       ├── [1.6K]  async_to_sync.py
│   │           │       ├── [1.2K]  batch_utils.py
│   │           │       ├── [1.4K]  data_loaders.py
│   │           │       ├── [1.1K]  delete_file.py
│   │           │       ├── [ 622]  directory.py
│   │           │       ├── [ 957]  distance_functions.py
│   │           │       ├── [ 736]  embedding_functions
│   │           │       │   ├── [7.9K]  __init__.py
│   │           │       │   ├── [4.7K]
amazon_bedrock_embedding_function.py
│   │           │       │   ├── [3.4K]  baseten_embedding_function.py
│   │           │       │   ├── [6.0K]
chroma_langchain_embedding_function.py
│   │           │       │   ├── [5.1K]
cloudflare_workers_ai_embedding_function.py
│   │           │       │   ├── [6.3K]  cohere_embedding_function.py
│   │           │       │   ├── [ 14K]  google_embedding_function.py
│   │           │       │   ├── [8.2K]
huggingface_embedding_function.py
│   │           │       │   ├── [4.1K]  instructor_embedding_function.py
│   │           │       │   ├── [7.3K]  jina_embedding_function.py
│   │           │       │   ├── [3.0K]  mistral_embedding_function.py
│   │           │       │   ├── [3.9K]  ollama_embedding_function.py
│   │           │       │   ├── [ 14K]  onnx_mini_lm_l6_v2.py
│   │           │       │   ├── [5.9K]  open_clip_embedding_function.py
│   │           │       │   ├── [8.0K]  openai_embedding_function.py
│   │           │       │   ├── [4.9K]  roboflow_embedding_function.py
│   │           │       │   ├── [ 192]  schemas
│   │           │       │   │   ├── [1.6K]  README.md
│   │           │       │   │   ├── [ 469]  __init__.py
│   │           │       │   │   ├── [1.6K]  registry.py
│   │           │       │   │   └── [2.5K]  schema_utils.py
│   │           │       │   ├── [4.5K]
sentence_transformer_embedding_function.py
│   │           │       │   ├── [3.0K]  text2vec_embedding_function.py
│   │           │       │   ├── [4.4K]
together_ai_embedding_function.py
│   │           │       │   └── [4.6K]  voyageai_embedding_function.py
│   │           │       ├── [ 504]  fastapi.py
│   │           │       ├── [1.1K]  lru_cache.py
│   │           │       ├── [ 272]  messageid.py
│   │           │       ├── [2.0K]  read_write_lock.py
│   │           │       ├── [2.1K]  rendezvous_hash.py
│   │           │       └── [3.8K]  results.py
```

```
│   │   │   │   ├── [ 288]  chromadb-1.0.15.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [6.8K]  METADATA
│   │   │   │   │   ├── [ 53K]  RECORD
│   │   │   │   │   ├── [   0]  REQUESTED
│   │   │   │   │   ├── [ 102]  WHEEL
│   │   │   │   │   ├── [  46]  entry_points.txt
│   │   │   │   │   └── [  96]  licenses
│   │   │   │   │       └── [ 11K]  LICENSE
│   │   │   │   ├── [ 128]  chromadb_rust_bindings
│   │   │   │   │   ├── [ 171]  __init__.py
│   │   │   │   │   └── [ 44M]  chromadb_rust_bindings.abi3.so
│   │   │   │   ├── [ 608]  click
│   │   │   │   │   ├── [3.1K]  __init__.py
│   │   │   │   │   ├── [ 18K]  _compat.py
│   │   │   │   │   ├── [ 24K]  _termui_impl.py
│   │   │   │   │   ├── [1.3K]  _textwrap.py
│   │   │   │   │   ├── [7.7K]  _winconsole.py
│   │   │   │   │   ├── [112K]  core.py
│   │   │   │   │   ├── [ 18K]  decorators.py
│   │   │   │   │   ├── [9.4K]  exceptions.py
│   │   │   │   │   ├── [9.5K]  formatting.py
│   │   │   │   │   ├── [1.9K]  globals.py
│   │   │   │   │   ├── [ 19K]  parser.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 18K]  shell_completion.py
│   │   │   │   │   ├── [ 28K]  termui.py
│   │   │   │   │   ├── [ 16K]  testing.py
│   │   │   │   │   ├── [ 36K]  types.py
│   │   │   │   │   └── [ 20K]  utils.py
│   │   │   │   ├── [ 224]  click-8.1.8.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.4K]  LICENSE.txt
│   │   │   │   │   ├── [2.2K]  METADATA
│   │   │   │   │   ├── [3.9K]  RECORD
│   │   │   │   │   └── [  82]  WHEEL
│   │   │   │   ├── [ 256]  coloredlogs
│   │   │   │   │   ├── [ 63K]  __init__.py
│   │   │   │   │   ├── [3.4K]  cli.py
│   │   │   │   │   ├── [ 128]  converter
│   │   │   │   │   │   ├── [ 18K]  __init__.py
│   │   │   │   │   │   └── [5.3K]  colors.py
│   │   │   │   │   ├── [1.8K]  demo.py
│   │   │   │   │   ├── [ 12K]  syslog.py
│   │   │   │   │   └── [ 30K]  tests.py
│   │   │   │   ├── [ 288]  coloredlogs-15.0.1.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.0K]  LICENSE.txt
│   │   │   │   │   ├── [ 12K]  METADATA
│   │   │   │   │   ├── [2.4K]  RECORD
│   │   │   │   │   ├── [ 110]  WHEEL
│   │   │   │   │   ├── [  54]  entry_points.txt
│   │   │   │   │   └── [  12]  top_level.txt
│   │   │   │   ├── [ 147]  coloredlogs.pth
│   │   │   │   ├── [ 384]  dataclasses_json
│   │   │   │   │   ├── [ 495]  __init__.py
```

```
│   │   │   │   │   ├── [ 154]  __version__.py
│   │   │   │   │   ├── [5.8K]  api.py
│   │   │   │   │   ├── [3.4K]  cfg.py
│   │   │   │   │   ├── [ 19K]  core.py
│   │   │   │   │   ├── [ 16K]  mm.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [3.2K]  stringcase.py
│   │   │   │   │   ├── [ 10K]  undefined.py
│   │   │   │   │   └── [5.7K]  utils.py
│   │   │   │   ├── [ 224]  dataclasses_json-0.6.7.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.1K]  LICENSE
│   │   │   │   │   ├── [ 24K]  METADATA
│   │   │   │   │   ├── [2.6K]  RECORD
│   │   │   │   │   └── [  88]  WHEEL
│   │   │   │   ├── [ 416]  dateutil
│   │   │   │   │   ├── [ 620]  __init__.py
│   │   │   │   │   ├── [ 932]  _common.py
│   │   │   │   │   ├── [ 166]  _version.py
│   │   │   │   │   ├── [2.6K]  easter.py
│   │   │   │   │   ├── [ 160]  parser
│   │   │   │   │   │   ├── [1.7K]  __init__.py
│   │   │   │   │   │   ├── [ 57K]  _parser.py
│   │   │   │   │   │   └── [ 13K]  isoparser.py
│   │   │   │   │   ├── [ 24K]  relativedelta.py
│   │   │   │   │   ├── [ 65K]  rrule.py
│   │   │   │   │   ├── [ 224]  tz
│   │   │   │   │   │   ├── [ 444]  __init__.py
│   │   │   │   │   │   ├── [ 13K]  _common.py
│   │   │   │   │   │   ├── [2.5K]  _factories.py
│   │   │   │   │   │   ├── [ 61K]  tz.py
│   │   │   │   │   │   └── [ 13K]  win.py
│   │   │   │   │   ├── [  59]  tzwin.py
│   │   │   │   │   ├── [1.9K]  utils.py
│   │   │   │   │   └── [ 160]  zoneinfo
│   │   │   │   │       ├── [5.8K]  __init__.py
│   │   │   │   │       ├── [153K]  dateutil-zoneinfo.tar.gz
│   │   │   │   │       └── [2.3K]  rebuild.py
│   │   │   │   ├── [ 192]  distro
│   │   │   │   │   ├── [ 981]  __init__.py
│   │   │   │   │   ├── [  64]  __main__.py
│   │   │   │   │   ├── [ 48K]  distro.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 288]  distro-1.9.0.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   │   ├── [6.6K]  METADATA
│   │   │   │   │   ├── [1.3K]  RECORD
│   │   │   │   │   ├── [  92]  WHEEL
│   │   │   │   │   ├── [  46]  entry_points.txt
│   │   │   │   │   └── [   7]  top_level.txt
│   │   │   │   ├── [ 152]  distutils-precedence.pth
│   │   │   │   ├── [ 352]  dotenv
│   │   │   │   │   ├── [1.3K]  __init__.py
│   │   │   │   │   ├── [ 129]  __main__.py
│   │   │   │   │   ├── [6.1K]  cli.py
```

```
│   │               │   ├── [1.3K]  ipython.py
│   │               │   ├── [ 12K]  main.py
│   │               │   ├── [5.1K]  parser.py
│   │               │   ├── [  26]  py.typed
│   │               │   ├── [2.3K]  variables.py
│   │               │   └── [  22]  version.py
│   │               ├── [ 192]  durationpy
│   │               │   ├── [  78]  __init__.py
│   │               │   ├── [ 188]  __init__.pyi
│   │               │   ├── [4.0K]  duration.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  durationpy-0.10.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [ 340]  METADATA
│   │               │   ├── [1.1K]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   └── [  11]  top_level.txt
│   │               ├── [ 288]  exceptiongroup
│   │               │   ├── [1.0K]  __init__.py
│   │               │   ├── [4.6K]  _catch.py
│   │               │   ├── [ 11K]  _exceptions.py
│   │               │   ├── [ 21K]  _formatting.py
│   │               │   ├── [1.7K]  _suppress.py
│   │               │   ├── [ 511]  _version.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 224]  exceptiongroup-1.3.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.6K]  METADATA
│   │               │   ├── [1.9K]  RECORD
│   │               │   ├── [  82]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [3.6K]  LICENSE
│   │               ├── [ 384]  filelock
│   │               │   ├── [1.7K]  __init__.py
│   │               │   ├── [ 14K]  _api.py
│   │               │   ├── [ 787]  _error.py
│   │               │   ├── [1.7K]  _soft.py
│   │               │   ├── [2.3K]  _unix.py
│   │               │   ├── [1.7K]  _util.py
│   │               │   ├── [2.1K]  _windows.py
│   │               │   ├── [ 12K]  asyncio.py
│   │               │   ├── [   0]  py.typed
│   │               │   └── [ 513]  version.py
│   │               ├── [ 224]  filelock-3.18.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.8K]  METADATA
│   │               │   ├── [2.4K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.2K]  LICENSE
│   │               ├── [ 736]  flask
│   │               │   ├── [2.6K]  __init__.py
│   │               │   ├── [  30]  __main__.py
│   │               │   ├── [ 60K]  app.py
│   │               │   ├── [4.4K]  blueprints.py
```

```
│   │               │   ├── [ 36K]  cli.py
│   │               │   ├── [ 13K]  config.py
│   │               │   ├── [ 15K]  ctx.py
│   │               │   ├── [5.9K]  debughelpers.py
│   │               │   ├── [1.7K]  globals.py
│   │               │   ├── [ 23K]  helpers.py
│   │               │   ├── [ 160]  json
│   │               │   │   ├── [5.5K]  __init__.py
│   │               │   │   ├── [7.5K]  provider.py
│   │               │   │   └── [9.1K]  tag.py
│   │               │   ├── [2.3K]  logging.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 192]  sansio
│   │               │   │   ├── [ 228]  README.md
│   │               │   │   ├── [ 37K]  app.py
│   │               │   │   ├── [ 24K]  blueprints.py
│   │               │   │   └── [ 30K]  scaffold.py
│   │               │   ├── [ 15K]  sessions.py
│   │               │   ├── [ 750]  signals.py
│   │               │   ├── [7.4K]  templating.py
│   │               │   ├── [9.9K]  testing.py
│   │               │   ├── [3.2K]  typing.py
│   │               │   ├── [6.8K]  views.py
│   │               │   └── [9.2K]  wrappers.py
│   │               ├── [ 288]  flask-3.1.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.9K]  METADATA
│   │               │   ├── [6.0K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  82]  WHEEL
│   │               │   ├── [  40]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.4K]  LICENSE.txt
│   │               ├── [ 384]  flatbuffers
│   │               │   ├── [ 751]  __init__.py
│   │               │   ├── [ 696]  _version.py
│   │               │   ├── [ 27K]  builder.py
│   │               │   ├── [2.5K]  compat.py
│   │               │   ├── [1.5K]  encode.py
│   │               │   ├── [ 43K]  flexbuffers.py
│   │               │   ├── [3.9K]  number_types.py
│   │               │   ├── [1.1K]  packer.py
│   │               │   ├── [5.0K]  table.py
│   │               │   └── [1.6K]  util.py
│   │               ├── [ 256]  flatbuffers-25.2.10.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE
│   │               │   ├── [ 875]  METADATA
│   │               │   ├── [2.8K]  RECORD
│   │               │   ├── [ 110]  WHEEL
│   │               │   └── [  12]  top_level.txt
│   │               ├── [ 224]  frozenlist
│   │               │   ├── [2.1K]  __init__.py
│   │               │   ├── [1.4K]  __init__.pyi
│   │               │   ├── [126K]  _frozenlist.cpython-39-darwin.so
│   │               │   ├── [3.6K]  _frozenlist.pyx
```

```
│   │               │   └── [   7]  py.typed
│   │               ├── [ 256]  frozenlist-1.7.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 18K]  METADATA
│   │               │   ├── [1.1K]  RECORD
│   │               │   ├── [ 134]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 11K]  LICENSE
│   │               │   └── [  11]  top_level.txt
│   │               ├── [ 832]  fsspec
│   │               │   ├── [2.0K]  __init__.py
│   │               │   ├── [ 517]  _version.py
│   │               │   ├── [2.4K]  archive.py
│   │               │   ├── [ 36K]  asyn.py
│   │               │   ├── [ 33K]  caching.py
│   │               │   ├── [9.0K]  callbacks.py
│   │               │   ├── [5.0K]  compression.py
│   │               │   ├── [4.2K]  config.py
│   │               │   ├── [1.2K]  conftest.py
│   │               │   ├── [ 23K]  core.py
│   │               │   ├── [2.7K]  dircache.py
│   │               │   ├── [ 331]  exceptions.py
│   │               │   ├── [9.9K]  fuse.py
│   │               │   ├── [ 13K]  generic.py
│   │               │   ├── [ 14K]  gui.py
│   │               │   ├── [ 896]  implementations
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [8.4K]  arrow.py
│   │               │   │   ├── [3.2K]  asyn_wrapper.py
│   │               │   │   ├── [2.4K]  cache_mapper.py
│   │               │   │   ├── [8.3K]  cache_metadata.py
│   │               │   │   ├── [ 34K]  cached.py
│   │               │   │   ├── [4.4K]  dask.py
│   │               │   │   ├── [1.6K]  data.py
│   │               │   │   ├── [ 15K]  dbfs.py
│   │               │   │   ├── [ 12K]  dirfs.py
│   │               │   │   ├── [ 11K]  ftp.py
│   │               │   │   ├── [8.1K]  gist.py
│   │               │   │   ├── [3.6K]  git.py
│   │               │   │   ├── [ 11K]  github.py
│   │               │   │   ├── [ 30K]  http.py
│   │               │   │   ├── [ 29K]  http_sync.py
│   │               │   │   ├── [3.7K]  jupyter.py
│   │               │   │   ├── [6.9K]  libarchive.py
│   │               │   │   ├── [ 17K]  local.py
│   │               │   │   ├── [ 10K]  memory.py
│   │               │   │   ├── [ 48K]  reference.py
│   │               │   │   ├── [5.5K]  sftp.py
│   │               │   │   ├── [ 15K]  smb.py
│   │               │   │   ├── [4.0K]  tar.py
│   │               │   │   ├── [ 16K]  webhdfs.py
│   │               │   │   └── [5.9K]  zip.py
│   │               │   ├── [3.7K]  json.py
│   │               │   ├── [8.1K]  mapping.py
│   │               │   ├── [ 19K]  parquet.py
│   │               │   ├── [ 12K]  registry.py
```

```
│   │               │   ├── [ 75K]  spec.py
│   │               │   ├── [  96]  tests
│   │               │   │   └── [ 320]  abstract
│   │               │   │       ├── [9.9K]  __init__.py
│   │               │   │       ├── [4.9K]  common.py
│   │               │   │       ├── [ 19K]  copy.py
│   │               │   │       ├── [ 20K]  get.py
│   │               │   │       ├── [1.9K]  mv.py
│   │               │   │       ├── [ 329]  open.py
│   │               │   │       ├── [ 402]  pipe.py
│   │               │   │       └── [ 21K]  put.py
│   │               │   ├── [2.3K]  transaction.py
│   │               │   └── [ 22K]  utils.py
│   │               ├── [ 224]  fsspec-2025.7.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 12K]  METADATA
│   │               │   ├── [ 13K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.5K]  LICENSE
│   │               ├── [ 448]  google
│   │               │   ├── [  96]  _upb
│   │               │   │   └── [647K]  _message.abi3.so
│   │               │   ├── [3.2K]  api
│   │               │   │   ├── [1.0K]  annotations.proto
│   │               │   │   ├── [2.1K]  annotations_pb2.py
│   │               │   │   ├── [ 887]  annotations_pb2.pyi
│   │               │   │   ├── [9.0K]  auth.proto
│   │               │   │   ├── [3.5K]  auth_pb2.py
│   │               │   │   ├── [4.2K]  auth_pb2.pyi
│   │               │   │   ├── [6.8K]  backend.proto
│   │               │   │   ├── [3.7K]  backend_pb2.py
│   │               │   │   ├── [3.8K]  backend_pb2.pyi
│   │               │   │   ├── [3.0K]  billing.proto
│   │               │   │   ├── [2.3K]  billing_pb2.py
│   │               │   │   ├── [1.8K]  billing_pb2.pyi
│   │               │   │   ├── [ 17K]  client.proto
│   │               │   │   ├── [ 11K]  client_pb2.py
│   │               │   │   ├── [ 16K]  client_pb2.pyi
│   │               │   │   ├── [3.1K]  config_change.proto
│   │               │   │   ├── [2.6K]  config_change_pb2.py
│   │               │   │   ├── [2.3K]  config_change_pb2.pyi
│   │               │   │   ├── [2.7K]  consumer.proto
│   │               │   │   ├── [2.5K]  consumer_pb2.py
│   │               │   │   ├── [2.3K]  consumer_pb2.pyi
│   │               │   │   ├── [3.2K]  context.proto
│   │               │   │   ├── [2.3K]  context_pb2.py
│   │               │   │   ├── [2.3K]  context_pb2.pyi
│   │               │   │   ├── [1.4K]  control.proto
│   │               │   │   ├── [2.1K]  control_pb2.py
│   │               │   │   ├── [1.5K]  control_pb2.pyi
│   │               │   │   ├── [8.5K]  distribution.proto
│   │               │   │   ├── [4.4K]  distribution_pb2.py
│   │               │   │   ├── [5.6K]  distribution_pb2.pyi
│   │               │   │   ├── [6.8K]  documentation.proto
│   │               │   │   ├── [2.8K]  documentation_pb2.py
```

```
│   │               │   │   ├── [3.0K]  documentation_pb2.pyi
│   │               │   │   ├── [2.8K]  endpoint.proto
│   │               │   │   ├── [2.1K]  endpoint_pb2.py
│   │               │   │   ├── [1.4K]  endpoint_pb2.pyi
│   │               │   │   ├── [ 23K]  error_reason.proto
│   │               │   │   ├── [3.4K]  error_reason_pb2.py
│   │               │   │   ├── [3.7K]  error_reason_pb2.pyi
│   │               │   │   ├── [4.2K]  field_behavior.proto
│   │               │   │   ├── [2.6K]  field_behavior_pb2.py
│   │               │   │   ├── [1.6K]  field_behavior_pb2.pyi
│   │               │   │   ├── [4.4K]  field_info.proto
│   │               │   │   ├── [2.8K]  field_info_pb2.py
│   │               │   │   ├── [2.3K]  field_info_pb2.pyi
│   │               │   │   ├── [ 15K]  http.proto
│   │               │   │   ├── [2.8K]  http_pb2.py
│   │               │   │   ├── [3.1K]  http_pb2.pyi
│   │               │   │   ├── [2.6K]  httpbody.proto
│   │               │   │   ├── [2.1K]  httpbody_pb2.py
│   │               │   │   ├── [1.5K]  httpbody_pb2.pyi
│   │               │   │   ├── [1.3K]  label.proto
│   │               │   │   ├── [2.3K]  label_pb2.py
│   │               │   │   ├── [1.7K]  label_pb2.pyi
│   │               │   │   ├── [3.0K]  launch_stage.proto
│   │               │   │   ├── [2.2K]  launch_stage_pb2.py
│   │               │   │   ├── [1.3K]  launch_stage_pb2.pyi
│   │               │   │   ├── [2.0K]  log.proto
│   │               │   │   ├── [2.2K]  log_pb2.py
│   │               │   │   ├── [1.7K]  log_pb2.pyi
│   │               │   │   ├── [3.1K]  logging.proto
│   │               │   │   ├── [2.3K]  logging_pb2.py
│   │               │   │   ├── [2.1K]  logging_pb2.pyi
│   │               │   │   ├── [ 11K]  metric.proto
│   │               │   │   ├── [5.3K]  metric_pb2.py
│   │               │   │   ├── [7.5K]  metric_pb2.pyi
│   │               │   │   ├── [5.8K]  monitored_resource.proto
│   │               │   │   ├── [4.0K]  monitored_resource_pb2.py
│   │               │   │   ├── [3.6K]  monitored_resource_pb2.pyi
│   │               │   │   ├── [4.4K]  monitoring.proto
│   │               │   │   ├── [2.4K]  monitoring_pb2.py
│   │               │   │   ├── [2.2K]  monitoring_pb2.pyi
│   │               │   │   ├── [3.0K]  policy.proto
│   │               │   │   ├── [2.6K]  policy_pb2.py
│   │               │   │   ├── [2.1K]  policy_pb2.pyi
│   │               │   │   ├── [7.0K]  quota.proto
│   │               │   │   ├── [3.5K]  quota_pb2.py
│   │               │   │   ├── [3.8K]  quota_pb2.pyi
│   │               │   │   ├── [8.8K]  resource.proto
│   │               │   │   ├── [3.5K]  resource_pb2.py
│   │               │   │   ├── [3.5K]  resource_pb2.pyi
│   │               │   │   ├── [ 15K]  routing.proto
│   │               │   │   ├── [2.4K]  routing_pb2.py
│   │               │   │   ├── [1.8K]  routing_pb2.pyi
│   │               │   │   ├── [6.6K]  service.proto
│   │               │   │   ├── [5.7K]  service_pb2.py
│   │               │   │   ├── [7.0K]  service_pb2.pyi
│   │               │   │   ├── [1.1K]  source_info.proto
```

```
│   │               │   │   ├── [2.1K]  source_info_pb2.py
│   │               │   │   ├── [1.3K]  source_info_pb2.pyi
│   │               │   │   ├── [3.4K]  system_parameter.proto
│   │               │   │   ├── [2.5K]  system_parameter_pb2.py
│   │               │   │   ├── [2.2K]  system_parameter_pb2.pyi
│   │               │   │   ├── [3.7K]  usage.proto
│   │               │   │   ├── [2.3K]  usage_pb2.py
│   │               │   │   ├── [2.1K]  usage_pb2.pyi
│   │               │   │   ├── [3.7K]  visibility.proto
│   │               │   │   ├── [3.0K]  visibility_pb2.py
│   │               │   │   └── [2.2K]  visibility_pb2.pyi
│   │               │   ├── [1.1K]  api_core
│   │               │   │   ├── [ 782]  __init__.py
│   │               │   │   ├── [4.2K]  _rest_streaming_base.py
│   │               │   │   ├── [ 28K]  bidi.py
│   │               │   │   ├── [4.0K]  client_info.py
│   │               │   │   ├── [4.9K]  client_logging.py
│   │               │   │   ├── [6.4K]  client_options.py
│   │               │   │   ├── [8.8K]  datetime_helpers.py
│   │               │   │   ├── [ 21K]  exceptions.py
│   │               │   │   ├── [8.4K]  extended_operation.py
│   │               │   │   ├── [ 224]  future
│   │               │   │   │   ├── [ 702]  __init__.py
│   │               │   │   │   ├── [1.2K]  _helpers.py
│   │               │   │   │   ├── [5.2K]  async_future.py
│   │               │   │   │   ├── [1.7K]  base.py
│   │               │   │   │   └── [ 14K]  polling.py
│   │               │   │   ├── [ 288]  gapic_v1
│   │               │   │   │   ├── [ 988]  __init__.py
│   │               │   │   │   ├── [2.4K]  client_info.py
│   │               │   │   │   ├── [6.2K]  config.py
│   │               │   │   │   ├── [1.7K]  config_async.py
│   │               │   │   │   ├── [9.3K]  method.py
│   │               │   │   │   ├── [2.0K]  method_async.py
│   │               │   │   │   └── [3.0K]  routing_header.py
│   │               │   │   ├── [ 681]  general_helpers.py
│   │               │   │   ├── [ 24K]  grpc_helpers.py
│   │               │   │   ├── [ 13K]  grpc_helpers_async.py
│   │               │   │   ├── [ 13K]  iam.py
│   │               │   │   ├── [ 13K]  operation.py
│   │               │   │   ├── [7.9K]  operation_async.py
│   │               │   │   ├── [ 416]  operations_v1
│   │               │   │   │   ├── [1.6K]  __init__.py
│   │               │   │   │   ├── [ 15K]
abstract_operations_base_client.py
│   │               │   │   │   ├── [ 16K]  abstract_operations_client.py
│   │               │   │   │   ├── [ 14K]  operations_async_client.py
│   │               │   │   │   ├── [ 15K]  operations_client.py
│   │               │   │   │   ├── [2.2K]  operations_client_config.py
│   │               │   │   │   ├── [ 14K]  operations_rest_client_async.py
│   │               │   │   │   ├── [2.4K]  pagers.py
│   │               │   │   │   ├── [2.6K]  pagers_async.py
│   │               │   │   │   ├── [2.6K]  pagers_base.py
│   │               │   │   │   └── [ 192]  transports
│   │               │   │   │       ├── [1.4K]  __init__.py
│   │               │   │   │       ├── [ 11K]  base.py
```

```
│   │               │   │   │       ├── [ 20K]  rest.py
│   │               │   │   │       └── [ 24K]  rest_asyncio.py
│   │               │   │   ├── [ 20K]  page_iterator.py
│   │               │   │   ├── [ 10K]  page_iterator_async.py
│   │               │   │   ├── [ 11K]  path_template.py
│   │               │   │   ├── [ 12K]  protobuf_helpers.py
│   │               │   │   ├── [  78]  py.typed
│   │               │   │   ├── [3.4K]  rest_helpers.py
│   │               │   │   ├── [2.2K]  rest_streaming.py
│   │               │   │   ├── [3.3K]  rest_streaming_async.py
│   │               │   │   ├── [ 256]  retry
│   │               │   │   │   ├── [2.0K]  __init__.py
│   │               │   │   │   ├── [ 13K]  retry_base.py
│   │               │   │   │   ├── [ 11K]  retry_streaming.py
│   │               │   │   │   ├── [ 14K]  retry_streaming_async.py
│   │               │   │   │   ├── [ 13K]  retry_unary.py
│   │               │   │   │   └── [9.4K]  retry_unary_async.py
│   │               │   │   ├── [1.5K]  retry_async.py
│   │               │   │   ├── [ 10K]  timeout.py
│   │               │   │   ├── [2.9K]  universe.py
│   │               │   │   ├── [ 598]  version.py
│   │               │   │   └── [1.0K]  version_header.py
│   │               │   ├── [1.1K]  auth
│   │               │   │   ├── [1.6K]  __init__.py
│   │               │   │   ├── [5.1K]  _cloud_sdk.py
│   │               │   │   ├── [6.6K]  _credentials_async.py
│   │               │   │   ├── [2.6K]  _credentials_base.py
│   │               │   │   ├── [ 28K]  _default.py
│   │               │   │   ├── [ 11K]  _default_async.py
│   │               │   │   ├── [5.2K]  _exponential_backoff.py
│   │               │   │   ├── [ 16K]  _helpers.py
│   │               │   │   ├── [5.8K]  _jwt_async.py
│   │               │   │   ├── [5.7K]  _oauth2client.py
│   │               │   │   ├── [3.3K]  _refresh_worker.py
│   │               │   │   ├── [2.8K]  _service_account_info.py
│   │               │   │   ├── [ 192]  aio
│   │               │   │   │   ├── [ 869]  __init__.py
│   │               │   │   │   ├── [2.3K]  _helpers.py
│   │               │   │   │   ├── [5.1K]  credentials.py
│   │               │   │   │   └── [ 160]  transport
│   │               │   │   │       ├── [4.6K]  __init__.py
│   │               │   │   │       ├── [6.8K]  aiohttp.py
│   │               │   │   │       └── [ 10K]  sessions.py
│   │               │   │   ├── [2.5K]  api_key.py
│   │               │   │   ├── [6.0K]  app_engine.py
│   │               │   │   ├── [ 34K]  aws.py
│   │               │   │   ├── [ 160]  compute_engine
│   │               │   │   │   ├── [ 910]  __init__.py
│   │               │   │   │   ├── [ 13K]  _metadata.py
│   │               │   │   │   └── [ 19K]  credentials.py
│   │               │   │   ├── [ 18K]  credentials.py
│   │               │   │   ├── [ 288]  crypt
│   │               │   │   │   ├── [3.2K]  __init__.py
│   │               │   │   │   ├── [5.0K]  _cryptography_rsa.py
│   │               │   │   │   ├── [   0]  _helpers.py
│   │               │   │   │   ├── [6.0K]  _python_rsa.py
```

```
│   │               │   │   │   ├── [4.1K]  base.py
│   │               │   │   │   ├── [6.1K]  es256.py
│   │               │   │   │   └── [1.1K]  rsa.py
│   │               │   │   ├── [ 21K]  downscoped.py
│   │               │   │   ├── [3.2K]  environment_vars.py
│   │               │   │   ├── [3.1K]  exceptions.py
│   │               │   │   ├── [ 25K]  external_account.py
│   │               │   │   ├── [ 14K]  external_account_authorized_user.py
│   │               │   │   ├── [4.6K]  iam.py
│   │               │   │   ├── [ 22K]  identity_pool.py
│   │               │   │   ├── [ 24K]  impersonated_credentials.py
│   │               │   │   ├── [ 30K]  jwt.py
│   │               │   │   ├── [5.5K]  metrics.py
│   │               │   │   ├── [ 17K]  pluggable.py
│   │               │   │   ├── [  74]  py.typed
│   │               │   │   ├── [ 384]  transport
│   │               │   │   │   ├── [3.6K]  __init__.py
│   │               │   │   │   ├── [ 14K]  _aiohttp_requests.py
│   │               │   │   │   ├── [9.8K]  _custom_tls_signer.py
│   │               │   │   │   ├── [3.7K]  _http_client.py
│   │               │   │   │   ├── [ 14K]  _mtls_helper.py
│   │               │   │   │   ├── [1.6K]  _requests_base.py
│   │               │   │   │   ├── [ 14K]  grpc.py
│   │               │   │   │   ├── [3.9K]  mtls.py
│   │               │   │   │   ├── [ 22K]  requests.py
│   │               │   │   │   └── [ 16K]  urllib3.py
│   │               │   │   └── [ 598]  version.py
│   │               │   ├── [ 192]  cloud
│   │               │   │   ├── [6.2K]  extended_operations.proto
│   │               │   │   ├── [2.7K]  extended_operations_pb2.py
│   │               │   │   ├── [1.8K]  extended_operations_pb2.pyi
│   │               │   │   └── [ 160]  location
│   │               │   │       ├── [3.5K]  locations.proto
│   │               │   │       ├── [5.0K]  locations_pb2.py
│   │               │   │       └── [3.3K]  locations_pb2.pyi
│   │               │   ├── [  96]  gapic
│   │               │   │   └── [ 160]  metadata
│   │               │   │       ├── [3.3K]  gapic_metadata.proto
│   │               │   │       ├── [4.7K]  gapic_metadata_pb2.py
│   │               │   │       └── [4.2K]  gapic_metadata_pb2.pyi
│   │               │   ├── [  96]  logging
│   │               │   │   └── [ 256]  type
│   │               │   │       ├── [3.5K]  http_request.proto
│   │               │   │       ├── [3.0K]  http_request_pb2.py
│   │               │   │       ├── [3.0K]  http_request_pb2.pyi
│   │               │   │       ├── [2.5K]  log_severity.proto
│   │               │   │       ├── [2.5K]  log_severity_pb2.py
│   │               │   │       └── [1.3K]  log_severity_pb2.pyi
│   │               │   ├── [ 320]  longrunning
│   │               │   │   ├── [ 818]  operations_grpc.py
│   │               │   │   ├── [ 531]  operations_grpc_pb2.py
│   │               │   │   ├── [1.5K]  operations_pb2.py
│   │               │   │   ├── [ 14K]  operations_pb2_grpc.py
│   │               │   │   ├── [9.8K]  operations_proto.proto
│   │               │   │   ├── [ 243]  operations_proto.py
│   │               │   │   ├── [7.1K]  operations_proto_pb2.py
```

```
│   │               │   │   └── [4.4K]  operations_proto_pb2.pyi
│   │               │   ├── [ 672]  oauth2
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [ 17K]  _client.py
│   │               │   │   ├── [9.9K]  _client_async.py
│   │               │   │   ├── [4.4K]  _credentials_async.py
│   │               │   │   ├── [9.9K]  _id_token_async.py
│   │               │   │   ├── [ 11K]  _reauth_async.py
│   │               │   │   ├── [5.0K]  _service_account_async.py
│   │               │   │   ├── [ 10K]  challenges.py
│   │               │   │   ├── [ 24K]  credentials.py
│   │               │   │   ├── [8.8K]  gdch_credentials.py
│   │               │   │   ├── [ 13K]  id_token.py
│   │               │   │   ├── [  76]  py.typed
│   │               │   │   ├── [ 13K]  reauth.py
│   │               │   │   ├── [ 31K]  service_account.py
│   │               │   │   ├── [6.5K]  sts.py
│   │               │   │   ├── [6.2K]  utils.py
│   │               │   │   ├── [2.7K]  webauthn_handler.py
│   │               │   │   ├── [ 429]  webauthn_handler_factory.py
│   │               │   │   └── [5.3K]  webauthn_types.py
│   │               │   ├── [1.2K]  protobuf
│   │               │   │   ├── [ 346]  __init__.py
│   │               │   │   ├── [1.3K]  any.py
│   │               │   │   ├── [1.7K]  any_pb2.py
│   │               │   │   ├── [3.1K]  api_pb2.py
│   │               │   │   ├── [ 128]  compiler
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [3.7K]  plugin_pb2.py
│   │               │   │   ├── [ 51K]  descriptor.py
│   │               │   │   ├── [5.8K]  descriptor_database.py
│   │               │   │   ├── [357K]  descriptor_pb2.py
│   │               │   │   ├── [ 48K]  descriptor_pool.py
│   │               │   │   ├── [2.6K]  duration.py
│   │               │   │   ├── [1.8K]  duration_pb2.py
│   │               │   │   ├── [1.6K]  empty_pb2.py
│   │               │   │   ├── [1.7K]  field_mask_pb2.py
│   │               │   │   ├── [ 576]  internal
│   │               │   │   │   ├── [ 272]  __init__.py
│   │               │   │   │   ├── [4.7K]  api_implementation.py
│   │               │   │   │   ├── [4.0K]  builder.py
│   │               │   │   │   ├── [ 22K]  containers.py
│   │               │   │   │   ├── [ 37K]  decoder.py
│   │               │   │   │   ├── [ 27K]  encoder.py
│   │               │   │   │   ├── [3.7K]  enum_type_wrapper.py
│   │               │   │   │   ├── [7.1K]  extension_dict.py
│   │               │   │   │   ├── [ 10K]  field_mask.py
│   │               │   │   │   ├── [2.0K]  message_listener.py
│   │               │   │   │   ├── [ 464]  python_edition_defaults.py
│   │               │   │   │   ├── [ 56K]  python_message.py
│   │               │   │   │   ├── [4.4K]  testing_refleaks.py
│   │               │   │   │   ├── [ 15K]  type_checkers.py
│   │               │   │   │   ├── [ 22K]  well_known_types.py
│   │               │   │   │   └── [6.9K]  wire_format.py
│   │               │   │   ├── [ 37K]  json_format.py
│   │               │   │   ├── [ 15K]  message.py
```

```
│   │               │   │   ├── [6.5K]  message_factory.py
│   │               │   │   ├── [4.3K]  proto.py
│   │               │   │   ├── [4.1K]  proto_builder.py
│   │               │   │   ├── [3.0K]  proto_json.py
│   │               │   │   ├── [5.2K]  proto_text.py
│   │               │   │   ├── [ 128]  pyext
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [1.7K]  cpp_message.py
│   │               │   │   ├── [1.2K]  reflection.py
│   │               │   │   ├── [3.8K]  runtime_version.py
│   │               │   │   ├── [9.8K]  service_reflection.py
│   │               │   │   ├── [1.7K]  source_context_pb2.py
│   │               │   │   ├── [3.0K]  struct_pb2.py
│   │               │   │   ├── [5.6K]  symbol_database.py
│   │               │   │   ├── [  96]  testdata
│   │               │   │   │   └── [   0]  __init__.py
│   │               │   │   ├── [3.5K]  text_encoding.py
│   │               │   │   ├── [ 62K]  text_format.py
│   │               │   │   ├── [3.1K]  timestamp.py
│   │               │   │   ├── [1.8K]  timestamp_pb2.py
│   │               │   │   ├── [5.3K]  type_pb2.py
│   │               │   │   ├── [3.0K]  unknown_fields.py
│   │               │   │   ├── [  96]  util
│   │               │   │   │   └── [   0]  __init__.py
│   │               │   │   └── [3.0K]  wrappers_pb2.py
│   │               │   ├── [ 480]  rpc
│   │               │   │   ├── [7.0K]  code.proto
│   │               │   │   ├── [2.4K]  code_pb2.py
│   │               │   │   ├── [1.7K]  code_pb2.pyi
│   │               │   │   ├── [ 256]  context
│   │               │   │   │   ├── [ 15K]  attribute_context.proto
│   │               │   │   │   ├── [8.3K]  attribute_context_pb2.py
│   │               │   │   │   ├── [ 11K]  attribute_context_pb2.pyi
│   │               │   │   │   ├── [1.8K]  audit_context.proto
│   │               │   │   │   ├── [2.4K]  audit_context_pb2.py
│   │               │   │   │   └── [1.9K]  audit_context_pb2.pyi
│   │               │   │   ├── [ 14K]  error_details.proto
│   │               │   │   ├── [6.3K]  error_details_pb2.py
│   │               │   │   ├── [8.2K]  error_details_pb2.pyi
│   │               │   │   ├── [1.9K]  http.proto
│   │               │   │   ├── [2.5K]  http_pb2.py
│   │               │   │   ├── [2.4K]  http_pb2.pyi
│   │               │   │   ├── [1.9K]  status.proto
│   │               │   │   ├── [2.1K]  status_pb2.py
│   │               │   │   └── [1.5K]  status_pb2.pyi
│   │               │   └── [1.7K]  type
│   │               │       ├── [1.7K]  calendar_period.proto
│   │               │       ├── [2.2K]  calendar_period_pb2.py
│   │               │       ├── [1.4K]  calendar_period_pb2.pyi
│   │               │       ├── [6.2K]  color.proto
│   │               │       ├── [2.2K]  color_pb2.py
│   │               │       ├── [1.5K]  color_pb2.pyi
│   │               │       ├── [1.9K]  date.proto
│   │               │       ├── [2.0K]  date_pb2.py
│   │               │       ├── [1.2K]  date_pb2.pyi
│   │               │       ├── [3.8K]  datetime.proto
```

```
│   │   │   │
```

```
│   │   │   │   │   └── [ 11K]  LICENSE
│   │   │   │   └── [  58]  top_level.txt
│   │   │   ├── [ 256]  google_auth-2.40.3.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   ├── [6.1K]  METADATA
│   │   │   │   ├── [ 18K]  RECORD
│   │   │   │   ├── [ 109]  WHEEL
│   │   │   │   └── [  23]  top_level.txt
│   │   │   ├── [ 288]  google_auth_httplib2-0.2.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   ├── [2.1K]  METADATA
│   │   │   │   ├── [ 894]  RECORD
│   │   │   │   ├── [   0]  REQUESTED
│   │   │   │   ├── [ 110]  WHEEL
│   │   │   │   └── [  21]  top_level.txt
│   │   │   ├── [ 10K]  google_auth_httplib2.py
│   │   │   ├── [ 224]  google_auth_oauthlib
│   │   │   │   ├── [ 846]  __init__.py
│   │   │   │   ├── [ 19K]  flow.py
│   │   │   │   ├── [5.6K]  helpers.py
│   │   │   │   ├── [5.9K]  interactive.py
│   │   │   │   └── [ 128]  tool
│   │   │   │       ├── [   0]  __init__.py
│   │   │   │       └── [3.7K]  __main__.py
│   │   │   ├── [ 320]  google_auth_oauthlib-1.2.2.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   ├── [2.6K]  METADATA
│   │   │   │   ├── [2.3K]  RECORD
│   │   │   │   ├── [   0]  REQUESTED
│   │   │   │   ├── [  91]  WHEEL
│   │   │   │   ├── [  88]  entry_points.txt
│   │   │   │   └── [  29]  top_level.txt
│   │   │   ├── [ 480]  googleapiclient
│   │   │   │   ├── [ 904]  __init__.py
│   │   │   │   ├── [5.6K]  _auth.py
│   │   │   │   ├── [6.6K]  _helpers.py
│   │   │   │   ├── [ 11K]  channel.py
│   │   │   │   ├── [ 65K]  discovery.py
│   │   │   │   ├── [ 224]  discovery_cache
│   │   │   │   │   ├── [2.3K]  __init__.py
│   │   │   │   │   ├── [1.6K]  appengine_memcache.py
│   │   │   │   │   ├── [1.4K]  base.py
│   │   │   │   │   ├── [ 17K]  documents
│   │   │   │   │   │   ├── [5.5K]  abusiveexperiencereport.v1.json
│   │   │   │   │   │   ├── [6.6K]  acceleratedmobilepageurl.v1.json
│   │   │   │   │   │   ├── [ 51K]  accessapproval.v1.json
│   │   │   │   │   │   ├── [115K]  accesscontextmanager.v1.json
│   │   │   │   │   │   ├── [ 50K]  accesscontextmanager.v1beta.json
│   │   │   │   │   │   ├── [6.7K]  acmedns.v1.json
│   │   │   │   │   │   ├── [ 49K]  addressvalidation.v1.json
│   │   │   │   │   │   ├── [ 20K]  adexchangebuyer.v1.2.json
│   │   │   │   │   │   ├── [ 59K]  adexchangebuyer.v1.3.json
│   │   │   │   │   │   ├── [134K]  adexchangebuyer.v1.4.json
```

```
│   │               │   │   │   ├── [226K]  adexchangebuyer2.v2beta1.json
│   │               │   │   │   ├── [6.5K]  adexperiencereport.v1.json
│   │               │   │   │   ├── [ 12K]  admin.datatransfer_v1.json
│   │               │   │   │   ├── [ 12K]  admin.datatransferv1.json
│   │               │   │   │   ├── [273K]  admin.directory_v1.json
│   │               │   │   │   ├── [273K]  admin.directoryv1.json
│   │               │   │   │   ├── [ 59K]  admin.reports_v1.json
│   │               │   │   │   ├── [ 59K]  admin.reportsv1.json
│   │               │   │   │   ├── [ 51K]  admob.v1.json
│   │               │   │   │   ├── [ 90K]  admob.v1beta.json
│   │               │   │   │   ├── [104K]  adsense.v2.json
│   │               │   │   │   ├── [ 37K]  adsensehost.v4.1.json
│   │               │   │   │   ├── [ 20K]  adsenseplatform.v1.json
│   │               │   │   │   ├── [ 34K]  adsenseplatform.v1alpha.json
│   │               │   │   │   ├── [ 20K]  advisorynotifications.v1.json
│   │               │   │   │   ├── [1.8M]  aiplatform.v1.json
│   │               │   │   │   ├── [2.1M]  aiplatform.v1beta1.json
│   │               │   │   │   ├── [ 40K]  airquality.v1.json
│   │               │   │   │   ├── [ 68K]  alertcenter.v1beta1.json
│   │               │   │   │   ├── [212K]  alloydb.v1.json
│   │               │   │   │   ├── [220K]  alloydb.v1alpha.json
│   │               │   │   │   ├── [219K]  alloydb.v1beta.json
│   │               │   │   │   ├── [191K]  analytics.v3.json
│   │               │   │   │   ├── [326K]  analyticsadmin.v1alpha.json
│   │               │   │   │   ├── [122K]  analyticsadmin.v1beta.json
│   │               │   │   │   ├── [ 79K]  analyticsdata.v1alpha.json
│   │               │   │   │   ├── [ 95K]  analyticsdata.v1beta.json
│   │               │   │   │   ├── [100K]  analyticshub.v1.json
│   │               │   │   │   ├── [ 57K]  analyticshub.v1beta1.json
│   │               │   │   │   ├── [ 60K]  analyticsreporting.v4.json
│   │               │   │   │   ├── [ 60K]
androiddeviceprovisioning.v1.json
│   │               │   │   │   ├── [156K]  androidenterprise.v1.json
│   │               │   │   │   ├── [319K]  androidmanagement.v1.json
│   │               │   │   │   ├── [329K]  androidpublisher.v3.json
│   │               │   │   │   ├── [ 66K]  apigateway.v1.json
│   │               │   │   │   ├── [ 68K]  apigateway.v1beta.json
│   │               │   │   │   ├── [700K]  apigee.v1.json
│   │               │   │   │   ├── [152K]  apigeeregistry.v1.json
│   │               │   │   │   ├── [238K]  apihub.v1.json
│   │               │   │   │   ├── [ 22K]  apikeys.v2.json
│   │               │   │   │   ├── [ 47K]  apim.v1alpha.json
│   │               │   │   │   ├── [169K]  appengine.v1.json
│   │               │   │   │   ├── [ 72K]  appengine.v1alpha.json
│   │               │   │   │   ├── [177K]  appengine.v1beta.json
│   │               │   │   │   ├── [108K]  appengine.v1beta4.json
│   │               │   │   │   ├── [108K]  appengine.v1beta5.json
│   │               │   │   │   ├── [ 91K]  apphub.v1.json
│   │               │   │   │   ├── [ 95K]  apphub.v1alpha.json
│   │               │   │   │   ├── [ 26K]  area120tables.v1alpha1.json
│   │               │   │   │   ├── [ 14K]  areainsights.v1.json
│   │               │   │   │   ├── [153K]  artifactregistry.v1.json
│   │               │   │   │   ├── [ 62K]  artifactregistry.v1beta1.json
│   │               │   │   │   ├── [ 80K]  artifactregistry.v1beta2.json
│   │               │   │   │   ├── [ 72K]  assuredworkloads.v1.json
│   │               │   │   │   ├── [ 74K]  assuredworkloads.v1beta1.json
```

```
│   │             │   │   │   ├── [108K]
authorizedbuyersmarketplace.v1.json
│   │             │   │   │   ├── [117K]
authorizedbuyersmarketplace.v1alpha.json
│   │             │   │   │   ├── [ 12K]
authorizedbuyersmarketplace.v1beta.json
│   │             │   │   │   ├── [217K]  backupdr.v1.json
│   │             │   │   │   ├── [ 13K]  baremetalsolution.v1.json
│   │             │   │   │   ├── [ 19K]  baremetalsolution.v1alpha1.json
│   │             │   │   │   ├── [103K]  baremetalsolution.v2.json
│   │             │   │   │   ├── [ 87K]  batch.v1.json
│   │             │   │   │   ├── [147K]  beyondcorp.v1.json
│   │             │   │   │   ├── [242K]  beyondcorp.v1alpha.json
│   │             │   │   │   ├── [ 26K]  biglake.v1.json
│   │             │   │   │   ├── [404K]  bigquery.v2.json
│   │             │   │   │   ├── [ 43K]  bigqueryconnection.v1.json
│   │             │   │   │   ├── [ 32K]  bigqueryconnection.v1beta1.json
│   │             │   │   │   ├── [ 34K]  bigquerydatapolicy.v1.json
│   │             │   │   │   ├── [ 89K]  bigquerydatatransfer.v1.json
│   │             │   │   │   ├── [ 93K]  bigqueryreservation.v1.json
│   │             │   │   │   ├── [ 43K]
bigqueryreservation.v1alpha2.json
│   │             │   │   │   ├── [ 60K]  bigqueryreservation.v1beta1.json
│   │             │   │   │   ├── [ 32K]  bigtableadmin.v1.json
│   │             │   │   │   ├── [226K]  bigtableadmin.v2.json
│   │             │   │   │   ├── [ 27K]  billingbudgets.v1.json
│   │             │   │   │   ├── [ 26K]  billingbudgets.v1beta1.json
│   │             │   │   │   ├── [ 83K]  binaryauthorization.v1.json
│   │             │   │   │   ├── [ 49K]  binaryauthorization.v1beta1.json
│   │             │   │   │   ├── [ 32K]  blockchainnodeengine.v1.json
│   │             │   │   │   ├── [ 21K]  blogger.v2.json
│   │             │   │   │   ├── [ 43K]  blogger.v3.json
│   │             │   │   │   ├── [107K]  books.v1.json
│   │             │   │   │   ├── [ 24K]
businessprofileperformance.v1.json
│   │             │   │   │   ├── [121K]  calendar.v3.json
│   │             │   │   │   ├── [ 72K]  certificatemanager.v1.json
│   │             │   │   │   ├── [291K]  chat.v1.json
│   │             │   │   │   ├── [ 90K]  checks.v1alpha.json
│   │             │   │   │   ├── [194K]  chromemanagement.v1.json
│   │             │   │   │   ├── [ 61K]  chromepolicy.v1.json
│   │             │   │   │   ├── [ 22K]  chromeuxreport.v1.json
│   │             │   │   │   ├── [ 30K]  civicinfo.v2.json
│   │             │   │   │   ├── [240K]  classroom.v1.json
│   │             │   │   │   ├── [254K]  cloudasset.v1.json
│   │             │   │   │   ├── [ 93K]  cloudasset.v1beta1.json
│   │             │   │   │   ├── [ 82K]  cloudasset.v1p1beta1.json
│   │             │   │   │   ├── [108K]  cloudasset.v1p4beta1.json
│   │             │   │   │   ├── [ 80K]  cloudasset.v1p5beta1.json
│   │             │   │   │   ├── [ 86K]  cloudasset.v1p7beta1.json
│   │             │   │   │   ├── [ 60K]  cloudbilling.v1.json
│   │             │   │   │   ├── [ 59K]  cloudbilling.v1beta.json
│   │             │   │   │   ├── [193K]  cloudbuild.v1.json
│   │             │   │   │   ├── [101K]  cloudbuild.v1alpha1.json
│   │             │   │   │   ├── [100K]  cloudbuild.v1alpha2.json
│   │             │   │   │   ├── [103K]  cloudbuild.v1beta1.json
```

```
│   │               │   │   │   ├── [111K]  cloudbuild.v2.json
│   │               │   │   │   ├── [244K]  cloudchannel.v1.json
│   │               │   │   │   ├── [ 39K]  cloudcommerceprocurement.v1.json
│   │               │   │   │   ├── [ 39K]  cloudcontrolspartner.v1.json
│   │               │   │   │   ├── [ 39K]  cloudcontrolspartner.v1beta.json
│   │               │   │   │   ├── [ 52K]  clouddebugger.v2.json
│   │               │   │   │   ├── [254K]  clouddeploy.v1.json
│   │               │   │   │   ├── [ 45K]  clouderrorreporting.v1beta1.json
│   │               │   │   │   ├── [ 64K]  cloudfunctions.v1.json
│   │               │   │   │   ├── [ 85K]  cloudfunctions.v2.json
│   │               │   │   │   ├── [ 85K]  cloudfunctions.v2alpha.json
│   │               │   │   │   ├── [ 85K]  cloudfunctions.v2beta.json
│   │               │   │   │   ├── [162K]  cloudidentity.v1.json
│   │               │   │   │   ├── [190K]  cloudidentity.v1beta1.json
│   │               │   │   │   ├── [ 92K]  cloudiot.v1.json
│   │               │   │   │   ├── [207K]  cloudkms.v1.json
│   │               │   │   │   ├── [ 14K]  cloudlocationfinder.v1alpha.json
│   │               │   │   │   ├── [ 15K]  cloudprofiler.v2.json
│   │               │   │   │   ├── [ 99K]  cloudresourcemanager.v1.json
│   │               │   │   │   ├── [ 57K]
cloudresourcemanager.v1beta1.json
│   │               │   │   │   ├── [ 51K]  cloudresourcemanager.v2.json
│   │               │   │   │   ├── [ 51K]
cloudresourcemanager.v2beta1.json
│   │               │   │   │   ├── [131K]  cloudresourcemanager.v3.json
│   │               │   │   │   ├── [ 46K]  cloudscheduler.v1.json
│   │               │   │   │   ├── [ 42K]  cloudscheduler.v1beta1.json
│   │               │   │   │   ├── [242K]  cloudsearch.v1.json
│   │               │   │   │   ├── [ 22K]  cloudshell.v1.json
│   │               │   │   │   ├── [ 25K]  cloudshell.v1alpha1.json
│   │               │   │   │   ├── [ 51K]  cloudsupport.v2.json
│   │               │   │   │   ├── [ 57K]  cloudsupport.v2beta.json
│   │               │   │   │   ├── [ 94K]  cloudtasks.v2.json
│   │               │   │   │   ├── [111K]  cloudtasks.v2beta2.json
│   │               │   │   │   ├── [101K]  cloudtasks.v2beta3.json
│   │               │   │   │   ├── [ 12K]  cloudtrace.v1.json
│   │               │   │   │   ├── [ 21K]  cloudtrace.v2.json
│   │               │   │   │   ├── [ 11K]  cloudtrace.v2beta1.json
│   │               │   │   │   ├── [104K]  composer.v1.json
│   │               │   │   │   ├── [106K]  composer.v1beta1.json
│   │               │   │   │   ├── [4.8M]  compute.alpha.json
│   │               │   │   │   ├── [4.3M]  compute.beta.json
│   │               │   │   │   ├── [3.9M]  compute.v1.json
│   │               │   │   │   ├── [111K]  config.v1.json
│   │               │   │   │   ├── [256K]  connectors.v1.json
│   │               │   │   │   ├── [ 70K]  connectors.v2.json
│   │               │   │   │   ├── [ 43K]
contactcenteraiplatform.v1alpha1.json
│   │               │   │   │   ├── [456K]  contactcenterinsights.v1.json
│   │               │   │   │   ├── [348K]  container.v1.json
│   │               │   │   │   ├── [371K]  container.v1beta1.json
│   │               │   │   │   ├── [231K]  containeranalysis.v1.json
│   │               │   │   │   ├── [252K]  containeranalysis.v1alpha1.json
│   │               │   │   │   ├── [242K]  containeranalysis.v1beta1.json
│   │               │   │   │   ├── [457K]  content.v2.1.json
│   │               │   │   │   ├── [381K]  content.v2.json
```

```
│   │               │   │   │   ├── [221K]  contentwarehouse.v1.json
│   │               │   │   │   ├── [ 43K]  css.v1.json
│   │               │   │   │   ├── [ 62K]  customsearch.v1.json
│   │               │   │   │   ├── [190K]  datacatalog.v1.json
│   │               │   │   │   ├── [179K]  datacatalog.v1beta1.json
│   │               │   │   │   ├── [267K]  dataflow.v1b3.json
│   │               │   │   │   ├── [148K]  dataform.v1beta1.json
│   │               │   │   │   ├── [ 66K]  datafusion.v1.json
│   │               │   │   │   ├── [ 75K]  datafusion.v1beta1.json
│   │               │   │   │   ├── [197K]  datalabeling.v1beta1.json
│   │               │   │   │   ├── [ 52K]  datalineage.v1.json
│   │               │   │   │   ├── [236K]  datamigration.v1.json
│   │               │   │   │   ├── [ 82K]  datamigration.v1beta1.json
│   │               │   │   │   ├── [ 37K]  datapipelines.v1.json
│   │               │   │   │   ├── [494K]  dataplex.v1.json
│   │               │   │   │   ├── [ 49K]  dataportability.v1.json
│   │               │   │   │   ├── [ 49K]  dataportability.v1beta.json
│   │               │   │   │   ├── [418K]  dataproc.v1.json
│   │               │   │   │   ├── [251K]  dataproc.v1beta2.json
│   │               │   │   │   ├── [ 98K]  datastore.v1.json
│   │               │   │   │   ├── [ 28K]  datastore.v1beta1.json
│   │               │   │   │   ├── [ 75K]  datastore.v1beta3.json
│   │               │   │   │   ├── [117K]  datastream.v1.json
│   │               │   │   │   ├── [ 77K]  datastream.v1alpha1.json
│   │               │   │   │   ├── [153K]  deploymentmanager.alpha.json
│   │               │   │   │   ├── [108K]  deploymentmanager.v2.json
│   │               │   │   │   ├── [150K]  deploymentmanager.v2beta.json
│   │               │   │   │   ├── [ 99K]  developerconnect.v1.json
│   │               │   │   │   ├── [704K]  dfareporting.v3.3.json
│   │               │   │   │   ├── [731K]  dfareporting.v3.4.json
│   │               │   │   │   ├── [ 17K]  dfareporting.v3.5.json
│   │               │   │   │   ├── [550K]  dfareporting.v4.json
│   │               │   │   │   ├── [925K]  dialogflow.v2.json
│   │               │   │   │   ├── [940K]  dialogflow.v2beta1.json
│   │               │   │   │   ├── [789K]  dialogflow.v3.json
│   │               │   │   │   ├── [837K]  dialogflow.v3beta1.json
│   │               │   │   │   ├── [ 29K]  digitalassetlinks.v1.json
│   │               │   │   │   ├── [ 18K]  discovery.v1.json
│   │               │   │   │   ├── [1020K]  discoveryengine.v1.json
│   │               │   │   │   ├── [1.1M]  discoveryengine.v1alpha.json
│   │               │   │   │   ├── [1.0M]  discoveryengine.v1beta.json
│   │               │   │   │   ├── [721K]  displayvideo.v1.json
│   │               │   │   │   ├── [767K]  displayvideo.v2.json
│   │               │   │   │   ├── [893K]  displayvideo.v3.json
│   │               │   │   │   ├── [830K]  displayvideo.v4.json
│   │               │   │   │   ├── [516K]  dlp.v2.json
│   │               │   │   │   ├── [118K]  dns.v1.json
│   │               │   │   │   ├── [119K]  dns.v1beta2.json
│   │               │   │   │   ├── [133K]  dns.v2.json
│   │               │   │   │   ├── [176K]  docs.v1.json
│   │               │   │   │   ├── [213K]  documentai.v1.json
│   │               │   │   │   ├── [208K]  documentai.v1beta2.json
│   │               │   │   │   ├── [243K]  documentai.v1beta3.json
│   │               │   │   │   ├── [119K]  domains.v1.json
│   │               │   │   │   ├── [119K]  domains.v1alpha2.json
│   │               │   │   │   ├── [119K]  domains.v1beta1.json
```

```
│   │               │   │   │   ├── [ 11K]  domainsrdap.v1.json
│   │               │   │   │   ├── [115K]  doubleclickbidmanager.v1.1.json
│   │               │   │   │   ├── [3.3K]  doubleclickbidmanager.v1.json
│   │               │   │   │   ├── [ 21K]  doubleclickbidmanager.v2.json
│   │               │   │   │   ├── [ 34K]  doubleclicksearch.v2.json
│   │               │   │   │   ├── [200K]  drive.v2.json
│   │               │   │   │   ├── [173K]  drive.v3.json
│   │               │   │   │   ├── [ 36K]  driveactivity.v2.json
│   │               │   │   │   ├── [106K]  drivelabels.v2.json
│   │               │   │   │   ├── [107K]  drivelabels.v2beta.json
│   │               │   │   │   ├── [ 34K]  essentialcontacts.v1.json
│   │               │   │   │   ├── [164K]  eventarc.v1.json
│   │               │   │   │   ├── [ 46K]  eventarc.v1beta1.json
│   │               │   │   │   ├── [ 22K]  factchecktools.v1alpha1.json
│   │               │   │   │   ├── [ 31K]  fcm.v1.json
│   │               │   │   │   ├── [ 16K]  fcmdata.v1beta1.json
│   │               │   │   │   ├── [ 83K]  file.v1.json
│   │               │   │   │   ├── [ 95K]  file.v1beta1.json
│   │               │   │   │   ├── [114K]  firebase.v1beta1.json
│   │               │   │   │   ├── [ 99K]  firebaseappcheck.v1.json
│   │               │   │   │   ├── [117K]  firebaseappcheck.v1beta.json
│   │               │   │   │   ├── [ 64K]  firebaseappdistribution.v1.json
│   │               │   │   │   ├── [ 57K]
firebaseappdistribution.v1alpha.json
│   │               │   │   │   ├── [ 95K]  firebaseapphosting.v1.json
│   │               │   │   │   ├── [ 98K]  firebaseapphosting.v1beta.json
│   │               │   │   │   ├── [ 15K]  firebasedatabase.v1beta.json
│   │               │   │   │   ├── [ 71K]  firebasedataconnect.v1.json
│   │               │   │   │   ├── [ 71K]  firebasedataconnect.v1beta.json
│   │               │   │   │   ├── [ 32K]  firebasedynamiclinks.v1.json
│   │               │   │   │   ├── [ 26K]  firebasehosting.v1.json
│   │               │   │   │   ├── [131K]  firebasehosting.v1beta1.json
│   │               │   │   │   ├── [ 10K]  firebaseml.v1.json
│   │               │   │   │   ├── [ 16K]  firebaseml.v1beta2.json
│   │               │   │   │   ├── [ 88K]  firebaseml.v2beta.json
│   │               │   │   │   ├── [ 33K]  firebaserules.v1.json
│   │               │   │   │   ├── [ 11K]  firebasestorage.v1beta.json
│   │               │   │   │   ├── [188K]  firestore.v1.json
│   │               │   │   │   ├── [115K]  firestore.v1beta1.json
│   │               │   │   │   ├── [ 44K]  firestore.v1beta2.json
│   │               │   │   │   ├── [ 61K]  fitness.v1.json
│   │               │   │   │   ├── [ 52K]  forms.v1.json
│   │               │   │   │   ├── [100K]  games.v1.json
│   │               │   │   │   ├── [ 19K]
gamesConfiguration.v1configuration.json
│   │               │   │   │   ├── [ 23K]
gamesManagement.v1management.json
│   │               │   │   │   ├── [ 53K]  gameservices.v1.json
│   │               │   │   │   ├── [ 54K]  gameservices.v1beta.json
│   │               │   │   │   ├── [ 43K]  genomics.v1.json
│   │               │   │   │   ├── [ 65K]  genomics.v1alpha2.json
│   │               │   │   │   ├── [ 62K]  genomics.v2alpha1.json
│   │               │   │   │   ├── [187K]  gkebackup.v1.json
│   │               │   │   │   ├── [228K]  gkehub.v1.json
│   │               │   │   │   ├── [260K]  gkehub.v1alpha.json
│   │               │   │   │   ├── [ 64K]  gkehub.v1alpha2.json
```

```
│   │               │   │   │   ├── [231K]  gkehub.v1beta.json
│   │               │   │   │   ├── [ 70K]  gkehub.v1beta1.json
│   │               │   │   │   ├── [107K]  gkehub.v2.json
│   │               │   │   │   ├── [107K]  gkehub.v2alpha.json
│   │               │   │   │   ├── [107K]  gkehub.v2beta.json
│   │               │   │   │   ├── [247K]  gkeonprem.v1.json
│   │               │   │   │   ├── [136K]  gmail.v1.json
│   │               │   │   │   ├── [ 19K]  gmailpostmastertools.v1.json
│   │               │   │   │   ├── [ 19K]
gmailpostmastertools.v1beta1.json
│   │               │   │   │   ├── [3.9K]  groupsmigration.v1.json
│   │               │   │   │   ├── [ 24K]  groupssettings.v1.json
│   │               │   │   │   ├── [433K]  healthcare.v1.json
│   │               │   │   │   ├── [490K]  healthcare.v1beta1.json
│   │               │   │   │   ├── [ 19K]  homegraph.v1.json
│   │               │   │   │   ├── [254K]  iam.v1.json
│   │               │   │   │   ├── [ 35K]  iam.v2.json
│   │               │   │   │   ├── [ 35K]  iam.v2beta.json
│   │               │   │   │   ├── [ 19K]  iamcredentials.v1.json
│   │               │   │   │   ├── [ 59K]  iap.v1.json
│   │               │   │   │   ├── [ 20K]  iap.v1beta1.json
│   │               │   │   │   ├── [ 21K]  ideahub.v1alpha.json
│   │               │   │   │   ├── [ 18K]  ideahub.v1beta.json
│   │               │   │   │   ├── [140K]  identitytoolkit.v1.json
│   │               │   │   │   ├── [133K]  identitytoolkit.v2.json
│   │               │   │   │   ├── [ 53K]  identitytoolkit.v3.json
│   │               │   │   │   ├── [ 25K]  ids.v1.json
│   │               │   │   │   ├── [208K]  index.json
│   │               │   │   │   ├── [5.6K]  indexing.v3.json
│   │               │   │   │   ├── [471K]  integrations.v1.json
│   │               │   │   │   ├── [367K]  integrations.v1alpha.json
│   │               │   │   │   ├── [222K]  jobs.v2.json
│   │               │   │   │   ├── [118K]  jobs.v3.json
│   │               │   │   │   ├── [132K]  jobs.v3p1beta1.json
│   │               │   │   │   ├── [132K]  jobs.v4.json
│   │               │   │   │   ├── [ 17K]  keep.v1.json
│   │               │   │   │   ├── [4.8K]  kgsearch.v1.json
│   │               │   │   │   ├── [ 37K]  kmsinventory.v1.json
│   │               │   │   │   ├── [148K]  language.v1.json
│   │               │   │   │   ├── [ 38K]  language.v1beta1.json
│   │               │   │   │   ├── [149K]  language.v1beta2.json
│   │               │   │   │   ├── [135K]  language.v2.json
│   │               │   │   │   ├── [9.7K]  libraryagent.v1.json
│   │               │   │   │   ├── [ 15K]  licensing.v1.json
│   │               │   │   │   ├── [ 51K]  lifesciences.v2beta.json
│   │               │   │   │   ├── [ 18K]  localservices.v1.json
│   │               │   │   │   ├── [487K]  logging.v2.json
│   │               │   │   │   ├── [ 44K]  looker.v1.json
│   │               │   │   │   ├── [116K]  managedidentities.v1.json
│   │               │   │   │   ├── [116K]  managedidentities.v1alpha1.json
│   │               │   │   │   ├── [117K]  managedidentities.v1beta1.json
│   │               │   │   │   ├── [148K]  managedkafka.v1.json
│   │               │   │   │   ├── [ 40K]  manufacturers.v1.json
│   │               │   │   │   ├── [ 12K]
marketingplatformadmin.v1alpha.json
│   │               │   │   │   ├── [ 43K]  meet.v2.json
```

```
│   │           │   │   │   ├── [ 63K]  memcache.v1.json
│   │           │   │   │   ├── [ 65K]  memcache.v1beta2.json
│   │           │   │   │   ├── [191K]  merchantapi.accounts_v1beta.json
│   │           │   │   │   ├── [ 20K]
merchantapi.conversions_v1beta.json
│   │           │   │   │   ├── [ 36K]
merchantapi.datasources_v1beta.json
│   │           │   │   │   ├── [ 24K]
merchantapi.inventories_v1beta.json
│   │           │   │   │   ├── [ 49K]
merchantapi.issueresolution_v1beta.json
│   │           │   │   │   ├── [ 28K]  merchantapi.lfp_v1beta.json
│   │           │   │   │   ├── [ 15K]
merchantapi.notifications_v1beta.json
│   │           │   │   │   ├── [ 18K]
merchantapi.ordertracking_v1beta.json
│   │           │   │   │   ├── [ 67K]  merchantapi.products_v1beta.json
│   │           │   │   │   ├── [ 39K]
merchantapi.promotions_v1beta.json
│   │           │   │   │   ├── [ 11K]  merchantapi.quota_v1beta.json
│   │           │   │   │   ├── [ 57K]  merchantapi.reports_v1beta.json
│   │           │   │   │   ├── [ 42K]  merchantapi.reviews_v1beta.json
│   │           │   │   │   ├── [138K]  metastore.v1.json
│   │           │   │   │   ├── [148K]  metastore.v1alpha.json
│   │           │   │   │   ├── [148K]  metastore.v1beta.json
│   │           │   │   │   ├── [ 65K]  metastore.v2.json
│   │           │   │   │   ├── [ 86K]  metastore.v2alpha.json
│   │           │   │   │   ├── [ 85K]  metastore.v2beta.json
│   │           │   │   │   ├── [203K]  migrationcenter.v1.json
│   │           │   │   │   ├── [261K]  migrationcenter.v1alpha1.json
│   │           │   │   │   ├── [171K]  ml.v1.json
│   │           │   │   │   ├── [113K]  monitoring.v1.json
│   │           │   │   │   ├── [335K]  monitoring.v3.json
│   │           │   │   │   ├── [ 31K]
mybusinessaccountmanagement.v1.json
│   │           │   │   │   ├── [ 16K]  mybusinessbusinesscalls.v1.json
│   │           │   │   │   ├── [ 65K]
mybusinessbusinessinformation.v1.json
│   │           │   │   │   ├── [218K]  mybusinesslodging.v1.json
│   │           │   │   │   ├── [7.8K]  mybusinessnotifications.v1.json
│   │           │   │   │   ├── [ 14K]  mybusinessplaceactions.v1.json
│   │           │   │   │   ├── [ 14K]  mybusinessqanda.v1.json
│   │           │   │   │   ├── [ 25K]  mybusinessverifications.v1.json
│   │           │   │   │   ├── [130K]  netapp.v1.json
│   │           │   │   │   ├── [134K]  netapp.v1beta1.json
│   │           │   │   │   ├── [228K]  networkconnectivity.v1.json
│   │           │   │   │   ├── [ 79K]
networkconnectivity.v1alpha1.json
│   │           │   │   │   ├── [174K]  networkmanagement.v1.json
│   │           │   │   │   ├── [158K]  networkmanagement.v1beta1.json
│   │           │   │   │   ├── [314K]  networksecurity.v1.json
│   │           │   │   │   ├── [336K]  networksecurity.v1beta1.json
│   │           │   │   │   ├── [232K]  networkservices.v1.json
│   │           │   │   │   ├── [218K]  networkservices.v1beta1.json
│   │           │   │   │   ├── [155K]  notebooks.v1.json
│   │           │   │   │   ├── [ 79K]  notebooks.v2.json
```

```
│   │               │   │   │   ├── [6.4K]  oauth2.v2.json
│   │               │   │   │   ├── [ 18K]  observability.v1.json
│   │               │   │   │   ├── [ 92K]  ondemandscanning.v1.json
│   │               │   │   │   ├── [ 92K]  ondemandscanning.v1beta1.json
│   │               │   │   │   ├── [134K]  oracledatabase.v1.json
│   │               │   │   │   ├── [ 54K]  orgpolicy.v2.json
│   │               │   │   │   ├── [138K]  osconfig.v1.json
│   │               │   │   │   ├── [104K]  osconfig.v1alpha.json
│   │               │   │   │   ├── [ 85K]  osconfig.v1beta.json
│   │               │   │   │   ├── [ 86K]  osconfig.v2.json
│   │               │   │   │   ├── [ 87K]  osconfig.v2beta.json
│   │               │   │   │   ├── [ 13K]  oslogin.v1.json
│   │               │   │   │   ├── [ 21K]  oslogin.v1alpha.json
│   │               │   │   │   ├── [ 21K]  oslogin.v1beta.json
│   │               │   │   │   ├── [ 28K]  pagespeedonline.v5.json
│   │               │   │   │   ├── [ 36K]  parallelstore.v1.json
│   │               │   │   │   ├── [ 36K]  parallelstore.v1beta.json
│   │               │   │   │   ├── [ 32K]  parametermanager.v1.json
│   │               │   │   │   ├── [ 67K]
paymentsresellersubscription.v1.json
│   │               │   │   │   ├── [110K]  people.v1.json
│   │               │   │   │   ├── [108K]  places.v1.json
│   │               │   │   │   ├── [ 25K]  playablelocations.v3.json
│   │               │   │   │   ├── [5.1K]  playcustomapp.v1.json
│   │               │   │   │   ├── [145K]
playdeveloperreporting.v1alpha1.json
│   │               │   │   │   ├── [145K]
playdeveloperreporting.v1beta1.json
│   │               │   │   │   ├── [6.2K]  playgrouping.v1alpha1.json
│   │               │   │   │   ├── [ 22K]  playintegrity.v1.json
│   │               │   │   │   ├── [ 12K]  policyanalyzer.v1.json
│   │               │   │   │   ├── [ 11K]  policyanalyzer.v1beta1.json
│   │               │   │   │   ├── [101K]  policysimulator.v1.json
│   │               │   │   │   ├── [ 60K]  policysimulator.v1alpha.json
│   │               │   │   │   ├── [105K]  policysimulator.v1beta.json
│   │               │   │   │   ├── [ 53K]  policysimulator.v1beta1.json
│   │               │   │   │   ├── [ 31K]  policytroubleshooter.v1.json
│   │               │   │   │   ├── [ 29K]  policytroubleshooter.v1beta.json
│   │               │   │   │   ├── [ 21K]  pollen.v1.json
│   │               │   │   │   ├── [ 26K]  poly.v1.json
│   │               │   │   │   ├── [149K]  privateca.v1.json
│   │               │   │   │   ├── [ 43K]  privateca.v1beta1.json
│   │               │   │   │   ├── [ 98K]  prod_tt_sasportal.v1alpha1.json
│   │               │   │   │   ├── [4.7K]  publicca.v1.json
│   │               │   │   │   ├── [4.8K]  publicca.v1alpha1.json
│   │               │   │   │   ├── [4.8K]  publicca.v1beta1.json
│   │               │   │   │   ├── [128K]  pubsub.v1.json
│   │               │   │   │   ├── [ 25K]  pubsub.v1beta1a.json
│   │               │   │   │   ├── [ 50K]  pubsub.v1beta2.json
│   │               │   │   │   ├── [ 52K]  pubsublite.v1.json
│   │               │   │   │   ├── [ 32K]  rapidmigrationassessment.v1.json
│   │               │   │   │   ├── [9.0K]
readerrevenuesubscriptionlinking.v1.json
│   │               │   │   │   ├── [116K]  realtimebidding.v1.json
│   │               │   │   │   ├── [ 18K]  realtimebidding.v1alpha.json
│   │               │   │   │   ├── [ 97K]  recaptchaenterprise.v1.json
```

```
│   │             │   │   │   ├── [ 86K]
recommendationengine.v1beta1.json
│   │             │   │   │   ├── [ 97K]  recommender.v1.json
│   │             │   │   │   ├── [109K]  recommender.v1beta1.json
│   │             │   │   │   ├── [163K]  redis.v1.json
│   │             │   │   │   ├── [164K]  redis.v1beta1.json
│   │             │   │   │   ├── [115K]  remotebuildexecution.v1.json
│   │             │   │   │   ├── [122K]
remotebuildexecution.v1alpha.json
│   │             │   │   │   ├── [145K]  remotebuildexecution.v2.json
│   │             │   │   │   ├── [ 48K]  reseller.v1.json
│   │             │   │   │   ├── [ 22K]  resourcesettings.v1.json
│   │             │   │   │   ├── [370K]  retail.v2.json
│   │             │   │   │   ├── [430K]  retail.v2alpha.json
│   │             │   │   │   ├── [389K]  retail.v2beta.json
│   │             │   │   │   ├── [253K]  run.v1.json
│   │             │   │   │   ├── [ 68K]  run.v1alpha1.json
│   │             │   │   │   ├── [ 39K]  run.v1beta1.json
│   │             │   │   │   ├── [260K]  run.v2.json
│   │             │   │   │   ├── [ 10K]  runtimeconfig.v1.json
│   │             │   │   │   ├── [ 54K]  runtimeconfig.v1beta1.json
│   │             │   │   │   ├── [120K]  saasservicemgmt.v1beta1.json
│   │             │   │   │   ├── [ 37K]  safebrowsing.v4.json
│   │             │   │   │   ├── [ 28K]  safebrowsing.v5.json
│   │             │   │   │   ├── [ 97K]  sasportal.v1alpha1.json
│   │             │   │   │   ├── [ 48K]  script.v1.json
│   │             │   │   │   ├── [324K]  searchads360.v0.json
│   │             │   │   │   ├── [ 42K]  searchconsole.v1.json
│   │             │   │   │   ├── [ 75K]  secretmanager.v1.json
│   │             │   │   │   ├── [ 48K]  secretmanager.v1beta1.json
│   │             │   │   │   ├── [ 76K]  secretmanager.v1beta2.json
│   │             │   │   │   ├── [594K]  securitycenter.v1.json
│   │             │   │   │   ├── [358K]  securitycenter.v1beta1.json
│   │             │   │   │   ├── [380K]  securitycenter.v1beta2.json
│   │             │   │   │   ├── [ 70K]  securityposture.v1.json
│   │             │   │   │   ├── [161K]
serviceconsumermanagement.v1.json
│   │             │   │   │   ├── [169K]
serviceconsumermanagement.v1beta1.json
│   │             │   │   │   ├── [ 96K]  servicecontrol.v1.json
│   │             │   │   │   ├── [ 54K]  servicecontrol.v2.json
│   │             │   │   │   ├── [ 53K]  servicedirectory.v1.json
│   │             │   │   │   ├── [ 58K]  servicedirectory.v1beta1.json
│   │             │   │   │   ├── [182K]  servicemanagement.v1.json
│   │             │   │   │   ├── [196K]  servicenetworking.v1.json
│   │             │   │   │   ├── [150K]  servicenetworking.v1beta.json
│   │             │   │   │   ├── [167K]  serviceusage.v1.json
│   │             │   │   │   ├── [204K]  serviceusage.v1beta1.json
│   │             │   │   │   ├── [293K]  sheets.v4.json
│   │             │   │   │   ├── [8.2K]  siteVerification.v1.json
│   │             │   │   │   ├── [181K]  slides.v1.json
│   │             │   │   │   ├── [ 13K]  smartdevicemanagement.v1.json
│   │             │   │   │   ├── [ 38K]  solar.v1.json
│   │             │   │   │   ├── [ 38K]  sourcerepo.v1.json
│   │             │   │   │   ├── [361K]  spanner.v1.json
│   │             │   │   │   ├── [ 63K]  speech.v1.json
```

```
│   │               │   │   │   ├── [ 64K]  speech.v1p1beta1.json
│   │               │   │   │   ├── [ 18K]  speech.v2beta1.json
│   │               │   │   │   ├── [233K]  sqladmin.v1.json
│   │               │   │   │   ├── [235K]  sqladmin.v1beta4.json
│   │               │   │   │   ├── [194K]  storage.v1.json
│   │               │   │   │   ├── [ 38K]  storagebatchoperations.v1.json
│   │               │   │   │   ├── [ 83K]  storagetransfer.v1.json
│   │               │   │   │   ├── [ 47K]  streetviewpublish.v1.json
│   │               │   │   │   ├── [ 33K]  sts.v1.json
│   │               │   │   │   ├── [ 31K]  sts.v1beta.json
│   │               │   │   │   ├── [ 73K]  tagmanager.v1.json
│   │               │   │   │   ├── [155K]  tagmanager.v2.json
│   │               │   │   │   ├── [ 23K]  tasks.v1.json
│   │               │   │   │   ├── [ 96K]  testing.v1.json
│   │               │   │   │   ├── [ 29K]  texttospeech.v1.json
│   │               │   │   │   ├── [ 27K]  texttospeech.v1beta1.json
│   │               │   │   │   ├── [127K]  toolresults.v1beta3.json
│   │               │   │   │   ├── [ 32K]  tpu.v1.json
│   │               │   │   │   ├── [ 32K]  tpu.v1alpha1.json
│   │               │   │   │   ├── [ 56K]  tpu.v2.json
│   │               │   │   │   ├── [ 68K]  tpu.v2alpha1.json
│   │               │   │   │   ├── [ 32K]  trafficdirector.v2.json
│   │               │   │   │   ├── [ 51K]  trafficdirector.v3.json
│   │               │   │   │   ├── [ 67K]  transcoder.v1.json
│   │               │   │   │   ├── [ 59K]  transcoder.v1beta1.json
│   │               │   │   │   ├── [ 12K]  translate.v2.json
│   │               │   │   │   ├── [117K]  translate.v3.json
│   │               │   │   │   ├── [ 67K]  translate.v3beta1.json
│   │               │   │   │   ├── [ 14K]  travelimpactmodel.v1.json
│   │               │   │   │   ├── [ 76K]  vault.v1.json
│   │               │   │   │   ├── [ 47K]  vectortile.v1.json
│   │               │   │   │   ├── [6.6K]  verifiedaccess.v1.json
│   │               │   │   │   ├── [ 20K]  verifiedaccess.v2.json
│   │               │   │   │   ├── [ 17K]  versionhistory.v1.json
│   │               │   │   │   ├── [174K]  videointelligence.v1.json
│   │               │   │   │   ├── [166K]  videointelligence.v1beta2.json
│   │               │   │   │   ├── [166K]  videointelligence.v1p1beta1.json
│   │               │   │   │   ├── [166K]  videointelligence.v1p2beta1.json
│   │               │   │   │   ├── [166K]  videointelligence.v1p3beta1.json
│   │               │   │   │   ├── [306K]  vision.v1.json
│   │               │   │   │   ├── [272K]  vision.v1p1beta1.json
│   │               │   │   │   ├── [272K]  vision.v1p2beta1.json
│   │               │   │   │   ├── [187K]  vmmigration.v1.json
│   │               │   │   │   ├── [194K]  vmmigration.v1alpha1.json
│   │               │   │   │   ├── [275K]  vmwareengine.v1.json
│   │               │   │   │   ├── [ 21K]  vpcaccess.v1.json
│   │               │   │   │   ├── [ 21K]  vpcaccess.v1beta1.json
│   │               │   │   │   ├── [347K]  walletobjects.v1.json
│   │               │   │   │   ├── [6.3K]  webfonts.v1.json
│   │               │   │   │   ├── [ 20K]  webmasters.v3.json
│   │               │   │   │   ├── [ 26K]  webrisk.v1.json
│   │               │   │   │   ├── [ 44K]  websecurityscanner.v1.json
│   │               │   │   │   ├── [ 36K]  websecurityscanner.v1alpha.json
│   │               │   │   │   ├── [ 42K]  websecurityscanner.v1beta.json
│   │               │   │   │   ├── [ 38K]  workflowexecutions.v1.json
│   │               │   │   │   ├── [ 14K]  workflowexecutions.v1beta.json
```

```
│   │               │   │   │   ├── [ 28K]  workflows.v1.json
│   │               │   │   │   ├── [ 22K]  workflows.v1beta.json
│   │               │   │   │   ├── [ 88K]  workloadmanager.v1.json
│   │               │   │   │   ├── [ 31K]  workspaceevents.v1.json
│   │               │   │   │   ├── [104K]  workstations.v1.json
│   │               │   │   │   ├── [107K]  workstations.v1beta.json
│   │               │   │   │   ├── [368K]  youtube.v3.json
│   │               │   │   │   ├── [3.1K]  youtubeAnalytics.v1.json
│   │               │   │   │   ├── [ 28K]  youtubeAnalytics.v2.json
│   │               │   │   │   └── [ 23K]  youtubereporting.v1.json
│   │               │   │   └── [4.7K]  file_cache.py
│   │               │   ├── [5.3K]  errors.py
│   │               │   ├── [ 67K]  http.py
│   │               │   ├── [6.4K]  mimeparse.py
│   │               │   ├── [ 14K]  model.py
│   │               │   ├── [4.2K]  sample_tools.py
│   │               │   ├── [ 10K]  schema.py
│   │               │   └── [ 599]  version.py
│   │               ├── [ 256]  googleapis_common_protos-1.70.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE
│   │               │   ├── [9.1K]  METADATA
│   │               │   ├── [ 27K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   └── [   7]  top_level.txt
│   │               ├── [ 672]  grpc
│   │               │   ├── [ 80K]  __init__.py
│   │               │   ├── [2.6K]  _auth.py
│   │               │   ├── [ 79K]  _channel.py
│   │               │   ├── [6.6K]  _common.py
│   │               │   ├── [1.9K]  _compression.py
│   │               │   ├── [ 192]  _cython
│   │               │   │   ├── [ 577]  __init__.py
│   │               │   │   ├── [  96]  _credentials
│   │               │   │   │   └── [258K]  roots.pem
│   │               │   │   ├── [  96]  _cygrpc
│   │               │   │   │   └── [ 577]  __init__.py
│   │               │   │   └── [ 32M]  cygrpc.cpython-39-darwin.so
│   │               │   ├── [  26]  _grpcio_metadata.py
│   │               │   ├── [ 25K]  _interceptor.py
│   │               │   ├── [ 10K]  _observability.py
│   │               │   ├── [4.3K]  _plugin_wrapping.py
│   │               │   ├── [5.7K]  _runtime_protos.py
│   │               │   ├── [ 50K]  _server.py
│   │               │   ├── [ 24K]  _simple_stubs.py
│   │               │   ├── [2.7K]  _typing.py
│   │               │   ├── [6.9K]  _utilities.py
│   │               │   ├── [ 416]  aio
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [7.4K]  _base_call.py
│   │               │   │   ├── [ 14K]  _base_channel.py
│   │               │   │   ├── [ 12K]  _base_server.py
│   │               │   │   ├── [ 25K]  _call.py
│   │               │   │   ├── [ 22K]  _channel.py
│   │               │   │   ├── [ 40K]  _interceptor.py
│   │               │   │   ├── [4.9K]  _metadata.py
```

```
│   │               │   │   ├── [8.7K]  _server.py
│   │               │   │   ├── [1.3K]  _typing.py
│   │               │   │   └── [ 821]  _utils.py
│   │               │   ├── [ 288]  beta
│   │               │   │   ├── [ 577]  __init__.py
│   │               │   │   ├── [ 26K]  _client_adaptations.py
│   │               │   │   ├── [1.6K]  _metadata.py
│   │               │   │   ├── [ 14K]  _server_adaptations.py
│   │               │   │   ├── [ 12K]  implementations.py
│   │               │   │   ├── [5.9K]  interfaces.py
│   │               │   │   └── [4.9K]  utilities.py
│   │               │   ├── [ 192]  experimental
│   │               │   │   ├── [4.0K]  __init__.py
│   │               │   │   ├── [  96]  aio
│   │               │   │   │   └── [ 660]  __init__.py
│   │               │   │   ├── [ 973]  gevent.py
│   │               │   │   └── [1.5K]  session_cache.py
│   │               │   └── [ 192]  framework
│   │               │       ├── [ 577]  __init__.py
│   │               │       ├── [ 160]  common
│   │               │       │   ├── [ 577]  __init__.py
│   │               │       │   ├── [ 988]  cardinality.py
│   │               │       │   └── [ 824]  style.py
│   │               │       ├── [ 288]  foundation
│   │               │       │   ├── [ 577]  __init__.py
│   │               │       │   ├── [ 878]  abandonment.py
│   │               │       │   ├── [3.1K]  callable_util.py
│   │               │       │   ├── [8.2K]  future.py
│   │               │       │   ├── [2.2K]  logging_pool.py
│   │               │       │   ├── [1.3K]  stream.py
│   │               │       │   └── [4.7K]  stream_util.py
│   │               │       └── [ 160]  interfaces
│   │               │           ├── [ 577]  __init__.py
│   │               │           ├── [ 160]  base
│   │               │           │   ├── [ 577]  __init__.py
│   │               │           │   ├── [ 12K]  base.py
│   │               │           │   └── [2.3K]  utilities.py
│   │               │           └── [ 160]  face
│   │               │               ├── [ 577]  __init__.py
│   │               │               ├── [ 39K]  face.py
│   │               │               └── [6.6K]  utilities.py
│   │               ├── [ 256]  grpcio-1.74.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 29K]  LICENSE
│   │               │   ├── [3.7K]  METADATA
│   │               │   ├── [ 14K]  RECORD
│   │               │   ├── [ 109]  WHEEL
│   │               │   └── [   5]  top_level.txt
│   │               ├── [ 448]  h11
│   │               │   ├── [1.5K]  __init__.py
│   │               │   ├── [4.7K]  _abnf.py
│   │               │   ├── [ 26K]  _connection.py
│   │               │   ├── [ 12K]  _events.py
│   │               │   ├── [ 10K]  _headers.py
│   │               │   ├── [8.4K]  _readers.py
│   │               │   ├── [5.1K]  _receivebuffer.py
```

```
│   │               │   ├── [ 13K]  _state.py
│   │               │   ├── [4.8K]  _util.py
│   │               │   ├── [ 686]  _version.py
│   │               │   ├── [5.0K]  _writers.py
│   │               │   └── [   7]  py.typed
│   │               ├── [ 256]  h11-0.16.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [8.2K]  METADATA
│   │               │   ├── [2.9K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.1K]  LICENSE.txt
│   │               │   └── [   4]  top_level.txt
│   │               ├── [ 128]  hf_xet
│   │               │   ├── [ 107]  __init__.py
│   │               │   └── [5.2M]  hf_xet.abi3.so
│   │               ├── [ 224]  hf_xet-1.1.5.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 879]  METADATA
│   │               │   ├── [ 695]  RECORD
│   │               │   ├── [ 102]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [ 11K]  LICENSE
│   │               ├── [ 448]  httpcore
│   │               │   ├── [3.4K]  __init__.py
│   │               │   ├── [3.1K]  _api.py
│   │               │   ├── [ 320]  _async
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [8.3K]  connection.py
│   │               │   │   ├── [ 17K]  connection_pool.py
│   │               │   │   ├── [ 14K]  http11.py
│   │               │   │   ├── [ 23K]  http2.py
│   │               │   │   ├── [ 14K]  http_proxy.py
│   │               │   │   ├── [4.4K]  interfaces.py
│   │               │   │   └── [ 14K]  socks_proxy.py
│   │               │   ├── [ 288]  _backends
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [5.1K]  anyio.py
│   │               │   │   ├── [1.6K]  auto.py
│   │               │   │   ├── [3.0K]  base.py
│   │               │   │   ├── [4.0K]  mock.py
│   │               │   │   ├── [7.8K]  sync.py
│   │               │   │   └── [5.9K]  trio.py
│   │               │   ├── [1.2K]  _exceptions.py
│   │               │   ├── [ 17K]  _models.py
│   │               │   ├── [ 187]  _ssl.py
│   │               │   ├── [ 320]  _sync
│   │               │   │   ├── [1.1K]  __init__.py
│   │               │   │   ├── [8.0K]  connection.py
│   │               │   │   ├── [ 17K]  connection_pool.py
│   │               │   │   ├── [ 13K]  http11.py
│   │               │   │   ├── [ 23K]  http2.py
│   │               │   │   ├── [ 14K]  http_proxy.py
│   │               │   │   ├── [4.2K]  interfaces.py
│   │               │   │   └── [ 13K]  socks_proxy.py
│   │               │   ├── [9.2K]  _synchronization.py
```

```
│   │               │   ├── [3.9K]  _trace.py
│   │               │   ├── [1.5K]  _utils.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 224]  httpcore-1.0.9.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 21K]  METADATA
│   │               │   ├── [7.7K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.5K]  LICENSE.md
│   │               ├── [ 288]  httplib2
│   │               │   ├── [ 68K]  __init__.py
│   │               │   ├── [2.1K]  auth.py
│   │               │   ├── [134K]  cacerts.txt
│   │               │   ├── [ 971]  certs.py
│   │               │   ├── [ 954]  error.py
│   │               │   ├── [4.1K]  iri2uri.py
│   │               │   └── [ 19K]  socks.py
│   │               ├── [ 256]  httplib2-0.22.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [2.6K]  METADATA
│   │               │   ├── [1.9K]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   └── [   9]  top_level.txt
│   │               ├── [ 160]  httptools
│   │               │   ├── [ 147]  __init__.py
│   │               │   ├── [ 575]  _version.py
│   │               │   └── [ 352]  parser
│   │               │       ├── [ 166]  __init__.py
│   │               │       ├── [4.9K]  cparser.pxd
│   │               │       ├── [ 566]  errors.py
│   │               │       ├── [196K]  parser.cpython-39-darwin.so
│   │               │       ├── [ 15K]  parser.pyx
│   │               │       ├── [ 138]  python.pxd
│   │               │       ├── [ 779]  url_cparser.pxd
│   │               │       ├── [120K]  url_parser.cpython-39-darwin.so
│   │               │       └── [3.7K]  url_parser.pyx
│   │               ├── [ 256]  httptools-0.6.4.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [3.5K]  METADATA
│   │               │   ├── [2.0K]  RECORD
│   │               │   ├── [ 107]  WHEEL
│   │               │   └── [  10]  top_level.txt
│   │               ├── [ 672]  httpx
│   │               │   ├── [2.1K]  __init__.py
│   │               │   ├── [ 108]  __version__.py
│   │               │   ├── [ 11K]  _api.py
│   │               │   ├── [ 12K]  _auth.py
│   │               │   ├── [ 64K]  _client.py
│   │               │   ├── [8.3K]  _config.py
│   │               │   ├── [8.0K]  _content.py
│   │               │   ├── [ 12K]  _decoders.py
│   │               │   ├── [8.3K]  _exceptions.py
│   │               │   ├── [ 15K]  _main.py
```

```
│   │               │   ├── [ 44K]  _models.py
│   │               │   ├── [9.6K]  _multipart.py
│   │               │   ├── [5.5K]  _status_codes.py
│   │               │   ├── [ 256]  _transports
│   │               │   │   ├── [ 275]  __init__.py
│   │               │   │   ├── [5.4K]  asgi.py
│   │               │   │   ├── [2.5K]  base.py
│   │               │   │   ├── [ 14K]  default.py
│   │               │   │   ├── [1.2K]  mock.py
│   │               │   │   └── [4.7K]  wsgi.py
│   │               │   ├── [2.9K]  _types.py
│   │               │   ├── [ 18K]  _urlparse.py
│   │               │   ├── [ 21K]  _urls.py
│   │               │   ├── [8.1K]  _utils.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  httpx-0.28.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.9K]  METADATA
│   │               │   ├── [5.7K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   ├── [  37]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.5K]  LICENSE.md
│   │               ├── [ 256]  httpx_sse
│   │               │   ├── [ 282]  __init__.py
│   │               │   ├── [2.3K]  _api.py
│   │               │   ├── [1.7K]  _decoders.py
│   │               │   ├── [  62]  _exceptions.py
│   │               │   ├── [1.2K]  _models.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  httpx_sse-0.4.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [9.2K]  METADATA
│   │               │   ├── [1.7K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.0K]  LICENSE
│   │               │   └── [  10]  top_level.txt
│   │               ├── [1.2K]  huggingface_hub
│   │               │   ├── [ 51K]  __init__.py
│   │               │   ├── [ 38K]  _commit_api.py
│   │               │   ├── [ 14K]  _commit_scheduler.py
│   │               │   ├── [ 17K]  _inference_endpoints.py
│   │               │   ├── [5.3K]  _jobs_api.py
│   │               │   ├── [ 17K]  _local_folder.py
│   │               │   ├── [ 20K]  _login.py
│   │               │   ├── [ 18K]  _oauth.py
│   │               │   ├── [ 16K]  _snapshot_download.py
│   │               │   ├── [5.3K]  _space_api.py
│   │               │   ├── [8.2K]  _tensorboard_logger.py
│   │               │   ├── [ 25K]  _upload_large_folder.py
│   │               │   ├── [3.5K]  _webhooks_payload.py
│   │               │   ├── [ 15K]  _webhooks_server.py
│   │               │   ├── [ 480]  cli
│   │               │   │   ├── [ 928]  __init__.py
│   │               │   │   ├── [2.0K]  _cli_utils.py
```

```
│   │               │   │   ├── [7.1K]  auth.py
│   │               │   │   ├── [ 15K]  cache.py
│   │               │   │   ├── [6.9K]  download.py
│   │               │   │   ├── [2.3K]  hf.py
│   │               │   │   ├── [ 20K]  jobs.py
│   │               │   │   ├── [7.1K]  lfs.py
│   │               │   │   ├── [ 10K]  repo.py
│   │               │   │   ├── [4.7K]  repo_files.py
│   │               │   │   ├── [1.7K]  system.py
│   │               │   │   ├── [ 14K]  upload.py
│   │               │   │   └── [6.0K]  upload_large_folder.py
│   │               │   ├── [ 544]  commands
│   │               │   │   ├── [ 928]  __init__.py
│   │               │   │   ├── [2.3K]  _cli_utils.py
│   │               │   │   ├── [ 17K]  delete_cache.py
│   │               │   │   ├── [8.1K]  download.py
│   │               │   │   ├── [1.3K]  env.py
│   │               │   │   ├── [2.6K]  huggingface_cli.py
│   │               │   │   ├── [7.2K]  lfs.py
│   │               │   │   ├── [5.9K]  repo.py
│   │               │   │   ├── [4.9K]  repo_files.py
│   │               │   │   ├── [8.5K]  scan_cache.py
│   │               │   │   ├── [6.2K]  tag.py
│   │               │   │   ├── [ 14K]  upload.py
│   │               │   │   ├── [6.1K]  upload_large_folder.py
│   │               │   │   ├── [7.4K]  user.py
│   │               │   │   └── [1.4K]  version.py
│   │               │   ├── [ 12K]  community.py
│   │               │   ├── [ 10K]  constants.py
│   │               │   ├── [ 17K]  dataclasses.py
│   │               │   ├── [ 11K]  errors.py
│   │               │   ├── [ 16K]  fastai_utils.py
│   │               │   ├── [ 77K]  file_download.py
│   │               │   ├── [454K]  hf_api.py
│   │               │   ├── [ 46K]  hf_file_system.py
│   │               │   ├── [ 37K]  hub_mixin.py
│   │               │   ├── [ 256]  inference
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [158K]  _client.py
│   │               │   │   ├── [ 16K]  _common.py
│   │               │   │   ├── [ 160]  _generated
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [164K]  _async_client.py
│   │               │   │   │   └── [1.1K]  types
│   │               │   │   │       ├── [6.4K]  __init__.py
│   │               │   │   │       ├── [1.5K]  audio_classification.py
│   │               │   │   │       ├── [ 891]  audio_to_audio.py
│   │               │   │   │       ├── [5.4K]
automatic_speech_recognition.py
│   │               │   │   │       ├── [6.6K]  base.py
│   │               │   │   │       ├── [ 11K]  chat_completion.py
│   │               │   │   │       ├── [ 929]  depth_estimation.py
│   │               │   │   │       ├── [3.1K]
document_question_answering.py
│   │               │   │   │       ├── [1.5K]  feature_extraction.py
│   │               │   │   │       ├── [1.7K]  fill_mask.py
```

```
│   │               │   │   │       ├── [1.5K]  image_classification.py
│   │               │   │   │       ├── [1.9K]  image_segmentation.py
│   │               │   │   │       ├── [2.0K]  image_to_image.py
│   │               │   │   │       ├── [4.7K]  image_to_text.py
│   │               │   │   │       ├── [2.2K]  image_to_video.py
│   │               │   │   │       ├── [2.0K]  object_detection.py
│   │               │   │   │       ├── [2.8K]  question_answering.py
│   │               │   │   │       ├── [1.0K]  sentence_similarity.py
│   │               │   │   │       ├── [1.5K]  summarization.py
│   │               │   │   │       ├── [2.2K]  table_question_answering.py
│   │               │   │   │       ├── [1.6K]  text2text_generation.py
│   │               │   │   │       ├── [1.4K]  text_classification.py
│   │               │   │   │       ├── [5.8K]  text_generation.py
│   │               │   │   │       ├── [4.6K]  text_to_audio.py
│   │               │   │   │       ├── [1.9K]  text_to_image.py
│   │               │   │   │       ├── [4.6K]  text_to_speech.py
│   │               │   │   │       ├── [1.7K]  text_to_video.py
│   │               │   │   │       ├── [1.9K]  token_classification.py
│   │               │   │   │       ├── [1.7K]  translation.py
│   │               │   │   │       ├── [1.6K]  video_classification.py
│   │               │   │   │       ├── [1.6K]  visual_question_answering.py
│   │               │   │   │       ├── [1.7K]  zero_shot_classification.py
│   │               │   │   │       ├── [1.5K]
zero_shot_image_classification.py
│   │               │   │   │       └── [1.6K]
zero_shot_object_detection.py
│   │               │   │   ├── [ 320]  _mcp
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.1K]  _cli_hacks.py
│   │               │   │   │   ├── [4.2K]  agent.py
│   │               │   │   │   ├── [9.4K]  cli.py
│   │               │   │   │   ├── [2.4K]  constants.py
│   │               │   │   │   ├── [ 15K]  mcp_client.py
│   │               │   │   │   ├── [ 815]  types.py
│   │               │   │   │   └── [4.0K]  utils.py
│   │               │   │   └── [ 640]  _providers
│   │               │   │       ├── [8.1K]  __init__.py
│   │               │   │       ├── [ 11K]  _common.py
│   │               │   │       ├── [2.8K]  black_forest_labs.py
│   │               │   │       ├── [ 210]  cerebras.py
│   │               │   │       ├── [1.2K]  cohere.py
│   │               │   │       ├── [8.5K]  fal_ai.py
│   │               │   │       ├── [1.3K]  featherless_ai.py
│   │               │   │       ├── [1.2K]  fireworks_ai.py
│   │               │   │       ├── [ 315]  groq.py
│   │               │   │       ├── [9.3K]  hf_inference.py
│   │               │   │       ├── [1.9K]  hyperbolic.py
│   │               │   │       ├── [3.5K]  nebius.py
│   │               │   │       ├── [2.5K]  novita.py
│   │               │   │       ├── [1.8K]  nscale.py
│   │               │   │       ├── [1.1K]  openai.py
│   │               │   │       ├── [3.7K]  replicate.py
│   │               │   │       ├── [2.0K]  sambanova.py
│   │               │   │       └── [3.4K]  together.py
│   │               │   ├── [8.1K]  inference_api.py
│   │               │   ├── [ 19K]  keras_mixin.py
```

```
│   │   │   │   │   ├── [ 16K]  lfs.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 34K]  repocard.py
│   │   │   │   │   ├── [ 33K]  repocard_data.py
│   │   │   │   │   ├── [ 53K]  repository.py
│   │   │   │   │   ├── [ 224]  serialization
│   │   │   │   │   │   ├── [1.0K]  __init__.py
│   │   │   │   │   │   ├── [7.9K]  _base.py
│   │   │   │   │   │   ├── [ 15K]  _dduf.py
│   │   │   │   │   │   ├── [3.5K]  _tensorflow.py
│   │   │   │   │   │   └── [ 44K]  _torch.py
│   │   │   │   │   ├── [ 128]  templates
│   │   │   │   │   │   ├── [5.4K]  datasetcard_template.md
│   │   │   │   │   │   └── [6.7K]  modelcard_template.md
│   │   │   │   │   └── [1.0K]  utils
│   │   │   │   │       ├── [3.6K]  __init__.py
│   │   │   │   │       ├── [8.1K]  _auth.py
│   │   │   │   │       ├── [5.6K]  _cache_assets.py
│   │   │   │   │       ├── [ 34K]  _cache_manager.py
│   │   │   │   │       ├── [2.1K]  _chunk_utils.py
│   │   │   │   │       ├── [2.7K]  _datetime.py
│   │   │   │   │       ├── [4.8K]  _deprecation.py
│   │   │   │   │       ├── [1.6K]  _dotenv.py
│   │   │   │   │       ├── [2.4K]  _experimental.py
│   │   │   │   │       ├── [4.3K]  _fixes.py
│   │   │   │   │       ├── [4.5K]  _git_credential.py
│   │   │   │   │       ├── [8.7K]  _headers.py
│   │   │   │   │       ├── [2.4K]  _hf_folder.py
│   │   │   │   │       ├── [ 25K]  _http.py
│   │   │   │   │       ├── [3.9K]  _lfs.py
│   │   │   │   │       ├── [1.9K]  _pagination.py
│   │   │   │   │       ├── [4.9K]  _paths.py
│   │   │   │   │       ├── [ 11K]  _runtime.py
│   │   │   │   │       ├── [4.4K]  _safetensors.py
│   │   │   │   │       ├── [4.5K]  _subprocess.py
│   │   │   │   │       ├── [4.8K]  _telemetry.py
│   │   │   │   │       ├── [2.8K]  _typing.py
│   │   │   │   │       ├── [9.0K]  _validators.py
│   │   │   │   │       ├── [7.1K]  _xet.py
│   │   │   │   │       ├── [5.3K]  _xet_progress_reporting.py
│   │   │   │   │       ├── [2.3K]  endpoint_helpers.py
│   │   │   │   │       ├── [1.1K]  insecure_hashlib.py
│   │   │   │   │       ├── [4.8K]  logging.py
│   │   │   │   │       ├── [2.1K]  sha.py
│   │   │   │   │       └── [ 10K]  tqdm.py
│   │   │   ├── [ 288]  huggingface_hub-0.34.3.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   ├── [ 14K]  METADATA
│   │   │   │   ├── [ 43K]  RECORD
│   │   │   │   ├── [  92]  WHEEL
│   │   │   │   ├── [ 217]  entry_points.txt
│   │   │   │   └── [  16]  top_level.txt
│   │   │   ├── [ 512]  humanfriendly
│   │   │   │   ├── [ 31K]  __init__.py
│   │   │   │   ├── [5.9K]  case.py
```

```
│   │           │   ├── [9.6K]  cli.py
│   │           │   ├── [3.9K]  compat.py
│   │           │   ├── [1.5K]  decorators.py
│   │           │   ├── [9.3K]  deprecation.py
│   │           │   ├── [ 16K]  prompts.py
│   │           │   ├── [ 11K]  sphinx.py
│   │           │   ├── [ 14K]  tables.py
│   │           │   ├── [ 160]  terminal
│   │           │   │   ├── [ 30K]  __init__.py
│   │           │   │   ├── [ 16K]  html.py
│   │           │   │   └── [ 11K]  spinners.py
│   │           │   ├── [ 24K]  testing.py
│   │           │   ├── [ 67K]  tests.py
│   │           │   ├── [ 16K]  text.py
│   │           │   └── [ 13K]  usage.py
│   │           ├── [ 288]  humanfriendly-10.0.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.0K]  LICENSE.txt
│   │           │   ├── [9.0K]  METADATA
│   │           │   ├── [4.4K]  RECORD
│   │           │   ├── [ 110]  WHEEL
│   │           │   ├── [  58]  entry_points.txt
│   │           │   └── [  14]  top_level.txt
│   │           ├── [ 352]  idna
│   │           │   ├── [ 868]  __init__.py
│   │           │   ├── [3.3K]  codec.py
│   │           │   ├── [ 316]  compat.py
│   │           │   ├── [ 13K]  core.py
│   │           │   ├── [ 76K]  idnadata.py
│   │           │   ├── [1.9K]  intranges.py
│   │           │   ├── [  21]  package_data.py
│   │           │   ├── [   0]  py.typed
│   │           │   └── [234K]  uts46data.py
│   │           ├── [ 224]  idna-3.10.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.5K]  LICENSE.md
│   │           │   ├── [9.9K]  METADATA
│   │           │   ├── [2.1K]  RECORD
│   │           │   └── [  81]  WHEEL
│   │           ├── [ 448]  importlib_metadata
│   │           │   ├── [ 36K]  __init__.py
│   │           │   ├── [3.7K]  _adapters.py
│   │           │   ├── [ 760]  _collections.py
│   │           │   ├── [1.3K]  _compat.py
│   │           │   ├── [2.8K]  _functools.py
│   │           │   ├── [5.2K]  _itertools.py
│   │           │   ├── [1.7K]  _meta.py
│   │           │   ├── [2.1K]  _text.py
│   │           │   ├── [ 367]  _typing.py
│   │           │   ├── [ 160]  compat
│   │           │   │   ├── [   0]  __init__.py
│   │           │   │   ├── [ 608]  py311.py
│   │           │   │   └── [1.2K]  py39.py
│   │           │   ├── [ 379]  diagnose.py
│   │           │   └── [   0]  py.typed
│   │           ├── [ 256]  importlib_metadata-8.7.0.dist-info
```

```
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [4.6K]  METADATA
│   │   │   │   ├── [3.8K]  RECORD
│   │   │   │   ├── [  91]  WHEEL
│   │   │   │   ├── [  96]  licenses
│   │   │   │   │   └── [ 11K]  LICENSE
│   │   │   │   └── [  19]  top_level.txt
│   │   │   ├── [ 448]  importlib_resources
│   │   │   │   ├── [ 700]  __init__.py
│   │   │   │   ├── [4.4K]  _adapters.py
│   │   │   │   ├── [5.5K]  _common.py
│   │   │   │   ├── [2.7K]  _functional.py
│   │   │   │   ├── [1.2K]  _itertools.py
│   │   │   │   ├── [5.4K]  abc.py
│   │   │   │   ├── [ 128]  compat
│   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   └── [ 151]  py39.py
│   │   │   │   ├── [ 128]  future
│   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   └── [3.2K]  adapters.py
│   │   │   │   ├── [   0]  py.typed
│   │   │   │   ├── [6.1K]  readers.py
│   │   │   │   ├── [2.5K]  simple.py
│   │   │   │   └── [ 576]  tests
│   │   │   │       ├── [   0]  __init__.py
│   │   │   │       ├── [2.2K]  _path.py
│   │   │   │       ├── [ 160]  compat
│   │   │   │       │   ├── [   0]  __init__.py
│   │   │   │       │   ├── [ 364]  py312.py
│   │   │   │       │   └── [ 441]  py39.py
│   │   │   │       ├── [3.2K]  test_compatibilty_files.py
│   │   │   │       ├── [ 838]  test_contents.py
│   │   │   │       ├── [1.2K]  test_custom.py
│   │   │   │       ├── [5.6K]  test_files.py
│   │   │   │       ├── [8.9K]  test_functional.py
│   │   │   │       ├── [2.6K]  test_open.py
│   │   │   │       ├── [1.9K]  test_path.py
│   │   │   │       ├── [3.0K]  test_read.py
│   │   │   │       ├── [4.5K]  test_reader.py
│   │   │   │       ├── [7.5K]  test_resource.py
│   │   │   │       ├── [1.1K]  test_util.py
│   │   │   │       ├── [9.6K]  util.py
│   │   │   │       └── [ 577]  zip.py
│   │   │   ├── [ 256]  importlib_resources-6.5.2.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   ├── [3.9K]  METADATA
│   │   │   │   ├── [8.2K]  RECORD
│   │   │   │   ├── [  91]  WHEEL
│   │   │   │   └── [  20]  top_level.txt
│   │   │   ├── [ 11K]  isympy.py
│   │   │   ├── [ 352]  itsdangerous
│   │   │   │   ├── [1.4K]  __init__.py
│   │   │   │   ├── [ 473]  _json.py
│   │   │   │   ├── [1.4K]  encoding.py
│   │   │   │   ├── [3.1K]  exc.py
```

```
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 15K]  serializer.py
│   │               │   ├── [9.4K]  signer.py
│   │               │   ├── [7.9K]  timed.py
│   │               │   └── [2.4K]  url_safe.py
│   │               ├── [ 224]  itsdangerous-2.2.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.4K]  LICENSE.txt
│   │               │   ├── [1.9K]  METADATA
│   │               │   ├── [2.3K]  RECORD
│   │               │   └── [  81]  WHEEL
│   │               ├── [ 896]  jinja2
│   │               │   ├── [1.9K]  __init__.py
│   │               │   ├── [1.9K]  _identifier.py
│   │               │   ├── [2.8K]  async_utils.py
│   │               │   ├── [ 14K]  bccache.py
│   │               │   ├── [ 72K]  compiler.py
│   │               │   ├── [1.4K]  constants.py
│   │               │   ├── [6.1K]  debug.py
│   │               │   ├── [1.2K]  defaults.py
│   │               │   ├── [ 60K]  environment.py
│   │               │   ├── [5.0K]  exceptions.py
│   │               │   ├── [ 31K]  ext.py
│   │               │   ├── [ 54K]  filters.py
│   │               │   ├── [ 10K]  idtracking.py
│   │               │   ├── [ 29K]  lexer.py
│   │               │   ├── [ 23K]  loaders.py
│   │               │   ├── [4.3K]  meta.py
│   │               │   ├── [4.1K]  nativetypes.py
│   │               │   ├── [ 34K]  nodes.py
│   │               │   ├── [1.6K]  optimizer.py
│   │               │   ├── [ 39K]  parser.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 33K]  runtime.py
│   │               │   ├── [ 15K]  sandbox.py
│   │               │   ├── [5.8K]  tests.py
│   │               │   ├── [ 24K]  utils.py
│   │               │   └── [3.5K]  visitor.py
│   │               ├── [ 256]  jinja2-3.1.6.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.8K]  METADATA
│   │               │   ├── [6.0K]  RECORD
│   │               │   ├── [  82]  WHEEL
│   │               │   ├── [  58]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.4K]  LICENSE.txt
│   │               ├── [ 192]  jiter
│   │               │   ├── [ 103]  __init__.py
│   │               │   ├── [2.3K]  __init__.pyi
│   │               │   ├── [760K]  jiter.cpython-39-darwin.so
│   │               │   └── [   0]  py.typed
│   │               ├── [ 192]  jiter-0.10.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [5.1K]  METADATA
│   │               │   ├── [ 751]  RECORD
│   │               │   └── [ 102]  WHEEL
```

```
│   │   │   │   ├── [ 288]  jsonpatch-1.33.dist-info
│   │   │   │   │   ├── [ 140]  AUTHORS
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.4K]  LICENSE
│   │   │   │   │   ├── [2.9K]  METADATA
│   │   │   │   │   ├── [ 946]  RECORD
│   │   │   │   │   ├── [ 110]  WHEEL
│   │   │   │   │   └── [  10]  top_level.txt
│   │   │   │   ├── [ 29K]  jsonpatch.py
│   │   │   │   ├── [ 288]  jsonpointer-3.0.0.dist-info
│   │   │   │   │   ├── [ 113]  AUTHORS
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.4K]  LICENSE.txt
│   │   │   │   │   ├── [2.2K]  METADATA
│   │   │   │   │   ├── [ 898]  RECORD
│   │   │   │   │   ├── [ 110]  WHEEL
│   │   │   │   │   └── [  12]  top_level.txt
│   │   │   │   ├── [ 10K]  jsonpointer.py
│   │   │   │   ├── [ 512]  jsonschema
│   │   │   │   │   ├── [3.8K]  __init__.py
│   │   │   │   │   ├── [ 115]  __main__.py
│   │   │   │   │   ├── [ 15K]  _format.py
│   │   │   │   │   ├── [ 15K]  _keywords.py
│   │   │   │   │   ├── [ 15K]  _legacy_keywords.py
│   │   │   │   │   ├── [5.3K]  _types.py
│   │   │   │   │   ├── [ 630]  _typing.py
│   │   │   │   │   ├── [ 10K]  _utils.py
│   │   │   │   │   ├── [ 448]  benchmarks
│   │   │   │   │   │   ├── [  70]  __init__.py
│   │   │   │   │   │   ├── [ 830]  const_vs_enum.py
│   │   │   │   │   │   ├── [ 786]  contains.py
│   │   │   │   │   │   ├── [  96]  issue232
│   │   │   │   │   │   │   └── [114K]  issue.json
│   │   │   │   │   │   ├── [ 521]  issue232.py
│   │   │   │   │   │   ├── [ 320]  json_schema_test_suite.py
│   │   │   │   │   │   ├── [1.8K]  nested_schemas.py
│   │   │   │   │   │   ├── [1.1K]  subcomponents.py
│   │   │   │   │   │   ├── [ 940]  unused_registry.py
│   │   │   │   │   │   ├── [3.3K]  useless_applicator_schemas.py
│   │   │   │   │   │   ├── [ 867]  useless_keywords.py
│   │   │   │   │   │   └── [ 285]  validator_creation.py
│   │   │   │   │   ├── [8.2K]  cli.py
│   │   │   │   │   ├── [ 15K]  exceptions.py
│   │   │   │   │   ├── [7.0K]  protocols.py
│   │   │   │   │   ├── [ 416]  tests
│   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   ├── [8.2K]  _suite.py
│   │   │   │   │   │   ├── [1.1K]  fuzz_validate.py
│   │   │   │   │   │   ├── [ 28K]  test_cli.py
│   │   │   │   │   │   ├── [ 15K]  test_deprecations.py
│   │   │   │   │   │   ├── [ 24K]  test_exceptions.py
│   │   │   │   │   │   ├── [3.1K]  test_format.py
│   │   │   │   │   │   ├── [8.3K]  test_jsonschema_test_suite.py
│   │   │   │   │   │   ├── [6.8K]  test_types.py
│   │   │   │   │   │   ├── [4.1K]  test_utils.py
│   │   │   │   │   │   └── [ 86K]  test_validators.py
```

```
│   │   │   │   └── [ 46K]  validators.py
│   │   │   ├── [ 256]  jsonschema-4.25.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [7.5K]  METADATA
│   │   │   │   ├── [9.0K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   ├── [  51]  entry_points.txt
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [1.0K]  COPYING
│   │   │   ├── [ 192]  jsonschema_specifications
│   │   │   │   ├── [ 386]  __init__.py
│   │   │   │   ├── [1.1K]  _core.py
│   │   │   │   ├── [ 256]  schemas
│   │   │   │   │   ├── [ 128]  draft201909
│   │   │   │   │   │   ├── [1.7K]  metaschema.json
│   │   │   │   │   │   └── [ 224]  vocabularies
│   │   │   │   │   │       ├── [1.8K]  applicator
│   │   │   │   │   │       ├── [ 517]  content
│   │   │   │   │   │       ├── [1.5K]  core
│   │   │   │   │   │       ├── [ 892]  meta-data
│   │   │   │   │   │       └── [2.8K]  validation
│   │   │   │   │   ├── [ 128]  draft202012
│   │   │   │   │   │   ├── [2.4K]  metaschema.json
│   │   │   │   │   │   └── [ 352]  vocabularies
│   │   │   │   │   │       ├── [1.6K]  applicator
│   │   │   │   │   │       ├── [ 519]  content
│   │   │   │   │   │       ├── [1.5K]  core
│   │   │   │   │   │       ├── [ 403]  format
│   │   │   │   │   │       ├── [ 448]  format-annotation
│   │   │   │   │   │       ├── [ 445]  format-assertion
│   │   │   │   │   │       ├── [ 892]  meta-data
│   │   │   │   │   │       ├── [ 506]  unevaluated
│   │   │   │   │   │       └── [2.8K]  validation
│   │   │   │   │   ├── [  96]  draft3
│   │   │   │   │   │   └── [2.5K]  metaschema.json
│   │   │   │   │   ├── [  96]  draft4
│   │   │   │   │   │   └── [4.3K]  metaschema.json
│   │   │   │   │   ├── [  96]  draft6
│   │   │   │   │   │   └── [4.3K]  metaschema.json
│   │   │   │   │   └── [  96]  draft7
│   │   │   │   │       └── [4.7K]  metaschema.json
│   │   │   │   └── [ 128]  tests
│   │   │   │       ├── [   0]  __init__.py
│   │   │   │       └── [1.1K]  test_jsonschema_specifications.py
│   │   │   ├── [ 224]  jsonschema_specifications-2025.4.1.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [2.8K]  METADATA
│   │   │   │   ├── [4.0K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [1.0K]  COPYING
│   │   │   ├── [ 320]  kubernetes
│   │   │   │   ├── [ 844]  __init__.py
│   │   │   │   ├── [ 320]  client
│   │   │   │   │   ├── [ 62K]  __init__.py
│   │   │   │   │   ├── [2.1K]  api
```

```
│   │               │   │   │   ├── [4.5K]  __init__.py
│   │               │   │   │   ├── [5.1K]  admissionregistration_api.py
│   │               │   │   │   ├── [394K]  admissionregistration_v1_api.py
│   │               │   │   │   ├── [186K]
admissionregistration_v1alpha1_api.py
│   │               │   │   │   ├── [213K]
admissionregistration_v1beta1_api.py
│   │               │   │   │   ├── [5.1K]  apiextensions_api.py
│   │               │   │   │   ├── [122K]  apiextensions_v1_api.py
│   │               │   │   │   ├── [5.1K]  apiregistration_api.py
│   │               │   │   │   ├── [120K]  apiregistration_v1_api.py
│   │               │   │   │   ├── [5.1K]  apis_api.py
│   │               │   │   │   ├── [5.1K]  apps_api.py
│   │               │   │   │   ├── [776K]  apps_v1_api.py
│   │               │   │   │   ├── [5.1K]  authentication_api.py
│   │               │   │   │   ├── [ 24K]  authentication_v1_api.py
│   │               │   │   │   ├── [5.1K]  authorization_api.py
│   │               │   │   │   ├── [ 43K]  authorization_v1_api.py
│   │               │   │   │   ├── [5.1K]  autoscaling_api.py
│   │               │   │   │   ├── [150K]  autoscaling_v1_api.py
│   │               │   │   │   ├── [150K]  autoscaling_v2_api.py
│   │               │   │   │   ├── [5.1K]  batch_api.py
│   │               │   │   │   ├── [288K]  batch_v1_api.py
│   │               │   │   │   ├── [5.1K]  certificates_api.py
│   │               │   │   │   ├── [150K]  certificates_v1_api.py
│   │               │   │   │   ├── [ 94K]  certificates_v1alpha1_api.py
│   │               │   │   │   ├── [ 94K]  certificates_v1beta1_api.py
│   │               │   │   │   ├── [5.1K]  coordination_api.py
│   │               │   │   │   ├── [118K]  coordination_v1_api.py
│   │               │   │   │   ├── [119K]  coordination_v1alpha2_api.py
│   │               │   │   │   ├── [119K]  coordination_v1beta1_api.py
│   │               │   │   │   ├── [5.1K]  core_api.py
│   │               │   │   │   ├── [2.3M]  core_v1_api.py
│   │               │   │   │   ├── [327K]  custom_objects_api.py
│   │               │   │   │   ├── [5.1K]  discovery_api.py
│   │               │   │   │   ├── [119K]  discovery_v1_api.py
│   │               │   │   │   ├── [5.1K]  events_api.py
│   │               │   │   │   ├── [118K]  events_v1_api.py
│   │               │   │   │   ├── [5.1K]  flowcontrol_apiserver_api.py
│   │               │   │   │   ├── [237K]  flowcontrol_apiserver_v1_api.py
│   │               │   │   │   ├── [5.1K]  internal_apiserver_api.py
│   │               │   │   │   ├── [121K]
internal_apiserver_v1alpha1_api.py
│   │               │   │   │   ├── [9.3K]  logs_api.py
│   │               │   │   │   ├── [5.1K]  networking_api.py
│   │               │   │   │   ├── [552K]  networking_v1_api.py
│   │               │   │   │   ├── [208K]  networking_v1beta1_api.py
│   │               │   │   │   ├── [5.1K]  node_api.py
│   │               │   │   │   ├── [ 93K]  node_v1_api.py
│   │               │   │   │   ├── [5.3K]  openid_api.py
│   │               │   │   │   ├── [5.1K]  policy_api.py
│   │               │   │   │   ├── [149K]  policy_v1_api.py
│   │               │   │   │   ├── [5.1K]  rbac_authorization_api.py
│   │               │   │   │   ├── [408K]  rbac_authorization_v1_api.py
│   │               │   │   │   ├── [5.1K]  resource_api.py
│   │               │   │   │   ├── [529K]  resource_v1alpha3_api.py
```

```
│   │               │   │   │   ├── [440K]  resource_v1beta1_api.py
│   │               │   │   │   ├── [440K]  resource_v1beta2_api.py
│   │               │   │   │   ├── [5.1K]  scheduling_api.py
│   │               │   │   │   ├── [ 94K]  scheduling_v1_api.py
│   │               │   │   │   ├── [5.1K]  storage_api.py
│   │               │   │   │   ├── [499K]  storage_v1_api.py
│   │               │   │   │   ├── [ 95K]  storage_v1alpha1_api.py
│   │               │   │   │   ├── [ 95K]  storage_v1beta1_api.py
│   │               │   │   │   ├── [5.1K]  storagemigration_api.py
│   │               │   │   │   ├── [122K]  storagemigration_v1alpha1_api.py
│   │               │   │   │   ├── [5.0K]  version_api.py
│   │               │   │   │   └── [5.4K]  well_known_api.py
│   │               │   │   ├── [ 25K]  api_client.py
│   │               │   │   ├── [  96]  apis
│   │               │   │   │   └── [ 435]  __init__.py
│   │               │   │   ├── [ 13K]  configuration.py
│   │               │   │   ├── [3.7K]  exceptions.py
│   │               │   │   ├── [ 22K]  models
│   │               │   │   │   ├── [ 58K]  __init__.py
│   │               │   │   │   ├── [6.7K]
admissionregistration_v1_service_reference.py
│   │               │   │   │   ├── [8.0K]
admissionregistration_v1_webhook_client_config.py
│   │               │   │   │   ├── [6.5K]
apiextensions_v1_service_reference.py
│   │               │   │   │   ├── [7.9K]
apiextensions_v1_webhook_client_config.py
│   │               │   │   │   ├── [5.3K]
apiregistration_v1_service_reference.py
│   │               │   │   │   ├── [7.6K]
authentication_v1_token_request.py
│   │               │   │   │   ├── [7.8K]  core_v1_endpoint_port.py
│   │               │   │   │   ├── [ 18K]  core_v1_event.py
│   │               │   │   │   ├── [6.7K]  core_v1_event_list.py
│   │               │   │   │   ├── [4.4K]  core_v1_event_series.py
│   │               │   │   │   ├── [8.7K]  discovery_v1_endpoint_port.py
│   │               │   │   │   ├── [ 19K]  events_v1_event.py
│   │               │   │   │   ├── [6.8K]  events_v1_event_list.py
│   │               │   │   │   ├── [4.9K]  events_v1_event_series.py
│   │               │   │   │   ├── [5.7K]  flowcontrol_v1_subject.py
│   │               │   │   │   ├── [6.7K]  rbac_v1_subject.py
│   │               │   │   │   ├── [5.0K]  storage_v1_token_request.py
│   │               │   │   │   ├── [5.0K]  v1_affinity.py
│   │               │   │   │   ├── [4.0K]  v1_aggregation_rule.py
│   │               │   │   │   ├── [ 10K]  v1_api_group.py
│   │               │   │   │   ├── [6.0K]  v1_api_group_list.py
│   │               │   │   │   ├── [ 14K]  v1_api_resource.py
│   │               │   │   │   ├── [7.3K]  v1_api_resource_list.py
│   │               │   │   │   ├── [7.0K]  v1_api_service.py
│   │               │   │   │   ├── [7.2K]  v1_api_service_condition.py
│   │               │   │   │   ├── [6.7K]  v1_api_service_list.py
│   │               │   │   │   ├── [ 13K]  v1_api_service_spec.py
│   │               │   │   │   ├── [3.5K]  v1_api_service_status.py
│   │               │   │   │   ├── [8.7K]  v1_api_versions.py
│   │               │   │   │   ├── [5.2K]  v1_app_armor_profile.py
│   │               │   │   │   ├── [4.5K]  v1_attached_volume.py
```

```
│   │           │   │   │   ├── [7.3K]  v1_audit_annotation.py
│   │           │   │   │   ├── [7.8K]
v1_aws_elastic_block_store_volume_source.py
│   │           │   │   │   ├── [8.7K]  v1_azure_disk_volume_source.py
│   │           │   │   │   ├── [7.0K]
v1_azure_file_persistent_volume_source.py
│   │           │   │   │   ├── [5.7K]  v1_azure_file_volume_source.py
│   │           │   │   │   ├── [6.5K]  v1_binding.py
│   │           │   │   │   ├── [5.6K]  v1_bound_object_reference.py
│   │           │   │   │   ├── [4.0K]  v1_capabilities.py
│   │           │   │   │   ├── [8.8K]
v1_ceph_fs_persistent_volume_source.py
│   │           │   │   │   ├── [8.5K]  v1_ceph_fs_volume_source.py
│   │           │   │   │   ├── [7.6K]
v1_certificate_signing_request.py
│   │           │   │   │   ├── [ 10K]
v1_certificate_signing_request_condition.py
│   │           │   │   │   ├── [7.1K]
v1_certificate_signing_request_list.py
│   │           │   │   │   ├── [ 18K]
v1_certificate_signing_request_spec.py
│   │           │   │   │   ├── [7.7K]
v1_certificate_signing_request_status.py
│   │           │   │   │   ├── [7.0K]
v1_cinder_persistent_volume_source.py
│   │           │   │   │   ├── [6.8K]  v1_cinder_volume_source.py
│   │           │   │   │   ├── [3.9K]  v1_client_ip_config.py
│   │           │   │   │   ├── [7.4K]  v1_cluster_role.py
│   │           │   │   │   ├── [7.6K]  v1_cluster_role_binding.py
│   │           │   │   │   ├── [6.9K]  v1_cluster_role_binding_list.py
│   │           │   │   │   ├── [6.8K]  v1_cluster_role_list.py
│   │           │   │   │   ├── [7.9K]
v1_cluster_trust_bundle_projection.py
│   │           │   │   │   ├── [6.3K]  v1_component_condition.py
│   │           │   │   │   ├── [6.7K]  v1_component_status.py
│   │           │   │   │   ├── [6.8K]  v1_component_status_list.py
│   │           │   │   │   ├── [9.8K]  v1_condition.py
│   │           │   │   │   ├── [9.5K]  v1_config_map.py
│   │           │   │   │   ├── [4.7K]  v1_config_map_env_source.py
│   │           │   │   │   ├── [5.5K]  v1_config_map_key_selector.py
│   │           │   │   │   ├── [6.7K]  v1_config_map_list.py
│   │           │   │   │   ├── [8.3K]
v1_config_map_node_config_source.py
│   │           │   │   │   ├── [6.4K]  v1_config_map_projection.py
│   │           │   │   │   ├── [8.1K]  v1_config_map_volume_source.py
│   │           │   │   │   ├── [ 32K]  v1_container.py
│   │           │   │   │   ├── [4.4K]  v1_container_image.py
│   │           │   │   │   ├── [7.5K]  v1_container_port.py
│   │           │   │   │   ├── [5.1K]  v1_container_resize_policy.py
│   │           │   │   │   ├── [4.8K]  v1_container_state.py
│   │           │   │   │   ├── [3.5K]  v1_container_state_running.py
│   │           │   │   │   ├── [8.9K]  v1_container_state_terminated.py
│   │           │   │   │   ├── [4.3K]  v1_container_state_waiting.py
│   │           │   │   │   ├── [ 19K]  v1_container_status.py
│   │           │   │   │   ├── [3.3K]  v1_container_user.py
│   │           │   │   │   ├── [7.7K]  v1_controller_revision.py
```

```
│   │           │   │   │   ├── [6.9K]  v1_controller_revision_list.py
│   │           │   │   │   ├── [6.9K]  v1_cron_job.py
│   │           │   │   │   ├── [6.7K]  v1_cron_job_list.py
│   │           │   │   │   ├── [ 13K]  v1_cron_job_spec.py
│   │           │   │   │   ├── [5.6K]  v1_cron_job_status.py
│   │           │   │   │   ├── [5.8K]
v1_cross_version_object_reference.py
│   │           │   │   │   ├── [6.5K]  v1_csi_driver.py
│   │           │   │   │   ├── [6.7K]  v1_csi_driver_list.py
│   │           │   │   │   ├── [ 24K]  v1_csi_driver_spec.py
│   │           │   │   │   ├── [6.5K]  v1_csi_node.py
│   │           │   │   │   ├── [8.5K]  v1_csi_node_driver.py
│   │           │   │   │   ├── [6.7K]  v1_csi_node_list.py
│   │           │   │   │   ├── [3.8K]  v1_csi_node_spec.py
│   │           │   │   │   ├── [ 13K]
v1_csi_persistent_volume_source.py
│   │           │   │   │   ├── [ 12K]  v1_csi_storage_capacity.py
│   │           │   │   │   ├── [6.9K]  v1_csi_storage_capacity_list.py
│   │           │   │   │   ├── [7.9K]  v1_csi_volume_source.py
│   │           │   │   │   ├── [9.4K]
v1_custom_resource_column_definition.py
│   │           │   │   │   ├── [5.1K]  v1_custom_resource_conversion.py
│   │           │   │   │   ├── [7.6K]  v1_custom_resource_definition.py
│   │           │   │   │   ├── [7.8K]
v1_custom_resource_definition_condition.py
│   │           │   │   │   ├── [7.1K]
v1_custom_resource_definition_list.py
│   │           │   │   │   ├── [9.5K]
v1_custom_resource_definition_names.py
│   │           │   │   │   ├── [ 11K]
v1_custom_resource_definition_spec.py
│   │           │   │   │   ├── [6.4K]
v1_custom_resource_definition_status.py
│   │           │   │   │   ├── [ 14K]
v1_custom_resource_definition_version.py
│   │           │   │   │   ├── [8.6K]
v1_custom_resource_subresource_scale.py
│   │           │   │   │   ├── [4.8K]
v1_custom_resource_subresources.py
│   │           │   │   │   ├── [3.6K]  v1_custom_resource_validation.py
│   │           │   │   │   ├── [3.5K]  v1_daemon_endpoint.py
│   │           │   │   │   ├── [7.0K]  v1_daemon_set.py
│   │           │   │   │   ├── [7.1K]  v1_daemon_set_condition.py
│   │           │   │   │   ├── [6.7K]  v1_daemon_set_list.py
│   │           │   │   │   ├── [7.8K]  v1_daemon_set_spec.py
│   │           │   │   │   ├── [ 15K]  v1_daemon_set_status.py
│   │           │   │   │   ├── [4.4K]  v1_daemon_set_update_strategy.py
│   │           │   │   │   ├── [ 15K]  v1_delete_options.py
│   │           │   │   │   ├── [7.0K]  v1_deployment.py
│   │           │   │   │   ├── [8.1K]  v1_deployment_condition.py
│   │           │   │   │   ├── [6.7K]  v1_deployment_list.py
│   │           │   │   │   ├── [ 11K]  v1_deployment_spec.py
│   │           │   │   │   ├── [ 13K]  v1_deployment_status.py
│   │           │   │   │   ├── [4.3K]  v1_deployment_strategy.py
│   │           │   │   │   ├── [3.5K]  v1_downward_api_projection.py
│   │           │   │   │   ├── [7.0K]  v1_downward_api_volume_file.py
```

```
│   │               │   │   │   ├── [5.3K]  v1_downward_api_volume_source.py
│   │               │   │   │   ├── [5.5K]  v1_empty_dir_volume_source.py
│   │               │   │   │   ├── [ 11K]  v1_endpoint.py
│   │               │   │   │   ├── [6.1K]  v1_endpoint_address.py
│   │               │   │   │   ├── [6.3K]  v1_endpoint_conditions.py
│   │               │   │   │   ├── [4.9K]  v1_endpoint_hints.py
│   │               │   │   │   ├── [ 10K]  v1_endpoint_slice.py
│   │               │   │   │   ├── [6.8K]  v1_endpoint_slice_list.py
│   │               │   │   │   ├── [5.9K]  v1_endpoint_subset.py
│   │               │   │   │   ├── [7.4K]  v1_endpoints.py
│   │               │   │   │   ├── [6.7K]  v1_endpoints_list.py
│   │               │   │   │   ├── [5.0K]  v1_env_from_source.py
│   │               │   │   │   ├── [5.8K]  v1_env_var.py
│   │               │   │   │   ├── [6.0K]  v1_env_var_source.py
│   │               │   │   │   ├── [ 32K]  v1_ephemeral_container.py
│   │               │   │   │   ├── [3.7K]  v1_ephemeral_volume_source.py
│   │               │   │   │   ├── [4.1K]  v1_event_source.py
│   │               │   │   │   ├── [6.5K]  v1_eviction.py
│   │               │   │   │   ├── [4.1K]  v1_exec_action.py
│   │               │   │   │   ├── [6.9K]
v1_exempt_priority_level_configuration.py
│   │               │   │   │   ├── [5.1K]  v1_expression_warning.py
│   │               │   │   │   ├── [4.0K]  v1_external_documentation.py
│   │               │   │   │   ├── [7.2K]  v1_fc_volume_source.py
│   │               │   │   │   ├── [5.6K]  v1_field_selector_attributes.py
│   │               │   │   │   ├── [5.9K]  v1_field_selector_requirement.py
│   │               │   │   │   ├── [7.4K]
v1_flex_persistent_volume_source.py
│   │               │   │   │   ├── [7.2K]  v1_flex_volume_source.py
│   │               │   │   │   ├── [4.7K]  v1_flocker_volume_source.py
│   │               │   │   │   ├── [3.7K]  v1_flow_distinguisher_method.py
│   │               │   │   │   ├── [7.0K]  v1_flow_schema.py
│   │               │   │   │   ├── [7.1K]  v1_flow_schema_condition.py
│   │               │   │   │   ├── [6.7K]  v1_flow_schema_list.py
│   │               │   │   │   ├── [7.7K]  v1_flow_schema_spec.py
│   │               │   │   │   ├── [3.6K]  v1_flow_schema_status.py
│   │               │   │   │   ├── [3.4K]  v1_for_node.py
│   │               │   │   │   ├── [3.4K]  v1_for_zone.py
│   │               │   │   │   ├── [7.8K]
v1_gce_persistent_disk_volume_source.py
│   │               │   │   │   ├── [5.7K]  v1_git_repo_volume_source.py
│   │               │   │   │   ├── [7.6K]
v1_glusterfs_persistent_volume_source.py
│   │               │   │   │   ├── [6.0K]  v1_glusterfs_volume_source.py
│   │               │   │   │   ├── [3.8K]  v1_group_subject.py
│   │               │   │   │   ├── [5.0K]
v1_group_version_for_discovery.py
│   │               │   │   │   ├── [4.6K]  v1_grpc_action.py
│   │               │   │   │   ├── [7.4K]  v1_horizontal_pod_autoscaler.py
│   │               │   │   │   ├── [7.1K]
v1_horizontal_pod_autoscaler_list.py
│   │               │   │   │   ├── [8.1K]
v1_horizontal_pod_autoscaler_spec.py
│   │               │   │   │   ├── [9.2K]
v1_horizontal_pod_autoscaler_status.py
│   │               │   │   │   ├── [4.2K]  v1_host_alias.py
```

```
│   │             │   │   │   ├── [3.4K]  v1_host_ip.py
│   │             │   │   │   ├── [4.7K]  v1_host_path_volume_source.py
│   │             │   │   │   ├── [6.9K]  v1_http_get_action.py
│   │             │   │   │   ├── [4.4K]  v1_http_header.py
│   │             │   │   │   ├── [7.3K]  v1_http_ingress_path.py
│   │             │   │   │   ├── [3.7K]  v1_http_ingress_rule_value.py
│   │             │   │   │   ├── [6.2K]  v1_image_volume_source.py
│   │             │   │   │   ├── [6.9K]  v1_ingress.py
│   │             │   │   │   ├── [4.1K]  v1_ingress_backend.py
│   │             │   │   │   ├── [6.4K]  v1_ingress_class.py
│   │             │   │   │   ├── [6.8K]  v1_ingress_class_list.py
│   │             │   │   │   ├── [7.8K]
v1_ingress_class_parameters_reference.py
│   │             │   │   │   ├── [5.0K]  v1_ingress_class_spec.py
│   │             │   │   │   ├── [6.7K]  v1_ingress_list.py
│   │             │   │   │   ├── [5.2K]
v1_ingress_load_balancer_ingress.py
│   │             │   │   │   ├── [3.6K]
v1_ingress_load_balancer_status.py
│   │             │   │   │   ├── [5.9K]  v1_ingress_port_status.py
│   │             │   │   │   ├── [6.5K]  v1_ingress_rule.py
│   │             │   │   │   ├── [4.3K]  v1_ingress_service_backend.py
│   │             │   │   │   ├── [8.0K]  v1_ingress_spec.py
│   │             │   │   │   ├── [3.5K]  v1_ingress_status.py
│   │             │   │   │   ├── [5.2K]  v1_ingress_tls.py
│   │             │   │   │   ├── [6.4K]  v1_ip_address.py
│   │             │   │   │   ├── [6.7K]  v1_ip_address_list.py
│   │             │   │   │   ├── [3.5K]  v1_ip_address_spec.py
│   │             │   │   │   ├── [4.6K]  v1_ip_block.py
│   │             │   │   │   ├── [ 14K]
v1_iscsi_persistent_volume_source.py
│   │             │   │   │   ├── [ 14K]  v1_iscsi_volume_source.py
│   │             │   │   │   ├── [6.8K]  v1_job.py
│   │             │   │   │   ├── [7.9K]  v1_job_condition.py
│   │             │   │   │   ├── [6.6K]  v1_job_list.py
│   │             │   │   │   ├── [ 28K]  v1_job_spec.py
│   │             │   │   │   ├── [ 18K]  v1_job_status.py
│   │             │   │   │   ├── [3.9K]  v1_job_template_spec.py
│   │             │   │   │   ├── [ 48K]  v1_json_schema_props.py
│   │             │   │   │   ├── [5.9K]  v1_key_to_path.py
│   │             │   │   │   ├── [5.1K]  v1_label_selector.py
│   │             │   │   │   ├── [5.6K]  v1_label_selector_attributes.py
│   │             │   │   │   ├── [5.9K]  v1_label_selector_requirement.py
│   │             │   │   │   ├── [6.3K]  v1_lease.py
│   │             │   │   │   ├── [6.6K]  v1_lease_list.py
│   │             │   │   │   ├── [ 10K]  v1_lease_spec.py
│   │             │   │   │   ├── [5.2K]  v1_lifecycle.py
│   │             │   │   │   ├── [5.4K]  v1_lifecycle_handler.py
│   │             │   │   │   ├── [6.4K]  v1_limit_range.py
│   │             │   │   │   ├── [8.4K]  v1_limit_range_item.py
│   │             │   │   │   ├── [6.9K]  v1_limit_range_list.py
│   │             │   │   │   ├── [3.6K]  v1_limit_range_spec.py
│   │             │   │   │   ├── [4.6K]  v1_limit_response.py
│   │             │   │   │   ├── [ 11K]
v1_limited_priority_level_configuration.py
│   │             │   │   │   ├── [5.7K]  v1_linux_container_user.py
```

```
│   │               │   │   │   ├── [9.2K]  v1_list_meta.py
│   │               │   │   │   ├── [7.0K]  v1_load_balancer_ingress.py
│   │               │   │   │   ├── [3.7K]  v1_load_balancer_status.py
│   │               │   │   │   ├── [3.9K]  v1_local_object_reference.py
│   │               │   │   │   ├── [7.6K]
v1_local_subject_access_review.py
│   │               │   │   │   ├── [4.9K]  v1_local_volume_source.py
│   │               │   │   │   ├── [ 11K]  v1_managed_fields_entry.py
│   │               │   │   │   ├── [7.1K]  v1_match_condition.py
│   │               │   │   │   ├── [9.8K]  v1_match_resources.py
│   │               │   │   │   ├── [6.2K]  v1_modify_volume_status.py
│   │               │   │   │   ├── [ 23K]  v1_mutating_webhook.py
│   │               │   │   │   ├── [7.0K]
v1_mutating_webhook_configuration.py
│   │               │   │   │   ├── [7.2K]
v1_mutating_webhook_configuration_list.py
│   │               │   │   │   ├── [ 10K]  v1_named_rule_with_operations.py
│   │               │   │   │   ├── [7.0K]  v1_namespace.py
│   │               │   │   │   ├── [7.2K]  v1_namespace_condition.py
│   │               │   │   │   ├── [6.9K]  v1_namespace_list.py
│   │               │   │   │   ├── [3.7K]  v1_namespace_spec.py
│   │               │   │   │   ├── [4.5K]  v1_namespace_status.py
│   │               │   │   │   ├── [6.4K]  v1_network_policy.py
│   │               │   │   │   ├── [5.6K]  v1_network_policy_egress_rule.py
│   │               │   │   │   ├── [5.7K]
v1_network_policy_ingress_rule.py
│   │               │   │   │   ├── [6.8K]  v1_network_policy_list.py
│   │               │   │   │   ├── [5.0K]  v1_network_policy_peer.py
│   │               │   │   │   ├── [6.0K]  v1_network_policy_port.py
│   │               │   │   │   ├── [9.5K]  v1_network_policy_spec.py
│   │               │   │   │   ├── [5.7K]  v1_nfs_volume_source.py
│   │               │   │   │   ├── [6.9K]  v1_node.py
│   │               │   │   │   ├── [4.4K]  v1_node_address.py
│   │               │   │   │   ├── [7.0K]  v1_node_affinity.py
│   │               │   │   │   ├── [8.0K]  v1_node_condition.py
│   │               │   │   │   ├── [3.4K]  v1_node_config_source.py
│   │               │   │   │   ├── [7.5K]  v1_node_config_status.py
│   │               │   │   │   ├── [3.5K]  v1_node_daemon_endpoints.py
│   │               │   │   │   ├── [3.9K]  v1_node_features.py
│   │               │   │   │   ├── [6.6K]  v1_node_list.py
│   │               │   │   │   ├── [4.2K]  v1_node_runtime_handler.py
│   │               │   │   │   ├── [5.1K]
v1_node_runtime_handler_features.py
│   │               │   │   │   ├── [3.9K]  v1_node_selector.py
│   │               │   │   │   ├── [6.0K]  v1_node_selector_requirement.py
│   │               │   │   │   ├── [4.7K]  v1_node_selector_term.py
│   │               │   │   │   ├── [9.1K]  v1_node_spec.py
│   │               │   │   │   ├── [ 15K]  v1_node_status.py
│   │               │   │   │   ├── [3.4K]  v1_node_swap_status.py
│   │               │   │   │   ├── [ 15K]  v1_node_system_info.py
│   │               │   │   │   ├── [4.1K]  v1_non_resource_attributes.py
│   │               │   │   │   ├── [5.6K]  v1_non_resource_policy_rule.py
│   │               │   │   │   ├── [4.9K]  v1_non_resource_rule.py
│   │               │   │   │   ├── [4.6K]  v1_object_field_selector.py
│   │               │   │   │   ├── [ 28K]  v1_object_meta.py
│   │               │   │   │   ├── [ 10K]  v1_object_reference.py
```

```
│   │           │   │   │   ├── [3.5K]  v1_overhead.py
│   │           │   │   │   ├── [9.3K]  v1_owner_reference.py
│   │           │   │   │   ├── [4.3K]  v1_param_kind.py
│   │           │   │   │   ├── [8.5K]  v1_param_ref.py
│   │           │   │   │   ├── [6.1K]  v1_parent_reference.py
│   │           │   │   │   ├── [7.2K]  v1_persistent_volume.py
│   │           │   │   │   ├── [7.3K]  v1_persistent_volume_claim.py
│   │           │   │   │   ├── [9.7K]
v1_persistent_volume_claim_condition.py
│   │           │   │   │   ├── [7.2K]
v1_persistent_volume_claim_list.py
│   │           │   │   │   ├── [ 13K]
v1_persistent_volume_claim_spec.py
│   │           │   │   │   ├── [ 19K]
v1_persistent_volume_claim_status.py
│   │           │   │   │   ├── [4.3K]
v1_persistent_volume_claim_template.py
│   │           │   │   │   ├── [5.0K]
v1_persistent_volume_claim_volume_source.py
│   │           │   │   │   ├── [7.0K]  v1_persistent_volume_list.py
│   │           │   │   │   ├── [ 31K]  v1_persistent_volume_spec.py
│   │           │   │   │   ├── [6.9K]  v1_persistent_volume_status.py
│   │           │   │   │   ├── [4.8K]
v1_photon_persistent_disk_volume_source.py
│   │           │   │   │   ├── [6.8K]  v1_pod.py
│   │           │   │   │   ├── [8.0K]  v1_pod_affinity.py
│   │           │   │   │   ├── [ 11K]  v1_pod_affinity_term.py
│   │           │   │   │   ├── [8.1K]  v1_pod_anti_affinity.py
│   │           │   │   │   ├── [9.6K]  v1_pod_condition.py
│   │           │   │   │   ├── [7.3K]  v1_pod_disruption_budget.py
│   │           │   │   │   ├── [7.0K]  v1_pod_disruption_budget_list.py
│   │           │   │   │   ├── [9.7K]  v1_pod_disruption_budget_spec.py
│   │           │   │   │   ├── [ 14K]
v1_pod_disruption_budget_status.py
│   │           │   │   │   ├── [5.9K]  v1_pod_dns_config.py
│   │           │   │   │   ├── [4.1K]  v1_pod_dns_config_option.py
│   │           │   │   │   ├── [4.2K]  v1_pod_failure_policy.py
│   │           │   │   │   ├── [8.2K]
v1_pod_failure_policy_on_exit_codes_requirement.py
│   │           │   │   │   ├── [5.1K]
v1_pod_failure_policy_on_pod_conditions_pattern.py
│   │           │   │   │   ├── [7.2K]  v1_pod_failure_policy_rule.py
│   │           │   │   │   ├── [3.4K]  v1_pod_ip.py
│   │           │   │   │   ├── [6.7K]  v1_pod_list.py
│   │           │   │   │   ├── [4.1K]  v1_pod_os.py
│   │           │   │   │   ├── [3.8K]  v1_pod_readiness_gate.py
│   │           │   │   │   ├── [7.3K]  v1_pod_resource_claim.py
│   │           │   │   │   ├── [5.2K]  v1_pod_resource_claim_status.py
│   │           │   │   │   ├── [3.6K]  v1_pod_scheduling_gate.py
│   │           │   │   │   ├── [ 23K]  v1_pod_security_context.py
│   │           │   │   │   ├── [ 55K]  v1_pod_spec.py
│   │           │   │   │   ├── [ 27K]  v1_pod_status.py
│   │           │   │   │   ├── [6.5K]  v1_pod_template.py
│   │           │   │   │   ├── [6.7K]  v1_pod_template_list.py
│   │           │   │   │   ├── [3.9K]  v1_pod_template_spec.py
│   │           │   │   │   ├── [8.5K]  v1_policy_rule.py
```

```
│   │           │   │   │   ├── [6.8K]  v1_policy_rules_with_subjects.py
│   │           │   │   │   ├── [5.9K]  v1_port_status.py
│   │           │   │   │   ├── [5.7K]  v1_portworx_volume_source.py
│   │           │   │   │   ├── [4.2K]  v1_preconditions.py
│   │           │   │   │   ├── [4.6K]  v1_preferred_scheduling_term.py
│   │           │   │   │   ├── [ 11K]  v1_priority_class.py
│   │           │   │   │   ├── [6.8K]  v1_priority_class_list.py
│   │           │   │   │   ├── [7.5K]
v1_priority_level_configuration.py
│   │           │   │   │   ├── [7.5K]
v1_priority_level_configuration_condition.py
│   │           │   │   │   ├── [7.1K]
v1_priority_level_configuration_list.py
│   │           │   │   │   ├── [3.7K]
v1_priority_level_configuration_reference.py
│   │           │   │   │   ├── [6.1K]
v1_priority_level_configuration_spec.py
│   │           │   │   │   ├── [3.8K]
v1_priority_level_configuration_status.py
│   │           │   │   │   ├── [ 13K]  v1_probe.py
│   │           │   │   │   ├── [5.3K]  v1_projected_volume_source.py
│   │           │   │   │   ├── [7.3K]  v1_queuing_configuration.py
│   │           │   │   │   ├── [8.3K]  v1_quobyte_volume_source.py
│   │           │   │   │   ├── [ 11K]
v1_rbd_persistent_volume_source.py
│   │           │   │   │   ├── [ 10K]  v1_rbd_volume_source.py
│   │           │   │   │   ├── [7.0K]  v1_replica_set.py
│   │           │   │   │   ├── [7.2K]  v1_replica_set_condition.py
│   │           │   │   │   ├── [6.9K]  v1_replica_set_list.py
│   │           │   │   │   ├── [6.6K]  v1_replica_set_spec.py
│   │           │   │   │   ├── [ 11K]  v1_replica_set_status.py
│   │           │   │   │   ├── [7.3K]  v1_replication_controller.py
│   │           │   │   │   ├── [7.4K]
v1_replication_controller_condition.py
│   │           │   │   │   ├── [7.2K]
v1_replication_controller_list.py
│   │           │   │   │   ├── [7.6K]
v1_replication_controller_spec.py
│   │           │   │   │   ├── [9.5K]
v1_replication_controller_status.py
│   │           │   │   │   ├── [ 11K]  v1_resource_attributes.py
│   │           │   │   │   ├── [4.7K]  v1_resource_claim.py
│   │           │   │   │   ├── [5.4K]  v1_resource_field_selector.py
│   │           │   │   │   ├── [5.3K]  v1_resource_health.py
│   │           │   │   │   ├── [9.3K]  v1_resource_policy_rule.py
│   │           │   │   │   ├── [7.1K]  v1_resource_quota.py
│   │           │   │   │   ├── [7.0K]  v1_resource_quota_list.py
│   │           │   │   │   ├── [5.3K]  v1_resource_quota_spec.py
│   │           │   │   │   ├── [4.4K]  v1_resource_quota_status.py
│   │           │   │   │   ├── [6.3K]  v1_resource_requirements.py
│   │           │   │   │   ├── [7.1K]  v1_resource_rule.py
│   │           │   │   │   ├── [5.7K]  v1_resource_status.py
│   │           │   │   │   ├── [6.4K]  v1_role.py
│   │           │   │   │   ├── [7.5K]  v1_role_binding.py
│   │           │   │   │   ├── [6.8K]  v1_role_binding_list.py
│   │           │   │   │   ├── [6.6K]  v1_role_list.py
```

```
│   │               │   │   │   ├── [5.2K]  v1_role_ref.py
│   │               │   │   │   ├── [8.3K]  v1_rolling_update_daemon_set.py
│   │               │   │   │   ├── [6.9K]  v1_rolling_update_deployment.py
│   │               │   │   │   ├── [6.1K]
v1_rolling_update_stateful_set_strategy.py
│   │               │   │   │   ├── [9.2K]  v1_rule_with_operations.py
│   │               │   │   │   ├── [9.1K]  v1_runtime_class.py
│   │               │   │   │   ├── [6.8K]  v1_runtime_class_list.py
│   │               │   │   │   ├── [6.9K]  v1_scale.py
│   │               │   │   │   ├── [ 13K]
v1_scale_io_persistent_volume_source.py
│   │               │   │   │   ├── [ 12K]  v1_scale_io_volume_source.py
│   │               │   │   │   ├── [3.4K]  v1_scale_spec.py
│   │               │   │   │   ├── [5.0K]  v1_scale_status.py
│   │               │   │   │   ├── [5.2K]  v1_scheduling.py
│   │               │   │   │   ├── [3.7K]  v1_scope_selector.py
│   │               │   │   │   ├── [6.1K]
v1_scoped_resource_selector_requirement.py
│   │               │   │   │   ├── [5.6K]  v1_se_linux_options.py
│   │               │   │   │   ├── [5.4K]  v1_seccomp_profile.py
│   │               │   │   │   ├── [ 10K]  v1_secret.py
│   │               │   │   │   ├── [4.6K]  v1_secret_env_source.py
│   │               │   │   │   ├── [5.6K]  v1_secret_key_selector.py
│   │               │   │   │   ├── [6.8K]  v1_secret_list.py
│   │               │   │   │   ├── [6.3K]  v1_secret_projection.py
│   │               │   │   │   ├── [4.3K]  v1_secret_reference.py
│   │               │   │   │   ├── [7.9K]  v1_secret_volume_source.py
│   │               │   │   │   ├── [ 17K]  v1_security_context.py
│   │               │   │   │   ├── [4.4K]  v1_selectable_field.py
│   │               │   │   │   ├── [7.5K]  v1_self_subject_access_review.py
│   │               │   │   │   ├── [4.7K]
v1_self_subject_access_review_spec.py
│   │               │   │   │   ├── [6.6K]  v1_self_subject_review.py
│   │               │   │   │   ├── [3.4K]  v1_self_subject_review_status.py
│   │               │   │   │   ├── [7.5K]  v1_self_subject_rules_review.py
│   │               │   │   │   ├── [3.5K]
v1_self_subject_rules_review_spec.py
│   │               │   │   │   ├── [5.1K]
v1_server_address_by_client_cidr.py
│   │               │   │   │   ├── [6.9K]  v1_service.py
│   │               │   │   │   ├── [ 11K]  v1_service_account.py
│   │               │   │   │   ├── [7.0K]  v1_service_account_list.py
│   │               │   │   │   ├── [4.7K]  v1_service_account_subject.py
│   │               │   │   │   ├── [6.7K]
v1_service_account_token_projection.py
│   │               │   │   │   ├── [4.4K]  v1_service_backend_port.py
│   │               │   │   │   ├── [7.1K]  v1_service_cidr.py
│   │               │   │   │   ├── [6.8K]  v1_service_cidr_list.py
│   │               │   │   │   ├── [3.7K]  v1_service_cidr_spec.py
│   │               │   │   │   ├── [3.7K]  v1_service_cidr_status.py
│   │               │   │   │   ├── [6.6K]  v1_service_list.py
│   │               │   │   │   ├── [ 12K]  v1_service_port.py
│   │               │   │   │   ├── [ 43K]  v1_service_spec.py
│   │               │   │   │   ├── [4.3K]  v1_service_status.py
│   │               │   │   │   ├── [3.4K]  v1_session_affinity_config.py
│   │               │   │   │   ├── [3.5K]  v1_sleep_action.py
```

```
│   │           │   │   │   ├── [7.1K]  v1_stateful_set.py
│   │           │   │   │   ├── [7.2K]  v1_stateful_set_condition.py
│   │           │   │   │   ├── [6.8K]  v1_stateful_set_list.py
│   │           │   │   │   ├── [4.2K]  v1_stateful_set_ordinals.py
│   │           │   │   │   ├── [5.7K]
v1_stateful_set_persistent_volume_claim_retention_policy.py
│   │           │   │   │   ├── [ 17K]  v1_stateful_set_spec.py
│   │           │   │   │   ├── [ 14K]  v1_stateful_set_status.py
│   │           │   │   │   ├── [4.4K]
v1_stateful_set_update_strategy.py
│   │           │   │   │   ├── [9.8K]  v1_status.py
│   │           │   │   │   ├── [5.8K]  v1_status_cause.py
│   │           │   │   │   ├── [8.7K]  v1_status_details.py
│   │           │   │   │   ├── [ 14K]  v1_storage_class.py
│   │           │   │   │   ├── [6.8K]  v1_storage_class_list.py
│   │           │   │   │   ├── [8.4K]
v1_storage_os_persistent_volume_source.py
│   │           │   │   │   ├── [8.2K]  v1_storage_os_volume_source.py
│   │           │   │   │   ├── [7.4K]  v1_subject_access_review.py
│   │           │   │   │   ├── [8.2K]  v1_subject_access_review_spec.py
│   │           │   │   │   ├── [7.2K]
v1_subject_access_review_status.py
│   │           │   │   │   ├── [8.3K]
v1_subject_rules_review_status.py
│   │           │   │   │   ├── [4.4K]  v1_success_policy.py
│   │           │   │   │   ├── [7.0K]  v1_success_policy_rule.py
│   │           │   │   │   ├── [4.2K]  v1_sysctl.py
│   │           │   │   │   ├── [6.1K]  v1_taint.py
│   │           │   │   │   ├── [4.4K]  v1_tcp_socket_action.py
│   │           │   │   │   ├── [6.4K]  v1_token_request_spec.py
│   │           │   │   │   ├── [4.8K]  v1_token_request_status.py
│   │           │   │   │   ├── [7.2K]  v1_token_review.py
│   │           │   │   │   ├── [4.7K]  v1_token_review_spec.py
│   │           │   │   │   ├── [6.9K]  v1_token_review_status.py
│   │           │   │   │   ├── [8.1K]  v1_toleration.py
│   │           │   │   │   ├── [4.7K]
v1_topology_selector_label_requirement.py
│   │           │   │   │   ├── [3.9K]  v1_topology_selector_term.py
│   │           │   │   │   ├── [ 20K]  v1_topology_spread_constraint.py
│   │           │   │   │   ├── [3.7K]  v1_type_checking.py
│   │           │   │   │   ├── [5.6K]
v1_typed_local_object_reference.py
│   │           │   │   │   ├── [7.0K]  v1_typed_object_reference.py
│   │           │   │   │   ├── [4.3K]  v1_uncounted_terminated_pods.py
│   │           │   │   │   ├── [5.8K]  v1_user_info.py
│   │           │   │   │   ├── [3.5K]  v1_user_subject.py
│   │           │   │   │   ├── [7.5K]
v1_validating_admission_policy.py
│   │           │   │   │   ├── [6.9K]
v1_validating_admission_policy_binding.py
│   │           │   │   │   ├── [7.2K]
v1_validating_admission_policy_binding_list.py
│   │           │   │   │   ├── [ 11K]
v1_validating_admission_policy_binding_spec.py
│   │           │   │   │   ├── [7.1K]
v1_validating_admission_policy_list.py
```

```
|   |            |   |   |   ├── [ 14K]
v1_validating_admission_policy_spec.py
|   |            |   |   |   ├── [5.6K]
v1_validating_admission_policy_status.py
|   |            |   |   |   ├── [ 20K]  v1_validating_webhook.py
|   |            |   |   |   ├── [7.1K]
v1_validating_webhook_configuration.py
|   |            |   |   |   ├── [7.2K]
v1_validating_webhook_configuration_list.py
|   |            |   |   |   ├── [ 15K]  v1_validation.py
|   |            |   |   |   ├── [ 22K]  v1_validation_rule.py
|   |            |   |   |   ├── [5.1K]  v1_variable.py
|   |            |   |   |   ├── [ 25K]  v1_volume.py
|   |            |   |   |   ├── [7.4K]  v1_volume_attachment.py
|   |            |   |   |   ├── [6.9K]  v1_volume_attachment_list.py
|   |            |   |   |   ├── [4.8K]  v1_volume_attachment_source.py
|   |            |   |   |   ├── [5.7K]  v1_volume_attachment_spec.py
|   |            |   |   |   ├── [7.0K]  v1_volume_attachment_status.py
|   |            |   |   |   ├── [4.6K]  v1_volume_device.py
|   |            |   |   |   ├── [5.5K]  v1_volume_error.py
|   |            |   |   |   ├── [ 12K]  v1_volume_mount.py
|   |            |   |   |   ├── [6.7K]  v1_volume_mount_status.py
|   |            |   |   |   ├── [3.4K]  v1_volume_node_affinity.py
|   |            |   |   |   ├── [4.1K]  v1_volume_node_resources.py
|   |            |   |   |   ├── [6.9K]  v1_volume_projection.py
|   |            |   |   |   ├── [5.2K]
v1_volume_resource_requirements.py
|   |            |   |   |   ├── [7.2K]
v1_vsphere_virtual_disk_volume_source.py
|   |            |   |   |   ├── [4.6K]  v1_watch_event.py
|   |            |   |   |   ├── [5.7K]  v1_webhook_conversion.py
|   |            |   |   |   ├── [4.8K]  v1_weighted_pod_affinity_term.py
|   |            |   |   |   ├── [8.3K]
v1_windows_security_context_options.py
|   |            |   |   |   ├── [7.8K]  v1alpha1_apply_configuration.py
|   |            |   |   |   ├── [6.8K]  v1alpha1_cluster_trust_bundle.py
|   |            |   |   |   ├── [7.1K]
v1alpha1_cluster_trust_bundle_list.py
|   |            |   |   |   ├── [7.2K]
v1alpha1_cluster_trust_bundle_spec.py
|   |            |   |   |   ├── [5.0K]
v1alpha1_group_version_resource.py
|   |            |   |   |   ├── [9.8K]  v1alpha1_json_patch.py
|   |            |   |   |   ├── [7.2K]  v1alpha1_match_condition.py
|   |            |   |   |   ├── [ 10K]  v1alpha1_match_resources.py
|   |            |   |   |   ├── [7.1K]  v1alpha1_migration_condition.py
|   |            |   |   |   ├── [6.8K]
v1alpha1_mutating_admission_policy.py
|   |            |   |   |   ├── [7.0K]
v1alpha1_mutating_admission_policy_binding.py
|   |            |   |   |   ├── [7.3K]
v1alpha1_mutating_admission_policy_binding_list.py
|   |            |   |   |   ├── [5.8K]
v1alpha1_mutating_admission_policy_binding_spec.py
|   |            |   |   |   ├── [7.2K]
v1alpha1_mutating_admission_policy_list.py
```

```
│   │           │   │   │   ├── [ 15K]
v1alpha1_mutating_admission_policy_spec.py
│   │           │   │   │   ├── [5.4K]  v1alpha1_mutation.py
│   │           │   │   │   ├── [ 11K]
v1alpha1_named_rule_with_operations.py
│   │           │   │   │   ├── [4.3K]  v1alpha1_param_kind.py
│   │           │   │   │   ├── [8.2K]  v1alpha1_param_ref.py
│   │           │   │   │   ├── [7.0K]
v1alpha1_server_storage_version.py
│   │           │   │   │   ├── [7.7K]  v1alpha1_storage_version.py
│   │           │   │   │   ├── [8.8K]
v1alpha1_storage_version_condition.py
│   │           │   │   │   ├── [7.0K]  v1alpha1_storage_version_list.py
│   │           │   │   │   ├── [7.6K]
v1alpha1_storage_version_migration.py
│   │           │   │   │   ├── [7.2K]
v1alpha1_storage_version_migration_list.py
│   │           │   │   │   ├── [5.0K]
v1alpha1_storage_version_migration_spec.py
│   │           │   │   │   ├── [5.2K]
v1alpha1_storage_version_migration_status.py
│   │           │   │   │   ├── [6.4K]
v1alpha1_storage_version_status.py
│   │           │   │   │   ├── [5.2K]  v1alpha1_variable.py
│   │           │   │   │   ├── [9.5K]
v1alpha1_volume_attributes_class.py
│   │           │   │   │   ├── [7.2K]
v1alpha1_volume_attributes_class_list.py
│   │           │   │   │   ├── [6.6K]  v1alpha2_lease_candidate.py
│   │           │   │   │   ├── [7.0K]  v1alpha2_lease_candidate_list.py
│   │           │   │   │   ├── [ 11K]  v1alpha2_lease_candidate_spec.py
│   │           │   │   │   ├── [9.4K]
v1alpha3_allocated_device_status.py
│   │           │   │   │   ├── [4.2K]  v1alpha3_allocation_result.py
│   │           │   │   │   ├── [ 11K]  v1alpha3_basic_device.py
│   │           │   │   │   ├── [8.1K]  v1alpha3_cel_device_selector.py
│   │           │   │   │   ├── [3.6K]  v1alpha3_counter.py
│   │           │   │   │   ├── [5.2K]  v1alpha3_counter_set.py
│   │           │   │   │   ├── [4.2K]  v1alpha3_device.py
│   │           │   │   │   ├── [6.2K]
v1alpha3_device_allocation_configuration.py
│   │           │   │   │   ├── [5.2K]
v1alpha3_device_allocation_result.py
│   │           │   │   │   ├── [5.8K]  v1alpha3_device_attribute.py
│   │           │   │   │   ├── [5.8K]  v1alpha3_device_claim.py
│   │           │   │   │   ├── [4.9K]
v1alpha3_device_claim_configuration.py
│   │           │   │   │   ├── [6.7K]  v1alpha3_device_class.py
│   │           │   │   │   ├── [3.5K]
v1alpha3_device_class_configuration.py
│   │           │   │   │   ├── [6.9K]  v1alpha3_device_class_list.py
│   │           │   │   │   ├── [5.1K]  v1alpha3_device_class_spec.py
│   │           │   │   │   ├── [6.3K]  v1alpha3_device_constraint.py
│   │           │   │   │   ├── [5.3K]
v1alpha3_device_counter_consumption.py
│   │           │   │   │   ├── [ 18K]  v1alpha3_device_request.py
```

```
|   |           |   |   |   ├── [ 11K]
v1alpha3_device_request_allocation_result.py
|   |           |   |   |   ├── [3.3K]  v1alpha3_device_selector.py
|   |           |   |   |   ├── [ 12K]  v1alpha3_device_sub_request.py
|   |           |   |   |   ├── [6.6K]  v1alpha3_device_taint.py
|   |           |   |   |   ├── [6.8K]  v1alpha3_device_taint_rule.py
|   |           |   |   |   ├── [7.0K]
v1alpha3_device_taint_rule_list.py
|   |           |   |   |   ├── [4.4K]
v1alpha3_device_taint_rule_spec.py
|   |           |   |   |   ├── [8.4K]
v1alpha3_device_taint_selector.py
|   |           |   |   |   ├── [8.7K]  v1alpha3_device_toleration.py
|   |           |   |   |   ├── [6.4K]  v1alpha3_network_device_data.py
|   |           |   |   |   ├── [5.8K]
v1alpha3_opaque_device_configuration.py
|   |           |   |   |   ├── [7.4K]  v1alpha3_resource_claim.py
|   |           |   |   |   ├── [6.8K]
v1alpha3_resource_claim_consumer_reference.py
|   |           |   |   |   ├── [6.9K]  v1alpha3_resource_claim_list.py
|   |           |   |   |   ├── [3.4K]  v1alpha3_resource_claim_spec.py
|   |           |   |   |   ├── [7.4K]
v1alpha3_resource_claim_status.py
|   |           |   |   |   ├── [6.9K]
v1alpha3_resource_claim_template.py
|   |           |   |   |   ├── [7.1K]
v1alpha3_resource_claim_template_list.py
|   |           |   |   |   ├── [4.3K]
v1alpha3_resource_claim_template_spec.py
|   |           |   |   |   ├── [7.7K]  v1alpha3_resource_pool.py
|   |           |   |   |   ├── [6.7K]  v1alpha3_resource_slice.py
|   |           |   |   |   ├── [7.0K]  v1alpha3_resource_slice_list.py
|   |           |   |   |   ├── [ 13K]  v1alpha3_resource_slice_spec.py
|   |           |   |   |   ├── [9.4K]
v1beta1_allocated_device_status.py
|   |           |   |   |   ├── [4.2K]  v1beta1_allocation_result.py
|   |           |   |   |   ├── [7.3K]  v1beta1_audit_annotation.py
|   |           |   |   |   ├── [ 11K]  v1beta1_basic_device.py
|   |           |   |   |   ├── [8.1K]  v1beta1_cel_device_selector.py
|   |           |   |   |   ├── [6.8K]  v1beta1_cluster_trust_bundle.py
|   |           |   |   |   ├── [7.1K]
v1beta1_cluster_trust_bundle_list.py
|   |           |   |   |   ├── [7.2K]
v1beta1_cluster_trust_bundle_spec.py
|   |           |   |   |   ├── [3.5K]  v1beta1_counter.py
|   |           |   |   |   ├── [4.8K]  v1beta1_counter_set.py
|   |           |   |   |   ├── [4.2K]  v1beta1_device.py
|   |           |   |   |   ├── [6.1K]
v1beta1_device_allocation_configuration.py
|   |           |   |   |   ├── [5.2K]
v1beta1_device_allocation_result.py
|   |           |   |   |   ├── [5.8K]  v1beta1_device_attribute.py
|   |           |   |   |   ├── [3.6K]  v1beta1_device_capacity.py
|   |           |   |   |   ├── [5.8K]  v1beta1_device_claim.py
|   |           |   |   |   ├── [4.9K]
v1beta1_device_claim_configuration.py
```

```
│   │           │   │   │   ├── [6.7K]  v1beta1_device_class.py
│   │           │   │   │   ├── [3.5K]
v1beta1_device_class_configuration.py
│   │           │   │   │   ├── [6.9K]  v1beta1_device_class_list.py
│   │           │   │   │   ├── [5.0K]  v1beta1_device_class_spec.py
│   │           │   │   │   ├── [6.3K]  v1beta1_device_constraint.py
│   │           │   │   │   ├── [5.3K]
v1beta1_device_counter_consumption.py
│   │           │   │   │   ├── [ 18K]  v1beta1_device_request.py
│   │           │   │   │   ├── [ 11K]
v1beta1_device_request_allocation_result.py
│   │           │   │   │   ├── [3.3K]  v1beta1_device_selector.py
│   │           │   │   │   ├── [ 12K]  v1beta1_device_sub_request.py
│   │           │   │   │   ├── [6.5K]  v1beta1_device_taint.py
│   │           │   │   │   ├── [8.6K]  v1beta1_device_toleration.py
│   │           │   │   │   ├── [5.2K]  v1beta1_expression_warning.py
│   │           │   │   │   ├── [6.5K]  v1beta1_ip_address.py
│   │           │   │   │   ├── [6.8K]  v1beta1_ip_address_list.py
│   │           │   │   │   ├── [3.6K]  v1beta1_ip_address_spec.py
│   │           │   │   │   ├── [6.6K]  v1beta1_lease_candidate.py
│   │           │   │   │   ├── [6.9K]  v1beta1_lease_candidate_list.py
│   │           │   │   │   ├── [ 11K]  v1beta1_lease_candidate_spec.py
│   │           │   │   │   ├── [7.2K]  v1beta1_match_condition.py
│   │           │   │   │   ├── [9.9K]  v1beta1_match_resources.py
│   │           │   │   │   ├── [ 11K]
v1beta1_named_rule_with_operations.py
│   │           │   │   │   ├── [6.4K]  v1beta1_network_device_data.py
│   │           │   │   │   ├── [5.8K]
v1beta1_opaque_device_configuration.py
│   │           │   │   │   ├── [4.3K]  v1beta1_param_kind.py
│   │           │   │   │   ├── [8.6K]  v1beta1_param_ref.py
│   │           │   │   │   ├── [6.2K]  v1beta1_parent_reference.py
│   │           │   │   │   ├── [7.4K]  v1beta1_resource_claim.py
│   │           │   │   │   ├── [6.8K]
v1beta1_resource_claim_consumer_reference.py
│   │           │   │   │   ├── [6.9K]  v1beta1_resource_claim_list.py
│   │           │   │   │   ├── [3.4K]  v1beta1_resource_claim_spec.py
│   │           │   │   │   ├── [7.4K]  v1beta1_resource_claim_status.py
│   │           │   │   │   ├── [6.9K]
v1beta1_resource_claim_template.py
│   │           │   │   │   ├── [7.1K]
v1beta1_resource_claim_template_list.py
│   │           │   │   │   ├── [4.3K]
v1beta1_resource_claim_template_spec.py
│   │           │   │   │   ├── [7.6K]  v1beta1_resource_pool.py
│   │           │   │   │   ├── [6.7K]  v1beta1_resource_slice.py
│   │           │   │   │   ├── [6.9K]  v1beta1_resource_slice_list.py
│   │           │   │   │   ├── [ 12K]  v1beta1_resource_slice_spec.py
│   │           │   │   │   ├── [7.2K]  v1beta1_service_cidr.py
│   │           │   │   │   ├── [6.9K]  v1beta1_service_cidr_list.py
│   │           │   │   │   ├── [3.8K]  v1beta1_service_cidr_spec.py
│   │           │   │   │   ├── [3.7K]  v1beta1_service_cidr_status.py
│   │           │   │   │   ├── [3.8K]  v1beta1_type_checking.py
│   │           │   │   │   ├── [7.6K]
v1beta1_validating_admission_policy.py
```

```
|   |           |   |   |   ├── [7.0K]
v1beta1_validating_admission_policy_binding.py
|   |           |   |   |   ├── [7.3K]
v1beta1_validating_admission_policy_binding_list.py
|   |           |   |   |   ├── [ 11K]
v1beta1_validating_admission_policy_binding_spec.py
|   |           |   |   |   ├── [7.2K]
v1beta1_validating_admission_policy_list.py
|   |           |   |   |   ├── [ 14K]
v1beta1_validating_admission_policy_spec.py
|   |           |   |   |   ├── [5.7K]
v1beta1_validating_admission_policy_status.py
|   |           |   |   |   ├── [ 15K]  v1beta1_validation.py
|   |           |   |   |   ├── [5.1K]  v1beta1_variable.py
|   |           |   |   |   ├── [9.5K]
v1beta1_volume_attributes_class.py
|   |           |   |   |   ├── [7.1K]
v1beta1_volume_attributes_class_list.py
|   |           |   |   |   ├── [9.4K]
v1beta2_allocated_device_status.py
|   |           |   |   |   ├── [4.2K]  v1beta2_allocation_result.py
|   |           |   |   |   ├── [8.1K]  v1beta2_cel_device_selector.py
|   |           |   |   |   ├── [3.5K]  v1beta2_counter.py
|   |           |   |   |   ├── [4.8K]  v1beta2_counter_set.py
|   |           |   |   |   ├── [ 12K]  v1beta2_device.py
|   |           |   |   |   ├── [6.1K]
v1beta2_device_allocation_configuration.py
|   |           |   |   |   ├── [5.2K]
v1beta2_device_allocation_result.py
|   |           |   |   |   ├── [5.8K]  v1beta2_device_attribute.py
|   |           |   |   |   ├── [3.6K]  v1beta2_device_capacity.py
|   |           |   |   |   ├── [5.8K]  v1beta2_device_claim.py
|   |           |   |   |   ├── [4.9K]
v1beta2_device_claim_configuration.py
|   |           |   |   |   ├── [6.7K]  v1beta2_device_class.py
|   |           |   |   |   ├── [3.5K]
v1beta2_device_class_configuration.py
|   |           |   |   |   ├── [6.9K]  v1beta2_device_class_list.py
|   |           |   |   |   ├── [5.0K]  v1beta2_device_class_spec.py
|   |           |   |   |   ├── [6.3K]  v1beta2_device_constraint.py
|   |           |   |   |   ├── [5.3K]
v1beta2_device_counter_consumption.py
|   |           |   |   |   ├── [7.3K]  v1beta2_device_request.py
|   |           |   |   |   ├── [ 11K]
v1beta2_device_request_allocation_result.py
|   |           |   |   |   ├── [3.3K]  v1beta2_device_selector.py
|   |           |   |   |   ├── [ 12K]  v1beta2_device_sub_request.py
|   |           |   |   |   ├── [6.5K]  v1beta2_device_taint.py
|   |           |   |   |   ├── [8.6K]  v1beta2_device_toleration.py
|   |           |   |   |   ├── [ 13K]  v1beta2_exact_device_request.py
|   |           |   |   |   ├── [6.4K]  v1beta2_network_device_data.py
|   |           |   |   |   ├── [5.8K]
v1beta2_opaque_device_configuration.py
|   |           |   |   |   ├── [7.4K]  v1beta2_resource_claim.py
|   |           |   |   |   ├── [6.8K]
v1beta2_resource_claim_consumer_reference.py
```

```
│   │           │   │   │   ├── [6.9K]  v1beta2_resource_claim_list.py
│   │           │   │   │   ├── [3.4K]  v1beta2_resource_claim_spec.py
│   │           │   │   │   ├── [7.4K]  v1beta2_resource_claim_status.py
│   │           │   │   │   ├── [6.9K]
v1beta2_resource_claim_template.py
│   │           │   │   │   ├── [7.1K]
v1beta2_resource_claim_template_list.py
│   │           │   │   │   ├── [4.3K]
v1beta2_resource_claim_template_spec.py
│   │           │   │   │   ├── [7.6K]  v1beta2_resource_pool.py
│   │           │   │   │   ├── [6.7K]  v1beta2_resource_slice.py
│   │           │   │   │   ├── [6.9K]  v1beta2_resource_slice_list.py
│   │           │   │   │   ├── [ 13K]  v1beta2_resource_slice_spec.py
│   │           │   │   │   ├── [5.6K]
v2_container_resource_metric_source.py
│   │           │   │   │   ├── [5.6K]
v2_container_resource_metric_status.py
│   │           │   │   │   ├── [5.8K]
v2_cross_version_object_reference.py
│   │           │   │   │   ├── [4.3K]  v2_external_metric_source.py
│   │           │   │   │   ├── [4.4K]  v2_external_metric_status.py
│   │           │   │   │   ├── [7.4K]  v2_horizontal_pod_autoscaler.py
│   │           │   │   │   ├── [4.3K]
v2_horizontal_pod_autoscaler_behavior.py
│   │           │   │   │   ├── [7.6K]
v2_horizontal_pod_autoscaler_condition.py
│   │           │   │   │   ├── [7.1K]
v2_horizontal_pod_autoscaler_list.py
│   │           │   │   │   ├── [9.2K]
v2_horizontal_pod_autoscaler_spec.py
│   │           │   │   │   ├── [9.8K]
v2_horizontal_pod_autoscaler_status.py
│   │           │   │   │   ├── [5.8K]  v2_hpa_scaling_policy.py
│   │           │   │   │   ├── [8.8K]  v2_hpa_scaling_rules.py
│   │           │   │   │   ├── [4.2K]  v2_metric_identifier.py
│   │           │   │   │   ├── [7.3K]  v2_metric_spec.py
│   │           │   │   │   ├── [7.4K]  v2_metric_status.py
│   │           │   │   │   ├── [6.7K]  v2_metric_target.py
│   │           │   │   │   ├── [5.7K]  v2_metric_value_status.py
│   │           │   │   │   ├── [5.4K]  v2_object_metric_source.py
│   │           │   │   │   ├── [5.4K]  v2_object_metric_status.py
│   │           │   │   │   ├── [4.3K]  v2_pods_metric_source.py
│   │           │   │   │   ├── [4.3K]  v2_pods_metric_status.py
│   │           │   │   │   ├── [4.4K]  v2_resource_metric_source.py
│   │           │   │   │   ├── [4.4K]  v2_resource_metric_status.py
│   │           │   │   │   └── [ 14K]  version_info.py
│   │           │   │   └── [ 13K]  rest.py
│   │           │   ├── [ 384]  config
│   │           │   │   ├── [2.0K]  __init__.py
│   │           │   │   ├── [ 632]  config_exception.py
│   │           │   │   ├── [2.7K]  dateutil.py
│   │           │   │   ├── [3.0K]  dateutil_test.py
│   │           │   │   ├── [4.3K]  exec_provider.py
│   │           │   │   ├── [6.7K]  exec_provider_test.py
│   │           │   │   ├── [4.6K]  incluster_config.py
│   │           │   │   ├── [5.8K]  incluster_config_test.py
```

```
│   │   │   │   │   ├── [ 33K]  kube_config.py
│   │   │   │   │   └── [ 70K]  kube_config_test.py
│   │   │   │   ├── [ 288]  dynamic
│   │   │   │   │   ├── [ 618]  __init__.py
│   │   │   │   │   ├── [ 14K]  client.py
│   │   │   │   │   ├── [ 17K]  discovery.py
│   │   │   │   │   ├── [3.8K]  exceptions.py
│   │   │   │   │   ├── [ 14K]  resource.py
│   │   │   │   │   ├── [ 20K]  test_client.py
│   │   │   │   │   └── [2.3K]  test_discovery.py
│   │   │   │   ├── [ 288]  leaderelection
│   │   │   │   │   ├── [ 587]  __init__.py
│   │   │   │   │   ├── [2.1K]  electionconfig.py
│   │   │   │   │   ├── [1.8K]  example.py
│   │   │   │   │   ├── [8.2K]  leaderelection.py
│   │   │   │   │   ├── [9.7K]  leaderelection_test.py
│   │   │   │   │   ├── [ 911]  leaderelectionrecord.py
│   │   │   │   │   └── [ 128]  resourcelock
│   │   │   │   │       ├── [ 587]  __init__.py
│   │   │   │   │       └── [5.7K]  configmaplock.py
│   │   │   │   ├── [ 192]  stream
│   │   │   │   │   ├── [ 628]  __init__.py
│   │   │   │   │   ├── [2.3K]  stream.py
│   │   │   │   │   ├── [ 23K]  ws_client.py
│   │   │   │   │   └── [3.7K]  ws_client_test.py
│   │   │   │   ├── [ 192]  utils
│   │   │   │   │   ├── [ 842]  __init__.py
│   │   │   │   │   ├── [ 12K]  create_from_yaml.py
│   │   │   │   │   ├── [5.3K]  duration.py
│   │   │   │   │   └── [4.3K]  quantity.py
│   │   │   │   └── [ 160]  watch
│   │   │   │       ├── [ 613]  __init__.py
│   │   │   │       ├── [9.0K]  watch.py
│   │   │   │       └── [ 23K]  watch_test.py
│   │   │   ├── [ 256]  kubernetes-33.1.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [1.7K]  METADATA
│   │   │   │   ├── [226K]  RECORD
│   │   │   │   ├── [ 109]  WHEEL
│   │   │   │   ├── [  96]  licenses
│   │   │   │   │   └── [ 11K]  LICENSE
│   │   │   │   └── [  11]  top_level.txt
│   │   │   ├── [1.5K]  langchain
│   │   │   │   ├── [ 13K]  __init__.py
│   │   │   │   ├── [ 224]  _api
│   │   │   │   │   ├── [ 733]  __init__.py
│   │   │   │   │   ├── [1.2K]  deprecation.py
│   │   │   │   │   ├── [ 139]  interactive_env.py
│   │   │   │   │   ├── [6.2K]  module_import.py
│   │   │   │   │   └── [ 122]  path.py
│   │   │   │   ├── [ 128]  adapters
│   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   └── [1.9K]  openai.py
│   │   │   │   ├── [ 960]  agents
│   │   │   │   │   ├── [6.2K]  __init__.py
│   │   │   │   │   ├── [ 61K]  agent.py
```

```
│   │               │   │   ├── [ 16K]  agent_iterator.py
│   │               │   │   ├── [1.0K]  agent_toolkits
│   │               │   │   │   ├── [7.2K]  __init__.py
│   │               │   │   │   ├── [ 128]  ainetwork
│   │               │   │   │   │   ├── [  25]  __init__.py
│   │               │   │   │   │   └── [ 686]  toolkit.py
│   │               │   │   │   ├── [  96]  amadeus
│   │               │   │   │   │   └── [ 669]  toolkit.py
│   │               │   │   │   ├── [ 772]  azure_cognitive_services.py
│   │               │   │   │   ├── [  72]  base.py
│   │               │   │   │   ├── [ 128]  clickup
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [ 676]  toolkit.py
│   │               │   │   │   ├── [ 160]  conversational_retrieval
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [3.2K]  openai_functions.py
│   │               │   │   │   │   └── [  97]  tool.py
│   │               │   │   │   ├── [  96]  csv
│   │               │   │   │   │   └── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 128]  file_management
│   │               │   │   │   │   ├── [ 784]  __init__.py
│   │               │   │   │   │   └── [ 746]  toolkit.py
│   │               │   │   │   ├── [ 128]  github
│   │               │   │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   │   └── [2.2K]  toolkit.py
│   │               │   │   │   ├── [ 128]  gitlab
│   │               │   │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   │   └── [ 671]  toolkit.py
│   │               │   │   │   ├── [ 128]  gmail
│   │               │   │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   │   └── [ 659]  toolkit.py
│   │               │   │   │   ├── [ 128]  jira
│   │               │   │   │   │   ├── [  20]  __init__.py
│   │               │   │   │   │   └── [ 654]  toolkit.py
│   │               │   │   │   ├── [ 192]  json
│   │               │   │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   │   ├── [ 673]  base.py
│   │               │   │   │   │   ├── [ 749]  prompt.py
│   │               │   │   │   │   └── [ 654]  toolkit.py
│   │               │   │   │   ├── [ 128]  multion
│   │               │   │   │   │   ├── [  23]  __init__.py
│   │               │   │   │   │   └── [ 676]  toolkit.py
│   │               │   │   │   ├── [ 128]  nasa
│   │               │   │   │   │   ├── [  19]  __init__.py
│   │               │   │   │   │   └── [ 654]  toolkit.py
│   │               │   │   │   ├── [ 160]  nla
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 634]  tool.py
│   │               │   │   │   │   └── [ 649]  toolkit.py
│   │               │   │   │   ├── [ 128]  office365
│   │               │   │   │   │   ├── [  25]  __init__.py
│   │               │   │   │   │   └── [ 671]  toolkit.py
│   │               │   │   │   ├── [ 288]  openapi
│   │               │   │   │   │   ├── [  26]  __init__.py
│   │               │   │   │   │   ├── [ 688]  base.py
│   │               │   │   │   │   ├── [1.6K]  planner.py
```

```
│   │               │   │   │   │   ├── [3.4K]  planner_prompt.py
│   │               │   │   │   │   ├── [ 909]  prompt.py
│   │               │   │   │   │   ├── [ 833]  spec.py
│   │               │   │   │   │   └── [ 818]  toolkit.py
│   │               │   │   │   ├── [  96]  pandas
│   │               │   │   │   │   └── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 128]  playwright
│   │               │   │   │   │   ├── [ 764]  __init__.py
│   │               │   │   │   │   └── [ 729]  toolkit.py
│   │               │   │   │   ├── [ 224]  powerbi
│   │               │   │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   │   ├── [ 676]  base.py
│   │               │   │   │   │   ├── [ 718]  chat_base.py
│   │               │   │   │   │   ├── [1.1K]  prompt.py
│   │               │   │   │   │   └── [ 676]  toolkit.py
│   │               │   │   │   ├── [  96]  python
│   │               │   │   │   │   └── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 128]  slack
│   │               │   │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   │   └── [ 659]  toolkit.py
│   │               │   │   │   ├── [  96]  spark
│   │               │   │   │   │   └── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 192]  spark_sql
│   │               │   │   │   │   ├── [  23]  __init__.py
│   │               │   │   │   │   ├── [ 698]  base.py
│   │               │   │   │   │   ├── [ 783]  prompt.py
│   │               │   │   │   │   └── [ 683]  toolkit.py
│   │               │   │   │   ├── [ 192]  sql
│   │               │   │   │   │   ├── [  17]  __init__.py
│   │               │   │   │   │   ├── [ 661]  base.py
│   │               │   │   │   │   ├── [ 896]  prompt.py
│   │               │   │   │   │   └── [ 680]  toolkit.py
│   │               │   │   │   ├── [ 128]  steam
│   │               │   │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   │   └── [ 659]  toolkit.py
│   │               │   │   │   ├── [ 192]  vectorstore
│   │               │   │   │   │   ├── [  56]  __init__.py
│   │               │   │   │   │   ├── [8.9K]  base.py
│   │               │   │   │   │   ├── [ 846]  prompt.py
│   │               │   │   │   │   └── [3.2K]  toolkit.py
│   │               │   │   │   ├── [  96]  xorbits
│   │               │   │   │   │   └── [1.1K]  __init__.py
│   │               │   │   │   └── [ 128]  zapier
│   │               │   │   │       ├── [  22]  __init__.py
│   │               │   │   │       └── [ 671]  toolkit.py
│   │               │   │   ├── [1.9K]  agent_types.py
│   │               │   │   ├── [ 192]  chat
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [6.4K]  base.py
│   │               │   │   │   ├── [2.4K]  output_parser.py
│   │               │   │   │   └── [1.2K]  prompt.py
│   │               │   │   ├── [ 192]  conversational
│   │               │   │   │   ├── [  75]  __init__.py
│   │               │   │   │   ├── [6.2K]  base.py
│   │               │   │   │   ├── [1.6K]  output_parser.py
│   │               │   │   │   └── [1.8K]  prompt.py
```

```
│   │               │   │   ├── [ 192]  conversational_chat
│   │               │   │   │   ├── [  75]  __init__.py
│   │               │   │   │   ├── [6.3K]  base.py
│   │               │   │   │   ├── [2.3K]  output_parser.py
│   │               │   │   │   └── [2.7K]  prompt.py
│   │               │   │   ├── [ 288]  format_scratchpad
│   │               │   │   │   ├── [ 956]  __init__.py
│   │               │   │   │   ├── [ 844]  log.py
│   │               │   │   │   ├── [ 961]  log_to_messages.py
│   │               │   │   │   ├── [2.4K]  openai_functions.py
│   │               │   │   │   ├── [ 166]  openai_tools.py
│   │               │   │   │   ├── [1.9K]  tools.py
│   │               │   │   │   └── [1.6K]  xml.py
│   │               │   │   ├── [3.7K]  initialize.py
│   │               │   │   ├── [ 160]  json_chat
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [7.8K]  base.py
│   │               │   │   │   └── [ 549]  prompt.py
│   │               │   │   ├── [ 291]  load_tools.py
│   │               │   │   ├── [4.8K]  loading.py
│   │               │   │   ├── [ 192]  mrkl
│   │               │   │   │   ├── [  86]  __init__.py
│   │               │   │   │   ├── [7.1K]  base.py
│   │               │   │   │   ├── [3.7K]  output_parser.py
│   │               │   │   │   └── [ 640]  prompt.py
│   │               │   │   ├── [ 128]  openai_assistant
│   │               │   │   │   ├── [ 114]  __init__.py
│   │               │   │   │   └── [ 30K]  base.py
│   │               │   │   ├── [ 160]  openai_functions_agent
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.7K]  agent_token_buffer_memory.py
│   │               │   │   │   └── [ 13K]  base.py
│   │               │   │   ├── [ 128]  openai_functions_multi_agent
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 13K]  base.py
│   │               │   │   ├── [ 128]  openai_tools
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [3.6K]  base.py
│   │               │   │   ├── [ 352]  output_parsers
│   │               │   │   │   ├── [1.3K]  __init__.py
│   │               │   │   │   ├── [1.9K]  json.py
│   │               │   │   │   ├── [3.5K]  openai_functions.py
│   │               │   │   │   ├── [2.3K]  openai_tools.py
│   │               │   │   │   ├── [2.6K]  react_json_single_input.py
│   │               │   │   │   ├── [3.2K]  react_single_input.py
│   │               │   │   │   ├── [1.6K]  self_ask.py
│   │               │   │   │   ├── [3.7K]  tools.py
│   │               │   │   │   └── [4.7K]  xml.py
│   │               │   │   ├── [ 256]  react
│   │               │   │   │   ├── [  76]  __init__.py
│   │               │   │   │   ├── [5.5K]  agent.py
│   │               │   │   │   ├── [6.1K]  base.py
│   │               │   │   │   ├── [1.2K]  output_parser.py
│   │               │   │   │   ├── [1.8K]  textworld_prompt.py
│   │               │   │   │   └── [6.0K]  wiki_prompt.py
│   │               │   │   ├── [1.1K]  schema.py
```

```
│   │               │   │   ├── [ 192]  self_ask_with_search
│   │               │   │   │   ├── [ 106]  __init__.py
│   │               │   │   │   ├── [8.1K]  base.py
│   │               │   │   │   ├── [ 138]  output_parser.py
│   │               │   │   │   └── [1.9K]  prompt.py
│   │               │   │   ├── [ 192]  structured_chat
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 11K]  base.py
│   │               │   │   │   ├── [3.6K]  output_parser.py
│   │               │   │   │   └── [1019]  prompt.py
│   │               │   │   ├── [ 128]  tool_calling_agent
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [3.8K]  base.py
│   │               │   │   ├── [1.4K]  tools.py
│   │               │   │   ├── [1.4K]  types.py
│   │               │   │   ├── [ 556]  utils.py
│   │               │   │   └── [ 160]  xml
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [8.0K]  base.py
│   │               │   │       └── [ 766]  prompt.py
│   │               │   ├── [ 218]  base_language.py
│   │               │   ├── [2.1K]  cache.py
│   │               │   ├── [1.1K]  callbacks
│   │               │   │   ├── [5.8K]  __init__.py
│   │               │   │   ├── [ 941]  aim_callback.py
│   │               │   │   ├── [ 689]  argilla_callback.py
│   │               │   │   ├── [ 679]  arize_callback.py
│   │               │   │   ├── [ 684]  arthur_callback.py
│   │               │   │   ├── [ 654]  base.py
│   │               │   │   ├── [ 689]  clearml_callback.py
│   │               │   │   ├── [ 685]  comet_ml_callback.py
│   │               │   │   ├── [ 696]  confident_callback.py
│   │               │   │   ├── [ 689]  context_callback.py
│   │               │   │   ├── [  97]  file.py
│   │               │   │   ├── [ 679]  flyte_callback.py
│   │               │   │   ├── [ 997]  human.py
│   │               │   │   ├── [ 684]  infino_callback.py
│   │               │   │   ├── [1006]  labelstudio_callback.py
│   │               │   │   ├── [ 716]  llmonitor_callback.py
│   │               │   │   ├── [2.4K]  manager.py
│   │               │   │   ├── [1.1K]  mlflow_callback.py
│   │               │   │   ├── [ 676]  openai_info.py
│   │               │   │   ├── [ 726]  promptlayer_callback.py
│   │               │   │   ├── [ 716]  sagemaker_callback.py
│   │               │   │   ├── [ 103]  stdout.py
│   │               │   │   ├── [2.4K]  streaming_aiter.py
│   │               │   │   ├── [3.3K]  streaming_aiter_final_only.py
│   │               │   │   ├── [ 174]  streaming_stdout.py
│   │               │   │   ├── [3.3K]  streaming_stdout_final_only.py
│   │               │   │   ├── [ 160]  streamlit
│   │               │   │   │   ├── [3.4K]  __init__.py
│   │               │   │   │   ├── [ 937]  mutable_expander.py
│   │               │   │   │   └── [1.3K]  streamlit_callback_handler.py
│   │               │   │   ├── [ 480]  tracers
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 191]  base.py
```

```
│   │               │   │   │   ├── [ 800]  comet.py
│   │               │   │   │   ├── [ 234]  evaluation.py
│   │               │   │   │   ├── [ 218]  langchain.py
│   │               │   │   │   ├── [  99]  langchain_v1.py
│   │               │   │   │   ├── [ 226]  log_stream.py
│   │               │   │   │   ├── [1.3K]  logging.py
│   │               │   │   │   ├── [ 105]  root_listeners.py
│   │               │   │   │   ├── [ 120]  run_collector.py
│   │               │   │   │   ├── [ 470]  schemas.py
│   │               │   │   │   ├── [ 168]  stdout.py
│   │               │   │   │   └── [ 751]  wandb.py
│   │               │   │   ├── [ 694]  trubrics_callback.py
│   │               │   │   ├── [1.4K]  utils.py
│   │               │   │   ├── [ 679]  wandb_callback.py
│   │               │   │   └── [ 689]  whylabs_callback.py
│   │               │   ├── [1.3K]  chains
│   │               │   │   ├── [5.0K]  __init__.py
│   │               │   │   ├── [ 320]  api
│   │               │   │   │   ├── [  84]  __init__.py
│   │               │   │   │   ├── [ 15K]  base.py
│   │               │   │   │   ├── [2.4K]  news_docs.py
│   │               │   │   │   ├── [3.3K]  open_meteo_docs.py
│   │               │   │   │   ├── [ 224]  openapi
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 667]  chain.py
│   │               │   │   │   │   ├── [ 795]  prompts.py
│   │               │   │   │   │   ├── [ 963]  requests_chain.py
│   │               │   │   │   │   └── [ 966]  response_chain.py
│   │               │   │   │   ├── [1.9K]  podcast_docs.py
│   │               │   │   │   ├── [1.0K]  prompt.py
│   │               │   │   │   └── [1.5K]  tmdb_docs.py
│   │               │   │   ├── [ 31K]  base.py
│   │               │   │   ├── [ 128]  chat_vector_db
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 707]  prompts.py
│   │               │   │   ├── [ 288]  combine_documents
│   │               │   │   │   ├── [ 367]  __init__.py
│   │               │   │   │   ├── [ 10K]  base.py
│   │               │   │   │   ├── [ 12K]  map_reduce.py
│   │               │   │   │   ├── [9.3K]  map_rerank.py
│   │               │   │   │   ├── [ 14K]  reduce.py
│   │               │   │   │   ├── [9.3K]  refine.py
│   │               │   │   │   └── [ 11K]  stuff.py
│   │               │   │   ├── [ 224]  constitutional_ai
│   │               │   │   │   ├── [ 107]  __init__.py
│   │               │   │   │   ├── [ 12K]  base.py
│   │               │   │   │   ├── [ 266]  models.py
│   │               │   │   │   ├── [ 21K]  principles.py
│   │               │   │   │   └── [9.1K]  prompts.py
│   │               │   │   ├── [ 192]  conversation
│   │               │   │   │   ├── [  71]  __init__.py
│   │               │   │   │   ├── [5.3K]  base.py
│   │               │   │   │   ├── [1.4K]  memory.py
│   │               │   │   │   └── [ 913]  prompt.py
│   │               │   │   ├── [ 160]  conversational_retrieval
│   │               │   │   │   ├── [  49]  __init__.py
```

```
│   │               │   │   │   ├── [ 21K]  base.py
│   │               │   │   │   └── [ 733]  prompts.py
│   │               │   │   ├── [ 160]  elasticsearch_database
│   │               │   │   │   ├── [ 126]  __init__.py
│   │               │   │   │   ├── [8.0K]  base.py
│   │               │   │   │   └── [1.4K]  prompts.py
│   │               │   │   ├── [ 128]  ernie_functions
│   │               │   │   │   ├── [1.5K]  __init__.py
│   │               │   │   │   └── [1.7K]  base.py
│   │               │   │   ├── [ 741]  example_generator.py
│   │               │   │   ├── [ 160]  flare
│   │               │   │   │   ├── [  51]  __init__.py
│   │               │   │   │   ├── [9.2K]  base.py
│   │               │   │   │   └── [1.4K]  prompts.py
│   │               │   │   ├── [ 544]  graph_qa
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 669]  arangodb.py
│   │               │   │   │   ├── [ 643]  base.py
│   │               │   │   │   ├── [1.2K]  cypher.py
│   │               │   │   │   ├── [ 792]  cypher_utils.py
│   │               │   │   │   ├── [ 925]  falkordb.py
│   │               │   │   │   ├── [1.1K]  gremlin.py
│   │               │   │   │   ├── [ 665]  hugegraph.py
│   │               │   │   │   ├── [ 870]  kuzu.py
│   │               │   │   │   ├── [ 675]  nebulagraph.py
│   │               │   │   │   ├── [1.2K]  neptune_cypher.py
│   │               │   │   │   ├── [1.1K]  neptune_sparql.py
│   │               │   │   │   ├── [ 714]  ontotext_graphdb.py
│   │               │   │   │   ├── [3.8K]  prompts.py
│   │               │   │   │   └── [ 665]  sparql.py
│   │               │   │   ├── [2.6K]  history_aware_retriever.py
│   │               │   │   ├── [ 160]  hyde
│   │               │   │   │   ├── [  75]  __init__.py
│   │               │   │   │   ├── [4.3K]  base.py
│   │               │   │   │   └── [1.9K]  prompts.py
│   │               │   │   ├── [ 15K]  llm.py
│   │               │   │   ├── [  96]  llm_bash
│   │               │   │   │   └── [ 469]  __init__.py
│   │               │   │   ├── [ 160]  llm_checker
│   │               │   │   │   ├── [ 139]  __init__.py
│   │               │   │   │   ├── [6.3K]  base.py
│   │               │   │   │   └── [1.1K]  prompt.py
│   │               │   │   ├── [ 160]  llm_math
│   │               │   │   │   ├── [ 143]  __init__.py
│   │               │   │   │   ├── [ 11K]  base.py
│   │               │   │   │   └── [ 867]  prompt.py
│   │               │   │   ├── [ 653]  llm_requests.py
│   │               │   │   ├── [ 160]  llm_summarization_checker
│   │               │   │   │   ├── [ 352]  __init__.py
│   │               │   │   │   ├── [6.8K]  base.py
│   │               │   │   │   └── [ 192]  prompts
│   │               │   │   │       ├── [ 654]  are_all_true_prompt.txt
│   │               │   │   │       ├── [ 377]  check_facts.txt
│   │               │   │   │       ├── [ 128]  create_facts.txt
│   │               │   │   │       └── [ 416]  revise_summary.txt
│   │               │   │   ├── [  96]  llm_symbolic_math
```

```
│   │               │   │   │   └── [ 486]  __init__.py
│   │               │   │   ├── [ 27K]  loading.py
│   │               │   │   ├── [4.0K]  mapreduce.py
│   │               │   │   ├── [4.4K]  moderation.py
│   │               │   │   ├── [ 192]  natbot
│   │               │   │   │   ├── [  96]  __init__.py
│   │               │   │   │   ├── [5.2K]  base.py
│   │               │   │   │   ├── [ 16K]  crawler.py
│   │               │   │   │   └── [4.9K]  prompt.py
│   │               │   │   ├── [ 320]  openai_functions
│   │               │   │   │   ├── [1.5K]  __init__.py
│   │               │   │   │   ├── [9.8K]  base.py
│   │               │   │   │   ├── [5.3K]  citation_fuzzy_match.py
│   │               │   │   │   ├── [7.2K]  extraction.py
│   │               │   │   │   ├── [ 15K]  openapi.py
│   │               │   │   │   ├── [4.8K]  qa_with_structure.py
│   │               │   │   │   ├── [6.3K]  tagging.py
│   │               │   │   │   └── [1.2K]  utils.py
│   │               │   │   ├── [ 128]  openai_tools
│   │               │   │   │   ├── [ 134]  __init__.py
│   │               │   │   │   └── [3.3K]  extraction.py
│   │               │   │   ├── [1.9K]  prompt_selector.py
│   │               │   │   ├── [ 160]  qa_generation
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [4.1K]  base.py
│   │               │   │   │   └── [1.9K]  prompt.py
│   │               │   │   ├── [ 320]  qa_with_sources
│   │               │   │   │   ├── [ 174]  __init__.py
│   │               │   │   │   ├── [8.4K]  base.py
│   │               │   │   │   ├── [7.8K]  loading.py
│   │               │   │   │   ├── [6.8K]  map_reduce_prompt.py
│   │               │   │   │   ├── [1.3K]  refine_prompts.py
│   │               │   │   │   ├── [2.5K]  retrieval.py
│   │               │   │   │   ├── [6.4K]  stuff_prompt.py
│   │               │   │   │   └── [2.8K]  vector_db.py
│   │               │   │   ├── [ 256]  query_constructor
│   │               │   │   │   ├── [ 131]  __init__.py
│   │               │   │   │   ├── [ 14K]  base.py
│   │               │   │   │   ├── [ 394]  ir.py
│   │               │   │   │   ├── [6.6K]  parser.py
│   │               │   │   │   ├── [6.8K]  prompt.py
│   │               │   │   │   └── [ 277]  schema.py
│   │               │   │   ├── [ 256]  question_answering
│   │               │   │   │   ├── [ 144]  __init__.py
│   │               │   │   │   ├── [9.5K]  chain.py
│   │               │   │   │   ├── [7.8K]  map_reduce_prompt.py
│   │               │   │   │   ├── [1.6K]  map_rerank_prompt.py
│   │               │   │   │   ├── [2.3K]  refine_prompts.py
│   │               │   │   │   └── [1.1K]  stuff_prompt.py
│   │               │   │   ├── [2.6K]  retrieval.py
│   │               │   │   ├── [ 160]  retrieval_qa
│   │               │   │   │   ├── [  62]  __init__.py
│   │               │   │   │   ├── [ 12K]  base.py
│   │               │   │   │   └── [ 398]  prompt.py
│   │               │   │   ├── [ 320]  router
│   │               │   │   │   ├── [ 407]  __init__.py
```

```
│   │               │   │   │   ├── [4.5K]  base.py
│   │               │   │   │   ├── [3.1K]  embedding_router.py
│   │               │   │   │   ├── [6.8K]  llm_router.py
│   │               │   │   │   ├── [6.8K]  multi_prompt.py
│   │               │   │   │   ├── [1.1K]  multi_prompt_prompt.py
│   │               │   │   │   ├── [1.1K]  multi_retrieval_prompt.py
│   │               │   │   │   └── [4.2K]  multi_retrieval_qa.py
│   │               │   │   ├── [7.6K]  sequential.py
│   │               │   │   ├── [ 160]  sql_database
│   │               │   │   │   ├── [  47]  __init__.py
│   │               │   │   │   ├── [ 15K]  prompt.py
│   │               │   │   │   └── [5.9K]  query.py
│   │               │   │   ├── [ 128]  structured_output
│   │               │   │   │   ├── [ 204]  __init__.py
│   │               │   │   │   └── [ 25K]  base.py
│   │               │   │   ├── [ 224]  summarize
│   │               │   │   │   ├── [ 151]  __init__.py
│   │               │   │   │   ├── [6.1K]  chain.py
│   │               │   │   │   ├── [ 223]  map_reduce_prompt.py
│   │               │   │   │   ├── [ 677]  refine_prompts.py
│   │               │   │   │   └── [ 223]  stuff_prompt.py
│   │               │   │   └── [2.3K]  transform.py
│   │               │   ├── [ 384]  chat_loaders
│   │               │   │   ├── [ 452]  __init__.py
│   │               │   │   ├── [  85]  base.py
│   │               │   │   ├── [ 884]  facebook_messenger.py
│   │               │   │   ├── [ 636]  gmail.py
│   │               │   │   ├── [ 663]  imessage.py
│   │               │   │   ├── [ 851]  langsmith.py
│   │               │   │   ├── [ 648]  slack.py
│   │               │   │   ├── [ 663]  telegram.py
│   │               │   │   ├── [1.1K]  utils.py
│   │               │   │   └── [ 663]  whatsapp.py
│   │               │   ├── [1.2K]  chat_models
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [ 851]  anthropic.py
│   │               │   │   ├── [ 643]  anyscale.py
│   │               │   │   ├── [ 660]  azure_openai.py
│   │               │   │   ├── [ 863]  azureml_endpoint.py
│   │               │   │   ├── [ 643]  baichuan.py
│   │               │   │   ├── [ 716]  baidu_qianfan_endpoint.py
│   │               │   │   ├── [ 35K]  base.py
│   │               │   │   ├── [ 757]  bedrock.py
│   │               │   │   ├── [ 633]  cohere.py
│   │               │   │   ├── [ 653]  databricks.py
│   │               │   │   ├── [ 637]  ernie.py
│   │               │   │   ├── [ 643]  everlyai.py
│   │               │   │   ├── [ 815]  fake.py
│   │               │   │   ├── [ 648]  fireworks.py
│   │               │   │   ├── [ 631]  gigachat.py
│   │               │   │   ├── [ 809]  google_palm.py
│   │               │   │   ├── [ 658]  human.py
│   │               │   │   ├── [ 638]  hunyuan.py
│   │               │   │   ├── [ 821]  javelin_ai_gateway.py
│   │               │   │   ├── [ 631]  jinachat.py
│   │               │   │   ├── [ 628]  konko.py
```

```
│   │               │   │   ├── [ 791]  litellm.py
│   │               │   │   ├── [ 702]  meta.py
│   │               │   │   ├── [ 638]  minimax.py
│   │               │   │   ├── [ 633]  mlflow.py
│   │               │   │   ├── [ 815]  mlflow_ai_gateway.py
│   │               │   │   ├── [ 633]  ollama.py
│   │               │   │   ├── [ 633]  openai.py
│   │               │   │   ├── [ 684]  pai_eas_endpoint.py
│   │               │   │   ├── [ 697]  promptlayer_openai.py
│   │               │   │   ├── [ 633]  tongyi.py
│   │               │   │   ├── [ 643]  vertexai.py
│   │               │   │   ├── [ 845]  volcengine_maas.py
│   │               │   │   └── [ 642]  yandex.py
│   │               │   ├── [ 256]  docstore
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [ 639]  arbitrary_fn.py
│   │               │   │   ├── [ 715]  base.py
│   │               │   │   ├── [  70]  document.py
│   │               │   │   ├── [ 651]  in_memory.py
│   │               │   │   └── [ 630]  wikipedia.py
│   │               │   ├── [4.7K]  document_loaders
│   │               │   │   ├── [ 20K]  __init__.py
│   │               │   │   ├── [ 635]  acreom.py
│   │               │   │   ├── [1.5K]  airbyte.py
│   │               │   │   ├── [ 650]  airbyte_json.py
│   │               │   │   ├── [ 641]  airtable.py
│   │               │   │   ├── [ 653]  apify_dataset.py
│   │               │   │   ├── [ 635]  arcgis_loader.py
│   │               │   │   ├── [ 632]  arxiv.py
│   │               │   │   ├── [ 879]  assemblyai.py
│   │               │   │   ├── [ 644]  async_html.py
│   │               │   │   ├── [ 641]  azlyrics.py
│   │               │   │   ├── [ 650]  azure_ai_data.py
│   │               │   │   ├── [ 699]  azure_blob_storage_container.py
│   │               │   │   ├── [ 684]  azure_blob_storage_file.py
│   │               │   │   ├── [ 758]  baiducloud_bos_directory.py
│   │               │   │   ├── [ 717]  baiducloud_bos_file.py
│   │               │   │   ├── [ 115]  base.py
│   │               │   │   ├── [ 661]  base_o365.py
│   │               │   │   ├── [ 635]  bibtex.py
│   │               │   │   ├── [ 641]  bigquery.py
│   │               │   │   ├── [ 641]  bilibili.py
│   │               │   │   ├── [ 647]  blackboard.py
│   │               │   │   ├── [ 192]  blob_loaders
│   │               │   │   │   ├── [1005]  __init__.py
│   │               │   │   │   ├── [ 659]  file_system.py
│   │               │   │   │   ├── [ 707]  schema.py
│   │               │   │   │   └── [ 653]  youtube_audio.py
│   │               │   │   ├── [ 852]  blockchain.py
│   │               │   │   ├── [ 650]  brave_search.py
│   │               │   │   ├── [ 650]  browserless.py
│   │               │   │   ├── [ 819]  chatgpt.py
│   │               │   │   ├── [ 656]  chromium.py
│   │               │   │   ├── [ 681]  college_confidential.py
│   │               │   │   ├── [ 647]  concurrent.py
│   │               │   │   ├── [ 825]  confluence.py
```

```
│   │               │   │   ├── [ 635]  conllu.py
│   │               │   │   ├── [ 644]  couchbase.py
│   │               │   │   ├── [ 754]  csv_loader.py
│   │               │   │   ├── [ 653]  cube_semantic.py
│   │               │   │   ├── [ 650]  datadog_logs.py
│   │               │   │   ├── [ 838]  dataframe.py
│   │               │   │   ├── [ 638]  diffbot.py
│   │               │   │   ├── [ 644]  directory.py
│   │               │   │   ├── [ 650]  discord.py
│   │               │   │   ├── [ 641]  docugami.py
│   │               │   │   ├── [ 647]  docusaurus.py
│   │               │   │   ├── [ 638]  dropbox.py
│   │               │   │   ├── [ 635]  duckdb_loader.py
│   │               │   │   ├── [ 818]  email.py
│   │               │   │   ├── [ 665]  epub.py
│   │               │   │   ├── [ 644]  etherscan.py
│   │               │   │   ├── [ 641]  evernote.py
│   │               │   │   ├── [ 668]  excel.py
│   │               │   │   ├── [ 846]  facebook_chat.py
│   │               │   │   ├── [ 632]  fauna.py
│   │               │   │   ├── [ 644]  figma.py
│   │               │   │   ├── [ 653]  gcs_directory.py
│   │               │   │   ├── [ 638]  gcs_file.py
│   │               │   │   ├── [ 654]  generic.py
│   │               │   │   ├── [ 653]  geodataframe.py
│   │               │   │   ├── [ 626]  git.py
│   │               │   │   ├── [ 638]  gitbook.py
│   │               │   │   ├── [ 832]  github.py
│   │               │   │   ├── [ 671]  google_speech_to_text.py
│   │               │   │   ├── [ 650]  googledrive.py
│   │               │   │   ├── [ 644]  gutenberg.py
│   │               │   │   ├── [ 812]  helpers.py
│   │               │   │   ├── [ 623]  hn.py
│   │               │   │   ├── [ 665]  html.py
│   │               │   │   ├── [ 635]  html_bs.py
│   │               │   │   ├── [ 671]  hugging_face_dataset.py
│   │               │   │   ├── [ 635]  ifixit.py
│   │               │   │   ├── [ 668]  image.py
│   │               │   │   ├── [ 653]  image_captions.py
│   │               │   │   ├── [ 632]  imsdb.py
│   │               │   │   ├── [ 629]  iugu.py
│   │               │   │   ├── [ 635]  joplin.py
│   │               │   │   ├── [ 629]  json_loader.py
│   │               │   │   ├── [ 964]  lakefs.py
│   │               │   │   ├── [ 653]  larksuite.py
│   │               │   │   ├── [ 684]  markdown.py
│   │               │   │   ├── [ 656]  mastodon.py
│   │               │   │   ├── [ 647]  max_compute.py
│   │               │   │   ├── [ 635]  mediawikidump.py
│   │               │   │   ├── [ 647]  merge.py
│   │               │   │   ├── [ 632]  mhtml.py
│   │               │   │   ├── [ 659]  modern_treasury.py
│   │               │   │   ├── [ 638]  mongodb.py
│   │               │   │   ├── [ 638]  news.py
│   │               │   │   ├── [ 964]  notebook.py
│   │               │   │   ├── [ 662]  notion.py
```

```
│   │               │   │   ├── [ 641]  notiondb.py
│   │               │   │   ├── [ 649]  nuclia.py
│   │               │   │   ├── [ 653]  obs_directory.py
│   │               │   │   ├── [ 638]  obs_file.py
│   │               │   │   ├── [ 641]  obsidian.py
│   │               │   │   ├── [ 662]  odt.py
│   │               │   │   ├── [ 641]  onedrive.py
│   │               │   │   ├── [ 653]  onedrive_file.py
│   │               │   │   ├── [ 654]  onenote.py
│   │               │   │   ├── [ 653]  open_city_data.py
│   │               │   │   ├── [ 681]  org_mode.py
│   │               │   │   ├── [ 416]  parsers
│   │               │   │   │   ├── [2.1K]  __init__.py
│   │               │   │   │   ├── [ 985]  audio.py
│   │               │   │   │   ├── [ 821]  docai.py
│   │               │   │   │   ├── [ 695]  generic.py
│   │               │   │   │   ├── [ 848]  grobid.py
│   │               │   │   │   ├── [ 128]  html
│   │               │   │   │   │   ├── [ 679]  __init__.py
│   │               │   │   │   │   └── [ 679]  bs4.py
│   │               │   │   │   ├── [ 256]  language
│   │               │   │   │   │   ├── [ 747]  __init__.py
│   │               │   │   │   │   ├── [ 711]  cobol.py
│   │               │   │   │   │   ├── [ 742]  code_segmenter.py
│   │               │   │   │   │   ├── [ 752]  javascript.py
│   │               │   │   │   │   ├── [ 747]  language_parser.py
│   │               │   │   │   │   └── [ 716]  python.py
│   │               │   │   │   ├── [ 672]  msword.py
│   │               │   │   │   ├── [1.6K]  pdf.py
│   │               │   │   │   ├── [ 670]  registry.py
│   │               │   │   │   └── [ 653]  txt.py
│   │               │   │   ├── [2.1K]  pdf.py
│   │               │   │   ├── [ 662]  polars_dataframe.py
│   │               │   │   ├── [ 690]  powerpoint.py
│   │               │   │   ├── [ 638]  psychic.py
│   │               │   │   ├── [ 635]  pubmed.py
│   │               │   │   ├── [ 719]  pyspark_dataframe.py
│   │               │   │   ├── [ 643]  python.py
│   │               │   │   ├── [ 639]  quip.py
│   │               │   │   ├── [ 650]  readthedocs.py
│   │               │   │   ├── [ 653]  recursive_url_loader.py
│   │               │   │   ├── [ 650]  reddit.py
│   │               │   │   ├── [ 629]  roam.py
│   │               │   │   ├── [ 638]  rocksetdb.py
│   │               │   │   ├── [ 649]  rspace.py
│   │               │   │   ├── [ 638]  rss.py
│   │               │   │   ├── [ 662]  rst.py
│   │               │   │   ├── [ 662]  rtf.py
│   │               │   │   ├── [ 650]  s3_directory.py
│   │               │   │   ├── [ 635]  s3_file.py
│   │               │   │   ├── [ 647]  sharepoint.py
│   │               │   │   ├── [ 638]  sitemap.py
│   │               │   │   ├── [ 659]  slack_directory.py
│   │               │   │   ├── [ 644]  snowflake_loader.py
│   │               │   │   ├── [ 641]  spreedly.py
│   │               │   │   ├── [ 626]  srt.py
```

```
│   │               │   │   ├── [ 635]  stripe.py
│   │               │   │   ├── [1.1K]  telegram.py
│   │               │   │   ├── [ 681]  tencent_cos_directory.py
│   │               │   │   ├── [ 659]  tencent_cos_file.py
│   │               │   │   ├── [ 668]  tensorflow_datasets.py
│   │               │   │   ├── [ 629]  text.py
│   │               │   │   ├── [ 647]  tomarkdown.py
│   │               │   │   ├── [ 629]  toml.py
│   │               │   │   ├── [ 635]  trello.py
│   │               │   │   ├── [ 662]  tsv.py
│   │               │   │   ├── [ 653]  twitter.py
│   │               │   │   ├── [1.8K]  unstructured.py
│   │               │   │   ├── [ 662]  url.py
│   │               │   │   ├── [1.0K]  url_playwright.py
│   │               │   │   ├── [ 650]  url_selenium.py
│   │               │   │   ├── [ 650]  weather.py
│   │               │   │   ├── [ 638]  web_base.py
│   │               │   │   ├── [ 846]  whatsapp_chat.py
│   │               │   │   ├── [ 644]  wikipedia.py
│   │               │   │   ├── [ 821]  word_document.py
│   │               │   │   ├── [ 662]  xml.py
│   │               │   │   ├── [ 638]  xorbits.py
│   │               │   │   └── [ 905]  youtube.py
│   │               │   ├── [ 448]  document_transformers
│   │               │   │   ├── [2.5K]  __init__.py
│   │               │   │   ├── [ 688]  beautiful_soup_transformer.py
│   │               │   │   ├── [ 688]  doctran_text_extract.py
│   │               │   │   ├── [ 676]  doctran_text_qa.py
│   │               │   │   ├── [ 679]  doctran_text_translate.py
│   │               │   │   ├── [1.6K]  embeddings_redundant_filter.py
│   │               │   │   ├── [ 694]  google_translate.py
│   │               │   │   ├── [ 676]  html2text.py
│   │               │   │   ├── [ 663]  long_context_reorder.py
│   │               │   │   ├── [ 679]  nuclia_text_transform.py
│   │               │   │   ├── [ 929]  openai_functions.py
│   │               │   │   └── [  96]  xsl
│   │               │   │       └── [5.9K]  html_chunks_with_headers.xslt
│   │               │   ├── [1.7K]  embeddings
│   │               │   │   ├── [8.2K]  __init__.py
│   │               │   │   ├── [ 890]  aleph_alpha.py
│   │               │   │   ├── [ 626]  awa.py
│   │               │   │   ├── [ 650]  azure_openai.py
│   │               │   │   ├── [ 662]  baidu_qianfan_endpoint.py
│   │               │   │   ├── [7.4K]  base.py
│   │               │   │   ├── [ 638]  bedrock.py
│   │               │   │   ├── [ 638]  bookend.py
│   │               │   │   ├── [ 14K]  cache.py
│   │               │   │   ├── [ 641]  clarifai.py
│   │               │   │   ├── [ 756]  cloudflare_workersai.py
│   │               │   │   ├── [ 635]  cohere.py
│   │               │   │   ├── [ 644]  dashscope.py
│   │               │   │   ├── [ 647]  databricks.py
│   │               │   │   ├── [ 644]  deepinfra.py
│   │               │   │   ├── [ 635]  edenai.py
│   │               │   │   ├── [ 656]  elasticsearch.py
│   │               │   │   ├── [ 635]  embaas.py
```

```
│   │               │   │   ├── [ 632]  ernie.py
│   │               │   │   ├── [ 791]  fake.py
│   │               │   │   ├── [ 644]  fastembed.py
│   │               │   │   ├── [ 647]  google_palm.py
│   │               │   │   ├── [ 638]  gpt4all.py
│   │               │   │   ├── [ 641]  gradient_ai.py
│   │               │   │   ├── [1.1K]  huggingface.py
│   │               │   │   ├── [ 659]  huggingface_hub.py
│   │               │   │   ├── [ 895]  infinity.py
│   │               │   │   ├── [ 665]  javelin_ai_gateway.py
│   │               │   │   ├── [ 629]  jina.py
│   │               │   │   ├── [ 653]  johnsnowlabs.py
│   │               │   │   ├── [ 641]  llamacpp.py
│   │               │   │   ├── [ 641]  llm_rails.py
│   │               │   │   ├── [ 638]  localai.py
│   │               │   │   ├── [ 638]  minimax.py
│   │               │   │   ├── [ 635]  mlflow.py
│   │               │   │   ├── [ 662]  mlflow_gateway.py
│   │               │   │   ├── [ 647]  modelscope_hub.py
│   │               │   │   ├── [ 671]  mosaicml.py
│   │               │   │   ├── [ 641]  nlpcloud.py
│   │               │   │   ├── [ 635]  octoai_embeddings.py
│   │               │   │   ├── [ 635]  ollama.py
│   │               │   │   ├── [ 635]  openai.py
│   │               │   │   ├── [ 900]  sagemaker_endpoint.py
│   │               │   │   ├── [ 647]  self_hosted.py
│   │               │   │   ├── [ 881]  self_hosted_hugging_face.py
│   │               │   │   ├── [ 667]  sentence_transformer.py
│   │               │   │   ├── [ 632]  spacy_embeddings.py
│   │               │   │   ├── [ 656]  tensorflow_hub.py
│   │               │   │   ├── [ 641]  vertexai.py
│   │               │   │   ├── [ 635]  voyageai.py
│   │               │   │   └── [ 647]  xinference.py
│   │               │   ├── [ 476]  env.py
│   │               │   ├── [ 480]  evaluation
│   │               │   │   ├── [5.7K]  __init__.py
│   │               │   │   ├── [ 160]  agents
│   │               │   │   │   ├── [ 166]  __init__.py
│   │               │   │   │   ├── [ 14K]  trajectory_eval_chain.py
│   │               │   │   │   └── [5.8K]  trajectory_eval_prompt.py
│   │               │   │   ├── [ 160]  comparison
│   │               │   │   │   ├── [1.4K]  __init__.py
│   │               │   │   │   ├── [ 16K]  eval_chain.py
│   │               │   │   │   └── [2.3K]  prompt.py
│   │               │   │   ├── [ 160]  criteria
│   │               │   │   │   ├── [1.6K]  __init__.py
│   │               │   │   │   ├── [ 21K]  eval_chain.py
│   │               │   │   │   └── [1.7K]  prompt.py
│   │               │   │   ├── [ 128]  embedding_distance
│   │               │   │   │   ├── [ 324]  __init__.py
│   │               │   │   │   └── [ 19K]  base.py
│   │               │   │   ├── [ 128]  exact_match
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [2.7K]  base.py
│   │               │   │   ├── [7.3K]  loading.py
│   │               │   │   ├── [ 192]  parsing
```

```
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [5.2K]  base.py
│   │               │   │   │   ├── [3.7K]  json_distance.py
│   │               │   │   │   └── [3.3K]  json_schema.py
│   │               │   │   ├── [ 224]  qa
│   │               │   │   │   ├── [ 345]  __init__.py
│   │               │   │   │   ├── [ 11K]  eval_chain.py
│   │               │   │   │   ├── [3.9K]  eval_prompt.py
│   │               │   │   │   ├── [1.0K]  generate_chain.py
│   │               │   │   │   └── [ 549]  generate_prompt.py
│   │               │   │   ├── [ 128]  regex_match
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [2.3K]  base.py
│   │               │   │   ├── [ 18K]  schema.py
│   │               │   │   ├── [ 160]  scoring
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 15K]  eval_chain.py
│   │               │   │   │   └── [2.1K]  prompt.py
│   │               │   │   └── [ 128]  string_distance
│   │               │   │       ├── [ 286]  __init__.py
│   │               │   │       └── [ 14K]  base.py
│   │               │   ├── [ 142]  example_generator.py
│   │               │   ├── [ 168]  formatting.py
│   │               │   ├── [7.3K]  globals.py
│   │               │   ├── [ 480]  graphs
│   │               │   │   ├── [1.5K]  __init__.py
│   │               │   │   ├── [ 796]  arangodb_graph.py
│   │               │   │   ├── [ 618]  falkordb_graph.py
│   │               │   │   ├── [ 862]  graph_document.py
│   │               │   │   ├── [ 633]  graph_store.py
│   │               │   │   ├── [ 606]  hugegraph.py
│   │               │   │   ├── [ 606]  kuzu_graph.py
│   │               │   │   ├── [ 618]  memgraph_graph.py
│   │               │   │   ├── [ 612]  nebula_graph.py
│   │               │   │   ├── [ 609]  neo4j_graph.py
│   │               │   │   ├── [ 615]  neptune_graph.py
│   │               │   │   ├── [1.0K]  networkx_graph.py
│   │               │   │   └── [ 603]  rdf_graph.py
│   │               │   ├── [4.6K]  hub.py
│   │               │   ├── [ 256]  indexes
│   │               │   │   ├── [1.4K]  __init__.py
│   │               │   │   ├── [ 252]  _api.py
│   │               │   │   ├── [ 21K]  _sql_record_manager.py
│   │               │   │   ├── [ 907]  graph.py
│   │               │   │   ├── [ 192]  prompts
│   │               │   │   │   ├── [ 358]  __init__.py
│   │               │   │   │   ├── [1.9K]  entity_extraction.py
│   │               │   │   │   ├── [1.1K]  entity_summarization.py
│   │               │   │   │   └── [1.5K]  knowledge_triplet_extraction.py
│   │               │   │   └── [9.5K]  vectorstore.py
│   │               │   ├── [ 283]  input.py
│   │               │   ├── [2.7K]  llms
│   │               │   │   ├── [ 17K]  __init__.py
│   │               │   │   ├── [ 735]  ai21.py
│   │               │   │   ├── [ 605]  aleph_alpha.py
│   │               │   │   ├── [ 623]  amazon_api_gateway.py
```

```
│   │               │   │   ├── [ 602]  anthropic.py
│   │               │   │   ├── [ 599]  anyscale.py
│   │               │   │   ├── [ 590]  arcee.py
│   │               │   │   ├── [ 593]  aviary.py
│   │               │   │   ├── [1.6K]  azureml_endpoint.py
│   │               │   │   ├── [ 629]  baidu_qianfan_endpoint.py
│   │               │   │   ├── [ 593]  bananadev.py
│   │               │   │   ├── [ 626]  base.py
│   │               │   │   ├── [ 596]  baseten.py
│   │               │   │   ├── [ 587]  beam.py
│   │               │   │   ├── [ 738]  bedrock.py
│   │               │   │   ├── [ 617]  bittensor.py
│   │               │   │   ├── [ 608]  cerebriumai.py
│   │               │   │   ├── [ 596]  chatglm.py
│   │               │   │   ├── [ 599]  clarifai.py
│   │               │   │   ├── [ 681]  cloudflare_workersai.py
│   │               │   │   ├── [ 593]  cohere.py
│   │               │   │   ├── [ 614]  ctransformers.py
│   │               │   │   ├── [ 608]  ctranslate2.py
│   │               │   │   ├── [ 605]  databricks.py
│   │               │   │   ├── [ 602]  deepinfra.py
│   │               │   │   ├── [ 605]  deepsparse.py
│   │               │   │   ├── [ 593]  edenai.py
│   │               │   │   ├── [ 777]  fake.py
│   │               │   │   ├── [ 602]  fireworks.py
│   │               │   │   ├── [ 608]  forefrontai.py
│   │               │   │   ├── [ 599]  gigachat.py
│   │               │   │   ├── [ 605]  google_palm.py
│   │               │   │   ├── [ 596]  gooseai.py
│   │               │   │   ├── [ 596]  gpt4all.py
│   │               │   │   ├── [ 758]  gradient_ai.py
│   │               │   │   ├── [ 128]  grammars
│   │               │   │   │   ├── [ 664]  json.gbnf
│   │               │   │   │   └── [ 167]  list.gbnf
│   │               │   │   ├── [ 632]  huggingface_endpoint.py
│   │               │   │   ├── [ 617]  huggingface_hub.py
│   │               │   │   ├── [ 632]  huggingface_pipeline.py
│   │               │   │   ├── [ 656]  huggingface_text_gen_inference.py
│   │               │   │   ├── [ 614]  human.py
│   │               │   │   ├── [ 772]  javelin_ai_gateway.py
│   │               │   │   ├── [ 611]  koboldai.py
│   │               │   │   ├── [ 599]  llamacpp.py
│   │               │   │   ├── [ 736]  loading.py
│   │               │   │   ├── [ 620]  manifest.py
│   │               │   │   ├── [ 596]  minimax.py
│   │               │   │   ├── [ 593]  mlflow.py
│   │               │   │   ├── [ 620]  mlflow_ai_gateway.py
│   │               │   │   ├── [ 590]  modal.py
│   │               │   │   ├── [ 599]  mosaicml.py
│   │               │   │   ├── [ 599]  nlpcloud.py
│   │               │   │   ├── [ 617]  octoai_endpoint.py
│   │               │   │   ├── [ 593]  ollama.py
│   │               │   │   ├── [ 614]  opaqueprompts.py
│   │               │   │   ├── [ 885]  openai.py
│   │               │   │   ├── [ 596]  openllm.py
│   │               │   │   ├── [ 593]  openlm.py
```

```
│   │   │   │   │   ├── [ 617]  pai_eas_endpoint.py
│   │   │   │   │   ├── [ 593]  petals.py
│   │   │   │   │   ├── [ 605]  pipelineai.py
│   │   │   │   │   ├── [ 602]  predibase.py
│   │   │   │   │   ├── [ 620]  predictionguard.py
│   │   │   │   │   ├── [ 742]  promptlayer_openai.py
│   │   │   │   │   ├── [ 602]  replicate.py
│   │   │   │   │   ├── [ 587]  rwkv.py
│   │   │   │   │   ├── [ 808]  sagemaker_endpoint.py
│   │   │   │   │   ├── [ 629]  self_hosted.py
│   │   │   │   │   ├── [ 647]  self_hosted_hugging_face.py
│   │   │   │   │   ├── [ 611]  stochasticai.py
│   │   │   │   │   ├── [ 593]  symblai_nebula.py
│   │   │   │   │   ├── [ 596]  textgen.py
│   │   │   │   │   ├── [ 611]  titan_takeoff.py
│   │   │   │   │   ├── [ 620]  titan_takeoff_pro.py
│   │   │   │   │   ├── [ 599]  together.py
│   │   │   │   │   ├── [ 593]  tongyi.py
│   │   │   │   │   ├── [ 644]  utils.py
│   │   │   │   │   ├── [ 709]  vertexai.py
│   │   │   │   │   ├── [ 670]  vllm.py
│   │   │   │   │   ├── [ 805]  volcengine_maas.py
│   │   │   │   │   ├── [ 605]  watsonxllm.py
│   │   │   │   │   ├── [ 593]  writer.py
│   │   │   │   │   ├── [ 605]  xinference.py
│   │   │   │   │   └── [ 602]  yandex.py
│   │   │   │   ├── [ 192]  load
│   │   │   │   │   ├── [ 207]  __init__.py
│   │   │   │   │   ├── [ 100]  dump.py
│   │   │   │   │   ├── [  98]  load.py
│   │   │   │   │   └── [ 412]  serializable.py
│   │   │   │   ├── [ 672]  memory
│   │   │   │   │   ├── [5.4K]  __init__.py
│   │   │   │   │   ├── [5.9K]  buffer.py
│   │   │   │   │   ├── [1.9K]  buffer_window.py
│   │   │   │   │   ├── [3.5K]  chat_memory.py
│   │   │   │   │   ├── [ 736]  chat_message_histories
│   │   │   │   │   │   ├── [3.4K]  __init__.py
│   │   │   │   │   │   ├── [ 693]  astradb.py
│   │   │   │   │   │   ├── [ 699]  cassandra.py
│   │   │   │   │   │   ├── [ 696]  cosmos_db.py
│   │   │   │   │   │   ├── [ 696]  dynamodb.py
│   │   │   │   │   │   ├── [ 728]  elasticsearch.py
│   │   │   │   │   │   ├── [ 684]  file.py
│   │   │   │   │   │   ├── [ 699]  firestore.py
│   │   │   │   │   │   ├── [ 130]  in_memory.py
│   │   │   │   │   │   ├── [ 693]  momento.py
│   │   │   │   │   │   ├── [ 693]  mongodb.py
│   │   │   │   │   │   ├── [ 687]  neo4j.py
│   │   │   │   │   │   ├── [ 696]  postgres.py
│   │   │   │   │   │   ├── [ 687]  redis.py
│   │   │   │   │   │   ├── [ 693]  rocksetdb.py
│   │   │   │   │   │   ├── [ 728]  singlestoredb.py
│   │   │   │   │   │   ├── [1.0K]  sql.py
│   │   │   │   │   │   ├── [ 699]  streamlit.py
│   │   │   │   │   │   ├── [ 725]  upstash_redis.py
```

```
│   │               │   │   │   ├── [ 684]  xata.py
│   │               │   │   │   └── [ 681]  zep.py
│   │               │   │   ├── [2.9K]  combined.py
│   │               │   │   ├── [ 19K]  entity.py
│   │               │   │   ├── [ 645]  kg.py
│   │               │   │   ├── [ 658]  motorhead_memory.py
│   │               │   │   ├── [8.1K]  prompt.py
│   │               │   │   ├── [ 754]  readonly.py
│   │               │   │   ├── [ 719]  simple.py
│   │               │   │   ├── [4.5K]  summary.py
│   │               │   │   ├── [5.5K]  summary_buffer.py
│   │               │   │   ├── [2.5K]  token_buffer.py
│   │               │   │   ├── [ 623]  utils.py
│   │               │   │   ├── [4.2K]  vectorstore.py
│   │               │   │   ├── [7.4K]  vectorstore_token_buffer_memory.py
│   │               │   │   └── [ 628]  zep_memory.py
│   │               │   ├── [4.0K]  model_laboratory.py
│   │               │   ├── [ 800]  output_parsers
│   │               │   │   ├── [2.7K]  __init__.py
│   │               │   │   ├── [1.7K]  boolean.py
│   │               │   │   ├── [1.8K]  combining.py
│   │               │   │   ├── [2.1K]  datetime.py
│   │               │   │   ├── [1.3K]  enum.py
│   │               │   │   ├── [1.4K]  ernie_functions.py
│   │               │   │   ├── [5.3K]  fix.py
│   │               │   │   ├── [3.9K]  format_instructions.py
│   │               │   │   ├── [ 340]  json.py
│   │               │   │   ├── [ 310]  list.py
│   │               │   │   ├── [ 688]  loading.py
│   │               │   │   ├── [ 364]  openai_functions.py
│   │               │   │   ├── [ 229]  openai_tools.py
│   │               │   │   ├── [6.4K]  pandas_dataframe.py
│   │               │   │   ├── [ 507]  prompts.py
│   │               │   │   ├── [  99]  pydantic.py
│   │               │   │   ├── [ 692]  rail_parser.py
│   │               │   │   ├── [1.1K]  regex.py
│   │               │   │   ├── [1.6K]  regex_dict.py
│   │               │   │   ├── [ 10K]  retry.py
│   │               │   │   ├── [3.1K]  structured.py
│   │               │   │   ├── [  93]  xml.py
│   │               │   │   └── [2.6K]  yaml.py
│   │               │   ├── [ 352]  prompts
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [ 565]  base.py
│   │               │   │   ├── [1.1K]  chat.py
│   │               │   │   ├── [ 224]  example_selector
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 105]  base.py
│   │               │   │   │   ├── [ 136]  length_based.py
│   │               │   │   │   ├── [ 877]  ngram_overlap.py
│   │               │   │   │   └── [ 288]  semantic_similarity.py
│   │               │   │   ├── [ 265]  few_shot.py
│   │               │   │   ├── [ 128]  few_shot_with_templates.py
│   │               │   │   ├── [ 530]  loading.py
│   │               │   │   ├── [ 133]  pipeline.py
│   │               │   │   └── [ 153]  prompt.py
```

```
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 160]  pydantic_v1
│   │               │   │   ├── [1.6K]  __init__.py
│   │               │   │   ├── [ 839]  dataclasses.py
│   │               │   │   └── [ 832]  main.py
│   │               │   ├── [ 555]  python.py
│   │               │   ├── [ 906]  requests.py
│   │               │   ├── [1.5K]  retrievers
│   │               │   │   ├── [6.5K]  __init__.py
│   │               │   │   ├── [ 629]  arcee.py
│   │               │   │   ├── [ 629]  arxiv.py
│   │               │   │   ├── [ 824]  azure_ai_search.py
│   │               │   │   ├── [ 979]  bedrock.py
│   │               │   │   ├── [ 819]  bm25.py
│   │               │   │   ├── [ 641]  chaindesk.py
│   │               │   │   ├── [ 653]  chatgpt_plugin_retriever.py
│   │               │   │   ├── [ 641]  cohere_rag_retriever.py
│   │               │   │   ├── [2.3K]  contextual_compression.py
│   │               │   │   ├── [ 661]  databerry.py
│   │               │   │   ├── [ 791]  docarray.py
│   │               │   │   ├── [ 448]  document_compressors
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [3.1K]  base.py
│   │               │   │   │   ├── [4.3K]  chain_extract.py
│   │               │   │   │   ├── [ 364]  chain_extract_prompt.py
│   │               │   │   │   ├── [4.5K]  chain_filter.py
│   │               │   │   │   ├── [ 230]  chain_filter_prompt.py
│   │               │   │   │   ├── [4.3K]  cohere_rerank.py
│   │               │   │   │   ├── [ 362]  cross_encoder.py
│   │               │   │   │   ├── [1.5K]  cross_encoder_rerank.py
│   │               │   │   │   ├── [5.6K]  embeddings_filter.py
│   │               │   │   │   ├── [ 710]  flashrank_rerank.py
│   │               │   │   │   └── [5.2K]  listwise_rerank.py
│   │               │   │   ├── [ 665]  elastic_search_bm25.py
│   │               │   │   ├── [ 644]  embedchain.py
│   │               │   │   ├── [ 10K]  ensemble.py
│   │               │   │   ├── [ 696]  google_cloud_documentai_warehouse.py
│   │               │   │   ├── [1.0K]  google_vertex_ai_search.py
│   │               │   │   ├── [ 629]  kay.py
│   │               │   │   ├── [2.2K]  kendra.py
│   │               │   │   ├── [ 623]  knn.py
│   │               │   │   ├── [ 800]  llama_index.py
│   │               │   │   ├── [3.3K]  merger_retriever.py
│   │               │   │   ├── [ 629]  metal.py
│   │               │   │   ├── [ 796]  milvus.py
│   │               │   │   ├── [7.1K]  multi_query.py
│   │               │   │   ├── [4.8K]  multi_vector.py
│   │               │   │   ├── [ 635]  outline.py
│   │               │   │   ├── [6.1K]  parent_document_retriever.py
│   │               │   │   ├── [ 674]  pinecone_hybrid_search.py
│   │               │   │   ├── [ 632]  pubmed.py
│   │               │   │   ├── [ 632]  pupmed.py
│   │               │   │   ├── [2.7K]  re_phraser.py
│   │               │   │   ├── [ 659]  remote_retriever.py
│   │               │   │   ├── [ 768]  self_query
│   │               │   │   │   ├── [   0]  __init__.py
```

```
│   │               │   │   │   ├── [ 670]  astradb.py
│   │               │   │   │   ├── [ 14K]  base.py
│   │               │   │   │   ├── [ 665]  chroma.py
│   │               │   │   │   ├── [ 685]  dashvector.py
│   │               │   │   │   ├── [ 782]  databricks_vector_search.py
│   │               │   │   │   ├── [ 816]  deeplake.py
│   │               │   │   │   ├── [ 666]  dingo.py
│   │               │   │   │   ├── [ 717]  elasticsearch.py
│   │               │   │   │   ├── [ 792]  milvus.py
│   │               │   │   │   ├── [ 714]  mongodb_atlas.py
│   │               │   │   │   ├── [ 670]  myscale.py
│   │               │   │   │   ├── [ 685]  opensearch.py
│   │               │   │   │   ├── [ 675]  pgvector.py
│   │               │   │   │   ├── [ 675]  pinecone.py
│   │               │   │   │   ├── [ 665]  qdrant.py
│   │               │   │   │   ├── [ 660]  redis.py
│   │               │   │   │   ├── [ 693]  supabase.py
│   │               │   │   │   ├── [ 743]  tencentvectordb.py
│   │               │   │   │   ├── [ 743]  timescalevector.py
│   │               │   │   │   ├── [ 798]  vectara.py
│   │               │   │   │   └── [ 675]  weaviate.py
│   │               │   │   ├── [ 623]  svm.py
│   │               │   │   ├── [ 833]  tavily_search_api.py
│   │               │   │   ├── [ 629]  tfidf.py
│   │               │   │   ├── [7.5K]  time_weighted_retriever.py
│   │               │   │   ├── [ 629]  vespa_retriever.py
│   │               │   │   ├── [ 674]  weaviate_hybrid_search.py
│   │               │   │   ├── [ 939]  web_research.py
│   │               │   │   ├── [ 641]  wikipedia.py
│   │               │   │   ├── [ 623]  you.py
│   │               │   │   ├── [ 855]  zep.py
│   │               │   │   └── [ 796]  zilliz.py
│   │               │   ├── [ 160]  runnables
│   │               │   │   ├── [ 693]  __init__.py
│   │               │   │   ├── [ 851]  hub.py
│   │               │   │   └── [1.7K]  openai_functions.py
│   │               │   ├── [ 704]  schema
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [ 149]  agent.py
│   │               │   │   ├── [ 105]  cache.py
│   │               │   │   ├── [ 256]  callbacks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 511]  base.py
│   │               │   │   │   ├── [1.5K]  manager.py
│   │               │   │   │   ├── [ 103]  stdout.py
│   │               │   │   │   ├── [ 131]  streaming_stdout.py
│   │               │   │   │   └── [ 384]  tracers
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 150]  base.py
│   │               │   │   │       ├── [ 176]  evaluation.py
│   │               │   │   │       ├── [ 219]  langchain.py
│   │               │   │   │       ├── [ 127]  langchain_v1.py
│   │               │   │   │       ├── [ 226]  log_stream.py
│   │               │   │   │       ├── [ 105]  root_listeners.py
│   │               │   │   │       ├── [ 120]  run_collector.py
│   │               │   │   │       ├── [ 470]  schemas.py
```

```
│   │               │   │   │       └── [ 257]  stdout.py
│   │               │   │   ├── [  80]  chat.py
│   │               │   │   ├── [ 101]  chat_history.py
│   │               │   │   ├── [ 122]  document.py
│   │               │   │   ├── [  75]  embeddings.py
│   │               │   │   ├── [  91]  exceptions.py
│   │               │   │   ├── [ 367]  language_model.py
│   │               │   │   ├── [  71]  memory.py
│   │               │   │   ├── [1.0K]  messages.py
│   │               │   │   ├── [ 320]  output.py
│   │               │   │   ├── [ 651]  output_parser.py
│   │               │   │   ├── [  80]  prompt.py
│   │               │   │   ├── [ 124]  prompt_template.py
│   │               │   │   ├── [  81]  retriever.py
│   │               │   │   ├── [ 416]  runnable
│   │               │   │   │   ├── [1.8K]  __init__.py
│   │               │   │   │   ├── [ 781]  base.py
│   │               │   │   │   ├── [  89]  branch.py
│   │               │   │   │   ├── [ 665]  config.py
│   │               │   │   │   ├── [ 333]  configurable.py
│   │               │   │   │   ├── [ 106]  fallbacks.py
│   │               │   │   │   ├── [ 260]  history.py
│   │               │   │   │   ├── [ 205]  passthrough.py
│   │               │   │   │   ├── [  94]  retry.py
│   │               │   │   │   ├── [ 117]  router.py
│   │               │   │   │   └── [1.1K]  utils.py
│   │               │   │   ├── [  85]  storage.py
│   │               │   │   └── [ 137]  vectorstore.py
│   │               │   ├── [ 663]  serpapi.py
│   │               │   ├── [ 128]  smith
│   │               │   │   ├── [3.4K]  __init__.py
│   │               │   │   └── [ 288]  evaluation
│   │               │   │       ├── [2.1K]  __init__.py
│   │               │   │       ├── [ 13K]  config.py
│   │               │   │       ├── [9.7K]  name_generation.py
│   │               │   │       ├── [3.5K]  progress.py
│   │               │   │       ├── [ 54K]  runner_utils.py
│   │               │   │       ├── [ 17K]  string_run_evaluator.py
│   │               │   │       └── [   0]  utils.py
│   │               │   ├── [ 664]  sql_database.py
│   │               │   ├── [ 320]  storage
│   │               │   │   ├── [1.5K]  __init__.py
│   │               │   │   ├── [2.5K]  _lc_store.py
│   │               │   │   ├── [4.3K]  encoder_backed.py
│   │               │   │   ├── [  89]  exceptions.py
│   │               │   │   ├── [6.1K]  file_system.py
│   │               │   │   ├── [ 369]  in_memory.py
│   │               │   │   ├── [ 611]  redis.py
│   │               │   │   └── [ 751]  upstash_redis.py
│   │               │   ├── [1.5K]  text_splitter.py
│   │               │   ├── [2.3K]  tools
│   │               │   │   ├── [5.7K]  __init__.py
│   │               │   │   ├── [ 288]  ainetwork
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 863]  app.py
│   │               │   │   │   ├── [ 748]  base.py
```

```
│   │               │   │   │   ├── [ 767]  owner.py
│   │               │   │   │   ├── [ 762]  rule.py
│   │               │   │   │   ├── [ 785]  transfer.py
│   │               │   │   │   └── [ 770]  value.py
│   │               │   │   ├── [ 192]  amadeus
│   │               │   │   │   ├── [ 906]  __init__.py
│   │               │   │   │   ├── [ 648]  base.py
│   │               │   │   │   ├── [ 851]  closest_airport.py
│   │               │   │   │   └── [ 833]  flight_search.py
│   │               │   │   ├── [ 128]  arxiv
│   │               │   │   │   ├── [  25]  __init__.py
│   │               │   │   │   └── [ 763]  tool.py
│   │               │   │   ├── [ 256]  azure_cognitive_services
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [ 658]  form_recognizer.py
│   │               │   │   │   ├── [ 655]  image_analysis.py
│   │               │   │   │   ├── [ 649]  speech2text.py
│   │               │   │   │   ├── [ 649]  text2speech.py
│   │               │   │   │   └── [ 673]  text_analytics_health.py
│   │               │   │   ├── [ 332]  base.py
│   │               │   │   ├── [ 128]  bearly
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 957]  tool.py
│   │               │   │   ├── [ 128]  bing_search
│   │               │   │   │   ├── [ 753]  __init__.py
│   │               │   │   │   └── [ 721]  tool.py
│   │               │   │   ├── [ 128]  brave_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 610]  tool.py
│   │               │   │   ├── [ 128]  clickup
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 642]  tool.py
│   │               │   │   ├── [ 157]  convert_to_openai.py
│   │               │   │   ├── [ 128]  dataforseo_api_search
│   │               │   │   │   ├── [ 928]  __init__.py
│   │               │   │   │   └── [ 897]  tool.py
│   │               │   │   ├── [ 128]  ddg_search
│   │               │   │   │   ├── [ 672]  __init__.py
│   │               │   │   │   └── [1.0K]  tool.py
│   │               │   │   ├── [ 128]  e2b_data_analysis
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 990]  tool.py
│   │               │   │   ├── [ 352]  edenai
│   │               │   │   │   ├── [1.5K]  __init__.py
│   │               │   │   │   ├── [ 643]  audio_speech_to_text.py
│   │               │   │   │   ├── [ 643]  audio_text_to_speech.py
│   │               │   │   │   ├── [ 607]  edenai_base_tool.py
│   │               │   │   │   ├── [ 646]  image_explicitcontent.py
│   │               │   │   │   ├── [ 652]  image_objectdetection.py
│   │               │   │   │   ├── [ 634]  ocr_identityparser.py
│   │               │   │   │   ├── [ 649]  ocr_invoiceparser.py
│   │               │   │   │   └── [ 649]  text_moderation.py
│   │               │   │   ├── [ 160]  eleven_labs
│   │               │   │   │   ├── [ 687]  __init__.py
│   │               │   │   │   ├── [ 660]  models.py
│   │               │   │   │   └── [ 652]  text2speech.py
```

```
│   │               │   │   ├── [ 320]  file_management
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [ 789]  copy.py
│   │               │   │   │   ├── [ 805]  delete.py
│   │               │   │   │   ├── [ 815]  file_search.py
│   │               │   │   │   ├── [ 836]  list_dir.py
│   │               │   │   │   ├── [ 789]  move.py
│   │               │   │   │   ├── [ 789]  read.py
│   │               │   │   │   └── [ 797]  write.py
│   │               │   │   ├── [ 128]  github
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   └── [ 637]  tool.py
│   │               │   │   ├── [ 128]  gitlab
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   └── [ 637]  tool.py
│   │               │   │   ├── [ 288]  gmail
│   │               │   │   │   ├── [1.0K]  __init__.py
│   │               │   │   │   ├── [ 638]  base.py
│   │               │   │   │   ├── [ 809]  create_draft.py
│   │               │   │   │   ├── [ 801]  get_message.py
│   │               │   │   │   ├── [ 793]  get_thread.py
│   │               │   │   │   ├── [ 863]  search.py
│   │               │   │   │   └── [ 809]  send_message.py
│   │               │   │   ├── [ 128]  golden_query
│   │               │   │   │   ├── [ 682]  __init__.py
│   │               │   │   │   └── [ 655]  tool.py
│   │               │   │   ├── [ 128]  google_cloud
│   │               │   │   │   ├── [ 685]  __init__.py
│   │               │   │   │   └── [ 658]  texttospeech.py
│   │               │   │   ├── [ 128]  google_finance
│   │               │   │   │   ├── [ 722]  __init__.py
│   │               │   │   │   └── [ 687]  tool.py
│   │               │   │   ├── [ 128]  google_jobs
│   │               │   │   │   ├── [ 697]  __init__.py
│   │               │   │   │   └── [ 665]  tool.py
│   │               │   │   ├── [ 128]  google_lens
│   │               │   │   │   ├── [ 697]  __init__.py
│   │               │   │   │   └── [ 665]  tool.py
│   │               │   │   ├── [ 128]  google_places
│   │               │   │   │   ├── [ 659]  __init__.py
│   │               │   │   │   └── [ 812]  tool.py
│   │               │   │   ├── [ 128]  google_scholar
│   │               │   │   │   ├── [ 722]  __init__.py
│   │               │   │   │   └── [ 687]  tool.py
│   │               │   │   ├── [ 128]  google_search
│   │               │   │   │   ├── [ 767]  __init__.py
│   │               │   │   │   └── [ 733]  tool.py
│   │               │   │   ├── [ 128]  google_serper
│   │               │   │   │   ├── [ 815]  __init__.py
│   │               │   │   │   └── [ 733]  tool.py
│   │               │   │   ├── [ 128]  google_trends
│   │               │   │   │   ├── [ 716]  __init__.py
│   │               │   │   │   └── [ 682]  tool.py
│   │               │   │   ├── [ 128]  graphql
│   │               │   │   │   ├── [  47]  __init__.py
│   │               │   │   │   └── [ 622]  tool.py
```

```
│   │               │   │   ├── [ 128]  human
│   │               │   │   │   ├── [ 656]  __init__.py
│   │               │   │   │   └── [ 616]  tool.py
│   │               │   │   ├── [ 613]  ifttt.py
│   │               │   │   ├── [ 128]  interaction
│   │               │   │   │   ├── [  43]  __init__.py
│   │               │   │   │   └── [ 625]  tool.py
│   │               │   │   ├── [ 128]  jira
│   │               │   │   │   ├── [  17]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 128]  json
│   │               │   │   │   ├── [  46]  __init__.py
│   │               │   │   │   └── [1.5K]  tool.py
│   │               │   │   ├── [ 128]  memorize
│   │               │   │   │   ├── [ 678]  __init__.py
│   │               │   │   │   └── [ 733]  tool.py
│   │               │   │   ├── [ 128]  merriam_webster
│   │               │   │   │   ├── [  35]  __init__.py
│   │               │   │   │   └── [ 643]  tool.py
│   │               │   │   ├── [ 128]  metaphor_search
│   │               │   │   │   ├── [ 676]  __init__.py
│   │               │   │   │   └── [ 640]  tool.py
│   │               │   │   ├── [ 192]  multion
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 833]  close_session.py
│   │               │   │   │   ├── [ 842]  create_session.py
│   │               │   │   │   └── [ 842]  update_session.py
│   │               │   │   ├── [ 128]  nasa
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 607]  tool.py
│   │               │   │   ├── [ 128]  nuclia
│   │               │   │   │   ├── [ 667]  __init__.py
│   │               │   │   │   └── [ 760]  tool.py
│   │               │   │   ├── [ 288]  office365
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [ 643]  base.py
│   │               │   │   │   ├── [ 905]  create_draft_message.py
│   │               │   │   │   ├── [ 819]  events_search.py
│   │               │   │   │   ├── [ 823]  messages_search.py
│   │               │   │   │   ├── [ 798]  send_event.py
│   │               │   │   │   └── [ 814]  send_message.py
│   │               │   │   ├── [ 128]  openapi
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 160]  utils
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [1.8K]  api_models.py
│   │               │   │   │       └── [ 834]  openapi_utils.py
│   │               │   │   ├── [ 128]  openweathermap
│   │               │   │   │   ├── [ 678]  __init__.py
│   │               │   │   │   └── [ 643]  tool.py
│   │               │   │   ├── [ 352]  playwright
│   │               │   │   │   ├── [1.3K]  __init__.py
│   │               │   │   │   ├── [ 654]  base.py
│   │               │   │   │   ├── [ 775]  click.py
│   │               │   │   │   ├── [ 631]  current_page.py
│   │               │   │   │   ├── [ 906]  extract_hyperlinks.py
```

```
│   │               │   │   │   ├── [ 622]  extract_text.py
│   │               │   │   │   ├── [ 825]  get_elements.py
│   │               │   │   │   ├── [ 799]  navigate.py
│   │               │   │   │   └── [ 625]  navigate_back.py
│   │               │   │   ├── [ 935]  plugin.py
│   │               │   │   ├── [ 128]  powerbi
│   │               │   │   │   ├── [  52]  __init__.py
│   │               │   │   │   └── [ 849]  tool.py
│   │               │   │   ├── [ 128]  pubmed
│   │               │   │   │   ├── [  26]  __init__.py
│   │               │   │   │   └── [ 619]  tool.py
│   │               │   │   ├── [  96]  python
│   │               │   │   │   └── [ 531]  __init__.py
│   │               │   │   ├── [ 128]  reddit_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 730]  tool.py
│   │               │   │   ├── [ 665]  render.py
│   │               │   │   ├── [ 128]  requests
│   │               │   │   │   ├── [  52]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 246]  retriever.py
│   │               │   │   ├── [ 128]  scenexplain
│   │               │   │   │   ├── [  31]  __init__.py
│   │               │   │   │   └── [ 799]  tool.py
│   │               │   │   ├── [ 128]  searchapi
│   │               │   │   │   ├── [ 797]  __init__.py
│   │               │   │   │   └── [ 715]  tool.py
│   │               │   │   ├── [ 128]  searx_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 727]  tool.py
│   │               │   │   ├── [ 128]  shell
│   │               │   │   │   ├── [ 623]  __init__.py
│   │               │   │   │   └── [ 751]  tool.py
│   │               │   │   ├── [ 256]  slack
│   │               │   │   │   ├── [ 984]  __init__.py
│   │               │   │   │   ├── [ 638]  base.py
│   │               │   │   │   ├── [ 622]  get_channel.py
│   │               │   │   │   ├── [ 816]  get_message.py
│   │               │   │   │   ├── [ 841]  schedule_message.py
│   │               │   │   │   └── [ 809]  send_message.py
│   │               │   │   ├── [ 128]  sleep
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   └── [ 751]  tool.py
│   │               │   │   ├── [ 128]  spark_sql
│   │               │   │   │   ├── [  44]  __init__.py
│   │               │   │   │   └── [1.0K]  tool.py
│   │               │   │   ├── [ 160]  sql_database
│   │               │   │   │   ├── [  49]  __init__.py
│   │               │   │   │   ├── [ 505]  prompt.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 128]  stackexchange
│   │               │   │   │   ├── [  33]  __init__.py
│   │               │   │   │   └── [ 628]  tool.py
│   │               │   │   ├── [ 128]  steam
│   │               │   │   │   ├── [  24]  __init__.py
│   │               │   │   │   └── [ 634]  tool.py
```

```
│   │   │   │   │   ├── [ 128]  steamship_image_generation
│   │   │   │   │   │   ├── [ 695]  __init__.py
│   │   │   │   │   │   └── [ 847]  tool.py
│   │   │   │   │   ├── [ 128]  tavily_search
│   │   │   │   │   │   ├── [ 840]  __init__.py
│   │   │   │   │   │   └── [ 913]  tool.py
│   │   │   │   │   ├── [ 128]  vectorstore
│   │   │   │   │   │   ├── [  51]  __init__.py
│   │   │   │   │   │   └── [ 791]  tool.py
│   │   │   │   │   ├── [ 128]  wikipedia
│   │   │   │   │   │   ├── [  29]  __init__.py
│   │   │   │   │   │   └── [ 628]  tool.py
│   │   │   │   │   ├── [ 128]  wolfram_alpha
│   │   │   │   │   │   ├── [ 671]  __init__.py
│   │   │   │   │   │   └── [ 637]  tool.py
│   │   │   │   │   ├── [ 637]  yahoo_finance_news.py
│   │   │   │   │   ├── [ 128]  youtube
│   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   └── [ 628]  search.py
│   │   │   │   │   └── [ 128]  zapier
│   │   │   │   │       ├── [ 765]  __init__.py
│   │   │   │   │       └── [1.5K]  tool.py
│   │   │   │   ├── [1.9K]  utilities
│   │   │   │   │   ├── [5.9K]  __init__.py
│   │   │   │   │   ├── [ 651]  alpha_vantage.py
│   │   │   │   │   ├── [ 839]  anthropic.py
│   │   │   │   │   ├── [ 621]  apify.py
│   │   │   │   │   ├── [1.3K]  arcee.py
│   │   │   │   │   ├── [ 630]  arxiv.py
│   │   │   │   │   ├── [ 274]  asyncio.py
│   │   │   │   │   ├── [ 624]  awslambda.py
│   │   │   │   │   ├── [ 642]  bibtex.py
│   │   │   │   │   ├── [ 645]  bing_search.py
│   │   │   │   │   ├── [ 639]  brave_search.py
│   │   │   │   │   ├── [1.2K]  clickup.py
│   │   │   │   │   ├── [ 681]  dalle_image_generator.py
│   │   │   │   │   ├── [ 696]  dataforseo_api_search.py
│   │   │   │   │   ├── [ 663]  duckduckgo_search.py
│   │   │   │   │   ├── [ 647]  github.py
│   │   │   │   │   ├── [ 647]  gitlab.py
│   │   │   │   │   ├── [ 648]  golden_query.py
│   │   │   │   │   ├── [ 654]  google_finance.py
│   │   │   │   │   ├── [ 645]  google_jobs.py
│   │   │   │   │   ├── [ 645]  google_lens.py
│   │   │   │   │   ├── [ 651]  google_places_api.py
│   │   │   │   │   ├── [ 654]  google_scholar.py
│   │   │   │   │   ├── [ 651]  google_search.py
│   │   │   │   │   ├── [ 651]  google_serper.py
│   │   │   │   │   ├── [ 651]  google_trends.py
│   │   │   │   │   ├── [ 636]  graphql.py
│   │   │   │   │   ├── [ 627]  jira.py
│   │   │   │   │   ├── [ 122]  loading.py
│   │   │   │   │   ├── [ 645]  max_compute.py
│   │   │   │   │   ├── [ 657]  merriam_webster.py
│   │   │   │   │   ├── [ 657]  metaphor_search.py
│   │   │   │   │   ├── [ 627]  nasa.py
```

```
│   │   │   │   │   ├── [ 739]  opaqueprompts.py
│   │   │   │   │   ├── [ 753]  openapi.py
│   │   │   │   │   ├── [ 657]  openweathermap.py
│   │   │   │   │   ├── [ 636]  outline.py
│   │   │   │   │   ├── [ 606]  portkey.py
│   │   │   │   │   ├── [ 627]  powerbi.py
│   │   │   │   │   ├── [ 633]  pubmed.py
│   │   │   │   │   ├── [ 555]  python.py
│   │   │   │   │   ├── [ 686]  reddit_search.py
│   │   │   │   │   ├── [ 889]  redis.py
│   │   │   │   │   ├── [ 712]  requests.py
│   │   │   │   │   ├── [ 648]  scenexplain.py
│   │   │   │   │   ├── [ 642]  searchapi.py
│   │   │   │   │   ├── [ 804]  searx_search.py
│   │   │   │   │   ├── [ 782]  serpapi.py
│   │   │   │   │   ├── [ 609]  spark_sql.py
│   │   │   │   │   ├── [ 786]  sql_database.py
│   │   │   │   │   ├── [ 654]  stackexchange.py
│   │   │   │   │   ├── [ 639]  steam.py
│   │   │   │   │   ├── [ 686]  tavily_search.py
│   │   │   │   │   ├── [ 639]  tensorflow_datasets.py
│   │   │   │   │   ├── [ 633]  twilio.py
│   │   │   │   │   ├── [1.0K]  vertexai.py
│   │   │   │   │   ├── [ 642]  wikipedia.py
│   │   │   │   │   ├── [ 651]  wolfram_alpha.py
│   │   │   │   │   └── [ 633]  zapier.py
│   │   │   │   ├── [ 576]  utils
│   │   │   │   │   ├── [1.8K]  __init__.py
│   │   │   │   │   ├── [ 102]  aiter.py
│   │   │   │   │   ├── [ 124]  env.py
│   │   │   │   │   ├── [1.1K]  ernie_functions.py
│   │   │   │   │   ├── [  91]  formatting.py
│   │   │   │   │   ├── [ 421]  html.py
│   │   │   │   │   ├── [ 211]  input.py
│   │   │   │   │   ├── [ 133]  iter.py
│   │   │   │   │   ├── [ 212]  json_schema.py
│   │   │   │   │   ├── [  92]  loading.py
│   │   │   │   │   ├── [ 918]  math.py
│   │   │   │   │   ├── [ 627]  openai.py
│   │   │   │   │   ├── [ 325]  openai_functions.py
│   │   │   │   │   ├── [ 111]  pydantic.py
│   │   │   │   │   ├── [ 148]  strings.py
│   │   │   │   │   └── [ 446]  utils.py
│   │   │   │   └── [2.2K]  vectorstores
│   │   │   │       ├── [7.9K]  __init__.py
│   │   │   │       ├── [ 833]  alibabacloud_opensearch.py
│   │   │   │       ├── [ 621]  analyticdb.py
│   │   │   │       ├── [ 606]  annoy.py
│   │   │   │       ├── [ 612]  astradb.py
│   │   │   │       ├── [ 612]  atlas.py
│   │   │   │       ├── [ 606]  awadb.py
│   │   │   │       ├── [ 873]  azure_cosmos_db.py
│   │   │   │       ├── [ 867]  azuresearch.py
│   │   │   │       ├── [ 606]  bageldb.py
│   │   │   │       ├── [ 633]  baiducloud_vector_search.py
│   │   │   │       ├── [ 125]  base.py
```

```
│   │   │   │
```

```
│   │   │   │
```

```
│   │               │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   └── [ 15K]  toolkit.py
│   │               │   │   ├── [ 128]  gitlab
│   │               │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   └── [5.2K]  toolkit.py
│   │               │   │   ├── [ 128]  gmail
│   │               │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   └── [4.9K]  toolkit.py
│   │               │   │   ├── [ 128]  jira
│   │               │   │   │   ├── [  20]  __init__.py
│   │               │   │   │   └── [2.5K]  toolkit.py
│   │               │   │   ├── [ 192]  json
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   ├── [2.5K]  base.py
│   │               │   │   │   ├── [1.8K]  prompt.py
│   │               │   │   │   └── [ 628]  toolkit.py
│   │               │   │   ├── [ 29K]  load_tools.py
│   │               │   │   ├── [ 128]  multion
│   │               │   │   │   ├── [  23]  __init__.py
│   │               │   │   │   └── [1.2K]  toolkit.py
│   │               │   │   ├── [ 128]  nasa
│   │               │   │   │   ├── [  19]  __init__.py
│   │               │   │   │   └── [2.0K]  toolkit.py
│   │               │   │   ├── [ 160]  nla
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [2.6K]  tool.py
│   │               │   │   │   └── [4.8K]  toolkit.py
│   │               │   │   ├── [ 128]  office365
│   │               │   │   │   ├── [  25]  __init__.py
│   │               │   │   │   └── [1.8K]  toolkit.py
│   │               │   │   ├── [ 288]  openapi
│   │               │   │   │   ├── [  26]  __init__.py
│   │               │   │   │   ├── [3.9K]  base.py
│   │               │   │   │   ├── [ 16K]  planner.py
│   │               │   │   │   ├── [ 11K]  planner_prompt.py
│   │               │   │   │   ├── [1.7K]  prompt.py
│   │               │   │   │   ├── [2.7K]  spec.py
│   │               │   │   │   └── [8.9K]  toolkit.py
│   │               │   │   ├── [ 128]  playwright
│   │               │   │   │   ├── [ 175]  __init__.py
│   │               │   │   │   └── [4.5K]  toolkit.py
│   │               │   │   ├── [ 128]  polygon
│   │               │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   └── [1.4K]  toolkit.py
│   │               │   │   ├── [ 224]  powerbi
│   │               │   │   │   ├── [  22]  __init__.py
│   │               │   │   │   ├── [3.4K]  base.py
│   │               │   │   │   ├── [3.6K]  chat_base.py
│   │               │   │   │   ├── [2.7K]  prompt.py
│   │               │   │   │   └── [4.1K]  toolkit.py
│   │               │   │   ├── [ 128]  slack
│   │               │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   └── [3.6K]  toolkit.py
│   │               │   │   ├── [ 192]  spark_sql
│   │               │   │   │   ├── [  23]  __init__.py
│   │               │   │   │   ├── [3.4K]  base.py
```

```
│   │               │   │   │   ├── [1.2K]  prompt.py
│   │               │   │   │   └── [1.1K]  toolkit.py
│   │               │   │   ├── [ 192]  sql
│   │               │   │   │   ├── [  17]  __init__.py
│   │               │   │   │   ├── [9.2K]  base.py
│   │               │   │   │   ├── [1.4K]  prompt.py
│   │               │   │   │   └── [4.8K]  toolkit.py
│   │               │   │   ├── [ 128]  steam
│   │               │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   └── [1.8K]  toolkit.py
│   │               │   │   ├── [  96]  xorbits
│   │               │   │   │   └── [1.1K]  __init__.py
│   │               │   │   └── [ 128]  zapier
│   │               │   │       ├── [  22]  __init__.py
│   │               │   │       └── [2.3K]  toolkit.py
│   │               │   ├── [ 128]  agents
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [ 128]  openai_assistant
│   │               │   │       ├── [ 128]  __init__.py
│   │               │   │       └── [ 24K]  base.py
│   │               │   ├── [107K]  cache.py
│   │               │   ├── [ 992]  callbacks
│   │               │   │   ├── [5.9K]  __init__.py
│   │               │   │   ├── [ 14K]  aim_callback.py
│   │               │   │   ├── [ 14K]  argilla_callback.py
│   │               │   │   ├── [7.3K]  arize_callback.py
│   │               │   │   ├── [ 11K]  arthur_callback.py
│   │               │   │   ├── [5.1K]  bedrock_anthropic_callback.py
│   │               │   │   ├── [ 18K]  clearml_callback.py
│   │               │   │   ├── [ 22K]  comet_ml_callback.py
│   │               │   │   ├── [6.2K]  confident_callback.py
│   │               │   │   ├── [6.3K]  context_callback.py
│   │               │   │   ├── [ 11K]  fiddler_callback.py
│   │               │   │   ├── [ 12K]  flyte_callback.py
│   │               │   │   ├── [2.5K]  human.py
│   │               │   │   ├── [8.6K]  infino_callback.py
│   │               │   │   ├── [ 14K]  labelstudio_callback.py
│   │               │   │   ├── [ 20K]  llmonitor_callback.py
│   │               │   │   ├── [3.1K]  manager.py
│   │               │   │   ├── [ 27K]  mlflow_callback.py
│   │               │   │   ├── [ 19K]  openai_info.py
│   │               │   │   ├── [5.4K]  promptlayer_callback.py
│   │               │   │   ├── [8.6K]  sagemaker_callback.py
│   │               │   │   ├── [ 160]  streamlit
│   │               │   │   │   ├── [3.1K]  __init__.py
│   │               │   │   │   ├── [5.3K]  mutable_expander.py
│   │               │   │   │   └── [ 15K]  streamlit_callback_handler.py
│   │               │   │   ├── [ 160]  tracers
│   │               │   │   │   ├── [ 498]  __init__.py
│   │               │   │   │   ├── [4.5K]  comet.py
│   │               │   │   │   └── [ 18K]  wandb.py
│   │               │   │   ├── [4.4K]  trubrics_callback.py
│   │               │   │   ├── [7.4K]  upstash_ratelimit_callback.py
│   │               │   │   ├── [ 14K]  uptrain_callback.py
│   │               │   │   ├── [7.7K]  utils.py
│   │               │   │   ├── [ 21K]  wandb_callback.py
```

```
│   │               │   │   └── [7.7K]  whylabs_callback.py
│   │               │   ├── [ 288]  chains
│   │               │   │   ├── [ 618]  __init__.py
│   │               │   │   ├── [ 128]  ernie_functions
│   │               │   │   │   ├── [ 465]  __init__.py
│   │               │   │   │   └── [ 23K]  base.py
│   │               │   │   ├── [ 576]  graph_qa
│   │               │   │   │   ├── [  49]  __init__.py
│   │               │   │   │   ├── [9.9K]  arangodb.py
│   │               │   │   │   ├── [3.6K]  base.py
│   │               │   │   │   ├── [ 15K]  cypher.py
│   │               │   │   │   ├── [9.6K]  cypher_utils.py
│   │               │   │   │   ├── [6.8K]  falkordb.py
│   │               │   │   │   ├── [9.3K]  gremlin.py
│   │               │   │   │   ├── [5.3K]  hugegraph.py
│   │               │   │   │   ├── [7.0K]  kuzu.py
│   │               │   │   │   ├── [ 12K]  memgraph.py
│   │               │   │   │   ├── [5.3K]  nebulagraph.py
│   │               │   │   │   ├── [8.6K]  neptune_cypher.py
│   │               │   │   │   ├── [8.5K]  neptune_sparql.py
│   │               │   │   │   ├── [8.7K]  ontotext_graphdb.py
│   │               │   │   │   ├── [ 19K]  prompts.py
│   │               │   │   │   └── [7.4K]  sparql.py
│   │               │   │   ├── [3.1K]  llm_requests.py
│   │               │   │   ├── [ 192]  natbot
│   │               │   │   │   ├── [ 187]  __init__.py
│   │               │   │   │   ├── [  68]  base.py
│   │               │   │   │   ├── [ 180]  crawler.py
│   │               │   │   │   └── [  72]  prompt.py
│   │               │   │   ├── [ 224]  openapi
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [8.6K]  chain.py
│   │               │   │   │   ├── [1.7K]  prompts.py
│   │               │   │   │   ├── [1.9K]  requests_chain.py
│   │               │   │   │   └── [1.8K]  response_chain.py
│   │               │   │   └── [ 224]  pebblo_retrieval
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 13K]  base.py
│   │               │   │       ├── [ 22K]  enforcement_filters.py
│   │               │   │       ├── [3.4K]  models.py
│   │               │   │       └── [ 20K]  utilities.py
│   │               │   ├── [ 384]  chat_loaders
│   │               │   │   ├── [2.6K]  __init__.py
│   │               │   │   ├── [  85]  base.py
│   │               │   │   ├── [2.5K]  facebook_messenger.py
│   │               │   │   ├── [4.1K]  gmail.py
│   │               │   │   ├── [7.9K]  imessage.py
│   │               │   │   ├── [5.6K]  langsmith.py
│   │               │   │   ├── [3.1K]  slack.py
│   │               │   │   ├── [5.4K]  telegram.py
│   │               │   │   ├── [3.5K]  utils.py
│   │               │   │   └── [4.2K]  whatsapp.py
│   │               │   ├── [ 832]  chat_message_histories
│   │               │   │   ├── [6.0K]  __init__.py
│   │               │   │   ├── [5.7K]  astradb.py
│   │               │   │   ├── [4.4K]  cassandra.py
```

```
│   │   │   │   │   ├── [6.3K]  cosmos_db.py
│   │   │   │   │   ├── [7.1K]  dynamodb.py
│   │   │   │   │   ├── [7.0K]  elasticsearch.py
│   │   │   │   │   ├── [2.0K]  file.py
│   │   │   │   │   ├── [3.3K]  firestore.py
│   │   │   │   │   ├── [ 130]  in_memory.py
│   │   │   │   │   ├── [ 13K]  kafka.py
│   │   │   │   │   ├── [6.9K]  momento.py
│   │   │   │   │   ├── [3.0K]  mongodb.py
│   │   │   │   │   ├── [5.2K]  neo4j.py
│   │   │   │   │   ├── [3.3K]  postgres.py
│   │   │   │   │   ├── [3.6K]  redis.py
│   │   │   │   │   ├── [9.3K]  rocksetdb.py
│   │   │   │   │   ├── [ 11K]  singlestoredb.py
│   │   │   │   │   ├── [ 13K]  sql.py
│   │   │   │   │   ├── [1.4K]  streamlit.py
│   │   │   │   │   ├── [5.1K]  tidb.py
│   │   │   │   │   ├── [2.1K]  upstash_redis.py
│   │   │   │   │   ├── [4.5K]  xata.py
│   │   │   │   │   ├── [8.7K]  zep.py
│   │   │   │   │   └── [9.6K]  zep_cloud.py
│   │   │   │   ├── [2.1K]  chat_models
│   │   │   │   │   ├── [ 11K]  __init__.py
│   │   │   │   │   ├── [8.0K]  anthropic.py
│   │   │   │   │   ├── [8.5K]  anyscale.py
│   │   │   │   │   ├── [ 12K]  azure_openai.py
│   │   │   │   │   ├── [ 15K]  azureml_endpoint.py
│   │   │   │   │   ├── [ 21K]  baichuan.py
│   │   │   │   │   ├── [ 33K]  baidu_qianfan_endpoint.py
│   │   │   │   │   ├── [ 11K]  bedrock.py
│   │   │   │   │   ├── [9.1K]  cloudflare_workersai.py
│   │   │   │   │   ├── [8.0K]  cohere.py
│   │   │   │   │   ├── [8.3K]  coze.py
│   │   │   │   │   ├── [5.2K]  dappier.py
│   │   │   │   │   ├── [1.7K]  databricks.py
│   │   │   │   │   ├── [ 19K]  deepinfra.py
│   │   │   │   │   ├── [ 22K]  edenai.py
│   │   │   │   │   ├── [7.9K]  ernie.py
│   │   │   │   │   ├── [6.0K]  everlyai.py
│   │   │   │   │   ├── [3.1K]  fake.py
│   │   │   │   │   ├── [ 12K]  fireworks.py
│   │   │   │   │   ├── [7.0K]  friendli.py
│   │   │   │   │   ├── [9.7K]  gigachat.py
│   │   │   │   │   ├── [ 11K]  google_palm.py
│   │   │   │   │   ├── [ 13K]  gpt_router.py
│   │   │   │   │   ├── [7.7K]  huggingface.py
│   │   │   │   │   ├── [3.6K]  human.py
│   │   │   │   │   ├── [9.6K]  hunyuan.py
│   │   │   │   │   ├── [7.5K]  javelin_ai_gateway.py
│   │   │   │   │   ├── [ 15K]  jinachat.py
│   │   │   │   │   ├── [ 20K]  kinetica.py
│   │   │   │   │   ├── [9.7K]  konko.py
│   │   │   │   │   ├── [ 23K]  litellm.py
│   │   │   │   │   ├── [8.6K]  litellm_router.py
│   │   │   │   │   ├── [8.4K]  llama_edge.py
│   │   │   │   │   ├── [ 31K]  llamacpp.py
```

```
│   │               │   │   ├── [ 13K]  maritalk.py
│   │               │   │   ├── [ 967]  meta.py
│   │               │   │   ├── [ 30K]  minimax.py
│   │               │   │   ├── [ 17K]  mlflow.py
│   │               │   │   ├── [6.5K]  mlflow_ai_gateway.py
│   │               │   │   ├── [9.4K]  mlx.py
│   │               │   │   ├── [6.0K]  moonshot.py
│   │               │   │   ├── [ 19K]  naver.py
│   │               │   │   ├── [ 36K]  oci_data_science.py
│   │               │   │   ├── [ 32K]  oci_generative_ai.py
│   │               │   │   ├── [5.7K]  octoai.py
│   │               │   │   ├── [ 14K]  ollama.py
│   │               │   │   ├── [ 28K]  openai.py
│   │               │   │   ├── [ 19K]  outlines.py
│   │               │   │   ├── [ 10K]  pai_eas_endpoint.py
│   │               │   │   ├── [ 20K]  perplexity.py
│   │               │   │   ├── [ 18K]  premai.py
│   │               │   │   ├── [5.1K]  promptlayer_openai.py
│   │               │   │   ├── [ 16K]  reka.py
│   │               │   │   ├── [ 97K]  sambanova.py
│   │               │   │   ├── [ 14K]  snowflake.py
│   │               │   │   ├── [2.2K]  solar.py
│   │               │   │   ├── [ 22K]  sparkllm.py
│   │               │   │   ├── [9.3K]  symblai_nebula.py
│   │               │   │   ├── [ 32K]  tongyi.py
│   │               │   │   ├── [ 14K]  vertexai.py
│   │               │   │   ├── [5.2K]  volcengine_maas.py
│   │               │   │   ├── [ 12K]  writer.py
│   │               │   │   ├── [ 10K]  yandex.py
│   │               │   │   ├── [ 12K]  yi.py
│   │               │   │   ├── [ 17K]  yuan2.py
│   │               │   │   └── [ 33K]  zhipuai.py
│   │               │   ├── [ 224]  cross_encoders
│   │               │   │   ├── [1.4K]  __init__.py
│   │               │   │   ├── [ 117]  base.py
│   │               │   │   ├── [ 507]  fake.py
│   │               │   │   ├── [2.1K]  huggingface.py
│   │               │   │   └── [5.2K]  sagemaker_endpoint.py
│   │               │   ├── [ 256]  docstore
│   │               │   │   ├── [1.1K]  __init__.py
│   │               │   │   ├── [1.1K]  arbitrary_fn.py
│   │               │   │   ├── [ 834]  base.py
│   │               │   │   ├── [  70]  document.py
│   │               │   │   ├── [1.6K]  in_memory.py
│   │               │   │   └── [1.4K]  wikipedia.py
│   │               │   ├── [ 352]  document_compressors
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [3.9K]  dashscope_rerank.py
│   │               │   │   ├── [2.8K]  flashrank_rerank.py
│   │               │   │   ├── [4.6K]  infinity_rerank.py
│   │               │   │   ├── [4.3K]  jina_rerank.py
│   │               │   │   ├── [6.7K]  llmlingua_filter.py
│   │               │   │   ├── [5.9K]  openvino_rerank.py
│   │               │   │   ├── [5.1K]  rankllm_rerank.py
│   │               │   │   └── [4.3K]  volcengine_rerank.py
│   │               │   ├── [5.4K]  document_loaders
```

```
│   │               │   │   ├── [ 36K]  __init__.py
│   │               │   │   ├── [2.8K]  acreom.py
│   │               │   │   ├── [9.9K]  airbyte.py
│   │               │   │   ├── [ 865]  airbyte_json.py
│   │               │   │   ├── [1.5K]  airtable.py
│   │               │   │   ├── [3.3K]  apify_dataset.py
│   │               │   │   ├── [5.0K]  arcgis_loader.py
│   │               │   │   ├── [5.4K]  arxiv.py
│   │               │   │   ├── [7.9K]  assemblyai.py
│   │               │   │   ├── [4.5K]  astradb.py
│   │               │   │   ├── [8.8K]  async_html.py
│   │               │   │   ├── [5.9K]  athena.py
│   │               │   │   ├── [ 563]  azlyrics.py
│   │               │   │   ├── [1.4K]  azure_ai_data.py
│   │               │   │   ├── [1.5K]  azure_blob_storage_container.py
│   │               │   │   ├── [1.6K]  azure_blob_storage_file.py
│   │               │   │   ├── [1.7K]  baiducloud_bos_directory.py
│   │               │   │   ├── [1.8K]  baiducloud_bos_file.py
│   │               │   │   ├── [ 126]  base.py
│   │               │   │   ├── [ 13K]  base_o365.py
│   │               │   │   ├── [3.5K]  bibtex.py
│   │               │   │   ├── [3.8K]  bigquery.py
│   │               │   │   ├── [4.6K]  bilibili.py
│   │               │   │   ├── [ 10K]  blackboard.py
│   │               │   │   ├── [ 224]  blob_loaders
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [9.5K]  cloud_blob_loader.py
│   │               │   │   │   ├── [5.3K]  file_system.py
│   │               │   │   │   ├── [ 145]  schema.py
│   │               │   │   │   └── [1.5K]  youtube_audio.py
│   │               │   │   ├── [6.1K]  blockchain.py
│   │               │   │   ├── [1.1K]  brave_search.py
│   │               │   │   ├── [3.1K]  browserbase.py
│   │               │   │   ├── [2.0K]  browserless.py
│   │               │   │   ├── [4.9K]  cassandra.py
│   │               │   │   ├── [1.9K]  chatgpt.py
│   │               │   │   ├── [3.8K]  chm.py
│   │               │   │   ├── [3.6K]  chromium.py
│   │               │   │   ├── [ 527]  college_confidential.py
│   │               │   │   ├── [3.2K]  concurrent.py
│   │               │   │   ├── [ 32K]  confluence.py
│   │               │   │   ├── [1.1K]  conllu.py
│   │               │   │   ├── [3.4K]  couchbase.py
│   │               │   │   ├── [7.8K]  csv_loader.py
│   │               │   │   ├── [6.7K]  cube_semantic.py
│   │               │   │   ├── [4.8K]  datadog_logs.py
│   │               │   │   ├── [2.1K]  dataframe.py
│   │               │   │   ├── [ 20K]  dedoc.py
│   │               │   │   ├── [2.0K]  diffbot.py
│   │               │   │   ├── [8.8K]  directory.py
│   │               │   │   ├── [1.2K]  discord.py
│   │               │   │   ├── [5.0K]  doc_intelligence.py
│   │               │   │   ├── [ 13K]  docugami.py
│   │               │   │   ├── [1.8K]  docusaurus.py
│   │               │   │   ├── [6.1K]  dropbox.py
│   │               │   │   ├── [3.1K]  duckdb_loader.py
```

```
│   │               │   │   ├── [3.8K]  email.py
│   │               │   │   ├── [1.8K]  epub.py
│   │               │   │   ├── [7.6K]  etherscan.py
│   │               │   │   ├── [9.2K]  evernote.py
│   │               │   │   ├── [1.7K]  excel.py
│   │               │   │   ├── [1.2K]  facebook_chat.py
│   │               │   │   ├── [2.1K]  fauna.py
│   │               │   │   ├── [1.5K]  figma.py
│   │               │   │   ├── [ 13K]  firecrawl.py
│   │               │   │   ├── [3.0K]  gcs_directory.py
│   │               │   │   ├── [3.2K]  gcs_file.py
│   │               │   │   ├── [6.1K]  generic.py
│   │               │   │   ├── [2.3K]  geodataframe.py
│   │               │   │   ├── [3.9K]  git.py
│   │               │   │   ├── [ 15K]  gitbook.py
│   │               │   │   ├── [8.5K]  github.py
│   │               │   │   ├── [4.4K]  glue_catalog.py
│   │               │   │   ├── [5.2K]  google_speech_to_text.py
│   │               │   │   ├── [ 14K]  googledrive.py
│   │               │   │   ├── [ 928]  gutenberg.py
│   │               │   │   ├── [1.6K]  helpers.py
│   │               │   │   ├── [2.0K]  hn.py
│   │               │   │   ├── [1.7K]  html.py
│   │               │   │   ├── [3.7K]  html_bs.py
│   │               │   │   ├── [3.0K]  hugging_face_dataset.py
│   │               │   │   ├── [3.6K]  hugging_face_model.py
│   │               │   │   ├── [7.5K]  ifixit.py
│   │               │   │   ├── [1.7K]  image.py
│   │               │   │   ├── [3.6K]  image_captions.py
│   │               │   │   ├── [ 477]  imsdb.py
│   │               │   │   ├── [1.6K]  iugu.py
│   │               │   │   ├── [3.5K]  joplin.py
│   │               │   │   ├── [8.6K]  json_loader.py
│   │               │   │   ├── [3.8K]  kinetica_loader.py
│   │               │   │   ├── [5.9K]  lakefs.py
│   │               │   │   ├── [2.9K]  larksuite.py
│   │               │   │   ├── [4.8K]  llmsherpa.py
│   │               │   │   ├── [3.3K]  markdown.py
│   │               │   │   ├── [3.0K]  mastodon.py
│   │               │   │   ├── [3.1K]  max_compute.py
│   │               │   │   ├── [3.8K]  mediawikidump.py
│   │               │   │   ├── [ 999]  merge.py
│   │               │   │   ├── [2.6K]  mhtml.py
│   │               │   │   ├── [8.7K]  mintbase.py
│   │               │   │   ├── [3.0K]  modern_treasury.py
│   │               │   │   ├── [5.4K]  mongodb.py
│   │               │   │   ├── [5.2K]  needle.py
│   │               │   │   ├── [4.2K]  news.py
│   │               │   │   ├── [4.2K]  notebook.py
│   │               │   │   ├── [ 834]  notion.py
│   │               │   │   ├── [8.0K]  notiondb.py
│   │               │   │   ├── [1.2K]  nuclia.py
│   │               │   │   ├── [3.5K]  obs_directory.py
│   │               │   │   ├── [4.7K]  obs_file.py
│   │               │   │   ├── [6.1K]  obsidian.py
│   │               │   │   ├── [1.8K]  odt.py
```

```
│   │               │   │   ├── [ 496]  onedrive.py
│   │               │   │   ├── [ 992]  onedrive_file.py
│   │               │   │   ├── [8.0K]  onenote.py
│   │               │   │   ├── [1.2K]  open_city_data.py
│   │               │   │   ├── [4.6K]  oracleadb_loader.py
│   │               │   │   ├── [ 15K]  oracleai.py
│   │               │   │   ├── [1.8K]  org_mode.py
│   │               │   │   ├── [ 544]  parsers
│   │               │   │   │   ├── [3.0K]  __init__.py
│   │               │   │   │   ├── [ 24K]  audio.py
│   │               │   │   │   ├── [4.9K]  doc_intelligence.py
│   │               │   │   │   ├── [ 15K]  docai.py
│   │               │   │   │   ├── [2.6K]  documentloader_adapter.py
│   │               │   │   │   ├── [2.5K]  generic.py
│   │               │   │   │   ├── [5.9K]  grobid.py
│   │               │   │   │   ├── [ 128]  html
│   │               │   │   │   │   ├── [ 109]  __init__.py
│   │               │   │   │   │   └── [1.6K]  bs4.py
│   │               │   │   │   ├── [6.6K]  images.py
│   │               │   │   │   ├── [ 768]  language
│   │               │   │   │   │   ├── [ 136]  __init__.py
│   │               │   │   │   │   ├── [ 877]  c.py
│   │               │   │   │   │   ├── [3.7K]  cobol.py
│   │               │   │   │   │   ├── [ 495]  code_segmenter.py
│   │               │   │   │   │   ├── [ 893]  cpp.py
│   │               │   │   │   │   ├── [ 893]  csharp.py
│   │               │   │   │   │   ├── [1.0K]  elixir.py
│   │               │   │   │   │   ├── [ 693]  go.py
│   │               │   │   │   │   ├── [ 736]  java.py
│   │               │   │   │   │   ├── [2.1K]  javascript.py
│   │               │   │   │   │   ├── [ 707]  kotlin.py
│   │               │   │   │   │   ├── [7.7K]  language_parser.py
│   │               │   │   │   │   ├── [ 790]  lua.py
│   │               │   │   │   │   ├── [ 666]  perl.py
│   │               │   │   │   │   ├── [ 850]  php.py
│   │               │   │   │   │   ├── [1.7K]  python.py
│   │               │   │   │   │   ├── [ 697]  ruby.py
│   │               │   │   │   │   ├── [ 774]  rust.py
│   │               │   │   │   │   ├── [ 772]  scala.py
│   │               │   │   │   │   ├── [2.0K]  sql.py
│   │               │   │   │   │   ├── [3.4K]  tree_sitter_segmenter.py
│   │               │   │   │   │   └── [ 795]  typescript.py
│   │               │   │   │   ├── [1.6K]  msword.py
│   │               │   │   │   ├── [ 60K]  pdf.py
│   │               │   │   │   ├── [1.2K]  registry.py
│   │               │   │   │   ├── [ 506]  txt.py
│   │               │   │   │   └── [7.7K]  vsdx.py
│   │               │   │   ├── [ 50K]  pdf.py
│   │               │   │   ├── [ 11K]  pebblo.py
│   │               │   │   ├── [1.1K]  polars_dataframe.py
│   │               │   │   ├── [2.6K]  powerpoint.py
│   │               │   │   ├── [1.3K]  psychic.py
│   │               │   │   ├── [1.1K]  pubmed.py
│   │               │   │   ├── [3.3K]  pyspark_dataframe.py
│   │               │   │   ├── [ 590]  python.py
│   │               │   │   ├── [9.0K]  quip.py
```

```
│   │               │   │   ├── [6.7K]  readthedocs.py
│   │               │   │   ├── [ 22K]  recursive_url_loader.py
│   │               │   │   ├── [4.5K]  reddit.py
│   │               │   │   ├── [ 725]  roam.py
│   │               │   │   ├── [4.4K]  rocksetdb.py
│   │               │   │   ├── [4.7K]  rspace.py
│   │               │   │   ├── [4.8K]  rss.py
│   │               │   │   ├── [1.9K]  rst.py
│   │               │   │   ├── [1.9K]  rtf.py
│   │               │   │   ├── [5.7K]  s3_directory.py
│   │               │   │   ├── [5.8K]  s3_file.py
│   │               │   │   ├── [2.5K]  scrapfly.py
│   │               │   │   ├── [2.3K]  scrapingant.py
│   │               │   │   ├── [9.1K]  sharepoint.py
│   │               │   │   ├── [8.7K]  sitemap.py
│   │               │   │   ├── [3.9K]  slack_directory.py
│   │               │   │   ├── [4.6K]  snowflake_loader.py
│   │               │   │   ├── [3.3K]  spider.py
│   │               │   │   ├── [2.0K]  spreedly.py
│   │               │   │   ├── [5.5K]  sql_database.py
│   │               │   │   ├── [ 901]  srt.py
│   │               │   │   ├── [1.8K]  stripe.py
│   │               │   │   ├── [2.9K]  surrealdb.py
│   │               │   │   ├── [8.9K]  telegram.py
│   │               │   │   ├── [1.7K]  tencent_cos_directory.py
│   │               │   │   ├── [1.6K]  tencent_cos_file.py
│   │               │   │   ├── [2.9K]  tensorflow_datasets.py
│   │               │   │   ├── [2.0K]  text.py
│   │               │   │   ├── [2.5K]  tidb.py
│   │               │   │   ├── [ 848]  tomarkdown.py
│   │               │   │   ├── [1.4K]  toml.py
│   │               │   │   ├── [6.4K]  trello.py
│   │               │   │   ├── [1.4K]  tsv.py
│   │               │   │   ├── [3.4K]  twitter.py
│   │               │   │   ├── [ 19K]  unstructured.py
│   │               │   │   ├── [5.9K]  url.py
│   │               │   │   ├── [9.6K]  url_playwright.py
│   │               │   │   ├── [6.5K]  url_selenium.py
│   │               │   │   ├── [1.8K]  vsdx.py
│   │               │   │   ├── [1.5K]  weather.py
│   │               │   │   ├── [ 15K]  web_base.py
│   │               │   │   ├── [1.7K]  whatsapp_chat.py
│   │               │   │   ├── [2.2K]  wikipedia.py
│   │               │   │   ├── [4.7K]  word_document.py
│   │               │   │   ├── [1.6K]  xml.py
│   │               │   │   ├── [1.1K]  xorbits.py
│   │               │   │   ├── [ 19K]  youtube.py
│   │               │   │   └── [2.9K]  yuque.py
│   │               │   ├── [ 480]  document_transformers
│   │               │   │   ├── [3.8K]  __init__.py
│   │               │   │   ├── [6.8K]  beautiful_soup_transformer.py
│   │               │   │   ├── [4.1K]  doctran_text_extract.py
│   │               │   │   ├── [2.1K]  doctran_text_qa.py
│   │               │   │   ├── [4.0K]  doctran_text_translate.py
│   │               │   │   ├── [8.2K]  embeddings_redundant_filter.py
│   │               │   │   ├── [4.2K]  google_translate.py
```

```
│   │               │   │   ├── [1.8K]  html2text.py
│   │               │   │   ├── [1.4K]  long_context_reorder.py
│   │               │   │   ├── [2.9K]  markdownify.py
│   │               │   │   ├── [1.5K]  nuclia_text_transform.py
│   │               │   │   ├── [6.0K]  openai_functions.py
│   │               │   │   └── [  96]  xsl
│   │               │   │       └── [5.9K]  html_chunks_with_headers.xslt
│   │               │   ├── [2.5K]  embeddings
│   │               │   │   ├── [ 17K]  __init__.py
│   │               │   │   ├── [9.4K]  aleph_alpha.py
│   │               │   │   ├── [2.5K]  anyscale.py
│   │               │   │   ├── [4.8K]  ascend.py
│   │               │   │   ├── [1.8K]  awa.py
│   │               │   │   ├── [7.9K]  azure_openai.py
│   │               │   │   ├── [5.3K]  baichuan.py
│   │               │   │   ├── [6.2K]  baidu_qianfan_endpoint.py
│   │               │   │   ├── [7.2K]  bedrock.py
│   │               │   │   ├── [2.8K]  bookend.py
│   │               │   │   ├── [4.6K]  clarifai.py
│   │               │   │   ├── [2.9K]  cloudflare_workersai.py
│   │               │   │   ├── [4.6K]  clova.py
│   │               │   │   ├── [5.4K]  cohere.py
│   │               │   │   ├── [5.3K]  dashscope.py
│   │               │   │   ├── [1.4K]  databricks.py
│   │               │   │   ├── [4.8K]  deepinfra.py
│   │               │   │   ├── [3.5K]  edenai.py
│   │               │   │   ├── [8.3K]  elasticsearch.py
│   │               │   │   ├── [5.3K]  embaas.py
│   │               │   │   ├── [4.9K]  ernie.py
│   │               │   │   ├── [1.5K]  fake.py
│   │               │   │   ├── [4.9K]  fastembed.py
│   │               │   │   ├── [6.1K]  gigachat.py
│   │               │   │   ├── [3.2K]  google_palm.py
│   │               │   │   ├── [2.3K]  gpt4all.py
│   │               │   │   ├── [5.3K]  gradient_ai.py
│   │               │   │   ├── [ 18K]  huggingface.py
│   │               │   │   ├── [5.4K]  huggingface_hub.py
│   │               │   │   ├── [4.7K]  hunyuan.py
│   │               │   │   ├── [9.9K]  infinity.py
│   │               │   │   ├── [4.9K]  infinity_local.py
│   │               │   │   ├── [5.1K]  ipex_llm.py
│   │               │   │   ├── [8.0K]  itrex.py
│   │               │   │   ├── [3.6K]  javelin_ai_gateway.py
│   │               │   │   ├── [3.8K]  jina.py
│   │               │   │   ├── [2.8K]  johnsnowlabs.py
│   │               │   │   ├── [3.0K]  laser.py
│   │               │   │   ├── [4.9K]  llamacpp.py
│   │               │   │   ├── [3.9K]  llamafile.py
│   │               │   │   ├── [2.2K]  llm_rails.py
│   │               │   │   ├── [ 12K]  localai.py
│   │               │   │   ├── [6.0K]  minimax.py
│   │               │   │   ├── [2.9K]  mlflow.py
│   │               │   │   ├── [2.6K]  mlflow_gateway.py
│   │               │   │   ├── [1.8K]  model2vec.py
│   │               │   │   ├── [2.3K]  modelscope_hub.py
│   │               │   │   ├── [5.0K]  mosaicml.py
```

```
│   │   │   │   │   ├── [8.0K]  naver.py
│   │   │   │   │   ├── [5.7K]  nemo.py
│   │   │   │   │   ├── [2.2K]  nlpcloud.py
│   │   │   │   │   ├── [7.8K]  oci_generative_ai.py
│   │   │   │   │   ├── [3.0K]  octoai_embeddings.py
│   │   │   │   │   ├── [7.9K]  ollama.py
│   │   │   │   │   ├── [ 29K]  openai.py
│   │   │   │   │   ├── [ 12K]  openvino.py
│   │   │   │   │   ├── [7.5K]  optimum_intel.py
│   │   │   │   │   ├── [5.5K]  oracleai.py
│   │   │   │   │   ├── [4.0K]  ovhcloud.py
│   │   │   │   │   ├── [4.3K]  premai.py
│   │   │   │   │   ├── [7.4K]  sagemaker_endpoint.py
│   │   │   │   │   ├── [ 12K]  sambanova.py
│   │   │   │   │   ├── [3.7K]  self_hosted.py
│   │   │   │   │   ├── [6.4K]  self_hosted_hugging_face.py
│   │   │   │   │   ├── [ 190]  sentence_transformer.py
│   │   │   │   │   ├── [4.1K]  solar.py
│   │   │   │   │   ├── [3.8K]  spacy_embeddings.py
│   │   │   │   │   ├── [9.5K]  sparkllm.py
│   │   │   │   │   ├── [2.3K]  tensorflow_hub.py
│   │   │   │   │   ├── [2.4K]  text2vec.py
│   │   │   │   │   ├── [ 11K]  textembed.py
│   │   │   │   │   ├── [7.6K]  titan_takeoff.py
│   │   │   │   │   ├── [ 14K]  vertexai.py
│   │   │   │   │   ├── [4.1K]  volcengine.py
│   │   │   │   │   ├── [7.3K]  voyageai.py
│   │   │   │   │   ├── [3.7K]  xinference.py
│   │   │   │   │   ├── [7.7K]  yandex.py
│   │   │   │   │   └── [4.1K]  zhipuai.py
│   │   │   │   ├── [ 128]  example_selectors
│   │   │   │   │   ├── [ 609]  __init__.py
│   │   │   │   │   └── [3.7K]  ngram_overlap.py
│   │   │   │   ├── [ 320]  graph_vectorstores
│   │   │   │   │   ├── [5.8K]  __init__.py
│   │   │   │   │   ├── [ 33K]  base.py
│   │   │   │   │   ├── [ 46K]  cassandra.py
│   │   │   │   │   ├── [ 320]  extractors
│   │   │   │   │   │   ├── [1.2K]  __init__.py
│   │   │   │   │   │   ├── [5.9K]  gliner_link_extractor.py
│   │   │   │   │   │   ├── [4.0K]  hierarchy_link_extractor.py
│   │   │   │   │   │   ├── [ 11K]  html_link_extractor.py
│   │   │   │   │   │   ├── [6.7K]  keybert_link_extractor.py
│   │   │   │   │   │   ├── [1.1K]  link_extractor.py
│   │   │   │   │   │   ├── [ 951]  link_extractor_adapter.py
│   │   │   │   │   │   └── [1.6K]  link_extractor_transformer.py
│   │   │   │   │   ├── [7.7K]  links.py
│   │   │   │   │   ├── [9.6K]  mmr_helper.py
│   │   │   │   │   ├── [3.2K]  networkx.py
│   │   │   │   │   └── [3.6K]  visualize.py
│   │   │   │   ├── [ 672]  graphs
│   │   │   │   │   ├── [3.0K]  __init__.py
│   │   │   │   │   ├── [ 27K]  age_graph.py
│   │   │   │   │   ├── [6.7K]  arangodb_graph.py
│   │   │   │   │   ├── [6.8K]  falkordb_graph.py
│   │   │   │   │   ├── [1.5K]  graph_document.py
```

```
│   │               │   │   ├── [ 993]  graph_store.py
│   │               │   │   ├── [8.9K]  gremlin_graph.py
│   │               │   │   ├── [2.5K]  hugegraph.py
│   │               │   │   ├── [3.9K]  index_creator.py
│   │               │   │   ├── [ 11K]  kuzu_graph.py
│   │               │   │   ├── [ 18K]  memgraph_graph.py
│   │               │   │   ├── [8.0K]  nebula_graph.py
│   │               │   │   ├── [ 33K]  neo4j_graph.py
│   │               │   │   ├── [ 14K]  neptune_graph.py
│   │               │   │   ├── [ 10K]  neptune_rdf_graph.py
│   │               │   │   ├── [7.7K]  networkx_graph.py
│   │               │   │   ├── [7.6K]  ontotext_graphdb_graph.py
│   │               │   │   ├── [ 10K]  rdf_graph.py
│   │               │   │   └── [3.4K]  tigergraph_graph.py
│   │               │   ├── [ 192]  indexes
│   │               │   │   ├── [ 488]  __init__.py
│   │               │   │   ├── [8.1K]  _document_manager.py
│   │               │   │   ├── [ 20K]  _sql_record_manager.py
│   │               │   │   └── [5.1K]  base.py
│   │               │   ├── [3.3K]  llms
│   │               │   │   ├── [ 28K]  __init__.py
│   │               │   │   ├── [5.1K]  ai21.py
│   │               │   │   ├── [ 11K]  aleph_alpha.py
│   │               │   │   ├── [2.9K]  amazon_api_gateway.py
│   │               │   │   ├── [ 12K]  anthropic.py
│   │               │   │   ├── [ 12K]  anyscale.py
│   │               │   │   ├── [9.4K]  aphrodite.py
│   │               │   │   ├── [4.2K]  arcee.py
│   │               │   │   ├── [5.8K]  aviary.py
│   │               │   │   ├── [ 20K]  azureml_endpoint.py
│   │               │   │   ├── [2.9K]  baichuan.py
│   │               │   │   ├── [ 10K]  baidu_qianfan_endpoint.py
│   │               │   │   ├── [4.4K]  bananadev.py
│   │               │   │   ├── [3.1K]  baseten.py
│   │               │   │   ├── [8.9K]  beam.py
│   │               │   │   ├── [ 31K]  bedrock.py
│   │               │   │   ├── [5.4K]  bigdl_llm.py
│   │               │   │   ├── [6.1K]  bittensor.py
│   │               │   │   ├── [3.9K]  cerebriumai.py
│   │               │   │   ├── [3.9K]  chatglm.py
│   │               │   │   ├── [4.8K]  chatglm3.py
│   │               │   │   ├── [6.4K]  clarifai.py
│   │               │   │   ├── [4.2K]  cloudflare_workersai.py
│   │               │   │   ├── [8.4K]  cohere.py
│   │               │   │   ├── [4.1K]  ctransformers.py
│   │               │   │   ├── [4.1K]  ctranslate2.py
│   │               │   │   ├── [ 20K]  databricks.py
│   │               │   │   ├── [8.0K]  deepinfra.py
│   │               │   │   ├── [8.7K]  deepsparse.py
│   │               │   │   ├── [9.2K]  edenai.py
│   │               │   │   ├── [6.3K]  exllamav2.py
│   │               │   │   ├── [2.4K]  fake.py
│   │               │   │   ├── [ 12K]  fireworks.py
│   │               │   │   ├── [3.6K]  forefrontai.py
│   │               │   │   ├── [ 14K]  friendli.py
│   │               │   │   ├── [ 11K]  gigachat.py
```

```
│   │               │   │   ├── [8.6K]  google_palm.py
│   │               │   │   ├── [5.0K]  gooseai.py
│   │               │   │   ├── [6.4K]  gpt4all.py
│   │               │   │   ├── [ 14K]  gradient_ai.py
│   │               │   │   ├── [ 128]  grammars
│   │               │   │   │   ├── [ 664]  json.gbnf
│   │               │   │   │   └── [ 167]  list.gbnf
│   │               │   │   ├── [ 14K]  huggingface_endpoint.py
│   │               │   │   ├── [5.2K]  huggingface_hub.py
│   │               │   │   ├── [ 13K]  huggingface_pipeline.py
│   │               │   │   ├── [ 11K]  huggingface_text_gen_inference.py
│   │               │   │   ├── [2.5K]  human.py
│   │               │   │   ├── [9.8K]  ipex_llm.py
│   │               │   │   ├── [4.6K]  javelin_ai_gateway.py
│   │               │   │   ├── [5.0K]  koboldai.py
│   │               │   │   ├── [6.4K]  konko.py
│   │               │   │   ├── [3.4K]  layerup_security.py
│   │               │   │   ├── [ 12K]  llamacpp.py
│   │               │   │   ├── [ 10K]  llamafile.py
│   │               │   │   ├── [1.7K]  loading.py
│   │               │   │   ├── [1.9K]  manifest.py
│   │               │   │   ├── [5.4K]  minimax.py
│   │               │   │   ├── [3.3K]  mlflow.py
│   │               │   │   ├── [3.1K]  mlflow_ai_gateway.py
│   │               │   │   ├── [8.6K]  mlx_pipeline.py
│   │               │   │   ├── [3.2K]  modal.py
│   │               │   │   ├── [4.5K]  moonshot.py
│   │               │   │   ├── [5.9K]  mosaicml.py
│   │               │   │   ├── [4.9K]  nlpcloud.py
│   │               │   │   ├── [ 33K]
oci_data_science_model_deployment_endpoint.py
│   │               │   │   ├── [ 13K]  oci_generative_ai.py
│   │               │   │   ├── [3.8K]  octoai_endpoint.py
│   │               │   │   ├── [ 18K]  ollama.py
│   │               │   │   ├── [3.9K]  opaqueprompts.py
│   │               │   │   ├── [ 47K]  openai.py
│   │               │   │   ├── [1.0K]  openllm.py
│   │               │   │   ├── [ 882]  openlm.py
│   │               │   │   ├── [ 11K]  outlines.py
│   │               │   │   ├── [7.8K]  pai_eas_endpoint.py
│   │               │   │   ├── [5.3K]  petals.py
│   │               │   │   ├── [4.1K]  pipelineai.py
│   │               │   │   ├── [8.4K]  predibase.py
│   │               │   │   ├── [5.3K]  predictionguard.py
│   │               │   │   ├── [8.6K]  promptlayer_openai.py
│   │               │   │   ├── [8.2K]  replicate.py
│   │               │   │   ├── [7.2K]  rwkv.py
│   │               │   │   ├── [ 13K]  sagemaker_endpoint.py
│   │               │   │   ├── [ 31K]  sambanova.py
│   │               │   │   ├── [8.4K]  self_hosted.py
│   │               │   │   ├── [7.5K]  self_hosted_hugging_face.py
│   │               │   │   ├── [4.1K]  solar.py
│   │               │   │   ├── [ 16K]  sparkllm.py
│   │               │   │   ├── [4.6K]  stochasticai.py
│   │               │   │   ├── [7.3K]  symblai_nebula.py
│   │               │   │   ├── [ 14K]  textgen.py
```

```
│   │               │   │   ├── [9.1K]  titan_takeoff.py
│   │               │   │   ├── [7.5K]  together.py
│   │               │   │   ├── [ 15K]  tongyi.py
│   │               │   │   ├── [ 259]  utils.py
│   │               │   │   ├── [ 19K]  vertexai.py
│   │               │   │   ├── [5.8K]  vllm.py
│   │               │   │   ├── [6.5K]  volcengine_maas.py
│   │               │   │   ├── [ 15K]  watsonxllm.py
│   │               │   │   ├── [8.7K]  weight_only_quantization.py
│   │               │   │   ├── [6.8K]  writer.py
│   │               │   │   ├── [ 13K]  xinference.py
│   │               │   │   ├── [ 13K]  yandex.py
│   │               │   │   ├── [3.4K]  yi.py
│   │               │   │   ├── [4.4K]  you.py
│   │               │   │   └── [5.8K]  yuan2.py
│   │               │   ├── [ 224]  memory
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [5.5K]  kg.py
│   │               │   │   ├── [3.5K]  motorhead_memory.py
│   │               │   │   ├── [5.5K]  zep_cloud_memory.py
│   │               │   │   └── [5.5K]  zep_memory.py
│   │               │   ├── [ 160]  output_parsers
│   │               │   │   ├── [ 292]  __init__.py
│   │               │   │   ├── [6.6K]  ernie_functions.py
│   │               │   │   └── [3.2K]  rail_parser.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 800]  query_constructors
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [2.1K]  astradb.py
│   │               │   │   ├── [1.4K]  chroma.py
│   │               │   │   ├── [1.9K]  dashvector.py
│   │               │   │   ├── [3.1K]  databricks_vector_search.py
│   │               │   │   ├── [2.6K]  deeplake.py
│   │               │   │   ├── [1.3K]  dingo.py
│   │               │   │   ├── [3.2K]  elasticsearch.py
│   │               │   │   ├── [2.3K]  hanavector.py
│   │               │   │   ├── [3.3K]  milvus.py
│   │               │   │   ├── [2.2K]  mongodb_atlas.py
│   │               │   │   ├── [3.5K]  myscale.py
│   │               │   │   ├── [1.9K]  neo4j.py
│   │               │   │   ├── [3.2K]  opensearch.py
│   │               │   │   ├── [1.5K]  pgvector.py
│   │               │   │   ├── [1.7K]  pinecone.py
│   │               │   │   ├── [3.1K]  qdrant.py
│   │               │   │   ├── [3.3K]  redis.py
│   │               │   │   ├── [2.9K]  supabase.py
│   │               │   │   ├── [3.6K]  tencentvectordb.py
│   │               │   │   ├── [2.6K]  timescalevector.py
│   │               │   │   ├── [2.1K]  vectara.py
│   │               │   │   └── [2.6K]  weaviate.py
│   │               │   ├── [1.5K]  retrievers
│   │               │   │   ├── [9.6K]  __init__.py
│   │               │   │   ├── [4.1K]  arcee.py
│   │               │   │   ├── [2.8K]  arxiv.py
│   │               │   │   ├── [4.7K]  asknews.py
│   │               │   │   ├── [8.1K]  azure_ai_search.py
```

```
│   │               │   │   ├── [6.1K]  bedrock.py
│   │               │   │   ├── [4.0K]  bm25.py
│   │               │   │   ├── [1.5K]  breebs.py
│   │               │   │   ├── [2.6K]  chaindesk.py
│   │               │   │   ├── [2.9K]  chatgpt_plugin_retriever.py
│   │               │   │   ├── [2.9K]  cohere_rag_retriever.py
│   │               │   │   ├── [2.3K]  databerry.py
│   │               │   │   ├── [6.7K]  docarray.py
│   │               │   │   ├── [2.7K]  dria_index.py
│   │               │   │   ├── [4.5K]  elastic_search_bm25.py
│   │               │   │   ├── [2.0K]  embedchain.py
│   │               │   │   ├── [4.6K]  google_cloud_documentai_warehouse.py
│   │               │   │   ├── [ 18K]  google_vertex_ai_search.py
│   │               │   │   ├── [1.9K]  kay.py
│   │               │   │   ├── [ 15K]  kendra.py
│   │               │   │   ├── [3.2K]  knn.py
│   │               │   │   ├── [3.1K]  llama_index.py
│   │               │   │   ├── [1.5K]  metal.py
│   │               │   │   ├── [4.6K]  milvus.py
│   │               │   │   ├── [3.9K]  nanopq.py
│   │               │   │   ├── [3.5K]  needle.py
│   │               │   │   ├── [ 644]  outline.py
│   │               │   │   ├── [5.9K]  pinecone_hybrid_search.py
│   │               │   │   ├── [ 643]  pubmed.py
│   │               │   │   ├── [ 104]  pupmed.py
│   │               │   │   ├── [7.7K]  qdrant_sparse_vector_retriever.py
│   │               │   │   ├── [ 670]  rememberizer.py
│   │               │   │   ├── [1.9K]  remote_retriever.py
│   │               │   │   ├── [4.0K]  svm.py
│   │               │   │   ├── [4.8K]  tavily_search_api.py
│   │               │   │   ├── [5.6K]  tfidf.py
│   │               │   │   ├── [9.0K]  thirdai_neuraldb.py
│   │               │   │   ├── [4.4K]  vespa_retriever.py
│   │               │   │   ├── [6.2K]  weaviate_hybrid_search.py
│   │               │   │   ├── [ 10K]  web_research.py
│   │               │   │   ├── [2.3K]  wikipedia.py
│   │               │   │   ├── [1.1K]  you.py
│   │               │   │   ├── [5.8K]  zep.py
│   │               │   │   ├── [5.4K]  zep_cloud.py
│   │               │   │   └── [2.7K]  zilliz.py
│   │               │   ├── [ 320]  storage
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [8.5K]  astradb.py
│   │               │   │   ├── [7.6K]  cassandra.py
│   │               │   │   ├── [  89]  exceptions.py
│   │               │   │   ├── [8.4K]  mongodb.py
│   │               │   │   ├── [4.8K]  redis.py
│   │               │   │   ├── [ 10K]  sql.py
│   │               │   │   └── [5.6K]  upstash_redis.py
│   │               │   ├── [2.9K]  tools
│   │               │   │   ├── [ 25K]  __init__.py
│   │               │   │   ├── [ 320]  ainetwork
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.1K]  app.py
│   │               │   │   │   ├── [2.0K]  base.py
│   │               │   │   │   ├── [4.0K]  owner.py
```

```
│   │               │   │   │   ├── [2.7K]  rule.py
│   │               │   │   │   ├── [1.0K]  transfer.py
│   │               │   │   │   ├── [2.3K]  utils.py
│   │               │   │   │   └── [2.5K]  value.py
│   │               │   │   ├── [ 224]  amadeus
│   │               │   │   │   ├── [ 257]  __init__.py
│   │               │   │   │   ├── [ 418]  base.py
│   │               │   │   │   ├── [2.3K]  closest_airport.py
│   │               │   │   │   ├── [5.6K]  flight_search.py
│   │               │   │   │   └── [1.2K]  utils.py
│   │               │   │   ├── [ 128]  arxiv
│   │               │   │   │   ├── [ 155]  __init__.py
│   │               │   │   │   └── [1.2K]  tool.py
│   │               │   │   ├── [ 128]  asknews
│   │               │   │   │   ├── [ 131]  __init__.py
│   │               │   │   │   └── [2.5K]  tool.py
│   │               │   │   ├── [ 128]  audio
│   │               │   │   │   ├── [ 188]  __init__.py
│   │               │   │   │   └── [4.2K]
huggingface_text_to_speech_inference.py
│   │               │   │   ├── [ 288]  azure_ai_services
│   │               │   │   │   ├── [ 858]  __init__.py
│   │               │   │   │   ├── [5.4K]  document_intelligence.py
│   │               │   │   │   ├── [7.4K]  image_analysis.py
│   │               │   │   │   ├── [4.3K]  speech_to_text.py
│   │               │   │   │   ├── [3.5K]  text_analytics_for_health.py
│   │               │   │   │   ├── [3.7K]  text_to_speech.py
│   │               │   │   │   └── [ 776]  utils.py
│   │               │   │   ├── [ 288]  azure_cognitive_services
│   │               │   │   │   ├── [ 802]  __init__.py
│   │               │   │   │   ├── [5.3K]  form_recognizer.py
│   │               │   │   │   ├── [5.2K]  image_analysis.py
│   │               │   │   │   ├── [4.2K]  speech2text.py
│   │               │   │   │   ├── [3.6K]  text2speech.py
│   │               │   │   │   ├── [3.5K]  text_analytics_health.py
│   │               │   │   │   └── [ 776]  utils.py
│   │               │   │   ├── [ 128]  bearly
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [5.4K]  tool.py
│   │               │   │   ├── [ 128]  bing_search
│   │               │   │   │   ├── [ 170]  __init__.py
│   │               │   │   │   └── [7.0K]  tool.py
│   │               │   │   ├── [ 128]  brave_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [2.9K]  tool.py
│   │               │   │   ├── [ 160]  cassandra_database
│   │               │   │   │   ├── [  21]  __init__.py
│   │               │   │   │   ├── [1.2K]  prompt.py
│   │               │   │   │   └── [4.8K]  tool.py
│   │               │   │   ├── [ 160]  clickup
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [8.1K]  prompt.py
│   │               │   │   │   └── [1.2K]  tool.py
│   │               │   │   ├── [ 128]  cogniswitch
│   │               │   │   │   ├── [  20]  __init__.py
│   │               │   │   │   └── [ 13K]  tool.py
```

```
│   │               │   │   ├── [ 192]  connery
│   │               │   │   │   ├── [ 188]  __init__.py
│   │               │   │   │   ├── [ 634]  models.py
│   │               │   │   │   ├── [5.6K]  service.py
│   │               │   │   │   └── [5.4K]  tool.py
│   │               │   │   ├── [ 198]  convert_to_openai.py
│   │               │   │   ├── [ 160]  databricks
│   │               │   │   │   ├── [ 105]  __init__.py
│   │               │   │   │   ├── [9.4K]  _execution.py
│   │               │   │   │   └── [7.8K]  tool.py
│   │               │   │   ├── [ 128]  dataforseo_api_search
│   │               │   │   │   ├── [ 268]  __init__.py
│   │               │   │   │   └── [2.1K]  tool.py
│   │               │   │   ├── [ 128]  dataherald
│   │               │   │   │   ├── [ 147]  __init__.py
│   │               │   │   │   └── [1.0K]  tool.py
│   │               │   │   ├── [ 128]  ddg_search
│   │               │   │   │   ├── [ 147]  __init__.py
│   │               │   │   │   └── [7.7K]  tool.py
│   │               │   │   ├── [ 160]  e2b_data_analysis
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [7.8K]  tool.py
│   │               │   │   │   └── [ 20K]  unparse.py
│   │               │   │   ├── [ 352]  edenai
│   │               │   │   │   ├── [1.0K]  __init__.py
│   │               │   │   │   ├── [3.5K]  audio_speech_to_text.py
│   │               │   │   │   ├── [4.0K]  audio_text_to_speech.py
│   │               │   │   │   ├── [5.1K]  edenai_base_tool.py
│   │               │   │   │   ├── [2.4K]  image_explicitcontent.py
│   │               │   │   │   ├── [2.7K]  image_objectdetection.py
│   │               │   │   │   ├── [2.1K]  ocr_identityparser.py
│   │               │   │   │   ├── [2.4K]  ocr_invoiceparser.py
│   │               │   │   │   └── [2.5K]  text_moderation.py
│   │               │   │   ├── [ 160]  eleven_labs
│   │               │   │   │   ├── [ 164]  __init__.py
│   │               │   │   │   ├── [ 243]  models.py
│   │               │   │   │   └── [3.0K]  text2speech.py
│   │               │   │   ├── [ 128]  few_shot
│   │               │   │   │   ├── [  97]  __init__.py
│   │               │   │   │   └── [1.6K]  tool.py
│   │               │   │   ├── [ 352]  file_management
│   │               │   │   │   ├── [ 723]  __init__.py
│   │               │   │   │   ├── [1.7K]  copy.py
│   │               │   │   │   ├── [1.3K]  delete.py
│   │               │   │   │   ├── [1.9K]  file_search.py
│   │               │   │   │   ├── [1.4K]  list_dir.py
│   │               │   │   │   ├── [1.8K]  move.py
│   │               │   │   │   ├── [1.3K]  read.py
│   │               │   │   │   ├── [1.7K]  utils.py
│   │               │   │   │   └── [1.6K]  write.py
│   │               │   │   ├── [ 192]  financial_datasets
│   │               │   │   │   ├── [ 421]  __init__.py
│   │               │   │   │   ├── [2.0K]  balance_sheets.py
│   │               │   │   │   ├── [2.1K]  cash_flow_statements.py
│   │               │   │   │   └── [2.0K]  income_statements.py
│   │               │   │   ├── [ 160]  github
```

```
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   ├── [6.5K]  prompt.py
│   │               │   │   │   └── [1.7K]  tool.py
│   │               │   │   ├── [ 160]  gitlab
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   ├── [4.6K]  prompt.py
│   │               │   │   │   └── [ 955]  tool.py
│   │               │   │   ├── [ 320]  gmail
│   │               │   │   │   ├── [ 601]  __init__.py
│   │               │   │   │   ├── [1013]  base.py
│   │               │   │   │   ├── [2.5K]  create_draft.py
│   │               │   │   │   ├── [2.2K]  get_message.py
│   │               │   │   │   ├── [1.5K]  get_thread.py
│   │               │   │   │   ├── [5.2K]  search.py
│   │               │   │   │   ├── [2.9K]  send_message.py
│   │               │   │   │   └── [4.0K]  utils.py
│   │               │   │   ├── [ 128]  golden_query
│   │               │   │   │   ├── [ 135]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [1.1K]  google_books.py
│   │               │   │   ├── [ 128]  google_cloud
│   │               │   │   │   ├── [ 171]  __init__.py
│   │               │   │   │   └── [3.3K]  texttospeech.py
│   │               │   │   ├── [ 128]  google_finance
│   │               │   │   │   ├── [ 152]  __init__.py
│   │               │   │   │   └── [ 854]  tool.py
│   │               │   │   ├── [ 128]  google_jobs
│   │               │   │   │   ├── [ 140]  __init__.py
│   │               │   │   │   └── [ 826]  tool.py
│   │               │   │   ├── [ 128]  google_lens
│   │               │   │   │   ├── [ 140]  __init__.py
│   │               │   │   │   └── [ 822]  tool.py
│   │               │   │   ├── [ 128]  google_places
│   │               │   │   │   ├── [ 140]  __init__.py
│   │               │   │   │   └── [1.3K]  tool.py
│   │               │   │   ├── [ 128]  google_scholar
│   │               │   │   │   ├── [ 152]  __init__.py
│   │               │   │   │   └── [ 847]  tool.py
│   │               │   │   ├── [ 128]  google_search
│   │               │   │   │   ├── [ 195]  __init__.py
│   │               │   │   │   └── [1.8K]  tool.py
│   │               │   │   ├── [ 128]  google_serper
│   │               │   │   │   ├── [ 243]  __init__.py
│   │               │   │   │   └── [2.0K]  tool.py
│   │               │   │   ├── [ 128]  google_trends
│   │               │   │   │   ├── [ 148]  __init__.py
│   │               │   │   │   └── [ 844]  tool.py
│   │               │   │   ├── [ 128]  graphql
│   │               │   │   │   ├── [  47]  __init__.py
│   │               │   │   │   └── [1.2K]  tool.py
│   │               │   │   ├── [ 128]  human
│   │               │   │   │   ├── [ 132]  __init__.py
│   │               │   │   │   └── [ 993]  tool.py
│   │               │   │   ├── [2.2K]  ifttt.py
│   │               │   │   ├── [ 128]  interaction
│   │               │   │   │   ├── [  43]  __init__.py
```

```
│   │               │   │   │   └── [ 463]  tool.py
│   │               │   │   ├── [ 128]  jina_search
│   │               │   │   │   ├── [ 115]  __init__.py
│   │               │   │   │   └── [1.3K]  tool.py
│   │               │   │   ├── [ 160]  jira
│   │               │   │   │   ├── [  17]  __init__.py
│   │               │   │   │   ├── [3.1K]  prompt.py
│   │               │   │   │   └── [1.3K]  tool.py
│   │               │   │   ├── [ 128]  json
│   │               │   │   │   ├── [  46]  __init__.py
│   │               │   │   │   └── [4.0K]  tool.py
│   │               │   │   ├── [ 128]  memorize
│   │               │   │   │   ├── [ 134]  __init__.py
│   │               │   │   │   └── [1.8K]  tool.py
│   │               │   │   ├── [ 128]  merriam_webster
│   │               │   │   │   ├── [  35]  __init__.py
│   │               │   │   │   └── [ 854]  tool.py
│   │               │   │   ├── [ 128]  metaphor_search
│   │               │   │   │   ├── [ 154]  __init__.py
│   │               │   │   │   └── [2.8K]  tool.py
│   │               │   │   ├── [ 128]  mojeek_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [1.3K]  tool.py
│   │               │   │   ├── [ 192]  multion
│   │               │   │   │   ├── [ 360]  __init__.py
│   │               │   │   │   ├── [1.7K]  close_session.py
│   │               │   │   │   ├── [2.1K]  create_session.py
│   │               │   │   │   └── [2.3K]  update_session.py
│   │               │   │   ├── [ 160]  nasa
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [5.1K]  prompt.py
│   │               │   │   │   └── [ 812]  tool.py
│   │               │   │   ├── [ 128]  nuclia
│   │               │   │   │   ├── [ 111]  __init__.py
│   │               │   │   │   └── [7.7K]  tool.py
│   │               │   │   ├── [ 320]  office365
│   │               │   │   │   ├── [ 654]  __init__.py
│   │               │   │   │   ├── [ 491]  base.py
│   │               │   │   │   ├── [1.8K]  create_draft_message.py
│   │               │   │   │   ├── [4.7K]  events_search.py
│   │               │   │   │   ├── [4.1K]  messages_search.py
│   │               │   │   │   ├── [3.2K]  send_event.py
│   │               │   │   │   ├── [1.7K]  send_message.py
│   │               │   │   │   └── [2.2K]  utils.py
│   │               │   │   ├── [ 128]  openai_dalle_image_generation
│   │               │   │   │   ├── [ 219]  __init__.py
│   │               │   │   │   └── [ 953]  tool.py
│   │               │   │   ├── [ 128]  openapi
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 160]  utils
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 21K]  api_models.py
│   │               │   │   │       └── [ 192]  openapi_utils.py
│   │               │   │   ├── [ 128]  openweathermap
│   │               │   │   │   ├── [ 161]  __init__.py
│   │               │   │   │   └── [ 950]  tool.py
```

```
│   │               │   │   ├── [ 128]  passio_nutrition_ai
│   │               │   │   │   ├── [ 142]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 384]  playwright
│   │               │   │   │   ├── [ 763]  __init__.py
│   │               │   │   │   ├── [1.9K]  base.py
│   │               │   │   │   ├── [3.0K]  click.py
│   │               │   │   │   ├── [1.4K]  current_page.py
│   │               │   │   │   ├── [3.1K]  extract_hyperlinks.py
│   │               │   │   │   ├── [2.5K]  extract_text.py
│   │               │   │   │   ├── [3.6K]  get_elements.py
│   │               │   │   │   ├── [2.9K]  navigate.py
│   │               │   │   │   ├── [2.0K]  navigate_back.py
│   │               │   │   │   └── [3.0K]  utils.py
│   │               │   │   ├── [2.8K]  plugin.py
│   │               │   │   ├── [ 224]  polygon
│   │               │   │   │   ├── [ 439]  __init__.py
│   │               │   │   │   ├── [2.5K]  aggregates.py
│   │               │   │   │   ├── [1.2K]  financials.py
│   │               │   │   │   ├── [1.0K]  last_quote.py
│   │               │   │   │   └── [1.0K]  ticker_news.py
│   │               │   │   ├── [ 160]  powerbi
│   │               │   │   │   ├── [  52]  __init__.py
│   │               │   │   │   ├── [7.2K]  prompt.py
│   │               │   │   │   └── [ 11K]  tool.py
│   │               │   │   ├── [ 128]  pubmed
│   │               │   │   │   ├── [  26]  __init__.py
│   │               │   │   │   └── [ 953]  tool.py
│   │               │   │   ├── [  96]  reddit_search
│   │               │   │   │   └── [1.9K]  tool.py
│   │               │   │   ├── [ 198]  render.py
│   │               │   │   ├── [ 128]  requests
│   │               │   │   │   ├── [  52]  __init__.py
│   │               │   │   │   └── [7.3K]  tool.py
│   │               │   │   ├── [ 128]  riza
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [4.4K]  command.py
│   │               │   │   ├── [ 128]  scenexplain
│   │               │   │   │   ├── [  31]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 128]  searchapi
│   │               │   │   │   ├── [ 214]  __init__.py
│   │               │   │   │   └── [2.0K]  tool.py
│   │               │   │   ├── [ 128]  searx_search
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [2.5K]  tool.py
│   │               │   │   ├── [ 128]  semanticscholar
│   │               │   │   │   ├── [ 207]  __init__.py
│   │               │   │   │   └── [1.2K]  tool.py
│   │               │   │   ├── [ 128]  shell
│   │               │   │   │   ├── [ 103]  __init__.py
│   │               │   │   │   └── [3.1K]  tool.py
│   │               │   │   ├── [ 288]  slack
│   │               │   │   │   ├── [ 502]  __init__.py
│   │               │   │   │   ├── [ 653]  base.py
│   │               │   │   │   ├── [1.2K]  get_channel.py
```

```
│   │               │   │   │   ├── [1.4K]  get_message.py
│   │               │   │   │   ├── [2.0K]  schedule_message.py
│   │               │   │   │   ├── [1.2K]  send_message.py
│   │               │   │   │   └── [1.1K]  utils.py
│   │               │   │   ├── [ 128]  sleep
│   │               │   │   │   ├── [  18]  __init__.py
│   │               │   │   │   └── [1.2K]  tool.py
│   │               │   │   ├── [ 160]  spark_sql
│   │               │   │   │   ├── [  44]  __init__.py
│   │               │   │   │   ├── [ 550]  prompt.py
│   │               │   │   │   └── [4.3K]  tool.py
│   │               │   │   ├── [ 160]  sql_database
│   │               │   │   │   ├── [  49]  __init__.py
│   │               │   │   │   ├── [ 597]  prompt.py
│   │               │   │   │   └── [5.8K]  tool.py
│   │               │   │   ├── [ 128]  stackexchange
│   │               │   │   │   ├── [  33]  __init__.py
│   │               │   │   │   └── [ 869]  tool.py
│   │               │   │   ├── [ 160]  steam
│   │               │   │   │   ├── [  24]  __init__.py
│   │               │   │   │   ├── [1.6K]  prompt.py
│   │               │   │   │   └── [ 842]  tool.py
│   │               │   │   ├── [ 160]  steamship_image_generation
│   │               │   │   │   ├── [ 186]  __init__.py
│   │               │   │   │   ├── [3.3K]  tool.py
│   │               │   │   │   └── [1.4K]  utils.py
│   │               │   │   ├── [ 128]  tavily_search
│   │               │   │   │   ├── [ 189]  __init__.py
│   │               │   │   │   └── [8.2K]  tool.py
│   │               │   │   ├── [ 128]  vectorstore
│   │               │   │   │   ├── [  51]  __init__.py
│   │               │   │   │   └── [4.6K]  tool.py
│   │               │   │   ├── [ 128]  wikidata
│   │               │   │   │   ├── [  28]  __init__.py
│   │               │   │   │   └── [ 926]  tool.py
│   │               │   │   ├── [ 128]  wikipedia
│   │               │   │   │   ├── [  29]  __init__.py
│   │               │   │   │   └── [1.1K]  tool.py
│   │               │   │   ├── [ 128]  wolfram_alpha
│   │               │   │   │   ├── [ 155]  __init__.py
│   │               │   │   │   └── [ 887]  tool.py
│   │               │   │   ├── [3.0K]  yahoo_finance_news.py
│   │               │   │   ├── [ 128]  you
│   │               │   │   │   ├── [ 125]  __init__.py
│   │               │   │   │   └── [1.3K]  tool.py
│   │               │   │   ├── [ 128]  youtube
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [1.7K]  search.py
│   │               │   │   ├── [ 160]  zapier
│   │               │   │   │   ├── [ 193]  __init__.py
│   │               │   │   │   ├── [1.2K]  prompt.py
│   │               │   │   │   └── [7.7K]  tool.py
│   │               │   │   └── [ 128]  zenguard
│   │               │   │       ├── [ 179]  __init__.py
│   │               │   │       └── [3.7K]  tool.py
│   │               │   ├── [2.5K]  utilities
```

```
│   │               │   │   ├── [ 12K]  __init__.py
│   │               │   │   ├── [5.8K]  alpha_vantage.py
│   │               │   │   ├── [ 844]  anthropic.py
│   │               │   │   ├── [9.1K]  apify.py
│   │               │   │   ├── [8.5K]  arcee.py
│   │               │   │   ├── [9.5K]  arxiv.py
│   │               │   │   ├── [3.5K]  asknews.py
│   │               │   │   ├── [6.0K]  astradb.py
│   │               │   │   ├── [2.3K]  awslambda.py
│   │               │   │   ├── [2.4K]  bibtex.py
│   │               │   │   ├── [4.4K]  bing_search.py
│   │               │   │   ├── [2.7K]  brave_search.py
│   │               │   │   ├── [1.6K]  cassandra.py
│   │               │   │   ├── [ 24K]  cassandra_database.py
│   │               │   │   ├── [ 19K]  clickup.py
│   │               │   │   ├── [5.9K]  dalle_image_generator.py
│   │               │   │   ├── [7.7K]  dataforseo_api_search.py
│   │               │   │   ├── [2.0K]  dataherald.py
│   │               │   │   ├── [3.3K]  dria_index.py
│   │               │   │   ├── [5.4K]  duckduckgo_search.py
│   │               │   │   ├── [5.0K]  financial_datasets.py
│   │               │   │   ├── [ 33K]  github.py
│   │               │   │   ├── [ 19K]  gitlab.py
│   │               │   │   ├── [1.8K]  golden_query.py
│   │               │   │   ├── [2.9K]  google_books.py
│   │               │   │   ├── [3.3K]  google_finance.py
│   │               │   │   ├── [2.7K]  google_jobs.py
│   │               │   │   ├── [2.9K]  google_lens.py
│   │               │   │   ├── [4.2K]  google_places_api.py
│   │               │   │   ├── [5.0K]  google_scholar.py
│   │               │   │   ├── [5.1K]  google_search.py
│   │               │   │   ├── [6.3K]  google_serper.py
│   │               │   │   ├── [4.1K]  google_trends.py
│   │               │   │   ├── [2.0K]  graphql.py
│   │               │   │   ├── [5.7K]  infobip.py
│   │               │   │   ├── [2.6K]  jina_search.py
│   │               │   │   ├── [9.3K]  jira.py
│   │               │   │   ├── [2.6K]  max_compute.py
│   │               │   │   ├── [3.6K]  merriam_webster.py
│   │               │   │   ├── [6.6K]  metaphor_search.py
│   │               │   │   ├── [1.3K]  mojeek_search.py
│   │               │   │   ├── [1.8K]  nasa.py
│   │               │   │   ├── [ 21K]  nvidia_riva.py
│   │               │   │   ├── [3.2K]  opaqueprompts.py
│   │               │   │   ├── [ 11K]  openapi.py
│   │               │   │   ├── [2.4K]  openweathermap.py
│   │               │   │   ├── [6.1K]  oracleai.py
│   │               │   │   ├── [3.3K]  outline.py
│   │               │   │   ├── [5.4K]  passio_nutrition_ai.py
│   │               │   │   ├── [ 25K]  pebblo.py
│   │               │   │   ├── [4.4K]  polygon.py
│   │               │   │   ├── [2.3K]  portkey.py
│   │               │   │   ├── [ 11K]  powerbi.py
│   │               │   │   ├── [7.1K]  pubmed.py
│   │               │   │   ├── [ 640]  python.py
│   │               │   │   ├── [4.4K]  reddit_search.py
```

```
│   │               │   │   ├── [8.1K]  redis.py
│   │               │   │   ├── [1.7K]  rememberizer.py
│   │               │   │   ├── [9.1K]  requests.py
│   │               │   │   ├── [2.2K]  scenexplain.py
│   │               │   │   ├── [5.1K]  searchapi.py
│   │               │   │   ├── [ 16K]  searx_search.py
│   │               │   │   ├── [2.8K]  semanticscholar.py
│   │               │   │   ├── [8.5K]  serpapi.py
│   │               │   │   ├── [7.3K]  spark_sql.py
│   │               │   │   ├── [ 24K]  sql_database.py
│   │               │   │   ├── [2.6K]  stackexchange.py
│   │               │   │   ├── [5.7K]  steam.py
│   │               │   │   ├── [6.9K]  tavily_search.py
│   │               │   │   ├── [3.9K]  tensorflow_datasets.py
│   │               │   │   ├── [3.3K]  twilio.py
│   │               │   │   ├── [4.0K]  vertexai.py
│   │               │   │   ├── [5.3K]  wikidata.py
│   │               │   │   ├── [4.2K]  wikipedia.py
│   │               │   │   ├── [1.9K]  wolfram_alpha.py
│   │               │   │   ├── [ 10K]  you.py
│   │               │   │   └── [ 11K]  zapier.py
│   │               │   ├── [ 288]  utils
│   │               │   │   ├── [  45]  __init__.py
│   │               │   │   ├── [1.5K]  ernie_functions.py
│   │               │   │   ├── [ 775]  google.py
│   │               │   │   ├── [2.6K]  math.py
│   │               │   │   ├── [ 298]  openai.py
│   │               │   │   ├── [ 377]  openai_functions.py
│   │               │   │   └── [ 437]  user_agent.py
│   │               │   └── [3.2K]  vectorstores
│   │               │       ├── [ 18K]  __init__.py
│   │               │       ├── [ 21K]  aerospike.py
│   │               │       ├── [ 19K]  alibabacloud_opensearch.py
│   │               │       ├── [ 15K]  analyticdb.py
│   │               │       ├── [ 18K]  annoy.py
│   │               │       ├── [ 20K]  apache_doris.py
│   │               │       ├── [ 19K]  aperturedb.py
│   │               │       ├── [ 46K]  astradb.py
│   │               │       ├── [ 12K]  atlas.py
│   │               │       ├── [ 21K]  awadb.py
│   │               │       ├── [ 25K]  azure_cosmos_db.py
│   │               │       ├── [ 32K]  azure_cosmos_db_no_sql.py
│   │               │       ├── [ 70K]  azuresearch.py
│   │               │       ├── [ 15K]  bagel.py
│   │               │       ├── [  78]  bageldb.py
│   │               │       ├── [ 16K]  baiducloud_vector_search.py
│   │               │       ├── [ 15K]  baiduvectordb.py
│   │               │       ├── [ 34K]  bigquery_vector_search.py
│   │               │       ├── [ 55K]  cassandra.py
│   │               │       ├── [ 34K]  chroma.py
│   │               │       ├── [ 12K]  clarifai.py
│   │               │       ├── [ 25K]  clickhouse.py
│   │               │       ├── [ 22K]  couchbase.py
│   │               │       ├── [ 14K]  dashvector.py
│   │               │       ├── [ 26K]  databricks_vector_search.py
│   │               │       ├── [ 42K]  deeplake.py
```

```
│   │               │       ├── [ 13K]  dingo.py
│   │               │       ├── [ 192]  docarray
│   │               │       │   ├── [ 236]  __init__.py
│   │               │       │   ├── [6.7K]  base.py
│   │               │       │   ├── [3.9K]  hnsw.py
│   │               │       │   └── [2.2K]  in_memory.py
│   │               │       ├── [ 12K]  documentdb.py
│   │               │       ├── [ 13K]  duckdb.py
│   │               │       ├── [ 20K]  ecloud_vector_search.py
│   │               │       ├── [ 28K]  elastic_vector_search.py
│   │               │       ├── [ 47K]  elasticsearch.py
│   │               │       ├── [ 14K]  epsilla.py
│   │               │       ├── [ 54K]  faiss.py
│   │               │       ├── [ 68K]  falkordb_vector.py
│   │               │       ├── [ 32K]  hanavector.py
│   │               │       ├── [ 26K]  hippo.py
│   │               │       ├── [ 13K]  hologres.py
│   │               │       ├── [ 25K]  infinispanvs.py
│   │               │       ├── [ 102]  inmemory.py
│   │               │       ├── [ 14K]  jaguar.py
│   │               │       ├── [8.9K]  kdbai.py
│   │               │       ├── [ 36K]  kinetica.py
│   │               │       ├── [ 24K]  lancedb.py
│   │               │       ├── [ 38K]  lantern.py
│   │               │       ├── [7.5K]  llm_rails.py
│   │               │       ├── [ 12K]  manticore_search.py
│   │               │       ├── [ 17K]  marqo.py
│   │               │       ├── [ 21K]  matching_engine.py
│   │               │       ├── [ 12K]  meilisearch.py
│   │               │       ├── [ 41K]  milvus.py
│   │               │       ├── [ 19K]  momento_vector_index.py
│   │               │       ├── [ 13K]  mongodb_atlas.py
│   │               │       ├── [ 22K]  myscale.py
│   │               │       ├── [ 60K]  neo4j_vector.py
│   │               │       ├── [5.3K]  nucliadb.py
│   │               │       ├── [ 59K]  opensearch_vector_search.py
│   │               │       ├── [ 36K]  oraclevs.py
│   │               │       ├── [7.5K]  pathway.py
│   │               │       ├── [ 18K]  pgembedding.py
│   │               │       ├── [7.7K]  pgvecto_rs.py
│   │               │       ├── [ 50K]  pgvector.py
│   │               │       ├── [ 17K]  pinecone.py
│   │               │       ├── [ 92K]  qdrant.py
│   │               │       ├── [ 224]  redis
│   │               │       │   ├── [ 265]  __init__.py
│   │               │       │   ├── [ 55K]  base.py
│   │               │       │   ├── [ 420]  constants.py
│   │               │       │   ├── [ 16K]  filters.py
│   │               │       │   └── [ 10K]  schema.py
│   │               │       ├── [ 18K]  relyt.py
│   │               │       ├── [ 15K]  rocksetdb.py
│   │               │       ├── [ 20K]  scann.py
│   │               │       ├── [9.5K]  semadb.py
│   │               │       ├── [ 47K]  singlestoredb.py
│   │               │       ├── [ 12K]  sklearn.py
│   │               │       ├── [7.6K]  sqlitevec.py
```

```
│   │   │   │
```

```
│   │   │   │   │   │   ├── [ 88K]  manager.py
│   │   │   │   │   │   ├── [4.0K]  stdout.py
│   │   │   │   │   │   ├── [4.5K]  streaming_stdout.py
│   │   │   │   │   │   └── [4.9K]  usage.py
│   │   │   │   │   ├── [8.3K]  chat_history.py
│   │   │   │   │   ├── [ 601]  chat_loaders.py
│   │   │   │   │   ├── [ 564]  chat_sessions.py
│   │   │   │   │   ├── [ 192]  document_loaders
│   │   │   │   │   │   ├── [ 975]  __init__.py
│   │   │   │   │   │   ├── [4.2K]  base.py
│   │   │   │   │   │   ├── [1.1K]  blob_loaders.py
│   │   │   │   │   │   └── [5.3K]  langsmith.py
│   │   │   │   │   ├── [ 192]  documents
│   │   │   │   │   │   ├── [ 850]  __init__.py
│   │   │   │   │   │   ├── [9.9K]  base.py
│   │   │   │   │   │   ├── [1.9K]  compressor.py
│   │   │   │   │   │   └── [2.5K]  transformers.py
│   │   │   │   │   ├── [ 160]  embeddings
│   │   │   │   │   │   ├── [ 774]  __init__.py
│   │   │   │   │   │   ├── [2.3K]  embeddings.py
│   │   │   │   │   │   └── [3.8K]  fake.py
│   │   │   │   │   ├── [ 646]  env.py
│   │   │   │   │   ├── [ 192]  example_selectors
│   │   │   │   │   │   ├── [1.4K]  __init__.py
│   │   │   │   │   │   ├── [1.5K]  base.py
│   │   │   │   │   │   ├── [3.3K]  length_based.py
│   │   │   │   │   │   └── [ 13K]  semantic_similarity.py
│   │   │   │   │   ├── [3.0K]  exceptions.py
│   │   │   │   │   ├── [8.7K]  globals.py
│   │   │   │   │   ├── [ 192]  indexing
│   │   │   │   │   │   ├── [1.2K]  __init__.py
│   │   │   │   │   │   ├── [ 37K]  api.py
│   │   │   │   │   │   ├── [ 23K]  base.py
│   │   │   │   │   │   └── [2.6K]  in_memory.py
│   │   │   │   │   ├── [ 288]  language_models
│   │   │   │   │   │   ├── [3.7K]  __init__.py
│   │   │   │   │   │   ├── [4.7K]  _utils.py
│   │   │   │   │   │   ├── [ 14K]  base.py
│   │   │   │   │   │   ├── [ 67K]  chat_models.py
│   │   │   │   │   │   ├── [3.7K]  fake.py
│   │   │   │   │   │   ├── [ 13K]  fake_chat_models.py
│   │   │   │   │   │   └── [ 55K]  llms.py
│   │   │   │   │   ├── [ 224]  load
│   │   │   │   │   │   ├── [1.1K]  __init__.py
│   │   │   │   │   │   ├── [2.6K]  dump.py
│   │   │   │   │   │   ├── [9.1K]  load.py
│   │   │   │   │   │   ├── [ 29K]  mapping.py
│   │   │   │   │   │   └── [ 11K]  serializable.py
│   │   │   │   │   ├── [3.5K]  memory.py
│   │   │   │   │   ├── [ 416]  messages
│   │   │   │   │   │   ├── [4.2K]  __init__.py
│   │   │   │   │   │   ├── [ 18K]  ai.py
│   │   │   │   │   │   ├── [9.2K]  base.py
│   │   │   │   │   │   ├── [2.2K]  chat.py
│   │   │   │   │   │   ├── [4.9K]  content_blocks.py
│   │   │   │   │   │   ├── [2.1K]  function.py
```

```
│   │               │   │   ├── [1.9K]  human.py
│   │               │   │   ├── [ 908]  modifier.py
│   │               │   │   ├── [1.7K]  system.py
│   │               │   │   ├── [ 12K]  tool.py
│   │               │   │   └── [ 66K]  utils.py
│   │               │   ├── [ 416]  output_parsers
│   │               │   │   ├── [2.8K]  __init__.py
│   │               │   │   ├── [ 11K]  base.py
│   │               │   │   ├── [ 553]  format_instructions.py
│   │               │   │   ├── [4.5K]  json.py
│   │               │   │   ├── [7.5K]  list.py
│   │               │   │   ├── [ 10K]  openai_functions.py
│   │               │   │   ├── [ 12K]  openai_tools.py
│   │               │   │   ├── [4.2K]  pydantic.py
│   │               │   │   ├── [ 898]  string.py
│   │               │   │   ├── [5.8K]  transform.py
│   │               │   │   └── [ 11K]  xml.py
│   │               │   ├── [ 256]  outputs
│   │               │   │   ├── [2.1K]  __init__.py
│   │               │   │   ├── [4.2K]  chat_generation.py
│   │               │   │   ├── [1.3K]  chat_result.py
│   │               │   │   ├── [2.3K]  generation.py
│   │               │   │   ├── [3.6K]  llm_result.py
│   │               │   │   └── [ 594]  run_info.py
│   │               │   ├── [3.9K]  prompt_values.py
│   │               │   ├── [ 480]  prompts
│   │               │   │   ├── [4.0K]  __init__.py
│   │               │   │   ├── [ 16K]  base.py
│   │               │   │   ├── [ 51K]  chat.py
│   │               │   │   ├── [4.5K]  dict.py
│   │               │   │   ├── [ 16K]  few_shot.py
│   │               │   │   ├── [7.6K]  few_shot_with_templates.py
│   │               │   │   ├── [4.5K]  image.py
│   │               │   │   ├── [6.7K]  loading.py
│   │               │   │   ├── [2.5K]  message.py
│   │               │   │   ├── [4.4K]  pipeline.py
│   │               │   │   ├── [ 11K]  prompt.py
│   │               │   │   ├── [ 10K]  string.py
│   │               │   │   └── [5.7K]  structured.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 160]  pydantic_v1
│   │               │   │   ├── [1.1K]  __init__.py
│   │               │   │   ├── [ 889]  dataclasses.py
│   │               │   │   └── [ 882]  main.py
│   │               │   ├── [9.3K]  rate_limiters.py
│   │               │   ├── [ 16K]  retrievers.py
│   │               │   ├── [ 576]  runnables
│   │               │   │   ├── [3.8K]  __init__.py
│   │               │   │   ├── [216K]  base.py
│   │               │   │   ├── [ 16K]  branch.py
│   │               │   │   ├── [ 20K]  config.py
│   │               │   │   ├── [ 24K]  configurable.py
│   │               │   │   ├── [ 24K]  fallbacks.py
│   │               │   │   ├── [ 23K]  graph.py
│   │               │   │   ├── [9.7K]  graph_ascii.py
│   │               │   │   ├── [ 16K]  graph_mermaid.py
```

```
│   │               │   │   ├── [5.8K]  graph_png.py
│   │               │   │   ├── [ 24K]  history.py
│   │               │   │   ├── [ 25K]  passthrough.py
│   │               │   │   ├── [ 12K]  retry.py
│   │               │   │   ├── [7.0K]  router.py
│   │               │   │   ├── [5.4K]  schema.py
│   │               │   │   └── [ 23K]  utils.py
│   │               │   ├── [ 11K]  stores.py
│   │               │   ├── [5.2K]  structured_query.py
│   │               │   ├── [4.0K]  sys_info.py
│   │               │   ├── [ 288]  tools
│   │               │   │   ├── [2.8K]  __init__.py
│   │               │   │   ├── [ 49K]  base.py
│   │               │   │   ├── [ 15K]  convert.py
│   │               │   │   ├── [1.8K]  render.py
│   │               │   │   ├── [3.8K]  retriever.py
│   │               │   │   ├── [5.9K]  simple.py
│   │               │   │   └── [8.8K]  structured.py
│   │               │   ├── [ 544]  tracers
│   │               │   │   ├── [1.6K]  __init__.py
│   │               │   │   ├── [ 960]  _streaming.py
│   │               │   │   ├── [ 25K]  base.py
│   │               │   │   ├── [6.9K]  context.py
│   │               │   │   ├── [ 22K]  core.py
│   │               │   │   ├── [8.2K]  evaluation.py
│   │               │   │   ├── [ 33K]  event_stream.py
│   │               │   │   ├── [ 10K]  langchain.py
│   │               │   │   ├── [ 727]  langchain_v1.py
│   │               │   │   ├── [ 24K]  log_stream.py
│   │               │   │   ├── [4.9K]  memory_stream.py
│   │               │   │   ├── [4.6K]  root_listeners.py
│   │               │   │   ├── [1.6K]  run_collector.py
│   │               │   │   ├── [3.7K]  schemas.py
│   │               │   │   └── [6.6K]  stdout.py
│   │               │   ├── [ 672]  utils
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [5.6K]  _merge.py
│   │               │   │   ├── [ 10K]  aiter.py
│   │               │   │   ├── [2.4K]  env.py
│   │               │   │   ├── [1.4K]  formatting.py
│   │               │   │   ├── [ 28K]  function_calling.py
│   │               │   │   ├── [3.7K]  html.py
│   │               │   │   ├── [ 532]  image.py
│   │               │   │   ├── [1.9K]  input.py
│   │               │   │   ├── [ 200]  interactive_env.py
│   │               │   │   ├── [7.2K]  iter.py
│   │               │   │   ├── [6.1K]  json.py
│   │               │   │   ├── [3.6K]  json_schema.py
│   │               │   │   ├── [ 931]  loading.py
│   │               │   │   ├── [ 21K]  mustache.py
│   │               │   │   ├── [ 18K]  pydantic.py
│   │               │   │   ├── [1.8K]  strings.py
│   │               │   │   ├── [1.2K]  usage.py
│   │               │   │   └── [ 15K]  utils.py
│   │               │   ├── [ 192]  vectorstores
│   │               │   │   ├── [ 804]  __init__.py
```

```
│   │   │   │   │   ├── [ 41K]  base.py
│   │   │   │   │   ├── [ 18K]  in_memory.py
│   │   │   │   │   └── [4.8K]  utils.py
│   │   │   │   └── [  76]  version.py
│   │   │   ├── [ 224]  langchain_core-0.3.72.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [5.6K]  METADATA
│   │   │   │   ├── [ 43K]  RECORD
│   │   │   │   ├── [  90]  WHEEL
│   │   │   │   └── [  34]  entry_points.txt
│   │   │   ├── [ 544]  langchain_text_splitters
│   │   │   │   ├── [2.3K]  __init__.py
│   │   │   │   ├── [ 12K]  base.py
│   │   │   │   ├── [ 25K]  character.py
│   │   │   │   ├── [ 37K]  html.py
│   │   │   │   ├── [5.9K]  json.py
│   │   │   │   ├── [3.1K]  jsx.py
│   │   │   │   ├── [ 967]  konlpy.py
│   │   │   │   ├── [ 546]  latex.py
│   │   │   │   ├── [ 17K]  markdown.py
│   │   │   │   ├── [1.9K]  nltk.py
│   │   │   │   ├── [   0]  py.typed
│   │   │   │   ├── [ 539]  python.py
│   │   │   │   ├── [3.7K]  sentence_transformers.py
│   │   │   │   ├── [1.9K]  spacy.py
│   │   │   │   └── [  96]  xsl
│   │   │   │       └── [1.0K]  converting_to_header.xslt
│   │   │   ├── [ 224]  langchain_text_splitters-0.3.9.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [1.9K]  METADATA
│   │   │   │   ├── [3.9K]  RECORD
│   │   │   │   ├── [  90]  WHEEL
│   │   │   │   └── [  34]  entry_points.txt
│   │   │   ├── [ 672]  langsmith
│   │   │   │   ├── [3.4K]  __init__.py
│   │   │   │   ├── [ 15K]  _expect.py
│   │   │   │   ├── [ 544]  _internal
│   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   ├── [ 12K]  _aiter.py
│   │   │   │   │   ├── [ 29K]  _background_thread.py
│   │   │   │   │   ├── [ 574]  _beta_decorator.py
│   │   │   │   │   ├── [ 860]  _compressed_traces.py
│   │   │   │   │   ├── [ 236]  _constants.py
│   │   │   │   │   ├── [1.9K]  _edit_distance.py
│   │   │   │   │   ├── [5.9K]  _embedding_distance.py
│   │   │   │   │   ├── [ 906]  _multipart.py
│   │   │   │   │   ├── [ 11K]  _operations.py
│   │   │   │   │   ├── [2.6K]  _orjson.py
│   │   │   │   │   ├── [ 725]  _otel_utils.py
│   │   │   │   │   ├── [3.3K]  _patch.py
│   │   │   │   │   ├── [5.1K]  _serde.py
│   │   │   │   │   └── [ 128]  otel
│   │   │   │   │       ├── [2.7K]  _otel_client.py
│   │   │   │   │       └── [ 27K]  _otel_exporter.py
│   │   │   │   ├── [6.3K]  anonymizer.py
│   │   │   │   ├── [ 69K]  async_client.py
```

```
│   │               │   ├── [ 128]  beta
│   │               │   │   ├── [ 251]  __init__.py
│   │               │   │   └── [8.0K]  _evals.py
│   │               │   ├── [  96]  cli
│   │               │   │   └── [ 222]  README.md
│   │               │   ├── [308K]  client.py
│   │               │   ├── [ 160]  env
│   │               │   │   ├── [ 840]  __init__.py
│   │               │   │   ├── [1.9K]  _git.py
│   │               │   │   └── [6.8K]  _runtime_env.py
│   │               │   ├── [ 320]  evaluation
│   │               │   │   ├── [2.5K]  __init__.py
│   │               │   │   ├── [ 52K]  _arunner.py
│   │               │   │   ├── [9.7K]  _name_generation.py
│   │               │   │   ├── [ 88K]  _runner.py
│   │               │   │   ├── [ 37K]  evaluator.py
│   │               │   │   ├── [ 160]  integrations
│   │               │   │   │   ├── [ 241]  __init__.py
│   │               │   │   │   ├── [ 10K]  _langchain.py
│   │               │   │   │   └── [165K]  test.excalidraw.png
│   │               │   │   ├── [ 12K]  llm_evaluator.py
│   │               │   │   └── [1.6K]  string_evaluator.py
│   │               │   ├── [1.6K]  middleware.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 13K]  pytest_plugin.py
│   │               │   ├── [ 72K]  run_helpers.py
│   │               │   ├── [ 30K]  run_trees.py
│   │               │   ├── [ 39K]  schemas.py
│   │               │   ├── [ 128]  testing
│   │               │   │   ├── [ 305]  __init__.py
│   │               │   │   └── [ 44K]  _internal.py
│   │               │   ├── [ 26K]  utils.py
│   │               │   └── [ 224]  wrappers
│   │               │       ├── [ 339]  __init__.py
│   │               │       ├── [8.5K]  _agent_utils.py
│   │               │       ├── [ 15K]  _anthropic.py
│   │               │       ├── [ 15K]  _openai.py
│   │               │       └── [ 12K]  _openai_agents.py
│   │               ├── [ 224]  langsmith-0.4.8.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 15K]  METADATA
│   │               │   ├── [ 12K]  RECORD
│   │               │   ├── [  88]  WHEEL
│   │               │   └── [  53]  entry_points.txt
│   │               ├── [ 736]  markdown_it
│   │               │   ├── [ 113]  __init__.py
│   │               │   ├── [ 246]  _compat.py
│   │               │   ├── [2.3K]  _punycode.py
│   │               │   ├── [ 128]  cli
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [2.8K]  parse.py
│   │               │   ├── [ 256]  common
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 156]  entities.py
│   │               │   │   ├── [ 932]  html_blocks.py
│   │               │   │   ├── [ 929]  html_re.py
```

```
│   │               │   │   ├── [2.5K]  normalize_url.py
│   │               │   │   └── [ 10K]  utils.py
│   │               │   ├── [ 192]  helpers
│   │               │   │   ├── [ 253]  __init__.py
│   │               │   │   ├── [1.9K]  parse_link_destination.py
│   │               │   │   ├── [1.0K]  parse_link_label.py
│   │               │   │   └── [1.4K]  parse_link_title.py
│   │               │   ├── [ 12K]  main.py
│   │               │   ├── [3.8K]  parser_block.py
│   │               │   ├── [1010]  parser_core.py
│   │               │   ├── [4.9K]  parser_inline.py
│   │               │   ├── [2.4K]  port.yaml
│   │               │   ├── [ 192]  presets
│   │               │   │   ├── [ 970]  __init__.py
│   │               │   │   ├── [2.8K]  commonmark.py
│   │               │   │   ├── [1.8K]  default.py
│   │               │   │   └── [2.1K]  zero.py
│   │               │   ├── [  26]  py.typed
│   │               │   ├── [9.7K]  renderer.py
│   │               │   ├── [9.0K]  ruler.py
│   │               │   ├── [ 480]  rules_block
│   │               │   │   ├── [ 553]  __init__.py
│   │               │   │   ├── [8.7K]  blockquote.py
│   │               │   │   ├── [ 859]  code.py
│   │               │   │   ├── [2.5K]  fence.py
│   │               │   │   ├── [1.7K]  heading.py
│   │               │   │   ├── [1.2K]  hr.py
│   │               │   │   ├── [2.7K]  html_block.py
│   │               │   │   ├── [2.6K]  lheading.py
│   │               │   │   ├── [9.4K]  list.py
│   │               │   │   ├── [1.8K]  paragraph.py
│   │               │   │   ├── [6.0K]  reference.py
│   │               │   │   ├── [8.2K]  state_block.py
│   │               │   │   └── [6.8K]  table.py
│   │               │   ├── [ 352]  rules_core
│   │               │   │   ├── [ 394]  __init__.py
│   │               │   │   ├── [ 372]  block.py
│   │               │   │   ├── [ 325]  inline.py
│   │               │   │   ├── [5.0K]  linkify.py
│   │               │   │   ├── [ 402]  normalize.py
│   │               │   │   ├── [3.4K]  replacements.py
│   │               │   │   ├── [7.3K]  smartquotes.py
│   │               │   │   ├── [ 570]  state_core.py
│   │               │   │   └── [1.1K]  text_join.py
│   │               │   ├── [ 576]  rules_inline
│   │               │   │   ├── [ 696]  __init__.py
│   │               │   │   ├── [2.0K]  autolink.py
│   │               │   │   ├── [2.0K]  backticks.py
│   │               │   │   ├── [4.7K]  balance_pairs.py
│   │               │   │   ├── [3.0K]  emphasis.py
│   │               │   │   ├── [1.6K]  entity.py
│   │               │   │   ├── [1.6K]  escape.py
│   │               │   │   ├── [1.5K]  fragments_join.py
│   │               │   │   ├── [1.1K]  html_inline.py
│   │               │   │   ├── [4.0K]  image.py
│   │               │   │   ├── [4.2K]  link.py
```

```
│   │   │   │   │   │   ├── [1.7K]  linkify.py
│   │   │   │   │   │   ├── [1.3K]  newline.py
│   │   │   │   │   │   ├── [5.0K]  state_inline.py
│   │   │   │   │   │   ├── [3.1K]  strikethrough.py
│   │   │   │   │   │   └── [ 901]  text.py
│   │   │   │   │   ├── [6.3K]  token.py
│   │   │   │   │   ├── [ 11K]  tree.py
│   │   │   │   │   └── [5.2K]  utils.py
│   │   │   │   ├── [ 288]  markdown_it_py-3.0.0.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.1K]  LICENSE
│   │   │   │   │   ├── [1.0K]  LICENSE.markdown-it
│   │   │   │   │   ├── [6.8K]  METADATA
│   │   │   │   │   ├── [ 17K]  RECORD
│   │   │   │   │   ├── [  81]  WHEEL
│   │   │   │   │   └── [  58]  entry_points.txt
│   │   │   │   ├── [ 256]  markupsafe
│   │   │   │   │   ├── [ 13K]  __init__.py
│   │   │   │   │   ├── [ 210]  _native.py
│   │   │   │   │   ├── [4.1K]  _speedups.c
│   │   │   │   │   ├── [ 50K]  _speedups.cpython-39-darwin.so
│   │   │   │   │   ├── [  41]  _speedups.pyi
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 512]  marshmallow
│   │   │   │   │   ├── [2.3K]  __init__.py
│   │   │   │   │   ├── [1.3K]  base.py
│   │   │   │   │   ├── [3.0K]  class_registry.py
│   │   │   │   │   ├── [8.5K]  decorators.py
│   │   │   │   │   ├── [2.2K]  error_store.py
│   │   │   │   │   ├── [2.3K]  exceptions.py
│   │   │   │   │   ├── [ 73K]  fields.py
│   │   │   │   │   ├── [2.9K]  orderedset.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 51K]  schema.py
│   │   │   │   │   ├── [ 979]  types.py
│   │   │   │   │   ├── [ 12K]  utils.py
│   │   │   │   │   ├── [ 24K]  validate.py
│   │   │   │   │   └── [ 192]  warnings.py
│   │   │   │   ├── [ 224]  marshmallow-3.26.1.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [1.0K]  LICENSE
│   │   │   │   │   ├── [7.1K]  METADATA
│   │   │   │   │   ├── [3.4K]  RECORD
│   │   │   │   │   └── [  82]  WHEEL
│   │   │   │   ├── [ 288]  mdurl
│   │   │   │   │   ├── [ 547]  __init__.py
│   │   │   │   │   ├── [2.9K]  _decode.py
│   │   │   │   │   ├── [2.5K]  _encode.py
│   │   │   │   │   ├── [ 626]  _format.py
│   │   │   │   │   ├── [ 11K]  _parse.py
│   │   │   │   │   ├── [ 284]  _url.py
│   │   │   │   │   └── [  26]  py.typed
│   │   │   │   ├── [ 224]  mdurl-0.1.2.dist-info
│   │   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   │   ├── [2.3K]  LICENSE
│   │   │   │   │   ├── [1.6K]  METADATA
```

```
│   │               │   ├── [1.7K]  RECORD
│   │               │   └── [  81]  WHEEL
│   │               ├── [ 256]  mmh3
│   │               │   ├── [2.5K]  __init__.pyi
│   │               │   ├── [4.6K]  hashlib.h
│   │               │   ├── [ 76K]  mmh3module.c
│   │               │   ├── [8.2K]  murmurhash3.c
│   │               │   ├── [7.4K]  murmurhash3.h
│   │               │   └── [   0]  py.typed
│   │               ├── [ 256]  mmh3-5.2.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 14K]  METADATA
│   │               │   ├── [ 998]  RECORD
│   │               │   ├── [ 134]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.0K]  LICENSE
│   │               │   └── [   5]  top_level.txt
│   │               ├── [ 93K]  mmh3.cpython-39-darwin.so
│   │               ├── [ 608]  mpmath
│   │               │   ├── [8.6K]  __init__.py
│   │               │   ├── [ 384]  calculus
│   │               │   │   ├── [ 162]  __init__.py
│   │               │   │   ├── [8.6K]  approximation.py
│   │               │   │   ├── [ 112]  calculus.py
│   │               │   │   ├── [ 20K]  differentiation.py
│   │               │   │   ├── [ 72K]  extrapolation.py
│   │               │   │   ├── [ 35K]  inverselaplace.py
│   │               │   │   ├── [9.7K]  odes.py
│   │               │   │   ├── [ 32K]  optimization.py
│   │               │   │   ├── [7.7K]  polynomials.py
│   │               │   │   └── [ 41K]  quadrature.py
│   │               │   ├── [ 16K]  ctx_base.py
│   │               │   ├── [6.4K]  ctx_fp.py
│   │               │   ├── [ 17K]  ctx_iv.py
│   │               │   ├── [ 48K]  ctx_mp.py
│   │               │   ├── [ 37K]  ctx_mp_python.py
│   │               │   ├── [277K]  function_docs.py
│   │               │   ├── [ 512]  functions
│   │               │   │   ├── [ 330]  __init__.py
│   │               │   │   ├── [ 37K]  bessel.py
│   │               │   │   ├── [ 41K]  elliptic.py
│   │               │   │   ├── [ 11K]  expintegrals.py
│   │               │   │   ├── [5.1K]  factorials.py
│   │               │   │   ├── [ 18K]  functions.py
│   │               │   │   ├── [ 50K]  hypergeometric.py
│   │               │   │   ├── [ 16K]  orthogonal.py
│   │               │   │   ├── [7.5K]  qfunctions.py
│   │               │   │   ├── [ 45K]  rszeta.py
│   │               │   │   ├── [ 703]  signals.py
│   │               │   │   ├── [ 36K]  theta.py
│   │               │   │   ├── [ 36K]  zeta.py
│   │               │   │   └── [ 30K]  zetazeros.py
│   │               │   ├── [ 29K]  identification.py
│   │               │   ├── [ 352]  libmp
│   │               │   │   ├── [3.7K]  __init__.py
│   │               │   │   ├── [3.3K]  backend.py
```

```
│   │               │   │   ├── [ 70K]  gammazeta.py
│   │               │   │   ├── [ 43K]  libelefun.py
│   │               │   │   ├── [ 36K]  libhyper.py
│   │               │   │   ├── [ 16K]  libintmath.py
│   │               │   │   ├── [ 26K]  libmpc.py
│   │               │   │   ├── [ 44K]  libmpf.py
│   │               │   │   └── [ 27K]  libmpi.py
│   │               │   ├── [ 18K]  math2.py
│   │               │   ├── [ 256]  matrices
│   │               │   │   ├── [  94]  __init__.py
│   │               │   │   ├── [ 18K]  calculus.py
│   │               │   │   ├── [ 24K]  eigen.py
│   │               │   │   ├── [ 57K]  eigen_symmetric.py
│   │               │   │   ├── [ 26K]  linalg.py
│   │               │   │   └── [ 32K]  matrices.py
│   │               │   ├── [5.8K]  rational.py
│   │               │   ├── [1.2K]  tests
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [7.1K]  extratest_gamma.py
│   │               │   │   ├── [1003]  extratest_zeta.py
│   │               │   │   ├── [5.1K]  runtests.py
│   │               │   │   ├── [ 15K]  test_basic_ops.py
│   │               │   │   ├── [7.5K]  test_bitwise.py
│   │               │   │   ├── [9.0K]  test_calculus.py
│   │               │   │   ├── [2.3K]  test_compatibility.py
│   │               │   │   ├── [8.6K]  test_convert.py
│   │               │   │   ├── [2.4K]  test_diff.py
│   │               │   │   ├── [5.2K]  test_division.py
│   │               │   │   ├── [3.8K]  test_eigen.py
│   │               │   │   ├── [8.6K]  test_eigen_symmetric.py
│   │               │   │   ├── [ 26K]  test_elliptic.py
│   │               │   │   ├── [ 88K]  test_fp.py
│   │               │   │   ├── [ 30K]  test_functions.py
│   │               │   │   ├── [ 95K]  test_functions2.py
│   │               │   │   ├── [ 27K]  test_gammazeta.py
│   │               │   │   ├── [ 10K]  test_hp.py
│   │               │   │   ├── [ 692]  test_identify.py
│   │               │   │   ├── [ 17K]  test_interval.py
│   │               │   │   ├── [5.0K]  test_levin.py
│   │               │   │   ├── [ 10K]  test_linalg.py
│   │               │   │   ├── [7.8K]  test_matrices.py
│   │               │   │   ├── [ 196]  test_mpmath.py
│   │               │   │   ├── [1.8K]  test_ode.py
│   │               │   │   ├── [ 401]  test_pickle.py
│   │               │   │   ├── [5.1K]  test_power.py
│   │               │   │   ├── [3.8K]  test_quad.py
│   │               │   │   ├── [3.1K]  test_rootfinding.py
│   │               │   │   ├── [2.8K]  test_special.py
│   │               │   │   ├── [ 544]  test_str.py
│   │               │   │   ├── [2.0K]  test_summation.py
│   │               │   │   ├── [4.7K]  test_trig.py
│   │               │   │   ├── [ 944]  test_visualization.py
│   │               │   │   └── [7.7K]  torture.py
│   │               │   ├── [3.0K]  usertools.py
│   │               │   └── [ 10K]  visualization.py
│   │               ├── [ 256]  mpmath-1.3.0.dist-info
```

```
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.5K]  LICENSE
│   │           │   ├── [8.4K]  METADATA
│   │           │   ├── [ 21K]  RECORD
│   │           │   ├── [  92]  WHEEL
│   │           │   └── [   7]  top_level.txt
│   │           ├── [ 256]  multidict
│   │           │   ├── [1.2K]  __init__.py
│   │           │   ├── [2.3K]  _abc.py
│   │           │   ├── [ 422]  _compat.py
│   │           │   ├── [119K]  _multidict.cpython-39-darwin.so
│   │           │   ├── [ 39K]  _multidict_py.py
│   │           │   └── [  15]  py.typed
│   │           ├── [ 256]  multidict-6.6.3.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [5.1K]  METADATA
│   │           │   ├── [1.6K]  RECORD
│   │           │   ├── [ 134]  WHEEL
│   │           │   ├── [  96]  licenses
│   │           │   │   └── [ 611]  LICENSE
│   │           │   └── [  10]  top_level.txt
│   │           ├── [ 224]  mypy_extensions-1.1.0.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [1.1K]  METADATA
│   │           │   ├── [ 658]  RECORD
│   │           │   ├── [  82]  WHEEL
│   │           │   └── [  96]  licenses
│   │           │       └── [1.2K]  LICENSE
│   │           ├── [7.6K]  mypy_extensions.py
│   │           ├── [1.4K]  numpy
│   │           │   ├── [4.6K]  __config__.py
│   │           │   ├── [ 45K]  __init__.cython-30.pxd
│   │           │   ├── [ 41K]  __init__.pxd
│   │           │   ├── [ 21K]  __init__.py
│   │           │   ├── [140K]  __init__.pyi
│   │           │   ├── [1007]  _configtool.py
│   │           │   ├── [1.8K]  _core
│   │           │   │   ├── [5.5K]  __init__.py
│   │           │   │   ├── [  86]  __init__.pyi
│   │           │   │   ├── [203K]  _add_newdocs.py
│   │           │   │   ├── [ 12K]  _add_newdocs_scalars.py
│   │           │   │   ├── [3.8K]  _asarray.py
│   │           │   │   ├── [1.0K]  _asarray.pyi
│   │           │   │   ├── [ 11K]  _dtype.py
│   │           │   │   ├── [3.6K]  _dtype_ctypes.py
│   │           │   │   ├── [5.3K]  _exceptions.py
│   │           │   │   ├── [ 28K]  _internal.py
│   │           │   │   ├── [1022]  _internal.pyi
│   │           │   │   ├── [ 11K]  _machar.py
│   │           │   │   ├── [9.0K]  _methods.py
│   │           │   │   ├── [120K]  _multiarray_tests.cpython-39-
darwin.so
│   │           │   │   ├── [3.1M]  _multiarray_umath.cpython-39-
darwin.so
│   │           │   │   ├── [ 50K]  _operand_flag_tests.cpython-39-
darwin.so
```

```
│   │               │   │   ├── [ 71K]  _rational_tests.cpython-39-darwin.so
│   │               │   │   ├── [332K]  _simd.cpython-39-darwin.so
│   │               │   │   ├── [2.8K]  _string_helpers.py
│   │               │   │   ├── [ 50K]  _struct_ufunc_tests.cpython-39-
darwin.so
│   │               │   │   ├── [3.4K]  _type_aliases.py
│   │               │   │   ├── [  70]  _type_aliases.pyi
│   │               │   │   ├── [ 15K]  _ufunc_config.py
│   │               │   │   ├── [1.0K]  _ufunc_config.pyi
│   │               │   │   ├── [ 69K]  _umath_tests.cpython-39-darwin.so
│   │               │   │   ├── [ 64K]  arrayprint.py
│   │               │   │   ├── [4.1K]  arrayprint.pyi
│   │               │   │   ├── [ 347]  cversions.py
│   │               │   │   ├── [ 34K]  defchararray.py
│   │               │   │   ├── [ 19K]  defchararray.pyi
│   │               │   │   ├── [ 52K]  einsumfunc.py
│   │               │   │   ├── [4.7K]  einsumfunc.pyi
│   │               │   │   ├── [129K]  fromnumeric.py
│   │               │   │   ├── [ 24K]  fromnumeric.pyi
│   │               │   │   ├── [ 19K]  function_base.py
│   │               │   │   ├── [4.9K]  function_base.pyi
│   │               │   │   ├── [ 25K]  getlimits.py
│   │               │   │   ├── [  82]  getlimits.pyi
│   │               │   │   ├── [  96]  include
│   │               │   │   │   └── [ 928]  numpy
│   │               │   │   │       ├── [ 12K]  __multiarray_api.c
│   │               │   │   │       ├── [ 60K]  __multiarray_api.h
│   │               │   │   │       ├── [1.7K]  __ufunc_api.c
│   │               │   │   │       ├── [ 13K]  __ufunc_api.h
│   │               │   │   │       ├── [1.8K]  _neighborhood_iterator_imp.h
│   │               │   │   │       ├── [ 928]  _numpyconfig.h
│   │               │   │   │       ├── [4.5K]  _public_dtype_api_table.h
│   │               │   │   │       ├── [ 204]  arrayobject.h
│   │               │   │   │       ├── [4.1K]  arrayscalars.h
│   │               │   │   │       ├── [ 19K]  dtype_api.h
│   │               │   │   │       ├── [1.9K]  halffloat.h
│   │               │   │   │       ├── [ 12K]  ndarrayobject.h
│   │               │   │   │       ├── [ 63K]  ndarraytypes.h
│   │               │   │   │       ├── [3.7K]  npy_1_7_deprecated_api.h
│   │               │   │   │       ├── [8.3K]  npy_2_compat.h
│   │               │   │   │       ├── [ 857]  npy_2_complexcompat.h
│   │               │   │   │       ├── [ 16K]  npy_3kcompat.h
│   │               │   │   │       ├── [ 36K]  npy_common.h
│   │               │   │   │       ├── [4.5K]  npy_cpu.h
│   │               │   │   │       ├── [2.7K]  npy_endian.h
│   │               │   │   │       ├── [ 18K]  npy_math.h
│   │               │   │   │       ├── [ 678]  npy_no_deprecated_api.h
│   │               │   │   │       ├── [1.2K]  npy_os.h
│   │               │   │   │       ├── [6.6K]  numpyconfig.h
│   │               │   │   │       ├── [ 192]  random
│   │               │   │   │       │   ├── [1018]  LICENSE.txt
│   │               │   │   │       │   ├── [ 488]  bitgen.h
│   │               │   │   │       │   ├── [9.6K]  distributions.h
│   │               │   │   │       │   └── [ 78K]  libdivide.h
│   │               │   │   │       ├── [9.6K]  ufuncobject.h
│   │               │   │   │       └── [1.2K]  utils.h
```

```
│   │           │   │   ├── [ 160]  lib
│   │           │   │   │   ├── [ 34K]  libnpymath.a
│   │           │   │   │   ├── [ 128]  npy-pkg-config
│   │           │   │   │   │   ├── [ 147]  mlib.ini
│   │           │   │   │   │   └── [ 361]  npymath.ini
│   │           │   │   │   └── [  96]  pkgconfig
│   │           │   │   │       └── [ 191]  numpy.pc
│   │           │   │   ├── [ 12K]  memmap.py
│   │           │   │   ├── [  55]  memmap.pyi
│   │           │   │   ├── [ 56K]  multiarray.py
│   │           │   │   ├── [ 25K]  multiarray.pyi
│   │           │   │   ├── [ 79K]  numeric.py
│   │           │   │   ├── [ 16K]  numeric.pyi
│   │           │   │   ├── [ 16K]  numerictypes.py
│   │           │   │   ├── [1.6K]  numerictypes.pyi
│   │           │   │   ├── [6.9K]  overrides.py
│   │           │   │   ├── [ 36K]  records.py
│   │           │   │   ├── [8.6K]  records.pyi
│   │           │   │   ├── [ 29K]  shape_base.py
│   │           │   │   ├── [2.7K]  shape_base.pyi
│   │           │   │   ├── [ 37K]  strings.py
│   │           │   │   ├── [7.3K]  strings.pyi
│   │           │   │   ├── [2.2K]  tests
│   │           │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   ├── [2.2K]  _locales.py
│   │           │   │   │   ├── [6.1K]  _natype.py
│   │           │   │   │   ├── [ 832]  data
│   │           │   │   │   │   ├── [ 716]  astype_copy.pkl
│   │           │   │   │   │   ├── [5.7K]
generate_umath_validation_data.cpp
│   │           │   │   │   │   ├── [8.4K]  recarray_from_file.fits
│   │           │   │   │   │   ├── [ 967]  umath-validation-set-
README.txt
│   │           │   │   │   │   ├── [ 60K]  umath-validation-set-
arccos.csv
│   │           │   │   │   │   ├── [ 60K]  umath-validation-set-
arccosh.csv
│   │           │   │   │   │   ├── [ 60K]  umath-validation-set-
arcsin.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
arcsinh.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
arctan.csv
│   │           │   │   │   │   ├── [ 60K]  umath-validation-set-
arctanh.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
cbrt.csv
│   │           │   │   │   │   ├── [ 58K]  umath-validation-set-cos.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
cosh.csv
│   │           │   │   │   │   ├── [ 17K]  umath-validation-set-exp.csv
│   │           │   │   │   │   ├── [ 57K]  umath-validation-set-
exp2.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
expm1.csv
│   │           │   │   │   │   ├── [ 11K]  umath-validation-set-log.csv
```

```
│   │           │   │   │   │   ├── [ 67K]  umath-validation-set-
log10.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
log1p.csv
│   │           │   │   │   │   ├── [ 67K]  umath-validation-set-
log2.csv
│   │           │   │   │   │   ├── [ 57K]  umath-validation-set-sin.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-
sinh.csv
│   │           │   │   │   │   ├── [ 59K]  umath-validation-set-tan.csv
│   │           │   │   │   │   └── [ 59K]  umath-validation-set-
tanh.csv
│   │           │   │   │   ├── [ 128]  examples
│   │           │   │   │   │   ├── [ 160]  cython
│   │           │   │   │   │   │   ├── [7.2K]  checks.pyx
│   │           │   │   │   │   │   ├── [1.1K]  meson.build
│   │           │   │   │   │   │   └── [ 601]  setup.py
│   │           │   │   │   │   └── [ 224]  limited_api
│   │           │   │   │   │       ├── [ 346]  limited_api1.c
│   │           │   │   │   │       ├── [ 203]  limited_api2.pyx
│   │           │   │   │   │       ├── [ 452]  limited_api_latest.c
│   │           │   │   │   │       ├── [1.6K]  meson.build
│   │           │   │   │   │       └── [ 435]  setup.py
│   │           │   │   │   ├── [2.8K]  test__exceptions.py
│   │           │   │   │   ├── [2.2K]  test_abc.py
│   │           │   │   │   ├── [ 21K]  test_api.py
│   │           │   │   │   ├── [2.3K]  test_argparse.py
│   │           │   │   │   ├── [ 34K]  test_array_coercion.py
│   │           │   │   │   ├── [7.5K]  test_array_interface.py
│   │           │   │   │   ├── [3.2K]  test_arraymethod.py
│   │           │   │   │   ├── [ 790]  test_arrayobject.py
│   │           │   │   │   ├── [ 44K]  test_arrayprint.py
│   │           │   │   │   ├── [5.0K]
test_casting_floatingpoint_errors.py
│   │           │   │   │   ├── [ 34K]  test_casting_unittests.py
│   │           │   │   │   ├── [6.5K]  test_conversion_utils.py
│   │           │   │   │   ├── [1.5K]  test_cpu_dispatcher.py
│   │           │   │   │   ├── [ 15K]  test_cpu_features.py
│   │           │   │   │   ├── [ 11K]  test_custom_dtypes.py
│   │           │   │   │   ├── [8.1K]  test_cython.py
│   │           │   │   │   ├── [115K]  test_datetime.py
│   │           │   │   │   ├── [ 29K]  test_defchararray.py
│   │           │   │   │   ├── [ 27K]  test_deprecations.py
│   │           │   │   │   ├── [3.4K]  test_dlpack.py
│   │           │   │   │   ├── [ 76K]  test_dtype.py
│   │           │   │   │   ├── [ 52K]  test_einsum.py
│   │           │   │   │   ├── [4.5K]  test_errstate.py
│   │           │   │   │   ├── [5.5K]  test_extint128.py
│   │           │   │   │   ├── [ 17K]  test_function_base.py
│   │           │   │   │   ├── [6.6K]  test_getlimits.py
│   │           │   │   │   ├── [ 24K]  test_half.py
│   │           │   │   │   ├── [1012]  test_hashtable.py
│   │           │   │   │   ├── [4.6K]  test_indexerrors.py
│   │           │   │   │   ├── [ 54K]  test_indexing.py
│   │           │   │   │   ├── [6.3K]  test_item_selection.py
│   │           │   │   │   ├── [2.5K]  test_limited_api.py
```

```
│   │               │   │   │   ├── [ 14K]  test_longdouble.py
│   │               │   │   │   ├── [1.0K]  test_machar.py
│   │               │   │   │   ├── [ 28K]  test_mem_overlap.py
│   │               │   │   │   ├── [ 16K]  test_mem_policy.py
│   │               │   │   │   ├── [7.6K]  test_memmap.py
│   │               │   │   │   ├── [378K]  test_multiarray.py
│   │               │   │   │   ├── [128K]  test_nditer.py
│   │               │   │   │   ├── [ 12K]  test_nep50_promotions.py
│   │               │   │   │   ├── [150K]  test_numeric.py
│   │               │   │   │   ├── [ 23K]  test_numerictypes.py
│   │               │   │   │   ├── [ 25K]  test_overrides.py
│   │               │   │   │   ├── [6.7K]  test_print.py
│   │               │   │   │   ├── [1.2K]  test_protocols.py
│   │               │   │   │   ├── [ 20K]  test_records.py
│   │               │   │   │   ├── [ 93K]  test_regression.py
│   │               │   │   │   ├── [6.6K]  test_scalar_ctors.py
│   │               │   │   │   ├── [7.4K]  test_scalar_methods.py
│   │               │   │   │   ├── [5.5K]  test_scalarbuffer.py
│   │               │   │   │   ├── [2.3K]  test_scalarinherit.py
│   │               │   │   │   ├── [ 45K]  test_scalarmath.py
│   │               │   │   │   ├── [ 18K]  test_scalarprint.py
│   │               │   │   │   ├── [ 29K]  test_shape_base.py
│   │               │   │   │   ├── [ 48K]  test_simd.py
│   │               │   │   │   ├── [3.8K]  test_simd_module.py
│   │               │   │   │   ├── [ 52K]  test_stringdtype.py
│   │               │   │   │   ├── [ 36K]  test_strings.py
│   │               │   │   │   ├── [125K]  test_ufunc.py
│   │               │   │   │   ├── [186K]  test_umath.py
│   │               │   │   │   ├── [5.3K]  test_umath_accuracy.py
│   │               │   │   │   ├── [ 23K]  test_umath_complex.py
│   │               │   │   │   └── [ 13K]  test_unicode.py
│   │               │   │   └── [1.9K]  umath.py
│   │               │   ├── [ 407]  _distributor_init.py
│   │               │   ├── [3.8K]  _expired_attrs_2_0.py
│   │               │   ├── [3.0K]  _globals.py
│   │               │   ├── [ 192]  _pyinstaller
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [1.4K]  hook-numpy.py
│   │               │   │   ├── [1.1K]  pyinstaller-smoke.py
│   │               │   │   └── [1.1K]  test_pyinstaller.py
│   │               │   ├── [6.1K]  _pytesttester.py
│   │               │   ├── [ 489]  _pytesttester.pyi
│   │               │   ├── [ 448]  _typing
│   │               │   │   ├── [6.9K]  __init__.py
│   │               │   │   ├── [3.9K]  _add_docstring.py
│   │               │   │   ├── [4.2K]  _array_like.py
│   │               │   │   ├── [ 11K]  _callable.pyi
│   │               │   │   ├── [5.7K]  _char_codes.py
│   │               │   │   ├── [5.6K]  _dtype_like.py
│   │               │   │   ├── [ 777]  _extended_precision.py
│   │               │   │   ├── [ 361]  _nbit.py
│   │               │   │   ├── [2.5K]  _nested_sequence.py
│   │               │   │   ├── [ 978]  _scalars.py
│   │               │   │   ├── [ 211]  _shape.py
│   │               │   │   └── [ 12K]  _ufunc.pyi
│   │               │   ├── [ 192]  _utils
```

```
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [ 329]  _convertions.py
│   │               │   │   ├── [7.3K]  _inspect.py
│   │               │   │   └── [ 14K]  _pep440.py
│   │               │   ├── [ 128]  char
│   │               │   │   ├── [  93]  __init__.py
│   │               │   │   └── [1.3K]  __init__.pyi
│   │               │   ├── [ 160]  compat
│   │               │   │   ├── [ 727]  __init__.py
│   │               │   │   ├── [3.7K]  py3k.py
│   │               │   │   └── [  96]  tests
│   │               │   │       └── [   0]  __init__.py
│   │               │   ├── [4.5K]  conftest.py
│   │               │   ├── [ 704]  core
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [   0]  __init__.pyi
│   │               │   │   ├── [ 322]  _dtype.py
│   │               │   │   ├── [ 350]  _dtype_ctypes.py
│   │               │   │   ├── [ 947]  _internal.py
│   │               │   │   ├── [2.0K]  _multiarray_umath.py
│   │               │   │   ├── [ 917]  _utils.py
│   │               │   │   ├── [ 338]  arrayprint.py
│   │               │   │   ├── [ 346]  defchararray.py
│   │               │   │   ├── [ 338]  einsumfunc.py
│   │               │   │   ├── [ 342]  fromnumeric.py
│   │               │   │   ├── [ 350]  function_base.py
│   │               │   │   ├── [ 334]  getlimits.py
│   │               │   │   ├── [ 792]  multiarray.py
│   │               │   │   ├── [ 359]  numeric.py
│   │               │   │   ├── [ 346]  numerictypes.py
│   │               │   │   ├── [ 334]  overrides.py
│   │               │   │   ├── [ 326]  records.py
│   │               │   │   ├── [ 338]  shape_base.py
│   │               │   │   └── [ 318]  umath.py
│   │               │   ├── [ 17K]  ctypeslib.py
│   │               │   ├── [7.9K]  ctypeslib.pyi
│   │               │   ├── [1.1K]  distutils
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [ 119]  __init__.pyi
│   │               │   │   ├── [2.5K]  _shell_utils.py
│   │               │   │   ├── [ 962]  armccompiler.py
│   │               │   │   ├── [ 28K]  ccompiler.py
│   │               │   │   ├── [ 98K]  ccompiler_opt.py
│   │               │   │   ├── [1.4K]  checks
│   │               │   │   │   ├── [ 818]  cpu_asimd.c
│   │               │   │   │   ├── [ 432]  cpu_asimddp.c
│   │               │   │   │   ├── [ 529]  cpu_asimdfhm.c
│   │               │   │   │   ├── [ 379]  cpu_asimdhp.c
│   │               │   │   │   ├── [ 779]  cpu_avx.c
│   │               │   │   │   ├── [ 749]  cpu_avx2.c
│   │               │   │   │   ├── [ 842]  cpu_avx512_clx.c
│   │               │   │   │   ├── [ 948]  cpu_avx512_cnl.c
│   │               │   │   │   ├── [1004]  cpu_avx512_icl.c
│   │               │   │   │   ├── [ 959]  cpu_avx512_knl.c
│   │               │   │   │   ├── [1.1K]  cpu_avx512_knm.c
│   │               │   │   │   ├── [1010]  cpu_avx512_skx.c
```

```
│   │               │   │   │   ├── [ 904]  cpu_avx512_spr.c
│   │               │   │   │   ├── [ 759]  cpu_avx512cd.c
│   │               │   │   │   ├── [ 755]  cpu_avx512f.c
│   │               │   │   │   ├── [ 868]  cpu_f16c.c
│   │               │   │   │   ├── [ 817]  cpu_fma3.c
│   │               │   │   │   ├── [ 301]  cpu_fma4.c
│   │               │   │   │   ├── [ 600]  cpu_neon.c
│   │               │   │   │   ├── [ 251]  cpu_neon_fp16.c
│   │               │   │   │   ├── [ 609]  cpu_neon_vfpv4.c
│   │               │   │   │   ├── [1.0K]  cpu_popcnt.c
│   │               │   │   │   ├── [ 686]  cpu_sse.c
│   │               │   │   │   ├── [ 697]  cpu_sse2.c
│   │               │   │   │   ├── [ 689]  cpu_sse3.c
│   │               │   │   │   ├── [ 675]  cpu_sse41.c
│   │               │   │   │   ├── [ 692]  cpu_sse42.c
│   │               │   │   │   ├── [ 705]  cpu_ssse3.c
│   │               │   │   │   ├── [ 287]  cpu_sve.c
│   │               │   │   │   ├── [ 478]  cpu_vsx.c
│   │               │   │   │   ├── [ 263]  cpu_vsx2.c
│   │               │   │   │   ├── [ 250]  cpu_vsx3.c
│   │               │   │   │   ├── [ 305]  cpu_vsx4.c
│   │               │   │   │   ├── [ 461]  cpu_vx.c
│   │               │   │   │   ├── [ 788]  cpu_vxe.c
│   │               │   │   │   ├── [ 624]  cpu_vxe2.c
│   │               │   │   │   ├── [ 234]  cpu_xop.c
│   │               │   │   │   ├── [ 636]  extra_avx512bw_mask.c
│   │               │   │   │   ├── [ 504]  extra_avx512dq_mask.c
│   │               │   │   │   ├── [1.6K]  extra_avx512f_reduce.c
│   │               │   │   │   ├── [ 354]  extra_vsx3_half_double.c
│   │               │   │   │   ├── [ 499]  extra_vsx4_mma.c
│   │               │   │   │   ├── [ 945]  extra_vsx_asm.c
│   │               │   │   │   └── [  16]  test_flags.c
│   │               │   │   ├── [ 640]  command
│   │               │   │   │   ├── [1.0K]  __init__.py
│   │               │   │   │   ├── [3.6K]  autodist.py
│   │               │   │   │   ├── [ 709]  bdist_rpm.py
│   │               │   │   │   ├── [2.6K]  build.py
│   │               │   │   │   ├── [ 19K]  build_clib.py
│   │               │   │   │   ├── [ 32K]  build_ext.py
│   │               │   │   │   ├── [1.1K]  build_py.py
│   │               │   │   │   ├── [1.6K]  build_scripts.py
│   │               │   │   │   ├── [ 30K]  build_src.py
│   │               │   │   │   ├── [ 20K]  config.py
│   │               │   │   │   ├── [4.3K]  config_compiler.py
│   │               │   │   │   ├── [ 575]  develop.py
│   │               │   │   │   ├── [ 921]  egg_info.py
│   │               │   │   │   ├── [3.0K]  install.py
│   │               │   │   │   ├── [1.4K]  install_clib.py
│   │               │   │   │   ├── [ 848]  install_data.py
│   │               │   │   │   ├── [ 920]  install_headers.py
│   │               │   │   │   └── [ 733]  sdist.py
│   │               │   │   ├── [9.3K]  conv_template.py
│   │               │   │   ├── [8.0K]  core.py
│   │               │   │   ├── [ 22K]  cpuinfo.py
│   │               │   │   ├── [ 10K]  exec_command.py
│   │               │   │   ├── [3.5K]  extension.py
```

```
│   │               │   │   ├── [ 704]  fcompiler
│   │               │   │   │   ├── [ 40K]  __init__.py
│   │               │   │   │   ├── [5.4K]  absoft.py
│   │               │   │   │   ├── [2.0K]  arm.py
│   │               │   │   │   ├── [3.8K]  compaq.py
│   │               │   │   │   ├── [3.0K]  environment.py
│   │               │   │   │   ├── [1.3K]  fujitsu.py
│   │               │   │   │   ├── [1.3K]  g95.py
│   │               │   │   │   ├── [ 20K]  gnu.py
│   │               │   │   │   ├── [1.3K]  hpux.py
│   │               │   │   │   ├── [3.5K]  ibm.py
│   │               │   │   │   ├── [6.4K]  intel.py
│   │               │   │   │   ├── [1.3K]  lahey.py
│   │               │   │   │   ├── [1.7K]  mips.py
│   │               │   │   │   ├── [2.7K]  nag.py
│   │               │   │   │   ├── [ 758]  none.py
│   │               │   │   │   ├── [1.5K]  nv.py
│   │               │   │   │   ├── [1.0K]  pathf95.py
│   │               │   │   │   ├── [3.5K]  pg.py
│   │               │   │   │   ├── [1.5K]  sun.py
│   │               │   │   │   └── [1.6K]  vast.py
│   │               │   │   ├── [7.7K]  from_template.py
│   │               │   │   ├── [ 834]  fujitsuccompiler.py
│   │               │   │   ├── [4.1K]  intelccompiler.py
│   │               │   │   ├── [3.5K]  lib2def.py
│   │               │   │   ├── [2.0K]  line_endings.py
│   │               │   │   ├── [2.8K]  log.py
│   │               │   │   ├── [  96]  mingw
│   │               │   │   │   └── [  77]  gfortran_vs2003_hack.c
│   │               │   │   ├── [ 22K]  mingw32ccompiler.py
│   │               │   │   ├── [ 87K]  misc_util.py
│   │               │   │   ├── [2.1K]  msvc9compiler.py
│   │               │   │   ├── [2.6K]  msvccompiler.py
│   │               │   │   ├── [ 13K]  npy_pkg_config.py
│   │               │   │   ├── [ 634]  numpy_distribution.py
│   │               │   │   ├── [ 713]  pathccompiler.py
│   │               │   │   ├── [111K]  system_info.py
│   │               │   │   ├── [ 608]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [2.7K]  test_build_ext.py
│   │               │   │   │   ├── [ 28K]  test_ccompiler_opt.py
│   │               │   │   │   ├── [6.2K]  test_ccompiler_opt_conf.py
│   │               │   │   │   ├── [7.2K]  test_exec_command.py
│   │               │   │   │   ├── [1.2K]  test_fcompiler.py
│   │               │   │   │   ├── [2.1K]  test_fcompiler_gnu.py
│   │               │   │   │   ├── [1.0K]  test_fcompiler_intel.py
│   │               │   │   │   ├── [1.1K]  test_fcompiler_nagfor.py
│   │               │   │   │   ├── [1.1K]  test_from_template.py
│   │               │   │   │   ├── [ 868]  test_log.py
│   │               │   │   │   ├── [1.6K]  test_mingw32ccompiler.py
│   │               │   │   │   ├── [3.1K]  test_misc_util.py
│   │               │   │   │   ├── [2.5K]  test_npy_pkg_config.py
│   │               │   │   │   ├── [2.1K]  test_shell_utils.py
│   │               │   │   │   ├── [ 11K]  test_system_info.py
│   │               │   │   │   └── [2.2K]  utilities.py
│   │               │   │   └── [5.3K]  unixccompiler.py
```

```
│   │               │   ├── [  96]  doc
│   │               │   │   └── [5.2K]  ufuncs.py
│   │               │   ├── [1.3K]  dtypes.py
│   │               │   ├── [1.2K]  dtypes.pyi
│   │               │   ├── [7.5K]  exceptions.py
│   │               │   ├── [ 639]  exceptions.pyi
│   │               │   ├── [ 800]  f2py
│   │               │   │   ├── [2.5K]  __init__.py
│   │               │   │   ├── [1.1K]  __init__.pyi
│   │               │   │   ├── [ 130]  __main__.py
│   │               │   │   ├── [  34]  __version__.py
│   │               │   │   ├── [ 224]  _backends
│   │               │   │   │   ├── [ 299]  __init__.py
│   │               │   │   │   ├── [1.2K]  _backend.py
│   │               │   │   │   ├── [2.3K]  _distutils.py
│   │               │   │   │   ├── [7.9K]  _meson.py
│   │               │   │   │   └── [1.6K]  meson.build.template
│   │               │   │   ├── [2.3K]  _isocbind.py
│   │               │   │   ├── [7.5K]  _src_pyf.py
│   │               │   │   ├── [ 26K]  auxfuncs.py
│   │               │   │   ├── [ 30K]  capi_maps.py
│   │               │   │   ├── [ 24K]  cb_rules.py
│   │               │   │   ├── [ 51K]  cfuncs.py
│   │               │   │   ├── [5.0K]  common_rules.py
│   │               │   │   ├── [145K]  crackfortran.py
│   │               │   │   ├── [5.1K]  diagnose.py
│   │               │   │   ├── [ 27K]  f2py2e.py
│   │               │   │   ├── [9.5K]  f90mod_rules.py
│   │               │   │   ├── [ 10K]  func2subr.py
│   │               │   │   ├── [ 61K]  rules.py
│   │               │   │   ├── [  48]  setup.cfg
│   │               │   │   ├── [ 128]  src
│   │               │   │   │   ├── [ 45K]  fortranobject.c
│   │               │   │   │   └── [5.7K]  fortranobject.h
│   │               │   │   ├── [ 52K]  symbolic.py
│   │               │   │   ├── [1.1K]  tests
│   │               │   │   │   ├── [ 172]  __init__.py
│   │               │   │   │   ├── [ 864]  src
│   │               │   │   │   │   ├── [ 128]  abstract_interface
│   │               │   │   │   │   │   ├── [ 658]  foo.f90
│   │               │   │   │   │   │   └── [ 105]  gh18403_mod.f90
│   │               │   │   │   │   ├── [  96]  array_from_pyobj
│   │               │   │   │   │   │   └── [7.1K]  wrapmodule.c
│   │               │   │   │   │   ├── [ 224]  assumed_shape
│   │               │   │   │   │   │   ├── [  29]  .f2py_f2cmap
│   │               │   │   │   │   │   ├── [ 460]  foo_free.f90
│   │               │   │   │   │   │   ├── [ 499]  foo_mod.f90
│   │               │   │   │   │   │   ├── [ 269]  foo_use.f90
│   │               │   │   │   │   │   └── [ 130]  precision.f90
│   │               │   │   │   │   ├── [  96]  block_docstring
│   │               │   │   │   │   │   └── [  97]  foo.f
│   │               │   │   │   │   ├── [ 224]  callback
│   │               │   │   │   │   │   ├── [1.2K]  foo.f
│   │               │   │   │   │   │   ├── [ 148]  gh17797.f90
│   │               │   │   │   │   │   ├── [ 506]  gh18335.f90
│   │               │   │   │   │   │   ├── [ 179]  gh25211.f
```

```
│   │               │   │   │   │   │   └── [ 447]  gh25211.pyf
│   │               │   │   │   │   ├── [ 160]  cli
│   │               │   │   │   │   │   ├── [ 142]  gh_22819.pyf
│   │               │   │   │   │   │   ├── [  71]  hi77.f
│   │               │   │   │   │   │   └── [  51]  hiworld.f90
│   │               │   │   │   │   ├── [ 128]  common
│   │               │   │   │   │   │   ├── [ 224]  block.f
│   │               │   │   │   │   │   └── [ 193]  gh19161.f90
│   │               │   │   │   │   ├── [ 672]  crackfortran
│   │               │   │   │   │   │   ├── [ 208]  accesstype.f90
│   │               │   │   │   │   │   ├── [ 193]  data_common.f
│   │               │   │   │   │   │   ├── [ 197]  data_multiplier.f
│   │               │   │   │   │   │   ├── [ 693]  data_stmts.f90
│   │               │   │   │   │   │   ├── [ 175]  data_with_comments.f
│   │               │   │   │   │   │   ├── [ 128]  foo_deps.f90
│   │               │   │   │   │   │   ├── [ 375]  gh15035.f
│   │               │   │   │   │   │   ├── [ 340]  gh17859.f
│   │               │   │   │   │   │   ├── [ 241]  gh22648.pyf
│   │               │   │   │   │   │   ├── [ 126]  gh23533.f
│   │               │   │   │   │   │   ├── [ 101]  gh23598.f90
│   │               │   │   │   │   │   ├── [ 205]  gh23598Warn.f90
│   │               │   │   │   │   │   ├── [ 332]  gh23879.f90
│   │               │   │   │   │   │   ├── [ 282]  gh2848.f90
│   │               │   │   │   │   │   ├── [1.2K]  operators.f90
│   │               │   │   │   │   │   ├── [ 174]  privatemod.f90
│   │               │   │   │   │   │   ├── [ 167]  publicmod.f90
│   │               │   │   │   │   │   ├── [ 165]  pubprivmod.f90
│   │               │   │   │   │   │   └── [  98]  unicode_comment.f90
│   │               │   │   │   │   ├── [ 128]  f2cmap
│   │               │   │   │   │   │   ├── [  82]  .f2py_f2cmap
│   │               │   │   │   │   │   └── [ 298]  isoFortranEnvMap.f90
│   │               │   │   │   │   ├── [  96]  isocintrin
│   │               │   │   │   │   │   └── [ 998]  isoCtests.f90
│   │               │   │   │   │   ├── [  96]  kind
│   │               │   │   │   │   │   └── [ 347]  foo.f90
│   │               │   │   │   │   ├── [ 160]  mixed
│   │               │   │   │   │   │   ├── [  85]  foo.f
│   │               │   │   │   │   │   ├── [ 179]  foo_fixed.f90
│   │               │   │   │   │   │   └── [ 139]  foo_free.f90
│   │               │   │   │   │   ├── [ 160]  modules
│   │               │   │   │   │   │   ├── [ 128]  gh25337
│   │               │   │   │   │   │   │   ├── [ 180]  data.f90
│   │               │   │   │   │   │   │   └── [ 179]  use_data.f90
│   │               │   │   │   │   │   ├── [ 224]
module_data_docstring.f90
│   │               │   │   │   │   │   └── [ 398]  use_modules.f90
│   │               │   │   │   │   ├── [  96]  negative_bounds
│   │               │   │   │   │   │   └── [ 157]  issue_20853.f90
│   │               │   │   │   │   ├── [ 256]  parameter
│   │               │   │   │   │   │   ├── [1.4K]  constant_array.f90
│   │               │   │   │   │   │   ├── [1.9K]  constant_both.f90
│   │               │   │   │   │   │   ├── [ 469]  constant_compound.f90
│   │               │   │   │   │   │   ├── [ 612]  constant_integer.f90
│   │               │   │   │   │   │   ├── [ 609]
constant_non_compound.f90
│   │               │   │   │   │   │   └── [ 610]  constant_real.f90
```

```
│   │               │   │   │   │   ├── [  96]  quoted_character
│   │               │   │   │   │   │   └── [ 482]  foo.f
│   │               │   │   │   │   ├── [ 256]  regression
│   │               │   │   │   │   │   ├── [  16]  AB.inc
│   │               │   │   │   │   │   ├── [ 626]  f77comments.f
│   │               │   │   │   │   │   ├── [ 139]  f77fixedform.f95
│   │               │   │   │   │   │   ├── [ 276]  f90continuation.f90
│   │               │   │   │   │   │   ├── [  92]  incfile.f90
│   │               │   │   │   │   │   └── [ 277]  inout.f90
│   │               │   │   │   │   ├── [ 128]  return_character
│   │               │   │   │   │   │   ├── [ 980]  foo77.f
│   │               │   │   │   │   │   └── [1.2K]  foo90.f90
│   │               │   │   │   │   ├── [ 128]  return_complex
│   │               │   │   │   │   │   ├── [ 973]  foo77.f
│   │               │   │   │   │   │   └── [1.2K]  foo90.f90
│   │               │   │   │   │   ├── [ 128]  return_integer
│   │               │   │   │   │   │   ├── [1.2K]  foo77.f
│   │               │   │   │   │   │   └── [1.5K]  foo90.f90
│   │               │   │   │   │   ├── [ 128]  return_logical
│   │               │   │   │   │   │   ├── [1.2K]  foo77.f
│   │               │   │   │   │   │   └── [1.5K]  foo90.f90
│   │               │   │   │   │   ├── [ 128]  return_real
│   │               │   │   │   │   │   ├── [ 933]  foo77.f
│   │               │   │   │   │   │   └── [1.2K]  foo90.f90
│   │               │   │   │   │   ├── [  96]  size
│   │               │   │   │   │   │   └── [ 815]  foo.f90
│   │               │   │   │   │   ├── [ 352]  string
│   │               │   │   │   │   │   ├── [ 618]  char.f90
│   │               │   │   │   │   │   ├── [ 695]  fixed_string.f90
│   │               │   │   │   │   │   ├── [ 217]  gh24008.f
│   │               │   │   │   │   │   ├── [ 197]  gh24662.f90
│   │               │   │   │   │   │   ├── [ 304]  gh25286.f90
│   │               │   │   │   │   │   ├── [ 381]  gh25286.pyf
│   │               │   │   │   │   │   ├── [ 384]  gh25286_bc.pyf
│   │               │   │   │   │   │   ├── [ 176]  scalar_string.f90
│   │               │   │   │   │   │   └── [ 248]  string.f
│   │               │   │   │   │   └── [  96]  value_attrspec
│   │               │   │   │   │       └── [ 190]  gh21665.f90
│   │               │   │   │   ├── [ 850]  test_abstract_interface.py
│   │               │   │   │   ├── [ 23K]  test_array_from_pyobj.py
│   │               │   │   │   ├── [1.4K]  test_assumed_shape.py
│   │               │   │   │   ├── [ 582]  test_block_docstring.py
│   │               │   │   │   ├── [6.4K]  test_callback.py
│   │               │   │   │   ├── [ 21K]  test_character.py
│   │               │   │   │   ├── [ 641]  test_common.py
│   │               │   │   │   ├── [ 16K]  test_crackfortran.py
│   │               │   │   │   ├── [2.8K]  test_data.py
│   │               │   │   │   ├── [1.8K]  test_docs.py
│   │               │   │   │   ├── [ 385]  test_f2cmap.py
│   │               │   │   │   ├── [ 25K]  test_f2py2e.py
│   │               │   │   │   ├── [1.4K]  test_isoc.py
│   │               │   │   │   ├── [1.8K]  test_kind.py
│   │               │   │   │   ├── [ 870]  test_mixed.py
│   │               │   │   │   ├── [1.5K]  test_modules.py
│   │               │   │   │   ├── [4.5K]  test_parameter.py
│   │               │   │   │   ├── [1.1K]  test_pyf_src.py
```

```
│   │               │   │   │   ├── [ 476]  test_quoted_character.py
│   │               │   │   │   ├── [4.6K]  test_regression.py
│   │               │   │   │   ├── [1.5K]  test_return_character.py
│   │               │   │   │   ├── [2.4K]  test_return_complex.py
│   │               │   │   │   ├── [1.7K]  test_return_integer.py
│   │               │   │   │   ├── [2.0K]  test_return_logical.py
│   │               │   │   │   ├── [3.2K]  test_return_real.py
│   │               │   │   │   ├── [1.6K]  test_semicolon_split.py
│   │               │   │   │   ├── [1.1K]  test_size.py
│   │               │   │   │   ├── [2.9K]  test_string.py
│   │               │   │   │   ├── [ 18K]  test_symbolic.py
│   │               │   │   │   ├── [ 339]  test_value_attrspec.py
│   │               │   │   │   └── [ 11K]  util.py
│   │               │   │   └── [3.4K]  use_rules.py
│   │               │   ├── [ 352]  fft
│   │               │   │   ├── [8.1K]  __init__.py
│   │               │   │   ├── [ 531]  __init__.pyi
│   │               │   │   ├── [6.5K]  _helper.py
│   │               │   │   ├── [1.3K]  _helper.pyi
│   │               │   │   ├── [ 61K]  _pocketfft.py
│   │               │   │   ├── [2.9K]  _pocketfft.pyi
│   │               │   │   ├── [322K]  _pocketfft_umath.cpython-39-
darwin.so
│   │               │   │   ├── [ 610]  helper.py
│   │               │   │   └── [ 160]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [6.0K]  test_helper.py
│   │               │   │       └── [ 23K]  test_pocketfft.py
│   │               │   ├── [1.8K]  lib
│   │               │   │   ├── [3.0K]  __init__.py
│   │               │   │   ├── [ 770]  __init__.pyi
│   │               │   │   ├── [1.6K]  _array_utils_impl.py
│   │               │   │   ├── [ 748]  _array_utils_impl.pyi
│   │               │   │   ├── [ 32K]  _arraypad_impl.py
│   │               │   │   ├── [1.7K]  _arraypad_impl.pyi
│   │               │   │   ├── [ 38K]  _arraysetops_impl.py
│   │               │   │   ├── [9.1K]  _arraysetops_impl.pyi
│   │               │   │   ├── [7.0K]  _arrayterator_impl.py
│   │               │   │   ├── [1.5K]  _arrayterator_impl.pyi
│   │               │   │   ├── [ 22K]  _datasource.py
│   │               │   │   ├── [195K]  _function_base_impl.py
│   │               │   │   ├── [ 16K]  _function_base_impl.pyi
│   │               │   │   ├── [ 37K]  _histograms_impl.py
│   │               │   │   ├── [1001]  _histograms_impl.pyi
│   │               │   │   ├── [ 31K]  _index_tricks_impl.py
│   │               │   │   ├── [4.1K]  _index_tricks_impl.pyi
│   │               │   │   ├── [ 30K]  _iotools.py
│   │               │   │   ├── [ 70K]  _nanfunctions_impl.py
│   │               │   │   ├── [ 613]  _nanfunctions_impl.pyi
│   │               │   │   ├── [ 96K]  _npyio_impl.py
│   │               │   │   ├── [ 10K]  _npyio_impl.pyi
│   │               │   │   ├── [ 43K]  _polynomial_impl.py
│   │               │   │   ├── [6.8K]  _polynomial_impl.pyi
│   │               │   │   ├── [ 15K]  _scimath_impl.py
│   │               │   │   ├── [2.8K]  _scimath_impl.pyi
│   │               │   │   ├── [ 38K]  _shape_base_impl.py
```

```
│   │               │   │   ├── [4.7K]  _shape_base_impl.pyi
│   │               │   │   ├── [ 18K]  _stride_tricks_impl.py
│   │               │   │   ├── [1.7K]  _stride_tricks_impl.pyi
│   │               │   │   ├── [ 32K]  _twodim_base_impl.py
│   │               │   │   ├── [5.4K]  _twodim_base_impl.pyi
│   │               │   │   ├── [ 19K]  _type_check_impl.py
│   │               │   │   ├── [5.1K]  _type_check_impl.pyi
│   │               │   │   ├── [6.1K]  _ufunclike_impl.py
│   │               │   │   ├── [1.3K]  _ufunclike_impl.pyi
│   │               │   │   ├── [7.7K]  _user_array_impl.py
│   │               │   │   ├── [ 23K]  _utils_impl.py
│   │               │   │   ├── [ 644]  _utils_impl.pyi
│   │               │   │   ├── [4.7K]  _version.py
│   │               │   │   ├── [ 633]  _version.pyi
│   │               │   │   ├── [ 130]  array_utils.py
│   │               │   │   ├── [ 191]  array_utils.pyi
│   │               │   │   ├── [ 35K]  format.py
│   │               │   │   ├── [ 748]  format.pyi
│   │               │   │   ├── [2.6K]  introspect.py
│   │               │   │   ├── [7.2K]  mixins.py
│   │               │   │   ├── [3.0K]  mixins.pyi
│   │               │   │   ├── [  62]  npyio.py
│   │               │   │   ├── [  92]  npyio.pyi
│   │               │   │   ├── [ 58K]  recfunctions.py
│   │               │   │   ├── [ 118]  scimath.py
│   │               │   │   ├── [ 241]  scimath.pyi
│   │               │   │   ├── [  82]  stride_tricks.py
│   │               │   │   ├── [ 124]  stride_tricks.pyi
│   │               │   │   ├── [ 928]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 288]  data
│   │               │   │   │   │   ├── [ 258]  py2-np0-objarr.npy
│   │               │   │   │   │   ├── [ 258]  py2-objarr.npy
│   │               │   │   │   │   ├── [ 366]  py2-objarr.npz
│   │               │   │   │   │   ├── [ 325]  py3-objarr.npy
│   │               │   │   │   │   ├── [ 453]  py3-objarr.npz
│   │               │   │   │   │   ├── [  96]  python3.npy
│   │               │   │   │   │   └── [  96]  win64python2.npy
│   │               │   │   │   ├── [ 10K]  test__datasource.py
│   │               │   │   │   ├── [ 13K]  test__iotools.py
│   │               │   │   │   ├── [2.0K]  test__version.py
│   │               │   │   │   ├── [1.1K]  test_array_utils.py
│   │               │   │   │   ├── [ 55K]  test_arraypad.py
│   │               │   │   │   ├── [ 37K]  test_arraysetops.py
│   │               │   │   │   ├── [1.3K]  test_arrayterator.py
│   │               │   │   │   ├── [ 40K]  test_format.py
│   │               │   │   │   ├── [162K]  test_function_base.py
│   │               │   │   │   ├── [ 32K]  test_histograms.py
│   │               │   │   │   ├── [ 20K]  test_index_tricks.py
│   │               │   │   │   ├── [107K]  test_io.py
│   │               │   │   │   ├── [ 39K]  test_loadtxt.py
│   │               │   │   │   ├── [6.9K]  test_mixins.py
│   │               │   │   │   ├── [ 52K]  test_nanfunctions.py
│   │               │   │   │   ├── [ 17K]  test_packbits.py
│   │               │   │   │   ├── [ 11K]  test_polynomial.py
│   │               │   │   │   ├── [ 43K]  test_recfunctions.py
```

```
│   │               │   │   │   ├── [7.5K]  test_regression.py
│   │               │   │   │   ├── [ 26K]  test_shape_base.py
│   │               │   │   │   ├── [ 22K]  test_stride_tricks.py
│   │               │   │   │   ├── [ 18K]  test_twodim_base.py
│   │               │   │   │   ├── [ 14K]  test_type_check.py
│   │               │   │   │   ├── [3.0K]  test_ufunclike.py
│   │               │   │   │   └── [2.3K]  test_utils.py
│   │               │   │   └── [  49]  user_array.py
│   │               │   ├── [ 320]  linalg
│   │               │   │   ├── [2.1K]  __init__.py
│   │               │   │   ├── [ 960]  __init__.pyi
│   │               │   │   ├── [105K]  _linalg.py
│   │               │   │   ├── [ 10K]  _linalg.pyi
│   │               │   │   ├── [153K]  _umath_linalg.cpython-39-darwin.so
│   │               │   │   ├── [ 52K]  lapack_lite.cpython-39-darwin.so
│   │               │   │   ├── [ 584]  linalg.py
│   │               │   │   └── [ 192]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 640]  test_deprecations.py
│   │               │   │       ├── [ 81K]  test_linalg.py
│   │               │   │       └── [6.5K]  test_regression.py
│   │               │   ├── [ 512]  ma
│   │               │   │   ├── [3.3K]  API_CHANGES.txt
│   │               │   │   ├── [1.6K]  LICENSE
│   │               │   │   ├── [9.6K]  README.rst
│   │               │   │   ├── [1.4K]  __init__.py
│   │               │   │   ├── [5.9K]  __init__.pyi
│   │               │   │   ├── [276K]  core.py
│   │               │   │   ├── [ 14K]  core.pyi
│   │               │   │   ├── [ 68K]  extras.py
│   │               │   │   ├── [2.6K]  extras.pyi
│   │               │   │   ├── [ 27K]  mrecords.py
│   │               │   │   ├── [1.9K]  mrecords.pyi
│   │               │   │   ├── [ 352]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.1K]  test_arrayobject.py
│   │               │   │   │   ├── [211K]  test_core.py
│   │               │   │   │   ├── [2.5K]  test_deprecations.py
│   │               │   │   │   ├── [ 75K]  test_extras.py
│   │               │   │   │   ├── [ 19K]  test_mrecords.py
│   │               │   │   │   ├── [ 32K]  test_old_ma.py
│   │               │   │   │   ├── [3.2K]  test_regression.py
│   │               │   │   │   └── [ 17K]  test_subclassing.py
│   │               │   │   ├── [ 10K]  testutils.py
│   │               │   │   └── [ 15K]  timer_comparison.py
│   │               │   ├── [ 10K]  matlib.py
│   │               │   ├── [ 224]  matrixlib
│   │               │   │   ├── [ 242]  __init__.py
│   │               │   │   ├── [ 232]  __init__.pyi
│   │               │   │   ├── [ 30K]  defmatrix.py
│   │               │   │   ├── [ 451]  defmatrix.pyi
│   │               │   │   └── [ 320]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 15K]  test_defmatrix.py
│   │               │   │       ├── [ 12K]  test_interaction.py
│   │               │   │       ├── [8.7K]  test_masked_matrix.py
```

```
│   │               │   │       ├── [2.0K]  test_matrix_linalg.py
│   │               │   │       ├── [ 554]  test_multiarray.py
│   │               │   │       ├── [ 441]  test_numeric.py
│   │               │   │       └── [ 932]  test_regression.py
│   │               │   ├── [ 672]  polynomial
│   │               │   │   ├── [6.5K]  __init__.py
│   │               │   │   ├── [ 681]  __init__.pyi
│   │               │   │   ├── [ 39K]  _polybase.py
│   │               │   │   ├── [2.3K]  _polybase.pyi
│   │               │   │   ├── [ 61K]  chebyshev.py
│   │               │   │   ├── [1.3K]  chebyshev.pyi
│   │               │   │   ├── [ 54K]  hermite.py
│   │               │   │   ├── [1.2K]  hermite.pyi
│   │               │   │   ├── [ 51K]  hermite_e.py
│   │               │   │   ├── [1.2K]  hermite_e.pyi
│   │               │   │   ├── [ 52K]  laguerre.py
│   │               │   │   ├── [1.1K]  laguerre.pyi
│   │               │   │   ├── [ 50K]  legendre.py
│   │               │   │   ├── [1.1K]  legendre.pyi
│   │               │   │   ├── [ 51K]  polynomial.py
│   │               │   │   ├── [1.1K]  polynomial.pyi
│   │               │   │   ├── [ 22K]  polyutils.py
│   │               │   │   ├── [ 227]  polyutils.pyi
│   │               │   │   └── [ 416]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 20K]  test_chebyshev.py
│   │               │   │       ├── [ 18K]  test_classes.py
│   │               │   │       ├── [ 18K]  test_hermite.py
│   │               │   │       ├── [ 18K]  test_hermite_e.py
│   │               │   │       ├── [ 17K]  test_laguerre.py
│   │               │   │       ├── [ 18K]  test_legendre.py
│   │               │   │       ├── [ 21K]  test_polynomial.py
│   │               │   │       ├── [3.7K]  test_polyutils.py
│   │               │   │       ├── [ 21K]  test_printing.py
│   │               │   │       └── [5.2K]  test_symbol.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 960]  random
│   │               │   │   ├── [3.4K]  LICENSE.md
│   │               │   │   ├── [ 431]  __init__.pxd
│   │               │   │   ├── [7.3K]  __init__.py
│   │               │   │   ├── [2.1K]  __init__.pyi
│   │               │   │   ├── [292K]  _bounded_integers.cpython-39-
darwin.so
│   │               │   │   ├── [1.6K]  _bounded_integers.pxd
│   │               │   │   ├── [230K]  _common.cpython-39-darwin.so
│   │               │   │   ├── [4.9K]  _common.pxd
│   │               │   │   ├── [ 160]  _examples
│   │               │   │   │   ├── [ 128]  cffi
│   │               │   │   │   │   ├── [ 880]  extending.py
│   │               │   │   │   │   └── [1.7K]  parse.py
│   │               │   │   │   ├── [ 160]  cython
│   │               │   │   │   │   ├── [2.2K]  extending.pyx
│   │               │   │   │   │   ├── [3.8K]  extending_distributions.pyx
│   │               │   │   │   │   └── [1.4K]  meson.build
│   │               │   │   │   └── [ 128]  numba
│   │               │   │   │       ├── [1.9K]  extending.py
```

```
│   │               │   │   │       └── [2.0K]  extending_distributions.py
│   │               │   │   ├── [801K]  _generator.cpython-39-darwin.so
│   │               │   │   ├── [ 24K]  _generator.pyi
│   │               │   │   ├── [130K]  _mt19937.cpython-39-darwin.so
│   │               │   │   ├── [ 724]  _mt19937.pyi
│   │               │   │   ├── [146K]  _pcg64.cpython-39-darwin.so
│   │               │   │   ├── [1.1K]  _pcg64.pyi
│   │               │   │   ├── [129K]  _philox.cpython-39-darwin.so
│   │               │   │   ├── [ 954]  _philox.pyi
│   │               │   │   ├── [2.7K]  _pickle.py
│   │               │   │   ├── [ 95K]  _sfc64.cpython-39-darwin.so
│   │               │   │   ├── [ 631]  _sfc64.pyi
│   │               │   │   ├── [205K]  bit_generator.cpython-39-darwin.so
│   │               │   │   ├── [1007]  bit_generator.pxd
│   │               │   │   ├── [3.5K]  bit_generator.pyi
│   │               │   │   ├── [6.2K]  c_distributions.pxd
│   │               │   │   ├── [  96]  lib
│   │               │   │   │   └── [ 54K]  libnpyrandom.a
│   │               │   │   ├── [693K]  mtrand.cpython-39-darwin.so
│   │               │   │   ├── [ 22K]  mtrand.pyi
│   │               │   │   └── [ 448]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 512]  data
│   │               │   │       │   ├── [   0]  __init__.py
│   │               │   │       │   ├── [ 203]  generator_pcg64_np121.pkl.gz
│   │               │   │       │   ├── [ 208]  generator_pcg64_np126.pkl.gz
│   │               │   │       │   ├── [ 15K]  mt19937-testset-1.csv
│   │               │   │       │   ├── [ 15K]  mt19937-testset-2.csv
│   │               │   │       │   ├── [ 23K]  pcg64-testset-1.csv
│   │               │   │       │   ├── [ 23K]  pcg64-testset-2.csv
│   │               │   │       │   ├── [ 23K]  pcg64dxsm-testset-1.csv
│   │               │   │       │   ├── [ 23K]  pcg64dxsm-testset-2.csv
│   │               │   │       │   ├── [ 23K]  philox-testset-1.csv
│   │               │   │       │   ├── [ 23K]  philox-testset-2.csv
│   │               │   │       │   ├── [ 23K]  sfc64-testset-1.csv
│   │               │   │       │   ├── [ 23K]  sfc64-testset-2.csv
│   │               │   │       │   └── [ 290]  sfc64_np126.pkl.gz
│   │               │   │       ├── [ 19K]  test_direct.py
│   │               │   │       ├── [3.8K]  test_extending.py
│   │               │   │       ├── [115K]  test_generator_mt19937.py
│   │               │   │       ├── [6.3K]
test_generator_mt19937_regressions.py
│   │               │   │       ├── [ 69K]  test_random.py
│   │               │   │       ├── [ 83K]  test_randomstate.py
│   │               │   │       ├── [7.8K]  test_randomstate_regression.py
│   │               │   │       ├── [5.3K]  test_regression.py
│   │               │   │       ├── [3.2K]  test_seed_sequence.py
│   │               │   │       └── [ 28K]  test_smoke.py
│   │               │   ├── [ 128]  rec
│   │               │   │   ├── [  83]  __init__.py
│   │               │   │   └── [ 297]  __init__.pyi
│   │               │   ├── [ 128]  strings
│   │               │   │   ├── [  83]  __init__.py
│   │               │   │   └── [1.2K]  __init__.pyi
│   │               │   ├── [ 256]  testing
│   │               │   │   ├── [ 595]  __init__.py
```

```
│   │               │   │   ├── [1.6K]  __init__.pyi
│   │               │   │   ├── [ 192]  _private
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [7.8K]  extbuild.py
│   │               │   │   │   ├── [ 91K]  utils.py
│   │               │   │   │   └── [ 10K]  utils.pyi
│   │               │   │   ├── [2.1K]  overrides.py
│   │               │   │   ├── [6.1K]  print_coercion_tables.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [ 69K]  test_utils.py
│   │               │   ├── [ 448]  tests
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 221]  test__all__.py
│   │               │   │   ├── [1.5K]  test_configtool.py
│   │               │   │   ├── [ 12K]  test_ctypeslib.py
│   │               │   │   ├── [1.1K]  test_lazyloading.py
│   │               │   │   ├── [1.8K]  test_matlib.py
│   │               │   │   ├── [1.2K]  test_numpy_config.py
│   │               │   │   ├── [1.7K]  test_numpy_version.py
│   │               │   │   ├── [ 22K]  test_public_api.py
│   │               │   │   ├── [2.3K]  test_reloading.py
│   │               │   │   ├── [1.6K]  test_scripts.py
│   │               │   │   └── [2.2K]  test_warnings.py
│   │               │   ├── [ 160]  typing
│   │               │   │   ├── [5.1K]  __init__.py
│   │               │   │   ├── [6.3K]  mypy_plugin.py
│   │               │   │   └── [ 224]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 224]  data
│   │               │   │       │   ├── [1.5K]  fail
│   │               │   │       │   │   ├── [3.7K]  arithmetic.pyi
│   │               │   │       │   │   ├── [1.1K]  array_constructors.pyi
│   │               │   │       │   │   ├── [ 455]  array_like.pyi
│   │               │   │       │   │   ├── [ 132]  array_pad.pyi
│   │               │   │       │   │   ├── [ 590]  arrayprint.pyi
│   │               │   │       │   │   ├── [ 470]  arrayterator.pyi
│   │               │   │       │   │   ├── [ 583]  bitwise_ops.pyi
│   │               │   │       │   │   ├── [2.6K]  char.pyi
│   │               │   │       │   │   ├── [2.3K]  chararray.pyi
│   │               │   │       │   │   ├── [ 822]  comparisons.pyi
│   │               │   │       │   │   ├── [  85]  constants.pyi
│   │               │   │       │   │   ├── [ 405]  datasource.pyi
│   │               │   │       │   │   ├── [ 334]  dtype.pyi
│   │               │   │       │   │   ├── [ 487]  einsumfunc.pyi
│   │               │   │       │   │   ├── [ 366]  false_positives.pyi
│   │               │   │       │   │   ├── [ 866]  flatiter.pyi
│   │               │   │       │   │   ├── [5.5K]  fromnumeric.pyi
│   │               │   │       │   │   ├── [ 367]  histograms.pyi
│   │               │   │       │   │   ├── [ 509]  index_tricks.pyi
│   │               │   │       │   │   ├── [1.9K]  lib_function_base.pyi
│   │               │   │       │   │   ├── [ 899]  lib_polynomial.pyi
│   │               │   │       │   │   ├── [  96]  lib_utils.pyi
│   │               │   │       │   │   ├── [ 158]  lib_version.pyi
│   │               │   │       │   │   ├── [1.3K]  linalg.pyi
│   │               │   │       │   │   ├── [ 159]  memmap.pyi
```

```
│   │               │   │           │   │   ├── [ 670]  modules.pyi
│   │               │   │           │   │   ├── [1.6K]  multiarray.pyi
│   │               │   │           │   │   ├── [ 404]  ndarray.pyi
│   │               │   │           │   │   ├── [1.3K]  ndarray_misc.pyi
│   │               │   │           │   │   ├── [ 325]  nditer.pyi
│   │               │   │           │   │   ├── [ 427]  nested_sequence.pyi
│   │               │   │           │   │   ├── [ 518]  npyio.pyi
│   │               │   │           │   │   ├── [ 120]  numerictypes.pyi
│   │               │   │           │   │   ├── [2.8K]  random.pyi
│   │               │   │           │   │   ├── [ 704]  rec.pyi
│   │               │   │           │   │   ├── [2.9K]  scalars.pyi
│   │               │   │           │   │   ├── [ 152]  shape_base.pyi
│   │               │   │           │   │   ├── [ 315]  stride_tricks.pyi
│   │               │   │           │   │   ├── [2.8K]  strings.pyi
│   │               │   │           │   │   ├── [1.3K]  testing.pyi
│   │               │   │           │   │   ├── [ 898]  twodim_base.pyi
│   │               │   │           │   │   ├── [ 379]  type_check.pyi
│   │               │   │           │   │   ├── [ 734]  ufunc_config.pyi
│   │               │   │           │   │   ├── [ 627]  ufunclike.pyi
│   │               │   │           │   │   ├── [1.3K]  ufuncs.pyi
│   │               │   │           │   │   └── [ 185]  warnings_and_errors.pyi
│   │               │   │           │   ├── [  96]  misc
│   │               │   │           │   │   └── [ 884]  extended_precision.pyi
│   │               │   │           │   ├── [ 168]  mypy.ini
│   │               │   │           │   ├── [1.1K]  pass
│   │               │   │           │   │   ├── [7.4K]  arithmetic.py
│   │               │   │           │   │   ├── [2.4K]  array_constructors.py
│   │               │   │           │   │   ├── [1018]  array_like.py
│   │               │   │           │   │   ├── [ 766]  arrayprint.py
│   │               │   │           │   │   ├── [ 393]  arrayterator.py
│   │               │   │           │   │   ├── [ 964]  bitwise_ops.py
│   │               │   │           │   │   ├── [2.9K]  comparisons.py
│   │               │   │           │   │   ├── [1.0K]  dtype.py
│   │               │   │           │   │   ├── [1.3K]  einsumfunc.py
│   │               │   │           │   │   ├── [ 174]  flatiter.py
│   │               │   │           │   │   ├── [3.7K]  fromnumeric.py
│   │               │   │           │   │   ├── [1.5K]  index_tricks.py
│   │               │   │           │   │   ├── [ 317]  lib_utils.py
│   │               │   │           │   │   ├── [ 299]  lib_version.py
│   │               │   │           │   │   ├── [1.3K]  literal.py
│   │               │   │           │   │   ├── [ 171]  ma.py
│   │               │   │           │   │   ├── [1.5K]  mod.py
│   │               │   │           │   │   ├── [ 625]  modules.py
│   │               │   │           │   │   ├── [1.3K]  multiarray.py
│   │               │   │           │   │   ├── [1.5K]  ndarray_conversion.py
│   │               │   │           │   │   ├── [2.6K]  ndarray_misc.py
│   │               │   │           │   │   ├── [ 640]
ndarray_shape_manipulation.py
│   │               │   │           │   │   ├── [1.5K]  numeric.py
│   │               │   │           │   │   ├── [ 331]  numerictypes.py
│   │               │   │           │   │   ├── [ 60K]  random.py
│   │               │   │           │   │   ├── [3.3K]  scalars.py
│   │               │   │           │   │   ├── [2.7K]  simple.py
│   │               │   │           │   │   ├── [  96]  simple_py3.py
│   │               │   │           │   │   ├── [1.2K]  ufunc_config.py
│   │               │   │           │   │   ├── [1.1K]  ufunclike.py
```

```
│   │   │   │   │   │   ├── [ 422]  ufuncs.py
│   │   │   │   │   │   └── [ 161]  warnings_and_errors.py
│   │   │   │   │   └── [1.8K]  reveal
│   │   │   │   │       ├── [ 19K]  arithmetic.pyi
│   │   │   │   │       ├── [ 10K]  array_constructors.pyi
│   │   │   │   │       ├── [ 776]  arraypad.pyi
│   │   │   │   │       ├── [ 905]  arrayprint.pyi
│   │   │   │   │       ├── [4.4K]  arraysetops.pyi
│   │   │   │   │       ├── [1.1K]  arrayterator.pyi
│   │   │   │   │       ├── [3.8K]  bitwise_ops.pyi
│   │   │   │   │       ├── [7.0K]  char.pyi
│   │   │   │   │       ├── [6.1K]  chararray.pyi
│   │   │   │   │       ├── [7.1K]  comparisons.pyi
│   │   │   │   │       ├── [ 393]  constants.pyi
│   │   │   │   │       ├── [4.7K]  ctypeslib.pyi
│   │   │   │   │       ├── [ 701]  datasource.pyi
│   │   │   │   │       ├── [2.8K]  dtype.pyi
│   │   │   │   │       ├── [2.0K]  einsumfunc.pyi
│   │   │   │   │       ├── [2.4K]  emath.pyi
│   │   │   │   │       ├── [ 482]  false_positives.pyi
│   │   │   │   │       ├── [1.7K]  fft.pyi
│   │   │   │   │       ├── [ 882]  flatiter.pyi
│   │   │   │   │       ├── [ 12K]  fromnumeric.pyi
│   │   │   │   │       ├── [1.6K]  getlimits.pyi
│   │   │   │   │       ├── [1.3K]  histograms.pyi
│   │   │   │   │       ├── [3.1K]  index_tricks.pyi
│   │   │   │   │       ├── [7.7K]  lib_function_base.pyi
│   │   │   │   │       ├── [5.8K]  lib_polynomial.pyi
│   │   │   │   │       ├── [ 536]  lib_utils.pyi
│   │   │   │   │       ├── [ 672]  lib_version.pyi
│   │   │   │   │       ├── [6.2K]  linalg.pyi
│   │   │   │   │       ├── [2.8K]  matrix.pyi
│   │   │   │   │       ├── [ 842]  memmap.pyi
│   │   │   │   │       ├── [5.5K]  mod.pyi
│   │   │   │   │       ├── [1.9K]  modules.pyi
│   │   │   │   │       ├── [5.0K]  multiarray.pyi
│   │   │   │   │       ├── [ 657]  nbit_base_example.pyi
│   │   │   │   │       ├── [1.8K]  ndarray_conversion.pyi
│   │   │   │   │       ├── [6.5K]  ndarray_misc.pyi
│   │   │   │   │       ├── [1.2K]
ndarray_shape_manipulation.pyi
│   │   │   │   │       ├── [2.0K]  nditer.pyi
│   │   │   │   │       ├── [ 734]  nested_sequence.pyi
│   │   │   │   │       ├── [3.5K]  npyio.pyi
│   │   │   │   │       ├── [6.3K]  numeric.pyi
│   │   │   │   │       ├── [1.4K]  numerictypes.pyi
│   │   │   │   │       ├── [102K]  random.pyi
│   │   │   │   │       ├── [3.8K]  rec.pyi
│   │   │   │   │       ├── [4.5K]  scalars.pyi
│   │   │   │   │       ├── [1.9K]  shape_base.pyi
│   │   │   │   │       ├── [1.4K]  stride_tricks.pyi
│   │   │   │   │       ├── [6.2K]  strings.pyi
│   │   │   │   │       ├── [8.4K]  testing.pyi
│   │   │   │   │       ├── [3.1K]  twodim_base.pyi
│   │   │   │   │       ├── [2.7K]  type_check.pyi
│   │   │   │   │       ├── [1.3K]  ufunc_config.pyi
```

```
│   │               │   │       │       ├── [1.3K]  ufunclike.pyi
│   │               │   │       │       ├── [3.2K]  ufuncs.pyi
│   │               │   │       │       └── [ 549]  warnings_and_errors.pyi
│   │               │   │       ├── [ 865]  test_isfile.py
│   │               │   │       ├── [3.2K]  test_runtime.py
│   │               │   │       └── [8.1K]  test_typing.py
│   │               │   ├── [ 293]  version.py
│   │               │   └── [ 100]  version.pyi
│   │               ├── [ 288]  numpy-2.0.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 47K]  LICENSE.txt
│   │               │   ├── [ 60K]  METADATA
│   │               │   ├── [160K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  91]  WHEEL
│   │               │   └── [ 172]  entry_points.txt
│   │               ├── [ 288]  oauthlib
│   │               │   ├── [ 724]  __init__.py
│   │               │   ├── [ 13K]  common.py
│   │               │   ├── [ 128]  oauth1
│   │               │   │   ├── [ 822]  __init__.py
│   │               │   │   └── [ 288]  rfc5849
│   │               │   │       ├── [ 16K]  __init__.py
│   │               │   │       ├── [ 320]  endpoints
│   │               │   │       │   ├── [ 327]  __init__.py
│   │               │   │       │   ├── [9.1K]  access_token.py
│   │               │   │       │   ├── [6.6K]  authorization.py
│   │               │   │       │   ├── [ 11K]  base.py
│   │               │   │       │   ├── [ 543]  pre_configured.py
│   │               │   │       │   ├── [9.1K]  request_token.py
│   │               │   │       │   ├── [7.2K]  resource.py
│   │               │   │       │   └── [3.2K]  signature_only.py
│   │               │   │       ├── [2.4K]  errors.py
│   │               │   │       ├── [4.7K]  parameters.py
│   │               │   │       ├── [ 30K]  request_validator.py
│   │               │   │       ├── [ 31K]  signature.py
│   │               │   │       └── [2.6K]  utils.py
│   │               │   ├── [ 160]  oauth2
│   │               │   │   ├── [1.8K]  __init__.py
│   │               │   │   ├── [ 352]  rfc6749
│   │               │   │   │   ├── [ 404]  __init__.py
│   │               │   │   │   ├── [ 288]  clients
│   │               │   │   │   │   ├── [ 504]  __init__.py
│   │               │   │   │   │   ├── [3.1K]  backend_application.py
│   │               │   │   │   │   ├── [ 26K]  base.py
│   │               │   │   │   │   ├── [3.9K]  legacy_application.py
│   │               │   │   │   │   ├── [8.7K]  mobile_application.py
│   │               │   │   │   │   ├── [7.7K]  service_application.py
│   │               │   │   │   │   └── [ 12K]  web_application.py
│   │               │   │   │   ├── [ 352]  endpoints
│   │               │   │   │   │   ├── [ 553]  __init__.py
│   │               │   │   │   │   ├── [4.5K]  authorization.py
│   │               │   │   │   │   ├── [4.0K]  base.py
│   │               │   │   │   │   ├── [4.8K]  introspect.py
│   │               │   │   │   │   ├── [ 10K]  metadata.py
│   │               │   │   │   │   ├── [ 11K]  pre_configured.py
```

```
│   │               │   │   │   │   ├── [3.2K]  resource.py
│   │               │   │   │   │   ├── [5.1K]  revocation.py
│   │               │   │   │   │   └── [4.5K]  token.py
│   │               │   │   │   ├── [ 13K]  errors.py
│   │               │   │   │   ├── [ 288]  grant_types
│   │               │   │   │   │   ├── [ 368]  __init__.py
│   │               │   │   │   │   ├── [ 25K]  authorization_code.py
│   │               │   │   │   │   ├── [ 11K]  base.py
│   │               │   │   │   │   ├── [4.9K]  client_credentials.py
│   │               │   │   │   │   ├── [ 16K]  implicit.py
│   │               │   │   │   │   ├── [5.9K]  refresh_token.py
│   │               │   │   │   │   └── [8.3K]
resource_owner_password_credentials.py
│   │               │   │   │   ├── [ 21K]  parameters.py
│   │               │   │   │   ├── [ 28K]  request_validator.py
│   │               │   │   │   ├── [ 11K]  tokens.py
│   │               │   │   │   └── [2.2K]  utils.py
│   │               │   │   └── [ 256]  rfc8628
│   │               │   │       ├── [ 353]  __init__.py
│   │               │   │       ├── [ 128]  clients
│   │               │   │       │   ├── [ 201]  __init__.py
│   │               │   │       │   └── [4.0K]  device.py
│   │               │   │       ├── [ 160]  endpoints
│   │               │   │       │   ├── [ 297]  __init__.py
│   │               │   │       │   ├── [9.5K]  device_authorization.py
│   │               │   │       │   └── [1.4K]  pre_configured.py
│   │               │   │       ├── [1.6K]  errors.py
│   │               │   │       ├── [ 128]  grant_types
│   │               │   │       │   ├── [  76]  __init__.py
│   │               │   │       │   └── [4.2K]  device_code.py
│   │               │   │       └── [1.1K]  request_validator.py
│   │               │   ├── [ 128]  openid
│   │               │   │   ├── [ 162]  __init__.py
│   │               │   │   └── [ 128]  connect
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [ 256]  core
│   │               │   │           ├── [   0]  __init__.py
│   │               │   │           ├── [ 160]  endpoints
│   │               │   │           │   ├── [ 229]  __init__.py
│   │               │   │           │   ├── [5.3K]  pre_configured.py
│   │               │   │           │   └── [4.0K]  userinfo.py
│   │               │   │           ├── [4.7K]  exceptions.py
│   │               │   │           ├── [ 288]  grant_types
│   │               │   │           │   ├── [ 426]  __init__.py
│   │               │   │           │   ├── [1.4K]  authorization_code.py
│   │               │   │           │   ├── [ 15K]  base.py
│   │               │   │           │   ├── [3.9K]  dispatchers.py
│   │               │   │           │   ├── [2.7K]  hybrid.py
│   │               │   │           │   ├── [1.9K]  implicit.py
│   │               │   │           │   └── [1.0K]  refresh_token.py
│   │               │   │           ├── [ 13K]  request_validator.py
│   │               │   │           └── [1.5K]  tokens.py
│   │               │   ├── [1.5K]  signals.py
│   │               │   └── [6.0K]  uri_validate.py
│   │               ├── [ 256]  oauthlib-3.3.1.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [7.7K]  METADATA
│   │               │   ├── [ 21K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.5K]  LICENSE
│   │               │   └── [   9]  top_level.txt
│   │               ├── [ 384]  onnxruntime
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [2.4K]  Privacy.md
│   │               │   ├── [331K]  ThirdPartyNotices.txt
│   │               │   ├── [4.2K]  __init__.py
│   │               │   ├── [ 160]  backend
│   │               │   │   ├── [ 328]  __init__.py
│   │               │   │   ├── [7.8K]  backend.py
│   │               │   │   └── [1.7K]  backend_rep.py
│   │               │   ├── [ 288]  capi
│   │               │   │   ├── [ 247]  __init__.py
│   │               │   │   ├── [ 406]  _ld_preload.py
│   │               │   │   ├── [1.5K]  _pybind_state.py
│   │               │   │   ├── [3.9K]  onnxruntime_collect_build_info.py
│   │               │   │   ├── [ 41K]  onnxruntime_inference_collection.py
│   │               │   │   ├── [ 56M]  onnxruntime_pybind11_state.so
│   │               │   │   └── [6.1K]  onnxruntime_validation.py
│   │               │   ├── [ 192]  datasets
│   │               │   │   ├── [ 454]  __init__.py
│   │               │   │   ├── [ 670]  logreg_iris.onnx
│   │               │   │   ├── [ 130]  mul_1.onnx
│   │               │   │   └── [ 103]  sigmoid.onnx
│   │               │   ├── [ 672]  quantization
│   │               │   │   ├── [ 160]  CalTableFlatBuffers
│   │               │   │   │   ├── [2.1K]  KeyValue.py
│   │               │   │   │   ├── [2.5K]  TrtTable.py
│   │               │   │   │   └── [   0]  __init__.py
│   │               │   │   ├── [ 670]  __init__.py
│   │               │   │   ├── [ 25K]  base_quantizer.py
│   │               │   │   ├── [ 50K]  calibrate.py
│   │               │   │   ├── [  96]  execution_providers
│   │               │   │   │   └── [ 224]  qnn
│   │               │   │   │       ├── [ 118]  __init__.py
│   │               │   │   │       ├── [5.1K]  fusion_lpnorm.py
│   │               │   │   │       ├── [ 18K]
mixed_precision_overrides_utils.py
│   │               │   │   │       ├── [ 14K]  preprocess.py
│   │               │   │   │       └── [ 18K]  quant_config.py
│   │               │   │   ├── [ 192]  fusions
│   │               │   │   │   ├── [ 160]  __init__.py
│   │               │   │   │   ├── [ 12K]  fusion.py
│   │               │   │   │   ├── [ 10K]  fusion_gelu.py
│   │               │   │   │   └── [5.0K]  fusion_layernorm.py
│   │               │   │   ├── [ 34K]  matmul_4bits_quantizer.py
│   │               │   │   ├── [8.8K]  matmul_bnb4_quantizer.py
│   │               │   │   ├── [ 23K]  onnx_model.py
│   │               │   │   ├── [ 42K]  onnx_quantizer.py
│   │               │   │   ├── [ 832]  operators
│   │               │   │   │   ├── [  83]  __init__.py
│   │               │   │   │   ├── [4.3K]  activation.py
```

```
│   │               │   │   │   ├── [ 571]  argmax.py
│   │               │   │   │   ├── [2.5K]  attention.py
│   │               │   │   │   ├── [1.1K]  base_operator.py
│   │               │   │   │   ├── [2.4K]  binary_op.py
│   │               │   │   │   ├── [2.0K]  concat.py
│   │               │   │   │   ├── [9.7K]  conv.py
│   │               │   │   │   ├── [3.2K]  direct_q8.py
│   │               │   │   │   ├── [3.8K]  embed_layernorm.py
│   │               │   │   │   ├── [2.1K]  gather.py
│   │               │   │   │   ├── [2.3K]  gavgpool.py
│   │               │   │   │   ├── [5.9K]  gemm.py
│   │               │   │   │   ├── [4.9K]  lstm.py
│   │               │   │   │   ├── [7.9K]  matmul.py
│   │               │   │   │   ├── [ 927]  maxpool.py
│   │               │   │   │   ├── [1.6K]  norm.py
│   │               │   │   │   ├── [4.7K]  pad.py
│   │               │   │   │   ├── [2.2K]  pooling.py
│   │               │   │   │   ├── [ 801]  qdq_base_operator.py
│   │               │   │   │   ├── [ 928]  resize.py
│   │               │   │   │   ├── [2.6K]  softmax.py
│   │               │   │   │   ├── [2.1K]  split.py
│   │               │   │   │   └── [3.0K]  where.py
│   │               │   │   ├── [4.8K]  preprocess.py
│   │               │   │   ├── [ 15K]  qdq_loss_debug.py
│   │               │   │   ├── [ 53K]  qdq_quantizer.py
│   │               │   │   ├── [ 31K]  quant_utils.py
│   │               │   │   ├── [ 39K]  quantize.py
│   │               │   │   ├── [3.5K]  registry.py
│   │               │   │   ├── [8.3K]  shape_inference.py
│   │               │   │   └── [ 20K]  tensor_quant_overrides.py
│   │               │   ├── [ 672]  tools
│   │               │   │   ├── [ 518]  __init__.py
│   │               │   │   ├── [1.6K]  check_onnx_model_mobile_usability.py
│   │               │   │   ├── [ 16K]  convert_onnx_models_to_ort.py
│   │               │   │   ├── [1.5K]  file_utils.py
│   │               │   │   ├── [ 322]  logger.py
│   │               │   │   ├── [2.5K]  make_dynamic_shape_fixed.py
│   │               │   │   ├── [ 288]  mobile_helpers
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 12K]
check_model_can_use_ort_mobile_pkg.py
│   │               │   │   │   ├── [1.8K]
coreml_supported_mlprogram_ops.md
│   │               │   │   │   ├── [1.9K]
coreml_supported_neuralnetwork_ops.md
│   │               │   │   │   ├── [3.0K]
mobile_package.required_operators.config
│   │               │   │   │   ├── [2.3K]  nnapi_supported_ops.md
│   │               │   │   │   └── [ 31K]  usability_checker.py
│   │               │   │   ├── [6.1K]  offline_tuning.py
│   │               │   │   ├── [ 16K]  onnx_model_utils.py
│   │               │   │   ├── [3.2K]  onnx_randomizer.py
│   │               │   │   ├── [5.5K]  onnxruntime_test.py
│   │               │   │   ├── [1.9K]  optimize_onnx_model.py
│   │               │   │   ├── [ 256]  ort_format_model
│   │               │   │   │   ├── [1.3K]  __init__.py
```

```
│   │           │   │   │   ├── [ 26K]
operator_type_usage_processors.py
│   │           │   │   │   ├── [ 128]  ort_flatbuffers_py
│   │           │   │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   │   └── [1.5K]  fbs
│   │           │   │   │   │       ├── [ 140]  ArgType.py
│   │           │   │   │   │       ├── [2.0K]  ArgTypeAndIndex.py
│   │           │   │   │   │       ├── [ 11K]  Attribute.py
│   │           │   │   │   │       ├── [ 328]  AttributeType.py
│   │           │   │   │   │       ├── [4.1K]  Checkpoint.py
│   │           │   │   │   │       ├── [4.4K]
DeprecatedKernelCreateInfos.py
│   │           │   │   │   │       ├── [2.4K]
DeprecatedNodeIndexAndKernelDefHash.py
│   │           │   │   │   │       ├── [3.5K]
DeprecatedSessionState.py
│   │           │   │   │   │       ├── [2.5K]
DeprecatedSubGraphSessionState.py
│   │           │   │   │   │       ├── [2.1K]  Dimension.py
│   │           │   │   │   │       ├── [2.4K]  DimensionValue.py
│   │           │   │   │   │       ├── [ 166]  DimensionValueType.py
│   │           │   │   │   │       ├── [1.1K]  EdgeEnd.py
│   │           │   │   │   │       ├── [2.0K]  FloatProperty.py
│   │           │   │   │   │       ├── [ 10K]  Graph.py
│   │           │   │   │   │       ├── [3.0K]  InferenceSession.py
│   │           │   │   │   │       ├── [1.9K]  IntProperty.py
│   │           │   │   │   │       ├── [3.0K]
KernelTypeStrArgsEntry.py
│   │           │   │   │   │       ├── [2.7K]  KernelTypeStrResolver.py
│   │           │   │   │   │       ├── [2.1K]  MapType.py
│   │           │   │   │   │       ├── [7.3K]  Model.py
│   │           │   │   │   │       ├── [4.7K]  ModuleState.py
│   │           │   │   │   │       ├── [ 10K]  Node.py
│   │           │   │   │   │       ├── [4.0K]  NodeEdge.py
│   │           │   │   │   │       ├── [ 144]  NodeType.py
│   │           │   │   │   │       ├── [5.8K]
NodesToOptimizeIndices.py
│   │           │   │   │   │       ├── [3.2K]
OpIdKernelTypeStrArgsEntry.py
│   │           │   │   │   │       ├── [2.0K]  OperatorSetId.py
│   │           │   │   │   │       ├── [3.9K]  OptimizerGroup.py
│   │           │   │   │   │       ├── [3.1K]
ParameterOptimizerState.py
│   │           │   │   │   │       ├── [4.8K]  PropertyBag.py
│   │           │   │   │   │       ├── [3.9K]
RuntimeOptimizationRecord.py
│   │           │   │   │   │       ├── [3.7K]
RuntimeOptimizationRecordContainerEntry.py
│   │           │   │   │   │       ├── [2.7K]  RuntimeOptimizations.py
│   │           │   │   │   │       ├── [1.7K]  SequenceType.py
│   │           │   │   │   │       ├── [2.2K]  Shape.py
│   │           │   │   │   │       ├── [3.6K]  SparseTensor.py
│   │           │   │   │   │       ├── [2.0K]  StringProperty.py
│   │           │   │   │   │       ├── [2.0K]  StringStringEntry.py
│   │           │   │   │   │       ├── [6.4K]  Tensor.py
│   │           │   │   │   │       ├── [ 474]  TensorDataType.py
```

```
│   │               │   │   │   │       ├── [2.2K]  TensorTypeAndShape.py
│   │               │   │   │   │       ├── [2.5K]  TypeInfo.py
│   │               │   │   │   │       ├── [ 189]  TypeInfoValue.py
│   │               │   │   │   │       ├── [2.5K]  ValueInfo.py
│   │               │   │   │   │       └── [ 245]  __init__.py
│   │               │   │   │   ├── [4.3K]  ort_model_processor.py
│   │               │   │   │   ├── [4.3K]  types.py
│   │               │   │   │   └── [2.5K]  utils.py
│   │               │   │   ├── [3.9K]  pytorch_export_contrib_ops.py
│   │               │   │   ├── [5.7K]  pytorch_export_helpers.py
│   │               │   │   ├── [ 128]  qdq_helpers
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [1.2K]  optimize_qdq_model.py
│   │               │   │   ├── [9.7K]  reduced_build_config_parser.py
│   │               │   │   ├── [136K]  symbolic_shape_infer.py
│   │               │   │   └── [1.1K]  update_onnx_opset.py
│   │               │   └── [2.4K]  transformers
│   │               │       ├── [ 313]  __init__.py
│   │               │       ├── [1.4K]  affinity_helper.py
│   │               │       ├── [ 32K]  benchmark.py
│   │               │       ├── [ 22K]  benchmark_helper.py
│   │               │       ├── [ 20K]  bert_perf_test.py
│   │               │       ├── [ 22K]  bert_test_data.py
│   │               │       ├── [7.5K]  compare_bert_results.py
│   │               │       ├── [1.1K]  constants.py
│   │               │       ├── [122K]  convert_generation.py
│   │               │       ├── [6.3K]  convert_tf_models_to_pytorch.py
│   │               │       ├── [ 16K]  convert_to_packing_mode.py
│   │               │       ├── [3.6K]  dynamo_onnx_helper.py
│   │               │       ├── [ 24K]  float16.py
│   │               │       ├── [ 50K]  fusion_attention.py
│   │               │       ├── [ 10K]  fusion_attention_clip.py
│   │               │       ├── [ 54K]  fusion_attention_unet.py
│   │               │       ├── [ 12K]  fusion_attention_vae.py
│   │               │       ├── [ 28K]  fusion_bart_attention.py
│   │               │       ├── [5.6K]  fusion_base.py
│   │               │       ├── [2.0K]  fusion_bias_add.py
│   │               │       ├── [2.2K]  fusion_biasgelu.py
│   │               │       ├── [4.3K]  fusion_biassplitgelu.py
│   │               │       ├── [4.8K]  fusion_conformer_attention.py
│   │               │       ├── [ 35K]  fusion_embedlayer.py
│   │               │       ├── [ 13K]  fusion_fastgelu.py
│   │               │       ├── [9.7K]  fusion_gelu.py
│   │               │       ├── [1004]  fusion_gelu_approximation.py
│   │               │       ├── [4.0K]  fusion_gemmfastgelu.py
│   │               │       ├── [ 21K]  fusion_gpt_attention.py
│   │               │       ├── [ 13K]  fusion_gpt_attention_megatron.py
│   │               │       ├── [ 10K]  fusion_gpt_attention_no_past.py
│   │               │       ├── [7.3K]  fusion_group_norm.py
│   │               │       ├── [ 12K]  fusion_layernorm.py
│   │               │       ├── [3.8K]  fusion_nhwc_conv.py
│   │               │       ├── [ 12K]  fusion_options.py
│   │               │       ├── [ 16K]  fusion_qordered_attention.py
│   │               │       ├── [4.2K]  fusion_qordered_gelu.py
│   │               │       ├── [4.7K]  fusion_qordered_layernorm.py
│   │               │       ├── [8.2K]  fusion_qordered_matmul.py
```

```
│   │   │   │   │   │   ├── [2.7K]  fusion_quickgelu.py
│   │   │   │   │   │   ├── [6.1K]  fusion_reshape.py
│   │   │   │   │   │   ├── [ 65K]  fusion_rotary_attention.py
│   │   │   │   │   │   ├── [3.6K]  fusion_shape.py
│   │   │   │   │   │   ├── [7.1K]  fusion_simplified_layernorm.py
│   │   │   │   │   │   ├── [ 10K]  fusion_skip_group_norm.py
│   │   │   │   │   │   ├── [8.2K]  fusion_skiplayernorm.py
│   │   │   │   │   │   ├── [6.7K]  fusion_transpose.py
│   │   │   │   │   │   ├── [ 12K]  fusion_utils.py
│   │   │   │   │   │   ├── [8.8K]  huggingface_models.py
│   │   │   │   │   │   ├── [ 631]  import_utils.py
│   │   │   │   │   │   ├── [ 17K]  io_binding_helper.py
│   │   │   │   │   │   ├── [ 15K]  large_model_exporter.py
│   │   │   │   │   │   ├── [6.9K]  machine_info.py
│   │   │   │   │   │   ├── [5.0K]  metrics.py
│   │   │   │   │   │   ├── [ 352]  models
│   │   │   │   │   │   │   ├── [ 128]  bart
│   │   │   │   │   │   │   │   ├── [ 483]  __init__.py
│   │   │   │   │   │   │   │   └── [4.1K]  export.py
│   │   │   │   │   │   │   ├── [ 128]  bert
│   │   │   │   │   │   │   │   ├── [ 483]  __init__.py
│   │   │   │   │   │   │   │   └── [ 12K]  eval_squad.py
│   │   │   │   │   │   │   ├── [ 288]  gpt2
│   │   │   │   │   │   │   │   ├── [ 483]  __init__.py
│   │   │   │   │   │   │   │   ├── [ 15K]  benchmark_gpt2.py
│   │   │   │   │   │   │   │   ├── [ 20K]  convert_to_onnx.py
│   │   │   │   │   │   │   │   ├── [ 39K]  gpt2_helper.py
│   │   │   │   │   │   │   │   ├── [ 17K]  gpt2_parity.py
│   │   │   │   │   │   │   │   ├── [ 19K]  gpt2_tester.py
│   │   │   │   │   │   │   │   └── [5.5K]  parity_check_helper.py
│   │   │   │   │   │   │   ├── [ 384]  llama
│   │   │   │   │   │   │   │   ├── [ 478]  __init__.py
│   │   │   │   │   │   │   │   ├── [ 26K]  benchmark.py
│   │   │   │   │   │   │   │   ├── [ 15K]  benchmark_all.py
│   │   │   │   │   │   │   │   ├── [ 24K]  benchmark_e2e.py
│   │   │   │   │   │   │   │   ├── [ 41K]  convert_to_onnx.py
│   │   │   │   │   │   │   │   ├── [1.5K]  dist_settings.py
│   │   │   │   │   │   │   │   ├── [ 20K]  llama_inputs.py
│   │   │   │   │   │   │   │   ├── [9.7K]  llama_parity.py
│   │   │   │   │   │   │   │   ├── [1.6K]  llama_torch.py
│   │   │   │   │   │   │   │   └── [4.7K]  quant_kv_dataloader.py
│   │   │   │   │   │   │   ├── [ 224]  longformer
│   │   │   │   │   │   │   │   ├── [ 483]  __init__.py
│   │   │   │   │   │   │   │   ├── [ 29K]  benchmark_longformer.py
│   │   │   │   │   │   │   │   ├── [ 14K]  convert_to_onnx.py
│   │   │   │   │   │   │   │   ├── [9.4K]  generate_test_data.py
│   │   │   │   │   │   │   │   └── [3.0K]  longformer_helper.py
│   │   │   │   │   │   │   ├── [ 160]  phi2
│   │   │   │   │   │   │   │   ├── [ 478]  __init__.py
│   │   │   │   │   │   │   │   ├── [ 19K]  convert_to_onnx.py
│   │   │   │   │   │   │   │   └── [ 17K]  inference_example.py
│   │   │   │   │   │   │   ├── [ 608]  stable_diffusion
│   │   │   │   │   │   │   │   ├── [ 483]  __init__.py
│   │   │   │   │   │   │   │   ├── [ 46K]  benchmark.py
│   │   │   │   │   │   │   │   ├── [ 13K]  benchmark_controlnet.py
│   │   │   │   │   │   │   │   ├── [3.2K]  demo_txt2img.py
```

```
│   │               │       │   │   ├── [9.7K]  demo_txt2img_xl.py
│   │               │       │   │   ├── [ 28K]  demo_utils.py
│   │               │       │   │   ├── [ 49K]  diffusion_models.py
│   │               │       │   │   ├── [ 47K]  diffusion_schedulers.py
│   │               │       │   │   ├── [ 11K]  engine_builder.py
│   │               │       │   │   ├── [ 16K]  engine_builder_ort_cuda.py
│   │               │       │   │   ├── [ 11K]  engine_builder_ort_trt.py
│   │               │       │   │   ├── [ 15K]  engine_builder_tensorrt.py
│   │               │       │   │   ├── [4.1K]  engine_builder_torch.py
│   │               │       │   │   ├── [ 12K]  optimize_pipeline.py
│   │               │       │   │   ├── [5.6K]  ort_optimizer.py
│   │               │       │   │   ├── [ 32K]  pipeline_stable_diffusion.py
│   │               │       │   │   └── [ 420]  trt_utilities.py
│   │               │       │   ├── [ 288]  t5
│   │               │       │   │   ├── [ 483]  __init__.py
│   │               │       │   │   ├── [8.5K]  convert_to_onnx.py
│   │               │       │   │   ├── [6.7K]  past_helper.py
│   │               │       │   │   ├── [ 16K]  t5_decoder.py
│   │               │       │   │   ├── [6.0K]  t5_encoder.py
│   │               │       │   │   ├── [ 12K]  t5_encoder_decoder_init.py
│   │               │       │   │   └── [ 11K]  t5_helper.py
│   │               │       │   └── [ 384]  whisper
│   │               │       │       ├── [ 478]  __init__.py
│   │               │       │       ├── [ 22K]  benchmark.py
│   │               │       │       ├── [ 18K]  benchmark_all.py
│   │               │       │       ├── [ 17K]  convert_to_onnx.py
│   │               │       │       ├── [ 14K]  whisper_chain.py
│   │               │       │       ├── [ 15K]  whisper_decoder.py
│   │               │       │       ├── [5.4K]  whisper_encoder.py
│   │               │       │       ├── [ 12K]
whisper_encoder_decoder_init.py
│   │               │       │       ├── [ 22K]  whisper_helper.py
│   │               │       │       └── [3.1K]  whisper_openai_helper.py
│   │               │       ├── [ 24K]  onnx_exporter.py
│   │               │       ├── [ 62K]  onnx_model.py
│   │               │       ├── [5.3K]  onnx_model_bart.py
│   │               │       ├── [ 19K]  onnx_model_bert.py
│   │               │       ├── [ 18K]  onnx_model_bert_keras.py
│   │               │       ├── [ 24K]  onnx_model_bert_tf.py
│   │               │       ├── [1.3K]  onnx_model_clip.py
│   │               │       ├── [1.4K]  onnx_model_conformer.py
│   │               │       ├── [3.7K]  onnx_model_gpt2.py
│   │               │       ├── [ 35K]  onnx_model_phi.py
│   │               │       ├── [ 27K]  onnx_model_t5.py
│   │               │       ├── [8.0K]  onnx_model_tnlr.py
│   │               │       ├── [9.0K]  onnx_model_unet.py
│   │               │       ├── [1.5K]  onnx_model_vae.py
│   │               │       ├── [2.1K]  onnx_utils.py
│   │               │       ├── [ 24K]  optimizer.py
│   │               │       ├── [ 24K]  profiler.py
│   │               │       ├── [2.7K]  quantize_helper.py
│   │               │       ├── [4.4K]  shape_infer_helper.py
│   │               │       ├── [ 15K]  shape_optimizer.py
│   │               │       └── [2.4K]  torch_onnx_export_helper.py
│   │               ├── [ 256]  onnxruntime-1.19.2.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [4.4K]  METADATA
│   │               │   ├── [ 80K]  RECORD
│   │               │   ├── [ 113]  WHEEL
│   │               │   ├── [  77]  entry_points.txt
│   │               │   └── [  12]  top_level.txt
│   │               ├── [ 928]  openai
│   │               │   ├── [ 11K]  __init__.py
│   │               │   ├── [  30]  __main__.py
│   │               │   ├── [ 67K]  _base_client.py
│   │               │   ├── [ 39K]  _client.py
│   │               │   ├── [6.8K]  _compat.py
│   │               │   ├── [ 467]  _constants.py
│   │               │   ├── [4.9K]  _exceptions.py
│   │               │   ├── [ 224]  _extras
│   │               │   │   ├── [ 165]  __init__.py
│   │               │   │   ├── [ 364]  _common.py
│   │               │   │   ├── [ 805]  numpy_proxy.py
│   │               │   │   ├── [ 637]  pandas_proxy.py
│   │               │   │   └── [ 725]  sounddevice_proxy.py
│   │               │   ├── [3.5K]  _files.py
│   │               │   ├── [ 16K]  _legacy_response.py
│   │               │   ├── [ 31K]  _models.py
│   │               │   ├── [4.2K]  _module_client.py
│   │               │   ├── [4.7K]  _qs.py
│   │               │   ├── [1.1K]  _resource.py
│   │               │   ├── [ 29K]  _response.py
│   │               │   ├── [ 13K]  _streaming.py
│   │               │   ├── [6.1K]  _types.py
│   │               │   ├── [ 384]  _utils
│   │               │   │   ├── [2.2K]  __init__.py
│   │               │   │   ├── [1.3K]  _logs.py
│   │               │   │   ├── [1.9K]  _proxy.py
│   │               │   │   ├── [1.4K]  _reflection.py
│   │               │   │   ├── [ 589]  _resources_proxy.py
│   │               │   │   ├── [ 289]  _streams.py
│   │               │   │   ├── [2.8K]  _sync.py
│   │               │   │   ├── [ 15K]  _transform.py
│   │               │   │   ├── [4.5K]  _typing.py
│   │               │   │   └── [ 12K]  _utils.py
│   │               │   ├── [ 159]  _version.py
│   │               │   ├── [ 320]  cli
│   │               │   │   ├── [  31]  __init__.py
│   │               │   │   ├── [ 352]  _api
│   │               │   │   │   ├── [  58]  __init__.py
│   │               │   │   │   ├── [ 501]  _main.py
│   │               │   │   │   ├── [3.7K]  audio.py
│   │               │   │   │   ├── [ 128]  chat
│   │               │   │   │   │   ├── [ 300]  __init__.py
│   │               │   │   │   │   └── [5.4K]  completions.py
│   │               │   │   │   ├── [6.3K]  completions.py
│   │               │   │   │   ├── [2.3K]  files.py
│   │               │   │   │   ├── [ 128]  fine_tuning
│   │               │   │   │   │   ├── [ 286]  __init__.py
│   │               │   │   │   │   └── [5.2K]  jobs.py
│   │               │   │   │   ├── [4.9K]  image.py
│   │               │   │   │   └── [1.3K]  models.py
```

```
│   │               │   │   ├── [6.6K]  _cli.py
│   │               │   │   ├── [ 471]  _errors.py
│   │               │   │   ├── [ 491]  _models.py
│   │               │   │   ├── [1.4K]  _progress.py
│   │               │   │   ├── [ 192]  _tools
│   │               │   │   │   ├── [  58]  __init__.py
│   │               │   │   │   ├── [ 467]  _main.py
│   │               │   │   │   ├── [1.5K]  fine_tunes.py
│   │               │   │   │   └── [4.4K]  migrate.py
│   │               │   │   └── [ 848]  _utils.py
│   │               │   ├── [ 160]  helpers
│   │               │   │   ├── [ 130]  __init__.py
│   │               │   │   ├── [5.7K]  local_audio_player.py
│   │               │   │   └── [3.3K]  microphone.py
│   │               │   ├── [ 352]  lib
│   │               │   │   ├── [ 224]  .keep
│   │               │   │   ├── [ 126]  __init__.py
│   │               │   │   ├── [1.9K]  _old_api.py
│   │               │   │   ├── [ 160]  _parsing
│   │               │   │   │   ├── [ 539]  __init__.py
│   │               │   │   │   ├── [8.9K]  _completions.py
│   │               │   │   │   └── [5.8K]  _responses.py
│   │               │   │   ├── [5.5K]  _pydantic.py
│   │               │   │   ├── [1.9K]  _tools.py
│   │               │   │   ├── [ 34K]  _validators.py
│   │               │   │   ├── [ 26K]  azure.py
│   │               │   │   └── [ 224]  streaming
│   │               │   │       ├── [ 379]  __init__.py
│   │               │   │       ├── [ 40K]  _assistants.py
│   │               │   │       ├── [2.4K]  _deltas.py
│   │               │   │       ├── [ 192]  chat
│   │               │   │       │   ├── [1.3K]  __init__.py
│   │               │   │       │   ├── [ 30K]  _completions.py
│   │               │   │       │   ├── [2.6K]  _events.py
│   │               │   │       │   └── [ 739]  _types.py
│   │               │   │       └── [ 192]  responses
│   │               │   │           ├── [ 543]  __init__.py
│   │               │   │           ├── [5.2K]  _events.py
│   │               │   │           ├── [ 13K]  _responses.py
│   │               │   │           └── [ 276]  _types.py
│   │               │   ├── [3.2K]  pagination.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 640]  resources
│   │               │   │   ├── [5.6K]  __init__.py
│   │               │   │   ├── [ 224]  audio
│   │               │   │   │   ├── [1.6K]  __init__.py
│   │               │   │   │   ├── [5.4K]  audio.py
│   │               │   │   │   ├── [9.9K]  speech.py
│   │               │   │   │   ├── [ 39K]  transcriptions.py
│   │               │   │   │   └── [ 15K]  translations.py
│   │               │   │   ├── [ 20K]  batches.py
│   │               │   │   ├── [ 224]  beta
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [ 45K]  assistants.py
│   │               │   │   │   ├── [5.4K]  beta.py
│   │               │   │   │   ├── [ 192]  realtime
```

```
│   │   │   │
```

```
│   │               │   │   │   ├── [8.9K]  input_items.py
│   │               │   │   │   └── [140K]  responses.py
│   │               │   │   ├── [ 160]  uploads
│   │               │   │   │   ├── [ 810]  __init__.py
│   │               │   │   │   ├── [7.9K]  parts.py
│   │               │   │   │   └── [ 24K]  uploads.py
│   │               │   │   ├── [ 192]  vector_stores
│   │               │   │   │   ├── [1.3K]  __init__.py
│   │               │   │   │   ├── [ 32K]  file_batches.py
│   │               │   │   │   ├── [ 39K]  files.py
│   │               │   │   │   └── [ 34K]  vector_stores.py
│   │               │   │   └── [7.6K]  webhooks.py
│   │               │   ├── [2.9K]  types
│   │               │   │   ├── [6.5K]  __init__.py
│   │               │   │   ├── [ 608]  audio
│   │               │   │   │   ├── [1.4K]  __init__.py
│   │               │   │   │   ├── [1.7K]  speech_create_params.py
│   │               │   │   │   ├── [ 237]  speech_model.py
│   │               │   │   │   ├── [2.1K]  transcription.py
│   │               │   │   │   ├── [5.5K]  transcription_create_params.py
│   │               │   │   │   ├── [ 378]  transcription_create_response.py
│   │               │   │   │   ├── [ 227]  transcription_include.py
│   │               │   │   │   ├── [1.1K]  transcription_segment.py
│   │               │   │   │   ├── [ 536]  transcription_stream_event.py
│   │               │   │   │   ├── [1.0K]
transcription_text_delta_event.py
│   │               │   │   │   ├── [1.9K]  transcription_text_done_event.py
│   │               │   │   │   ├── [1.1K]  transcription_verbose.py
│   │               │   │   │   ├── [ 367]  transcription_word.py
│   │               │   │   │   ├── [ 193]  translation.py
│   │               │   │   │   ├── [1.5K]  translation_create_params.py
│   │               │   │   │   ├── [ 362]  translation_create_response.py
│   │               │   │   │   └── [ 615]  translation_verbose.py
│   │               │   │   ├── [ 255]  audio_model.py
│   │               │   │   ├── [ 259]  audio_response_format.py
│   │               │   │   ├── [ 351]  auto_file_chunking_strategy_param.py
│   │               │   │   ├── [2.8K]  batch.py
│   │               │   │   ├── [1.8K]  batch_create_params.py
│   │               │   │   ├── [ 622]  batch_error.py
│   │               │   │   ├── [ 705]  batch_list_params.py
│   │               │   │   ├── [ 408]  batch_request_counts.py
│   │               │   │   ├── [1.0K]  beta
│   │               │   │   │   ├── [2.3K]  __init__.py
│   │               │   │   │   ├── [4.9K]  assistant.py
│   │               │   │   │   ├── [7.7K]  assistant_create_params.py
│   │               │   │   │   ├── [ 301]  assistant_deleted.py
│   │               │   │   │   ├── [1.2K]  assistant_list_params.py
│   │               │   │   │   ├── [ 561]
assistant_response_format_option.py
│   │               │   │   │   ├── [ 628]
assistant_response_format_option_param.py
│   │               │   │   │   ├── [6.8K]  assistant_stream_event.py
│   │               │   │   │   ├── [ 506]  assistant_tool.py
│   │               │   │   │   ├── [ 544]  assistant_tool_choice.py
│   │               │   │   │   ├── [ 269]
assistant_tool_choice_function.py
```

```
│   │           │   │   │   ├── [ 355]
assistant_tool_choice_function_param.py
│   │           │   │   │   ├── [ 362]  assistant_tool_choice_option.py
│   │           │   │   │   ├── [ 424]
assistant_tool_choice_option_param.py
│   │           │   │   │   ├── [ 572]  assistant_tool_choice_param.py
│   │           │   │   │   ├── [ 501]  assistant_tool_param.py
│   │           │   │   │   ├── [6.3K]  assistant_update_params.py
│   │           │   │   │   ├── [  96]  chat
│   │           │   │   │   │   └── [ 122]  __init__.py
│   │           │   │   │   ├── [ 333]  code_interpreter_tool.py
│   │           │   │   │   ├── [ 389]  code_interpreter_tool_param.py
│   │           │   │   │   ├── [1.7K]  file_search_tool.py
│   │           │   │   │   ├── [1.7K]  file_search_tool_param.py
│   │           │   │   │   ├── [ 397]  function_tool.py
│   │           │   │   │   ├── [ 471]  function_tool_param.py
│   │           │   │   │   ├── [2.3K]  realtime
│   │           │   │   │   │   ├── [7.2K]  __init__.py
│   │           │   │   │   │   ├── [ 752]
conversation_created_event.py
│   │           │   │   │   │   ├── [2.3K]  conversation_item.py
│   │           │   │   │   │   ├── [1.0K]  conversation_item_content.py
│   │           │   │   │   │   ├── [ 972]
conversation_item_content_param.py
│   │           │   │   │   │   ├── [1.1K]
conversation_item_create_event.py
│   │           │   │   │   │   ├── [1.1K]
conversation_item_create_event_param.py
│   │           │   │   │   │   ├── [ 817]
conversation_item_created_event.py
│   │           │   │   │   │   ├── [ 549]
conversation_item_delete_event.py
│   │           │   │   │   │   ├── [ 569]
conversation_item_delete_event_param.py
│   │           │   │   │   │   ├── [ 492]
conversation_item_deleted_event.py
│   │           │   │   │   │   ├── [2.5K]
conversation_item_input_audio_transcription_completed_event.py
│   │           │   │   │   │   ├── [1.1K]
conversation_item_input_audio_transcription_delta_event.py
│   │           │   │   │   │   ├── [1.1K]
conversation_item_input_audio_transcription_failed_event.py
│   │           │   │   │   │   ├── [2.2K]  conversation_item_param.py
│   │           │   │   │   │   ├── [ 559]
conversation_item_retrieve_event.py
│   │           │   │   │   │   ├── [ 579]
conversation_item_retrieve_event_param.py
│   │           │   │   │   │   ├── [ 943]
conversation_item_truncate_event.py
│   │           │   │   │   │   ├── [ 983]
conversation_item_truncate_event_param.py
│   │           │   │   │   │   ├── [ 704]
conversation_item_truncated_event.py
│   │           │   │   │   │   ├── [3.2K]
conversation_item_with_reference.py
```

```
|   |           |   |   |   |   ├── [3.0K]
conversation_item_with_reference_param.py
|   |           |   |   |   |   ├── [ 877]  error_event.py
|   |           |   |   |   |   ├── [ 662]
input_audio_buffer_append_event.py
|   |           |   |   |   |   ├── [ 682]
input_audio_buffer_append_event_param.py
|   |           |   |   |   |   ├── [ 489]
input_audio_buffer_clear_event.py
|   |           |   |   |   |   ├── [ 499]
input_audio_buffer_clear_event_param.py
|   |           |   |   |   |   ├── [ 429]
input_audio_buffer_cleared_event.py
|   |           |   |   |   |   ├── [ 493]
input_audio_buffer_commit_event.py
|   |           |   |   |   |   ├── [ 503]
input_audio_buffer_commit_event_param.py
|   |           |   |   |   |   ├── [ 733]
input_audio_buffer_committed_event.py
|   |           |   |   |   |   ├── [ 861]
input_audio_buffer_speech_started_event.py
|   |           |   |   |   |   ├── [ 779]
input_audio_buffer_speech_stopped_event.py
|   |           |   |   |   |   ├── [ 949]  rate_limits_updated_event.py
|   |           |   |   |   |   ├── [1.8K]  realtime_client_event.py
|   |           |   |   |   |   ├── [1.8K]
realtime_client_event_param.py
|   |           |   |   |   |   ├── [ 290]  realtime_connect_params.py
|   |           |   |   |   |   ├── [3.5K]  realtime_response.py
|   |           |   |   |   |   ├── [1.3K]  realtime_response_status.py
|   |           |   |   |   |   ├── [1.5K]  realtime_response_usage.py
|   |           |   |   |   |   ├── [5.3K]  realtime_server_event.py
|   |           |   |   |   |   ├── [ 742]
response_audio_delta_event.py
|   |           |   |   |   |   ├── [ 679]  response_audio_done_event.py
|   |           |   |   |   |   ├── [ 773]
response_audio_transcript_delta_event.py
|   |           |   |   |   |   ├── [ 787]
response_audio_transcript_done_event.py
|   |           |   |   |   |   ├── [ 637]  response_cancel_event.py
|   |           |   |   |   |   ├── [ 630]
response_cancel_event_param.py
|   |           |   |   |   |   ├── [1.2K]
response_content_part_added_event.py
|   |           |   |   |   |   ├── [1.2K]
response_content_part_done_event.py
|   |           |   |   |   |   ├── [4.7K]  response_create_event.py
|   |           |   |   |   |   ├── [4.5K]
response_create_event_param.py
|   |           |   |   |   |   ├── [ 506]  response_created_event.py
|   |           |   |   |   |   ├── [ 494]  response_done_event.py
|   |           |   |   |   |   ├── [ 793]
response_function_call_arguments_delta_event.py
|   |           |   |   |   |   ├── [ 793]
response_function_call_arguments_done_event.py
```

```
│   │           │   │   │   │   ├── [ 713]
response_output_item_added_event.py
│   │           │   │   │   │   ├── [ 709]
response_output_item_done_event.py
│   │           │   │   │   │   ├── [ 721]  response_text_delta_event.py
│   │           │   │   │   │   ├── [ 724]  response_text_done_event.py
│   │           │   │   │   │   ├── [9.9K]  session.py
│   │           │   │   │   │   ├── [ 10K]  session_create_params.py
│   │           │   │   │   │   ├── [6.4K]  session_create_response.py
│   │           │   │   │   │   ├── [ 489]  session_created_event.py
│   │           │   │   │   │   ├── [ 11K]  session_update_event.py
│   │           │   │   │   │   ├── [ 10K]
session_update_event_param.py
│   │           │   │   │   │   ├── [ 489]  session_updated_event.py
│   │           │   │   │   │   ├── [3.1K]  transcription_session.py
│   │           │   │   │   │   ├── [5.8K]
transcription_session_create_params.py
│   │           │   │   │   │   ├── [6.5K]
transcription_session_update.py
│   │           │   │   │   │   ├── [6.3K]
transcription_session_update_param.py
│   │           │   │   │   │   └── [ 833]
transcription_session_updated_event.py
│   │           │   │   │   ├── [2.1K]  thread.py
│   │           │   │   │   ├── [ 14K]  thread_create_and_run_params.py
│   │           │   │   │   ├── [6.3K]  thread_create_params.py
│   │           │   │   │   ├── [ 292]  thread_deleted.py
│   │           │   │   │   ├── [1.8K]  thread_update_params.py
│   │           │   │   │   └── [1.4K]  threads
│   │           │   │   │       ├── [3.0K]  __init__.py
│   │           │   │   │       ├── [ 462]  annotation.py
│   │           │   │   │       ├── [ 510]  annotation_delta.py
│   │           │   │   │       ├── [ 595]  file_citation_annotation.py
│   │           │   │   │       ├── [ 873]
file_citation_delta_annotation.py
│   │           │   │   │       ├── [ 552]  file_path_annotation.py
│   │           │   │   │       ├── [ 755]
file_path_delta_annotation.py
│   │           │   │   │       ├── [ 707]  image_file.py
│   │           │   │   │       ├── [ 363]  image_file_content_block.py
│   │           │   │   │       ├── [ 445]
image_file_content_block_param.py
│   │           │   │   │       ├── [ 734]  image_file_delta.py
│   │           │   │   │       ├── [ 492]  image_file_delta_block.py
│   │           │   │   │       ├── [ 717]  image_file_param.py
│   │           │   │   │       ├── [ 592]  image_url.py
│   │           │   │   │       ├── [ 365]  image_url_content_block.py
│   │           │   │   │       ├── [ 447]
image_url_content_block_param.py
│   │           │   │   │       ├── [ 582]  image_url_delta.py
│   │           │   │   │       ├── [ 484]  image_url_delta_block.py
│   │           │   │   │       ├── [ 602]  image_url_param.py
│   │           │   │   │       ├── [3.3K]  message.py
│   │           │   │   │       ├── [ 630]  message_content.py
│   │           │   │   │       ├── [ 615]  message_content_delta.py
```

```
│   │           │   │   │       ├── [ 550]
message_content_part_param.py
│   │           │   │   │       ├── [2.0K]  message_create_params.py
│   │           │   │   │       ├── [ 303]  message_deleted.py
│   │           │   │   │       ├── [ 570]  message_delta.py
│   │           │   │   │       ├── [ 579]  message_delta_event.py
│   │           │   │   │       ├── [1.3K]  message_list_params.py
│   │           │   │   │       ├── [ 757]  message_update_params.py
│   │           │   │   │       ├── [ 310]  refusal_content_block.py
│   │           │   │   │       ├── [ 423]  refusal_delta_block.py
│   │           │   │   │       ├── [ 888]
required_action_function_tool_call.py
│   │           │   │   │       ├── [8.1K]  run.py
│   │           │   │   │       ├── [ 10K]  run_create_params.py
│   │           │   │   │       ├── [1.2K]  run_list_params.py
│   │           │   │   │       ├── [ 351]  run_status.py
│   │           │   │   │       ├── [1.6K]
run_submit_tool_outputs_params.py
│   │           │   │   │       ├── [ 749]  run_update_params.py
│   │           │   │   │       ├── [ 736]  runs
│   │           │   │   │       │   ├── [1.6K]  __init__.py
│   │           │   │   │       │   ├── [ 482]  code_interpreter_logs.py
│   │           │   │   │       │   ├── [ 613]
code_interpreter_output_image.py
│   │           │   │   │       │   ├── [1.8K]
code_interpreter_tool_call.py
│   │           │   │   │       │   ├── [1.4K]
code_interpreter_tool_call_delta.py
│   │           │   │   │       │   ├── [1.9K]  file_search_tool_call.py
│   │           │   │   │       │   ├── [ 655]
file_search_tool_call_delta.py
│   │           │   │   │       │   ├── [ 920]  function_tool_call.py
│   │           │   │   │       │   ├── [1.1K]
function_tool_call_delta.py
│   │           │   │   │       │   ├── [ 506]
message_creation_step_details.py
│   │           │   │   │       │   ├── [3.5K]  run_step.py
│   │           │   │   │       │   ├── [ 663]  run_step_delta.py
│   │           │   │   │       │   ├── [ 585]  run_step_delta_event.py
│   │           │   │   │       │   ├── [ 564]
run_step_delta_message_delta.py
│   │           │   │   │       │   ├── [ 264]  run_step_include.py
│   │           │   │   │       │   ├── [1.7K]  step_list_params.py
│   │           │   │   │       │   ├── [ 815]  step_retrieve_params.py
│   │           │   │   │       │   ├── [ 537]  tool_call.py
│   │           │   │   │       │   ├── [ 600]  tool_call_delta.py
│   │           │   │   │       │   ├── [ 615]
tool_call_delta_object.py
│   │           │   │   │       │   └── [ 574]
tool_calls_step_details.py
│   │           │   │   │       ├── [ 319]  text.py
│   │           │   │   │       ├── [ 319]  text_content_block.py
│   │           │   │   │       ├── [ 407]  text_content_block_param.py
│   │           │   │   │       ├── [ 389]  text_delta.py
│   │           │   │   │       └── [ 448]  text_delta_block.py
│   │           │   │   ├── [1.3K]  chat
```

```
|   |           |   |   |   ├── [4.4K]  __init__.py
|   |           |   |   |   ├── [3.5K]  chat_completion.py
|   |           |   |   |   ├── [2.4K]
chat_completion_assistant_message_param.py
|   |           |   |   |   ├── [ 655]  chat_completion_audio.py
|   |           |   |   |   ├── [ 779]  chat_completion_audio_param.py
|   |           |   |   |   ├── [5.9K]  chat_completion_chunk.py
|   |           |   |   |   ├── [ 753]
chat_completion_content_part_image.py
|   |           |   |   |   ├── [ 797]
chat_completion_content_part_image_param.py
|   |           |   |   |   ├── [ 704]
chat_completion_content_part_input_audio_param.py
|   |           |   |   |   ├── [1.2K]
chat_completion_content_part_param.py
|   |           |   |   |   ├── [ 467]
chat_completion_content_part_refusal_param.py
|   |           |   |   |   ├── [ 363]
chat_completion_content_part_text.py
|   |           |   |   |   ├── [ 429]
chat_completion_content_part_text_param.py
|   |           |   |   |   ├── [ 470]  chat_completion_deleted.py
|   |           |   |   |   ├── [ 830]
chat_completion_developer_message_param.py
|   |           |   |   |   ├── [ 365]
chat_completion_function_call_option_param.py
|   |           |   |   |   ├── [ 591]
chat_completion_function_message_param.py
|   |           |   |   |   ├── [2.5K]  chat_completion_message.py
|   |           |   |   |   ├── [1019]  chat_completion_message_param.py
|   |           |   |   |   ├── [ 900]
chat_completion_message_tool_call.py
|   |           |   |   |   ├── [1009]
chat_completion_message_tool_call_param.py
|   |           |   |   |   ├── [ 236]  chat_completion_modality.py
|   |           |   |   |   ├── [ 569]
chat_completion_named_tool_choice_param.py
|   |           |   |   |   ├── [ 868]
chat_completion_prediction_content_param.py
|   |           |   |   |   ├── [ 235]
chat_completion_reasoning_effort.py
|   |           |   |   |   ├── [ 275]  chat_completion_role.py
|   |           |   |   |   ├── [ 916]  chat_completion_store_message.py
|   |           |   |   |   ├── [ 773]
chat_completion_stream_options_param.py
|   |           |   |   |   ├── [ 815]
chat_completion_system_message_param.py
|   |           |   |   |   ├── [1.7K]  chat_completion_token_logprob.py
|   |           |   |   |   ├── [ 429]  chat_completion_tool.py
|   |           |   |   |   ├── [ 472]
chat_completion_tool_choice_option_param.py
|   |           |   |   |   ├── [ 730]
chat_completion_tool_message_param.py
|   |           |   |   |   ├── [ 503]  chat_completion_tool_param.py
|   |           |   |   |   ├── [ 792]
chat_completion_user_message_param.py
```

```
│   │               │   │   │   ├── [ 17K]  completion_create_params.py
│   │               │   │   │   ├── [ 931]  completion_list_params.py
│   │               │   │   │   ├── [ 742]  completion_update_params.py
│   │               │   │   │   ├── [ 128]  completions
│   │               │   │   │   │   ├── [ 195]  __init__.py
│   │               │   │   │   │   └── [ 583]  message_list_params.py
│   │               │   │   │   ├── [1.4K]  parsed_chat_completion.py
│   │               │   │   │   └── [ 920]  parsed_function_tool_call.py
│   │               │   │   ├── [ 177]  chat_model.py
│   │               │   │   ├── [1.1K]  completion.py
│   │               │   │   ├── [ 965]  completion_choice.py
│   │               │   │   ├── [7.4K]  completion_create_params.py
│   │               │   │   ├── [1.7K]  completion_usage.py
│   │               │   │   ├── [ 791]  container_create_params.py
│   │               │   │   ├── [1.1K]  container_create_response.py
│   │               │   │   ├── [ 893]  container_list_params.py
│   │               │   │   ├── [1.1K]  container_list_response.py
│   │               │   │   ├── [1.1K]  container_retrieve_response.py
│   │               │   │   ├── [ 288]  containers
│   │               │   │   │   ├── [ 480]  __init__.py
│   │               │   │   │   ├── [ 412]  file_create_params.py
│   │               │   │   │   ├── [ 722]  file_create_response.py
│   │               │   │   │   ├── [ 883]  file_list_params.py
│   │               │   │   │   ├── [ 718]  file_list_response.py
│   │               │   │   │   ├── [ 726]  file_retrieve_response.py
│   │               │   │   │   └── [  96]  files
│   │               │   │   │       └── [ 122]  __init__.py
│   │               │   │   ├── [ 798]  create_embedding_response.py
│   │               │   │   ├── [ 637]  embedding.py
│   │               │   │   ├── [2.0K]  embedding_create_params.py
│   │               │   │   ├── [ 281]  embedding_model.py
│   │               │   │   ├── [6.4K]  eval_create_params.py
│   │               │   │   ├── [3.4K]  eval_create_response.py
│   │               │   │   ├── [ 589]  eval_custom_data_source_config.py
│   │               │   │   ├── [ 245]  eval_delete_response.py
│   │               │   │   ├── [ 754]  eval_list_params.py
│   │               │   │   ├── [3.4K]  eval_list_response.py
│   │               │   │   ├── [3.5K]  eval_retrieve_response.py
│   │               │   │   ├── [1.1K]
eval_stored_completions_data_source_config.py
│   │               │   │   ├── [ 757]  eval_update_params.py
│   │               │   │   ├── [3.4K]  eval_update_response.py
│   │               │   │   ├── [ 512]  evals
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [7.1K]
create_eval_completions_run_data_source.py
│   │               │   │   │   ├── [7.2K]
create_eval_completions_run_data_source_param.py
│   │               │   │   │   ├── [1.2K]
create_eval_jsonl_run_data_source.py
│   │               │   │   │   ├── [1.3K]
create_eval_jsonl_run_data_source_param.py
│   │               │   │   │   ├── [ 268]  eval_api_error.py
│   │               │   │   │   ├── [ 13K]  run_cancel_response.py
│   │               │   │   │   ├── [ 12K]  run_create_params.py
│   │               │   │   │   ├── [ 13K]  run_create_response.py
```

```
│   │           │   │   │   ├── [ 323]  run_delete_response.py
│   │           │   │   │   ├── [ 758]  run_list_params.py
│   │           │   │   │   ├── [ 13K]  run_list_response.py
│   │           │   │   │   ├── [ 13K]  run_retrieve_response.py
│   │           │   │   │   └── [ 192]  runs
│   │           │   │   │       ├── [ 393]  __init__.py
│   │           │   │   │       ├── [ 821]  output_item_list_params.py
│   │           │   │   │       ├── [2.7K]  output_item_list_response.py
│   │           │   │   │       └── [2.7K]
output_item_retrieve_response.py
│   │           │   │   ├── [ 559]  file_chunking_strategy.py
│   │           │   │   ├── [ 517]  file_chunking_strategy_param.py
│   │           │   │   ├── [ 184]  file_content.py
│   │           │   │   ├── [ 776]  file_create_params.py
│   │           │   │   ├── [ 277]  file_deleted.py
│   │           │   │   ├── [ 960]  file_list_params.py
│   │           │   │   ├── [1.5K]  file_object.py
│   │           │   │   ├── [ 265]  file_purpose.py
│   │           │   │   ├── [ 832]  fine_tuning
│   │           │   │   │   ├── [1.8K]  __init__.py
│   │           │   │   │   ├── [ 224]  alpha
│   │           │   │   │   │   ├── [ 429]  __init__.py
│   │           │   │   │   │   ├── [1.4K]  grader_run_params.py
│   │           │   │   │   │   ├── [1.5K]  grader_run_response.py
│   │           │   │   │   │   ├── [ 875]  grader_validate_params.py
│   │           │   │   │   │   └── [ 773]  grader_validate_response.py
│   │           │   │   │   ├── [ 256]  checkpoints
│   │           │   │   │   │   ├── [ 588]  __init__.py
│   │           │   │   │   │   ├── [ 382]  permission_create_params.py
│   │           │   │   │   │   ├── [ 636]
permission_create_response.py
│   │           │   │   │   │   ├── [ 558]
permission_delete_response.py
│   │           │   │   │   │   ├── [ 610]
permission_retrieve_params.py
│   │           │   │   │   │   └── [ 848]
permission_retrieve_response.py
│   │           │   │   │   ├── [1.0K]  dpo_hyperparameters.py
│   │           │   │   │   ├── [1.0K]  dpo_hyperparameters_param.py
│   │           │   │   │   ├── [ 377]  dpo_method.py
│   │           │   │   │   ├── [ 414]  dpo_method_param.py
│   │           │   │   │   ├── [5.1K]  fine_tuning_job.py
│   │           │   │   │   ├── [ 854]  fine_tuning_job_event.py
│   │           │   │   │   ├── [ 241]  fine_tuning_job_integration.py
│   │           │   │   │   ├── [1.0K]
fine_tuning_job_wandb_integration.py
│   │           │   │   │   ├── [ 804]
fine_tuning_job_wandb_integration_object.py
│   │           │   │   │   ├── [6.0K]  job_create_params.py
│   │           │   │   │   ├── [ 400]  job_list_events_params.py
│   │           │   │   │   ├── [ 623]  job_list_params.py
│   │           │   │   │   ├── [ 160]  jobs
│   │           │   │   │   │   ├── [ 295]  __init__.py
│   │           │   │   │   │   ├── [ 415]  checkpoint_list_params.py
│   │           │   │   │   │   └── [1.3K]
fine_tuning_job_checkpoint.py
```

```
│   │               │   │   │   ├── [1.4K]  reinforcement_hyperparameters.py
│   │               │   │   │   ├── [1.3K]
reinforcement_hyperparameters_param.py
│   │               │   │   │   ├── [ 958]  reinforcement_method.py
│   │               │   │   │   ├── [1.1K]  reinforcement_method_param.py
│   │               │   │   │   ├── [ 865]  supervised_hyperparameters.py
│   │               │   │   │   ├── [ 862]
supervised_hyperparameters_param.py
│   │               │   │   │   ├── [ 408]  supervised_method.py
│   │               │   │   │   └── [ 445]  supervised_method_param.py
│   │               │   │   ├── [ 480]  graders
│   │               │   │   │   ├── [1019]  __init__.py
│   │               │   │   │   ├── [1.9K]  label_model_grader.py
│   │               │   │   │   ├── [2.1K]  label_model_grader_param.py
│   │               │   │   │   ├── [1018]  multi_grader.py
│   │               │   │   │   ├── [1.2K]  multi_grader_param.py
│   │               │   │   │   ├── [ 534]  python_grader.py
│   │               │   │   │   ├── [ 565]  python_grader_param.py
│   │               │   │   │   ├── [1.9K]  score_model_grader.py
│   │               │   │   │   ├── [2.1K]  score_model_grader_param.py
│   │               │   │   │   ├── [ 675]  string_check_grader.py
│   │               │   │   │   ├── [ 771]  string_check_grader_param.py
│   │               │   │   │   ├── [ 786]  text_similarity_grader.py
│   │               │   │   │   └── [ 904]  text_similarity_grader_param.py
│   │               │   │   ├── [ 766]  image.py
│   │               │   │   ├── [1.4K]  image_create_variation_params.py
│   │               │   │   ├── [1.7K]  image_edit_completed_event.py
│   │               │   │   ├── [5.2K]  image_edit_params.py
│   │               │   │   ├── [1.1K]  image_edit_partial_image_event.py
│   │               │   │   ├── [ 516]  image_edit_stream_event.py
│   │               │   │   ├── [1.7K]  image_gen_completed_event.py
│   │               │   │   ├── [1.1K]  image_gen_partial_image_event.py
│   │               │   │   ├── [ 508]  image_gen_stream_event.py
│   │               │   │   ├── [5.2K]  image_generate_params.py
│   │               │   │   ├── [ 234]  image_model.py
│   │               │   │   ├── [1.9K]  images_response.py
│   │               │   │   ├── [ 532]  model.py
│   │               │   │   ├── [ 228]  model_deleted.py
│   │               │   │   ├── [6.7K]  moderation.py
│   │               │   │   ├── [ 992]  moderation_create_params.py
│   │               │   │   ├── [ 484]  moderation_create_response.py
│   │               │   │   ├── [ 622]  moderation_image_url_input_param.py
│   │               │   │   ├── [ 319]  moderation_model.py
│   │               │   │   ├── [ 483]
moderation_multi_modal_input_param.py
│   │               │   │   ├── [ 406]  moderation_text_input_param.py
│   │               │   │   ├── [ 310]
other_file_chunking_strategy_object.py
│   │               │   │   ├── [4.1K]  responses
│   │               │   │   │   ├── [ 13K]  __init__.py
│   │               │   │   │   ├── [ 607]  computer_tool.py
│   │               │   │   │   ├── [ 693]  computer_tool_param.py
│   │               │   │   │   ├── [ 817]  easy_input_message.py
│   │               │   │   │   ├── [ 873]  easy_input_message_param.py
│   │               │   │   │   ├── [1.3K]  file_search_tool.py
│   │               │   │   │   ├── [1.3K]  file_search_tool_param.py
```

```
|   |           |   |   |   ├── [ 796]  function_tool.py
|   |           |   |   |   ├── [ 861]  function_tool_param.py
|   |           |   |   |   ├── [1.0K]  input_item_list_params.py
|   |           |   |   |   ├── [3.1K]  parsed_response.py
|   |           |   |   |   ├── [ 11K]  response.py
|   |           |   |   |   ├── [ 515]  response_audio_delta_event.py
|   |           |   |   |   ├── [ 414]  response_audio_done_event.py
|   |           |   |   |   ├── [ 533]
response_audio_transcript_delta_event.py
|   |           |   |   |   ├── [ 457]
response_audio_transcript_done_event.py
|   |           |   |   |   ├── [ 840]
response_code_interpreter_call_code_delta_event.py
|   |           |   |   |   ├── [ 806]
response_code_interpreter_call_code_done_event.py
|   |           |   |   |   ├── [ 759]
response_code_interpreter_call_completed_event.py
|   |           |   |   |   ├── [ 767]
response_code_interpreter_call_in_progress_event.py
|   |           |   |   |   ├── [ 774]
response_code_interpreter_call_interpreting_event.py
|   |           |   |   |   ├── [1.6K]
response_code_interpreter_tool_call.py
|   |           |   |   |   ├── [1.7K]
response_code_interpreter_tool_call_param.py
|   |           |   |   |   ├── [ 517]  response_completed_event.py
|   |           |   |   |   ├── [4.5K]  response_computer_tool_call.py
|   |           |   |   |   ├── [1.5K]
response_computer_tool_call_output_item.py
|   |           |   |   |   ├── [ 662]
response_computer_tool_call_output_screenshot.py
|   |           |   |   |   ├── [ 656]
response_computer_tool_call_output_screenshot_param.py
|   |           |   |   |   ├── [4.9K]
response_computer_tool_call_param.py
|   |           |   |   |   ├── [1.1K]
response_content_part_added_event.py
|   |           |   |   |   ├── [1.1K]
response_content_part_done_event.py
|   |           |   |   |   ├── [ 11K]  response_create_params.py
|   |           |   |   |   ├── [ 502]  response_created_event.py
|   |           |   |   |   ├── [ 915]  response_error.py
|   |           |   |   |   ├── [ 576]  response_error_event.py
|   |           |   |   |   ├── [ 492]  response_failed_event.py
|   |           |   |   |   ├── [ 671]
response_file_search_call_completed_event.py
|   |           |   |   |   ├── [ 677]
response_file_search_call_in_progress_event.py
|   |           |   |   |   ├── [ 671]
response_file_search_call_searching_event.py
|   |           |   |   |   ├── [1.6K]
response_file_search_tool_call.py
|   |           |   |   |   ├── [1.7K]
response_file_search_tool_call_param.py
|   |           |   |   |   ├── [ 647]  response_format_text_config.py
```

```
|   |           |   |   |   ├── [ 625]
response_format_text_config_param.py
|   |           |   |   |   ├── [1.4K]
response_format_text_json_schema_config.py
|   |           |   |   |   ├── [1.4K]
response_format_text_json_schema_config_param.py
|   |           |   |   |   ├── [ 792]
response_function_call_arguments_delta_event.py
|   |           |   |   |   ├── [ 572]
response_function_call_arguments_done_event.py
|   |           |   |   |   ├── [ 917]  response_function_tool_call.py
|   |           |   |   |   ├── [ 340]
response_function_tool_call_item.py
|   |           |   |   |   ├── [ 886]
response_function_tool_call_output_item.py
|   |           |   |   |   ├── [ 941]
response_function_tool_call_param.py
|   |           |   |   |   ├── [1.5K]  response_function_web_search.py
|   |           |   |   |   ├── [1.6K]
response_function_web_search_param.py
|   |           |   |   |   ├── [ 671]
response_image_gen_call_completed_event.py
|   |           |   |   |   ├── [ 706]
response_image_gen_call_generating_event.py
|   |           |   |   |   ├── [ 708]
response_image_gen_call_in_progress_event.py
|   |           |   |   |   ├── [ 971]
response_image_gen_call_partial_image_event.py
|   |           |   |   |   ├── [ 518]  response_in_progress_event.py
|   |           |   |   |   ├── [ 436]  response_includable.py
|   |           |   |   |   ├── [ 516]  response_incomplete_event.py
|   |           |   |   |   ├── [ 542]  response_input_content.py
|   |           |   |   |   ├── [ 537]  response_input_content_param.py
|   |           |   |   |   ├── [ 717]  response_input_file.py
|   |           |   |   |   ├── [ 715]  response_input_file_param.py
|   |           |   |   |   ├── [ 778]  response_input_image.py
|   |           |   |   |   ├── [ 830]  response_input_image_param.py
|   |           |   |   |   ├── [8.7K]  response_input_item.py
|   |           |   |   |   ├── [9.2K]  response_input_item_param.py
|   |           |   |   |   ├── [ 329]
response_input_message_content_list.py
|   |           |   |   |   ├── [ 666]
response_input_message_content_list_param.py
|   |           |   |   |   ├── [1.0K]  response_input_message_item.py
|   |           |   |   |   ├── [9.2K]  response_input_param.py
|   |           |   |   |   ├── [ 375]  response_input_text.py
|   |           |   |   |   ├── [ 441]  response_input_text_param.py
|   |           |   |   |   ├── [5.8K]  response_item.py
|   |           |   |   |   ├── [ 665]  response_item_list.py
|   |           |   |   |   ├── [ 778]
response_mcp_call_arguments_delta_event.py
|   |           |   |   |   ├── [ 752]
response_mcp_call_arguments_done_event.py
|   |           |   |   |   ├── [ 600]
response_mcp_call_completed_event.py
```

```
|   |           |   |   |   ├── [ 582]
response_mcp_call_failed_event.py
|   |           |   |   |   ├── [ 638]
response_mcp_call_in_progress_event.py
|   |           |   |   |   ├── [ 637]
response_mcp_list_tools_completed_event.py
|   |           |   |   |   ├── [ 604]
response_mcp_list_tools_failed_event.py
|   |           |   |   |   ├── [ 646]
response_mcp_list_tools_in_progress_event.py
|   |           |   |   |   ├── [4.5K]  response_output_item.py
|   |           |   |   |   ├── [ 644]
response_output_item_added_event.py
|   |           |   |   |   ├── [ 652]
response_output_item_done_event.py
|   |           |   |   |   ├── [1.1K]  response_output_message.py
|   |           |   |   |   ├── [1.1K]  response_output_message_param.py
|   |           |   |   |   ├── [ 388]  response_output_refusal.py
|   |           |   |   |   ├── [ 454]  response_output_refusal_param.py
|   |           |   |   |   ├── [2.7K]  response_output_text.py
|   |           |   |   |   ├── [ 963]
response_output_text_annotation_added_event.py
|   |           |   |   |   ├── [3.0K]  response_output_text_param.py
|   |           |   |   |   ├── [ 936]  response_prompt.py
|   |           |   |   |   ├── [1.0K]  response_prompt_param.py
|   |           |   |   |   ├── [ 508]  response_queued_event.py
|   |           |   |   |   ├── [1.1K]  response_reasoning_item.py
|   |           |   |   |   ├── [1.2K]  response_reasoning_item_param.py
|   |           |   |   |   ├── [ 855]
response_reasoning_summary_delta_event.py
|   |           |   |   |   ├── [ 814]
response_reasoning_summary_done_event.py
|   |           |   |   |   ├── [1006]
response_reasoning_summary_part_added_event.py
|   |           |   |   |   ├── [ 997]
response_reasoning_summary_part_done_event.py
|   |           |   |   |   ├── [ 846]
response_reasoning_summary_text_delta_event.py
|   |           |   |   |   ├── [ 833]
response_reasoning_summary_text_done_event.py
|   |           |   |   |   ├── [ 770]  response_refusal_delta_event.py
|   |           |   |   |   ├── [ 775]  response_refusal_done_event.py
|   |           |   |   |   ├── [1.8K]  response_retrieve_params.py
|   |           |   |   |   ├── [ 278]  response_status.py
|   |           |   |   |   ├── [6.5K]  response_stream_event.py
|   |           |   |   |   ├── [ 999]  response_text_config.py
|   |           |   |   |   ├── [1.0K]  response_text_config_param.py
|   |           |   |   |   ├── [1.3K]  response_text_delta_event.py
|   |           |   |   |   ├── [1.3K]  response_text_done_event.py
|   |           |   |   |   ├── [ 945]  response_usage.py
|   |           |   |   |   ├── [ 698]
response_web_search_call_completed_event.py
|   |           |   |   |   ├── [ 704]
response_web_search_call_in_progress_event.py
|   |           |   |   |   ├── [ 698]
response_web_search_call_searching_event.py
```

```
│   │               │   │   │   ├── [5.7K]  tool.py
│   │               │   │   │   ├── [ 384]  tool_choice_function.py
│   │               │   │   │   ├── [ 450]  tool_choice_function_param.py
│   │               │   │   │   ├── [ 481]  tool_choice_mcp.py
│   │               │   │   │   ├── [ 540]  tool_choice_mcp_param.py
│   │               │   │   │   ├── [ 237]  tool_choice_options.py
│   │               │   │   │   ├── [ 740]  tool_choice_types.py
│   │               │   │   │   ├── [ 838]  tool_choice_types_param.py
│   │               │   │   │   ├── [5.7K]  tool_param.py
│   │               │   │   │   ├── [1.4K]  web_search_tool.py
│   │               │   │   │   └── [1.4K]  web_search_tool_param.py
│   │               │   │   ├── [ 544]  shared
│   │               │   │   │   ├── [ 991]  __init__.py
│   │               │   │   │   ├── [ 611]  all_models.py
│   │               │   │   │   ├── [1.5K]  chat_model.py
│   │               │   │   │   ├── [ 766]  comparison_filter.py
│   │               │   │   │   ├── [ 581]  compound_filter.py
│   │               │   │   │   ├── [ 305]  error_object.py
│   │               │   │   │   ├── [1.4K]  function_definition.py
│   │               │   │   │   ├── [ 236]  function_parameters.py
│   │               │   │   │   ├── [ 213]  metadata.py
│   │               │   │   │   ├── [1.2K]  reasoning.py
│   │               │   │   │   ├── [ 268]  reasoning_effort.py
│   │               │   │   │   ├── [ 352]  response_format_json_object.py
│   │               │   │   │   ├── [1.5K]  response_format_json_schema.py
│   │               │   │   │   ├── [ 326]  response_format_text.py
│   │               │   │   │   └── [ 621]  responses_model.py
│   │               │   │   ├── [ 480]  shared_params
│   │               │   │   │   ├── [ 891]  __init__.py
│   │               │   │   │   ├── [1.6K]  chat_model.py
│   │               │   │   │   ├── [ 832]  comparison_filter.py
│   │               │   │   │   ├── [ 646]  compound_filter.py
│   │               │   │   │   ├── [1.5K]  function_definition.py
│   │               │   │   │   ├── [ 272]  function_parameters.py
│   │               │   │   │   ├── [ 249]  metadata.py
│   │               │   │   │   ├── [1.2K]  reasoning.py
│   │               │   │   │   ├── [ 304]  reasoning_effort.py
│   │               │   │   │   ├── [ 398]  response_format_json_object.py
│   │               │   │   │   ├── [1.5K]  response_format_json_schema.py
│   │               │   │   │   ├── [ 372]  response_format_text.py
│   │               │   │   │   └── [ 665]  responses_model.py
│   │               │   │   ├── [ 595]  static_file_chunking_strategy.py
│   │               │   │   ├── [ 424]
static_file_chunking_strategy_object.py
│   │               │   │   ├── [ 508]
static_file_chunking_strategy_object_param.py
│   │               │   │   ├── [ 692]
static_file_chunking_strategy_param.py
│   │               │   │   ├── [1.2K]  upload.py
│   │               │   │   ├── [ 504]  upload_complete_params.py
│   │               │   │   ├── [ 889]  upload_create_params.py
│   │               │   │   ├── [ 160]  uploads
│   │               │   │   │   ├── [ 242]  __init__.py
│   │               │   │   │   ├── [ 362]  part_create_params.py
│   │               │   │   │   └── [ 590]  upload_part.py
│   │               │   │   ├── [2.4K]  vector_store.py
```

```
│   │           │   │   ├── [1.7K]  vector_store_create_params.py
│   │           │   │   ├── [ 307]  vector_store_deleted.py
│   │           │   │   ├── [1.2K]  vector_store_list_params.py
│   │           │   │   ├── [1.1K]  vector_store_search_params.py
│   │           │   │   ├── [1.1K]  vector_store_search_response.py
│   │           │   │   ├── [1.2K]  vector_store_update_params.py
│   │           │   │   ├── [ 384]  vector_stores
│   │           │   │   │   ├── [ 818]  __init__.py
│   │           │   │   │   ├── [1.2K]  file_batch_create_params.py
│   │           │   │   │   ├── [1.4K]  file_batch_list_files_params.py
│   │           │   │   │   ├── [ 367]  file_content_response.py
│   │           │   │   │   ├── [1.2K]  file_create_params.py
│   │           │   │   │   ├── [1.4K]  file_list_params.py
│   │           │   │   │   ├── [ 781]  file_update_params.py
│   │           │   │   │   ├── [2.2K]  vector_store_file.py
│   │           │   │   │   ├── [1.4K]  vector_store_file_batch.py
│   │           │   │   │   └── [ 321]  vector_store_file_deleted.py
│   │           │   │   ├── [ 576]  webhooks
│   │           │   │   │   ├── [1.7K]  __init__.py
│   │           │   │   │   ├── [ 770]  batch_cancelled_webhook_event.py
│   │           │   │   │   ├── [ 770]  batch_completed_webhook_event.py
│   │           │   │   │   ├── [ 756]  batch_expired_webhook_event.py
│   │           │   │   │   ├── [ 751]  batch_failed_webhook_event.py
│   │           │   │   │   ├── [ 757]
eval_run_canceled_webhook_event.py
│   │           │   │   │   ├── [ 743]  eval_run_failed_webhook_event.py
│   │           │   │   │   ├── [ 758]
eval_run_succeeded_webhook_event.py
│   │           │   │   │   ├── [ 802]
fine_tuning_job_cancelled_webhook_event.py
│   │           │   │   │   ├── [ 783]
fine_tuning_job_failed_webhook_event.py
│   │           │   │   │   ├── [ 798]
fine_tuning_job_succeeded_webhook_event.py
│   │           │   │   │   ├── [ 776]
response_cancelled_webhook_event.py
│   │           │   │   │   ├── [ 776]
response_completed_webhook_event.py
│   │           │   │   │   ├── [ 757]  response_failed_webhook_event.py
│   │           │   │   │   ├── [ 782]
response_incomplete_webhook_event.py
│   │           │   │   │   └── [1.9K]  unwrap_webhook_event.py
│   │           │   │   └── [1.8K]  websocket_connection_options.py
│   │           │   └── [  62]  version.py
│   │           ├── [ 288]  openai-1.98.0.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [ 28K]  METADATA
│   │           │   ├── [191K]  RECORD
│   │           │   ├── [   0]  REQUESTED
│   │           │   ├── [  87]  WHEEL
│   │           │   ├── [  43]  entry_points.txt
│   │           │   └── [  96]  licenses
│   │           │       └── [ 11K]  LICENSE
│   │           ├── [ 608]  opentelemetry
│   │           │   ├── [ 128]  _events
│   │           │   │   ├── [6.7K]  __init__.py
```

```
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 192]  _logs
│   │   │   │   │   ├── [1.8K]  __init__.py
│   │   │   │   │   ├── [  96]  _internal
│   │   │   │   │   │   └── [ 11K]  __init__.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   └── [  96]  severity
│   │   │   │   │       └── [1.5K]  __init__.py
│   │   │   │   ├── [ 128]  attributes
│   │   │   │   │   ├── [ 11K]  __init__.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 160]  baggage
│   │   │   │   │   ├── [3.9K]  __init__.py
│   │   │   │   │   ├── [  96]  propagation
│   │   │   │   │   │   └── [4.6K]  __init__.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 192]  context
│   │   │   │   │   ├── [5.4K]  __init__.py
│   │   │   │   │   ├── [1.7K]  context.py
│   │   │   │   │   ├── [1.8K]  contextvars_context.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [ 128]  environment_variables
│   │   │   │   │   ├── [2.4K]  __init__.py
│   │   │   │   │   └── [   0]  py.typed
│   │   │   │   ├── [  96]  exporter
│   │   │   │   │   └── [  96]  otlp
│   │   │   │   │       └── [ 128]  proto
│   │   │   │   │           ├── [ 288]  common
│   │   │   │   │           │   ├── [ 686]  __init__.py
│   │   │   │   │           │   ├── [ 192]  _internal
│   │   │   │   │           │   │   ├── [5.4K]  __init__.py
│   │   │   │   │           │   │   ├── [  96]  _log_encoder
│   │   │   │   │           │   │   │   └── [3.5K]  __init__.py
│   │   │   │   │           │   │   ├── [  96]  metrics_encoder
│   │   │   │   │           │   │   │   └── [ 14K]  __init__.py
│   │   │   │   │           │   │   └── [  96]  trace_encoder
│   │   │   │   │           │   │       └── [6.6K]  __init__.py
│   │   │   │   │           │   ├── [ 710]  _log_encoder.py
│   │   │   │   │           │   ├── [ 719]  metrics_encoder.py
│   │   │   │   │           │   ├── [   0]  py.typed
│   │   │   │   │           │   ├── [ 713]  trace_encoder.py
│   │   │   │   │           │   └── [  96]  version
│   │   │   │   │           │       └── [ 608]  __init__.py
│   │   │   │   │           └── [ 288]  grpc
│   │   │   │   │               ├── [2.6K]  __init__.py
│   │   │   │   │               ├── [  96]  _log_exporter
│   │   │   │   │               │   └── [4.3K]  __init__.py
│   │   │   │   │               ├── [ 12K]  exporter.py
│   │   │   │   │               ├── [  96]  metric_exporter
│   │   │   │   │               │   └── [9.8K]  __init__.py
│   │   │   │   │               ├── [   0]  py.typed
│   │   │   │   │               ├── [  96]  trace_exporter
│   │   │   │   │               │   └── [5.1K]  __init__.py
│   │   │   │   │               └── [  96]  version
│   │   │   │   │                   └── [ 608]  __init__.py
│   │   │   │   ├── [ 160]  metrics
```

```
│   │               │   │   ├── [3.5K]  __init__.py
│   │               │   │   ├── [ 160]  _internal
│   │               │   │   │   ├── [ 30K]  __init__.py
│   │               │   │   │   ├── [ 14K]  instrument.py
│   │               │   │   │   └── [1.9K]  observation.py
│   │               │   │   └── [   0]  py.typed
│   │               │   ├── [ 128]  propagate
│   │               │   │   ├── [5.8K]  __init__.py
│   │               │   │   └── [   0]  py.typed
│   │               │   ├── [ 160]  propagators
│   │               │   │   ├── [3.2K]  composite.py
│   │               │   │   ├── [   0]  py.typed
│   │               │   │   └── [6.5K]  textmap.py
│   │               │   ├── [ 384]  proto
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 224]  collector
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [  96]  logs
│   │               │   │   │   │   └── [ 160]  v1
│   │               │   │   │   │       ├── [2.6K]  logs_service_pb2.py
│   │               │   │   │   │       ├── [4.8K]  logs_service_pb2.pyi
│   │               │   │   │   │       └── [4.7K]  logs_service_pb2_grpc.py
│   │               │   │   │   ├── [ 128]  metrics
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [ 192]  v1
│   │               │   │   │   │       ├── [   0]  __init__.py
│   │               │   │   │   │       ├── [2.7K]  metrics_service_pb2.py
│   │               │   │   │   │       ├── [4.9K]  metrics_service_pb2.pyi
│   │               │   │   │   │       └── [4.6K]
metrics_service_pb2_grpc.py
│   │               │   │   │   ├── [  96]  profiles
│   │               │   │   │   │   └── [ 160]  v1development
│   │               │   │   │   │       ├── [3.1K]  profiles_service_pb2.py
│   │               │   │   │   │       ├── [5.4K]  profiles_service_pb2.pyi
│   │               │   │   │   │       └── [4.7K]
profiles_service_pb2_grpc.py
│   │               │   │   │   └── [ 128]  trace
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       └── [ 192]  v1
│   │               │   │   │           ├── [   0]  __init__.py
│   │               │   │   │           ├── [2.6K]  trace_service_pb2.py
│   │               │   │   │           ├── [4.8K]  trace_service_pb2.pyi
│   │               │   │   │           └── [4.7K]
trace_service_pb2_grpc.py
│   │               │   │   ├── [ 128]  common
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 160]  v1
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [3.1K]  common_pb2.py
│   │               │   │   │       └── [9.8K]  common_pb2.pyi
│   │               │   │   ├── [  96]  logs
│   │               │   │   │   └── [ 128]  v1
│   │               │   │   │       ├── [4.6K]  logs_pb2.py
│   │               │   │   │       └── [ 17K]  logs_pb2.pyi
│   │               │   │   ├── [ 128]  metrics
│   │               │   │   │   ├── [   0]  __init__.py
```

```
│   │               │   │   │   └── [ 160]  v1
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [9.2K]  metrics_pb2.py
│   │               │   │   │       └── [ 54K]  metrics_pb2.pyi
│   │               │   │   ├── [  96]  profiles
│   │               │   │   │   └── [ 128]  v1development
│   │               │   │   │       ├── [7.4K]  profiles_pb2.py
│   │               │   │   │       └── [ 42K]  profiles_pb2.pyi
│   │               │   │   ├── [   0]  py.typed
│   │               │   │   ├── [ 128]  resource
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 160]  v1
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [1.8K]  resource_pb2.py
│   │               │   │   │       └── [2.7K]  resource_pb2.pyi
│   │               │   │   ├── [ 128]  trace
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 160]  v1
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [5.4K]  trace_pb2.py
│   │               │   │   │       └── [ 28K]  trace_pb2.pyi
│   │               │   │   └── [  96]  version
│   │               │   │       └── [ 608]  __init__.py
│   │               ├── [   0]  py.typed
│   │               ├── [ 480]  sdk
│   │               │   ├── [ 669]  __init__.pyi
│   │               │   ├── [  96]  _configuration
│   │               │   │   └── [ 17K]  __init__.py
│   │               │   ├── [  96]  _events
│   │               │   │   └── [3.2K]  __init__.py
│   │               │   ├── [ 160]  _logs
│   │               │   │   ├── [1.0K]  __init__.py
│   │               │   │   ├── [ 128]  _internal
│   │               │   │   │   ├── [ 29K]  __init__.py
│   │               │   │   │   └── [ 128]  export
│   │               │   │   │       ├── [8.8K]  __init__.py
│   │               │   │   │       └── [1.6K]
in_memory_log_exporter.py
│   │               │   │   │       └── [  96]  export
│   │               │   │   │           └── [1.1K]  __init__.py
│   │               │   │   ├── [  96]  _shared_internal
│   │               │   │   │   └── [8.6K]  __init__.py
│   │               │   │   ├── [  96]  environment_variables
│   │               │   │   │   └── [ 24K]  __init__.py
│   │               │   │   ├── [  96]  error_handler
│   │               │   │   │   └── [4.5K]  __init__.py
│   │               │   │   ├── [ 192]  metrics
│   │               │   │   │   ├── [1.7K]  __init__.py
│   │               │   │   │   ├── [ 512]  _internal
│   │               │   │   │   │   ├── [ 20K]  __init__.py
│   │               │   │   │   │   ├── [5.8K]  _view_instrument_match.py
│   │               │   │   │   │   ├── [ 50K]  aggregation.py
│   │               │   │   │   │   ├── [ 675]  exceptions.py
│   │               │   │   │   │   ├── [ 192]  exemplar
│   │               │   │   │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   │   │   ├── [2.1K]  exemplar.py
```

```
│   │               │   │   │   │   │   ├── [4.6K]  exemplar_filter.py
│   │               │   │   │   │   │   └── [ 10K]  exemplar_reservoir.py
│   │               │   │   │   │   ├── [ 160]  exponential_histogram
│   │               │   │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   │   ├── [5.8K]  buckets.py
│   │               │   │   │   │   │   └── [ 256]  mapping
│   │               │   │   │   │   │       ├── [3.8K]  __init__.py
│   │               │   │   │   │   │       ├── [ 886]  errors.py
│   │               │   │   │   │   │       ├── [6.0K]  exponent_mapping.py
│   │               │   │   │   │   │       ├── [4.9K]  ieee_754.md
│   │               │   │   │   │   │       ├── [5.4K]  ieee_754.py
│   │               │   │   │   │   │       └── [5.7K]  logarithm_mapping.py
│   │               │   │   │   │   ├── [  96]  export
│   │               │   │   │   │   │   └── [ 21K]  __init__.py
│   │               │   │   │   │   ├── [ 10K]  instrument.py
│   │               │   │   │   │   ├── [1.6K]  measurement.py
│   │               │   │   │   │   ├── [5.0K]  measurement_consumer.py
│   │               │   │   │   │   ├── [ 12K]  metric_reader_storage.py
│   │               │   │   │   │   ├── [7.9K]  point.py
│   │               │   │   │   │   ├── [1.1K]  sdk_configuration.py
│   │               │   │   │   │   └── [7.3K]  view.py
│   │               │   │   │   ├── [  96]  export
│   │               │   │   │   │   └── [1.7K]  __init__.py
│   │               │   │   │   └── [  96]  view
│   │               │   │   │       └── [1.1K]  __init__.py
│   │               │   │   ├── [   0]  py.typed
│   │               │   │   ├── [  96]  resources
│   │               │   │   │   └── [ 19K]  __init__.py
│   │               │   │   ├── [ 192]  trace
│   │               │   │   │   ├── [ 44K]  __init__.py
│   │               │   │   │   ├── [ 128]  export
│   │               │   │   │   │   ├── [9.6K]  __init__.py
│   │               │   │   │   │   └── [2.1K]  in_memory_span_exporter.py
│   │               │   │   │   ├── [1.9K]  id_generator.py
│   │               │   │   │   └── [ 16K]  sampling.py
│   │               │   │   ├── [ 160]  util
│   │               │   │   │   ├── [4.3K]  __init__.py
│   │               │   │   │   ├── [2.3K]  __init__.pyi
│   │               │   │   │   └── [4.8K]  instrumentation.py
│   │               │   │   └── [  96]  version
│   │               │   │       └── [ 608]  __init__.py
│   │               │   ├── [ 352]  semconv
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 128]  _incubating
│   │               │   │   │   ├── [2.3K]  attributes
│   │               │   │   │   │   ├── [2.8K]  app_attributes.py
│   │               │   │   │   │   ├── [3.0K]  artifact_attributes.py
│   │               │   │   │   │   ├── [ 14K]  aws_attributes.py
│   │               │   │   │   │   ├── [ 833]  az_attributes.py
│   │               │   │   │   │   ├── [2.8K]  azure_attributes.py
│   │               │   │   │   │   ├── [2.2K]  browser_attributes.py
│   │               │   │   │   │   ├── [2.0K]  cassandra_attributes.py
│   │               │   │   │   │   ├── [5.6K]  cicd_attributes.py
│   │               │   │   │   │   ├── [ 919]  client_attributes.py
│   │               │   │   │   │   ├── [6.6K]  cloud_attributes.py
│   │               │   │   │   │   ├── [1.7K]  cloudevents_attributes.py
```

```
│   │               │   │   │   │   ├── [4.6K]  cloudfoundry_attributes.py
│   │               │   │   │   │   ├── [2.0K]  code_attributes.py
│   │               │   │   │   │   ├── [4.9K]  container_attributes.py
│   │               │   │   │   │   ├── [1.1K]  cpu_attributes.py
│   │               │   │   │   │   ├── [ 926]  cpython_attributes.py
│   │               │   │   │   │   ├── [ 17K]  db_attributes.py
│   │               │   │   │   │   ├── [1.7K]  deployment_attributes.py
│   │               │   │   │   │   ├── [1.1K]  destination_attributes.py
│   │               │   │   │   │   ├── [2.6K]  device_attributes.py
│   │               │   │   │   │   ├── [ 829]  disk_attributes.py
│   │               │   │   │   │   ├── [1.1K]  dns_attributes.py
│   │               │   │   │   │   ├── [ 771]  elasticsearch_attributes.py
│   │               │   │   │   │   ├── [1.4K]  enduser_attributes.py
│   │               │   │   │   │   ├── [1.6K]  error_attributes.py
│   │               │   │   │   │   ├── [ 720]  event_attributes.py
│   │               │   │   │   │   ├── [1.3K]  exception_attributes.py
│   │               │   │   │   │   ├── [6.1K]  faas_attributes.py
│   │               │   │   │   │   ├── [5.0K]  feature_flag_attributes.py
│   │               │   │   │   │   ├── [3.9K]  file_attributes.py
│   │               │   │   │   │   ├── [5.0K]  gcp_attributes.py
│   │               │   │   │   │   ├── [ 11K]  gen_ai_attributes.py
│   │               │   │   │   │   ├── [1.9K]  geo_attributes.py
│   │               │   │   │   │   ├── [1.2K]  graphql_attributes.py
│   │               │   │   │   │   ├── [ 925]  heroku_attributes.py
│   │               │   │   │   │   ├── [3.5K]  host_attributes.py
│   │               │   │   │   │   ├── [7.0K]  http_attributes.py
│   │               │   │   │   │   ├── [2.2K]  hw_attributes.py
│   │               │   │   │   │   ├── [ 20K]  k8s_attributes.py
│   │               │   │   │   │   ├── [ 887]  linux_attributes.py
│   │               │   │   │   │   ├── [2.0K]  log_attributes.py
│   │               │   │   │   │   ├── [ 756]  mainframe_attributes.py
│   │               │   │   │   │   ├── [1.3K]  message_attributes.py
│   │               │   │   │   │   ├── [ 12K]  messaging_attributes.py
│   │               │   │   │   │   ├── [2.9K]  net_attributes.py
│   │               │   │   │   │   ├── [6.3K]  network_attributes.py
│   │               │   │   │   │   ├── [1.1K]  oci_attributes.py
│   │               │   │   │   │   ├── [1.0K]  opentracing_attributes.py
│   │               │   │   │   │   ├── [1.8K]  os_attributes.py
│   │               │   │   │   │   ├── [6.5K]  otel_attributes.py
│   │               │   │   │   │   ├── [ 953]  other_attributes.py
│   │               │   │   │   │   ├── [ 828]  peer_attributes.py
│   │               │   │   │   │   ├── [ 708]  pool_attributes.py
│   │               │   │   │   │   ├── [7.9K]  process_attributes.py
│   │               │   │   │   │   ├── [2.0K]  profile_attributes.py
│   │               │   │   │   │   ├── [8.1K]  rpc_attributes.py
│   │               │   │   │   │   ├── [2.0K]  security_rule_attributes.py
│   │               │   │   │   │   ├── [ 919]  server_attributes.py
│   │               │   │   │   │   ├── [3.5K]  service_attributes.py
│   │               │   │   │   │   ├── [ 800]  session_attributes.py
│   │               │   │   │   │   ├── [1.0K]  source_attributes.py
│   │               │   │   │   │   ├── [4.7K]  system_attributes.py
│   │               │   │   │   │   ├── [3.7K]  telemetry_attributes.py
│   │               │   │   │   │   ├── [1.5K]  test_attributes.py
│   │               │   │   │   │   ├── [ 773]  thread_attributes.py
│   │               │   │   │   │   ├── [6.5K]  tls_attributes.py
│   │               │   │   │   │   ├── [4.1K]  url_attributes.py
```

```
│   │               │   │   │   │   ├── [3.0K]  user_agent_attributes.py
│   │               │   │   │   │   ├── [1.2K]  user_attributes.py
│   │               │   │   │   │   ├── [9.1K]  vcs_attributes.py
│   │               │   │   │   │   ├── [ 929]  webengine_attributes.py
│   │               │   │   │   │   └── [ 941]  zos_attributes.py
│   │               │   │   │   └── [ 640]  metrics
│   │               │   │   │       ├── [1.9K]  azure_metrics.py
│   │               │   │   │       ├── [3.6K]  cicd_metrics.py
│   │               │   │   │       ├── [4.1K]  container_metrics.py
│   │               │   │   │       ├── [2.2K]  cpu_metrics.py
│   │               │   │   │       ├── [2.7K]  cpython_metrics.py
│   │               │   │   │       ├── [ 12K]  db_metrics.py
│   │               │   │   │       ├── [1.1K]  dns_metrics.py
│   │               │   │   │       ├── [4.1K]  faas_metrics.py
│   │               │   │   │       ├── [3.1K]  gen_ai_metrics.py
│   │               │   │   │       ├── [6.5K]  http_metrics.py
│   │               │   │   │       ├── [6.1K]  hw_metrics.py
│   │               │   │   │       ├── [ 60K]  k8s_metrics.py
│   │               │   │   │       ├── [6.1K]  messaging_metrics.py
│   │               │   │   │       ├── [ 17K]  otel_metrics.py
│   │               │   │   │       ├── [6.1K]  process_metrics.py
│   │               │   │   │       ├── [6.1K]  rpc_metrics.py
│   │               │   │   │       ├── [ 18K]  system_metrics.py
│   │               │   │   │       └── [7.9K]  vcs_metrics.py
│   │               │   │   ├── [ 512]  attributes
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.2K]  client_attributes.py
│   │               │   │   │   ├── [3.3K]  code_attributes.py
│   │               │   │   │   ├── [5.7K]  db_attributes.py
│   │               │   │   │   ├── [1.8K]  error_attributes.py
│   │               │   │   │   ├── [1.3K]  exception_attributes.py
│   │               │   │   │   ├── [5.8K]  http_attributes.py
│   │               │   │   │   ├── [2.7K]  network_attributes.py
│   │               │   │   │   ├── [1.4K]  otel_attributes.py
│   │               │   │   │   ├── [1.2K]  server_attributes.py
│   │               │   │   │   ├── [1.1K]  service_attributes.py
│   │               │   │   │   ├── [1.9K]  telemetry_attributes.py
│   │               │   │   │   ├── [3.6K]  url_attributes.py
│   │               │   │   │   └── [ 790]  user_agent_attributes.py
│   │               │   │   ├── [ 160]  metrics
│   │               │   │   │   ├── [5.7K]  __init__.py
│   │               │   │   │   ├── [ 823]  db_metrics.py
│   │               │   │   │   └── [ 894]  http_metrics.py
│   │               │   │   ├── [   0]  py.typed
│   │               │   │   ├── [  96]  resource
│   │               │   │   │   └── [ 32K]  __init__.py
│   │               │   │   ├── [2.3K]  schemas.py
│   │               │   │   ├── [  96]  trace
│   │               │   │   │   └── [ 68K]  __init__.py
│   │               │   │   └── [  96]  version
│   │               │   │       └── [ 608]  __init__.py
│   │               │   ├── [ 224]  trace
│   │               │   │   ├── [ 22K]  __init__.py
│   │               │   │   ├── [ 128]  propagation
│   │               │   │   │   ├── [1.6K]  __init__.py
│   │               │   │   │   └── [4.1K]  tracecontext.py
```

```
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [ 19K]  span.py
│   │   │   │   │   └── [2.5K]  status.py
│   │   │   │   ├── [ 288]  util
│   │   │   │   │   ├── [3.4K]  _decorator.py
│   │   │   │   │   ├── [1.1K]  _importlib_metadata.py
│   │   │   │   │   ├── [1.4K]  _once.py
│   │   │   │   │   ├── [1.7K]  _providers.py
│   │   │   │   │   ├── [   0]  py.typed
│   │   │   │   │   ├── [4.6K]  re.py
│   │   │   │   │   └── [1.6K]  types.py
│   │   │   │   └── [ 128]  version
│   │   │   │       ├── [ 608]  __init__.py
│   │   │   │       └── [   0]  py.typed
│   │   │   ├── [ 256]  opentelemetry_api-1.36.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [1.4K]  METADATA
│   │   │   │   ├── [9.2K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   ├── [ 573]  entry_points.txt
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [ 11K]  LICENSE
│   │   │   ├── [ 224]
opentelemetry_exporter_otlp_proto_common-1.36.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [1.8K]  METADATA
│   │   │   │   ├── [3.4K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [ 11K]  LICENSE
│   │   │   ├── [ 256]
opentelemetry_exporter_otlp_proto_grpc-1.36.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [2.3K]  METADATA
│   │   │   │   ├── [2.6K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   ├── [ 365]  entry_points.txt
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [ 11K]  LICENSE
│   │   │   ├── [ 224]  opentelemetry_proto-1.36.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [2.3K]  METADATA
│   │   │   │   ├── [9.7K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [ 11K]  LICENSE
│   │   │   ├── [ 256]  opentelemetry_sdk-1.36.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [1.5K]  METADATA
│   │   │   │   ├── [ 14K]  RECORD
│   │   │   │   ├── [  87]  WHEEL
│   │   │   │   ├── [1.4K]  entry_points.txt
│   │   │   │   └── [  96]  licenses
│   │   │   │       └── [ 11K]  LICENSE
│   │   │   ├── [ 224]
opentelemetry_semantic_conventions-0.57b0.dist-info
```

```
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.3K]  METADATA
│   │               │   ├── [ 34K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [ 11K]  LICENSE
│   │               ├── [ 192]  orjson
│   │               │   ├── [ 589]  __init__.py
│   │               │   ├── [ 728]  __init__.pyi
│   │               │   ├── [505K]  orjson.cpython-39-darwin.so
│   │               │   └── [   0]  py.typed
│   │               ├── [ 224]  orjson-3.11.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 41K]  METADATA
│   │               │   ├── [ 969]  RECORD
│   │               │   ├── [ 146]  WHEEL
│   │               │   └── [ 128]  licenses
│   │               │       ├── [ 11K]  LICENSE-APACHE
│   │               │       └── [1023]  LICENSE-MIT
│   │               ├── [ 288]  overrides
│   │               │   ├── [ 333]  __init__.py
│   │               │   ├── [2.3K]  enforce.py
│   │               │   ├── [1.5K]  final.py
│   │               │   ├── [7.3K]  overrides.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 12K]  signature.py
│   │               │   └── [ 14K]  typing_utils.py
│   │               ├── [ 256]  overrides-7.7.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE
│   │               │   ├── [5.6K]  METADATA
│   │               │   ├── [1.9K]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   └── [  10]  top_level.txt
│   │               ├── [ 576]  packaging
│   │               │   ├── [ 494]  __init__.py
│   │               │   ├── [3.2K]  _elffile.py
│   │               │   ├── [9.4K]  _manylinux.py
│   │               │   ├── [2.6K]  _musllinux.py
│   │               │   ├── [ 10K]  _parser.py
│   │               │   ├── [1.4K]  _structures.py
│   │               │   ├── [5.2K]  _tokenizer.py
│   │               │   ├── [ 128]  licenses
│   │               │   │   ├── [5.6K]  __init__.py
│   │               │   │   └── [ 47K]  _spdx.py
│   │               │   ├── [ 12K]  markers.py
│   │               │   ├── [ 34K]  metadata.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [2.9K]  requirements.py
│   │               │   ├── [ 39K]  specifiers.py
│   │               │   ├── [ 22K]  tags.py
│   │               │   ├── [4.9K]  utils.py
│   │               │   └── [ 16K]  version.py
│   │               ├── [ 224]  packaging-25.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [3.2K]  METADATA
```

```
│   │               │   ├── [4.3K]  RECORD
│   │               │   ├── [  82]  WHEEL
│   │               │   └── [ 160]  licenses
│   │               │       ├── [ 197]  LICENSE
│   │               │       ├── [9.9K]  LICENSE.APACHE
│   │               │       └── [1.3K]  LICENSE.BSD
│   │               ├── [ 256]  pip
│   │               │   ├── [ 353]  __init__.py
│   │               │   ├── [ 854]  __main__.py
│   │               │   ├── [1.4K]  __pip-runner__.py
│   │               │   ├── [ 768]  _internal
│   │               │   │   ├── [ 511]  __init__.py
│   │               │   │   ├── [ 11K]  build_env.py
│   │               │   │   ├── [ 10K]  cache.py
│   │               │   │   ├── [ 480]  cli
│   │               │   │   │   ├── [ 131]  __init__.py
│   │               │   │   │   ├── [7.0K]  autocompletion.py
│   │               │   │   │   ├── [8.5K]  base_command.py
│   │               │   │   │   ├── [ 31K]  cmdoptions.py
│   │               │   │   │   ├── [ 817]  command_context.py
│   │               │   │   │   ├── [5.6K]  index_command.py
│   │               │   │   │   ├── [2.7K]  main.py
│   │               │   │   │   ├── [4.2K]  main_parser.py
│   │               │   │   │   ├── [ 11K]  parser.py
│   │               │   │   │   ├── [4.6K]  progress_bars.py
│   │               │   │   │   ├── [ 13K]  req_command.py
│   │               │   │   │   ├── [7.2K]  spinners.py
│   │               │   │   │   └── [ 116]  status_codes.py
│   │               │   │   ├── [ 672]  commands
│   │               │   │   │   ├── [3.9K]  __init__.py
│   │               │   │   │   ├── [8.0K]  cache.py
│   │               │   │   │   ├── [2.2K]  check.py
│   │               │   │   │   ├── [4.4K]  completion.py
│   │               │   │   │   ├── [9.9K]  configuration.py
│   │               │   │   │   ├── [6.6K]  debug.py
│   │               │   │   │   ├── [5.1K]  download.py
│   │               │   │   │   ├── [3.0K]  freeze.py
│   │               │   │   │   ├── [1.6K]  hash.py
│   │               │   │   │   ├── [1.1K]  help.py
│   │               │   │   │   ├── [5.1K]  index.py
│   │               │   │   │   ├── [3.1K]  inspect.py
│   │               │   │   │   ├── [ 29K]  install.py
│   │               │   │   │   ├── [ 13K]  list.py
│   │               │   │   │   ├── [5.8K]  lock.py
│   │               │   │   │   ├── [5.6K]  search.py
│   │               │   │   │   ├── [7.9K]  show.py
│   │               │   │   │   ├── [3.8K]  uninstall.py
│   │               │   │   │   └── [6.2K]  wheel.py
│   │               │   │   ├── [ 14K]  configuration.py
│   │               │   │   ├── [ 224]  distributions
│   │               │   │   │   ├── [ 858]  __init__.py
│   │               │   │   │   ├── [1.8K]  base.py
│   │               │   │   │   ├── [ 929]  installed.py
│   │               │   │   │   ├── [6.8K]  sdist.py
│   │               │   │   │   └── [1.3K]  wheel.py
│   │               │   │   ├── [ 28K]  exceptions.py
```

```
│   │               │   │   ├── [ 192]  index
│   │               │   │   │   ├── [  29]  __init__.py
│   │               │   │   │   ├── [ 16K]  collector.py
│   │               │   │   │   ├── [ 38K]  package_finder.py
│   │               │   │   │   └── [8.4K]  sources.py
│   │               │   │   ├── [ 192]  locations
│   │               │   │   │   ├── [ 14K]  __init__.py
│   │               │   │   │   ├── [5.8K]  _distutils.py
│   │               │   │   │   ├── [7.5K]  _sysconfig.py
│   │               │   │   │   └── [2.5K]  base.py
│   │               │   │   ├── [ 338]  main.py
│   │               │   │   ├── [ 224]  metadata
│   │               │   │   │   ├── [5.6K]  __init__.py
│   │               │   │   │   ├── [2.6K]  _json.py
│   │               │   │   │   ├── [ 25K]  base.py
│   │               │   │   │   ├── [ 192]  importlib
│   │               │   │   │   │   ├── [ 135]  __init__.py
│   │               │   │   │   │   ├── [2.7K]  _compat.py
│   │               │   │   │   │   ├── [8.1K]  _dists.py
│   │               │   │   │   │   └── [5.2K]  _envs.py
│   │               │   │   │   └── [ 10K]  pkg_resources.py
│   │               │   │   ├── [ 480]  models
│   │               │   │   │   ├── [  62]  __init__.py
│   │               │   │   │   ├── [ 753]  candidate.py
│   │               │   │   │   ├── [6.4K]  direct_url.py
│   │               │   │   │   ├── [2.4K]  format_control.py
│   │               │   │   │   ├── [1.0K]  index.py
│   │               │   │   │   ├── [2.8K]  installation_report.py
│   │               │   │   │   ├── [ 21K]  link.py
│   │               │   │   │   ├── [6.1K]  pylock.py
│   │               │   │   │   ├── [ 575]  scheme.py
│   │               │   │   │   ├── [4.4K]  search_scope.py
│   │               │   │   │   ├── [2.0K]  selection_prefs.py
│   │               │   │   │   ├── [4.1K]  target_python.py
│   │               │   │   │   └── [5.4K]  wheel.py
│   │               │   │   ├── [ 320]  network
│   │               │   │   │   ├── [  49]  __init__.py
│   │               │   │   │   ├── [ 20K]  auth.py
│   │               │   │   │   ├── [5.2K]  cache.py
│   │               │   │   │   ├── [ 12K]  download.py
│   │               │   │   │   ├── [7.5K]  lazy_wheel.py
│   │               │   │   │   ├── [ 19K]  session.py
│   │               │   │   │   ├── [4.0K]  utils.py
│   │               │   │   │   └── [1.8K]  xmlrpc.py
│   │               │   │   ├── [ 256]  operations
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 320]  build
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [4.7K]  build_tracker.py
│   │               │   │   │   │   ├── [1.4K]  metadata.py
│   │               │   │   │   │   ├── [1.5K]  metadata_editable.py
│   │               │   │   │   │   ├── [2.1K]  metadata_legacy.py
│   │               │   │   │   │   ├── [1.1K]  wheel.py
│   │               │   │   │   │   ├── [1.4K]  wheel_editable.py
│   │               │   │   │   │   └── [3.5K]  wheel_legacy.py
│   │               │   │   │   ├── [5.8K]  check.py
```

```
│   │               │   │   │   ├── [9.6K]  freeze.py
│   │               │   │   │   ├── [ 160]  install
│   │               │   │   │   │   ├── [  50]  __init__.py
│   │               │   │   │   │   ├── [1.3K]  editable_legacy.py
│   │               │   │   │   │   └── [ 27K]  wheel.py
│   │               │   │   │   └── [ 28K]  prepare.py
│   │               │   │   ├── [7.1K]  pyproject.py
│   │               │   │   ├── [ 288]  req
│   │               │   │   │   ├── [3.0K]  __init__.py
│   │               │   │   │   ├── [ 18K]  constructors.py
│   │               │   │   │   ├── [2.6K]  req_dependency_group.py
│   │               │   │   │   ├── [ 20K]  req_file.py
│   │               │   │   │   ├── [ 35K]  req_install.py
│   │               │   │   │   ├── [2.8K]  req_set.py
│   │               │   │   │   └── [ 24K]  req_uninstall.py
│   │               │   │   ├── [ 192]  resolution
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 577]  base.py
│   │               │   │   │   ├── [ 128]  legacy
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [ 23K]  resolver.py
│   │               │   │   │   └── [ 352]  resolvelib
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [4.9K]  base.py
│   │               │   │   │       ├── [ 20K]  candidates.py
│   │               │   │   │       ├── [ 32K]  factory.py
│   │               │   │   │       ├── [5.9K]  found_candidates.py
│   │               │   │   │       ├── [ 11K]  provider.py
│   │               │   │   │       ├── [3.2K]  reporter.py
│   │               │   │   │       ├── [7.9K]  requirements.py
│   │               │   │   │       └── [ 13K]  resolver.py
│   │               │   │   ├── [8.1K]  self_outdated_check.py
│   │               │   │   ├── [ 896]  utils
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.3K]  _jaraco_text.py
│   │               │   │   │   ├── [1015]  _log.py
│   │               │   │   │   ├── [1.6K]  appdirs.py
│   │               │   │   │   ├── [2.5K]  compat.py
│   │               │   │   │   ├── [6.5K]  compatibility_tags.py
│   │               │   │   │   ├── [ 241]  datetime.py
│   │               │   │   │   ├── [3.6K]  deprecation.py
│   │               │   │   │   ├── [3.1K]  direct_url_helpers.py
│   │               │   │   │   ├── [2.4K]  egg_link.py
│   │               │   │   │   ├── [3.2K]  entrypoints.py
│   │               │   │   │   ├── [4.9K]  filesystem.py
│   │               │   │   │   ├── [ 689]  filetypes.py
│   │               │   │   │   ├── [3.6K]  glibc.py
│   │               │   │   │   ├── [4.9K]  hashes.py
│   │               │   │   │   ├── [ 12K]  logging.py
│   │               │   │   │   ├── [ 23K]  misc.py
│   │               │   │   │   ├── [1.6K]  packaging.py
│   │               │   │   │   ├── [1.4K]  retry.py
│   │               │   │   │   ├── [4.4K]  setuptools_build.py
│   │               │   │   │   ├── [8.8K]  subprocess.py
│   │               │   │   │   ├── [9.1K]  temp_dir.py
│   │               │   │   │   ├── [ 12K]  unpacking.py
```

```
│   │               │   │   │   ├── [1.6K]  urls.py
│   │               │   │   │   ├── [3.4K]  virtualenv.py
│   │               │   │   │   └── [4.4K]  wheel.py
│   │               │   │   ├── [ 256]  vcs
│   │               │   │   │   ├── [ 596]  __init__.py
│   │               │   │   │   ├── [3.6K]  bazaar.py
│   │               │   │   │   ├── [ 19K]  git.py
│   │               │   │   │   ├── [5.4K]  mercurial.py
│   │               │   │   │   ├── [ 12K]  subversion.py
│   │               │   │   │   └── [ 22K]  versioncontrol.py
│   │               │   │   └── [ 11K]  wheel_builder.py
│   │               │   ├── [ 736]  _vendor
│   │               │   │   ├── [4.8K]  __init__.py
│   │               │   │   ├── [ 416]  cachecontrol
│   │               │   │   │   ├── [ 677]  __init__.py
│   │               │   │   │   ├── [1.7K]  _cmd.py
│   │               │   │   │   ├── [6.4K]  adapter.py
│   │               │   │   │   ├── [1.9K]  cache.py
│   │               │   │   │   ├── [ 160]  caches
│   │               │   │   │   │   ├── [ 303]  __init__.py
│   │               │   │   │   │   ├── [4.0K]  file_cache.py
│   │               │   │   │   │   └── [1.4K]  redis_cache.py
│   │               │   │   │   ├── [ 19K]  controller.py
│   │               │   │   │   ├── [4.2K]  filewrapper.py
│   │               │   │   │   ├── [4.8K]  heuristics.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   ├── [5.0K]  serialize.py
│   │               │   │   │   └── [1.4K]  wrapper.py
│   │               │   │   ├── [ 224]  certifi
│   │               │   │   │   ├── [  94]  __init__.py
│   │               │   │   │   ├── [ 255]  __main__.py
│   │               │   │   │   ├── [283K]  cacert.pem
│   │               │   │   │   ├── [3.4K]  core.py
│   │               │   │   │   └── [   0]  py.typed
│   │               │   │   ├── [ 288]  dependency_groups
│   │               │   │   │   ├── [ 250]  __init__.py
│   │               │   │   │   ├── [1.7K]  __main__.py
│   │               │   │   │   ├── [7.9K]  _implementation.py
│   │               │   │   │   ├── [1.7K]  _lint_dependency_groups.py
│   │               │   │   │   ├── [1.8K]  _pip_wrapper.py
│   │               │   │   │   ├── [ 285]  _toml_compat.py
│   │               │   │   │   └── [   0]  py.typed
│   │               │   │   ├── [ 416]  distlib
│   │               │   │   │   ├── [ 625]  __init__.py
│   │               │   │   │   ├── [ 40K]  compat.py
│   │               │   │   │   ├── [ 11K]  resources.py
│   │               │   │   │   ├── [ 18K]  scripts.py
│   │               │   │   │   ├── [ 96K]  t32.exe
│   │               │   │   │   ├── [178K]  t64-arm.exe
│   │               │   │   │   ├── [106K]  t64.exe
│   │               │   │   │   ├── [ 65K]  util.py
│   │               │   │   │   ├── [ 90K]  w32.exe
│   │               │   │   │   ├── [164K]  w64-arm.exe
│   │               │   │   │   └── [100K]  w64.exe
│   │               │   │   ├── [ 192]  distro
│   │               │   │   │   ├── [ 981]  __init__.py
```

```
│   │               │   │   │   ├── [  64]  __main__.py
│   │               │   │   │   ├── [ 48K]  distro.py
│   │               │   │   │   └── [   0]  py.typed
│   │               │   │   ├── [ 352]  idna
│   │               │   │   │   ├── [ 868]  __init__.py
│   │               │   │   │   ├── [3.3K]  codec.py
│   │               │   │   │   ├── [ 316]  compat.py
│   │               │   │   │   ├── [ 13K]  core.py
│   │               │   │   │   ├── [ 76K]  idnadata.py
│   │               │   │   │   ├── [1.9K]  intranges.py
│   │               │   │   │   ├── [  21]  package_data.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   └── [234K]  uts46data.py
│   │               │   │   ├── [ 192]  msgpack
│   │               │   │   │   ├── [1.1K]  __init__.py
│   │               │   │   │   ├── [1.1K]  exceptions.py
│   │               │   │   │   ├── [5.6K]  ext.py
│   │               │   │   │   └── [ 32K]  fallback.py
│   │               │   │   ├── [ 576]  packaging
│   │               │   │   │   ├── [ 494]  __init__.py
│   │               │   │   │   ├── [3.2K]  _elffile.py
│   │               │   │   │   ├── [9.4K]  _manylinux.py
│   │               │   │   │   ├── [2.6K]  _musllinux.py
│   │               │   │   │   ├── [ 10K]  _parser.py
│   │               │   │   │   ├── [1.4K]  _structures.py
│   │               │   │   │   ├── [5.2K]  _tokenizer.py
│   │               │   │   │   ├── [ 128]  licenses
│   │               │   │   │   │   ├── [5.6K]  __init__.py
│   │               │   │   │   │   └── [ 47K]  _spdx.py
│   │               │   │   │   ├── [ 12K]  markers.py
│   │               │   │   │   ├── [ 34K]  metadata.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   ├── [2.9K]  requirements.py
│   │               │   │   │   ├── [ 39K]  specifiers.py
│   │               │   │   │   ├── [ 22K]  tags.py
│   │               │   │   │   ├── [4.9K]  utils.py
│   │               │   │   │   └── [ 16K]  version.py
│   │               │   │   ├── [  96]  pkg_resources
│   │               │   │   │   └── [122K]  __init__.py
│   │               │   │   ├── [ 352]  platformdirs
│   │               │   │   │   ├── [ 22K]  __init__.py
│   │               │   │   │   ├── [1.5K]  __main__.py
│   │               │   │   │   ├── [8.8K]  android.py
│   │               │   │   │   ├── [9.1K]  api.py
│   │               │   │   │   ├── [6.0K]  macos.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   ├── [ 10K]  unix.py
│   │               │   │   │   ├── [ 511]  version.py
│   │               │   │   │   └── [9.9K]  windows.py
│   │               │   │   ├── [ 672]  pygments
│   │               │   │   │   ├── [2.9K]  __init__.py
│   │               │   │   │   ├── [ 353]  __main__.py
│   │               │   │   │   ├── [1.7K]  console.py
│   │               │   │   │   ├── [1.9K]  filter.py
│   │               │   │   │   ├── [  96]  filters
│   │               │   │   │   │   └── [ 39K]  __init__.py
```

```
│   │               │   │   │   ├── [4.3K]  formatter.py
│   │               │   │   │   ├── [ 128]  formatters
│   │               │   │   │   │   ├── [5.3K]  __init__.py
│   │               │   │   │   │   └── [4.1K]  _mapping.py
│   │               │   │   │   ├── [ 35K]  lexer.py
│   │               │   │   │   ├── [ 160]  lexers
│   │               │   │   │   │   ├── [ 12K]  __init__.py
│   │               │   │   │   │   ├── [ 76K]  _mapping.py
│   │               │   │   │   │   └── [ 53K]  python.py
│   │               │   │   │   ├── [1005]  modeline.py
│   │               │   │   │   ├── [1.8K]  plugin.py
│   │               │   │   │   ├── [3.0K]  regexopt.py
│   │               │   │   │   ├── [3.0K]  scanner.py
│   │               │   │   │   ├── [7.8K]  sphinxext.py
│   │               │   │   │   ├── [6.3K]  style.py
│   │               │   │   │   ├── [ 128]  styles
│   │               │   │   │   │   ├── [2.0K]  __init__.py
│   │               │   │   │   │   └── [3.2K]  _mapping.py
│   │               │   │   │   ├── [6.1K]  token.py
│   │               │   │   │   ├── [ 62K]  unistring.py
│   │               │   │   │   └── [9.8K]  util.py
│   │               │   │   ├── [ 192]  pyproject_hooks
│   │               │   │   │   ├── [ 691]  __init__.py
│   │               │   │   │   ├── [ 15K]  _impl.py
│   │               │   │   │   ├── [ 128]  _in_process
│   │               │   │   │   │   ├── [ 557]  __init__.py
│   │               │   │   │   │   └── [ 12K]  _in_process.py
│   │               │   │   │   └── [   0]  py.typed
│   │               │   │   ├── [ 640]  requests
│   │               │   │   │   ├── [4.9K]  __init__.py
│   │               │   │   │   ├── [ 435]  __version__.py
│   │               │   │   │   ├── [1.5K]  _internal_utils.py
│   │               │   │   │   ├── [ 27K]  adapters.py
│   │               │   │   │   ├── [6.3K]  api.py
│   │               │   │   │   ├── [9.9K]  auth.py
│   │               │   │   │   ├── [ 441]  certs.py
│   │               │   │   │   ├── [1.8K]  compat.py
│   │               │   │   │   ├── [ 18K]  cookies.py
│   │               │   │   │   ├── [4.2K]  exceptions.py
│   │               │   │   │   ├── [3.7K]  help.py
│   │               │   │   │   ├── [ 733]  hooks.py
│   │               │   │   │   ├── [ 35K]  models.py
│   │               │   │   │   ├── [1.0K]  packages.py
│   │               │   │   │   ├── [ 30K]  sessions.py
│   │               │   │   │   ├── [4.2K]  status_codes.py
│   │               │   │   │   ├── [2.8K]  structures.py
│   │               │   │   │   └── [ 32K]  utils.py
│   │               │   │   ├── [ 256]  resolvelib
│   │               │   │   │   ├── [ 541]  __init__.py
│   │               │   │   │   ├── [8.7K]  providers.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   ├── [2.0K]  reporters.py
│   │               │   │   │   ├── [ 224]  resolvers
│   │               │   │   │   │   ├── [ 640]  __init__.py
│   │               │   │   │   │   ├── [1.5K]  abstract.py
│   │               │   │   │   │   ├── [1.7K]  criterion.py
```

```
│   │               │   │   │   │   ├── [1.7K]  exceptions.py
│   │               │   │   │   │   └── [ 23K]  resolution.py
│   │               │   │   │   └── [6.3K]  structs.py
│   │               │   │   ├── [2.5K]  rich
│   │               │   │   │   ├── [5.9K]  __init__.py
│   │               │   │   │   ├── [7.7K]  __main__.py
│   │               │   │   │   ├── [ 10K]  _cell_widths.py
│   │               │   │   │   ├── [137K]  _emoji_codes.py
│   │               │   │   │   ├── [1.0K]  _emoji_replace.py
│   │               │   │   │   ├── [2.1K]  _export_format.py
│   │               │   │   │   ├── [ 265]  _extension.py
│   │               │   │   │   ├── [ 799]  _fileno.py
│   │               │   │   │   ├── [9.4K]  _inspect.py
│   │               │   │   │   ├── [3.1K]  _log_render.py
│   │               │   │   │   ├── [1.2K]  _loop.py
│   │               │   │   │   ├── [1.4K]  _null_file.py
│   │               │   │   │   ├── [6.9K]  _palettes.py
│   │               │   │   │   ├── [ 423]  _pick.py
│   │               │   │   │   ├── [5.2K]  _ratio.py
│   │               │   │   │   ├── [ 19K]  _spinners.py
│   │               │   │   │   ├── [ 351]  _stack.py
│   │               │   │   │   ├── [ 417]  _timer.py
│   │               │   │   │   ├── [ 22K]  _win32_console.py
│   │               │   │   │   ├── [1.9K]  _windows.py
│   │               │   │   │   ├── [2.7K]  _windows_renderer.py
│   │               │   │   │   ├── [3.3K]  _wrap.py
│   │               │   │   │   ├── [ 890]  abc.py
│   │               │   │   │   ├── [ 10K]  align.py
│   │               │   │   │   ├── [6.8K]  ansi.py
│   │               │   │   │   ├── [3.2K]  bar.py
│   │               │   │   │   ├── [ 10K]  box.py
│   │               │   │   │   ├── [5.0K]  cells.py
│   │               │   │   │   ├── [ 18K]  color.py
│   │               │   │   │   ├── [1.0K]  color_triplet.py
│   │               │   │   │   ├── [7.0K]  columns.py
│   │               │   │   │   ├── [ 98K]  console.py
│   │               │   │   │   ├── [1.3K]  constrain.py
│   │               │   │   │   ├── [5.4K]  containers.py
│   │               │   │   │   ├── [6.3K]  control.py
│   │               │   │   │   ├── [8.1K]  default_styles.py
│   │               │   │   │   ├── [1.0K]  diagnose.py
│   │               │   │   │   ├── [2.3K]  emoji.py
│   │               │   │   │   ├── [ 642]  errors.py
│   │               │   │   │   ├── [1.6K]  file_proxy.py
│   │               │   │   │   ├── [2.4K]  filesize.py
│   │               │   │   │   ├── [9.4K]  highlighter.py
│   │               │   │   │   ├── [4.9K]  json.py
│   │               │   │   │   ├── [3.2K]  jupyter.py
│   │               │   │   │   ├── [ 14K]  layout.py
│   │               │   │   │   ├── [ 15K]  live.py
│   │               │   │   │   ├── [3.4K]  live_render.py
│   │               │   │   │   ├── [ 12K]  logging.py
│   │               │   │   │   ├── [8.3K]  markup.py
│   │               │   │   │   ├── [5.2K]  measure.py
│   │               │   │   │   ├── [4.8K]  padding.py
│   │               │   │   │   ├── [ 828]  pager.py
```

```
│   │               │   │   │   ├── [3.3K]  palette.py
│   │               │   │   │   ├── [ 11K]  panel.py
│   │               │   │   │   ├── [ 36K]  pretty.py
│   │               │   │   │   ├── [ 59K]  progress.py
│   │               │   │   │   ├── [8.0K]  progress_bar.py
│   │               │   │   │   ├── [ 12K]  prompt.py
│   │               │   │   │   ├── [1.4K]  protocol.py
│   │               │   │   │   ├── [   0]  py.typed
│   │               │   │   │   ├── [ 166]  region.py
│   │               │   │   │   ├── [4.3K]  repr.py
│   │               │   │   │   ├── [4.5K]  rule.py
│   │               │   │   │   ├── [2.8K]  scope.py
│   │               │   │   │   ├── [1.6K]  screen.py
│   │               │   │   │   ├── [ 24K]  segment.py
│   │               │   │   │   ├── [4.1K]  spinner.py
│   │               │   │   │   ├── [4.3K]  status.py
│   │               │   │   │   ├── [ 26K]  style.py
│   │               │   │   │   ├── [1.2K]  styled.py
│   │               │   │   │   ├── [ 36K]  syntax.py
│   │               │   │   │   ├── [ 39K]  table.py
│   │               │   │   │   ├── [3.3K]  terminal_theme.py
│   │               │   │   │   ├── [ 46K]  text.py
│   │               │   │   │   ├── [3.7K]  theme.py
│   │               │   │   │   ├── [ 102]  themes.py
│   │               │   │   │   ├── [ 35K]  traceback.py
│   │               │   │   │   └── [9.2K]  tree.py
│   │               │   │   ├── [ 224]  tomli
│   │               │   │   │   ├── [ 314]  __init__.py
│   │               │   │   │   ├── [ 25K]  _parser.py
│   │               │   │   │   ├── [3.1K]  _re.py
│   │               │   │   │   ├── [ 254]  _types.py
│   │               │   │   │   └── [  26]  py.typed
│   │               │   │   ├── [ 160]  tomli_w
│   │               │   │   │   ├── [ 169]  __init__.py
│   │               │   │   │   ├── [6.8K]  _writer.py
│   │               │   │   │   └── [  26]  py.typed
│   │               │   │   ├── [ 288]  truststore
│   │               │   │   │   ├── [1.3K]  __init__.py
│   │               │   │   │   ├── [ 11K]  _api.py
│   │               │   │   │   ├── [ 20K]  _macos.py
│   │               │   │   │   ├── [2.3K]  _openssl.py
│   │               │   │   │   ├── [1.1K]  _ssl_constants.py
│   │               │   │   │   ├── [ 18K]  _windows.py
│   │               │   │   │   └── [   0]  py.typed
│   │               │   │   ├── [ 512]  urllib3
│   │               │   │   │   ├── [3.3K]  __init__.py
│   │               │   │   │   ├── [ 11K]  _collections.py
│   │               │   │   │   ├── [  64]  _version.py
│   │               │   │   │   ├── [ 20K]  connection.py
│   │               │   │   │   ├── [ 39K]  connectionpool.py
│   │               │   │   │   ├── [ 320]  contrib
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 957]  _appengine_environ.py
│   │               │   │   │   │   ├── [ 160]  _securetransport
│   │               │   │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   │   ├── [ 17K]  bindings.py
```

```
│   │               │   │   │   │   │   └── [ 14K]  low_level.py
│   │               │   │   │   │   ├── [ 11K]  appengine.py
│   │               │   │   │   │   ├── [4.4K]  ntlmpool.py
│   │               │   │   │   │   ├── [ 17K]  pyopenssl.py
│   │               │   │   │   │   ├── [ 34K]  securetransport.py
│   │               │   │   │   │   └── [6.9K]  socks.py
│   │               │   │   │   ├── [8.0K]  exceptions.py
│   │               │   │   │   ├── [8.4K]  fields.py
│   │               │   │   │   ├── [2.4K]  filepost.py
│   │               │   │   │   ├── [ 160]  packages
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 160]  backports
│   │               │   │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   │   ├── [1.4K]  makefile.py
│   │               │   │   │   │   │   └── [5.2K]  weakref_finalize.py
│   │               │   │   │   │   └── [ 34K]  six.py
│   │               │   │   │   ├── [ 20K]  poolmanager.py
│   │               │   │   │   ├── [6.5K]  request.py
│   │               │   │   │   ├── [ 30K]  response.py
│   │               │   │   │   └── [ 480]  util
│   │               │   │   │       ├── [1.1K]  __init__.py
│   │               │   │   │       ├── [4.8K]  connection.py
│   │               │   │   │       ├── [1.6K]  proxy.py
│   │               │   │   │       ├── [ 498]  queue.py
│   │               │   │   │       ├── [3.9K]  request.py
│   │               │   │   │       ├── [3.4K]  response.py
│   │               │   │   │       ├── [ 22K]  retry.py
│   │               │   │   │       ├── [ 17K]  ssl_.py
│   │               │   │   │       ├── [5.6K]  ssl_match_hostname.py
│   │               │   │   │       ├── [6.7K]  ssltransport.py
│   │               │   │   │       ├── [9.9K]  timeout.py
│   │               │   │   │       ├── [ 14K]  url.py
│   │               │   │   │       └── [5.3K]  wait.py
│   │               │   │   └── [ 343]  vendor.txt
│   │               │   └── [ 286]  py.typed
│   │               ├── [ 320]  pip-25.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [4.6K]  METADATA
│   │               │   ├── [105K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  87]  entry_points.txt
│   │               │   ├── [ 160]  licenses
│   │               │   │   ├── [ 11K]  AUTHORS.txt
│   │               │   │   ├── [1.1K]  LICENSE.txt
│   │               │   │   └── [  96]  src
│   │               │   │       └── [  96]  pip
│   │               │   │           └── [ 672]  _vendor
│   │               │   │               ├── [  96]  cachecontrol
│   │               │   │               │   └── [ 558]  LICENSE.txt
│   │               │   │               ├── [  96]  certifi
│   │               │   │               │   └── [ 989]  LICENSE
│   │               │   │               ├── [  96]  dependency_groups
│   │               │   │               │   └── [1.1K]  LICENSE.txt
│   │               │   │               ├── [  96]  distlib
│   │               │   │               │   └── [ 14K]  LICENSE.txt
```

```
│   │               │   │               ├── [  96]  distro
│   │               │   │               │   └── [ 11K]  LICENSE
│   │               │   │               ├── [  96]  idna
│   │               │   │               │   └── [1.5K]  LICENSE.md
│   │               │   │               ├── [  96]  msgpack
│   │               │   │               │   └── [ 614]  COPYING
│   │               │   │               ├── [ 160]  packaging
│   │               │   │               │   ├── [ 197]  LICENSE
│   │               │   │               │   ├── [9.9K]  LICENSE.APACHE
│   │               │   │               │   └── [1.3K]  LICENSE.BSD
│   │               │   │               ├── [  96]  pkg_resources
│   │               │   │               │   └── [1023]  LICENSE
│   │               │   │               ├── [  96]  platformdirs
│   │               │   │               │   └── [1.1K]  LICENSE
│   │               │   │               ├── [  96]  pygments
│   │               │   │               │   └── [1.3K]  LICENSE
│   │               │   │               ├── [  96]  pyproject_hooks
│   │               │   │               │   └── [1.1K]  LICENSE
│   │               │   │               ├── [  96]  requests
│   │               │   │               │   └── [9.9K]  LICENSE
│   │               │   │               ├── [  96]  resolvelib
│   │               │   │               │   └── [ 751]  LICENSE
│   │               │   │               ├── [  96]  rich
│   │               │   │               │   └── [1.0K]  LICENSE
│   │               │   │               ├── [ 128]  tomli
│   │               │   │               │   ├── [1.0K]  LICENSE
│   │               │   │               │   └── [ 121]  LICENSE-HEADER
│   │               │   │               ├── [  96]  tomli_w
│   │               │   │               │   └── [1.0K]  LICENSE
│   │               │   │               ├── [  96]  truststore
│   │               │   │               │   └── [1.1K]  LICENSE
│   │               │   │               └── [  96]  urllib3
│   │               │   │                   └── [1.1K]  LICENSE.txt
│   │               │   └── [   4]  top_level.txt
│   │               ├── [ 192]  pkg_resources
│   │               │   ├── [106K]  __init__.py
│   │               │   ├── [ 192]  _vendor
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 24K]  appdirs.py
│   │               │   │   ├── [ 416]  packaging
│   │               │   │   │   ├── [ 736]  __about__.py
│   │               │   │   │   ├── [ 562]  __init__.py
│   │               │   │   │   ├── [1.1K]  _compat.py
│   │               │   │   │   ├── [2.0K]  _structures.py
│   │               │   │   │   ├── [1.8K]  _typing.py
│   │               │   │   │   ├── [9.3K]  markers.py
│   │               │   │   │   ├── [4.8K]  requirements.py
│   │               │   │   │   ├── [ 31K]  specifiers.py
│   │               │   │   │   ├── [ 24K]  tags.py
│   │               │   │   │   ├── [1.8K]  utils.py
│   │               │   │   │   └── [ 15K]  version.py
│   │               │   │   └── [227K]  pyparsing.py
│   │               │   ├── [  96]  extern
│   │               │   │   └── [2.3K]  __init__.py
│   │               │   └── [  96]  tests
│   │               │       └── [  96]  data
```

```
│   │               │           └── [  96]  my-test-package-source
│   │               │               └── [ 104]  setup.py
│   │               ├── [ 608]  posthog
│   │               │   ├── [ 19K]  __init__.py
│   │               │   ├── [ 256]  ai
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 192]  anthropic
│   │               │   │   │   ├── [ 368]  __init__.py
│   │               │   │   │   ├── [7.1K]  anthropic.py
│   │               │   │   │   ├── [7.3K]  anthropic_async.py
│   │               │   │   │   └── [1.9K]  anthropic_providers.py
│   │               │   │   ├── [ 128]  gemini
│   │               │   │   │   ├── [ 174]  __init__.py
│   │               │   │   │   └── [ 13K]  gemini.py
│   │               │   │   ├── [ 128]  langchain
│   │               │   │   │   ├── [  70]  __init__.py
│   │               │   │   │   └── [ 28K]  callbacks.py
│   │               │   │   ├── [ 192]  openai
│   │               │   │   │   ├── [ 197]  __init__.py
│   │               │   │   │   ├── [ 23K]  openai.py
│   │               │   │   │   ├── [ 23K]  openai_async.py
│   │               │   │   │   └── [3.7K]  openai_providers.py
│   │               │   │   └── [ 19K]  utils.py
│   │               │   ├── [ 48K]  client.py
│   │               │   ├── [4.5K]  consumer.py
│   │               │   ├── [2.6K]  exception_capture.py
│   │               │   ├── [ 128]  exception_integrations
│   │               │   │   ├── [ 187]  __init__.py
│   │               │   │   └── [3.6K]  django.py
│   │               │   ├── [ 29K]  exception_utils.py
│   │               │   ├── [ 13K]  feature_flags.py
│   │               │   ├── [ 128]  integrations
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [4.8K]  django.py
│   │               │   ├── [ 595]  poller.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [6.0K]  request.py
│   │               │   ├── [8.0K]  scopes.py
│   │               │   ├── [ 512]  test
│   │               │   │   ├── [ 299]  __init__.py
│   │               │   │   ├── [5.8K]  test_before_send.py
│   │               │   │   ├── [ 63K]  test_client.py
│   │               │   │   ├── [6.9K]  test_consumer.py
│   │               │   │   ├── [2.1K]  test_exception_capture.py
│   │               │   │   ├── [6.7K]  test_feature_flag.py
│   │               │   │   ├── [ 15K]  test_feature_flag_result.py
│   │               │   │   ├── [165K]  test_feature_flags.py
│   │               │   │   ├── [1.4K]  test_module.py
│   │               │   │   ├── [4.3K]  test_request.py
│   │               │   │   ├── [7.1K]  test_scopes.py
│   │               │   │   ├── [ 765]  test_size_limited_dict.py
│   │               │   │   ├── [7.4K]  test_types.py
│   │               │   │   └── [5.3K]  test_utils.py
│   │               │   ├── [8.9K]  types.py
│   │               │   ├── [5.5K]  utils.py
│   │               │   └── [  87]  version.py
```

```
│   │   │   ├── [ 256]  posthog-5.4.0.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [5.5K]  METADATA
│   │   │   │   ├── [ 11K]  RECORD
│   │   │   │   ├── [  91]  WHEEL
│   │   │   │   ├── [  96]  licenses
│   │   │   │   │   └── [2.4K]  LICENSE
│   │   │   │   └── [   8]  top_level.txt
│   │   │   ├── [ 288]  propcache
│   │   │   │   ├── [ 965]  __init__.py
│   │   │   │   ├── [1.5K]  _helpers.py
│   │   │   │   ├── [122K]  _helpers_c.cpython-39-darwin.so
│   │   │   │   ├── [2.5K]  _helpers_c.pyx
│   │   │   │   ├── [1.9K]  _helpers_py.py
│   │   │   │   ├── [ 179]  api.py
│   │   │   │   └── [  14]  py.typed
│   │   │   ├── [ 256]  propcache-0.3.2.dist-info
│   │   │   │   ├── [   4]  INSTALLER
│   │   │   │   ├── [ 12K]  METADATA
│   │   │   │   ├── [1.7K]  RECORD
│   │   │   │   ├── [ 134]  WHEEL
│   │   │   │   ├── [ 128]  licenses
│   │   │   │   │   ├── [ 11K]  LICENSE
│   │   │   │   │   └── [ 609]  NOTICE
│   │   │   │   └── [  10]  top_level.txt
│   │   │   ├── [ 448]  proto
│   │   │   │   ├── [1.7K]  __init__.py
│   │   │   │   ├── [7.7K]  _file_info.py
│   │   │   │   ├── [1.9K]  _package_info.py
│   │   │   │   ├── [7.2K]  datetime_helpers.py
│   │   │   │   ├── [5.8K]  enums.py
│   │   │   │   ├── [5.2K]  fields.py
│   │   │   │   ├── [ 224]  marshal
│   │   │   │   │   ├── [ 630]  __init__.py
│   │   │   │   │   ├── [ 160]  collections
│   │   │   │   │   │   ├── [ 755]  __init__.py
│   │   │   │   │   │   ├── [2.9K]  maps.py
│   │   │   │   │   │   └── [6.8K]  repeated.py
│   │   │   │   │   ├── [2.3K]  compat.py
│   │   │   │   │   ├── [ 12K]  marshal.py
│   │   │   │   │   └── [ 352]  rules
│   │   │   │   │       ├── [ 575]  __init__.py
│   │   │   │   │       ├── [1.6K]  bytes.py
│   │   │   │   │       ├── [3.1K]  dates.py
│   │   │   │   │       ├── [2.2K]  enums.py
│   │   │   │   │       ├── [1.2K]  field_mask.py
│   │   │   │   │       ├── [2.3K]  message.py
│   │   │   │   │       ├── [1.7K]  stringy_numbers.py
│   │   │   │   │       ├── [5.1K]  struct.py
│   │   │   │   │       └── [2.2K]  wrappers.py
│   │   │   │   ├── [ 38K]  message.py
│   │   │   │   ├── [1.5K]  modules.py
│   │   │   │   ├── [1000]  primitives.py
│   │   │   │   ├── [1.6K]  utils.py
│   │   │   │   └── [ 599]  version.py
│   │   │   ├── [ 256]  proto_plus-1.26.1.dist-info
```

```
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE
│   │               │   ├── [2.1K]  METADATA
│   │               │   ├── [6.5K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   └── [   6]  top_level.txt
│   │               ├── [ 224]  protobuf-6.31.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.7K]  LICENSE
│   │               │   ├── [ 593]  METADATA
│   │               │   ├── [ 14K]  RECORD
│   │               │   └── [ 112]  WHEEL
│   │               ├── [ 256]  pyasn1
│   │               │   ├── [  66]  __init__.py
│   │               │   ├── [ 256]  codec
│   │               │   │   ├── [  59]  __init__.py
│   │               │   │   ├── [ 192]  ber
│   │               │   │   │   ├── [  59]  __init__.py
│   │               │   │   │   ├── [ 77K]  decoder.py
│   │               │   │   │   ├── [ 29K]  encoder.py
│   │               │   │   │   └── [ 639]  eoo.py
│   │               │   │   ├── [ 160]  cer
│   │               │   │   │   ├── [  59]  __init__.py
│   │               │   │   │   ├── [4.5K]  decoder.py
│   │               │   │   │   └── [9.6K]  encoder.py
│   │               │   │   ├── [ 160]  der
│   │               │   │   │   ├── [  59]  __init__.py
│   │               │   │   │   ├── [3.3K]  decoder.py
│   │               │   │   │   └── [3.4K]  encoder.py
│   │               │   │   ├── [ 160]  native
│   │               │   │   │   ├── [  59]  __init__.py
│   │               │   │   │   ├── [8.9K]  decoder.py
│   │               │   │   │   └── [9.0K]  encoder.py
│   │               │   │   └── [6.2K]  streaming.py
│   │               │   ├── [ 128]  compat
│   │               │   │   ├── [ 112]  __init__.py
│   │               │   │   └── [ 404]  integer.py
│   │               │   ├── [3.4K]  debug.py
│   │               │   ├── [3.2K]  error.py
│   │               │   └── [ 448]  type
│   │               │       ├── [  59]  __init__.py
│   │               │       ├── [ 22K]  base.py
│   │               │       ├── [9.2K]  char.py
│   │               │       ├── [ 21K]  constraint.py
│   │               │       ├── [ 259]  error.py
│   │               │       ├── [ 16K]  namedtype.py
│   │               │       ├── [4.8K]  namedval.py
│   │               │       ├── [2.8K]  opentype.py
│   │               │       ├── [9.3K]  tag.py
│   │               │       ├── [2.9K]  tagmap.py
│   │               │       ├── [107K]  univ.py
│   │               │       └── [5.2K]  useful.py
│   │               ├── [ 288]  pyasn1-0.6.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.3K]  LICENSE.rst
│   │               │   ├── [8.2K]  METADATA
```

```
│   │               │   ├── [7.9K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [   7]  top_level.txt
│   │               │   └── [   1]  zip-safe
│   │               ├── [4.2K]  pyasn1_modules
│   │               │   ├── [  65]  __init__.py
│   │               │   ├── [1.8K]  pem.py
│   │               │   ├── [2.6K]  rfc1155.py
│   │               │   ├── [3.5K]  rfc1157.py
│   │               │   ├── [ 646]  rfc1901.py
│   │               │   ├── [3.6K]  rfc1902.py
│   │               │   ├── [4.7K]  rfc1905.py
│   │               │   ├── [ 26K]  rfc2251.py
│   │               │   ├── [1.3K]  rfc2314.py
│   │               │   ├── [9.4K]  rfc2315.py
│   │               │   ├── [2.6K]  rfc2437.py
│   │               │   ├── [ 49K]  rfc2459.py
│   │               │   ├── [ 10K]  rfc2511.py
│   │               │   ├── [8.2K]  rfc2560.py
│   │               │   ├── [1.2K]  rfc2631.py
│   │               │   ├── [9.2K]  rfc2634.py
│   │               │   ├── [1.4K]  rfc2876.py
│   │               │   ├── [ 14K]  rfc2985.py
│   │               │   ├── [1.9K]  rfc2986.py
│   │               │   ├── [ 992]  rfc3058.py
│   │               │   ├── [1.9K]  rfc3114.py
│   │               │   ├── [ 16K]  rfc3125.py
│   │               │   ├── [4.2K]  rfc3161.py
│   │               │   ├── [1.6K]  rfc3274.py
│   │               │   ├── [6.6K]  rfc3279.py
│   │               │   ├── [ 46K]  rfc3280.py
│   │               │   ├── [9.6K]  rfc3281.py
│   │               │   ├── [2.7K]  rfc3370.py
│   │               │   ├── [1.9K]  rfc3412.py
│   │               │   ├── [1.1K]  rfc3414.py
│   │               │   ├── [1.6K]  rfc3447.py
│   │               │   ├── [ 796]  rfc3537.py
│   │               │   ├── [1.8K]  rfc3560.py
│   │               │   ├── [1.4K]  rfc3565.py
│   │               │   ├── [1.7K]  rfc3657.py
│   │               │   ├── [6.3K]  rfc3709.py
│   │               │   ├── [5.0K]  rfc3739.py
│   │               │   ├── [1.7K]  rfc3770.py
│   │               │   ├── [3.2K]  rfc3779.py
│   │               │   ├── [1.4K]  rfc3820.py
│   │               │   ├── [ 20K]  rfc3852.py
│   │               │   ├── [1.2K]  rfc4010.py
│   │               │   ├── [1.0K]  rfc4043.py
│   │               │   ├── [ 10K]  rfc4055.py
│   │               │   ├── [1.6K]  rfc4073.py
│   │               │   ├── [ 10K]  rfc4108.py
│   │               │   ├── [ 28K]  rfc4210.py
│   │               │   ├── [ 12K]  rfc4211.py
│   │               │   ├── [1.5K]  rfc4334.py
│   │               │   ├── [ 15K]  rfc4357.py
│   │               │   ├── [ 441]  rfc4387.py
```

```
│   │               │   ├── [1.9K]  rfc4476.py
│   │               │   ├── [3.3K]  rfc4490.py
│   │               │   ├── [1.0K]  rfc4491.py
│   │               │   ├── [1.8K]  rfc4683.py
│   │               │   ├── [ 961]  rfc4985.py
│   │               │   ├── [4.4K]  rfc5035.py
│   │               │   ├── [1.8K]  rfc5083.py
│   │               │   ├── [2.8K]  rfc5084.py
│   │               │   ├── [ 15K]  rfc5126.py
│   │               │   ├── [1.4K]  rfc5208.py
│   │               │   ├── [ 11K]  rfc5275.py
│   │               │   ├── [ 50K]  rfc5280.py
│   │               │   ├── [4.7K]  rfc5480.py
│   │               │   ├── [2.3K]  rfc5636.py
│   │               │   ├── [1.0K]  rfc5639.py
│   │               │   ├── [ 830]  rfc5649.py
│   │               │   ├── [ 21K]  rfc5652.py
│   │               │   ├── [1.7K]  rfc5697.py
│   │               │   ├── [3.1K]  rfc5751.py
│   │               │   ├── [1.4K]  rfc5752.py
│   │               │   ├── [4.4K]  rfc5753.py
│   │               │   ├── [ 12K]  rfc5755.py
│   │               │   ├── [1.1K]  rfc5913.py
│   │               │   ├── [3.6K]  rfc5914.py
│   │               │   ├── [1.0K]  rfc5915.py
│   │               │   ├── [ 800]  rfc5916.py
│   │               │   ├── [1.5K]  rfc5917.py
│   │               │   ├── [ 425]  rfc5924.py
│   │               │   ├── [ 23K]  rfc5934.py
│   │               │   ├── [1.6K]  rfc5940.py
│   │               │   ├── [2.6K]  rfc5958.py
│   │               │   ├── [5.4K]  rfc5990.py
│   │               │   ├── [2.3K]  rfc6010.py
│   │               │   ├── [1.1K]  rfc6019.py
│   │               │   ├── [ 12K]  rfc6031.py
│   │               │   ├── [1.9K]  rfc6032.py
│   │               │   ├── [ 818]  rfc6120.py
│   │               │   ├── [ 409]  rfc6170.py
│   │               │   ├── [ 489]  rfc6187.py
│   │               │   ├── [1.0K]  rfc6210.py
│   │               │   ├── [2.2K]  rfc6211.py
│   │               │   ├── [ 17K]  rfc6402.py
│   │               │   ├── [2.0K]  rfc6482.py
│   │               │   ├── [1.9K]  rfc6486.py
│   │               │   ├── [ 472]  rfc6487.py
│   │               │   ├── [4.2K]  rfc6664.py
│   │               │   ├── [2.7K]  rfc6955.py
│   │               │   ├── [7.7K]  rfc6960.py
│   │               │   ├── [1.4K]  rfc7030.py
│   │               │   ├── [6.9K]  rfc7191.py
│   │               │   ├── [ 743]  rfc7229.py
│   │               │   ├── [8.3K]  rfc7292.py
│   │               │   ├── [ 885]  rfc7296.py
│   │               │   ├── [2.1K]  rfc7508.py
│   │               │   ├── [1.1K]  rfc7585.py
│   │               │   ├── [ 841]  rfc7633.py
```

```
│   │               │   ├── [1.3K]  rfc7773.py
│   │               │   ├── [2.7K]  rfc7894.py
│   │               │   ├── [ 18K]  rfc7906.py
│   │               │   ├── [1.5K]  rfc7914.py
│   │               │   ├── [4.1K]  rfc8017.py
│   │               │   ├── [6.0K]  rfc8018.py
│   │               │   ├── [1017]  rfc8103.py
│   │               │   ├── [ 393]  rfc8209.py
│   │               │   ├── [4.2K]  rfc8226.py
│   │               │   ├── [1.1K]  rfc8358.py
│   │               │   ├── [1.0K]  rfc8360.py
│   │               │   ├── [1.2K]  rfc8398.py
│   │               │   ├── [ 971]  rfc8410.py
│   │               │   ├── [1.1K]  rfc8418.py
│   │               │   ├── [1.7K]  rfc8419.py
│   │               │   ├── [1.1K]  rfc8479.py
│   │               │   ├── [2.3K]  rfc8494.py
│   │               │   ├── [1.5K]  rfc8520.py
│   │               │   ├── [1.1K]  rfc8619.py
│   │               │   ├── [ 982]  rfc8649.py
│   │               │   ├── [2.0K]  rfc8692.py
│   │               │   ├── [3.4K]  rfc8696.py
│   │               │   ├── [2.7K]  rfc8702.py
│   │               │   ├── [ 978]  rfc8708.py
│   │               │   └── [ 441]  rfc8769.py
│   │               ├── [ 288]  pyasn1_modules-0.4.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [3.4K]  METADATA
│   │               │   ├── [ 31K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.3K]  LICENSE.txt
│   │               │   ├── [  15]  top_level.txt
│   │               │   └── [   1]  zip-safe
│   │               ├── [ 384]  pybase64
│   │               │   ├── [3.2K]  __init__.py
│   │               │   ├── [8.3K]  __main__.py
│   │               │   ├── [5.7K]  _fallback.py
│   │               │   ├── [3.0K]  _license.py
│   │               │   ├── [  14]  _license.pyi
│   │               │   ├── [ 72K]  _pybase64.cpython-39-darwin.so
│   │               │   ├── [ 679]  _pybase64.pyi
│   │               │   ├── [ 709]  _typing.py
│   │               │   ├── [  55]  _version.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 288]  pybase64-1.4.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [8.5K]  METADATA
│   │               │   ├── [2.3K]  RECORD
│   │               │   ├── [ 134]  WHEEL
│   │               │   ├── [  52]  entry_points.txt
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.3K]  LICENSE
│   │               │   └── [   9]  top_level.txt
│   │               ├── [1.3K]  pydantic
│   │               │   ├── [ 15K]  __init__.py
```

```
│   │               │   ├── [ 992]  _internal
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 14K]  _config.py
│   │               │   │   ├── [5.0K]  _core_metadata.py
│   │               │   │   ├── [6.6K]  _core_utils.py
│   │               │   │   ├── [8.8K]  _dataclasses.py
│   │               │   │   ├── [ 32K]  _decorators.py
│   │               │   │   ├── [6.0K]  _decorators_v1.py
│   │               │   │   ├── [ 25K]  _discriminated_union.py
│   │               │   │   ├── [3.7K]  _docs_extraction.py
│   │               │   │   ├── [ 23K]  _fields.py
│   │               │   │   ├── [ 611]  _forward_ref.py
│   │               │   │   ├── [131K]  _generate_schema.py
│   │               │   │   ├── [ 23K]  _generics.py
│   │               │   │   ├── [ 809]  _git.py
│   │               │   │   ├── [ 402]  _import_utils.py
│   │               │   │   ├── [ 144]  _internal_dataclass.py
│   │               │   │   ├── [ 16K]  _known_annotated_metadata.py
│   │               │   │   ├── [8.7K]  _mock_val_ser.py
│   │               │   │   ├── [ 34K]  _model_construction.py
│   │               │   │   ├── [ 13K]  _namespace_utils.py
│   │               │   │   ├── [5.0K]  _repr.py
│   │               │   │   ├── [8.9K]  _schema_gather.py
│   │               │   │   ├── [4.7K]  _schema_generation_shared.py
│   │               │   │   ├── [1.4K]  _serializers.py
│   │               │   │   ├── [6.6K]  _signature.py
│   │               │   │   ├── [ 28K]  _typing_extra.py
│   │               │   │   ├── [ 15K]  _utils.py
│   │               │   │   ├── [5.2K]  _validate_call.py
│   │               │   │   └── [ 20K]  _validators.py
│   │               │   ├── [ 12K]  _migration.py
│   │               │   ├── [2.1K]  alias_generators.py
│   │               │   ├── [4.8K]  aliases.py
│   │               │   ├── [4.3K]  annotated_handlers.py
│   │               │   ├── [ 148]  class_validators.py
│   │               │   ├── [ 21K]  color.py
│   │               │   ├── [ 41K]  config.py
│   │               │   ├── [ 16K]  dataclasses.py
│   │               │   ├── [ 150]  datetime_parse.py
│   │               │   ├── [ 145]  decorator.py
│   │               │   ├── [ 320]  deprecated
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 10K]  class_validators.py
│   │               │   │   ├── [2.6K]  config.py
│   │               │   │   ├── [7.4K]  copy_internals.py
│   │               │   │   ├── [ 11K]  decorator.py
│   │               │   │   ├── [4.5K]  json.py
│   │               │   │   ├── [2.5K]  parse.py
│   │               │   │   └── [3.3K]  tools.py
│   │               │   ├── [ 148]  env_settings.py
│   │               │   ├── [ 150]  error_wrappers.py
│   │               │   ├── [5.9K]  errors.py
│   │               │   ├── [ 160]  experimental
│   │               │   │   ├── [ 328]  __init__.py
│   │               │   │   ├── [1.8K]  arguments_schema.py
│   │               │   │   └── [ 23K]  pipeline.py
```

```
│   │               │   ├── [ 63K]  fields.py
│   │               │   ├── [ 17K]  functional_serializers.py
│   │               │   ├── [ 29K]  functional_validators.py
│   │               │   ├── [ 144]  generics.py
│   │               │   ├── [ 140]  json.py
│   │               │   ├── [113K]  json_schema.py
│   │               │   ├── [ 79K]  main.py
│   │               │   ├── [ 58K]  mypy.py
│   │               │   ├── [ 40K]  networks.py
│   │               │   ├── [ 141]  parse.py
│   │               │   ├── [ 160]  plugin
│   │               │   │   ├── [6.8K]  __init__.py
│   │               │   │   ├── [2.1K]  _loader.py
│   │               │   │   └── [5.1K]  _schema_validator.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [6.1K]  root_model.py
│   │               │   ├── [ 142]  schema.py
│   │               │   ├── [ 141]  tools.py
│   │               │   ├── [ 30K]  type_adapter.py
│   │               │   ├── [102K]  types.py
│   │               │   ├── [ 138]  typing.py
│   │               │   ├── [ 141]  utils.py
│   │               │   ├── [ 928]  v1
│   │               │   │   ├── [2.9K]  __init__.py
│   │               │   │   ├── [ 14K]  _hypothesis_plugin.py
│   │               │   │   ├── [3.1K]  annotated_types.py
│   │               │   │   ├── [ 14K]  class_validators.py
│   │               │   │   ├── [ 16K]  color.py
│   │               │   │   ├── [6.4K]  config.py
│   │               │   │   ├── [ 18K]  dataclasses.py
│   │               │   │   ├── [7.5K]  datetime_parse.py
│   │               │   │   ├── [ 10K]  decorator.py
│   │               │   │   ├── [ 14K]  env_settings.py
│   │               │   │   ├── [5.1K]  error_wrappers.py
│   │               │   │   ├── [ 17K]  errors.py
│   │               │   │   ├── [ 49K]  fields.py
│   │               │   │   ├── [ 17K]  generics.py
│   │               │   │   ├── [3.3K]  json.py
│   │               │   │   ├── [ 44K]  main.py
│   │               │   │   ├── [ 38K]  mypy.py
│   │               │   │   ├── [ 22K]  networks.py
│   │               │   │   ├── [1.8K]  parse.py
│   │               │   │   ├── [   0]  py.typed
│   │               │   │   ├── [ 47K]  schema.py
│   │               │   │   ├── [2.8K]  tools.py
│   │               │   │   ├── [ 35K]  types.py
│   │               │   │   ├── [ 19K]  typing.py
│   │               │   │   ├── [ 25K]  utils.py
│   │               │   │   ├── [ 22K]  validators.py
│   │               │   │   └── [1.0K]  version.py
│   │               │   ├── [4.3K]  validate_call_decorator.py
│   │               │   ├── [ 146]  validators.py
│   │               │   ├── [2.6K]  version.py
│   │               │   └── [3.7K]  warnings.py
│   │               ├── [ 224]  pydantic-2.11.7.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [ 66K]  METADATA
│   │               │   ├── [ 25K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 224]  pydantic_core
│   │               │   ├── [4.3K]  __init__.py
│   │               │   ├── [4.1M]  _pydantic_core.cpython-39-darwin.so
│   │               │   ├── [ 42K]  _pydantic_core.pyi
│   │               │   ├── [146K]  core_schema.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 224]  pydantic_core-2.33.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.6K]  METADATA
│   │               │   ├── [1.2K]  RECORD
│   │               │   ├── [ 102]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 288]  pydantic_settings
│   │               │   ├── [1.5K]  __init__.py
│   │               │   ├── [  97]  exceptions.py
│   │               │   ├── [ 28K]  main.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 224]  sources
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [ 20K]  base.py
│   │               │   │   ├── [ 448]  providers
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [2.4K]  aws.py
│   │               │   │   │   ├── [4.0K]  azure.py
│   │               │   │   │   ├── [ 50K]  cli.py
│   │               │   │   │   ├── [5.8K]  dotenv.py
│   │               │   │   │   ├── [ 10K]  env.py
│   │               │   │   │   ├── [5.5K]  gcp.py
│   │               │   │   │   ├── [1.4K]  json.py
│   │               │   │   │   ├── [2.0K]  pyproject.py
│   │               │   │   │   ├── [4.2K]  secrets.py
│   │               │   │   │   ├── [1.8K]  toml.py
│   │               │   │   │   └── [2.3K]  yaml.py
│   │               │   │   ├── [1.5K]  types.py
│   │               │   │   └── [7.1K]  utils.py
│   │               │   ├── [1.3K]  utils.py
│   │               │   └── [  19]  version.py
│   │               ├── [ 224]  pydantic_settings-2.10.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [3.3K]  METADATA
│   │               │   ├── [5.9K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [3.3K]  pygame
│   │               │   ├── [ 960]  .dylibs
│   │               │   │   ├── [248K]  libFLAC.8.dylib
│   │               │   │   ├── [2.1M]  libSDL2-2.0.0.dylib
│   │               │   │   ├── [206K]  libSDL2_image-2.0.0.dylib
│   │               │   │   ├── [266K]  libSDL2_mixer-2.0.0.dylib
```

```
│   │               │   │   ├── [2.0M]  libSDL2_ttf-2.0.0.dylib
│   │               │   │   ├── [180K]  libbrotlicommon.1.0.9.dylib
│   │               │   │   ├── [102K]  libbrotlidec.1.0.9.dylib
│   │               │   │   ├── [464K]  libfluidsynth.3.1.1.dylib
│   │               │   │   ├── [926K]  libfreetype.6.dylib
│   │               │   │   ├── [1.6M]  libglib-2.0.0.dylib
│   │               │   │   ├── [ 67K]  libgthread-2.0.0.dylib
│   │               │   │   ├── [122K]  libintl.8.dylib
│   │               │   │   ├── [413K]  libjpeg.62.3.0.dylib
│   │               │   │   ├── [393K]  libmodplug.1.dylib
│   │               │   │   ├── [356K]  libmpg123.0.dylib
│   │               │   │   ├── [ 86K]  libogg.0.8.5.dylib
│   │               │   │   ├── [491K]  libopus.0.dylib
│   │               │   │   ├── [ 96K]  libopusfile.0.dylib
│   │               │   │   ├── [295K]  libpng16.16.dylib
│   │               │   │   ├── [111K]  libportmidi.2.0.3.dylib
│   │               │   │   ├── [ 72K]  libsharpyuv.0.dylib
│   │               │   │   ├── [520K]  libsndfile.1.0.34.dylib
│   │               │   │   ├── [491K]  libtiff.5.8.0.dylib
│   │               │   │   ├── [238K]  libvorbis.0.4.9.dylib
│   │               │   │   ├── [714K]  libvorbisenc.2.0.12.dylib
│   │               │   │   ├── [ 88K]  libvorbisfile.3.3.8.dylib
│   │               │   │   ├── [543K]  libwebp.7.dylib
│   │               │   │   └── [156K]  libz.1.2.11.zlib-ng.dylib
│   │               │   ├── [9.3K]  __init__.py
│   │               │   ├── [ 20K]  __init__.pyi
│   │               │   ├── [ 128]  __pyinstaller
│   │               │   │   ├── [  72]  __init__.py
│   │               │   │   └── [1.3K]  hook-pygame.py
│   │               │   ├── [ 89K]  _camera.cpython-39-darwin.so
│   │               │   ├── [5.3K]  _camera_opencv.py
│   │               │   ├── [3.3K]  _camera_vidcapture.py
│   │               │   ├── [1.3K]  _common.pyi
│   │               │   ├── [142K]  _freetype.cpython-39-darwin.so
│   │               │   ├── [ 480]  _sdl2
│   │               │   │   ├── [ 248]  __init__.py
│   │               │   │   ├── [  98]  __init__.pyi
│   │               │   │   ├── [247K]  audio.cpython-39-darwin.so
│   │               │   │   ├── [1.3K]  audio.pyi
│   │               │   │   ├── [182K]  controller.cpython-39-darwin.so
│   │               │   │   ├── [1.1K]  controller.pyi
│   │               │   │   ├── [224K]  mixer.cpython-39-darwin.so
│   │               │   │   ├── [ 99K]  sdl2.cpython-39-darwin.so
│   │               │   │   ├── [ 338]  sdl2.pyi
│   │               │   │   ├── [ 70K]  touch.cpython-39-darwin.so
│   │               │   │   ├── [ 231]  touch.pyi
│   │               │   │   ├── [336K]  video.cpython-39-darwin.so
│   │               │   │   └── [4.6K]  video.pyi
│   │               │   ├── [443K]  _sprite.cpython-39-darwin.so
│   │               │   ├── [ 93K]  base.cpython-39-darwin.so
│   │               │   ├── [ 586]  base.pyi
│   │               │   ├── [ 73K]  bufferproxy.cpython-39-darwin.so
│   │               │   ├── [ 458]  bufferproxy.pyi
│   │               │   ├── [5.9K]  camera.py
│   │               │   ├── [1.6K]  camera.pyi
│   │               │   ├── [ 94K]  color.cpython-39-darwin.so
```

```
│   │           │   ├── [2.0K]  color.pyi
│   │           │   ├── [ 25K]  colordict.py
│   │           │   ├── [100K]  constants.cpython-39-darwin.so
│   │           │   ├── [9.7K]  constants.pyi
│   │           │   ├── [ 18K]  cursors.py
│   │           │   ├── [2.0K]  cursors.pyi
│   │           │   ├── [ 99K]  display.cpython-39-darwin.so
│   │           │   ├── [2.2K]  display.pyi
│   │           │   ├── [ 128]  docs
│   │           │   │   ├── [ 995]  __main__.py
│   │           │   │   └── [ 544]  generated
│   │           │   │       ├── [ 26K]  LGPL.txt
│   │           │   │       ├── [2.6K]  _images
│   │           │   │       │   ├── [5.5K]  AdvancedInputOutput1.gif
│   │           │   │       │   ├── [5.5K]  AdvancedInputOutput11.gif
│   │           │   │       │   ├── [ 71K]  AdvancedInputOutput2.gif
│   │           │   │       │   ├── [ 71K]  AdvancedInputOutput21.gif
│   │           │   │       │   ├── [6.1K]  AdvancedInputOutput3.gif
│   │           │   │       │   ├── [6.1K]  AdvancedInputOutput31.gif
│   │           │   │       │   ├── [ 29K]  AdvancedInputOutput4.gif
│   │           │   │       │   ├── [ 29K]  AdvancedInputOutput41.gif
│   │           │   │       │   ├── [ 36K]  AdvancedInputOutput5.gif
│   │           │   │       │   ├── [ 36K]  AdvancedInputOutput51.gif
│   │           │   │       │   ├── [ 15K]  AdvancedOutputAlpha1.gif
│   │           │   │       │   ├── [ 15K]  AdvancedOutputAlpha11.gif
│   │           │   │       │   ├── [ 70K]  AdvancedOutputAlpha2.gif
│   │           │   │       │   ├── [ 70K]  AdvancedOutputAlpha21.gif
│   │           │   │       │   ├── [ 30K]  AdvancedOutputAlpha3.gif
│   │           │   │       │   ├── [ 30K]  AdvancedOutputAlpha31.gif
│   │           │   │       │   ├── [ 16K]  AdvancedOutputProcess1.gif
│   │           │   │       │   ├── [ 16K]  AdvancedOutputProcess11.gif
│   │           │   │       │   ├── [1.8K]  AdvancedOutputProcess2.gif
│   │           │   │       │   ├── [1.8K]  AdvancedOutputProcess21.gif
│   │           │   │       │   ├── [1.9K]  AdvancedOutputProcess3.gif
│   │           │   │       │   ├── [1.9K]  AdvancedOutputProcess31.gif
│   │           │   │       │   ├── [ 14K]  AdvancedOutputProcess4.gif
│   │           │   │       │   ├── [ 14K]  AdvancedOutputProcess41.gif
│   │           │   │       │   ├── [ 16K]  AdvancedOutputProcess5.gif
│   │           │   │       │   ├── [ 16K]  AdvancedOutputProcess51.gif
│   │           │   │       │   ├── [ 33K]  AdvancedOutputProcess6.gif
│   │           │   │       │   ├── [ 33K]  AdvancedOutputProcess61.gif
│   │           │   │       │   ├── [5.8K]  Bagic-INPUT-resultscreen.png
│   │           │   │       │   ├── [5.8K]  Bagic-INPUT-
resultscreen1.png
│   │           │   │       │   ├── [ 75K]  Bagic-INPUT-sourcecode.png
│   │           │   │       │   ├── [ 75K]  Bagic-INPUT-sourcecode1.png
│   │           │   │       │   ├── [5.2K]  Bagic-PROCESS-
resultscreen.png
│   │           │   │       │   ├── [5.2K]  Bagic-PROCESS-
resultscreen1.png
│   │           │   │       │   ├── [ 65K]  Bagic-PROCESS-sourcecode.png
│   │           │   │       │   ├── [ 65K]  Bagic-PROCESS-
sourcecode1.png
│   │           │   │       │   ├── [4.7K]  Bagic-ouput-result-
screen.png
```

```
│   │           │   │       │   ├── [4.7K]  Bagic-ouput-result-
screen1.png
│   │           │   │       │   ├── [ 56K]  Basic-ouput-sourcecode.png
│   │           │   │       │   ├── [ 56K]  Basic-ouput-sourcecode1.png
│   │           │   │       │   ├── [ 25K]  angle_to.png
│   │           │   │       │   ├── [ 20K]  camera_average.jpg
│   │           │   │       │   ├── [7.3K]  camera_background.jpg
│   │           │   │       │   ├── [ 10K]  camera_green.jpg
│   │           │   │       │   ├── [ 36K]  camera_hsv.jpg
│   │           │   │       │   ├── [ 18K]  camera_mask.jpg
│   │           │   │       │   ├── [ 32K]  camera_rgb.jpg
│   │           │   │       │   ├── [4.2K]  camera_thresh.jpg
│   │           │   │       │   ├── [ 23K]  camera_thresholded.jpg
│   │           │   │       │   ├── [ 20K]  camera_yuv.jpg
│   │           │   │       │   ├── [ 45K]  chimpshot.gif
│   │           │   │       │   ├── [6.3K]  draw_module_example.png
│   │           │   │       │   ├── [4.9K]  intro_ball.gif
│   │           │   │       │   ├── [2.6K]  intro_blade.jpg
│   │           │   │       │   ├── [6.9K]  intro_freedom.jpg
│   │           │   │       │   ├── [162K]  introduction-Battleship.png
│   │           │   │       │   ├── [162K]  introduction-Battleship1.png
│   │           │   │       │   ├── [ 31K]  introduction-PuyoPuyo.png
│   │           │   │       │   ├── [ 31K]  introduction-PuyoPuyo1.png
│   │           │   │       │   ├── [133K]  introduction-TPS.png
│   │           │   │       │   ├── [133K]  introduction-TPS1.png
│   │           │   │       │   ├── [ 29K]  joystick_calls.png
│   │           │   │       │   ├── [131K]  pygame_lofi.png
│   │           │   │       │   ├── [129K]  pygame_logo.png
│   │           │   │       │   ├── [176K]  pygame_powered.png
│   │           │   │       │   ├── [176K]  pygame_powered_lowres.png
│   │           │   │       │   ├── [ 15K]  pygame_tiny.png
│   │           │   │       │   ├── [ 125]  surfarray_allblack.png
│   │           │   │       │   ├── [ 50K]  surfarray_flipped.png
│   │           │   │       │   ├── [ 23K]  surfarray_redimg.png
│   │           │   │       │   ├── [ 50K]  surfarray_rgbarray.png
│   │           │   │       │   ├── [ 15K]  surfarray_scaledown.png
│   │           │   │       │   ├── [ 66K]  surfarray_scaleup.png
│   │           │   │       │   ├── [ 46K]  surfarray_soften.png
│   │           │   │       │   ├── [ 392]  surfarray_striped.png
│   │           │   │       │   ├── [ 41K]  surfarray_xfade.png
│   │           │   │       │   ├── [5.0K]  tom_basic.png
│   │           │   │       │   ├── [5.4K]  tom_event-flowchart.png
│   │           │   │       │   ├── [6.6K]  tom_formulae.png
│   │           │   │       │   └── [ 17K]  tom_radians.png
│   │           │   │       ├── [ 224]  _sources
│   │           │   │       │   ├── [ 473]  c_api.rst.txt
│   │           │   │       │   ├── [ 899]  filepaths.rst.txt
│   │           │   │       │   ├── [5.8K]  index.rst.txt
│   │           │   │       │   ├── [1.3K]  logos.rst.txt
│   │           │   │       │   └── [1.3K]  ref
│   │           │   │       │       ├── [4.6K]  bufferproxy.rst.txt
│   │           │   │       │       ├── [9.4K]  camera.rst.txt
│   │           │   │       │       ├── [8.9K]  cdrom.rst.txt
│   │           │   │       │       ├── [ 11K]  color.rst.txt
│   │           │   │       │       ├── [ 94K]  color_list.rst.txt
│   │           │   │       │       ├── [9.2K]  cursors.rst.txt
```

```
│   │               │   │       │       ├── [ 29K]  display.rst.txt
│   │               │   │       │       ├── [ 24K]  draw.rst.txt
│   │               │   │       │       ├── [ 22K]  event.rst.txt
│   │               │   │       │       ├── [ 14K]  examples.rst.txt
│   │               │   │       │       ├── [3.5K]  fastevent.rst.txt
│   │               │   │       │       ├── [ 18K]  font.rst.txt
│   │               │   │       │       ├── [ 31K]  freetype.rst.txt
│   │               │   │       │       ├── [ 21K]  gfxdraw.rst.txt
│   │               │   │       │       ├── [ 13K]  image.rst.txt
│   │               │   │       │       ├── [ 19K]  joystick.rst.txt
│   │               │   │       │       ├── [ 16K]  key.rst.txt
│   │               │   │       │       ├── [1022]  locals.rst.txt
│   │               │   │       │       ├── [ 24K]  mask.rst.txt
│   │               │   │       │       ├── [ 37K]  math.rst.txt
│   │               │   │       │       ├── [ 14K]  midi.rst.txt
│   │               │   │       │       ├── [ 22K]  mixer.rst.txt
│   │               │   │       │       ├── [7.9K]  mouse.rst.txt
│   │               │   │       │       ├── [9.3K]  music.rst.txt
│   │               │   │       │       ├── [2.6K]  overlay.rst.txt
│   │               │   │       │       ├── [ 10K]  pixelarray.rst.txt
│   │               │   │       │       ├── [4.4K]  pixelcopy.rst.txt
│   │               │   │       │       ├── [ 15K]  pygame.rst.txt
│   │               │   │       │       ├── [ 21K]  rect.rst.txt
│   │               │   │       │       ├── [7.8K]  scrap.rst.txt
│   │               │   │       │       ├── [9.2K]  sdl2_controller.rst.txt
│   │               │   │       │       ├── [8.9K]  sdl2_video.rst.txt
│   │               │   │       │       ├── [3.2K]  sndarray.rst.txt
│   │               │   │       │       ├── [ 30K]  sprite.rst.txt
│   │               │   │       │       ├── [ 36K]  surface.rst.txt
│   │               │   │       │       ├── [ 12K]  surfarray.rst.txt
│   │               │   │       │       ├── [4.5K]  tests.rst.txt
│   │               │   │       │       ├── [5.5K]  time.rst.txt
│   │               │   │       │       ├── [1.9K]  touch.rst.txt
│   │               │   │       │       └── [ 13K]  transform.rst.txt
│   │               │   │       ├── [ 800]  _static
│   │               │   │       │   ├── [ 15K]  basic.css
│   │               │   │       │   ├── [4.4K]  doctools.js
│   │               │   │       │   ├── [ 328]  documentation_options.js
│   │               │   │       │   ├── [ 286]  file.png
│   │               │   │       │   ├── [4.6K]  language_data.js
│   │               │   │       │   ├── [ 50K]  legacy_logos.zip
│   │               │   │       │   ├── [  90]  minus.png
│   │               │   │       │   ├── [  90]  plus.png
│   │               │   │       │   ├── [ 12K]  pygame.css
│   │               │   │       │   ├── [1.1K]  pygame.ico
│   │               │   │       │   ├── [131K]  pygame_lofi.png
│   │               │   │       │   ├── [ 58K]  pygame_lofi.svg
│   │               │   │       │   ├── [129K]  pygame_logo.png
│   │               │   │       │   ├── [ 58K]  pygame_logo.svg
│   │               │   │       │   ├── [176K]  pygame_powered.png
│   │               │   │       │   ├── [100K]  pygame_powered.svg
│   │               │   │       │   ├── [176K]  pygame_powered_lowres.png
│   │               │   │       │   ├── [ 15K]  pygame_tiny.png
│   │               │   │       │   ├── [4.8K]  pygments.css
│   │               │   │       │   ├── [1.1K]  reset.css
│   │               │   │       │   ├── [ 20K]  searchtools.js
```

```
│   │               │   │       │   ├── [5.0K]  sphinx_highlight.js
│   │               │   │       │   └── [ 798]  tooltip.css
│   │               │   │       ├── [ 480]  c_api
│   │               │   │       │   ├── [ 31K]  base.html
│   │               │   │       │   ├── [ 11K]  bufferproxy.html
│   │               │   │       │   ├── [ 10K]  color.html
│   │               │   │       │   ├── [ 10K]  display.html
│   │               │   │       │   ├── [ 11K]  event.html
│   │               │   │       │   ├── [ 11K]  freetype.html
│   │               │   │       │   ├── [ 15K]  mixer.html
│   │               │   │       │   ├── [ 13K]  rect.html
│   │               │   │       │   ├── [ 15K]  rwobject.html
│   │               │   │       │   ├── [6.5K]  slots.html
│   │               │   │       │   ├── [ 14K]  surface.html
│   │               │   │       │   ├── [ 16K]  surflock.html
│   │               │   │       │   └── [7.8K]  version.html
│   │               │   │       ├── [7.1K]  c_api.html
│   │               │   │       ├── [6.2K]  filepaths.html
│   │               │   │       ├── [119K]  genindex.html
│   │               │   │       ├── [ 24K]  index.html
│   │               │   │       ├── [7.1K]  logos.html
│   │               │   │       ├── [ 11K]  py-modindex.html
│   │               │   │       ├── [1.3K]  ref
│   │               │   │       │   ├── [ 17K]  bufferproxy.html
│   │               │   │       │   ├── [ 26K]  camera.html
│   │               │   │       │   ├── [ 32K]  cdrom.html
│   │               │   │       │   ├── [ 35K]  color.html
│   │               │   │       │   ├── [170K]  color_list.html
│   │               │   │       │   ├── [ 34K]  cursors.html
│   │               │   │       │   ├── [ 74K]  display.html
│   │               │   │       │   ├── [ 82K]  draw.html
│   │               │   │       │   ├── [ 68K]  event.html
│   │               │   │       │   ├── [ 46K]  examples.html
│   │               │   │       │   ├── [ 14K]  fastevent.html
│   │               │   │       │   ├── [ 48K]  font.html
│   │               │   │       │   ├── [ 97K]  freetype.html
│   │               │   │       │   ├── [ 79K]  gfxdraw.html
│   │               │   │       │   ├── [ 39K]  image.html
│   │               │   │       │   ├── [ 93K]  joystick.html
│   │               │   │       │   ├── [ 41K]  key.html
│   │               │   │       │   ├── [8.2K]  locals.html
│   │               │   │       │   ├── [ 79K]  mask.html
│   │               │   │       │   ├── [118K]  math.html
│   │               │   │       │   ├── [ 51K]  midi.html
│   │               │   │       │   ├── [ 61K]  mixer.html
│   │               │   │       │   ├── [ 26K]  mouse.html
│   │               │   │       │   ├── [ 32K]  music.html
│   │               │   │       │   ├── [ 10K]  overlay.html
│   │               │   │       │   ├── [ 30K]  pixelarray.html
│   │               │   │       │   ├── [ 14K]  pixelcopy.html
│   │               │   │       │   ├── [ 48K]  pygame.html
│   │               │   │       │   ├── [ 67K]  rect.html
│   │               │   │       │   ├── [ 30K]  scrap.html
│   │               │   │       │   ├── [ 35K]  sdl2_controller.html
│   │               │   │       │   ├── [ 59K]  sdl2_video.html
│   │               │   │       │   ├── [ 14K]  sndarray.html
```

```
│   │               │   │       │   ├── [ 92K]  sprite.html
│   │               │   │       │   ├── [ 86K]  surface.html
│   │               │   │       │   ├── [ 37K]  surfarray.html
│   │               │   │       │   ├── [ 18K]  tests.html
│   │               │   │       │   ├── [ 19K]  time.html
│   │               │   │       │   ├── [ 12K]  touch.html
│   │               │   │       │   └── [ 41K]  transform.html
│   │               │   │       ├── [3.1K]  search.html
│   │               │   │       ├── [345K]  searchindex.js
│   │               │   │       └── [ 576]  tut
│   │               │   │           ├── [ 37K]  CameraIntro.html
│   │               │   │           ├── [ 57K]  ChimpLineByLine.html
│   │               │   │           ├── [ 23K]  DisplayModes.html
│   │               │   │           ├── [9.3K]  ImportInit.html
│   │               │   │           ├── [ 14K]  MakeGames.html
│   │               │   │           ├── [ 65K]  MoveIt.html
│   │               │   │           ├── [ 28K]  PygameIntro.html
│   │               │   │           ├── [ 43K]  SpriteIntro.html
│   │               │   │           ├── [ 49K]  SurfarrayIntro.html
│   │               │   │           ├── [ 35K]  chimp.py.html
│   │               │   │           ├── [ 44K]  newbieguide.html
│   │               │   │           ├── [ 17K]  tom_games2.html
│   │               │   │           ├── [ 15K]  tom_games3.html
│   │               │   │           ├── [ 19K]  tom_games4.html
│   │               │   │           ├── [ 21K]  tom_games5.html
│   │               │   │           └── [ 52K]  tom_games6.html
│   │               │   ├── [105K]  draw.cpython-39-darwin.so
│   │               │   ├── [1.7K]  draw.pyi
│   │               │   ├── [ 18K]  draw_py.py
│   │               │   ├── [ 95K]  event.cpython-39-darwin.so
│   │               │   ├── [1.5K]  event.pyi
│   │               │   ├── [1.4K]  examples
│   │               │   │   ├── [4.1K]  README.rst
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [1.0K]  aacircle.py
│   │               │   │   ├── [ 12K]  aliens.py
│   │               │   │   ├── [3.2K]  arraydemo.py
│   │               │   │   ├── [1.5K]  audiocapture.py
│   │               │   │   ├── [3.3K]  blend_fill.py
│   │               │   │   ├── [6.2K]  blit_blends.py
│   │               │   │   ├── [3.8K]  camera.py
│   │               │   │   ├── [5.8K]  chimp.py
│   │               │   │   ├── [7.8K]  cursors.py
│   │               │   │   ├── [1.5K]  data
│   │               │   │   │   ├── [ 244]  BGR.png
│   │               │   │   │   ├── [3.7K]  alien1.gif
│   │               │   │   │   ├── [3.0K]  alien1.jpg
│   │               │   │   │   ├── [3.4K]  alien1.png
│   │               │   │   │   ├── [3.7K]  alien2.gif
│   │               │   │   │   ├── [3.4K]  alien2.png
│   │               │   │   │   ├── [3.7K]  alien3.gif
│   │               │   │   │   ├── [3.4K]  alien3.png
│   │               │   │   │   ├── [ 75K]  arraydemo.bmp
│   │               │   │   │   ├── [ 578]  asprite.bmp
│   │               │   │   │   ├── [8.9K]  background.gif
│   │               │   │   │   ├── [6.1K]  black.ppm
```

```
│   │               │   │   │   ├── [  84]  blue.gif
│   │               │   │   │   ├── [6.0K]  blue.mpg
│   │               │   │   │   ├── [1.1K]  bomb.gif
│   │               │   │   │   ├── [ 12K]  boom.wav
│   │               │   │   │   ├── [ 170]  brick.png
│   │               │   │   │   ├── [3.8K]  car_door.wav
│   │               │   │   │   ├── [ 826]  chimp.png
│   │               │   │   │   ├── [ 143]  city.png
│   │               │   │   │   ├── [3.1K]  crimson.pnm
│   │               │   │   │   ├── [2.6K]  cursor.png
│   │               │   │   │   ├── [2.7K]  danger.gif
│   │               │   │   │   ├── [6.4K]  explosion1.gif
│   │               │   │   │   ├── [ 84K]  fist.png
│   │               │   │   │   ├── [ 320]  green.pcx
│   │               │   │   │   ├── [4.1K]  grey.pgm
│   │               │   │   │   ├── [114K]  house_lo.mp3
│   │               │   │   │   ├── [ 31K]  house_lo.ogg
│   │               │   │   │   ├── [ 77K]  house_lo.wav
│   │               │   │   │   ├── [ 253]  laplacian.png
│   │               │   │   │   ├── [ 11K]  liquid.bmp
│   │               │   │   │   ├── [ 19K]  midikeys.png
│   │               │   │   │   ├── [3.4K]  player1.gif
│   │               │   │   │   ├── [4.1K]  punch.wav
│   │               │   │   │   ├── [1.2K]  purple.xpm
│   │               │   │   │   ├── [1.2K]  red.jpg
│   │               │   │   │   ├── [130K]  sans.ttf
│   │               │   │   │   ├── [  82]  scarlet.webp
│   │               │   │   │   ├── [ 18K]  secosmic_lo.wav
│   │               │   │   │   ├── [ 129]  shot.gif
│   │               │   │   │   ├── [1.2K]  static.png
│   │               │   │   │   ├── [ 313]  teal.svg
│   │               │   │   │   ├── [1.2K]  turquoise.tif
│   │               │   │   │   ├── [5.7K]  whiff.wav
│   │               │   │   │   └── [3.0K]  yellow.tga
│   │               │   │   ├── [2.1K]  dropevent.py
│   │               │   │   ├── [5.8K]  eventlist.py
│   │               │   │   ├── [9.4K]  font_viewer.py
│   │               │   │   ├── [2.0K]  fonty.py
│   │               │   │   ├── [3.6K]  freetype_misc.py
│   │               │   │   ├── [ 16K]  glcube.py
│   │               │   │   ├── [2.1K]  go_over_there.py
│   │               │   │   ├── [1.7K]  grid.py
│   │               │   │   ├── [1.3K]  headless_no_windows_needed.py
│   │               │   │   ├── [5.1K]  joystick.py
│   │               │   │   ├── [2.5K]  liquid.py
│   │               │   │   ├── [5.6K]  mask.py
│   │               │   │   ├── [ 31K]  midi.py
│   │               │   │   ├── [3.3K]  moveit.py
│   │               │   │   ├── [8.9K]  music_drop_fade.py
│   │               │   │   ├── [3.4K]  pixelarray.py
│   │               │   │   ├── [5.1K]  playmus.py
│   │               │   │   ├── [1.0K]  resizing_new.py
│   │               │   │   ├── [4.7K]  scaletest.py
│   │               │   │   ├── [3.0K]  scrap_clipboard.py
│   │               │   │   ├── [6.5K]  scroll.py
│   │               │   │   ├── [1.8K]  setmodescale.py
```

```
│   │               │   │   ├── [1.1K]  sound.py
│   │               │   │   ├── [5.6K]  sound_array_demos.py
│   │               │   │   ├── [2.6K]  sprite_texture.py
│   │               │   │   ├── [2.7K]  stars.py
│   │               │   │   ├── [6.7K]  testsprite.py
│   │               │   │   ├── [7.4K]  textinput.py
│   │               │   │   ├── [3.2K]  vgrade.py
│   │               │   │   └── [4.3K]  video.py
│   │               │   ├── [1.7K]  fastevent.py
│   │               │   ├── [ 249]  fastevent.pyi
│   │               │   ├── [ 77K]  font.cpython-39-darwin.so
│   │               │   ├── [2.0K]  font.pyi
│   │               │   ├── [ 96K]  freesansbold.ttf
│   │               │   ├── [2.2K]  freetype.py
│   │               │   ├── [3.4K]  freetype.pyi
│   │               │   ├── [6.0K]  ftfont.py
│   │               │   ├── [130K]  gfxdraw.cpython-39-darwin.so
│   │               │   ├── [2.4K]  gfxdraw.pyi
│   │               │   ├── [ 89K]  image.cpython-39-darwin.so
│   │               │   ├── [1.7K]  image.pyi
│   │               │   ├── [ 72K]  imageext.cpython-39-darwin.so
│   │               │   ├── [ 74K]  joystick.cpython-39-darwin.so
│   │               │   ├── [1.3K]  joystick.pyi
│   │               │   ├── [ 72K]  key.cpython-39-darwin.so
│   │               │   ├── [ 562]  key.pyi
│   │               │   ├── [1.2K]  locals.py
│   │               │   ├── [9.7K]  locals.pyi
│   │               │   ├── [ 329]  macosx.py
│   │               │   ├── [126K]  mask.cpython-39-darwin.so
│   │               │   ├── [2.2K]  mask.pyi
│   │               │   ├── [138K]  math.cpython-39-darwin.so
│   │               │   ├── [ 11K]  math.pyi
│   │               │   ├── [ 24K]  midi.py
│   │               │   ├── [1.7K]  midi.pyi
│   │               │   ├── [ 97K]  mixer.cpython-39-darwin.so
│   │               │   ├── [2.8K]  mixer.pyi
│   │               │   ├── [ 74K]  mixer_music.cpython-39-darwin.so
│   │               │   ├── [ 691]  mixer_music.pyi
│   │               │   ├── [ 72K]  mouse.cpython-39-darwin.so
│   │               │   ├── [1.2K]  mouse.pyi
│   │               │   ├── [ 74K]  newbuffer.cpython-39-darwin.so
│   │               │   ├── [ 93K]  pixelarray.cpython-39-darwin.so
│   │               │   ├── [1.2K]  pixelarray.pyi
│   │               │   ├── [ 87K]  pixelcopy.cpython-39-darwin.so
│   │               │   ├── [ 534]  pixelcopy.pyi
│   │               │   ├── [2.4K]  pkgdata.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [142K]  pygame.ico
│   │               │   ├── [ 630]  pygame_icon.bmp
│   │               │   ├── [258K]  pygame_icon.icns
│   │               │   ├── [256K]  pygame_icon_mac.bmp
│   │               │   ├── [166K]  pypm.cpython-39-darwin.so
│   │               │   ├── [ 99K]  rect.cpython-39-darwin.so
│   │               │   ├── [7.0K]  rect.pyi
│   │               │   ├── [ 72K]  rwobject.cpython-39-darwin.so
│   │               │   ├── [ 544]  rwobject.pyi
```

```
│   │               │   ├── [ 72K]  scrap.cpython-39-darwin.so
│   │               │   ├── [ 366]  scrap.pyi
│   │               │   ├── [ 73K]  sdlmain_osx.cpython-39-darwin.so
│   │               │   ├── [4.0K]  sndarray.py
│   │               │   ├── [ 337]  sndarray.pyi
│   │               │   ├── [ 61K]  sprite.py
│   │               │   ├── [9.5K]  sprite.pyi
│   │               │   ├── [285K]  surface.cpython-39-darwin.so
│   │               │   ├── [4.6K]  surface.pyi
│   │               │   ├── [ 14K]  surfarray.py
│   │               │   ├── [1.3K]  surfarray.pyi
│   │               │   ├── [ 70K]  surflock.cpython-39-darwin.so
│   │               │   ├── [ 122]  surflock.pyi
│   │               │   ├── [ 15K]  sysfont.py
│   │               │   ├── [1.9K]  tests
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [3.7K]  __main__.py
│   │               │   │   ├── [ 22K]  base_test.py
│   │               │   │   ├── [6.2K]  blit_test.py
│   │               │   │   ├── [ 16K]  bufferproxy_test.py
│   │               │   │   ├── [ 801]  camera_test.py
│   │               │   │   ├── [ 49K]  color_test.py
│   │               │   │   ├── [9.1K]  constants_test.py
│   │               │   │   ├── [ 11K]  controller_test.py
│   │               │   │   ├── [7.5K]  cursors_test.py
│   │               │   │   ├── [ 45K]  display_test.py
│   │               │   │   ├── [1.1K]  docs_test.py
│   │               │   │   ├── [232K]  draw_test.py
│   │               │   │   ├── [ 33K]  event_test.py
│   │               │   │   ├── [ 128]  fixtures
│   │               │   │   │   ├── [ 352]  fonts
│   │               │   │   │   │   ├── [  92]  A_PyGameMono-8.png
│   │               │   │   │   │   ├── [231K]  PlayfairDisplaySemibold.ttf
│   │               │   │   │   │   ├── [1.9K]  PyGameMono-18-100dpi.bdf
│   │               │   │   │   │   ├── [1.6K]  PyGameMono-18-75dpi.bdf
│   │               │   │   │   │   ├── [1.3K]  PyGameMono-8.bdf
│   │               │   │   │   │   ├── [3.1K]  PyGameMono.otf
│   │               │   │   │   │   ├── [ 57K]  test_fixed.otf
│   │               │   │   │   │   ├── [130K]  test_sans.ttf
│   │               │   │   │   │   └── [  89]  u13079_PyGameMono-8.png
│   │               │   │   │   └── [ 128]  xbm_cursors
│   │               │   │   │       ├── [ 366]  white_sizing.xbm
│   │               │   │   │       └── [ 391]  white_sizing_mask.xbm
│   │               │   │   ├── [ 27K]  font_test.py
│   │               │   │   ├── [ 182]  freetype_tags.py
│   │               │   │   ├── [ 63K]  freetype_test.py
│   │               │   │   ├── [ 180]  ftfont_tags.py
│   │               │   │   ├── [ 421]  ftfont_test.py
│   │               │   │   ├── [ 32K]  gfxdraw_test.py
│   │               │   │   ├── [1.2K]  image__save_gl_surface_test.py
│   │               │   │   ├── [ 132]  image_tags.py
│   │               │   │   ├── [ 42K]  image_test.py
│   │               │   │   ├── [ 135]  imageext_tags.py
│   │               │   │   ├── [2.8K]  imageext_test.py
│   │               │   │   ├── [5.9K]  joystick_test.py
│   │               │   │   ├── [9.0K]  key_test.py
```

```
│   │               │   │   ├── [ 417]  locals_test.py
│   │               │   │   ├── [240K]  mask_test.py
│   │               │   │   ├── [109K]  math_test.py
│   │               │   │   ├── [ 17K]  midi_test.py
│   │               │   │   ├── [ 138]  mixer_music_tags.py
│   │               │   │   ├── [ 17K]  mixer_music_test.py
│   │               │   │   ├── [ 132]  mixer_tags.py
│   │               │   │   ├── [ 53K]  mixer_test.py
│   │               │   │   ├── [ 13K]  mouse_test.py
│   │               │   │   ├── [ 61K]  pixelarray_test.py
│   │               │   │   ├── [ 25K]  pixelcopy_test.py
│   │               │   │   ├── [115K]  rect_test.py
│   │               │   │   ├── [ 448]  run_tests__tests
│   │               │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   ├── [ 320]  all_ok
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [ 899]  fake_3_test.py
│   │               │   │   │   │   ├── [ 899]  fake_4_test.py
│   │               │   │   │   │   ├── [ 899]  fake_5_test.py
│   │               │   │   │   │   ├── [ 899]  fake_6_test.py
│   │               │   │   │   │   ├── [ 797]
no_assertions__ret_code_of_1__test.py
│   │               │   │   │   │   └── [ 545]  zero_tests_test.py
│   │               │   │   │   ├── [ 224]  everything
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [ 909]  incomplete_todo_test.py
│   │               │   │   │   │   ├── [ 859]  magic_tag_test.py
│   │               │   │   │   │   └── [ 715]  sleep_test.py
│   │               │   │   │   ├── [ 192]  exclude
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [ 925]  invisible_tag_test.py
│   │               │   │   │   │   └── [ 859]  magic_tag_test.py
│   │               │   │   │   ├── [ 192]  failures1
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [ 899]  fake_3_test.py
│   │               │   │   │   │   └── [ 949]  fake_4_test.py
│   │               │   │   │   ├── [ 160]  incomplete
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 889]  fake_2_test.py
│   │               │   │   │   │   └── [ 899]  fake_3_test.py
│   │               │   │   │   ├── [ 160]  incomplete_todo
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 909]  fake_2_test.py
│   │               │   │   │   │   └── [ 899]  fake_3_test.py
│   │               │   │   │   ├── [ 160]  infinite_loop
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 906]  fake_1_test.py
│   │               │   │   │   │   └── [ 899]  fake_2_test.py
│   │               │   │   │   ├── [ 192]  print_stderr
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [ 954]  fake_3_test.py
```

```
│   │               │   │   │   │   └── [ 949]  fake_4_test.py
│   │               │   │   │   ├── [ 192]  print_stdout
│   │               │   │   │   │   ├── [   8]  __init__.py
│   │               │   │   │   │   ├── [ 899]  fake_2_test.py
│   │               │   │   │   │   ├── [1012]  fake_3_test.py
│   │               │   │   │   │   └── [ 949]  fake_4_test.py
│   │               │   │   │   ├── [4.2K]  run_tests__test.py
│   │               │   │   │   └── [ 160]  timeout
│   │               │   │   │       ├── [   8]  __init__.py
│   │               │   │   │       ├── [ 899]  fake_2_test.py
│   │               │   │   │       └── [ 716]  sleep_test.py
│   │               │   │   ├── [4.2K]  rwobject_test.py
│   │               │   │   ├── [ 671]  scrap_tags.py
│   │               │   │   ├── [8.9K]  scrap_test.py
│   │               │   │   ├── [ 190]  sndarray_tags.py
│   │               │   │   ├── [6.1K]  sndarray_test.py
│   │               │   │   ├── [ 46K]  sprite_test.py
│   │               │   │   ├── [162K]  surface_test.py
│   │               │   │   ├── [ 260]  surfarray_tags.py
│   │               │   │   ├── [ 25K]  surfarray_test.py
│   │               │   │   ├── [4.6K]  surflock_test.py
│   │               │   │   ├── [1.4K]  sysfont_test.py
│   │               │   │   ├── [ 352]  test_utils
│   │               │   │   │   ├── [4.3K]  __init__.py
│   │               │   │   │   ├── [ 14K]  arrinter.py
│   │               │   │   │   ├── [8.9K]  async_sub.py
│   │               │   │   │   ├── [ 23K]  buftools.py
│   │               │   │   │   ├── [ 495]  endian.py
│   │               │   │   │   ├── [149K]  png.py
│   │               │   │   │   ├── [ 12K]  run_tests.py
│   │               │   │   │   ├── [2.4K]  test_machinery.py
│   │               │   │   │   └── [9.1K]  test_runner.py
│   │               │   │   ├── [7.6K]  threads_test.py
│   │               │   │   ├── [ 16K]  time_test.py
│   │               │   │   ├── [3.1K]  touch_test.py
│   │               │   │   ├── [ 52K]  transform_test.py
│   │               │   │   ├── [1.5K]  version_test.py
│   │               │   │   └── [ 694]  video_test.py
│   │               │   ├── [  96]  threads
│   │               │   │   └── [7.9K]  __init__.py
│   │               │   ├── [ 73K]  time.cpython-39-darwin.so
│   │               │   ├── [ 501]  time.pyi
│   │               │   ├── [126K]  transform.cpython-39-darwin.so
│   │               │   ├── [2.0K]  transform.pyi
│   │               │   ├── [2.4K]  version.py
│   │               │   └── [ 600]  version.pyi
│   │               ├── [ 288]  pygame-2.6.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 13K]  METADATA
│   │               │   ├── [ 85K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [ 107]  WHEEL
│   │               │   ├── [  63]  entry_points.txt
│   │               │   └── [   7]  top_level.txt
│   │               ├── [ 704]  pygments
│   │               │   ├── [2.9K]  __init__.py
```

```
│   │               │   ├── [ 348]  __main__.py
│   │               │   ├── [ 23K]  cmdline.py
│   │               │   ├── [1.7K]  console.py
│   │               │   ├── [1.9K]  filter.py
│   │               │   ├── [  96]  filters
│   │               │   │   └── [ 39K]  __init__.py
│   │               │   ├── [4.3K]  formatter.py
│   │               │   ├── [ 512]  formatters
│   │               │   │   ├── [5.2K]  __init__.py
│   │               │   │   ├── [4.1K]  _mapping.py
│   │               │   │   ├── [3.2K]  bbcode.py
│   │               │   │   ├── [5.0K]  groff.py
│   │               │   │   ├── [ 35K]  html.py
│   │               │   │   ├── [ 23K]  img.py
│   │               │   │   ├── [4.8K]  irc.py
│   │               │   │   ├── [ 19K]  latex.py
│   │               │   │   ├── [4.9K]  other.py
│   │               │   │   ├── [2.2K]  pangomarkup.py
│   │               │   │   ├── [ 12K]  rtf.py
│   │               │   │   ├── [7.0K]  svg.py
│   │               │   │   ├── [4.5K]  terminal.py
│   │               │   │   └── [ 11K]  terminal256.py
│   │               │   ├── [ 34K]  lexer.py
│   │               │   ├── [8.2K]  lexers
│   │               │   │   ├── [ 12K]  __init__.py
│   │               │   │   ├── [1.5K]  _ada_builtins.py
│   │               │   │   ├── [ 27K]  _asy_builtins.py
│   │               │   │   ├── [ 14K]  _cl_builtins.py
│   │               │   │   ├── [103K]  _cocoa_builtins.py
│   │               │   │   ├── [ 18K]  _csound_builtins.py
│   │               │   │   ├── [ 12K]  _css_builtins.py
│   │               │   │   ├── [ 16K]  _googlesql_builtins.py
│   │               │   │   ├── [ 12K]  _julia_builtins.py
│   │               │   │   ├── [131K]  _lasso_builtins.py
│   │               │   │   ├── [106K]  _lilypond_builtins.py
│   │               │   │   ├── [7.9K]  _lua_builtins.py
│   │               │   │   ├── [ 955]  _luau_builtins.py
│   │               │   │   ├── [ 69K]  _mapping.py
│   │               │   │   ├── [ 24K]  _mql_builtins.py
│   │               │   │   ├── [ 25K]  _mysql_builtins.py
│   │               │   │   ├── [ 48K]  _openedge_builtins.py
│   │               │   │   ├── [105K]  _php_builtins.py
│   │               │   │   ├── [ 13K]  _postgres_builtins.py
│   │               │   │   ├── [ 12K]  _qlik_builtins.py
│   │               │   │   ├── [ 32K]  _scheme_builtins.py
│   │               │   │   ├── [ 51K]  _scilab_builtins.py
│   │               │   │   ├── [ 26K]  _sourcemod_builtins.py
│   │               │   │   ├── [6.6K]  _sql_builtins.py
│   │               │   │   ├── [ 13K]  _stan_builtins.py
│   │               │   │   ├── [ 27K]  _stata_builtins.py
│   │               │   │   ├── [ 15K]  _tsql_builtins.py
│   │               │   │   ├── [1.6K]  _usd_builtins.py
│   │               │   │   ├── [4.1K]  _vbscript_builtins.py
│   │               │   │   ├── [ 56K]  _vim_builtins.py
│   │               │   │   ├── [ 11K]  actionscript.py
│   │               │   │   ├── [5.2K]  ada.py
```

```
│   │               │   │   ├── [ 896]  agile.py
│   │               │   │   ├── [9.7K]  algebra.py
│   │               │   │   ├── [2.5K]  ambient.py
│   │               │   │   ├── [1.7K]  amdgpu.py
│   │               │   │   ├── [4.1K]  ampl.py
│   │               │   │   ├── [ 30K]  apdlexer.py
│   │               │   │   ├── [3.3K]  apl.py
│   │               │   │   ├── [ 11K]  archetype.py
│   │               │   │   ├── [3.5K]  arrow.py
│   │               │   │   ├── [ 11K]  arturo.py
│   │               │   │   ├── [1.7K]  asc.py
│   │               │   │   ├── [ 41K]  asm.py
│   │               │   │   ├── [4.2K]  asn1.py
│   │               │   │   ├── [ 19K]  automation.py
│   │               │   │   ├── [2.9K]  bare.py
│   │               │   │   ├── [ 27K]  basic.py
│   │               │   │   ├── [1.6K]  bdd.py
│   │               │   │   ├── [3.1K]  berry.py
│   │               │   │   ├── [4.7K]  bibtex.py
│   │               │   │   ├── [6.0K]  blueprint.py
│   │               │   │   ├── [3.8K]  boa.py
│   │               │   │   ├── [3.6K]  bqn.py
│   │               │   │   ├── [ 28K]  business.py
│   │               │   │   ├── [ 18K]  c_cpp.py
│   │               │   │   ├── [ 31K]  c_like.py
│   │               │   │   ├── [2.1K]  capnproto.py
│   │               │   │   ├── [3.1K]  carbon.py
│   │               │   │   ├── [5.0K]  cddl.py
│   │               │   │   ├── [5.0K]  chapel.py
│   │               │   │   ├── [6.3K]  clean.py
│   │               │   │   ├── [2.5K]  codeql.py
│   │               │   │   ├── [3.1K]  comal.py
│   │               │   │   ├── [1.4K]  compiled.py
│   │               │   │   ├── [ 50K]  configs.py
│   │               │   │   ├── [4.1K]  console.py
│   │               │   │   ├── [1.4K]  cplint.py
│   │               │   │   ├── [ 15K]  crystal.py
│   │               │   │   ├── [ 17K]  csound.py
│   │               │   │   ├── [ 25K]  css.py
│   │               │   │   ├── [9.7K]  d.py
│   │               │   │   ├── [4.5K]  dalvik.py
│   │               │   │   ├── [ 26K]  data.py
│   │               │   │   ├── [7.9K]  dax.py
│   │               │   │   ├── [3.9K]  devicetree.py
│   │               │   │   ├── [5.3K]  diff.py
│   │               │   │   ├── [3.8K]  dns.py
│   │               │   │   ├── [ 39K]  dotnet.py
│   │               │   │   ├── [ 36K]  dsls.py
│   │               │   │   ├── [ 10K]  dylan.py
│   │               │   │   ├── [6.2K]  ecl.py
│   │               │   │   ├── [2.6K]  eiffel.py
│   │               │   │   ├── [3.1K]  elm.py
│   │               │   │   ├── [6.7K]  elpi.py
│   │               │   │   ├── [4.7K]  email.py
│   │               │   │   ├── [ 19K]  erlang.py
│   │               │   │   ├── [ 10K]  esoteric.py
```

```
│   │               │   │   ├── [3.2K]  ezhil.py
│   │               │   │   ├── [ 19K]  factor.py
│   │               │   │   ├── [ 10K]  fantom.py
│   │               │   │   ├── [9.4K]  felix.py
│   │               │   │   ├── [1.6K]  fift.py
│   │               │   │   ├── [2.6K]  floscript.py
│   │               │   │   ├── [7.0K]  forth.py
│   │               │   │   ├── [ 10K]  fortran.py
│   │               │   │   ├── [ 26K]  foxpro.py
│   │               │   │   ├── [ 26K]  freefem.py
│   │               │   │   ├── [3.6K]  func.py
│   │               │   │   ├── [ 693]  functional.py
│   │               │   │   ├── [3.7K]  futhark.py
│   │               │   │   ├── [ 874]  gcodelexer.py
│   │               │   │   ├── [7.4K]  gdscript.py
│   │               │   │   ├── [2.3K]  gleam.py
│   │               │   │   ├── [3.7K]  go.py
│   │               │   │   ├── [7.9K]  grammar_notation.py
│   │               │   │   ├── [4.0K]  graph.py
│   │               │   │   ├── [ 38K]  graphics.py
│   │               │   │   ├── [5.5K]  graphql.py
│   │               │   │   ├── [1.9K]  graphviz.py
│   │               │   │   ├── [3.9K]  gsql.py
│   │               │   │   ├── [2.6K]  hare.py
│   │               │   │   ├── [ 32K]  haskell.py
│   │               │   │   ├── [ 30K]  haxe.py
│   │               │   │   ├── [ 22K]  hdl.py
│   │               │   │   ├── [3.6K]  hexdump.py
│   │               │   │   ├── [ 21K]  html.py
│   │               │   │   ├── [ 15K]  idl.py
│   │               │   │   ├── [ 31K]  igor.py
│   │               │   │   ├── [3.1K]  inferno.py
│   │               │   │   ├── [ 14K]  installers.py
│   │               │   │   ├── [ 55K]  int_fiction.py
│   │               │   │   ├── [1.9K]  iolang.py
│   │               │   │   ├── [4.7K]  j.py
│   │               │   │   ├── [ 62K]  javascript.py
│   │               │   │   ├── [2.0K]  jmespath.py
│   │               │   │   ├── [3.6K]  jslt.py
│   │               │   │   ├── [2.4K]  json5.py
│   │               │   │   ├── [5.5K]  jsonnet.py
│   │               │   │   ├── [2.6K]  jsx.py
│   │               │   │   ├── [ 11K]  julia.py
│   │               │   │   ├── [ 71K]  jvm.py
│   │               │   │   ├── [ 11K]  kuin.py
│   │               │   │   ├── [3.4K]  kusto.py
│   │               │   │   ├── [6.4K]  ldap.py
│   │               │   │   ├── [8.4K]  lean.py
│   │               │   │   ├── [9.5K]  lilypond.py
│   │               │   │   ├── [154K]  lisp.py
│   │               │   │   ├── [ 33K]  macaulay2.py
│   │               │   │   ├── [7.6K]  make.py
│   │               │   │   ├── [7.8K]  maple.py
│   │               │   │   ├── [ 64K]  markup.py
│   │               │   │   ├── [ 695]  math.py
│   │               │   │   ├── [130K]  matlab.py
```

```
│   │               │   │   ├── [2.7K]  maxima.py
│   │               │   │   ├── [4.2K]  meson.py
│   │               │   │   ├── [7.4K]  mime.py
│   │               │   │   ├── [ 13K]  minecraft.py
│   │               │   │   ├── [4.5K]  mips.py
│   │               │   │   ├── [ 35K]  ml.py
│   │               │   │   ├── [ 13K]  modeling.py
│   │               │   │   ├── [ 52K]  modula2.py
│   │               │   │   ├── [ 24K]  mojo.py
│   │               │   │   ├── [6.1K]  monte.py
│   │               │   │   ├── [9.1K]  mosel.py
│   │               │   │   ├── [ 62K]  ncl.py
│   │               │   │   ├── [6.3K]  nimrod.py
│   │               │   │   ├── [2.7K]  nit.py
│   │               │   │   ├── [4.3K]  nix.py
│   │               │   │   ├── [1.7K]  numbair.py
│   │               │   │   ├── [4.1K]  oberon.py
│   │               │   │   ├── [ 23K]  objective.py
│   │               │   │   ├── [2.9K]  ooc.py
│   │               │   │   ├── [3.6K]  openscad.py
│   │               │   │   ├── [1.7K]  other.py
│   │               │   │   ├── [2.7K]  parasail.py
│   │               │   │   ├── [ 26K]  parsers.py
│   │               │   │   ├── [ 30K]  pascal.py
│   │               │   │   ├── [8.1K]  pawn.py
│   │               │   │   ├── [2.9K]  pddl.py
│   │               │   │   ├── [ 38K]  perl.py
│   │               │   │   ├── [ 23K]  phix.py
│   │               │   │   ├── [ 13K]  php.py
│   │               │   │   ├── [1.9K]  pointless.py
│   │               │   │   ├── [3.2K]  pony.py
│   │               │   │   ├── [ 12K]  praat.py
│   │               │   │   ├── [1.1K]  procfile.py
│   │               │   │   ├── [ 13K]  prolog.py
│   │               │   │   ├── [4.6K]  promql.py
│   │               │   │   ├── [8.5K]  prql.py
│   │               │   │   ├── [4.4K]  ptx.py
│   │               │   │   ├── [ 53K]  python.py
│   │               │   │   ├── [6.8K]  q.py
│   │               │   │   ├── [3.6K]  qlik.py
│   │               │   │   ├── [6.0K]  qvt.py
│   │               │   │   ├── [6.3K]  r.py
│   │               │   │   ├── [ 16K]  rdf.py
│   │               │   │   ├── [ 18K]  rebol.py
│   │               │   │   ├── [1.7K]  rego.py
│   │               │   │   ├── [2.9K]  resource.py
│   │               │   │   ├── [4.9K]  ride.py
│   │               │   │   ├── [1.1K]  rita.py
│   │               │   │   ├── [1.9K]  rnc.py
│   │               │   │   ├── [2.0K]  roboconf.py
│   │               │   │   ├── [ 18K]  robotframework.py
│   │               │   │   ├── [ 22K]  ruby.py
│   │               │   │   ├── [8.1K]  rust.py
│   │               │   │   ├── [9.2K]  sas.py
│   │               │   │   ├── [4.8K]  savi.py
│   │               │   │   ├── [2.5K]  scdoc.py
```

```
│   │               │   │   ├── [ 80K]  scripting.py
│   │               │   │   ├── [1.9K]  sgf.py
│   │               │   │   ├── [ 36K]  shell.py
│   │               │   │   ├── [2.5K]  sieve.py
│   │               │   │   ├── [8.3K]  slash.py
│   │               │   │   ├── [7.0K]  smalltalk.py
│   │               │   │   ├── [2.6K]  smithy.py
│   │               │   │   ├── [2.7K]  smv.py
│   │               │   │   ├── [2.7K]  snobol.py
│   │               │   │   ├── [3.1K]  solidity.py
│   │               │   │   ├── [2.3K]  soong.py
│   │               │   │   ├── [3.3K]  sophia.py
│   │               │   │   ├── [3.5K]  special.py
│   │               │   │   ├── [2.7K]  spice.py
│   │               │   │   ├── [ 41K]  sql.py
│   │               │   │   ├── [1.7K]  srcinfo.py
│   │               │   │   ├── [6.3K]  stata.py
│   │               │   │   ├── [3.6K]  supercollider.py
│   │               │   │   ├── [3.9K]  tablegen.py
│   │               │   │   ├── [ 11K]  tact.py
│   │               │   │   ├── [2.8K]  tal.py
│   │               │   │   ├── [5.4K]  tcl.py
│   │               │   │   ├── [3.4K]  teal.py
│   │               │   │   ├── [ 74K]  templates.py
│   │               │   │   ├── [9.5K]  teraterm.py
│   │               │   │   ├── [ 11K]  testing.py
│   │               │   │   ├── [1.0K]  text.py
│   │               │   │   ├── [7.6K]  textedit.py
│   │               │   │   ├── [ 15K]  textfmts.py
│   │               │   │   ├── [ 17K]  theorem.py
│   │               │   │   ├── [5.9K]  thingsdb.py
│   │               │   │   ├── [1.4K]  tlb.py
│   │               │   │   ├── [1.5K]  tls.py
│   │               │   │   ├── [ 10K]  tnt.py
│   │               │   │   ├── [1.5K]  trafficscript.py
│   │               │   │   ├── [8.1K]  typoscript.py
│   │               │   │   ├── [7.0K]  typst.py
│   │               │   │   ├── [ 10K]  ul4.py
│   │               │   │   ├── [ 18K]  unicon.py
│   │               │   │   ├── [5.9K]  urbi.py
│   │               │   │   ├── [3.2K]  usd.py
│   │               │   │   ├── [7.3K]  varnish.py
│   │               │   │   ├── [3.8K]  verification.py
│   │               │   │   ├── [2.6K]  verifpal.py
│   │               │   │   ├── [5.6K]  vip.py
│   │               │   │   ├── [5.5K]  vyper.py
│   │               │   │   ├── [ 913]  web.py
│   │               │   │   ├── [5.6K]  webassembly.py
│   │               │   │   ├── [ 10K]  webidl.py
│   │               │   │   ├── [ 40K]  webmisc.py
│   │               │   │   ├── [ 12K]  wgsl.py
│   │               │   │   ├── [3.9K]  whiley.py
│   │               │   │   ├── [4.0K]  wowtoc.py
│   │               │   │   ├── [3.2K]  wren.py
│   │               │   │   ├── [1.9K]  x10.py
│   │               │   │   ├── [ 925]  xorg.py
```

```
│   │               │   │   ├── [4.4K]  yang.py
│   │               │   │   ├── [2.4K]  yara.py
│   │               │   │   └── [3.9K]  zig.py
│   │               │   ├── [1005]  modeline.py
│   │               │   ├── [1.8K]  plugin.py
│   │               │   ├── [3.0K]  regexopt.py
│   │               │   ├── [3.0K]  scanner.py
│   │               │   ├── [7.7K]  sphinxext.py
│   │               │   ├── [6.3K]  style.py
│   │               │   ├── [1.6K]  styles
│   │               │   │   ├── [2.0K]  __init__.py
│   │               │   │   ├── [3.2K]  _mapping.py
│   │               │   │   ├── [ 749]  abap.py
│   │               │   │   ├── [2.2K]  algol.py
│   │               │   │   ├── [2.2K]  algol_nu.py
│   │               │   │   ├── [4.5K]  arduino.py
│   │               │   │   ├── [2.1K]  autumn.py
│   │               │   │   ├── [1.6K]  borland.py
│   │               │   │   ├── [1.4K]  bw.py
│   │               │   │   ├── [2.3K]  coffee.py
│   │               │   │   ├── [2.8K]  colorful.py
│   │               │   │   ├── [2.5K]  default.py
│   │               │   │   ├── [2.1K]  dracula.py
│   │               │   │   ├── [2.5K]  emacs.py
│   │               │   │   ├── [2.5K]  friendly.py
│   │               │   │   ├── [2.8K]  friendly_grayscale.py
│   │               │   │   ├── [1.3K]  fruity.py
│   │               │   │   ├── [3.5K]  gh_dark.py
│   │               │   │   ├── [3.3K]  gruvbox.py
│   │               │   │   ├── [ 737]  igor.py
│   │               │   │   ├── [2.3K]  inkpot.py
│   │               │   │   ├── [3.1K]  lightbulb.py
│   │               │   │   ├── [2.0K]  lilypond.py
│   │               │   │   ├── [3.1K]  lovelace.py
│   │               │   │   ├── [2.4K]  manni.py
│   │               │   │   ├── [4.1K]  material.py
│   │               │   │   ├── [5.1K]  monokai.py
│   │               │   │   ├── [2.7K]  murphy.py
│   │               │   │   ├── [2.0K]  native.py
│   │               │   │   ├── [5.3K]  nord.py
│   │               │   │   ├── [1.7K]  onedark.py
│   │               │   │   ├── [5.5K]  paraiso_dark.py
│   │               │   │   ├── [5.5K]  paraiso_light.py
│   │               │   │   ├── [2.5K]  pastie.py
│   │               │   │   ├── [2.2K]  perldoc.py
│   │               │   │   ├── [2.3K]  rainbow_dash.py
│   │               │   │   ├── [1006]  rrt.py
│   │               │   │   ├── [1.4K]  sas.py
│   │               │   │   ├── [4.1K]  solarized.py
│   │               │   │   ├── [ 831]  staroffice.py
│   │               │   │   ├── [1.2K]  stata_dark.py
│   │               │   │   ├── [1.3K]  stata_light.py
│   │               │   │   ├── [7.0K]  tango.py
│   │               │   │   ├── [1.9K]  trac.py
│   │               │   │   ├── [2.0K]  vim.py
│   │               │   │   ├── [1.1K]  vs.py
```

```
│   │               │   │   ├── [1.5K]  xcode.py
│   │               │   │   └── [2.2K]  zenburn.py
│   │               │   ├── [6.1K]  token.py
│   │               │   ├── [ 62K]  unistring.py
│   │               │   └── [9.8K]  util.py
│   │               ├── [ 256]  pygments-2.19.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.5K]  METADATA
│   │               │   ├── [ 79K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   ├── [  53]  entry_points.txt
│   │               │   └── [ 128]  licenses
│   │               │       ├── [ 11K]  AUTHORS
│   │               │       └── [1.3K]  LICENSE
│   │               ├── [ 480]  pyparsing
│   │               │   ├── [8.8K]  __init__.py
│   │               │   ├── [7.1K]  actions.py
│   │               │   ├── [ 13K]  common.py
│   │               │   ├── [229K]  core.py
│   │               │   ├── [  96]  diagram
│   │               │   │   └── [ 26K]  __init__.py
│   │               │   ├── [9.7K]  exceptions.py
│   │               │   ├── [ 39K]  helpers.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 26K]  results.py
│   │               │   ├── [ 14K]  testing.py
│   │               │   ├── [ 128]  tools
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [5.2K]  cvt_pyparsing_pep8_names.py
│   │               │   ├── [ 10K]  unicode.py
│   │               │   └── [ 14K]  util.py
│   │               ├── [ 224]  pyparsing-3.2.3.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1023]  LICENSE
│   │               │   ├── [4.9K]  METADATA
│   │               │   ├── [3.4K]  RECORD
│   │               │   └── [  81]  WHEEL
│   │               ├── [ 896]  pypdf
│   │               │   ├── [1.3K]  __init__.py
│   │               │   ├── [ 18K]  _cmap.py
│   │               │   ├── [ 288]  _codecs
│   │               │   │   ├── [1.6K]  __init__.py
│   │               │   │   ├── [9.9K]  _codecs.py
│   │               │   │   ├── [437K]  adobe_glyphs.py
│   │               │   │   ├── [4.2K]  pdfdoc.py
│   │               │   │   ├── [2.6K]  std.py
│   │               │   │   ├── [3.6K]  symbol.py
│   │               │   │   └── [3.7K]  zapfding.py
│   │               │   ├── [ 224]  _crypt_providers
│   │               │   │   ├── [3.0K]  __init__.py
│   │               │   │   ├── [1.7K]  _base.py
│   │               │   │   ├── [4.5K]  _cryptography.py
│   │               │   │   ├── [3.3K]  _fallback.py
│   │               │   │   └── [3.3K]  _pycryptodome.py
│   │               │   ├── [ 51K]  _doc_common.py
│   │               │   ├── [ 48K]  _encryption.py
```

```
│   │               │   ├── [1.7K]  _merger.py
│   │               │   ├── [ 87K]  _page.py
│   │               │   ├── [8.3K]  _page_labels.py
│   │               │   ├── [2.1K]  _protocols.py
│   │               │   ├── [ 50K]  _reader.py
│   │               │   ├── [ 160]  _text_extraction
│   │               │   │   ├── [8.3K]  __init__.py
│   │               │   │   ├── [ 256]  _layout_mode
│   │               │   │   │   ├── [ 338]  __init__.py
│   │               │   │   │   ├── [ 15K]  _fixed_width_page.py
│   │               │   │   │   ├── [6.9K]  _font.py
│   │               │   │   │   ├── [4.2K]  _font_widths.py
│   │               │   │   │   ├── [8.0K]  _text_state_manager.py
│   │               │   │   │   └── [5.2K]  _text_state_params.py
│   │               │   │   └── [ 16K]  _text_extractor.py
│   │               │   ├── [ 20K]  _utils.py
│   │               │   ├── [  22]  _version.py
│   │               │   ├── [135K]  _writer.py
│   │               │   ├── [ 14K]  _xobj_image_helpers.py
│   │               │   ├── [ 192]  annotations
│   │               │   │   ├── [ 990]  __init__.py
│   │               │   │   ├── [ 961]  _base.py
│   │               │   │   ├── [9.9K]  _markup_annotations.py
│   │               │   │   └── [3.6K]  _non_markup_annotations.py
│   │               │   ├── [ 22K]  constants.py
│   │               │   ├── [1.7K]  errors.py
│   │               │   ├── [ 33K]  filters.py
│   │               │   ├── [ 416]  generic
│   │               │   │   ├── [7.2K]  __init__.py
│   │               │   │   ├── [ 31K]  _base.py
│   │               │   │   ├── [ 62K]  _data_structures.py
│   │               │   │   ├── [ 13K]  _files.py
│   │               │   │   ├── [5.4K]  _fit.py
│   │               │   │   ├── [ 11K]  _image_inline.py
│   │               │   │   ├── [4.8K]  _link.py
│   │               │   │   ├── [1.1K]  _outline.py
│   │               │   │   ├── [3.7K]  _rectangle.py
│   │               │   │   ├── [7.1K]  _utils.py
│   │               │   │   └── [6.6K]  _viewerpref.py
│   │               │   ├── [7.0K]  pagerange.py
│   │               │   ├── [1.4K]  papersizes.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [1.9K]  types.py
│   │               │   └── [ 16K]  xmp.py
│   │               ├── [ 256]  pypdf-5.9.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [7.0K]  METADATA
│   │               │   ├── [ 14K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  82]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.6K]  LICENSE
│   │               ├── [ 384]  pypika
│   │               │   ├── [2.1K]  __init__.py
│   │               │   ├── [3.3K]  analytics.py
│   │               │   ├── [ 288]  clickhouse
```

```
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [2.7K]  array.py
│   │               │   │   ├── [ 290]  condition.py
│   │               │   │   ├── [1.2K]  dates_and_times.py
│   │               │   │   ├── [ 161]  nullable_arg.py
│   │               │   │   ├── [2.5K]  search_string.py
│   │               │   │   └── [2.6K]  type_conversion.py
│   │               │   ├── [ 30K]  dialects.py
│   │               │   ├── [3.0K]  enums.py
│   │               │   ├── [9.5K]  functions.py
│   │               │   ├── [ 252]  pseudocolumns.py
│   │               │   ├── [ 71K]  queries.py
│   │               │   ├── [ 56K]  terms.py
│   │               │   └── [3.6K]  utils.py
│   │               ├── [ 256]  pypika-0.48.9.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 37K]  METADATA
│   │               │   ├── [4.1K]  RECORD
│   │               │   ├── [ 109]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 11K]  LICENSE.txt
│   │               │   └── [   7]  top_level.txt
│   │               ├── [ 192]  pyproject_hooks
│   │               │   ├── [ 691]  __init__.py
│   │               │   ├── [ 15K]  _impl.py
│   │               │   ├── [ 128]  _in_process
│   │               │   │   ├── [ 557]  __init__.py
│   │               │   │   └── [ 12K]  _in_process.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 224]  pyproject_hooks-1.2.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [1.3K]  METADATA
│   │               │   ├── [1.5K]  RECORD
│   │               │   └── [  81]  WHEEL
│   │               ├── [ 288]  python_dateutil-2.9.0.post0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.8K]  LICENSE
│   │               │   ├── [8.2K]  METADATA
│   │               │   ├── [4.8K]  RECORD
│   │               │   ├── [ 110]  WHEEL
│   │               │   ├── [   9]  top_level.txt
│   │               │   └── [   1]  zip-safe
│   │               ├── [ 288]  python_dotenv-1.1.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 24K]  METADATA
│   │               │   ├── [2.5K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  47]  entry_points.txt
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.5K]  LICENSE
│   │               │   └── [   7]  top_level.txt
│   │               ├── [ 384]  referencing
│   │               │   ├── [ 207]  __init__.py
│   │               │   ├── [ 791]  _attrs.py
│   │               │   ├── [ 559]  _attrs.pyi
```

```
│   │               │   ├── [ 24K]  _core.py
│   │               │   ├── [4.1K]  exceptions.py
│   │               │   ├── [ 18K]  jsonschema.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [2.6K]  retrieval.py
│   │               │   ├── [ 256]  tests
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 37K]  test_core.py
│   │               │   │   ├── [ 934]  test_exceptions.py
│   │               │   │   ├── [ 11K]  test_jsonschema.py
│   │               │   │   ├── [2.3K]  test_referencing_suite.py
│   │               │   │   └── [3.6K]  test_retrieval.py
│   │               │   └── [1.4K]  typing.py
│   │               ├── [ 224]  referencing-0.36.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.8K]  METADATA
│   │               │   ├── [3.7K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.0K]  COPYING
│   │               ├── [ 224]  regex
│   │               │   ├── [  65]  __init__.py
│   │               │   ├── [756K]  _regex.cpython-39-darwin.so
│   │               │   ├── [141K]  _regex_core.py
│   │               │   ├── [ 32K]  regex.py
│   │               │   └── [220K]  test_regex.py
│   │               ├── [ 256]  regex-2025.7.34.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 40K]  METADATA
│   │               │   ├── [1.5K]  RECORD
│   │               │   ├── [ 134]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 11K]  LICENSE.txt
│   │               │   └── [   6]  top_level.txt
│   │               ├── [ 640]  requests
│   │               │   ├── [5.0K]  __init__.py
│   │               │   ├── [ 435]  __version__.py
│   │               │   ├── [1.5K]  _internal_utils.py
│   │               │   ├── [ 27K]  adapters.py
│   │               │   ├── [6.3K]  api.py
│   │               │   ├── [9.9K]  auth.py
│   │               │   ├── [ 429]  certs.py
│   │               │   ├── [2.1K]  compat.py
│   │               │   ├── [ 18K]  cookies.py
│   │               │   ├── [4.2K]  exceptions.py
│   │               │   ├── [3.8K]  help.py
│   │               │   ├── [ 733]  hooks.py
│   │               │   ├── [ 35K]  models.py
│   │               │   ├── [ 904]  packages.py
│   │               │   ├── [ 30K]  sessions.py
│   │               │   ├── [4.2K]  status_codes.py
│   │               │   ├── [2.8K]  structures.py
│   │               │   └── [ 32K]  utils.py
│   │               ├── [ 288]  requests-2.32.4.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [4.8K]  METADATA
```

```
│   │               │   ├── [4.6K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [9.9K]  LICENSE
│   │               │   └── [   9]  top_level.txt
│   │               ├── [ 256]  requests_oauthlib
│   │               │   ├── [ 548]  __init__.py
│   │               │   ├── [ 384]  compliance_fixes
│   │               │   │   ├── [ 377]  __init__.py
│   │               │   │   ├── [ 413]  douban.py
│   │               │   │   ├── [ 832]  ebay.py
│   │               │   │   ├── [ 995]  facebook.py
│   │               │   │   ├── [ 846]  fitbit.py
│   │               │   │   ├── [ 875]  instagram.py
│   │               │   │   ├── [ 679]  mailchimp.py
│   │               │   │   ├── [ 737]  plentymarkets.py
│   │               │   │   ├── [1.3K]  slack.py
│   │               │   │   └── [ 385]  weibo.py
│   │               │   ├── [3.5K]  oauth1_auth.py
│   │               │   ├── [ 17K]  oauth1_session.py
│   │               │   ├── [1.5K]  oauth2_auth.py
│   │               │   └── [ 23K]  oauth2_session.py
│   │               ├── [ 256]  requests_oauthlib-2.0.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 745]  LICENSE
│   │               │   ├── [ 11K]  METADATA
│   │               │   ├── [4.5K]  RECORD
│   │               │   ├── [ 110]  WHEEL
│   │               │   └── [  18]  top_level.txt
│   │               ├── [ 448]  requests_toolbelt
│   │               │   ├── [1.2K]  __init__.py
│   │               │   ├── [9.0K]  _compat.py
│   │               │   ├── [ 320]  adapters
│   │               │   │   ├── [ 370]  __init__.py
│   │               │   │   ├── [7.4K]  appengine.py
│   │               │   │   ├── [1.4K]  fingerprint.py
│   │               │   │   ├── [1.4K]  host_header_ssl.py
│   │               │   │   ├── [4.7K]  socket_options.py
│   │               │   │   ├── [2.5K]  source.py
│   │               │   │   ├── [2.3K]  ssl.py
│   │               │   │   └── [7.7K]  x509.py
│   │               │   ├── [ 224]  auth
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 910]  _digest_auth_compat.py
│   │               │   │   ├── [4.8K]  guess.py
│   │               │   │   ├── [4.3K]  handler.py
│   │               │   │   └── [3.6K]  http_proxy_digest.py
│   │               │   ├── [ 128]  cookies
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [ 213]  forgetful.py
│   │               │   ├── [ 160]  downloadutils
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [5.9K]  stream.py
│   │               │   │   └── [4.3K]  tee.py
│   │               │   ├── [ 695]  exceptions.py
```

```
│   │               │   ├── [ 160]  multipart
│   │               │   │   ├── [ 854]  __init__.py
│   │               │   │   ├── [4.7K]  decoder.py
│   │               │   │   └── [ 20K]  encoder.py
│   │               │   ├── [3.0K]  sessions.py
│   │               │   ├── [3.9K]  streaming_iterator.py
│   │               │   ├── [ 160]  threaded
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [6.5K]  pool.py
│   │               │   │   └── [1.4K]  thread.py
│   │               │   └── [ 224]  utils
│   │               │       ├── [   0]  __init__.py
│   │               │       ├── [2.5K]  deprecated.py
│   │               │       ├── [6.4K]  dump.py
│   │               │       ├── [3.2K]  formdata.py
│   │               │       └── [4.4K]  user_agent.py
│   │               ├── [ 288]  requests_toolbelt-1.0.0.dist-info
│   │               │   ├── [ 986]  AUTHORS.rst
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 596]  LICENSE
│   │               │   ├── [ 14K]  METADATA
│   │               │   ├── [9.3K]  RECORD
│   │               │   ├── [ 110]  WHEEL
│   │               │   └── [  18]  top_level.txt
│   │               ├── [2.5K]  rich
│   │               │   ├── [5.9K]  __init__.py
│   │               │   ├── [7.6K]  __main__.py
│   │               │   ├── [ 10K]  _cell_widths.py
│   │               │   ├── [137K]  _emoji_codes.py
│   │               │   ├── [1.0K]  _emoji_replace.py
│   │               │   ├── [2.1K]  _export_format.py
│   │               │   ├── [ 241]  _extension.py
│   │               │   ├── [ 799]  _fileno.py
│   │               │   ├── [9.4K]  _inspect.py
│   │               │   ├── [3.1K]  _log_render.py
│   │               │   ├── [1.2K]  _loop.py
│   │               │   ├── [1.4K]  _null_file.py
│   │               │   ├── [6.9K]  _palettes.py
│   │               │   ├── [ 423]  _pick.py
│   │               │   ├── [5.2K]  _ratio.py
│   │               │   ├── [ 19K]  _spinners.py
│   │               │   ├── [ 351]  _stack.py
│   │               │   ├── [ 417]  _timer.py
│   │               │   ├── [ 22K]  _win32_console.py
│   │               │   ├── [1.9K]  _windows.py
│   │               │   ├── [2.7K]  _windows_renderer.py
│   │               │   ├── [3.3K]  _wrap.py
│   │               │   ├── [ 878]  abc.py
│   │               │   ├── [ 10K]  align.py
│   │               │   ├── [6.8K]  ansi.py
│   │               │   ├── [3.2K]  bar.py
│   │               │   ├── [ 10K]  box.py
│   │               │   ├── [5.0K]  cells.py
│   │               │   ├── [ 18K]  color.py
│   │               │   ├── [1.0K]  color_triplet.py
│   │               │   ├── [7.0K]  columns.py
```

```
│   │               │   ├── [ 98K]  console.py
│   │               │   ├── [1.3K]  constrain.py
│   │               │   ├── [5.4K]  containers.py
│   │               │   ├── [6.3K]  control.py
│   │               │   ├── [8.0K]  default_styles.py
│   │               │   ├── [ 977]  diagnose.py
│   │               │   ├── [2.3K]  emoji.py
│   │               │   ├── [ 642]  errors.py
│   │               │   ├── [1.6K]  file_proxy.py
│   │               │   ├── [2.4K]  filesize.py
│   │               │   ├── [9.4K]  highlighter.py
│   │               │   ├── [4.9K]  json.py
│   │               │   ├── [3.2K]  jupyter.py
│   │               │   ├── [ 14K]  layout.py
│   │               │   ├── [ 15K]  live.py
│   │               │   ├── [3.4K]  live_render.py
│   │               │   ├── [ 12K]  logging.py
│   │               │   ├── [ 25K]  markdown.py
│   │               │   ├── [8.2K]  markup.py
│   │               │   ├── [5.2K]  measure.py
│   │               │   ├── [4.8K]  padding.py
│   │               │   ├── [ 828]  pager.py
│   │               │   ├── [3.2K]  palette.py
│   │               │   ├── [ 11K]  panel.py
│   │               │   ├── [ 36K]  pretty.py
│   │               │   ├── [ 59K]  progress.py
│   │               │   ├── [8.0K]  progress_bar.py
│   │               │   ├── [ 12K]  prompt.py
│   │               │   ├── [1.3K]  protocol.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 166]  region.py
│   │               │   ├── [4.3K]  repr.py
│   │               │   ├── [4.5K]  rule.py
│   │               │   ├── [2.8K]  scope.py
│   │               │   ├── [1.5K]  screen.py
│   │               │   ├── [ 24K]  segment.py
│   │               │   ├── [4.1K]  spinner.py
│   │               │   ├── [4.3K]  status.py
│   │               │   ├── [ 26K]  style.py
│   │               │   ├── [1.2K]  styled.py
│   │               │   ├── [ 35K]  syntax.py
│   │               │   ├── [ 39K]  table.py
│   │               │   ├── [3.3K]  terminal_theme.py
│   │               │   ├── [ 46K]  text.py
│   │               │   ├── [3.7K]  theme.py
│   │               │   ├── [ 102]  themes.py
│   │               │   ├── [ 35K]  traceback.py
│   │               │   └── [9.2K]  tree.py
│   │               ├── [ 224]  rich-14.1.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [ 18K]  METADATA
│   │               │   ├── [ 17K]  RECORD
│   │               │   └── [  88]  WHEEL
│   │               ├── [ 192]  rpds
│   │               │   ├── [  99]  __init__.py
```

```
│   │               │   ├── [2.5K]  __init__.pyi
│   │               │   ├── [   0]  py.typed
│   │               │   └── [943K]  rpds.cpython-39-darwin.so
│   │               ├── [ 224]  rpds_py-0.26.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [4.1K]  METADATA
│   │               │   ├── [ 851]  RECORD
│   │               │   ├── [ 102]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.0K]  LICENSE
│   │               ├── [ 544]  rsa
│   │               │   ├── [1.6K]  __init__.py
│   │               │   ├── [1.7K]  asn1.py
│   │               │   ├── [9.6K]  cli.py
│   │               │   ├── [4.6K]  common.py
│   │               │   ├── [1.6K]  core.py
│   │               │   ├── [ 27K]  key.py
│   │               │   ├── [2.3K]  parallel.py
│   │               │   ├── [3.9K]  pem.py
│   │               │   ├── [ 16K]  pkcs1.py
│   │               │   ├── [3.4K]  pkcs1_v2.py
│   │               │   ├── [5.0K]  prime.py
│   │               │   ├── [  63]  py.typed
│   │               │   ├── [2.6K]  randnum.py
│   │               │   ├── [2.1K]  transform.py
│   │               │   └── [2.9K]  util.py
│   │               ├── [ 256]  rsa-4.9.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 577]  LICENSE
│   │               │   ├── [5.5K]  METADATA
│   │               │   ├── [3.9K]  RECORD
│   │               │   ├── [  88]  WHEEL
│   │               │   └── [ 201]  entry_points.txt
│   │               ├── [  96]  schemas
│   │               │   └── [ 864]  embedding_functions
│   │               │       ├── [1.9K]  README.md
│   │               │       ├── [ 731]  amazon_bedrock.json
│   │               │       ├── [ 734]  base_schema.json
│   │               │       ├── [ 478]  chroma_langchain.json
│   │               │       ├── [1.0K]  cloudflare_workers_ai.json
│   │               │       ├── [ 681]  cohere.json
│   │               │       ├── [ 296]  default.json
│   │               │       ├── [ 805]  google_generative_ai.json
│   │               │       ├── [ 628]  google_palm.json
│   │               │       ├── [ 862]  google_vertex.json
│   │               │       ├── [ 696]  huggingface.json
│   │               │       ├── [ 650]  huggingface_server.json
│   │               │       ├── [ 731]  instructor.json
│   │               │       ├── [1.3K]  jina.json
│   │               │       ├── [ 595]  mistral.json
│   │               │       ├── [ 652]  ollama.json
│   │               │       ├── [ 529]  onnx_mini_lm_l6_v2.json
│   │               │       ├── [ 742]  open_clip.json
│   │               │       ├── [2.0K]  openai.json
│   │               │       ├── [ 606]  roboflow.json
│   │               │       ├── [1.2K]  sentence_transformer.json
```

```
│   │               │       ├── [ 451]  text2vec.json
│   │               │       ├── [ 700]  together_ai.json
│   │               │       ├── [ 836]  transformers.json
│   │               │       └── [ 878]  voyageai.json
│   │               ├── [ 960]  scipy
│   │               │   ├── [ 192]  .dylibs
│   │               │   │   ├── [153K]  libgcc_s.1.1.dylib
│   │               │   │   ├── [1.8M]  libgfortran.5.dylib
│   │               │   │   ├── [ 19M]  libopenblas.0.dylib
│   │               │   │   └── [341K]  libquadmath.0.dylib
│   │               │   ├── [5.2K]  __config__.py
│   │               │   ├── [4.0K]  __init__.py
│   │               │   ├── [ 611]  _distributor_init.py
│   │               │   ├── [ 928]  _lib
│   │               │   │   ├── [ 353]  __init__.py
│   │               │   │   ├── [ 12K]  _array_api.py
│   │               │   │   ├── [7.9K]  _bunch.py
│   │               │   │   ├── [6.9K]  _ccallback.py
│   │               │   │   ├── [113K]  _ccallback_c.cpython-39-darwin.so
│   │               │   │   ├── [6.0K]  _disjoint_set.py
│   │               │   │   ├── [ 21K]  _docscrape.py
│   │               │   │   ├── [ 13K]  _elementwise_iterative_method.py
│   │               │   │   ├── [4.1K]  _finite_differences.py
│   │               │   │   ├── [ 49K]  _fpumode.cpython-39-darwin.so
│   │               │   │   ├── [2.6K]  _gcutils.py
│   │               │   │   ├── [ 14K]  _pep440.py
│   │               │   │   ├── [ 52K]  _test_ccallback.cpython-39-darwin.so
│   │               │   │   ├── [ 73K]  _test_deprecation_call.cpython-39-
darwin.so
│   │               │   │   ├── [ 55K]  _test_deprecation_def.cpython-39-
darwin.so
│   │               │   │   ├── [7.9K]  _testutils.py
│   │               │   │   ├── [1.4K]  _threadsafety.py
│   │               │   │   ├── [2.3K]  _tmpdirs.py
│   │               │   │   ├── [ 192]  _uarray
│   │               │   │   │   ├── [1.5K]  LICENSE
│   │               │   │   │   ├── [4.4K]  __init__.py
│   │               │   │   │   ├── [ 20K]  _backend.py
│   │               │   │   │   └── [118K]  _uarray.cpython-39-darwin.so
│   │               │   │   ├── [ 31K]  _util.py
│   │               │   │   ├── [ 256]  array_api_compat
│   │               │   │   │   ├── [ 946]  __init__.py
│   │               │   │   │   ├── [ 987]  _internal.py
│   │               │   │   │   ├── [ 224]  common
│   │               │   │   │   │   ├── [  24]  __init__.py
│   │               │   │   │   │   ├── [ 16K]  _aliases.py
│   │               │   │   │   │   ├── [8.0K]  _helpers.py
│   │               │   │   │   │   ├── [6.2K]  _linalg.py
│   │               │   │   │   │   └── [ 388]  _typing.py
│   │               │   │   │   ├── [ 192]  cupy
│   │               │   │   │   │   ├── [ 397]  __init__.py
│   │               │   │   │   │   ├── [2.5K]  _aliases.py
│   │               │   │   │   │   ├── [ 617]  _typing.py
│   │               │   │   │   │   └── [1.3K]  linalg.py
│   │               │   │   │   ├── [ 192]  numpy
│   │               │   │   │   │   ├── [ 596]  __init__.py
```

```
│   │               │   │   │   │   ├── [2.5K]  _aliases.py
│   │               │   │   │   │   ├── [ 618]  _typing.py
│   │               │   │   │   │   └── [1.2K]  linalg.py
│   │               │   │   │   └── [ 160]  torch
│   │               │   │   │       ├── [ 518]  __init__.py
│   │               │   │   │       ├── [ 26K]  _aliases.py
│   │               │   │   │       └── [2.4K]  linalg.py
│   │               │   │   ├── [ 15K]  decorator.py
│   │               │   │   ├── [7.9K]  deprecation.py
│   │               │   │   ├── [8.2K]  doccer.py
│   │               │   │   ├── [ 95K]  messagestream.cpython-39-darwin.so
│   │               │   │   ├── [ 544]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.3K]  test__gcutils.py
│   │               │   │   │   ├── [2.2K]  test__pep440.py
│   │               │   │   │   ├── [ 800]  test__testutils.py
│   │               │   │   │   ├── [1.3K]  test__threadsafety.py
│   │               │   │   │   ├── [ 14K]  test__util.py
│   │               │   │   │   ├── [3.9K]  test_array_api.py
│   │               │   │   │   ├── [6.0K]  test_bunch.py
│   │               │   │   │   ├── [6.0K]  test_ccallback.py
│   │               │   │   │   ├── [ 364]  test_deprecation.py
│   │               │   │   │   ├── [ 500]  test_import_cycles.py
│   │               │   │   │   ├── [ 19K]  test_public_api.py
│   │               │   │   │   ├── [ 606]  test_scipy_version.py
│   │               │   │   │   ├── [1.2K]  test_tmpdirs.py
│   │               │   │   │   └── [4.4K]  test_warnings.py
│   │               │   │   └── [ 815]  uarray.py
│   │               │   ├── [ 288]  cluster
│   │               │   │   ├── [ 876]  __init__.py
│   │               │   │   ├── [326K]  _hierarchy.cpython-39-darwin.so
│   │               │   │   ├── [240K]  _optimal_leaf_ordering.cpython-39-
darwin.so
│   │               │   │   ├── [126K]  _vq.cpython-39-darwin.so
│   │               │   │   ├── [145K]  hierarchy.py
│   │               │   │   ├── [ 224]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [6.7K]  hierarchy_test_data.py
│   │               │   │   │   ├── [5.4K]  test_disjoint_set.py
│   │               │   │   │   ├── [ 48K]  test_hierarchy.py
│   │               │   │   │   └── [ 17K]  test_vq.py
│   │               │   │   └── [ 30K]  vq.py
│   │               │   ├── [8.8K]  conftest.py
│   │               │   ├── [ 256]  constants
│   │               │   │   ├── [ 12K]  __init__.py
│   │               │   │   ├── [152K]  _codata.py
│   │               │   │   ├── [ 10K]  _constants.py
│   │               │   │   ├── [ 794]  codata.py
│   │               │   │   ├── [2.2K]  constants.py
│   │               │   │   └── [ 160]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [1.9K]  test_codata.py
│   │               │   │       └── [1.6K]  test_constants.py
│   │               │   ├── [ 256]  datasets
│   │               │   │   ├── [2.7K]  __init__.py
│   │               │   │   ├── [1.7K]  _download_all.py
```

```
│   │               │   │   ├── [6.6K]  _fetchers.py
│   │               │   │   ├── [1.0K]  _registry.py
│   │               │   │   ├── [2.9K]  _utils.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [4.0K]  test_data.py
│   │               │   ├── [ 448]  fft
│   │               │   │   ├── [3.4K]  __init__.py
│   │               │   │   ├── [6.4K]  _backend.py
│   │               │   │   ├── [ 62K]  _basic.py
│   │               │   │   ├── [6.4K]  _basic_backend.py
│   │               │   │   ├── [ 598]  _debug_backends.py
│   │               │   │   ├── [7.7K]  _fftlog.py
│   │               │   │   ├── [5.1K]  _fftlog_backend.py
│   │               │   │   ├── [9.8K]  _helper.py
│   │               │   │   ├── [ 288]  _pocketfft
│   │               │   │   │   ├── [1.5K]  LICENSE.md
│   │               │   │   │   ├── [ 207]  __init__.py
│   │               │   │   │   ├── [7.9K]  basic.py
│   │               │   │   │   ├── [5.7K]  helper.py
│   │               │   │   │   ├── [877K]  pypocketfft.cpython-39-darwin.so
│   │               │   │   │   ├── [3.3K]  realtransforms.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 35K]  test_basic.py
│   │               │   │   │       └── [ 16K]  test_real_transforms.py
│   │               │   │   ├── [ 25K]  _realtransforms.py
│   │               │   │   ├── [2.3K]  _realtransforms_backend.py
│   │               │   │   └── [ 320]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [2.5K]  mock_backend.py
│   │               │   │       ├── [4.2K]  test_backend.py
│   │               │   │       ├── [ 21K]  test_basic.py
│   │               │   │       ├── [6.0K]  test_fftlog.py
│   │               │   │       ├── [ 15K]  test_helper.py
│   │               │   │       ├── [2.1K]  test_multithreading.py
│   │               │   │       └── [8.4K]  test_real_transforms.py
│   │               │   ├── [ 416]  fftpack
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [ 13K]  _basic.py
│   │               │   │   ├── [3.3K]  _helper.py
│   │               │   │   ├── [ 14K]  _pseudo_diffs.py
│   │               │   │   ├── [ 19K]  _realtransforms.py
│   │               │   │   ├── [ 577]  basic.py
│   │               │   │   ├── [220K]  convolve.cpython-39-darwin.so
│   │               │   │   ├── [ 580]  helper.py
│   │               │   │   ├── [ 674]  pseudo_diffs.py
│   │               │   │   ├── [ 595]  realtransforms.py
│   │               │   │   └── [ 384]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [158K]  fftw_double_ref.npz
│   │               │   │       ├── [289K]  fftw_longdouble_ref.npz
│   │               │   │       ├── [ 93K]  fftw_single_ref.npz
│   │               │   │       ├── [ 12K]  test.npz
│   │               │   │       ├── [ 30K]  test_basic.py
│   │               │   │       ├── [1.6K]  test_helper.py
```

```
│   │               │   │       ├── [1.1K]  test_import.py
│   │               │   │       ├── [ 13K]  test_pseudo_diffs.py
│   │               │   │       └── [ 23K]  test_real_transforms.py
│   │               │   ├── [ 768]  integrate
│   │               │   │   ├── [4.1K]  __init__.py
│   │               │   │   ├── [ 40K]  _bvp.py
│   │               │   │   ├── [140K]  _dop.cpython-39-darwin.so
│   │               │   │   ├── [ 384]  _ivp
│   │               │   │   │   ├── [ 256]  __init__.py
│   │               │   │   │   ├── [ 10K]  base.py
│   │               │   │   │   ├── [ 17K]  bdf.py
│   │               │   │   │   ├── [ 15K]  common.py
│   │               │   │   │   ├── [7.1K]  dop853_coefficients.py
│   │               │   │   │   ├── [ 31K]  ivp.py
│   │               │   │   │   ├── [9.7K]  lsoda.py
│   │               │   │   │   ├── [ 19K]  radau.py
│   │               │   │   │   ├── [ 22K]  rk.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 36K]  test_ivp.py
│   │               │   │   │       └── [1.3K]  test_rk.py
│   │               │   │   ├── [141K]  _lsoda.cpython-39-darwin.so
│   │               │   │   ├── [ 47K]  _ode.py
│   │               │   │   ├── [120K]  _odepack.cpython-39-darwin.so
│   │               │   │   ├── [ 11K]  _odepack_py.py
│   │               │   │   ├── [ 21K]  _quad_vec.py
│   │               │   │   ├── [137K]  _quadpack.cpython-39-darwin.so
│   │               │   │   ├── [ 52K]  _quadpack_py.py
│   │               │   │   ├── [ 64K]  _quadrature.py
│   │               │   │   ├── [ 52K]  _tanhsinh.py
│   │               │   │   ├── [ 49K]  _test_multivariate.cpython-39-
darwin.so
│   │               │   │   ├── [125K]  _test_odeint_banded.cpython-39-
darwin.so
│   │               │   │   ├── [191K]  _vode.cpython-39-darwin.so
│   │               │   │   ├── [ 453]  dop.py
│   │               │   │   ├── [ 436]  lsoda.py
│   │               │   │   ├── [ 545]  odepack.py
│   │               │   │   ├── [ 617]  quadpack.py
│   │               │   │   ├── [ 352]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [6.1K]  test__quad_vec.py
│   │               │   │   │   ├── [6.5K]  test_banded_ode_solvers.py
│   │               │   │   │   ├── [ 20K]  test_bvp.py
│   │               │   │   │   ├── [ 24K]  test_integrate.py
│   │               │   │   │   ├── [1.8K]  test_odeint_jac.py
│   │               │   │   │   ├── [ 27K]  test_quadpack.py
│   │               │   │   │   ├── [ 29K]  test_quadrature.py
│   │               │   │   │   └── [ 33K]  test_tanhsinh.py
│   │               │   │   └── [ 453]  vode.py
│   │               │   ├── [ 960]  interpolate
│   │               │   │   ├── [3.4K]  __init__.py
│   │               │   │   ├── [441K]  _bspl.cpython-39-darwin.so
│   │               │   │   ├── [ 74K]  _bsplines.py
│   │               │   │   ├── [ 37K]  _cubic.py
│   │               │   │   ├── [118K]  _fitpack.cpython-39-darwin.so
```

```
│   │               │   │   ├── [ 87K]  _fitpack2.py
│   │               │   │   ├── [ 28K]  _fitpack_impl.py
│   │               │   │   ├── [ 27K]  _fitpack_py.py
│   │               │   │   ├── [ 86K]  _interpolate.py
│   │               │   │   ├── [ 12K]  _ndbspline.py
│   │               │   │   ├── [ 12K]  _ndgriddata.py
│   │               │   │   ├── [1.8K]  _pade.py
│   │               │   │   ├── [ 34K]  _polyint.py
│   │               │   │   ├── [339K]  _ppoly.cpython-39-darwin.so
│   │               │   │   ├── [ 11K]  _rbf.py
│   │               │   │   ├── [ 19K]  _rbfinterp.py
│   │               │   │   ├── [297K]  _rbfinterp_pythran.cpython-39-
darwin.so
│   │               │   │   ├── [ 31K]  _rgi.py
│   │               │   │   ├── [222K]  _rgi_cython.cpython-39-darwin.so
│   │               │   │   ├── [290K]  dfitpack.cpython-39-darwin.so
│   │               │   │   ├── [ 716]  fitpack.py
│   │               │   │   ├── [ 964]  fitpack2.py
│   │               │   │   ├── [344K]  interpnd.cpython-39-darwin.so
│   │               │   │   ├── [ 963]  interpolate.py
│   │               │   │   ├── [ 677]  ndgriddata.py
│   │               │   │   ├── [ 712]  polyint.py
│   │               │   │   ├── [ 597]  rbf.py
│   │               │   │   └── [ 512]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 160]  data
│   │               │   │       │   ├── [2.6K]  bug-1310.npz
│   │               │   │       │   ├── [ 35K]  estimate_gradients_hang.npy
│   │               │   │       │   └── [3.1K]  gcvspl.npz
│   │               │   │       ├── [ 92K]  test_bsplines.py
│   │               │   │       ├── [ 16K]  test_fitpack.py
│   │               │   │       ├── [ 57K]  test_fitpack2.py
│   │               │   │       ├── [1.8K]  test_gil.py
│   │               │   │       ├── [ 13K]  test_interpnd.py
│   │               │   │       ├── [ 95K]  test_interpolate.py
│   │               │   │       ├── [ 11K]  test_ndgriddata.py
│   │               │   │       ├── [3.7K]  test_pade.py
│   │               │   │       ├── [ 35K]  test_polyint.py
│   │               │   │       ├── [6.4K]  test_rbf.py
│   │               │   │       ├── [ 18K]  test_rbfinterp.py
│   │               │   │       └── [ 44K]  test_rgi.py
│   │               │   ├── [ 576]  io
│   │               │   │   ├── [2.7K]  __init__.py
│   │               │   │   ├── [ 128]  _fast_matrix_market
│   │               │   │   │   ├── [ 16K]  __init__.py
│   │               │   │   │   └── [1.9M]  _fmm_core.cpython-39-darwin.so
│   │               │   │   ├── [ 11K]  _fortran.py
│   │               │   │   ├── [ 192]  _harwell_boeing
│   │               │   │   │   ├── [ 574]  __init__.py
│   │               │   │   │   ├── [8.7K]  _fortran_format_parser.py
│   │               │   │   │   ├── [ 19K]  hb.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [2.3K]  test_fortran_format.py
│   │               │   │   │       └── [2.2K]  test_hb.py
│   │               │   │   ├── [ 26K]  _idl.py
```

```
│   │               │   │   ├── [ 31K]  _mmio.py
│   │               │   │   ├── [ 38K]  _netcdf.py
│   │               │   │   ├── [ 90K]  _test_fortran.cpython-39-darwin.so
│   │               │   │   ├── [ 192]  arff
│   │               │   │   │   ├── [ 805]  __init__.py
│   │               │   │   │   ├── [ 26K]  _arffread.py
│   │               │   │   │   ├── [1.1K]  arffread.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 576]  data
│   │               │   │   │       │   ├── [7.3K]  iris.arff
│   │               │   │   │       │   ├── [ 120]  missing.arff
│   │               │   │   │       │   ├── [ 229]  nodata.arff
│   │               │   │   │       │   ├── [ 286]  quoted_nominal.arff
│   │               │   │   │       │   ├── [ 292]
quoted_nominal_spaces.arff
│   │               │   │   │       │   ├── [ 191]  test1.arff
│   │               │   │   │       │   ├── [194K]  test10.arff
│   │               │   │   │       │   ├── [ 241]  test11.arff
│   │               │   │   │       │   ├── [ 300]  test2.arff
│   │               │   │   │       │   ├── [  72]  test3.arff
│   │               │   │   │       │   ├── [ 238]  test4.arff
│   │               │   │   │       │   ├── [ 365]  test5.arff
│   │               │   │   │       │   ├── [ 195]  test6.arff
│   │               │   │   │       │   ├── [ 559]  test7.arff
│   │               │   │   │       │   ├── [ 429]  test8.arff
│   │               │   │   │       │   └── [ 311]  test9.arff
│   │               │   │   │       └── [ 13K]  test_arffread.py
│   │               │   │   ├── [ 682]  harwell_boeing.py
│   │               │   │   ├── [ 599]  idl.py
│   │               │   │   ├── [ 704]  matlab
│   │               │   │   │   ├── [2.0K]  __init__.py
│   │               │   │   │   ├── [1.9K]  _byteordercodes.py
│   │               │   │   │   ├── [ 13K]  _mio.py
│   │               │   │   │   ├── [ 20K]  _mio4.py
│   │               │   │   │   ├── [ 33K]  _mio5.py
│   │               │   │   │   ├── [8.0K]  _mio5_params.py
│   │               │   │   │   ├── [223K]  _mio5_utils.cpython-39-darwin.so
│   │               │   │   │   ├── [ 92K]  _mio_utils.cpython-39-darwin.so
│   │               │   │   │   ├── [ 13K]  _miobase.py
│   │               │   │   │   ├── [132K]  _streams.cpython-39-darwin.so
│   │               │   │   │   ├── [ 611]  byteordercodes.py
│   │               │   │   │   ├── [ 678]  mio.py
│   │               │   │   │   ├── [ 983]  mio4.py
│   │               │   │   │   ├── [1.2K]  mio5.py
│   │               │   │   │   ├── [1.3K]  mio5_params.py
│   │               │   │   │   ├── [ 661]  mio5_utils.py
│   │               │   │   │   ├── [ 558]  mio_utils.py
│   │               │   │   │   ├── [ 764]  miobase.py
│   │               │   │   │   ├── [ 585]  streams.py
│   │               │   │   │   └── [ 384]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [3.5K]  data
│   │               │   │   │       │   ├── [ 272]  bad_miuint32.mat
│   │               │   │   │       │   ├── [ 208]
bad_miutf8_array_name.mat
```

```
|   |           |   |   |       |   ├── [ 273]  big_endian.mat
|   |           |   |   |       |   ├── [ 216]  broken_utf8.mat
|   |           |   |   |       |   ├── [ 276]
corrupted_zlib_checksum.mat
|   |           |   |   |       |   ├── [3.4K]  corrupted_zlib_data.mat
|   |           |   |   |       |   ├── [ 270]  japanese_utf8.txt
|   |           |   |   |       |   ├── [ 265]  little_endian.mat
|   |           |   |   |       |   ├── [ 208]  logical_sparse.mat
|   |           |   |   |       |   ├── [2.2K]  malformed1.mat
|   |           |   |   |       |   ├── [ 272]  miuint32_for_miint32.mat
|   |           |   |   |       |   ├── [ 208]  miutf8_array_name.mat
|   |           |   |   |       |   ├── [8.0K]
nasty_duplicate_fieldnames.mat
|   |           |   |   |       |   ├── [ 184]  one_by_zero_char.mat
|   |           |   |   |       |   ├── [ 729]  parabola.mat
|   |           |   |   |       |   ├── [ 171]  single_empty_string.mat
|   |           |   |   |       |   ├── [1.4K]  some_functions.mat
|   |           |   |   |       |   ├── [ 679]  sqr.mat
|   |           |   |   |       |   ├── [ 232]
test3dmatrix_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 232]
test3dmatrix_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 213]
test3dmatrix_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 213]
test3dmatrix_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 173]  test_empty_struct.mat
|   |           |   |   |       |   ├── [  38]  test_mat4_le_floats.mat
|   |           |   |   |       |   ├── [ 20K]  test_skip_variable.mat
|   |           |   |   |       |   ├── [ 185]  testbool_8_WIN64.mat
|   |           |   |   |       |   ├── [ 536]  testcell_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 536]
testcell_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 283]  testcell_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 283]  testcell_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 568]
testcellnest_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 568]
testcellnest_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 228]
testcellnest_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 228]
testcellnest_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 176]
testcomplex_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 352]  testcomplex_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 352]
testcomplex_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 247]
testcomplex_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 247]
testcomplex_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 103]  testdouble_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 272]  testdouble_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 272]
testdouble_6.5.1_GLNX86.mat
```

```
|   |           |   |   |       |   ├── [ 232]
testdouble_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 232]
testdouble_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 472]
testemptycell_5.3_SOL2.mat
|   |           |   |   |       |   ├── [ 472]
testemptycell_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 218]
testemptycell_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 218]
testemptycell_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 381]  testfunc_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [4.1K]  testhdf5_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 151]  testmatrix_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 216]  testmatrix_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 216]
testmatrix_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 193]
testmatrix_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 193]
testmatrix_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [  38]  testminus_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 200]  testminus_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 200]
testminus_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 184]  testminus_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 184]  testminus_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 240]  testmulti_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 276]  testmulti_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 276]  testmulti_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 800]  testobject_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 672]
testobject_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 306]
testobject_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 306]
testobject_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [  40]
testonechar_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 200]  testonechar_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 200]
testonechar_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 184]
testonechar_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 184]
testonechar_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 194]
testscalarcell_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 220]  testsimplecell.mat
|   |           |   |   |       |   ├── [ 223]  testsparse_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 280]  testsparse_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 328]
testsparse_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 229]
testsparse_7.1_GLNX86.mat
```

```
|   |           |   |   |       |   ├── [ 229]
testsparse_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 294]
testsparsecomplex_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 304]
testsparsecomplex_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 400]
testsparsecomplex_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 241]
testsparsecomplex_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 241]
testsparsecomplex_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 219]
testsparsefloat_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 375]  teststring_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 288]  teststring_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 288]
teststring_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 224]
teststring_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 224]
teststring_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 156]
teststringarray_4.2c_SOL2.mat
|   |           |   |   |       |   ├── [ 232]
teststringarray_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 232]
teststringarray_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 203]
teststringarray_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 203]
teststringarray_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 608]  teststruct_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 552]
teststruct_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 314]
teststruct_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 314]
teststruct_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 528]
teststructarr_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 472]
teststructarr_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 246]
teststructarr_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 246]
teststructarr_7.4_GLNX86.mat
|   |           |   |   |       |   ├── [ 496]
teststructnest_6.1_SOL2.mat
|   |           |   |   |       |   ├── [ 416]
teststructnest_6.5.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 252]
teststructnest_7.1_GLNX86.mat
|   |           |   |   |       |   ├── [ 252]
teststructnest_7.4_GLNX86.mat
```

```
│   │           │   │   │       │   ├── [ 357]
testunicode_7.1_GLNX86.mat
│   │           │   │   │       │   ├── [ 357]
testunicode_7.4_GLNX86.mat
│   │           │   │   │       │   └── [  93]  testvec_4_GLNX86.mat
│   │           │   │   │       ├── [ 938]  test_byteordercodes.py
│   │           │   │   │       ├── [ 44K]  test_mio.py
│   │           │   │   │       ├── [5.3K]  test_mio5_utils.py
│   │           │   │   │       ├── [1.4K]  test_mio_funcs.py
│   │           │   │   │       ├── [1.6K]  test_mio_utils.py
│   │           │   │   │       ├── [1.4K]  test_miobase.py
│   │           │   │   │       ├── [1.0K]  test_pathological.py
│   │           │   │   │       └── [7.2K]  test_streams.py
│   │           │   │   ├── [ 569]  mmio.py
│   │           │   │   ├── [ 880]  netcdf.py
│   │           │   │   ├── [ 320]  tests
│   │           │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   ├── [2.7K]  data
│   │           │   │   │   │   ├── [4.3K]  Transparent Busy.ani
│   │           │   │   │   │   ├── [2.6K]  array_float32_1d.sav
│   │           │   │   │   │   ├── [3.1K]  array_float32_2d.sav
│   │           │   │   │   │   ├── [ 13K]  array_float32_3d.sav
│   │           │   │   │   │   ├── [6.5K]  array_float32_4d.sav
│   │           │   │   │   │   ├── [7.7K]  array_float32_5d.sav
│   │           │   │   │   │   ├── [ 19K]  array_float32_6d.sav
│   │           │   │   │   │   ├── [3.2K]  array_float32_7d.sav
│   │           │   │   │   │   ├── [ 13K]  array_float32_8d.sav
│   │           │   │   │   │   ├── [2.6K]  array_float32_pointer_1d.sav
│   │           │   │   │   │   ├── [3.2K]  array_float32_pointer_2d.sav
│   │           │   │   │   │   ├── [ 13K]  array_float32_pointer_3d.sav
│   │           │   │   │   │   ├── [6.5K]  array_float32_pointer_4d.sav
│   │           │   │   │   │   ├── [7.8K]  array_float32_pointer_5d.sav
│   │           │   │   │   │   ├── [ 19K]  array_float32_pointer_6d.sav
│   │           │   │   │   │   ├── [3.3K]  array_float32_pointer_7d.sav
│   │           │   │   │   │   ├── [ 13K]  array_float32_pointer_8d.sav
│   │           │   │   │   │   ├── [1.7K]  example_1.nc
│   │           │   │   │   │   ├── [ 272]  example_2.nc
│   │           │   │   │   │   ├── [1.4K]  example_3_maskedvals.nc
│   │           │   │   │   │   ├── [ 451]  fortran-3x3d-2i.dat
│   │           │   │   │   │   ├── [  40]  fortran-mixed.dat
│   │           │   │   │   │   ├── [ 888]  fortran-sf8-11x1x10.dat
│   │           │   │   │   │   ├── [ 26K]  fortran-sf8-15x10x22.dat
│   │           │   │   │   │   ├── [  16]  fortran-sf8-1x1x1.dat
│   │           │   │   │   │   ├── [  48]  fortran-sf8-1x1x5.dat
│   │           │   │   │   │   ├── [  64]  fortran-sf8-1x1x7.dat
│   │           │   │   │   │   ├── [ 128]  fortran-sf8-1x3x5.dat
│   │           │   │   │   │   ├── [ 448]  fortran-si4-11x1x10.dat
│   │           │   │   │   │   ├── [ 13K]  fortran-si4-15x10x22.dat
│   │           │   │   │   │   ├── [  12]  fortran-si4-1x1x1.dat
│   │           │   │   │   │   ├── [  28]  fortran-si4-1x1x5.dat
│   │           │   │   │   │   ├── [  36]  fortran-si4-1x1x7.dat
│   │           │   │   │   │   ├── [  68]  fortran-si4-1x3x5.dat
│   │           │   │   │   │   ├── [1.2K]  invalid_pointer.sav
│   │           │   │   │   │   ├── [2.1K]  null_pointer.sav
│   │           │   │   │   │   ├── [2.0K]  scalar_byte.sav
│   │           │   │   │   │   ├── [2.1K]  scalar_byte_descr.sav
```

```
|   |           |   |   |   |   ├── [2.0K]  scalar_complex32.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_complex64.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_float32.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_float64.sav
|   |           |   |   |   |   ├── [2.2K]  scalar_heap_pointer.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_int16.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_int32.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_int64.sav
|   |           |   |   |   |   ├── [2.1K]  scalar_string.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_uint16.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_uint32.sav
|   |           |   |   |   |   ├── [2.0K]  scalar_uint64.sav
|   |           |   |   |   |   ├── [2.5K]  struct_arrays.sav
|   |           |   |   |   |   ├── [1.4K]  struct_arrays_byte_idl80.sav
|   |           |   |   |   |   ├── [2.9K]  struct_arrays_replicated.sav
|   |           |   |   |   |   ├── [4.5K]
struct_arrays_replicated_3d.sav
|   |           |   |   |   |   ├── [2.3K]  struct_inherit.sav
|   |           |   |   |   |   ├── [2.4K]  struct_pointer_arrays.sav
|   |           |   |   |   |   ├── [2.4K]
struct_pointer_arrays_replicated.sav
|   |           |   |   |   |   ├── [2.8K]
struct_pointer_arrays_replicated_3d.sav
|   |           |   |   |   |   ├── [2.2K]  struct_pointers.sav
|   |           |   |   |   |   ├── [2.2K]
struct_pointers_replicated.sav
|   |           |   |   |   |   ├── [2.4K]
struct_pointers_replicated_3d.sav
|   |           |   |   |   |   ├── [2.3K]  struct_scalars.sav
|   |           |   |   |   |   ├── [2.4K]
struct_scalars_replicated.sav
|   |           |   |   |   |   ├── [3.2K]
struct_scalars_replicated_3d.sav
|   |           |   |   |   |   ├── [3.5K]  test-44100Hz-2ch-32bit-
float-be.wav
|   |           |   |   |   |   ├── [3.5K]  test-44100Hz-2ch-32bit-
float-le.wav
|   |           |   |   |   |   ├── [ 17K]  test-44100Hz-
be-1ch-4bytes.wav
|   |           |   |   |   |   ├── [  72]  test-44100Hz-le-1ch-4bytes-
early-eof-no-data.wav
|   |           |   |   |   |   ├── [1.0K]  test-44100Hz-le-1ch-4bytes-
early-eof.wav
|   |           |   |   |   |   ├── [  13]  test-44100Hz-le-1ch-4bytes-
incomplete-chunk.wav
|   |           |   |   |   |   ├── [ 17K]  test-44100Hz-
le-1ch-4bytes.wav
|   |           |   |   |   |   ├── [7.6K]  test-48000Hz-2ch-64bit-
float-le-wavex.wav
|   |           |   |   |   |   ├── [  90]  test-8000Hz-
be-3ch-5S-24bit.wav
|   |           |   |   |   |   ├── [  74]  test-8000Hz-
le-1ch-10S-20bit-extra.wav
|   |           |   |   |   |   ├── [  70]  test-8000Hz-le-1ch-1byte-
ulaw.wav
```

```
│   │           │   │   │   │   ├── [1.6K]  test-8000Hz-
le-2ch-1byteu.wav
│   │           │   │   │   │   ├── [  90]  test-8000Hz-le-3ch-5S-24bit-
inconsistent.wav
│   │           │   │   │   │   ├── [  90]  test-8000Hz-
le-3ch-5S-24bit.wav
│   │           │   │   │   │   ├── [ 120]  test-8000Hz-
le-3ch-5S-36bit.wav
│   │           │   │   │   │   ├── [ 134]  test-8000Hz-
le-3ch-5S-45bit.wav
│   │           │   │   │   │   ├── [ 150]  test-8000Hz-
le-3ch-5S-53bit.wav
│   │           │   │   │   │   ├── [ 164]  test-8000Hz-
le-3ch-5S-64bit.wav
│   │           │   │   │   │   ├── [ 116]  test-8000Hz-
le-4ch-9S-12bit.wav
│   │           │   │   │   │   ├── [  89]  test-8000Hz-
le-5ch-9S-5bit.wav
│   │           │   │   │   │   └── [1015]  various_compressed.sav
│   │           │   │   │   ├── [7.4K]  test_fortran.py
│   │           │   │   │   ├── [ 20K]  test_idl.py
│   │           │   │   │   ├── [ 27K]  test_mmio.py
│   │           │   │   │   ├── [ 19K]  test_netcdf.py
│   │           │   │   │   ├── [3.1K]  test_paths.py
│   │           │   │   │   └── [ 15K]  test_wavfile.py
│   │           │   │   └── [ 26K]  wavfile.py
│   │           │   ├── [1.9K]  linalg
│   │           │   │   ├── [7.3K]  __init__.py
│   │           │   │   ├── [ 67K]  _basic.py
│   │           │   │   ├── [ 18K]  _blas_subroutines.h
│   │           │   │   ├── [461K]  _cythonized_array_utils.cpython-39-
darwin.so
│   │           │   │   ├── [ 890]  _cythonized_array_utils.pxd
│   │           │   │   ├── [ 340]  _cythonized_array_utils.pyi
│   │           │   │   ├── [ 61K]  _decomp.py
│   │           │   │   ├── [ 12K]  _decomp_cholesky.py
│   │           │   │   ├── [8.8K]  _decomp_cossin.py
│   │           │   │   ├── [ 12K]  _decomp_ldl.py
│   │           │   │   ├── [ 12K]  _decomp_lu.py
│   │           │   │   ├── [203K]  _decomp_lu_cython.cpython-39-
darwin.so
│   │           │   │   ├── [ 291]  _decomp_lu_cython.pyi
│   │           │   │   ├── [3.5K]  _decomp_polar.py
│   │           │   │   ├── [ 13K]  _decomp_qr.py
│   │           │   │   ├── [ 16K]  _decomp_qz.py
│   │           │   │   ├── [ 10K]  _decomp_schur.py
│   │           │   │   ├── [ 15K]  _decomp_svd.py
│   │           │   │   ├── [281K]  _decomp_update.cpython-39-darwin.so
│   │           │   │   ├── [ 12K]  _expm_frechet.py
│   │           │   │   ├── [537K]  _fblas.cpython-39-darwin.so
│   │           │   │   ├── [1.6M]  _flapack.cpython-39-darwin.so
│   │           │   │   ├── [419K]  _interpolative.cpython-39-darwin.so
│   │           │   │   ├── [ 44K]  _interpolative_backend.py
│   │           │   │   ├── [234K]  _lapack_subroutines.h
│   │           │   │   ├── [ 24K]  _matfuncs.py
│   │           │   │   ├── [372K]  _matfuncs_expm.cpython-39-darwin.so
```

```
│   │           │   │   ├── [ 187]  _matfuncs_expm.pyi
│   │           │   │   ├── [ 27K]  _matfuncs_inv_ssq.py
│   │           │   │   ├── [6.7K]  _matfuncs_sqrtm.py
│   │           │   │   ├── [205K]  _matfuncs_sqrtm_triu.cpython-39-
darwin.so
│   │           │   │   ├── [6.1K]  _misc.py
│   │           │   │   ├── [2.7K]  _procrustes.py
│   │           │   │   ├── [6.0K]  _sketches.py
│   │           │   │   ├── [222K]  _solve_toeplitz.cpython-39-darwin.so
│   │           │   │   ├── [ 28K]  _solvers.py
│   │           │   │   ├── [ 36K]  _special_matrices.py
│   │           │   │   ├── [1.8K]  _testutils.py
│   │           │   │   ├── [ 797]  basic.py
│   │           │   │   ├── [ 11K]  blas.py
│   │           │   │   ├── [271K]  cython_blas.cpython-39-darwin.so
│   │           │   │   ├── [ 15K]  cython_blas.pxd
│   │           │   │   ├── [ 63K]  cython_blas.pyx
│   │           │   │   ├── [679K]  cython_lapack.cpython-39-darwin.so
│   │           │   │   ├── [200K]  cython_lapack.pxd
│   │           │   │   ├── [690K]  cython_lapack.pyx
│   │           │   │   ├── [ 838]  decomp.py
│   │           │   │   ├── [ 688]  decomp_cholesky.py
│   │           │   │   ├── [ 614]  decomp_lu.py
│   │           │   │   ├── [ 579]  decomp_qr.py
│   │           │   │   ├── [ 660]  decomp_schur.py
│   │           │   │   ├── [ 631]  decomp_svd.py
│   │           │   │   ├── [ 31K]  interpolative.py
│   │           │   │   ├── [ 15K]  lapack.py
│   │           │   │   ├── [ 883]  matfuncs.py
│   │           │   │   ├── [ 592]  misc.py
│   │           │   │   ├── [ 771]  special_matrices.py
│   │           │   │   └── [ 864]  tests
│   │           │   │       ├── [   0]  __init__.py
│   │           │   │       ├── [ 256]  data
│   │           │   │       │   ├── [ 34K]  carex_15_data.npz
│   │           │   │       │   ├── [158K]  carex_18_data.npz
│   │           │   │       │   ├── [ 33K]  carex_19_data.npz
│   │           │   │       │   ├── [ 30K]  carex_20_data.npz
│   │           │   │       │   ├── [ 16K]  carex_6_data.npz
│   │           │   │       │   └── [2.1K]  gendare_20170120_data.npz
│   │           │   │       ├── [ 68K]  test_basic.py
│   │           │   │       ├── [ 40K]  test_blas.py
│   │           │   │       ├── [4.0K]  test_cython_blas.py
│   │           │   │       ├── [ 796]  test_cython_lapack.py
│   │           │   │       ├── [3.8K]  test_cythonized_array_utils.py
│   │           │   │       ├── [104K]  test_decomp.py
│   │           │   │       ├── [7.7K]  test_decomp_cholesky.py
│   │           │   │       ├── [5.8K]  test_decomp_cossin.py
│   │           │   │       ├── [4.8K]  test_decomp_ldl.py
│   │           │   │       ├── [ 11K]  test_decomp_lu.py
│   │           │   │       ├── [2.6K]  test_decomp_polar.py
│   │           │   │       ├── [ 67K]  test_decomp_update.py
│   │           │   │       ├── [ 18K]  test_fblas.py
│   │           │   │       ├── [8.8K]  test_interpolative.py
│   │           │   │       ├── [126K]  test_lapack.py
│   │           │   │       ├── [ 39K]  test_matfuncs.py
```

```
│   │               │   │       ├── [3.8K]  test_matmul_toeplitz.py
│   │               │   │       ├── [  76]  test_misc.py
│   │               │   │       ├── [6.6K]  test_procrustes.py
│   │               │   │       ├── [3.9K]  test_sketches.py
│   │               │   │       ├── [3.9K]  test_solve_toeplitz.py
│   │               │   │       ├── [ 31K]  test_solvers.py
│   │               │   │       └── [ 23K]  test_special_matrices.py
│   │               │   ├── [  53]  linalg.pxd
│   │               │   ├── [ 320]  misc
│   │               │   │   ├── [1.7K]  __init__.py
│   │               │   │   ├── [ 11K]  _common.py
│   │               │   │   ├── [515K]  ascent.dat
│   │               │   │   ├── [ 619]  common.py
│   │               │   │   ├── [1.4K]  doccer.py
│   │               │   │   ├── [116K]  ecg.dat
│   │               │   │   ├── [1.5M]  face.dat
│   │               │   │   └── [ 192]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 833]  test_common.py
│   │               │   │       ├── [1.2K]  test_config.py
│   │               │   │       └── [3.7K]  test_doccer.py
│   │               │   ├── [ 640]  ndimage
│   │               │   │   ├── [4.9K]  __init__.py
│   │               │   │   ├── [ 50K]  _ctest.cpython-39-darwin.so
│   │               │   │   ├── [ 95K]  _cytest.cpython-39-darwin.so
│   │               │   │   ├── [ 64K]  _filters.py
│   │               │   │   ├── [ 11K]  _fourier.py
│   │               │   │   ├── [ 36K]  _interpolation.py
│   │               │   │   ├── [ 55K]  _measurements.py
│   │               │   │   ├── [ 93K]  _morphology.py
│   │               │   │   ├── [153K]  _nd_image.cpython-39-darwin.so
│   │               │   │   ├── [8.3K]  _ni_docstrings.py
│   │               │   │   ├── [324K]  _ni_label.cpython-39-darwin.so
│   │               │   │   ├── [4.5K]  _ni_support.py
│   │               │   │   ├── [ 976]  filters.py
│   │               │   │   ├── [ 599]  fourier.py
│   │               │   │   ├── [ 680]  interpolation.py
│   │               │   │   ├── [ 788]  measurements.py
│   │               │   │   ├── [ 965]  morphology.py
│   │               │   │   └── [ 448]  tests
│   │               │   │       ├── [ 395]  __init__.py
│   │               │   │       ├── [ 160]  data
│   │               │   │       │   ├── [ 294]  label_inputs.txt
│   │               │   │       │   ├── [4.2K]  label_results.txt
│   │               │   │       │   └── [ 252]  label_strels.txt
│   │               │   │       ├── [2.1K]  dots.png
│   │               │   │       ├── [3.6K]  test_c_api.py
│   │               │   │       ├── [2.8K]  test_datatypes.py
│   │               │   │       ├── [ 92K]  test_filters.py
│   │               │   │       ├── [6.5K]  test_fourier.py
│   │               │   │       ├── [ 53K]  test_interpolation.py
│   │               │   │       ├── [ 47K]  test_measurements.py
│   │               │   │       ├── [104K]  test_morphology.py
│   │               │   │       ├── [2.4K]  test_ni_support.py
│   │               │   │       └── [2.1K]  test_splines.py
│   │               │   ├── [ 320]  odr
```

```
│   │               │   │   ├── [4.2K]  __init__.py
│   │               │   │   ├── [235K]  __odrpack.cpython-39-darwin.so
│   │               │   │   ├── [1.1K]  _add_newdocs.py
│   │               │   │   ├── [7.6K]  _models.py
│   │               │   │   ├── [ 41K]  _odrpack.py
│   │               │   │   ├── [ 590]  models.py
│   │               │   │   ├── [ 632]  odrpack.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [ 21K]  test_odr.py
│   │               │   ├── [2.5K]  optimize
│   │               │   │   ├── [3.1K]  README
│   │               │   │   ├── [ 13K]  __init__.py
│   │               │   │   ├── [ 30K]  _basinhopping.py
│   │               │   │   ├── [276K]  _bglu_dense.cpython-39-darwin.so
│   │               │   │   ├── [ 28K]  _bracket.py
│   │               │   │   ├── [ 23K]  _chandrupatla.py
│   │               │   │   ├── [123K]  _cobyla.cpython-39-darwin.so
│   │               │   │   ├── [ 11K]  _cobyla_py.py
│   │               │   │   ├── [ 22K]  _constraints.py
│   │               │   │   ├── [ 25K]  _dcsrch.py
│   │               │   │   ├── [ 23K]  _differentiable_functions.py
│   │               │   │   ├── [ 81K]  _differentialevolution.py
│   │               │   │   ├── [ 30K]  _differentiate.py
│   │               │   │   ├── [ 68K]  _direct.cpython-39-darwin.so
│   │               │   │   ├── [ 12K]  _direct_py.py
│   │               │   │   ├── [ 30K]  _dual_annealing.py
│   │               │   │   ├── [ 93K]  _group_columns.cpython-39-darwin.so
│   │               │   │   ├── [ 15K]  _hessian_update_strategy.py
│   │               │   │   ├── [ 192]  _highs
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 72K]  _highs_constants.cpython-39-
darwin.so
│   │               │   │   │   ├── [3.1M]  _highs_wrapper.cpython-39-
darwin.so
│   │               │   │   │   └── [  96]  src
│   │               │   │   │       └── [ 448]  cython
│   │               │   │   │           ├── [5.4K]  HConst.pxd
│   │               │   │   │           ├── [2.1K]  Highs.pxd
│   │               │   │   │           ├── [ 705]  HighsIO.pxd
│   │               │   │   │           ├── [ 735]  HighsInfo.pxd
│   │               │   │   │           ├── [1.1K]  HighsLp.pxd
│   │               │   │   │           ├── [ 289]  HighsLpUtils.pxd
│   │               │   │   │           ├── [ 335]  HighsModelUtils.pxd
│   │               │   │   │           ├── [3.1K]  HighsOptions.pxd
│   │               │   │   │           ├── [ 261]  HighsRuntimeOptions.pxd
│   │               │   │   │           ├── [ 339]  HighsStatus.pxd
│   │               │   │   │           ├── [4.9K]  SimplexConst.pxd
│   │               │   │   │           └── [ 332]  highs_c_api.pxd
│   │               │   │   ├── [5.9K]  _isotonic.py
│   │               │   │   ├── [140K]  _lbfgsb.cpython-39-darwin.so
│   │               │   │   ├── [ 20K]  _lbfgsb_py.py
│   │               │   │   ├── [ 27K]  _linesearch.py
│   │               │   │   ├── [ 29K]  _linprog.py
│   │               │   │   ├── [ 60K]  _linprog_doc.py
│   │               │   │   ├── [ 17K]  _linprog_highs.py
```

```
│   │               │   │   ├── [ 45K]  _linprog_ip.py
│   │               │   │   ├── [ 23K]  _linprog_rs.py
│   │               │   │   ├── [ 24K]  _linprog_simplex.py
│   │               │   │   ├── [ 61K]  _linprog_util.py
│   │               │   │   ├── [ 69K]  _lsap.cpython-39-darwin.so
│   │               │   │   ├── [ 352]  _lsq
│   │               │   │   │   ├── [ 172]  __init__.py
│   │               │   │   │   ├── [5.1K]  bvls.py
│   │               │   │   │   ├── [ 20K]  common.py
│   │               │   │   │   ├── [ 11K]  dogbox.py
│   │               │   │   │   ├── [186K]  givens_elimination.cpython-39-
darwin.so
│   │               │   │   │   ├── [ 39K]  least_squares.py
│   │               │   │   │   ├── [ 15K]  lsq_linear.py
│   │               │   │   │   ├── [ 19K]  trf.py
│   │               │   │   │   └── [7.5K]  trf_linear.py
│   │               │   │   ├── [ 15K]  _milp.py
│   │               │   │   ├── [ 47K]  _minimize.py
│   │               │   │   ├── [ 85K]  _minpack.cpython-39-darwin.so
│   │               │   │   ├── [ 72K]  _minpack2.cpython-39-darwin.so
│   │               │   │   ├── [ 44K]  _minpack_py.py
│   │               │   │   ├── [144K]  _moduleTNC.cpython-39-darwin.so
│   │               │   │   ├── [5.4K]  _nnls.py
│   │               │   │   ├── [ 49K]  _nonlin.py
│   │               │   │   ├── [ 28K]  _numdiff.py
│   │               │   │   ├── [143K]  _optimize.py
│   │               │   │   ├── [175K]  _pava_pybind.cpython-39-darwin.so
│   │               │   │   ├── [ 27K]  _qap.py
│   │               │   │   ├── [ 18K]  _remove_redundancy.py
│   │               │   │   ├── [ 27K]  _root.py
│   │               │   │   ├── [ 19K]  _root_scalar.py
│   │               │   │   ├── [ 61K]  _shgo.py
│   │               │   │   ├── [ 160]  _shgo_lib
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 49K]  _complex.py
│   │               │   │   │   └── [ 14K]  _vertex.py
│   │               │   │   ├── [105K]  _slsqp.cpython-39-darwin.so
│   │               │   │   ├── [ 19K]  _slsqp_py.py
│   │               │   │   ├── [7.9K]  _spectral.py
│   │               │   │   ├── [ 17K]  _tnc.py
│   │               │   │   ├── [ 128]  _trlib
│   │               │   │   │   ├── [ 524]  __init__.py
│   │               │   │   │   └── [290K]  _trlib.cpython-39-darwin.so
│   │               │   │   ├── [ 11K]  _trustregion.py
│   │               │   │   ├── [ 352]  _trustregion_constr
│   │               │   │   │   ├── [ 180]  __init__.py
│   │               │   │   │   ├── [ 12K]  canonical_constraint.py
│   │               │   │   │   ├── [8.4K]  equality_constrained_sqp.py
│   │               │   │   │   ├── [ 25K]  minimize_trustregion_constr.py
│   │               │   │   │   ├── [ 13K]  projections.py
│   │               │   │   │   ├── [ 22K]  qp_subproblem.py
│   │               │   │   │   ├── [1.8K]  report.py
│   │               │   │   │   ├── [ 224]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [9.6K]  test_canonical_constraint.py
│   │               │   │   │   │   ├── [8.6K]  test_projections.py
```

```
│   │               │   │   │   │   ├── [ 27K]  test_qp_subproblem.py
│   │               │   │   │   │   └── [1.0K]  test_report.py
│   │               │   │   │   └── [ 13K]  tr_interior_point.py
│   │               │   │   ├── [4.3K]  _trustregion_dogleg.py
│   │               │   │   ├── [ 15K]  _trustregion_exact.py
│   │               │   │   ├── [3.0K]  _trustregion_krylov.py
│   │               │   │   ├── [4.5K]  _trustregion_ncg.py
│   │               │   │   ├── [ 33K]  _tstutils.py
│   │               │   │   ├── [ 50K]  _zeros.cpython-39-darwin.so
│   │               │   │   ├── [ 51K]  _zeros_py.py
│   │               │   │   ├── [ 619]  cobyla.py
│   │               │   │   ├── [ 192]  cython_optimize
│   │               │   │   │   ├── [4.8K]  __init__.py
│   │               │   │   │   ├── [112K]  _zeros.cpython-39-darwin.so
│   │               │   │   │   ├── [1.2K]  _zeros.pxd
│   │               │   │   │   └── [1.1K]  c_zeros.pxd
│   │               │   │   ├── [ 442]  cython_optimize.pxd
│   │               │   │   ├── [ 708]  lbfgsb.py
│   │               │   │   ├── [ 781]  linesearch.py
│   │               │   │   ├── [1.0K]  minpack.py
│   │               │   │   ├── [ 547]  minpack2.py
│   │               │   │   ├── [ 507]  moduleTNC.py
│   │               │   │   ├── [1.2K]  nonlin.py
│   │               │   │   ├── [1.2K]  optimize.py
│   │               │   │   ├── [ 809]  slsqp.py
│   │               │   │   ├── [1.4K]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 18K]  test__basinhopping.py
│   │               │   │   │   ├── [ 67K]  test__differential_evolution.py
│   │               │   │   │   ├── [ 15K]  test__dual_annealing.py
│   │               │   │   │   ├── [ 11K]  test__linprog_clean_inputs.py
│   │               │   │   │   ├── [ 31K]  test__numdiff.py
│   │               │   │   │   ├── [6.6K]  test__remove_redundancy.py
│   │               │   │   │   ├── [4.1K]  test__root.py
│   │               │   │   │   ├── [ 39K]  test__shgo.py
│   │               │   │   │   ├── [6.5K]  test__spectral.py
│   │               │   │   │   ├── [ 30K]  test_bracket.py
│   │               │   │   │   ├── [ 29K]  test_chandrupatla.py
│   │               │   │   │   ├── [5.1K]  test_cobyla.py
│   │               │   │   │   ├── [ 12K]  test_constraint_conversion.py
│   │               │   │   │   ├── [9.2K]  test_constraints.py
│   │               │   │   │   ├── [2.6K]  test_cython_optimize.py
│   │               │   │   │   ├── [ 26K]  test_differentiable_functions.py
│   │               │   │   │   ├── [ 15K]  test_differentiate.py
│   │               │   │   │   ├── [ 13K]  test_direct.py
│   │               │   │   │   ├── [9.9K]  test_hessian_update_strategy.py
│   │               │   │   │   ├── [6.8K]  test_isotonic_regression.py
│   │               │   │   │   ├── [1.1K]  test_lbfgsb_hessinv.py
│   │               │   │   │   ├── [3.5K]  test_lbfgsb_setulb.py
│   │               │   │   │   ├── [ 33K]  test_least_squares.py
│   │               │   │   │   ├── [4.0K]  test_linear_assignment.py
│   │               │   │   │   ├── [ 11K]  test_linesearch.py
│   │               │   │   │   ├── [ 95K]  test_linprog.py
│   │               │   │   │   ├── [9.3K]  test_lsq_common.py
│   │               │   │   │   ├── [ 11K]  test_lsq_linear.py
│   │               │   │   │   ├── [ 14K]  test_milp.py
```

```
│   │           │   │   │   ├── [ 26K]  test_minimize_constrained.py
│   │           │   │   │   ├── [ 40K]  test_minpack.py
│   │           │   │   │   ├── [ 19K]  test_nnls.py
│   │           │   │   │   ├── [ 18K]  test_nonlin.py
│   │           │   │   │   ├── [120K]  test_optimize.py
│   │           │   │   │   ├── [ 16K]  test_quadratic_assignment.py
│   │           │   │   │   ├── [1.1K]  test_regression.py
│   │           │   │   │   ├── [ 23K]  test_slsqp.py
│   │           │   │   │   ├── [ 12K]  test_tnc.py
│   │           │   │   │   ├── [4.6K]  test_trustregion.py
│   │           │   │   │   ├── [ 13K]  test_trustregion_exact.py
│   │           │   │   │   ├── [6.5K]  test_trustregion_krylov.py
│   │           │   │   │   └── [ 35K]  test_zeros.py
│   │           │   │   ├── [ 920]  tnc.py
│   │           │   │   └── [ 789]  zeros.py
│   │           │   ├── [  39]  optimize.pxd
│   │           │   ├── [1.2K]  signal
│   │           │   │   ├── [ 14K]  __init__.py
│   │           │   │   ├── [8.1K]  _arraytools.py
│   │           │   │   ├── [ 15K]  _bsplines.py
│   │           │   │   ├── [ 19K]  _czt.py
│   │           │   │   ├── [182K]  _filter_design.py
│   │           │   │   ├── [ 48K]  _fir_filter_design.py
│   │           │   │   ├── [ 16K]  _lti_conversion.py
│   │           │   │   ├── [114K]  _ltisys.py
│   │           │   │   ├── [4.9K]  _max_len_seq.py
│   │           │   │   ├── [ 75K]  _max_len_seq_inner.cpython-39-
darwin.so
│   │           │   │   ├── [ 48K]  _peak_finding.py
│   │           │   │   ├── [238K]  _peak_finding_utils.cpython-39-
darwin.so
│   │           │   │   ├── [ 13K]  _savitzky_golay.py
│   │           │   │   ├── [ 72K]  _short_time_fft.py
│   │           │   │   ├── [154K]  _signaltools.py
│   │           │   │   ├── [120K]  _sigtools.cpython-39-darwin.so
│   │           │   │   ├── [238K]  _sosfilt.cpython-39-darwin.so
│   │           │   │   ├── [ 75K]  _spectral.cpython-39-darwin.so
│   │           │   │   ├── [ 77K]  _spectral_py.py
│   │           │   │   ├── [ 68K]  _spline.cpython-39-darwin.so
│   │           │   │   ├── [7.7K]  _upfirdn.py
│   │           │   │   ├── [289K]  _upfirdn_apply.cpython-39-darwin.so
│   │           │   │   ├── [ 20K]  _waveforms.py
│   │           │   │   ├── [ 16K]  _wavelets.py
│   │           │   │   ├── [ 738]  bsplines.py
│   │           │   │   ├── [1.4K]  filter_design.py
│   │           │   │   ├── [ 766]  fir_filter_design.py
│   │           │   │   ├── [ 707]  lti_conversion.py
│   │           │   │   ├── [1.1K]  ltisys.py
│   │           │   │   ├── [1.2K]  signaltools.py
│   │           │   │   ├── [ 723]  spectral.py
│   │           │   │   ├── [ 810]  spline.py
│   │           │   │   ├── [ 768]  tests
│   │           │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   ├── [ 20K]  _scipy_spectral_test_shim.py
│   │           │   │   │   ├── [3.2K]  mpsig.py
│   │           │   │   │   ├── [3.5K]  test_array_tools.py
```

```
│   │               │   │   │   ├── [8.6K]  test_bsplines.py
│   │               │   │   │   ├── [ 14K]  test_cont2discrete.py
│   │               │   │   │   ├── [6.8K]  test_czt.py
│   │               │   │   │   ├── [ 21K]  test_dltisys.py
│   │               │   │   │   ├── [189K]  test_filter_design.py
│   │               │   │   │   ├── [ 29K]  test_fir_filter_design.py
│   │               │   │   │   ├── [ 44K]  test_ltisys.py
│   │               │   │   │   ├── [3.0K]  test_max_len_seq.py
│   │               │   │   │   ├── [ 33K]  test_peak_finding.py
│   │               │   │   │   ├── [1.6K]  test_result_type.py
│   │               │   │   │   ├── [ 12K]  test_savitzky_golay.py
│   │               │   │   │   ├── [ 34K]  test_short_time_fft.py
│   │               │   │   │   ├── [138K]  test_signaltools.py
│   │               │   │   │   ├── [ 62K]  test_spectral.py
│   │               │   │   │   ├── [ 11K]  test_upfirdn.py
│   │               │   │   │   ├── [ 12K]  test_waveforms.py
│   │               │   │   │   ├── [6.6K]  test_wavelets.py
│   │               │   │   │   └── [ 40K]  test_windows.py
│   │               │   │   ├── [ 672]  waveforms.py
│   │               │   │   ├── [ 612]  wavelets.py
│   │               │   │   └── [ 160]  windows
│   │               │   │       ├── [2.1K]  __init__.py
│   │               │   │       ├── [ 82K]  _windows.py
│   │               │   │       └── [ 879]  windows.py
│   │               │   ├── [1.2K]  sparse
│   │               │   │   ├── [9.1K]  __init__.py
│   │               │   │   ├── [ 51K]  _base.py
│   │               │   │   ├── [ 30K]  _bsr.py
│   │               │   │   ├── [ 52K]  _compressed.py
│   │               │   │   ├── [ 46K]  _construct.py
│   │               │   │   ├── [ 31K]  _coo.py
│   │               │   │   ├── [ 11K]  _csc.py
│   │               │   │   ├── [535K]  _csparsetools.cpython-39-darwin.so
│   │               │   │   ├── [ 15K]  _csr.py
│   │               │   │   ├── [ 17K]  _data.py
│   │               │   │   ├── [ 18K]  _dia.py
│   │               │   │   ├── [ 22K]  _dok.py
│   │               │   │   ├── [4.9K]  _extract.py
│   │               │   │   ├── [ 13K]  _index.py
│   │               │   │   ├── [ 20K]  _lil.py
│   │               │   │   ├── [3.0K]  _matrix.py
│   │               │   │   ├── [5.9K]  _matrix_io.py
│   │               │   │   ├── [3.6M]  _sparsetools.cpython-39-darwin.so
│   │               │   │   ├── [1.9K]  _spfuncs.py
│   │               │   │   ├── [ 14K]  _sputils.py
│   │               │   │   ├── [ 791]  base.py
│   │               │   │   ├── [ 811]  bsr.py
│   │               │   │   ├── [1009]  compressed.py
│   │               │   │   ├── [ 925]  construct.py
│   │               │   │   ├── [ 844]  coo.py
│   │               │   │   ├── [ 609]  csc.py
│   │               │   │   ├── [ 416]  csgraph
│   │               │   │   │   ├── [7.6K]  __init__.py
│   │               │   │   │   ├── [256K]  _flow.cpython-39-darwin.so
│   │               │   │   │   ├── [ 18K]  _laplacian.py
│   │               │   │   │   ├── [270K]  _matching.cpython-39-darwin.so
```

```
│   │           │   │   │   ├── [204K]  _min_spanning_tree.cpython-39-
darwin.so
│   │           │   │   │   ├── [256K]  _reordering.cpython-39-darwin.so
│   │           │   │   │   ├── [355K]  _shortest_path.cpython-39-
darwin.so
│   │           │   │   │   ├── [179K]  _tools.cpython-39-darwin.so
│   │           │   │   │   ├── [453K]  _traversal.cpython-39-darwin.so
│   │           │   │   │   ├── [2.4K]  _validation.py
│   │           │   │   │   └── [ 416]  tests
│   │           │   │   │       ├── [   0]  __init__.py
│   │           │   │   │       ├── [3.9K]  test_connected_components.py
│   │           │   │   │       ├── [1.8K]  test_conversions.py
│   │           │   │   │       ├── [7.2K]  test_flow.py
│   │           │   │   │       ├── [ 11K]  test_graph_laplacian.py
│   │           │   │   │       ├── [ 12K]  test_matching.py
│   │           │   │   │       ├── [3.5K]  test_pydata_sparse.py
│   │           │   │   │       ├── [2.6K]  test_reordering.py
│   │           │   │   │       ├── [ 14K]  test_shortest_path.py
│   │           │   │   │       ├── [2.1K]  test_spanning_tree.py
│   │           │   │   │       └── [2.8K]  test_traversal.py
│   │           │   │   ├── [ 658]  csr.py
│   │           │   │   ├── [ 573]  data.py
│   │           │   │   ├── [ 689]  dia.py
│   │           │   │   ├── [ 733]  dok.py
│   │           │   │   ├── [ 567]  extract.py
│   │           │   │   ├── [ 734]  lil.py
│   │           │   │   ├── [ 640]  linalg
│   │           │   │   │   ├── [3.9K]  __init__.py
│   │           │   │   │   ├── [ 224]  _dsolve
│   │           │   │   │   │   ├── [1.9K]  __init__.py
│   │           │   │   │   │   ├── [3.8K]  _add_newdocs.py
│   │           │   │   │   │   ├── [333K]  _superlu.cpython-39-
darwin.so
│   │           │   │   │   │   ├── [ 26K]  linsolve.py
│   │           │   │   │   │   └── [ 128]  tests
│   │           │   │   │   │       ├── [   0]  __init__.py
│   │           │   │   │   │       └── [ 27K]  test_linsolve.py
│   │           │   │   │   ├── [ 256]  _eigen
│   │           │   │   │   │   ├── [ 460]  __init__.py
│   │           │   │   │   │   ├── [ 20K]  _svds.py
│   │           │   │   │   │   ├── [ 15K]  _svds_doc.py
│   │           │   │   │   │   ├── [ 224]  arpack
│   │           │   │   │   │   │   ├── [1.8K]  COPYING
│   │           │   │   │   │   │   ├── [ 562]  __init__.py
│   │           │   │   │   │   │   ├── [464K]  _arpack.cpython-39-
darwin.so
│   │           │   │   │   │   │   ├── [ 66K]  arpack.py
│   │           │   │   │   │   │   └── [ 128]  tests
│   │           │   │   │   │   │       ├── [   0]  __init__.py
│   │           │   │   │   │   │       └── [ 23K]  test_arpack.py
│   │           │   │   │   │   ├── [ 160]  lobpcg
│   │           │   │   │   │   │   ├── [ 420]  __init__.py
│   │           │   │   │   │   │   ├── [ 41K]  lobpcg.py
│   │           │   │   │   │   │   └── [ 128]  tests
│   │           │   │   │   │   │       ├── [   0]  __init__.py
│   │           │   │   │   │   │       └── [ 23K]  test_lobpcg.py
```

```
│   │           │   │   │   │   └── [ 128]  tests
│   │           │   │   │   │       ├── [   0]  __init__.py
│   │           │   │   │   │       └── [ 35K]  test_svds.py
│   │           │   │   │   ├── [ 26K]  _expm_multiply.py
│   │           │   │   │   ├── [ 27K]  _interface.py
│   │           │   │   │   ├── [ 384]  _isolve
│   │           │   │   │   │   ├── [ 479]  __init__.py
│   │           │   │   │   │   ├── [ 16K]  _gcrotmk.py
│   │           │   │   │   │   ├── [ 35K]  iterative.py
│   │           │   │   │   │   ├── [8.9K]  lgmres.py
│   │           │   │   │   │   ├── [ 15K]  lsmr.py
│   │           │   │   │   │   ├── [ 21K]  lsqr.py
│   │           │   │   │   │   ├── [ 11K]  minres.py
│   │           │   │   │   │   ├── [ 320]  tests
│   │           │   │   │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   │   │   ├── [5.3K]  test_gcrotmk.py
│   │           │   │   │   │   │   ├── [ 25K]  test_iterative.py
│   │           │   │   │   │   │   ├── [6.9K]  test_lgmres.py
│   │           │   │   │   │   │   ├── [6.2K]  test_lsmr.py
│   │           │   │   │   │   │   ├── [3.7K]  test_lsqr.py
│   │           │   │   │   │   │   ├── [2.4K]  test_minres.py
│   │           │   │   │   │   │   └── [ 265]  test_utils.py
│   │           │   │   │   │   ├── [6.5K]  tfqmr.py
│   │           │   │   │   │   └── [3.5K]  utils.py
│   │           │   │   │   ├── [ 29K]  _matfuncs.py
│   │           │   │   │   ├── [5.9K]  _norm.py
│   │           │   │   │   ├── [ 15K]  _onenormest.py
│   │           │   │   │   ├── [ 192]  _propack
│   │           │   │   │   │   ├── [176K]  _cpropack.cpython-39-
darwin.so
│   │           │   │   │   │   ├── [158K]  _dpropack.cpython-39-
darwin.so
│   │           │   │   │   │   ├── [158K]  _spropack.cpython-39-
darwin.so
│   │           │   │   │   │   └── [176K]  _zpropack.cpython-39-
darwin.so
│   │           │   │   │   ├── [ 33K]  _special_sparse_arrays.py
│   │           │   │   │   ├── [ 11K]  _svdp.py
│   │           │   │   │   ├── [ 697]  dsolve.py
│   │           │   │   │   ├── [ 664]  eigen.py
│   │           │   │   │   ├── [ 682]  interface.py
│   │           │   │   │   ├── [ 671]  isolve.py
│   │           │   │   │   ├── [ 697]  matfuncs.py
│   │           │   │   │   └── [ 384]  tests
│   │           │   │   │       ├── [   0]  __init__.py
│   │           │   │   │       ├── [586K]  propack_test_data.npz
│   │           │   │   │       ├── [ 14K]  test_expm_multiply.py
│   │           │   │   │       ├── [ 18K]  test_interface.py
│   │           │   │   │       ├── [ 21K]  test_matfuncs.py
│   │           │   │   │       ├── [6.0K]  test_norm.py
│   │           │   │   │       ├── [9.0K]  test_onenormest.py
│   │           │   │   │       ├── [5.4K]  test_propack.py
│   │           │   │   │       ├── [6.1K]  test_pydata_sparse.py
│   │           │   │   │       └── [ 13K]
test_special_sparse_arrays.py
│   │           │   │   ├── [2.1K]  sparsetools.py
```

```
│   │               │   │   ├── [ 582]  spfuncs.py
│   │               │   │   ├── [ 973]  sputils.py
│   │               │   │   └── [ 608]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 128]  data
│   │               │   │       │   ├── [ 846]  csc_py2.npz
│   │               │   │       │   └── [ 851]  csc_py3.npz
│   │               │   │       ├── [ 14K]  test_array_api.py
│   │               │   │       ├── [187K]  test_base.py
│   │               │   │       ├── [ 16K]  test_common1d.py
│   │               │   │       ├── [ 33K]  test_construct.py
│   │               │   │       ├── [8.3K]  test_coo.py
│   │               │   │       ├── [2.9K]  test_csc.py
│   │               │   │       ├── [6.3K]  test_csr.py
│   │               │   │       ├── [ 645]  test_deprecations.py
│   │               │   │       ├── [5.9K]  test_dok.py
│   │               │   │       ├── [1.6K]  test_extract.py
│   │               │   │       ├── [3.2K]  test_matrix_io.py
│   │               │   │       ├── [2.3K]  test_minmax1d.py
│   │               │   │       ├── [ 10K]  test_sparsetools.py
│   │               │   │       ├── [3.2K]  test_spfuncs.py
│   │               │   │       └── [7.1K]  test_sputils.py
│   │               │   ├── [ 800]  spatial
│   │               │   │   ├── [3.6K]  __init__.py
│   │               │   │   ├── [635K]  _ckdtree.cpython-39-darwin.so
│   │               │   │   ├── [5.8K]  _ckdtree.pyi
│   │               │   │   ├── [559K]  _distance_pybind.cpython-39-
darwin.so
│   │               │   │   ├── [118K]  _distance_wrap.cpython-39-darwin.so
│   │               │   │   ├── [7.8K]  _geometric_slerp.py
│   │               │   │   ├── [187K]  _hausdorff.cpython-39-darwin.so
│   │               │   │   ├── [ 33K]  _kdtree.py
│   │               │   │   ├── [7.1K]  _plotutils.py
│   │               │   │   ├── [4.3K]  _procrustes.py
│   │               │   │   ├── [869K]  _qhull.cpython-39-darwin.so
│   │               │   │   ├── [5.8K]  _qhull.pyi
│   │               │   │   ├── [ 13K]  _spherical_voronoi.py
│   │               │   │   ├── [187K]  _voronoi.cpython-39-darwin.so
│   │               │   │   ├── [ 126]  _voronoi.pyi
│   │               │   │   ├── [ 645]  ckdtree.py
│   │               │   │   ├── [ 89K]  distance.py
│   │               │   │   ├── [5.1K]  distance.pyi
│   │               │   │   ├── [ 655]  kdtree.py
│   │               │   │   ├── [ 622]  qhull.py
│   │               │   │   ├── [  96]  qhull_src
│   │               │   │   │   └── [1.6K]  COPYING.txt
│   │               │   │   ├── [ 384]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.0K]  data
│   │               │   │   │   │   ├── [5.6K]  cdist-X1.txt
│   │               │   │   │   │   ├── [ 11K]  cdist-X2.txt
│   │               │   │   │   │   ├── [ 22K]  degenerate_pointset.npz
│   │               │   │   │   │   ├── [ 15K]  iris.txt
│   │               │   │   │   │   ├── [ 49K]  pdist-boolean-inp.txt
│   │               │   │   │   │   ├── [175K]  pdist-chebyshev-ml-iris.txt
│   │               │   │   │   │   ├── [3.0K]  pdist-chebyshev-ml.txt
```

```
│   │           │   │   │   │   ├── [175K]  pdist-cityblock-ml-iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-cityblock-ml.txt
│   │           │   │   │   │   ├── [175K]  pdist-correlation-ml-
iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-correlation-ml.txt
│   │           │   │   │   │   ├── [175K]  pdist-cosine-ml-iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-cosine-ml.txt
│   │           │   │   │   │   ├── [ 49K]  pdist-double-inp.txt
│   │           │   │   │   │   ├── [175K]  pdist-euclidean-ml-iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-euclidean-ml.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-hamming-ml.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-jaccard-ml.txt
│   │           │   │   │   │   ├── [169K]  pdist-jensenshannon-ml-
iris.txt
│   │           │   │   │   │   ├── [2.8K]  pdist-jensenshannon-ml.txt
│   │           │   │   │   │   ├── [175K]  pdist-minkowski-3.2-ml-
iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-minkowski-3.2-ml.txt
│   │           │   │   │   │   ├── [175K]  pdist-minkowski-5.8-ml-
iris.txt
│   │           │   │   │   │   ├── [175K]  pdist-seuclidean-ml-iris.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-seuclidean-ml.txt
│   │           │   │   │   │   ├── [3.0K]  pdist-spearman-ml.txt
│   │           │   │   │   │   ├── [5.9K]  random-bool-data.txt
│   │           │   │   │   │   ├── [ 73K]  random-double-data.txt
│   │           │   │   │   │   ├── [ 10K]  random-int-data.txt
│   │           │   │   │   │   ├── [8.5K]  random-uint-data.txt
│   │           │   │   │   │   └── [ 480]  selfdual-4d-polytope.txt
│   │           │   │   │   ├── [3.7K]  test__plotutils.py
│   │           │   │   │   ├── [4.9K]  test__procrustes.py
│   │           │   │   │   ├── [ 82K]  test_distance.py
│   │           │   │   │   ├── [6.9K]  test_hausdorff.py
│   │           │   │   │   ├── [ 48K]  test_kdtree.py
│   │           │   │   │   ├── [ 43K]  test_qhull.py
│   │           │   │   │   ├── [ 16K]  test_slerp.py
│   │           │   │   │   └── [ 14K]  test_spherical_voronoi.py
│   │           │   │   └── [ 288]  transform
│   │           │   │       ├── [ 700]  __init__.py
│   │           │   │       ├── [700K]  _rotation.cpython-39-darwin.so
│   │           │   │       ├── [3.0K]  _rotation.pyi
│   │           │   │       ├── [4.3K]  _rotation_groups.py
│   │           │   │       ├── [ 14K]  _rotation_spline.py
│   │           │   │       ├── [ 612]  rotation.py
│   │           │   │       └── [ 192]  tests
│   │           │   │           ├── [   0]  __init__.py
│   │           │   │           ├── [ 61K]  test_rotation.py
│   │           │   │           ├── [5.4K]  test_rotation_groups.py
│   │           │   │           └── [5.0K]  test_rotation_spline.py
│   │           │   ├── [1.3K]  special
│   │           │   │   ├── [ 31K]  __init__.py
│   │           │   │   ├── [389K]  _add_newdocs.py
│   │           │   │   ├── [101K]  _basic.py
│   │           │   │   ├── [176K]  _cdflib.cpython-39-darwin.so
│   │           │   │   ├── [ 76K]  _comb.cpython-39-darwin.so
│   │           │   │   ├── [5.3K]  _ellip_harm.py
│   │           │   │   ├── [129K]  _ellip_harm_2.cpython-39-darwin.so
```

```
│   │               │   │   ├── [3.9K]  _lambertw.py
│   │               │   │   ├── [8.8K]  _logsumexp.py
│   │               │   │   ├── [ 14K]  _mptestutils.py
│   │               │   │   ├── [ 73K]  _orthogonal.py
│   │               │   │   ├── [8.1K]  _orthogonal.pyi
│   │               │   │   ├── [ 480]  _precompute
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 354]  cosine_cdf.py
│   │               │   │   │   ├── [1.2K]  expn_asy.py
│   │               │   │   │   ├── [2.4K]  gammainc_asy.py
│   │               │   │   │   ├── [4.0K]  gammainc_data.py
│   │               │   │   │   ├── [1.9K]  lambertw.py
│   │               │   │   │   ├── [1.1K]  loggamma.py
│   │               │   │   │   ├── [3.5K]  struve_convergence.py
│   │               │   │   │   ├── [ 887]  utils.py
│   │               │   │   │   ├── [ 13K]  wright_bessel.py
│   │               │   │   │   ├── [5.5K]  wright_bessel_data.py
│   │               │   │   │   ├── [ 955]  wrightomega.py
│   │               │   │   │   └── [ 591]  zetac.py
│   │               │   │   ├── [ 375]  _sf_error.py
│   │               │   │   ├── [233K]  _specfun.cpython-39-darwin.so
│   │               │   │   ├── [3.7K]  _spfun_stats.py
│   │               │   │   ├── [ 10K]  _spherical_bessel.py
│   │               │   │   ├── [2.2K]  _support_alternative_backends.py
│   │               │   │   ├── [205K]  _test_internal.cpython-39-darwin.so
│   │               │   │   ├── [ 338]  _test_internal.pyi
│   │               │   │   ├── [ 12K]  _testutils.py
│   │               │   │   ├── [977K]  _ufuncs.cpython-39-darwin.so
│   │               │   │   ├── [8.7K]  _ufuncs.pyi
│   │               │   │   ├── [870K]  _ufuncs.pyx
│   │               │   │   ├── [427K]  _ufuncs_cxx.cpython-39-darwin.so
│   │               │   │   ├── [1.9K]  _ufuncs_cxx.pxd
│   │               │   │   ├── [ 11K]  _ufuncs_cxx.pyx
│   │               │   │   ├── [2.9K]  _ufuncs_cxx_defs.h
│   │               │   │   ├── [9.0K]  _ufuncs_defs.h
│   │               │   │   ├── [ 469]  add_newdocs.py
│   │               │   │   ├── [1.5K]  basic.py
│   │               │   │   ├── [1.8M]  cython_special.cpython-39-darwin.so
│   │               │   │   ├── [ 16K]  cython_special.pxd
│   │               │   │   ├── [  58]  cython_special.pyi
│   │               │   │   ├── [139K]  cython_special.pyx
│   │               │   │   ├── [1.8K]  orthogonal.py
│   │               │   │   ├── [ 573]  sf_error.py
│   │               │   │   ├── [ 826]  specfun.py
│   │               │   │   ├── [ 384]  special
│   │               │   │   │   ├── [2.3K]  binom.h
│   │               │   │   │   ├── [ 288]  cephes
│   │               │   │   │   │   ├── [6.8K]  beta.h
│   │               │   │   │   │   ├── [2.5K]  const.h
│   │               │   │   │   │   ├── [ 10K]  gamma.h
│   │               │   │   │   │   ├── [3.9K]  polevl.h
│   │               │   │   │   │   ├── [6.2K]  psi.h
│   │               │   │   │   │   ├── [1.3K]  trig.h
│   │               │   │   │   │   └── [4.3K]  zeta.h
│   │               │   │   │   ├── [4.2K]  config.h
│   │               │   │   │   ├── [7.1K]  digamma.h
```

```
│   │   │   │   │   │   ├── [1.2K]  error.h
│   │   │   │   │   │   ├── [1.1K]  evalpoly.h
│   │   │   │   │   │   ├── [5.1K]  lambertw.h
│   │   │   │   │   │   ├── [5.9K]  loggamma.h
│   │   │   │   │   │   ├── [3.0K]  trig.h
│   │   │   │   │   │   └── [ 977]  zlog1.h
│   │   │   │   │   ├── [ 545]  spfun_stats.py
│   │   │   │   │   └── [1.7K]  tests
│   │   │   │   │       ├── [   0]  __init__.py
│   │   │   │   │       ├── [ 192]  data
│   │   │   │   │       │   ├── [   0]  __init__.py
│   │   │   │   │       │   ├── [1.2M]  boost.npz
│   │   │   │   │       │   ├── [ 50K]  gsl.npz
│   │   │   │   │       │   └── [199K]  local.npz
│   │   │   │   │       ├── [168K]  test_basic.py
│   │   │   │   │       ├── [3.2K]  test_bdtr.py
│   │   │   │   │       ├── [2.6K]  test_boxcox.py
│   │   │   │   │       ├── [ 17K]  test_cdflib.py
│   │   │   │   │       ├── [1.4K]  test_cdft_asymptotic.py
│   │   │   │   │       ├── [2.6K]  test_cosine_distr.py
│   │   │   │   │       ├── [ 18K]  test_cython_special.py
│   │   │   │   │       ├── [ 30K]  test_data.py
│   │   │   │   │       ├── [1.9K]  test_dd.py
│   │   │   │   │       ├── [1.3K]  test_digamma.py
│   │   │   │   │       ├── [9.4K]  test_ellip_harm.py
│   │   │   │   │       ├── [3.0K]  test_erfinv.py
│   │   │   │   │       ├── [3.6K]  test_exponential_integrals.py
│   │   │   │   │       ├── [2.5K]  test_faddeeva.py
│   │   │   │   │       ├── [ 258]  test_gamma.py
│   │   │   │   │       ├── [3.7K]  test_gammainc.py
│   │   │   │   │       ├── [ 77K]  test_hyp2f1.py
│   │   │   │   │       ├── [5.5K]  test_hypergeometric.py
│   │   │   │   │       ├── [ 19K]  test_kolmogorov.py
│   │   │   │   │       ├── [4.5K]  test_lambertw.py
│   │   │   │   │       ├── [3.3K]  test_log_softmax.py
│   │   │   │   │       ├── [1.9K]  test_loggamma.py
│   │   │   │   │       ├── [5.4K]  test_logit.py
│   │   │   │   │       ├── [6.4K]  test_logsumexp.py
│   │   │   │   │       ├── [ 71K]  test_mpmath.py
│   │   │   │   │       ├── [1.8K]  test_nan_inputs.py
│   │   │   │   │       ├── [2.6K]  test_ndtr.py
│   │   │   │   │       ├── [3.6K]  test_ndtri_exp.py
│   │   │   │   │       ├── [ 31K]  test_orthogonal.py
│   │   │   │   │       ├── [9.3K]  test_orthogonal_eval.py
│   │   │   │   │       ├── [1.8K]  test_owens_t.py
│   │   │   │   │       ├── [ 664]  test_pcf.py
│   │   │   │   │       ├── [1.3K]  test_pdtr.py
│   │   │   │   │       ├── [2.2K]  test_powm1.py
│   │   │   │   │       ├── [ 583]  test_precompute_expn_asy.py
│   │   │   │   │       ├── [4.4K]  test_precompute_gammainc.py
│   │   │   │   │       ├── [1.1K]  test_precompute_utils.py
│   │   │   │   │       ├── [ 421]  test_round.py
│   │   │   │   │       ├── [3.8K]  test_sf_error.py
│   │   │   │   │       ├── [1.2K]  test_sici.py
│   │   │   │   │       ├── [1.2K]  test_specfun.py
│   │   │   │   │       ├── [1.1K]  test_spence.py
```

```
│   │           │   │       ├── [2.0K]  test_spfun_stats.py
│   │           │   │       ├── [1.1K]  test_sph_harm.py
│   │           │   │       ├── [ 14K]  test_spherical_bessel.py
│   │           │   │       ├── [2.6K]
test_support_alternative_backends.py
│   │           │   │       ├── [2.3K]  test_trig.py
│   │           │   │       ├── [4.1K]  test_wright_bessel.py
│   │           │   │       ├── [3.5K]  test_wrightomega.py
│   │           │   │       └── [1.3K]  test_zeta.py
│   │           │   ├── [  42]  special.pxd
│   │           │   ├── [2.3K]  stats
│   │           │   │   ├── [ 18K]  __init__.py
│   │           │   │   ├── [207K]  _ansari_swilk_statistics.cpython-39-
darwin.so
│   │           │   │   ├── [ 28K]  _axis_nan_policy.py
│   │           │   │   ├── [244K]  _biasedurn.cpython-39-darwin.so
│   │           │   │   ├── [1.0K]  _biasedurn.pxd
│   │           │   │   ├── [ 32K]  _binned_statistic.py
│   │           │   │   ├── [ 13K]  _binomtest.py
│   │           │   │   ├── [ 384]  _boost
│   │           │   │   │   ├── [1.7K]  __init__.py
│   │           │   │   │   ├── [184K]  beta_ufunc.cpython-39-darwin.so
│   │           │   │   │   ├── [164K]  binom_ufunc.cpython-39-darwin.so
│   │           │   │   │   ├── [132K]  hypergeom_ufunc.cpython-39-
darwin.so
│   │           │   │   │   ├── [168K]  invgauss_ufunc.cpython-39-
darwin.so
│   │           │   │   │   ├── [168K]  nbinom_ufunc.cpython-39-
darwin.so
│   │           │   │   │   ├── [145K]  ncf_ufunc.cpython-39-darwin.so
│   │           │   │   │   ├── [208K]  nct_ufunc.cpython-39-darwin.so
│   │           │   │   │   ├── [169K]  ncx2_ufunc.cpython-39-darwin.so
│   │           │   │   │   └── [103K]  skewnorm_ufunc.cpython-39-
darwin.so
│   │           │   │   ├── [6.9K]  _bws_test.py
│   │           │   │   ├── [ 18K]  _censored_data.py
│   │           │   │   ├── [ 172]  _common.py
│   │           │   │   ├── [ 962]  _constants.py
│   │           │   │   ├── [377K]  _continuous_distns.py
│   │           │   │   ├── [ 22K]  _covariance.py
│   │           │   │   ├── [7.2K]  _crosstab.py
│   │           │   │   ├── [ 58K]  _discrete_distns.py
│   │           │   │   ├── [145K]  _distn_infrastructure.py
│   │           │   │   ├── [8.5K]  _distr_params.py
│   │           │   │   ├── [ 15K]  _entropy.py
│   │           │   │   ├── [ 58K]  _fit.py
│   │           │   │   ├── [ 829]  _generate_pyx.py
│   │           │   │   ├── [ 77K]  _hypotests.py
│   │           │   │   ├── [ 25K]  _kde.py
│   │           │   │   ├── [ 20K]  _ksstats.py
│   │           │   │   ├── [ 128]  _levy_stable
│   │           │   │   │   ├── [ 44K]  __init__.py
│   │           │   │   │   └── [ 77K]  levyst.cpython-39-darwin.so
│   │           │   │   ├── [ 20K]  _mannwhitneyu.py
│   │           │   │   ├── [182K]  _morestats.py
│   │           │   │   ├── [117K]  _mstats_basic.py
```

```
│   │               │   │   ├── [ 16K]  _mstats_extras.py
│   │               │   │   ├── [ 17K]  _multicomp.py
│   │               │   │   ├── [232K]  _multivariate.py
│   │               │   │   ├── [105K]  _mvn.cpython-39-darwin.so
│   │               │   │   ├── [ 17K]  _odds_ratio.py
│   │               │   │   ├── [ 19K]  _page_trend_test.py
│   │               │   │   ├── [ 97K]  _qmc.py
│   │               │   │   ├── [231K]  _qmc_cy.cpython-39-darwin.so
│   │               │   │   ├── [1.1K]  _qmc_cy.pyi
│   │               │   │   ├── [ 18K]  _qmvnt.py
│   │               │   │   ├── [ 128]  _rcont
│   │               │   │   │   ├── [  84]  __init__.py
│   │               │   │   │   └── [240K]  rcont.cpython-39-darwin.so
│   │               │   │   ├── [9.3K]  _relative_risk.py
│   │               │   │   ├── [ 80K]  _resampling.py
│   │               │   │   ├── [1.1K]  _result_classes.py
│   │               │   │   ├── [2.2K]  _rvs_sampling.py
│   │               │   │   ├── [ 45K]  _sampling.py
│   │               │   │   ├── [ 24K]  _sensitivity_analysis.py
│   │               │   │   ├── [305K]  _sobol.cpython-39-darwin.so
│   │               │   │   ├── [ 971]  _sobol.pyi
│   │               │   │   ├── [576K]  _sobol_direction_numbers.npz
│   │               │   │   ├── [526K]  _stats.cpython-39-darwin.so
│   │               │   │   ├── [ 708]  _stats.pxd
│   │               │   │   ├── [ 18K]  _stats_mstats_common.py
│   │               │   │   ├── [414K]  _stats_py.py
│   │               │   │   ├── [147K]  _stats_pythran.cpython-39-darwin.so
│   │               │   │   ├── [ 25K]  _survival.py
│   │               │   │   ├── [6.7K]  _tukeylambda_stats.py
│   │               │   │   ├── [ 160]  _unuran
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.1M]  unuran_wrapper.cpython-39-
darwin.so
│   │               │   │   │   └── [5.4K]  unuran_wrapper.pyi
│   │               │   │   ├── [4.3K]  _variation.py
│   │               │   │   ├── [1.2K]  _warnings_errors.py
│   │               │   │   ├── [7.8K]  _wilcoxon.py
│   │               │   │   ├── [ 529]  biasedurn.py
│   │               │   │   ├── [ 16K]  contingency.py
│   │               │   │   ├── [ 859]  distributions.py
│   │               │   │   ├── [ 720]  kde.py
│   │               │   │   ├── [1.4K]  morestats.py
│   │               │   │   ├── [2.4K]  mstats.py
│   │               │   │   ├── [1.8K]  mstats_basic.py
│   │               │   │   ├── [ 785]  mstats_extras.py
│   │               │   │   ├── [ 565]  mvn.py
│   │               │   │   ├── [ 11K]  qmc.py
│   │               │   │   ├── [1.6K]  sampling.py
│   │               │   │   ├── [2.1K]  stats.py
│   │               │   │   └── [1.2K]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 12K]  common_tests.py
│   │               │   │       ├── [ 320]  data
│   │               │   │       │   ├── [6.7K]  _mvt.py
│   │               │   │       │   ├── [ 27K]
fisher_exact_results_from_r.py
```

```
│   │           │   │       │   ├── [4.0K]
jf_skew_t_gamlss_pdf_data.npy
│   │           │   │       │   ├── [ 160]  levy_stable
│   │           │   │       │   │   ├── [179K]  stable-Z1-cdf-sample-
data.npy
│   │           │   │       │   │   ├── [179K]  stable-Z1-pdf-sample-
data.npy
│   │           │   │       │   │   └── [9.1K]  stable-loc-scale-sample-
data.npy
│   │           │   │       │   ├── [ 416]  nist_anova
│   │           │   │       │   │   ├── [3.0K]  AtmWtAg.dat
│   │           │   │       │   │   ├── [1.9K]  SiRstv.dat
│   │           │   │       │   │   ├── [5.9K]  SmLs01.dat
│   │           │   │       │   │   ├── [ 45K]  SmLs02.dat
│   │           │   │       │   │   ├── [441K]  SmLs03.dat
│   │           │   │       │   │   ├── [6.7K]  SmLs04.dat
│   │           │   │       │   │   ├── [ 53K]  SmLs05.dat
│   │           │   │       │   │   ├── [511K]  SmLs06.dat
│   │           │   │       │   │   ├── [7.2K]  SmLs07.dat
│   │           │   │       │   │   ├── [ 58K]  SmLs08.dat
│   │           │   │       │   │   └── [564K]  SmLs09.dat
│   │           │   │       │   ├── [  96]  nist_linregress
│   │           │   │       │   │   └── [2.5K]  Norris.dat
│   │           │   │       │   ├── [ 38K]
rel_breitwigner_pdf_sample_data_ROOT.npy
│   │           │   │       │   └── [ 29K]
studentized_range_mpmath_ref.json
│   │           │   │       ├── [ 50K]  test_axis_nan_policy.py
│   │           │   │       ├── [ 18K]  test_binned_statistic.py
│   │           │   │       ├── [1.8K]  test_boost_ufuncs.py
│   │           │   │       ├── [6.8K]  test_censored_data.py
│   │           │   │       ├── [7.5K]  test_contingency.py
│   │           │   │       ├── [ 41K]  test_continuous_basic.py
│   │           │   │       ├── [ 24K]  test_continuous_fit_censored.py
│   │           │   │       ├── [3.8K]  test_crosstab.py
│   │           │   │       ├── [ 20K]  test_discrete_basic.py
│   │           │   │       ├── [ 23K]  test_discrete_distns.py
│   │           │   │       ├── [375K]  test_distributions.py
│   │           │   │       ├── [ 11K]  test_entropy.py
│   │           │   │       ├── [ 16K]  test_fast_gen_inversion.py
│   │           │   │       ├── [ 45K]  test_fit.py
│   │           │   │       ├── [ 78K]  test_hypotests.py
│   │           │   │       ├── [ 20K]  test_kdeoth.py
│   │           │   │       ├── [125K]  test_morestats.py
│   │           │   │       ├── [ 84K]  test_mstats_basic.py
│   │           │   │       ├── [7.1K]  test_mstats_extras.py
│   │           │   │       ├── [ 17K]  test_multicomp.py
│   │           │   │       ├── [150K]  test_multivariate.py
│   │           │   │       ├── [6.5K]  test_odds_ratio.py
│   │           │   │       ├── [ 53K]  test_qmc.py
│   │           │   │       ├── [ 11K]  test_rank.py
│   │           │   │       ├── [3.6K]  test_relative_risk.py
│   │           │   │       ├── [ 70K]  test_resampling.py
│   │           │   │       ├── [ 53K]  test_sampling.py
│   │           │   │       ├── [9.9K]  test_sensitivity_analysis.py
│   │           │   │       ├── [352K]  test_stats.py
```

```
│   │               │   │       ├── [ 22K]  test_survival.py
│   │               │   │       ├── [3.2K]  test_tukeylambda_stats.py
│   │               │   │       └── [6.1K]  test_variation.py
│   │               │   └── [ 264]  version.py
│   │               ├── [ 256]  scipy-1.13.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 46K]  LICENSE.txt
│   │               │   ├── [ 59K]  METADATA
│   │               │   ├── [258K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   └── [  91]  WHEEL
│   │               ├── [1.2K]  setuptools
│   │               │   ├── [7.3K]  __init__.py
│   │               │   ├── [ 218]  _deprecation_warning.py
│   │               │   ├── [1.0K]  _distutils
│   │               │   │   ├── [ 250]  __init__.py
│   │               │   │   ├── [ 20K]  _msvccompiler.py
│   │               │   │   ├── [8.4K]  archive_util.py
│   │               │   │   ├── [ 15K]  bcppcompiler.py
│   │               │   │   ├── [ 46K]  ccompiler.py
│   │               │   │   ├── [ 18K]  cmd.py
│   │               │   │   ├── [ 832]  command
│   │               │   │   │   ├── [ 799]  __init__.py
│   │               │   │   │   ├── [5.4K]  bdist.py
│   │               │   │   │   ├── [4.8K]  bdist_dumb.py
│   │               │   │   │   ├── [ 35K]  bdist_msi.py
│   │               │   │   │   ├── [ 21K]  bdist_rpm.py
│   │               │   │   │   ├── [ 16K]  bdist_wininst.py
│   │               │   │   │   ├── [5.6K]  build.py
│   │               │   │   │   ├── [7.8K]  build_clib.py
│   │               │   │   │   ├── [ 31K]  build_ext.py
│   │               │   │   │   ├── [ 16K]  build_py.py
│   │               │   │   │   ├── [5.8K]  build_scripts.py
│   │               │   │   │   ├── [5.5K]  check.py
│   │               │   │   │   ├── [2.7K]  clean.py
│   │               │   │   │   ├── [ 13K]  config.py
│   │               │   │   │   ├── [ 27K]  install.py
│   │               │   │   │   ├── [2.8K]  install_data.py
│   │               │   │   │   ├── [2.5K]  install_egg_info.py
│   │               │   │   │   ├── [1.3K]  install_headers.py
│   │               │   │   │   ├── [8.2K]  install_lib.py
│   │               │   │   │   ├── [2.0K]  install_scripts.py
│   │               │   │   │   ├── [ 671]  py37compat.py
│   │               │   │   │   ├── [ 11K]  register.py
│   │               │   │   │   ├── [ 19K]  sdist.py
│   │               │   │   │   └── [7.4K]  upload.py
│   │               │   │   ├── [4.7K]  config.py
│   │               │   │   ├── [8.7K]  core.py
│   │               │   │   ├── [ 17K]  cygwinccompiler.py
│   │               │   │   ├── [ 139]  debug.py
│   │               │   │   ├── [3.4K]  dep_util.py
│   │               │   │   ├── [7.6K]  dir_util.py
│   │               │   │   ├── [ 49K]  dist.py
│   │               │   │   ├── [3.5K]  errors.py
│   │               │   │   ├── [ 10K]  extension.py
│   │               │   │   ├── [ 17K]  fancy_getopt.py
```

```
│   │               │   │   ├── [8.0K]  file_util.py
│   │               │   │   ├── [ 13K]  filelist.py
│   │               │   │   ├── [1.9K]  log.py
│   │               │   │   ├── [ 30K]  msvc9compiler.py
│   │               │   │   ├── [ 23K]  msvccompiler.py
│   │               │   │   ├── [ 455]  py35compat.py
│   │               │   │   ├── [ 212]  py38compat.py
│   │               │   │   ├── [3.4K]  spawn.py
│   │               │   │   ├── [ 21K]  sysconfig.py
│   │               │   │   ├── [ 12K]  text_file.py
│   │               │   │   ├── [ 15K]  unixccompiler.py
│   │               │   │   ├── [ 20K]  util.py
│   │               │   │   ├── [ 12K]  version.py
│   │               │   │   └── [5.0K]  versionpredicate.py
│   │               │   ├── [2.3K]  _imp.py
│   │               │   ├── [ 224]  _vendor
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 160]  more_itertools
│   │               │   │   │   ├── [  82]  __init__.py
│   │               │   │   │   ├── [115K]  more.py
│   │               │   │   │   └── [ 16K]  recipes.py
│   │               │   │   ├── [ 15K]  ordered_set.py
│   │               │   │   ├── [ 416]  packaging
│   │               │   │   │   ├── [ 736]  __about__.py
│   │               │   │   │   ├── [ 562]  __init__.py
│   │               │   │   │   ├── [1.1K]  _compat.py
│   │               │   │   │   ├── [2.0K]  _structures.py
│   │               │   │   │   ├── [1.8K]  _typing.py
│   │               │   │   │   ├── [9.3K]  markers.py
│   │               │   │   │   ├── [4.8K]  requirements.py
│   │               │   │   │   ├── [ 31K]  specifiers.py
│   │               │   │   │   ├── [ 24K]  tags.py
│   │               │   │   │   ├── [1.8K]  utils.py
│   │               │   │   │   └── [ 15K]  version.py
│   │               │   │   └── [227K]  pyparsing.py
│   │               │   ├── [6.9K]  archive_util.py
│   │               │   ├── [ 10K]  build_meta.py
│   │               │   ├── [ 64K]  cli-32.exe
│   │               │   ├── [ 73K]  cli-64.exe
│   │               │   ├── [ 64K]  cli.exe
│   │               │   ├── [ 864]  command
│   │               │   │   ├── [ 217]  __init__.py
│   │               │   │   ├── [2.3K]  alias.py
│   │               │   │   ├── [ 16K]  bdist_egg.py
│   │               │   │   ├── [ 900]  bdist_rpm.py
│   │               │   │   ├── [4.3K]  build_clib.py
│   │               │   │   ├── [ 13K]  build_ext.py
│   │               │   │   ├── [8.1K]  build_py.py
│   │               │   │   ├── [6.8K]  develop.py
│   │               │   │   ├── [ 960]  dist_info.py
│   │               │   │   ├── [ 83K]  easy_install.py
│   │               │   │   ├── [ 25K]  egg_info.py
│   │               │   │   ├── [4.6K]  install.py
│   │               │   │   ├── [2.2K]  install_egg_info.py
│   │               │   │   ├── [3.8K]  install_lib.py
│   │               │   │   ├── [2.5K]  install_scripts.py
```

```
│   │               │   │   ├── [ 628]  launcher manifest.xml
│   │               │   │   ├── [4.8K]  py36compat.py
│   │               │   │   ├── [ 468]  register.py
│   │               │   │   ├── [2.1K]  rotate.py
│   │               │   │   ├── [ 658]  saveopts.py
│   │               │   │   ├── [5.8K]  sdist.py
│   │               │   │   ├── [5.0K]  setopt.py
│   │               │   │   ├── [7.9K]  test.py
│   │               │   │   ├── [ 462]  upload.py
│   │               │   │   └── [7.0K]  upload_docs.py
│   │               │   ├── [ 23K]  config.py
│   │               │   ├── [ 949]  dep_util.py
│   │               │   ├── [5.3K]  depends.py
│   │               │   ├── [ 42K]  dist.py
│   │               │   ├── [ 524]  errors.py
│   │               │   ├── [1.6K]  extension.py
│   │               │   ├── [  96]  extern
│   │               │   │   └── [2.4K]  __init__.py
│   │               │   ├── [4.8K]  glob.py
│   │               │   ├── [ 64K]  gui-32.exe
│   │               │   ├── [ 74K]  gui-64.exe
│   │               │   ├── [ 64K]  gui.exe
│   │               │   ├── [3.5K]  installer.py
│   │               │   ├── [ 812]  launch.py
│   │               │   ├── [5.1K]  monkey.py
│   │               │   ├── [ 49K]  msvc.py
│   │               │   ├── [3.0K]  namespaces.py
│   │               │   ├── [ 39K]  package_index.py
│   │               │   ├── [ 245]  py34compat.py
│   │               │   ├── [ 14K]  sandbox.py
│   │               │   ├── [ 218]  script (dev).tmpl
│   │               │   ├── [ 138]  script.tmpl
│   │               │   ├── [ 941]  unicode_utils.py
│   │               │   ├── [ 144]  version.py
│   │               │   ├── [8.1K]  wheel.py
│   │               │   └── [ 714]  windows_support.py
│   │               ├── [ 320]  setuptools-58.0.4.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [4.7K]  METADATA
│   │               │   ├── [ 36K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [  92]  WHEEL
│   │               │   ├── [2.6K]  entry_points.txt
│   │               │   └── [  41]  top_level.txt
│   │               ├── [ 192]  shellingham
│   │               │   ├── [ 635]  __init__.py
│   │               │   ├── [ 300]  _core.py
│   │               │   ├── [4.4K]  nt.py
│   │               │   └── [ 192]  posix
│   │               │       ├── [3.1K]  __init__.py
│   │               │       ├── [  81]  _core.py
│   │               │       ├── [2.6K]  proc.py
│   │               │       └── [1.7K]  ps.py
│   │               ├── [ 288]  shellingham-1.5.4.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [ 751]  LICENSE
│   │               │   ├── [3.4K]  METADATA
│   │               │   ├── [2.2K]  RECORD
│   │               │   ├── [ 110]  WHEEL
│   │               │   ├── [  12]  top_level.txt
│   │               │   └── [   1]  zip-safe
│   │               ├── [ 256]  six-1.17.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [1.6K]  METADATA
│   │               │   ├── [ 661]  RECORD
│   │               │   ├── [ 109]  WHEEL
│   │               │   └── [   4]  top_level.txt
│   │               ├── [ 34K]  six.py
│   │               ├── [ 224]  sniffio
│   │               │   ├── [ 335]  __init__.py
│   │               │   ├── [2.8K]  _impl.py
│   │               │   ├── [ 128]  _tests
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   └── [2.0K]  test_sniffio.py
│   │               │   ├── [  89]  _version.py
│   │               │   └── [   0]  py.typed
│   │               ├── [ 320]  sniffio-1.3.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 185]  LICENSE
│   │               │   ├── [ 11K]  LICENSE.APACHE2
│   │               │   ├── [1.0K]  LICENSE.MIT
│   │               │   ├── [3.8K]  METADATA
│   │               │   ├── [1.8K]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   └── [   8]  top_level.txt
│   │               ├── [ 704]  sqlalchemy
│   │               │   ├── [ 12K]  __init__.py
│   │               │   ├── [ 192]  connectors
│   │               │   │   ├── [ 476]  __init__.py
│   │               │   │   ├── [5.4K]  aioodbc.py
│   │               │   │   ├── [9.9K]  asyncio.py
│   │               │   │   └── [8.3K]  pyodbc.py
│   │               │   ├── [ 448]  cyextension
│   │               │   │   ├── [ 244]  __init__.py
│   │               │   │   ├── [245K]  collections.cpython-39-darwin.so
│   │               │   │   ├── [ 12K]  collections.pyx
│   │               │   │   ├── [121K]  immutabledict.cpython-39-darwin.so
│   │               │   │   ├── [ 291]  immutabledict.pxd
│   │               │   │   ├── [3.5K]  immutabledict.pyx
│   │               │   │   ├── [102K]  processors.cpython-39-darwin.so
│   │               │   │   ├── [1.8K]  processors.pyx
│   │               │   │   ├── [104K]  resultproxy.cpython-39-darwin.so
│   │               │   │   ├── [2.7K]  resultproxy.pyx
│   │               │   │   ├── [121K]  util.cpython-39-darwin.so
│   │               │   │   └── [2.5K]  util.pyx
│   │               │   ├── [ 320]  dialects
│   │               │   │   ├── [1.8K]  __init__.py
│   │               │   │   ├── [ 971]  _typing.py
│   │               │   │   ├── [ 320]  mssql
│   │               │   │   │   ├── [1.8K]  __init__.py
```

```
│   │               │   │   │   ├── [2.0K]  aioodbc.py
│   │               │   │   │   ├── [131K]  base.py
│   │               │   │   │   ├── [8.8K]  information_schema.py
│   │               │   │   │   ├── [4.6K]  json.py
│   │               │   │   │   ├── [5.5K]  provision.py
│   │               │   │   │   ├── [4.0K]  pymssql.py
│   │               │   │   │   └── [ 27K]  pyodbc.py
│   │               │   │   ├── [ 672]  mysql
│   │               │   │   │   ├── [2.2K]  __init__.py
│   │               │   │   │   ├── [7.4K]  aiomysql.py
│   │               │   │   │   ├── [6.8K]  asyncmy.py
│   │               │   │   │   ├── [135K]  base.py
│   │               │   │   │   ├── [3.1K]  cymysql.py
│   │               │   │   │   ├── [7.6K]  dml.py
│   │               │   │   │   ├── [ 10K]  enumerated.py
│   │               │   │   │   ├── [4.1K]  expression.py
│   │               │   │   │   ├── [2.7K]  json.py
│   │               │   │   │   ├── [1.8K]  mariadb.py
│   │               │   │   │   ├── [ 10K]  mariadbconnector.py
│   │               │   │   │   ├── [9.7K]  mysqlconnector.py
│   │               │   │   │   ├── [9.6K]  mysqldb.py
│   │               │   │   │   ├── [3.6K]  provision.py
│   │               │   │   │   ├── [4.8K]  pymysql.py
│   │               │   │   │   ├── [5.0K]  pyodbc.py
│   │               │   │   │   ├── [ 24K]  reflection.py
│   │               │   │   │   ├── [9.0K]  reserved_words.py
│   │               │   │   │   └── [ 26K]  types.py
│   │               │   │   ├── [ 320]  oracle
│   │               │   │   │   ├── [1.7K]  __init__.py
│   │               │   │   │   ├── [134K]  base.py
│   │               │   │   │   ├── [ 55K]  cx_oracle.py
│   │               │   │   │   ├── [ 19K]  dictionary.py
│   │               │   │   │   ├── [ 33K]  oracledb.py
│   │               │   │   │   ├── [8.1K]  provision.py
│   │               │   │   │   ├── [8.8K]  types.py
│   │               │   │   │   └── [7.7K]  vector.py
│   │               │   │   ├── [ 672]  postgresql
│   │               │   │   │   ├── [3.8K]  __init__.py
│   │               │   │   │   ├── [5.5K]  _psycopg_common.py
│   │               │   │   │   ├── [ 17K]  array.py
│   │               │   │   │   ├── [ 40K]  asyncpg.py
│   │               │   │   │   ├── [182K]  base.py
│   │               │   │   │   ├── [ 12K]  dml.py
│   │               │   │   │   ├── [ 17K]  ext.py
│   │               │   │   │   ├── [ 12K]  hstore.py
│   │               │   │   │   ├── [ 13K]  json.py
│   │               │   │   │   ├── [ 17K]  named_types.py
│   │               │   │   │   ├── [2.7K]  operators.py
│   │               │   │   │   ├── [ 18K]  pg8000.py
│   │               │   │   │   ├── [9.8K]  pg_catalog.py
│   │               │   │   │   ├── [5.6K]  provision.py
│   │               │   │   │   ├── [ 23K]  psycopg.py
│   │               │   │   │   ├── [ 31K]  psycopg2.py
│   │               │   │   │   ├── [1.7K]  psycopg2cffi.py
│   │               │   │   │   ├── [ 32K]  ranges.py
│   │               │   │   │   └── [7.5K]  types.py
```

```
│   │   │   │   │   ├── [ 320]  sqlite
│   │   │   │   │   │   ├── [1.2K]  __init__.py
│   │   │   │   │   │   ├── [ 14K]  aiosqlite.py
│   │   │   │   │   │   ├── [100K]  base.py
│   │   │   │   │   │   ├── [8.9K]  dml.py
│   │   │   │   │   │   ├── [2.7K]  json.py
│   │   │   │   │   │   ├── [5.5K]  provision.py
│   │   │   │   │   │   ├── [5.2K]  pysqlcipher.py
│   │   │   │   │   │   └── [ 25K]  pysqlite.py
│   │   │   │   │   └── [8.0K]  type_migration_guidelines.txt
│   │   │   │   ├── [ 672]  engine
│   │   │   │   │   ├── [2.8K]  __init__.py
│   │   │   │   │   ├── [3.7K]  _py_processors.py
│   │   │   │   │   ├── [3.7K]  _py_row.py
│   │   │   │   │   ├── [2.4K]  _py_util.py
│   │   │   │   │   ├── [120K]  base.py
│   │   │   │   │   ├── [4.7K]  characteristics.py
│   │   │   │   │   ├── [ 32K]  create.py
│   │   │   │   │   ├── [ 75K]  cursor.py
│   │   │   │   │   ├── [ 83K]  default.py
│   │   │   │   │   ├── [ 37K]  events.py
│   │   │   │   │   ├── [111K]  interfaces.py
│   │   │   │   │   ├── [4.1K]  mock.py
│   │   │   │   │   ├── [2.3K]  processors.py
│   │   │   │   │   ├── [ 74K]  reflection.py
│   │   │   │   │   ├── [ 76K]  result.py
│   │   │   │   │   ├── [ 12K]  row.py
│   │   │   │   │   ├── [ 439]  strategies.py
│   │   │   │   │   ├── [ 30K]  url.py
│   │   │   │   │   └── [5.5K]  util.py
│   │   │   │   ├── [ 256]  event
│   │   │   │   │   ├── [ 997]  __init__.py
│   │   │   │   │   ├── [7.9K]  api.py
│   │   │   │   │   ├── [ 20K]  attr.py
│   │   │   │   │   ├── [ 15K]  base.py
│   │   │   │   │   ├── [8.0K]  legacy.py
│   │   │   │   │   └── [ 11K]  registry.py
│   │   │   │   ├── [ 525]  events.py
│   │   │   │   ├── [ 23K]  exc.py
│   │   │   │   ├── [ 544]  ext
│   │   │   │   │   ├── [ 322]  __init__.py
│   │   │   │   │   ├── [ 65K]  associationproxy.py
│   │   │   │   │   ├── [ 288]  asyncio
│   │   │   │   │   │   ├── [1.3K]  __init__.py
│   │   │   │   │   │   ├── [8.8K]  base.py
│   │   │   │   │   │   ├── [ 47K]  engine.py
│   │   │   │   │   │   ├── [ 639]  exc.py
│   │   │   │   │   │   ├── [ 30K]  result.py
│   │   │   │   │   │   ├── [ 51K]  scoping.py
│   │   │   │   │   │   └── [ 62K]  session.py
│   │   │   │   │   ├── [ 60K]  automap.py
│   │   │   │   │   ├── [ 17K]  baked.py
│   │   │   │   │   ├── [ 20K]  compiler.py
│   │   │   │   │   ├── [ 128]  declarative
│   │   │   │   │   │   ├── [1.8K]  __init__.py
│   │   │   │   │   │   └── [ 19K]  extensions.py
```

```
│   │               │   │   ├── [ 16K]  horizontal_shard.py
│   │               │   │   ├── [ 51K]  hybrid.py
│   │               │   │   ├── [ 11K]  indexable.py
│   │               │   │   ├── [ 15K]  instrumentation.py
│   │               │   │   ├── [ 37K]  mutable.py
│   │               │   │   ├── [ 288]  mypy
│   │               │   │   │   ├── [ 241]  __init__.py
│   │               │   │   │   ├── [ 10K]  apply.py
│   │               │   │   │   ├── [ 17K]  decl_class.py
│   │               │   │   │   ├── [ 19K]  infer.py
│   │               │   │   │   ├── [ 10K]  names.py
│   │               │   │   │   ├── [9.5K]  plugin.py
│   │               │   │   │   └── [9.7K]  util.py
│   │               │   │   ├── [ 15K]  orderinglist.py
│   │               │   │   └── [6.0K]  serializer.py
│   │               │   ├── [ 128]  future
│   │               │   │   ├── [ 512]  __init__.py
│   │               │   │   └── [ 495]  engine.py
│   │               │   ├── [4.9K]  inspection.py
│   │               │   ├── [8.4K]  log.py
│   │               │   ├── [1.2K]  orm
│   │               │   │   ├── [8.3K]  __init__.py
│   │               │   │   ├── [103K]  _orm_constructors.py
│   │               │   │   ├── [4.9K]  _typing.py
│   │               │   │   ├── [ 91K]  attributes.py
│   │               │   │   ├── [ 27K]  base.py
│   │               │   │   ├── [ 71K]  bulk_persistence.py
│   │               │   │   ├── [ 18K]  clsregistry.py
│   │               │   │   ├── [ 51K]  collections.py
│   │               │   │   ├── [112K]  context.py
│   │               │   │   ├── [ 64K]  decl_api.py
│   │               │   │   ├── [ 82K]  decl_base.py
│   │               │   │   ├── [ 47K]  dependency.py
│   │               │   │   ├── [ 37K]  descriptor_props.py
│   │               │   │   ├── [9.6K]  dynamic.py
│   │               │   │   ├── [ 12K]  evaluator.py
│   │               │   │   ├── [125K]  events.py
│   │               │   │   ├── [7.5K]  exc.py
│   │               │   │   ├── [9.0K]  identity.py
│   │               │   │   ├── [ 24K]  instrumentation.py
│   │               │   │   ├── [ 48K]  interfaces.py
│   │               │   │   ├── [ 57K]  loading.py
│   │               │   │   ├── [ 19K]  mapped_collection.py
│   │               │   │   ├── [168K]  mapper.py
│   │               │   │   ├── [ 25K]  path_registry.py
│   │               │   │   ├── [ 60K]  persistence.py
│   │               │   │   ├── [ 29K]  properties.py
│   │               │   │   ├── [116K]  query.py
│   │               │   │   ├── [126K]  relationships.py
│   │               │   │   ├── [ 77K]  scoping.py
│   │               │   │   ├── [191K]  session.py
│   │               │   │   ├── [ 37K]  state.py
│   │               │   │   ├── [6.7K]  state_changes.py
│   │               │   │   ├── [117K]  strategies.py
│   │               │   │   ├── [ 84K]  strategy_options.py
│   │               │   │   ├── [5.6K]  sync.py
```

```
│   │               │   │   ├── [ 26K]  unitofwork.py
│   │               │   │   ├── [ 79K]  util.py
│   │               │   │   └── [ 22K]  writeonly.py
│   │               │   ├── [ 192]  pool
│   │               │   │   ├── [1.8K]  __init__.py
│   │               │   │   ├── [ 51K]  base.py
│   │               │   │   ├── [ 13K]  events.py
│   │               │   │   └── [ 18K]  impl.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [3.2K]  schema.py
│   │               │   ├── [1.0K]  sql
│   │               │   │   ├── [5.7K]  __init__.py
│   │               │   │   ├── [3.7K]  _dml_constructors.py
│   │               │   │   ├── [ 62K]  _elements_constructors.py
│   │               │   │   ├── [ 625]  _orm_types.py
│   │               │   │   ├── [2.1K]  _py_util.py
│   │               │   │   ├── [ 22K]  _selectable_constructors.py
│   │               │   │   ├── [ 13K]  _typing.py
│   │               │   │   ├── [ 18K]  annotation.py
│   │               │   │   ├── [ 74K]  base.py
│   │               │   │   ├── [ 33K]  cache_key.py
│   │               │   │   ├── [ 40K]  coercions.py
│   │               │   │   ├── [277K]  compiler.py
│   │               │   │   ├── [ 58K]  crud.py
│   │               │   │   ├── [ 47K]  ddl.py
│   │               │   │   ├── [ 16K]  default_comparator.py
│   │               │   │   ├── [ 65K]  dml.py
│   │               │   │   ├── [174K]  elements.py
│   │               │   │   ├── [ 18K]  events.py
│   │               │   │   ├── [7.4K]  expression.py
│   │               │   │   ├── [ 63K]  functions.py
│   │               │   │   ├── [ 48K]  lambdas.py
│   │               │   │   ├── [6.7K]  naming.py
│   │               │   │   ├── [ 75K]  operators.py
│   │               │   │   ├── [7.5K]  roles.py
│   │               │   │   ├── [225K]  schema.py
│   │               │   │   ├── [236K]  selectable.py
│   │               │   │   ├── [129K]  sqltypes.py
│   │               │   │   ├── [ 33K]  traversals.py
│   │               │   │   ├── [ 83K]  type_api.py
│   │               │   │   ├── [ 47K]  util.py
│   │               │   │   └── [ 35K]  visitors.py
│   │               │   ├── [ 640]  testing
│   │               │   │   ├── [3.1K]  __init__.py
│   │               │   │   ├── [ 31K]  assertions.py
│   │               │   │   ├── [ 16K]  assertsql.py
│   │               │   │   ├── [3.7K]  asyncio.py
│   │               │   │   ├── [ 12K]  config.py
│   │               │   │   ├── [ 13K]  engines.py
│   │               │   │   ├── [3.3K]  entities.py
│   │               │   │   ├── [ 12K]  exclusions.py
│   │               │   │   ├── [ 224]  fixtures
│   │               │   │   │   ├── [1.2K]  __init__.py
│   │               │   │   │   ├── [ 12K]  base.py
│   │               │   │   │   ├── [ 12K]  mypy.py
│   │               │   │   │   ├── [6.0K]  orm.py
```

```
│   │               │   │   │   └── [ 16K]  sql.py
│   │               │   │   ├── [2.8K]  pickleable.py
│   │               │   │   ├── [ 192]  plugin
│   │               │   │   │   ├── [ 247]  __init__.py
│   │               │   │   │   ├── [1.6K]  bootstrap.py
│   │               │   │   │   ├── [ 21K]  plugin_base.py
│   │               │   │   │   └── [ 27K]  pytestplugin.py
│   │               │   │   ├── [9.9K]  profiling.py
│   │               │   │   ├── [ 14K]  provision.py
│   │               │   │   ├── [ 54K]  requirements.py
│   │               │   │   ├── [6.4K]  schema.py
│   │               │   │   ├── [ 512]  suite
│   │               │   │   │   ├── [ 722]  __init__.py
│   │               │   │   │   ├── [7.1K]  test_cte.py
│   │               │   │   │   ├── [ 12K]  test_ddl.py
│   │               │   │   │   ├── [5.2K]  test_deprecations.py
│   │               │   │   │   ├── [ 22K]  test_dialect.py
│   │               │   │   │   ├── [ 18K]  test_insert.py
│   │               │   │   │   ├── [111K]  test_reflection.py
│   │               │   │   │   ├── [ 17K]  test_results.py
│   │               │   │   │   ├── [7.7K]  test_rowcount.py
│   │               │   │   │   ├── [ 61K]  test_select.py
│   │               │   │   │   ├── [9.7K]  test_sequence.py
│   │               │   │   │   ├── [ 66K]  test_types.py
│   │               │   │   │   ├── [6.0K]  test_unicode_ddl.py
│   │               │   │   │   └── [3.9K]  test_update_delete.py
│   │               │   │   ├── [ 14K]  util.py
│   │               │   │   └── [1.5K]  warnings.py
│   │               │   ├── [3.1K]  types.py
│   │               │   └── [ 512]  util
│   │               │       ├── [8.1K]  __init__.py
│   │               │       ├── [ 20K]  _collections.py
│   │               │       ├── [9.0K]  _concurrency_py3k.py
│   │               │       ├── [1.2K]  _has_cy.py
│   │               │       ├── [ 16K]  _py_collections.py
│   │               │       ├── [8.6K]  compat.py
│   │               │       ├── [3.2K]  concurrency.py
│   │               │       ├── [ 12K]  deprecations.py
│   │               │       ├── [ 67K]  langhelpers.py
│   │               │       ├── [5.8K]  preloaded.py
│   │               │       ├── [9.9K]  queue.py
│   │               │       ├── [6.0K]  tool_support.py
│   │               │       ├── [3.4K]  topological.py
│   │               │       └── [ 22K]  typing.py
│   │               ├── [ 256]  sqlalchemy-2.0.42.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [9.4K]  METADATA
│   │               │   ├── [ 64K]  RECORD
│   │               │   ├── [ 107]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [1.1K]  LICENSE
│   │               │   └── [  11]  top_level.txt
│   │               ├── [1.5K]  sympy
│   │               │   ├── [ 29K]  __init__.py
│   │               │   ├── [3.7K]  abc.py
│   │               │   ├── [ 160]  algebras
```

```
│   │               │   │   ├── [  62]  __init__.py
│   │               │   │   ├── [ 46K]  quaternion.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [ 16K]  test_quaternion.py
│   │               │   ├── [ 544]  assumptions
│   │               │   │   ├── [ 550]  __init__.py
│   │               │   │   ├── [ 19K]  ask.py
│   │               │   │   ├── [ 23K]  ask_generated.py
│   │               │   │   ├── [ 14K]  assume.py
│   │               │   │   ├── [ 12K]  cnf.py
│   │               │   │   ├── [8.2K]  facts.py
│   │               │   │   ├── [ 288]  handlers
│   │               │   │   │   ├── [ 330]  __init__.py
│   │               │   │   │   ├── [7.6K]  calculus.py
│   │               │   │   │   ├── [4.2K]  common.py
│   │               │   │   │   ├── [ 22K]  matrices.py
│   │               │   │   │   ├── [7.5K]  ntheory.py
│   │               │   │   │   ├── [ 12K]  order.py
│   │               │   │   │   └── [ 25K]  sets.py
│   │               │   │   ├── [9.3K]  lra_satask.py
│   │               │   │   ├── [ 288]  predicates
│   │               │   │   │   ├── [ 110]  __init__.py
│   │               │   │   │   ├── [1.8K]  calculus.py
│   │               │   │   │   ├── [2.2K]  common.py
│   │               │   │   │   ├── [ 12K]  matrices.py
│   │               │   │   │   ├── [2.5K]  ntheory.py
│   │               │   │   │   ├── [9.3K]  order.py
│   │               │   │   │   └── [9.0K]  sets.py
│   │               │   │   ├── [ 12K]  refine.py
│   │               │   │   ├── [ 160]  relation
│   │               │   │   │   ├── [ 261]  __init__.py
│   │               │   │   │   ├── [6.2K]  binrel.py
│   │               │   │   │   └── [7.0K]  equality.py
│   │               │   │   ├── [ 11K]  satask.py
│   │               │   │   ├── [9.2K]  sathandlers.py
│   │               │   │   ├── [ 384]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.0K]  test_assumptions_2.py
│   │               │   │   │   ├── [1.1K]  test_context.py
│   │               │   │   │   ├── [ 12K]  test_matrices.py
│   │               │   │   │   ├── [102K]  test_query.py
│   │               │   │   │   ├── [8.6K]  test_refine.py
│   │               │   │   │   ├── [6.5K]  test_rel_queries.py
│   │               │   │   │   ├── [ 15K]  test_satask.py
│   │               │   │   │   ├── [1.8K]  test_sathandlers.py
│   │               │   │   │   └── [1.1K]  test_wrapper.py
│   │               │   │   └── [5.3K]  wrapper.py
│   │               │   ├── [ 192]  benchmarks
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [2.4K]  bench_discrete_log.py
│   │               │   │   ├── [ 11K]  bench_meijerint.py
│   │               │   │   └── [2.9K]  bench_symbench.py
│   │               │   ├── [ 288]  calculus
│   │               │   │   ├── [ 828]  __init__.py
│   │               │   │   ├── [ 28K]  accumulationbounds.py
```

```
│   │               │   │   ├── [3.4K]  euler.py
│   │               │   │   ├── [ 17K]  finite_diff.py
│   │               │   │   ├── [ 12K]  singularities.py
│   │               │   │   ├── [ 256]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 11K]  test_accumulationbounds.py
│   │               │   │   │   ├── [2.6K]  test_euler.py
│   │               │   │   │   ├── [7.5K]  test_finite_diff.py
│   │               │   │   │   ├── [5.1K]  test_singularities.py
│   │               │   │   │   └── [ 18K]  test_util.py
│   │               │   │   └── [ 28K]  util.py
│   │               │   ├── [ 192]  categories
│   │               │   │   ├── [ 984]  __init__.py
│   │               │   │   ├── [ 31K]  baseclasses.py
│   │               │   │   ├── [ 93K]  diagram_drawing.py
│   │               │   │   └── [ 160]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [5.6K]  test_baseclasses.py
│   │               │   │       └── [ 27K]  test_drawing.py
│   │               │   ├── [ 640]  codegen
│   │               │   │   ├── [ 974]  __init__.py
│   │               │   │   ├── [ 490]  abstract_nodes.py
│   │               │   │   ├── [6.2K]  algorithms.py
│   │               │   │   ├── [6.3K]  approximations.py
│   │               │   │   ├── [ 55K]  ast.py
│   │               │   │   ├── [ 12K]  cfunctions.py
│   │               │   │   ├── [3.3K]  cnodes.py
│   │               │   │   ├── [ 383]  cutils.py
│   │               │   │   ├── [ 342]  cxxnodes.py
│   │               │   │   ├── [ 18K]  fnodes.py
│   │               │   │   ├── [1.8K]  futils.py
│   │               │   │   ├── [2.2K]  matrix_nodes.py
│   │               │   │   ├── [4.4K]  numpy_nodes.py
│   │               │   │   ├── [ 243]  pynodes.py
│   │               │   │   ├── [ 838]  pyutils.py
│   │               │   │   ├── [ 11K]  rewriting.py
│   │               │   │   ├── [2.4K]  scipy_nodes.py
│   │               │   │   └── [ 576]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 451]  test_abstract_nodes.py
│   │               │   │       ├── [6.8K]  test_algorithms.py
│   │               │   │       ├── [2.2K]  test_applications.py
│   │               │   │       ├── [2.0K]  test_approximations.py
│   │               │   │       ├── [ 21K]  test_ast.py
│   │               │   │       ├── [5.0K]  test_cfunctions.py
│   │               │   │       ├── [3.0K]  test_cnodes.py
│   │               │   │       ├── [ 366]  test_cxxnodes.py
│   │               │   │       ├── [6.5K]  test_fnodes.py
│   │               │   │       ├── [1.9K]  test_matrix_nodes.py
│   │               │   │       ├── [2.1K]  test_numpy_nodes.py
│   │               │   │       ├── [ 432]  test_pynodes.py
│   │               │   │       ├── [ 299]  test_pyutils.py
│   │               │   │       ├── [ 15K]  test_rewriting.py
│   │               │   │       └── [1.5K]  test_scipy_nodes.py
│   │               │   ├── [ 864]  combinatorics
│   │               │   │   ├── [1.5K]  __init__.py
```

```
│   │               │   │   ├── [ 42K]  coset_table.py
│   │               │   │   ├── [ 47K]  fp_groups.py
│   │               │   │   ├── [ 39K]  free_groups.py
│   │               │   │   ├── [ 17K]  galois.py
│   │               │   │   ├── [7.3K]  generators.py
│   │               │   │   ├── [ 11K]  graycode.py
│   │               │   │   ├── [2.0K]  group_constructs.py
│   │               │   │   ├── [8.9K]  group_numbers.py
│   │               │   │   ├── [ 18K]  homomorphisms.py
│   │               │   │   ├── [8.2K]  named_groups.py
│   │               │   │   ├── [ 20K]  partitions.py
│   │               │   │   ├── [ 21K]  pc_groups.py
│   │               │   │   ├── [180K]  perm_groups.py
│   │               │   │   ├── [ 86K]  permutations.py
│   │               │   │   ├── [ 35K]  polyhedron.py
│   │               │   │   ├── [ 12K]  prufer.py
│   │               │   │   ├── [ 17K]  rewritingsystem.py
│   │               │   │   ├── [2.4K]  rewritingsystem_fsm.py
│   │               │   │   ├── [4.3K]  schur_number.py
│   │               │   │   ├── [ 16K]  subsets.py
│   │               │   │   ├── [ 40K]  tensor_can.py
│   │               │   │   ├── [ 800]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 28K]  test_coset_table.py
│   │               │   │   │   ├── [ 10K]  test_fp_groups.py
│   │               │   │   │   ├── [6.3K]  test_free_groups.py
│   │               │   │   │   ├── [2.7K]  test_galois.py
│   │               │   │   │   ├── [3.5K]  test_generators.py
│   │               │   │   │   ├── [2.7K]  test_graycode.py
│   │               │   │   │   ├── [ 450]  test_group_constructs.py
│   │               │   │   │   ├── [4.1K]  test_group_numbers.py
│   │               │   │   │   ├── [3.7K]  test_homomorphisms.py
│   │               │   │   │   ├── [1.9K]  test_named_groups.py
│   │               │   │   │   ├── [4.0K]  test_partitions.py
│   │               │   │   │   ├── [2.7K]  test_pc_groups.py
│   │               │   │   │   ├── [ 40K]  test_perm_groups.py
│   │               │   │   │   ├── [ 20K]  test_permutations.py
│   │               │   │   │   ├── [4.1K]  test_polyhedron.py
│   │               │   │   │   ├── [2.6K]  test_prufer.py
│   │               │   │   │   ├── [1.7K]  test_rewriting.py
│   │               │   │   │   ├── [1.7K]  test_schur_number.py
│   │               │   │   │   ├── [2.6K]  test_subsets.py
│   │               │   │   │   ├── [ 24K]  test_tensor_can.py
│   │               │   │   │   ├── [1.7K]  test_testutil.py
│   │               │   │   │   └── [4.4K]  test_util.py
│   │               │   │   ├── [ 11K]  testutil.py
│   │               │   │   └── [ 16K]  util.py
│   │               │   ├── [ 352]  concrete
│   │               │   │   ├── [ 144]  __init__.py
│   │               │   │   ├── [9.6K]  delta.py
│   │               │   │   ├── [ 11K]  expr_with_intlimits.py
│   │               │   │   ├── [ 21K]  expr_with_limits.py
│   │               │   │   ├── [5.4K]  gosper.py
│   │               │   │   ├── [ 17K]  guess.py
│   │               │   │   ├── [ 18K]  products.py
│   │               │   │   ├── [ 55K]  summations.py
```

```
│   │               │   │   └── [ 256]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 23K]  test_delta.py
│   │               │   │       ├── [7.8K]  test_gosper.py
│   │               │   │       ├── [3.3K]  test_guess.py
│   │               │   │       ├── [ 14K]  test_products.py
│   │               │   │       └── [ 65K]  test_sums_products.py
│   │               │   ├── [2.7K]  conftest.py
│   │               │   ├── [1.3K]  core
│   │               │   │   ├── [3.0K]  __init__.py
│   │               │   │   ├── [2.3K]  _print_helpers.py
│   │               │   │   ├── [ 42K]  add.py
│   │               │   │   ├── [ 266]  alphabets.py
│   │               │   │   ├── [ 23K]  assumptions.py
│   │               │   │   ├── [ 42K]  assumptions_generated.py
│   │               │   │   ├── [5.1K]  backend.py
│   │               │   │   ├── [ 75K]  basic.py
│   │               │   │   ├── [ 288]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 412]  bench_arit.py
│   │               │   │   │   ├── [ 177]  bench_assumptions.py
│   │               │   │   │   ├── [ 210]  bench_basic.py
│   │               │   │   │   ├── [ 427]  bench_expand.py
│   │               │   │   │   ├── [1.1K]  bench_numbers.py
│   │               │   │   │   └── [ 138]  bench_sympify.py
│   │               │   │   ├── [6.0K]  cache.py
│   │               │   │   ├── [1.1K]  compatibility.py
│   │               │   │   ├── [ 11K]  containers.py
│   │               │   │   ├── [ 547]  core.py
│   │               │   │   ├── [ 642]  coreerrors.py
│   │               │   │   ├── [8.6K]  decorators.py
│   │               │   │   ├── [ 61K]  evalf.py
│   │               │   │   ├── [140K]  expr.py
│   │               │   │   ├── [ 50K]  exprtools.py
│   │               │   │   ├── [ 19K]  facts.py
│   │               │   │   ├── [114K]  function.py
│   │               │   │   ├── [ 14K]  intfunc.py
│   │               │   │   ├── [ 11K]  kind.py
│   │               │   │   ├── [ 11K]  logic.py
│   │               │   │   ├── [8.2K]  mod.py
│   │               │   │   ├── [ 77K]  mul.py
│   │               │   │   ├── [4.1K]  multidimensional.py
│   │               │   │   ├── [134K]  numbers.py
│   │               │   │   ├── [ 25K]  operations.py
│   │               │   │   ├── [3.8K]  parameters.py
│   │               │   │   ├── [ 72K]  power.py
│   │               │   │   ├── [6.5K]  random.py
│   │               │   │   ├── [ 51K]  relational.py
│   │               │   │   ├── [1.5K]  rules.py
│   │               │   │   ├── [6.9K]  singleton.py
│   │               │   │   ├── [ 11K]  sorting.py
│   │               │   │   ├── [ 29K]  symbol.py
│   │               │   │   ├── [ 20K]  sympify.py
│   │               │   │   ├── [1.3K]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [180K]  test_args.py
```

```
│   │               │   │   │   ├── [ 77K]  test_arit.py
│   │               │   │   │   ├── [ 41K]  test_assumptions.py
│   │               │   │   │   ├── [ 10K]  test_basic.py
│   │               │   │   │   ├── [2.0K]  test_cache.py
│   │               │   │   │   ├── [ 240]  test_compatibility.py
│   │               │   │   │   ├── [ 21K]  test_complex.py
│   │               │   │   │   ├── [2.4K]
test_constructor_postprocessor.py
│   │               │   │   │   ├── [7.3K]  test_containers.py
│   │               │   │   │   ├── [5.5K]  test_count_ops.py
│   │               │   │   │   ├── [5.3K]  test_diff.py
│   │               │   │   │   ├── [1.6K]  test_equal.py
│   │               │   │   │   ├── [2.3K]  test_eval.py
│   │               │   │   │   ├── [ 28K]  test_evalf.py
│   │               │   │   │   ├── [ 14K]  test_expand.py
│   │               │   │   │   ├── [ 77K]  test_expr.py
│   │               │   │   │   ├── [ 19K]  test_exprtools.py
│   │               │   │   │   ├── [ 11K]  test_facts.py
│   │               │   │   │   ├── [ 50K]  test_function.py
│   │               │   │   │   ├── [2.0K]  test_kind.py
│   │               │   │   │   ├── [5.5K]  test_logic.py
│   │               │   │   │   ├── [ 22K]  test_match.py
│   │               │   │   │   ├── [ 848]  test_multidimensional.py
│   │               │   │   │   ├── [4.3K]  test_noncommutative.py
│   │               │   │   │   ├── [ 76K]  test_numbers.py
│   │               │   │   │   ├── [2.8K]  test_operations.py
│   │               │   │   │   ├── [3.5K]  test_parameters.py
│   │               │   │   │   ├── [ 24K]  test_power.py
│   │               │   │   │   ├── [3.2K]  test_priority.py
│   │               │   │   │   ├── [1.2K]  test_random.py
│   │               │   │   │   ├── [ 43K]  test_relational.py
│   │               │   │   │   ├── [ 349]  test_rules.py
│   │               │   │   │   ├── [3.0K]  test_singleton.py
│   │               │   │   │   ├── [ 902]  test_sorting.py
│   │               │   │   │   ├── [ 29K]  test_subs.py
│   │               │   │   │   ├── [ 13K]  test_symbol.py
│   │               │   │   │   ├── [ 28K]  test_sympify.py
│   │               │   │   │   ├── [4.2K]  test_traversal.py
│   │               │   │   │   ├── [ 854]  test_truediv.py
│   │               │   │   │   └── [1.6K]  test_var.py
│   │               │   │   ├── [ 348]  trace.py
│   │               │   │   └── [8.7K]  traversal.py
│   │               │   ├── [ 160]  crypto
│   │               │   │   ├── [2.1K]  __init__.py
│   │               │   │   ├── [ 88K]  crypto.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [ 19K]  test_crypto.py
│   │               │   ├── [ 192]  diffgeom
│   │               │   │   ├── [ 991]  __init__.py
│   │               │   │   ├── [ 71K]  diffgeom.py
│   │               │   │   ├── [6.1K]  rn.py
│   │               │   │   └── [ 224]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [1.0K]  test_class_structure.py
│   │               │   │       ├── [ 14K]  test_diffgeom.py
```

```
│   │               │   │       ├── [5.1K]  test_function_diffgeom_book.py
│   │               │   │       └── [2.5K]  test_hyperbolic_space.py
│   │               │   ├── [ 224]  discrete
│   │               │   │   ├── [ 772]  __init__.py
│   │               │   │   ├── [ 18K]  convolutions.py
│   │               │   │   ├── [5.0K]  recurrences.py
│   │               │   │   ├── [ 192]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 17K]  test_convolutions.py
│   │               │   │   │   ├── [2.9K]  test_recurrences.py
│   │               │   │   │   └── [5.4K]  test_transforms.py
│   │               │   │   └── [ 11K]  transforms.py
│   │               │   ├── [ 256]  external
│   │               │   │   ├── [ 578]  __init__.py
│   │               │   │   ├── [9.5K]  gmpy.py
│   │               │   │   ├── [7.5K]  importtools.py
│   │               │   │   ├── [ 16K]  ntheory.py
│   │               │   │   ├── [ 11K]  pythonmpq.py
│   │               │   │   └── [ 352]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [9.5K]  test_autowrap.py
│   │               │   │       ├── [ 12K]  test_codegen.py
│   │               │   │       ├── [ 397]  test_gmpy.py
│   │               │   │       ├── [1.4K]  test_importtools.py
│   │               │   │       ├── [8.7K]  test_ntheory.py
│   │               │   │       ├── [ 10K]  test_numpy.py
│   │               │   │       ├── [5.7K]  test_pythonmpq.py
│   │               │   │       └── [1.1K]  test_scipy.py
│   │               │   ├── [ 192]  functions
│   │               │   │   ├── [5.4K]  __init__.py
│   │               │   │   ├── [ 192]  combinatorial
│   │               │   │   │   ├── [  53]  __init__.py
│   │               │   │   │   ├── [ 38K]  factorials.py
│   │               │   │   │   ├── [ 99K]  numbers.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 26K]  test_comb_factorials.py
│   │               │   │   │       └── [ 46K]  test_comb_numbers.py
│   │               │   │   ├── [ 416]  elementary
│   │               │   │   │   ├── [  50]  __init__.py
│   │               │   │   │   ├── [7.1K]  _trigonometric_special.py
│   │               │   │   │   ├── [ 128]  benchmarks
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [ 185]  bench_exp.py
│   │               │   │   │   ├── [ 43K]  complexes.py
│   │               │   │   │   ├── [ 42K]  exponential.py
│   │               │   │   │   ├── [ 68K]  hyperbolic.py
│   │               │   │   │   ├── [ 22K]  integers.py
│   │               │   │   │   ├── [ 27K]  miscellaneous.py
│   │               │   │   │   ├── [ 57K]  piecewise.py
│   │               │   │   │   ├── [ 352]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 33K]  test_complexes.py
│   │               │   │   │   │   ├── [ 29K]  test_exponential.py
│   │               │   │   │   │   ├── [ 56K]  test_hyperbolic.py
│   │               │   │   │   │   ├── [ 23K]  test_integers.py
```

```
│   │               │   │   │   │   ├── [2.5K]  test_interface.py
│   │               │   │   │   │   ├── [ 17K]  test_miscellaneous.py
│   │               │   │   │   │   ├── [ 61K]  test_piecewise.py
│   │               │   │   │   │   └── [ 88K]  test_trigonometric.py
│   │               │   │   │   └── [113K]  trigonometric.py
│   │               │   │   └── [ 608]  special
│   │               │   │       ├── [  59]  __init__.py
│   │               │   │       ├── [ 128]  benchmarks
│   │               │   │       │   ├── [   0]  __init__.py
│   │               │   │       │   └── [ 164]  bench_special.py
│   │               │   │       ├── [ 67K]  bessel.py
│   │               │   │       ├── [ 12K]  beta_functions.py
│   │               │   │       ├── [9.8K]  bsplines.py
│   │               │   │       ├── [ 19K]  delta_functions.py
│   │               │   │       ├── [ 15K]  elliptic_integrals.py
│   │               │   │       ├── [ 78K]  error_functions.py
│   │               │   │       ├── [ 42K]  gamma_functions.py
│   │               │   │       ├── [ 38K]  hyper.py
│   │               │   │       ├── [6.5K]  mathieu_functions.py
│   │               │   │       ├── [ 46K]  polynomials.py
│   │               │   │       ├── [8.2K]  singularity_functions.py
│   │               │   │       ├── [ 11K]  spherical_harmonics.py
│   │               │   │       ├── [ 12K]  tensor_functions.py
│   │               │   │       ├── [ 544]  tests
│   │               │   │       │   ├── [   0]  __init__.py
│   │               │   │       │   ├── [ 36K]  test_bessel.py
│   │               │   │       │   ├── [3.7K]  test_beta_functions.py
│   │               │   │       │   ├── [7.0K]  test_bsplines.py
│   │               │   │       │   ├── [7.0K]  test_delta_functions.py
│   │               │   │       │   ├── [6.8K]  test_elliptic_integrals.py
│   │               │   │       │   ├── [ 33K]  test_error_functions.py
│   │               │   │       │   ├── [ 29K]  test_gamma_functions.py
│   │               │   │       │   ├── [ 16K]  test_hyper.py
│   │               │   │       │   ├── [1.3K]  test_mathieu.py
│   │               │   │       │   ├── [6.1K]
test_singularity_functions.py
│   │               │   │       │   ├── [ 19K]  test_spec_polynomials.py
│   │               │   │       │   ├── [3.8K]  test_spherical_harmonics.py
│   │               │   │       │   ├── [5.4K]  test_tensor_functions.py
│   │               │   │       │   └── [ 10K]  test_zeta_functions.py
│   │               │   │       └── [ 24K]  zeta_functions.py
│   │               │   ├── [ 123]  galgebra.py
│   │               │   ├── [ 448]  geometry
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [9.9K]  curve.py
│   │               │   │   ├── [ 49K]  ellipse.py
│   │               │   │   ├── [ 20K]  entity.py
│   │               │   │   ├── [ 131]  exceptions.py
│   │               │   │   ├── [ 79K]  line.py
│   │               │   │   ├── [ 10K]  parabola.py
│   │               │   │   ├── [ 26K]  plane.py
│   │               │   │   ├── [ 36K]  point.py
│   │               │   │   ├── [ 80K]  polygon.py
│   │               │   │   ├── [ 416]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [4.4K]  test_curve.py
```

```
│   │               │   │   │   ├── [ 26K]  test_ellipse.py
│   │               │   │   │   ├── [3.8K]  test_entity.py
│   │               │   │   │   ├── [1.9K]  test_geometrysets.py
│   │               │   │   │   ├── [ 37K]  test_line.py
│   │               │   │   │   ├── [6.0K]  test_parabola.py
│   │               │   │   │   ├── [ 12K]  test_plane.py
│   │               │   │   │   ├── [ 16K]  test_point.py
│   │               │   │   │   ├── [ 27K]  test_polygon.py
│   │               │   │   │   └── [6.9K]  test_util.py
│   │               │   │   └── [ 20K]  util.py
│   │               │   ├── [ 256]  holonomic
│   │               │   │   ├── [ 784]  __init__.py
│   │               │   │   ├── [ 90K]  holonomic.py
│   │               │   │   ├── [1.2K]  holonomicerrors.py
│   │               │   │   ├── [2.6K]  numerical.py
│   │               │   │   ├── [ 10K]  recurrence.py
│   │               │   │   └── [ 160]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 35K]  test_holonomic.py
│   │               │   │       └── [1.3K]  test_recurrence.py
│   │               │   ├── [ 672]  integrals
│   │               │   │   ├── [1.9K]  __init__.py
│   │               │   │   ├── [ 160]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 396]  bench_integrate.py
│   │               │   │   │   └── [ 305]  bench_trigintegrate.py
│   │               │   │   ├── [7.3K]  deltafunctions.py
│   │               │   │   ├── [ 26K]  heurisch.py
│   │               │   │   ├── [ 63K]  integrals.py
│   │               │   │   ├── [ 42K]  intpoly.py
│   │               │   │   ├── [ 85K]  laplace.py
│   │               │   │   ├── [ 74K]  manualintegrate.py
│   │               │   │   ├── [ 79K]  meijerint.py
│   │               │   │   ├── [1.2K]  meijerint_doc.py
│   │               │   │   ├── [ 51K]  prde.py
│   │               │   │   ├── [ 17K]  quadrature.py
│   │               │   │   ├── [ 11K]  rationaltools.py
│   │               │   │   ├── [ 27K]  rde.py
│   │               │   │   ├── [ 66K]  risch.py
│   │               │   │   ├── [2.2K]  singularityfunctions.py
│   │               │   │   ├── [ 640]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.6K]  test_deltafunctions.py
│   │               │   │   │   ├── [7.3K]  test_failing_integrals.py
│   │               │   │   │   ├── [ 14K]  test_heurisch.py
│   │               │   │   │   ├── [ 79K]  test_integrals.py
│   │               │   │   │   ├── [ 37K]  test_intpoly.py
│   │               │   │   │   ├── [ 37K]  test_laplace.py
│   │               │   │   │   ├── [ 450]  test_lineintegrals.py
│   │               │   │   │   ├── [ 34K]  test_manual.py
│   │               │   │   │   ├── [ 32K]  test_meijerint.py
│   │               │   │   │   ├── [ 16K]  test_prde.py
│   │               │   │   │   ├── [ 19K]  test_quadrature.py
│   │               │   │   │   ├── [5.5K]  test_rationaltools.py
│   │               │   │   │   ├── [9.3K]  test_rde.py
│   │               │   │   │   ├── [ 38K]  test_risch.py
```

```
│   │               │   │   │   ├── [1.2K]  test_singularityfunctions.py
│   │               │   │   │   ├── [ 27K]  test_transforms.py
│   │               │   │   │   └── [3.8K]  test_trigonometry.py
│   │               │   │   ├── [ 51K]  transforms.py
│   │               │   │   └── [ 11K]  trigonometry.py
│   │               │   ├── [ 224]  interactive
│   │               │   │   ├── [ 251]  __init__.py
│   │               │   │   ├── [ 21K]  printing.py
│   │               │   │   ├── [ 15K]  session.py
│   │               │   │   ├── [ 160]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 485]  test_interactive.py
│   │               │   │   │   └── [ 12K]  test_ipython.py
│   │               │   │   └── [3.1K]  traversal.py
│   │               │   ├── [ 512]  liealgebras
│   │               │   │   ├── [  79]  __init__.py
│   │               │   │   ├── [ 524]  cartan_matrix.py
│   │               │   │   ├── [1.7K]  cartan_type.py
│   │               │   │   ├── [ 535]  dynkin_diagram.py
│   │               │   │   ├── [6.5K]  root_system.py
│   │               │   │   ├── [ 480]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 303]  test_cartan_matrix.py
│   │               │   │   │   ├── [ 339]  test_cartan_type.py
│   │               │   │   │   ├── [ 260]  test_dynkin_diagram.py
│   │               │   │   │   ├── [ 927]  test_root_system.py
│   │               │   │   │   ├── [ 657]  test_type_A.py
│   │               │   │   │   ├── [ 642]  test_type_B.py
│   │               │   │   │   ├── [ 927]  test_type_C.py
│   │               │   │   │   ├── [ 764]  test_type_D.py
│   │               │   │   │   ├── [ 987]  test_type_E.py
│   │               │   │   │   ├── [1.3K]  test_type_F.py
│   │               │   │   │   ├── [ 548]  test_type_G.py
│   │               │   │   │   └── [1.5K]  test_weyl_group.py
│   │               │   │   ├── [4.2K]  type_a.py
│   │               │   │   ├── [4.4K]  type_b.py
│   │               │   │   ├── [4.3K]  type_c.py
│   │               │   │   ├── [4.6K]  type_d.py
│   │               │   │   ├── [8.1K]  type_e.py
│   │               │   │   ├── [4.3K]  type_f.py
│   │               │   │   ├── [2.9K]  type_g.py
│   │               │   │   └── [ 14K]  weyl_group.py
│   │               │   ├── [ 256]  logic
│   │               │   │   ├── [ 456]  __init__.py
│   │               │   │   ├── [ 288]  algorithms
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [9.0K]  dpll.py
│   │               │   │   │   ├── [ 21K]  dpll2.py
│   │               │   │   │   ├── [ 31K]  lra_theory.py
│   │               │   │   │   ├── [1.3K]  minisat22_wrapper.py
│   │               │   │   │   ├── [1.2K]  pycosat_wrapper.py
│   │               │   │   │   └── [3.7K]  z3_wrapper.py
│   │               │   │   ├── [112K]  boolalg.py
│   │               │   │   ├── [8.8K]  inference.py
│   │               │   │   ├── [ 224]  tests
│   │               │   │   │   ├── [   0]  __init__.py
```

```
│   │               │   │   │   ├── [ 49K]  test_boolalg.py
│   │               │   │   │   ├── [3.8K]  test_dimacs.py
│   │               │   │   │   ├── [ 16K]  test_inference.py
│   │               │   │   │   └── [ 16K]  test_lra_theory.py
│   │               │   │   └── [ 128]  utilities
│   │               │   │       ├── [  55]  __init__.py
│   │               │   │       └── [1.6K]  dimacs.py
│   │               │   ├── [ 832]  matrices
│   │               │   │   ├── [2.6K]  __init__.py
│   │               │   │   ├── [ 128]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 306]  bench_matrix.py
│   │               │   │   ├── [ 93K]  common.py
│   │               │   │   ├── [ 47K]  decompositions.py
│   │               │   │   ├── [ 30K]  dense.py
│   │               │   │   ├── [ 34K]  determinant.py
│   │               │   │   ├── [ 39K]  eigen.py
│   │               │   │   ├── [ 503]  exceptions.py
│   │               │   │   ├── [ 896]  expressions
│   │               │   │   │   ├── [1.7K]  __init__.py
│   │               │   │   │   ├── [3.0K]  _shape.py
│   │               │   │   │   ├── [1.5K]  adjoint.py
│   │               │   │   │   ├── [6.6K]  applyfunc.py
│   │               │   │   │   ├── [ 31K]  blockmatrix.py
│   │               │   │   │   ├── [1.7K]  companion.py
│   │               │   │   │   ├── [3.2K]  determinant.py
│   │               │   │   │   ├── [6.2K]  diagonal.py
│   │               │   │   │   ├── [1.9K]  dotproduct.py
│   │               │   │   │   ├── [1.4K]  factorizations.py
│   │               │   │   │   ├── [2.0K]  fourier.py
│   │               │   │   │   ├── [3.4K]  funcmatrix.py
│   │               │   │   │   ├── [ 14K]  hadamard.py
│   │               │   │   │   ├── [2.9K]  inverse.py
│   │               │   │   │   ├── [ 13K]  kronecker.py
│   │               │   │   │   ├── [4.7K]  matadd.py
│   │               │   │   │   ├── [ 27K]  matexpr.py
│   │               │   │   │   ├── [ 15K]  matmul.py
│   │               │   │   │   ├── [5.0K]  matpow.py
│   │               │   │   │   ├── [7.9K]  permutation.py
│   │               │   │   │   ├── [2.0K]  sets.py
│   │               │   │   │   ├── [3.3K]  slice.py
│   │               │   │   │   ├── [7.3K]  special.py
│   │               │   │   │   ├── [ 896]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [1.0K]  test_adjoint.py
│   │               │   │   │   │   ├── [3.4K]  test_applyfunc.py
│   │               │   │   │   │   ├── [ 16K]  test_blockmatrix.py
│   │               │   │   │   │   ├── [1.6K]  test_companion.py
│   │               │   │   │   │   ├── [ 16K]  test_derivatives.py
│   │               │   │   │   │   ├── [2.0K]  test_determinant.py
│   │               │   │   │   │   ├── [4.4K]  test_diagonal.py
│   │               │   │   │   │   ├── [1.1K]  test_dotproduct.py
│   │               │   │   │   │   ├── [ 786]  test_factorizations.py
│   │               │   │   │   │   ├── [1.6K]  test_fourier.py
│   │               │   │   │   │   ├── [2.2K]  test_funcmatrix.py
│   │               │   │   │   │   ├── [4.5K]  test_hadamard.py
```

```
│   │               │   │   │   │   ├── [ 12K]  test_indexing.py
│   │               │   │   │   │   ├── [2.3K]  test_inverse.py
│   │               │   │   │   │   ├── [5.2K]  test_kronecker.py
│   │               │   │   │   │   ├── [1.8K]  test_matadd.py
│   │               │   │   │   │   ├── [ 18K]  test_matexpr.py
│   │               │   │   │   │   ├── [6.0K]  test_matmul.py
│   │               │   │   │   │   ├── [7.1K]  test_matpow.py
│   │               │   │   │   │   ├── [5.5K]  test_permutation.py
│   │               │   │   │   │   ├── [1.4K]  test_sets.py
│   │               │   │   │   │   ├── [2.0K]  test_slice.py
│   │               │   │   │   │   ├── [6.3K]  test_special.py
│   │               │   │   │   │   ├── [3.3K]  test_trace.py
│   │               │   │   │   │   └── [1.9K]  test_transpose.py
│   │               │   │   │   ├── [5.2K]  trace.py
│   │               │   │   │   └── [2.6K]  transpose.py
│   │               │   │   ├── [8.9K]  graph.py
│   │               │   │   ├── [5.4K]  immutable.py
│   │               │   │   ├── [ 13K]  inverse.py
│   │               │   │   ├── [2.8K]  kind.py
│   │               │   │   ├── [ 23K]  matrices.py
│   │               │   │   ├── [161K]  matrixbase.py
│   │               │   │   ├── [4.5K]  normalforms.py
│   │               │   │   ├── [ 12K]  reductions.py
│   │               │   │   ├── [ 29K]  repmatrix.py
│   │               │   │   ├── [ 25K]  solvers.py
│   │               │   │   ├── [ 14K]  sparse.py
│   │               │   │   ├── [9.0K]  sparsetools.py
│   │               │   │   ├── [3.7K]  subspaces.py
│   │               │   │   ├── [ 640]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 40K]  test_commonmatrix.py
│   │               │   │   │   ├── [ 14K]  test_decompositions.py
│   │               │   │   │   ├── [9.3K]  test_determinant.py
│   │               │   │   │   ├── [3.2K]  test_domains.py
│   │               │   │   │   ├── [ 22K]  test_eigen.py
│   │               │   │   │   ├── [3.1K]  test_graph.py
│   │               │   │   │   ├── [4.5K]  test_immutable.py
│   │               │   │   │   ├── [2.0K]  test_interactions.py
│   │               │   │   │   ├── [159K]  test_matrices.py
│   │               │   │   │   ├── [165K]  test_matrixbase.py
│   │               │   │   │   ├── [3.6K]  test_normalforms.py
│   │               │   │   │   ├── [ 13K]  test_reductions.py
│   │               │   │   │   ├── [2.0K]  test_repmatrix.py
│   │               │   │   │   ├── [ 22K]  test_solvers.py
│   │               │   │   │   ├── [ 23K]  test_sparse.py
│   │               │   │   │   ├── [4.8K]  test_sparsetools.py
│   │               │   │   │   └── [3.4K]  test_subspaces.py
│   │               │   │   └── [2.1K]  utilities.py
│   │               │   ├── [ 256]  multipledispatch
│   │               │   │   ├── [ 259]  __init__.py
│   │               │   │   ├── [2.1K]  conflict.py
│   │               │   │   ├── [2.2K]  core.py
│   │               │   │   ├── [ 12K]  dispatcher.py
│   │               │   │   ├── [ 192]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.7K]  test_conflict.py
```

```
│   │               │   │   │   ├── [4.0K]  test_core.py
│   │               │   │   │   └── [6.1K]  test_dispatcher.py
│   │               │   │   └── [3.0K]  utils.py
│   │               │   ├── [ 576]  ntheory
│   │               │   │   ├── [2.7K]  __init__.py
│   │               │   │   ├── [5.9K]  bbp_pi.py
│   │               │   │   ├── [ 10K]  continued_fraction.py
│   │               │   │   ├── [3.7K]  digits.py
│   │               │   │   ├── [ 12K]  ecm.py
│   │               │   │   ├── [6.8K]  egyptian_fraction.py
│   │               │   │   ├── [ 11K]  elliptic_curve.py
│   │               │   │   ├── [ 82K]  factor_.py
│   │               │   │   ├── [ 33K]  generate.py
│   │               │   │   ├── [8.3K]  modular.py
│   │               │   │   ├── [5.0K]  multinomial.py
│   │               │   │   ├── [8.8K]  partitions_.py
│   │               │   │   ├── [ 25K]  primetest.py
│   │               │   │   ├── [ 15K]  qs.py
│   │               │   │   ├── [ 53K]  residue_ntheory.py
│   │               │   │   └── [ 576]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [9.3K]  test_bbp_pi.py
│   │               │   │       ├── [3.5K]  test_continued_fraction.py
│   │               │   │       ├── [1.9K]  test_digits.py
│   │               │   │       ├── [2.2K]  test_ecm.py
│   │               │   │       ├── [2.3K]  test_egyptian_fraction.py
│   │               │   │       ├── [ 624]  test_elliptic_curve.py
│   │               │   │       ├── [ 26K]  test_factor_.py
│   │               │   │       ├── [9.6K]  test_generate.py
│   │               │   │       ├── [ 728]  test_hypothesis.py
│   │               │   │       ├── [1.4K]  test_modular.py
│   │               │   │       ├── [2.3K]  test_multinomial.py
│   │               │   │       ├── [1.1K]  test_partitions.py
│   │               │   │       ├── [9.3K]  test_primetest.py
│   │               │   │       ├── [3.9K]  test_qs.py
│   │               │   │       └── [ 16K]  test_residue.py
│   │               │   ├── [ 416]  parsing
│   │               │   │   ├── [ 125]  __init__.py
│   │               │   │   ├── [2.7K]  ast_parser.py
│   │               │   │   ├── [ 288]  autolev
│   │               │   │   │   ├── [4.1K]  Autolev.g4
│   │               │   │   │   ├── [3.5K]  __init__.py
│   │               │   │   │   ├── [ 192]  _antlr
│   │               │   │   │   │   ├── [ 203]  __init__.py
│   │               │   │   │   │   ├── [ 13K]  autolevlexer.py
│   │               │   │   │   │   ├── [ 13K]  autolevlistener.py
│   │               │   │   │   │   └── [104K]  autolevparser.py
│   │               │   │   │   ├── [2.5K]  _build_autolev_antlr.py
│   │               │   │   │   ├── [102K]  _listener_autolev_antlr.py
│   │               │   │   │   ├── [1.7K]  _parse_autolev_antlr.py
│   │               │   │   │   └── [ 896]  test-examples
│   │               │   │   │       ├── [ 528]  README.txt
│   │               │   │   │       ├── [ 320]  pydy-example-repo
│   │               │   │   │       │   ├── [ 690]  chaos_pendulum.al
│   │               │   │   │       │   ├── [2.2K]  chaos_pendulum.py
│   │               │   │   │       │   ├── [ 427]  double_pendulum.al
```

```
│   │               │   │   │       │   ├── [1.5K]  double_pendulum.py
│   │               │   │   │       │   ├── [ 505]  mass_spring_damper.al
│   │               │   │   │       │   ├── [1.3K]  mass_spring_damper.py
│   │               │   │   │       │   ├── [ 362]  non_min_pendulum.al
│   │               │   │   │       │   └── [1.5K]  non_min_pendulum.py
│   │               │   │   │       ├── [ 176]  ruletest1.al
│   │               │   │   │       ├── [ 555]  ruletest1.py
│   │               │   │   │       ├── [ 781]  ruletest10.al
│   │               │   │   │       ├── [2.7K]  ruletest10.py
│   │               │   │   │       ├── [ 188]  ruletest11.al
│   │               │   │   │       ├── [ 475]  ruletest11.py
│   │               │   │   │       ├── [ 185]  ruletest12.al
│   │               │   │   │       ├── [ 472]  ruletest12.py
│   │               │   │   │       ├── [ 237]  ruletest2.al
│   │               │   │   │       ├── [ 820]  ruletest2.py
│   │               │   │   │       ├── [ 308]  ruletest3.al
│   │               │   │   │       ├── [1.5K]  ruletest3.py
│   │               │   │   │       ├── [ 302]  ruletest4.al
│   │               │   │   │       ├── [ 682]  ruletest4.py
│   │               │   │   │       ├── [ 516]  ruletest5.al
│   │               │   │   │       ├── [1.9K]  ruletest5.py
│   │               │   │   │       ├── [ 703]  ruletest6.al
│   │               │   │   │       ├── [1.4K]  ruletest6.py
│   │               │   │   │       ├── [ 773]  ruletest7.al
│   │               │   │   │       ├── [1.7K]  ruletest7.py
│   │               │   │   │       ├── [ 682]  ruletest8.al
│   │               │   │   │       ├── [2.6K]  ruletest8.py
│   │               │   │   │       ├── [ 755]  ruletest9.al
│   │               │   │   │       └── [1.9K]  ruletest9.py
│   │               │   │   ├── [ 128]  c
│   │               │   │   │   ├── [  65]  __init__.py
│   │               │   │   │   └── [ 37K]  c_parser.py
│   │               │   │   ├── [ 128]  fortran
│   │               │   │   │   ├── [  73]  __init__.py
│   │               │   │   │   └── [ 11K]  fortran_parser.py
│   │               │   │   ├── [ 320]  latex
│   │               │   │   │   ├── [1.0K]  LICENSE.txt
│   │               │   │   │   ├── [5.7K]  LaTeX.g4
│   │               │   │   │   ├── [8.8K]  __init__.py
│   │               │   │   │   ├── [ 160]  _antlr
│   │               │   │   │   │   ├── [ 384]  __init__.py
│   │               │   │   │   │   ├── [ 30K]  latexlexer.py
│   │               │   │   │   │   └── [121K]  latexparser.py
│   │               │   │   │   ├── [2.7K]  _build_latex_antlr.py
│   │               │   │   │   ├── [ 20K]  _parse_latex_antlr.py
│   │               │   │   │   ├── [  45]  errors.py
│   │               │   │   │   └── [ 192]  lark
│   │               │   │   │       ├── [ 120]  __init__.py
│   │               │   │   │       ├── [ 128]  grammar
│   │               │   │   │       │   ├── [ 937]  greek_symbols.lark
│   │               │   │   │       │   └── [ 13K]  latex.lark
│   │               │   │   │       ├── [4.3K]  latex_parser.py
│   │               │   │   │       └── [ 25K]  transformer.py
│   │               │   │   ├── [ 39K]  mathematica.py
│   │               │   │   ├── [1.8K]  maxima.py
│   │               │   │   ├── [8.7K]  sym_expr.py
```

```
│   │               │   │   ├── [ 43K]  sympy_parser.py
│   │               │   │   └── [ 512]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 803]  test_ast_parser.py
│   │               │   │       ├── [6.5K]  test_autolev.py
│   │               │   │       ├── [152K]  test_c_parser.py
│   │               │   │       ├── [2.0K]  test_custom_latex.py
│   │               │   │       ├── [ 12K]  test_fortran_parser.py
│   │               │   │       ├── [7.2K]
test_implicit_multiplication_application.py
│   │               │   │       ├── [ 11K]  test_latex.py
│   │               │   │       ├── [ 426]  test_latex_deps.py
│   │               │   │       ├── [ 35K]  test_latex_lark.py
│   │               │   │       ├── [ 13K]  test_mathematica.py
│   │               │   │       ├── [1.9K]  test_maxima.py
│   │               │   │       ├── [5.5K]  test_sym_expr.py
│   │               │   │       └── [ 13K]  test_sympy_parser.py
│   │               │   ├── [ 672]  physics
│   │               │   │   ├── [ 220]  __init__.py
│   │               │   │   ├── [ 256]  biomechanics
│   │               │   │   │   ├── [1.5K]  __init__.py
│   │               │   │   │   ├── [1.5K]  _mixin.py
│   │               │   │   │   ├── [ 25K]  activation.py
│   │               │   │   │   ├── [ 62K]  curve.py
│   │               │   │   │   ├── [ 57K]  musculotendon.py
│   │               │   │   │   └── [ 224]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 13K]  test_activation.py
│   │               │   │   │       ├── [ 74K]  test_curve.py
│   │               │   │   │       ├── [1.3K]  test_mixin.py
│   │               │   │   │       └── [ 32K]  test_musculotendon.py
│   │               │   │   ├── [ 256]  continuum_mechanics
│   │               │   │   │   ├── [ 191]  __init__.py
│   │               │   │   │   ├── [ 38K]  arch.py
│   │               │   │   │   ├── [156K]  beam.py
│   │               │   │   │   ├── [ 31K]  cable.py
│   │               │   │   │   ├── [ 224]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [2.5K]  test_arch.py
│   │               │   │   │   │   ├── [ 41K]  test_beam.py
│   │               │   │   │   │   ├── [3.7K]  test_cable.py
│   │               │   │   │   │   └── [3.2K]  test_truss.py
│   │               │   │   │   └── [ 44K]  truss.py
│   │               │   │   ├── [ 192]  control
│   │               │   │   │   ├── [1.3K]  __init__.py
│   │               │   │   │   ├── [ 37K]  control_plots.py
│   │               │   │   │   ├── [173K]  lti.py
│   │               │   │   │   └── [ 160]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 17K]  test_control_plots.py
│   │               │   │   │       └── [102K]  test_lti.py
│   │               │   │   ├── [ 160]  hep
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 24K]  gamma_matrices.py
│   │               │   │   │   └── [ 128]  tests
│   │               │   │   │       ├── [   0]  __init__.py
```

```
│   │               │   │   │       └── [ 14K]  test_gamma_matrices.py
│   │               │   │   ├── [7.4K]  hydrogen.py
│   │               │   │   ├── [3.7K]  matrices.py
│   │               │   │   ├── [ 704]  mechanics
│   │               │   │   │   ├── [2.8K]  __init__.py
│   │               │   │   │   ├── [ 43K]  actuator.py
│   │               │   │   │   ├── [ 24K]  body.py
│   │               │   │   │   ├── [2.4K]  body_base.py
│   │               │   │   │   ├── [ 25K]  functions.py
│   │               │   │   │   ├── [6.0K]  inertia.py
│   │               │   │   │   ├── [ 83K]  joint.py
│   │               │   │   │   ├── [ 10K]  jointsmethod.py
│   │               │   │   │   ├── [ 36K]  kane.py
│   │               │   │   │   ├── [ 20K]  lagrange.py
│   │               │   │   │   ├── [ 17K]  linearize.py
│   │               │   │   │   ├── [5.3K]  loads.py
│   │               │   │   │   ├── [ 660]  method.py
│   │               │   │   │   ├── [6.3K]  models.py
│   │               │   │   │   ├── [5.8K]  particle.py
│   │               │   │   │   ├── [ 26K]  pathway.py
│   │               │   │   │   ├── [ 10K]  rigidbody.py
│   │               │   │   │   ├── [ 58K]  system.py
│   │               │   │   │   ├── [ 864]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [ 40K]  test_actuator.py
│   │               │   │   │   │   ├── [ 12K]  test_body.py
│   │               │   │   │   │   ├── [ 10K]  test_functions.py
│   │               │   │   │   │   ├── [2.7K]  test_inertia.py
│   │               │   │   │   │   ├── [ 57K]  test_joint.py
│   │               │   │   │   │   ├── [ 10K]  test_jointsmethod.py
│   │               │   │   │   │   ├── [ 21K]  test_kane.py
│   │               │   │   │   │   ├── [ 19K]  test_kane2.py
│   │               │   │   │   │   ├── [ 15K]  test_kane3.py
│   │               │   │   │   │   ├── [4.6K]  test_kane4.py
│   │               │   │   │   │   ├── [5.6K]  test_kane5.py
│   │               │   │   │   │   ├── [9.9K]  test_lagrange.py
│   │               │   │   │   │   ├── [1.4K]  test_lagrange2.py
│   │               │   │   │   │   ├── [1.3K]
test_linearity_of_velocity_constraints.py
│   │               │   │   │   │   ├── [ 13K]  test_linearize.py
│   │               │   │   │   │   ├── [2.6K]  test_loads.py
│   │               │   │   │   │   ├── [ 154]  test_method.py
│   │               │   │   │   │   ├── [5.0K]  test_models.py
│   │               │   │   │   │   ├── [2.6K]  test_particle.py
│   │               │   │   │   │   ├── [ 24K]  test_pathway.py
│   │               │   │   │   │   ├── [6.0K]  test_rigidbody.py
│   │               │   │   │   │   ├── [8.5K]  test_system.py
│   │               │   │   │   │   ├── [ 37K]  test_system_class.py
│   │               │   │   │   │   └── [ 10K]  test_wrapping_geometry.py
│   │               │   │   │   └── [ 21K]  wrapping_geometry.py
│   │               │   │   ├── [ 288]  optics
│   │               │   │   │   ├── [1.6K]  __init__.py
│   │               │   │   │   ├── [ 20K]  gaussopt.py
│   │               │   │   │   ├── [7.0K]  medium.py
│   │               │   │   │   ├── [ 21K]  polarization.py
│   │               │   │   │   ├── [ 256]  tests
```

```
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [4.1K]  test_gaussopt.py
│   │               │   │   │   │   ├── [2.1K]  test_medium.py
│   │               │   │   │   │   ├── [2.5K]  test_polarization.py
│   │               │   │   │   │   ├── [8.4K]  test_utils.py
│   │               │   │   │   │   └── [3.3K]  test_waves.py
│   │               │   │   │   ├── [ 22K]  utils.py
│   │               │   │   │   └── [9.8K]  waves.py
│   │               │   │   ├── [5.9K]  paulialgebra.py
│   │               │   │   ├── [2.2K]  pring.py
│   │               │   │   ├── [2.0K]  qho_1d.py
│   │               │   │   ├── [1.3K]  quantum
│   │               │   │   │   ├── [1.9K]  __init__.py
│   │               │   │   │   ├── [5.0K]  anticommutator.py
│   │               │   │   │   ├── [5.7K]  boson.py
│   │               │   │   │   ├── [8.9K]  cartesian.py
│   │               │   │   │   ├── [ 23K]  cg.py
│   │               │   │   │   ├── [ 12K]  circuitplot.py
│   │               │   │   │   ├── [ 14K]  circuitutils.py
│   │               │   │   │   ├── [7.9K]  commutator.py
│   │               │   │   │   ├── [1.4K]  constants.py
│   │               │   │   │   ├── [2.4K]  dagger.py
│   │               │   │   │   ├── [9.3K]  density.py
│   │               │   │   │   ├── [4.9K]  fermion.py
│   │               │   │   │   ├── [ 42K]  gate.py
│   │               │   │   │   ├── [ 10K]  grover.py
│   │               │   │   │   ├── [ 19K]  hilbert.py
│   │               │   │   │   ├── [ 27K]  identitysearch.py
│   │               │   │   │   ├── [4.2K]  innerproduct.py
│   │               │   │   │   ├── [2.8K]  kind.py
│   │               │   │   │   ├── [3.5K]  matrixcache.py
│   │               │   │   │   ├── [8.0K]  matrixutils.py
│   │               │   │   │   ├── [ 19K]  operator.py
│   │               │   │   │   ├── [ 10K]  operatorordering.py
│   │               │   │   │   ├── [9.3K]  operatorset.py
│   │               │   │   │   ├── [ 17K]  pauli.py
│   │               │   │   │   ├── [1.9K]  piab.py
│   │               │   │   │   ├── [9.3K]  qapply.py
│   │               │   │   │   ├── [6.1K]  qasm.py
│   │               │   │   │   ├── [ 14K]  qexpr.py
│   │               │   │   │   ├── [6.3K]  qft.py
│   │               │   │   │   ├── [ 25K]  qubit.py
│   │               │   │   │   ├── [ 18K]  represent.py
│   │               │   │   │   ├── [ 20K]  sho1d.py
│   │               │   │   │   ├── [5.4K]  shor.py
│   │               │   │   │   ├── [ 71K]  spin.py
│   │               │   │   │   ├── [ 29K]  state.py
│   │               │   │   │   ├── [ 12K]  tensorproduct.py
│   │               │   │   │   ├── [1.2K]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [1.3K]  test_anticommutator.py
│   │               │   │   │   │   ├── [1.6K]  test_boson.py
│   │               │   │   │   │   ├── [4.3K]  test_cartesian.py
│   │               │   │   │   │   ├── [8.9K]  test_cg.py
│   │               │   │   │   │   ├── [2.0K]  test_circuitplot.py
│   │               │   │   │   │   ├── [ 13K]  test_circuitutils.py
```

```
│   │   │   │   │   │   │   │   ├── [2.7K]  test_commutator.py
│   │   │   │   │   │   │   │   ├── [ 338]  test_constants.py
│   │   │   │   │   │   │   │   ├── [2.6K]  test_dagger.py
│   │   │   │   │   │   │   │   ├── [9.5K]  test_density.py
│   │   │   │   │   │   │   │   ├── [1.6K]  test_fermion.py
│   │   │   │   │   │   │   │   ├── [ 12K]  test_gate.py
│   │   │   │   │   │   │   │   ├── [3.6K]  test_grover.py
│   │   │   │   │   │   │   │   ├── [2.6K]  test_hilbert.py
│   │   │   │   │   │   │   │   ├── [ 17K]  test_identitysearch.py
│   │   │   │   │   │   │   │   ├── [1.4K]  test_innerproduct.py
│   │   │   │   │   │   │   │   ├── [2.5K]  test_kind.py
│   │   │   │   │   │   │   │   ├── [4.0K]  test_matrixutils.py
│   │   │   │   │   │   │   │   ├── [8.2K]  test_operator.py
│   │   │   │   │   │   │   │   ├── [2.0K]  test_operatorordering.py
│   │   │   │   │   │   │   │   ├── [2.6K]  test_operatorset.py
│   │   │   │   │   │   │   │   ├── [4.8K]  test_pauli.py
│   │   │   │   │   │   │   │   ├── [1.1K]  test_piab.py
│   │   │   │   │   │   │   │   ├── [ 30K]  test_printing.py
│   │   │   │   │   │   │   │   ├── [5.9K]  test_qapply.py
│   │   │   │   │   │   │   │   ├── [2.9K]  test_qasm.py
│   │   │   │   │   │   │   │   ├── [1.8K]  test_qexpr.py
│   │   │   │   │   │   │   │   ├── [1.9K]  test_qft.py
│   │   │   │   │   │   │   │   ├── [9.1K]  test_qubit.py
│   │   │   │   │   │   │   │   ├── [5.1K]  test_represent.py
│   │   │   │   │   │   │   │   ├── [6.7K]  test_sho1d.py
│   │   │   │   │   │   │   │   ├── [ 666]  test_shor.py
│   │   │   │   │   │   │   │   ├── [338K]  test_spin.py
│   │   │   │   │   │   │   │   ├── [6.6K]  test_state.py
│   │   │   │   │   │   │   │   ├── [5.2K]  test_tensorproduct.py
│   │   │   │   │   │   │   │   ├── [3.0K]  test_trace.py
│   │   │   │   │   │   │   │   └── [2.3K]  test_transforms.py
│   │   │   │   │   │   │   ├── [6.2K]  trace.py
│   │   │   │   │   │   │   └── [ 11K]  transforms.py
│   │   │   │   │   │   ├── [ 89K]  secondquant.py
│   │   │   │   │   │   ├── [2.4K]  sho.py
│   │   │   │   │   │   ├── [ 352]  tests
│   │   │   │   │   │   │   ├── [   0]  __init__.py
│   │   │   │   │   │   │   ├── [9.7K]  test_clebsch_gordan.py
│   │   │   │   │   │   │   ├── [4.9K]  test_hydrogen.py
│   │   │   │   │   │   │   ├── [1.4K]  test_paulialgebra.py
│   │   │   │   │   │   │   ├── [2.9K]  test_physics_matrices.py
│   │   │   │   │   │   │   ├── [1.2K]  test_pring.py
│   │   │   │   │   │   │   ├── [1.7K]  test_qho_1d.py
│   │   │   │   │   │   │   ├── [ 48K]  test_secondquant.py
│   │   │   │   │   │   │   └── [ 693]  test_sho.py
│   │   │   │   │   │   ├── [ 352]  units
│   │   │   │   │   │   │   ├── [ 12K]  __init__.py
│   │   │   │   │   │   │   ├── [ 160]  definitions
│   │   │   │   │   │   │   │   ├── [7.3K]  __init__.py
│   │   │   │   │   │   │   │   ├── [1.6K]  dimension_definitions.py
│   │   │   │   │   │   │   │   └── [ 14K]  unit_definitions.py
│   │   │   │   │   │   │   ├── [ 20K]  dimensions.py
│   │   │   │   │   │   │   ├── [6.1K]  prefixes.py
│   │   │   │   │   │   │   ├── [4.6K]  quantities.py
│   │   │   │   │   │   │   ├── [ 288]  systems
│   │   │   │   │   │   │   │   ├── [ 244]  __init__.py
```

```
│   │               │   │   │   │   ├── [3.6K]  cgs.py
│   │               │   │   │   │   ├── [6.8K]  length_weight_time.py
│   │               │   │   │   │   ├── [1.5K]  mks.py
│   │               │   │   │   │   ├── [2.0K]  mksa.py
│   │               │   │   │   │   ├── [ 909]  natural.py
│   │               │   │   │   │   └── [ 14K]  si.py
│   │               │   │   │   ├── [ 320]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [6.0K]  test_dimensions.py
│   │               │   │   │   │   ├── [2.7K]  test_dimensionsystem.py
│   │               │   │   │   │   ├── [2.2K]  test_prefixes.py
│   │               │   │   │   │   ├── [ 19K]  test_quantities.py
│   │               │   │   │   │   ├── [3.1K]
test_unit_system_cgs_gauss.py
│   │               │   │   │   │   ├── [3.2K]  test_unitsystem.py
│   │               │   │   │   │   └── [9.1K]  test_util.py
│   │               │   │   │   ├── [7.4K]  unitsystem.py
│   │               │   │   │   └── [9.7K]  util.py
│   │               │   │   ├── [ 352]  vector
│   │               │   │   │   ├── [ 985]  __init__.py
│   │               │   │   │   ├── [ 18K]  dyadic.py
│   │               │   │   │   ├── [8.4K]  fieldfunctions.py
│   │               │   │   │   ├── [ 56K]  frame.py
│   │               │   │   │   ├── [ 24K]  functions.py
│   │               │   │   │   ├── [ 20K]  point.py
│   │               │   │   │   ├── [ 12K]  printing.py
│   │               │   │   │   ├── [ 352]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [4.2K]  test_dyadic.py
│   │               │   │   │   │   ├── [5.7K]  test_fieldfunctions.py
│   │               │   │   │   │   ├── [ 29K]  test_frame.py
│   │               │   │   │   │   ├── [ 21K]  test_functions.py
│   │               │   │   │   │   ├── [2.6K]  test_output.py
│   │               │   │   │   │   ├── [ 12K]  test_point.py
│   │               │   │   │   │   ├── [ 11K]  test_printing.py
│   │               │   │   │   │   └── [ 10K]  test_vector.py
│   │               │   │   │   └── [ 24K]  vector.py
│   │               │   │   └── [ 39K]  wigner.py
│   │               │   ├── [ 448]  plotting
│   │               │   │   ├── [ 526]  __init__.py
│   │               │   │   ├── [ 192]  backends
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 15K]  base_backend.py
│   │               │   │   │   ├── [ 128]  matplotlibbackend
│   │               │   │   │   │   ├── [ 162]  __init__.py
│   │               │   │   │   │   └── [ 12K]  matplotlib.py
│   │               │   │   │   └── [ 128]  textbackend
│   │               │   │   │       ├── [  92]  __init__.py
│   │               │   │   │       └── [ 803]  text.py
│   │               │   │   ├── [ 22K]  experimental_lambdify.py
│   │               │   │   ├── [ 224]  intervalmath
│   │               │   │   │   ├── [ 479]  __init__.py
│   │               │   │   │   ├── [ 15K]  interval_arithmetic.py
│   │               │   │   │   ├── [2.3K]  interval_membership.py
│   │               │   │   │   ├── [ 14K]  lib_interval.py
│   │               │   │   │   └── [ 192]  tests
```

```
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [9.6K]  test_interval_functions.py
│   │               │   │   │       ├── [4.1K]  test_interval_membership.py
│   │               │   │   │       └── [8.8K]  test_intervalmath.py
│   │               │   │   ├── [ 40K]  plot.py
│   │               │   │   ├── [7.2K]  plot_implicit.py
│   │               │   │   ├── [6.0K]  plotgrid.py
│   │               │   │   ├── [ 640]  pygletplot
│   │               │   │   │   ├── [3.6K]  __init__.py
│   │               │   │   │   ├── [ 12K]  color_scheme.py
│   │               │   │   │   ├── [3.0K]  managed_window.py
│   │               │   │   │   ├── [ 13K]  plot.py
│   │               │   │   │   ├── [8.5K]  plot_axes.py
│   │               │   │   │   ├── [3.8K]  plot_camera.py
│   │               │   │   │   ├── [6.8K]  plot_controller.py
│   │               │   │   │   ├── [2.8K]  plot_curve.py
│   │               │   │   │   ├── [5.3K]  plot_interval.py
│   │               │   │   │   ├── [ 14K]  plot_mode.py
│   │               │   │   │   ├── [ 11K]  plot_mode_base.py
│   │               │   │   │   ├── [5.2K]  plot_modes.py
│   │               │   │   │   ├── [ 330]  plot_object.py
│   │               │   │   │   ├── [1.4K]  plot_rotation.py
│   │               │   │   │   ├── [3.7K]  plot_surface.py
│   │               │   │   │   ├── [4.5K]  plot_window.py
│   │               │   │   │   ├── [ 128]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [2.7K]  test_plotting.py
│   │               │   │   │   └── [4.5K]  util.py
│   │               │   │   ├── [ 94K]  series.py
│   │               │   │   ├── [ 416]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [3.1K]  test_experimental_lambdify.py
│   │               │   │   │   ├── [ 47K]  test_plot.py
│   │               │   │   │   ├── [5.7K]  test_plot_implicit.py
│   │               │   │   │   ├── [6.7K]  test_region_and.png
│   │               │   │   │   ├── [7.8K]  test_region_not.png
│   │               │   │   │   ├── [8.6K]  test_region_or.png
│   │               │   │   │   ├── [9.8K]  test_region_xor.png
│   │               │   │   │   ├── [ 64K]  test_series.py
│   │               │   │   │   ├── [ 12K]  test_textplot.py
│   │               │   │   │   └── [3.5K]  test_utils.py
│   │               │   │   ├── [5.0K]  textplot.py
│   │               │   │   └── [ 12K]  utils.py
│   │               │   ├── [1.6K]  polys
│   │               │   │   ├── [5.4K]  __init__.py
│   │               │   │   ├── [ 256]  agca
│   │               │   │   │   ├── [ 130]  __init__.py
│   │               │   │   │   ├── [9.2K]  extensions.py
│   │               │   │   │   ├── [ 21K]  homomorphisms.py
│   │               │   │   │   ├── [ 11K]  ideals.py
│   │               │   │   │   ├── [ 46K]  modules.py
│   │               │   │   │   └── [ 224]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [6.3K]  test_extensions.py
│   │               │   │   │       ├── [4.1K]  test_homomorphisms.py
│   │               │   │   │       ├── [3.7K]  test_ideals.py
```

```
│   │               │   │   │       └── [ 13K]  test_modules.py
│   │               │   │   ├── [8.1K]  appellseqs.py
│   │               │   │   ├── [ 192]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.5K]  bench_galoispolys.py
│   │               │   │   │   ├── [ 803]  bench_groebnertools.py
│   │               │   │   │   └── [436K]  bench_solvers.py
│   │               │   │   ├── [ 57K]  compatibility.py
│   │               │   │   ├── [ 11K]  constructor.py
│   │               │   │   ├── [ 33K]  densearith.py
│   │               │   │   ├── [ 35K]  densebasic.py
│   │               │   │   ├── [ 29K]  densetools.py
│   │               │   │   ├── [5.6K]  dispersion.py
│   │               │   │   ├── [ 21K]  distributedmodules.py
│   │               │   │   ├── [ 310]  domainmatrix.py
│   │               │   │   ├── [1.1K]  domains
│   │               │   │   │   ├── [1.8K]  __init__.py
│   │               │   │   │   ├── [ 23K]  algebraicfield.py
│   │               │   │   │   ├── [ 382]  characteristiczero.py
│   │               │   │   │   ├── [6.0K]  complexfield.py
│   │               │   │   │   ├── [1.6K]  compositedomain.py
│   │               │   │   │   ├── [ 40K]  domain.py
│   │               │   │   │   ├── [ 860]  domainelement.py
│   │               │   │   │   ├── [7.4K]  expressiondomain.py
│   │               │   │   │   ├── [1.4K]  expressionrawdomain.py
│   │               │   │   │   ├── [2.9K]  field.py
│   │               │   │   │   ├── [ 10K]  finitefield.py
│   │               │   │   │   ├── [5.7K]  fractionfield.py
│   │               │   │   │   ├── [ 19K]  gaussiandomains.py
│   │               │   │   │   ├── [ 437]  gmpyfinitefield.py
│   │               │   │   │   ├── [3.0K]  gmpyintegerring.py
│   │               │   │   │   ├── [3.1K]  gmpyrationalfield.py
│   │               │   │   │   ├── [2.1K]  groundtypes.py
│   │               │   │   │   ├── [7.3K]  integerring.py
│   │               │   │   │   ├── [5.9K]  modularinteger.py
│   │               │   │   │   ├── [4.9K]  mpelements.py
│   │               │   │   │   ├── [6.1K]  old_fractionfield.py
│   │               │   │   │   ├── [ 16K]  old_polynomialring.py
│   │               │   │   │   ├── [6.1K]  polynomialring.py
│   │               │   │   │   ├── [ 453]  pythonfinitefield.py
│   │               │   │   │   ├── [2.9K]  pythonintegerring.py
│   │               │   │   │   ├── [ 548]  pythonrational.py
│   │               │   │   │   ├── [2.2K]  pythonrationalfield.py
│   │               │   │   │   ├── [5.8K]  quotientring.py
│   │               │   │   │   ├── [5.8K]  rationalfield.py
│   │               │   │   │   ├── [6.3K]  realfield.py
│   │               │   │   │   ├── [3.2K]  ring.py
│   │               │   │   │   ├── [ 369]  simpledomain.py
│   │               │   │   │   └── [ 192]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 50K]  test_domains.py
│   │               │   │   │       ├── [2.8K]  test_polynomialring.py
│   │               │   │   │       └── [1.4K]  test_quotientring.py
│   │               │   │   ├── [ 41K]  euclidtools.py
│   │               │   │   ├── [ 42K]  factortools.py
│   │               │   │   ├── [4.2K]  fglmtools.py
```

```
│   │               │   │   ├── [ 21K]  fields.py
│   │               │   │   ├── [ 56K]  galoistools.py
│   │               │   │   ├── [ 23K]  groebnertools.py
│   │               │   │   ├── [3.6K]  heuristicgcd.py
│   │               │   │   ├── [ 576]  matrices
│   │               │   │   │   ├── [ 397]  __init__.py
│   │               │   │   │   ├── [ 32K]  _dfm.py
│   │               │   │   │   ├── [ 407]  _typing.py
│   │               │   │   │   ├── [ 32K]  ddm.py
│   │               │   │   │   ├── [ 23K]  dense.py
│   │               │   │   │   ├── [1.2K]  dfm.py
│   │               │   │   │   ├── [113K]  domainmatrix.py
│   │               │   │   │   ├── [3.7K]  domainscalar.py
│   │               │   │   │   ├── [2.9K]  eigen.py
│   │               │   │   │   ├── [1.3K]  exceptions.py
│   │               │   │   │   ├── [7.4K]  linsolve.py
│   │               │   │   │   ├── [3.5K]  lll.py
│   │               │   │   │   ├── [ 17K]  normalforms.py
│   │               │   │   │   ├── [ 15K]  rref.py
│   │               │   │   │   ├── [ 63K]  sdm.py
│   │               │   │   │   └── [ 544]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [ 16K]  test_ddm.py
│   │               │   │   │       ├── [9.3K]  test_dense.py
│   │               │   │   │       ├── [ 49K]  test_domainmatrix.py
│   │               │   │   │       ├── [3.7K]  test_domainscalar.py
│   │               │   │   │       ├── [3.1K]  test_eigen.py
│   │               │   │   │       ├── [8.3K]  test_fflu.py
│   │               │   │   │       ├── [5.1K]  test_inverse.py
│   │               │   │   │       ├── [3.3K]  test_linsolve.py
│   │               │   │   │       ├── [6.5K]  test_lll.py
│   │               │   │   │       ├── [5.0K]  test_normalforms.py
│   │               │   │   │       ├── [5.3K]  test_nullspace.py
│   │               │   │   │       ├── [ 25K]  test_rref.py
│   │               │   │   │       ├── [ 13K]  test_sdm.py
│   │               │   │   │       └── [ 29K]  test_xxm.py
│   │               │   │   ├── [ 57K]  modulargcd.py
│   │               │   │   ├── [ 18K]  monomials.py
│   │               │   │   ├── [ 15K]  multivariate_resultants.py
│   │               │   │   ├── [ 448]  numberfields
│   │               │   │   │   ├── [ 538]  __init__.py
│   │               │   │   │   ├── [8.1K]  basis.py
│   │               │   │   │   ├── [1.6K]  exceptions.py
│   │               │   │   │   ├── [ 24K]  galois_resolvents.py
│   │               │   │   │   ├── [ 20K]  galoisgroups.py
│   │               │   │   │   ├── [ 27K]  minpoly.py
│   │               │   │   │   ├── [ 68K]  modules.py
│   │               │   │   │   ├── [ 23K]  primes.py
│   │               │   │   │   ├── [ 39K]  resolvent_lookup.py
│   │               │   │   │   ├── [ 16K]  subfield.py
│   │               │   │   │   ├── [ 352]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [4.5K]  test_basis.py
│   │               │   │   │   │   ├── [4.9K]  test_galoisgroups.py
│   │               │   │   │   │   ├── [ 23K]  test_minpoly.py
│   │               │   │   │   │   ├── [ 22K]  test_modules.py
```

```
│   │               │   │   │   │   ├── [5.8K]  test_numbers.py
│   │               │   │   │   │   ├── [9.5K]  test_primes.py
│   │               │   │   │   │   ├── [ 12K]  test_subfield.py
│   │               │   │   │   │   └── [3.6K]  test_utilities.py
│   │               │   │   │   └── [ 13K]  utilities.py
│   │               │   │   ├── [8.3K]  orderings.py
│   │               │   │   ├── [9.9K]  orthopolys.py
│   │               │   │   ├── [ 14K]  partfrac.py
│   │               │   │   ├── [ 94K]  polyclasses.py
│   │               │   │   ├── [1.6K]  polyconfig.py
│   │               │   │   ├── [4.6K]  polyerrors.py
│   │               │   │   ├── [8.3K]  polyfuncs.py
│   │               │   │   ├── [9.5K]  polymatrix.py
│   │               │   │   ├── [ 21K]  polyoptions.py
│   │               │   │   ├── [ 94K]  polyquinticconst.py
│   │               │   │   ├── [ 36K]  polyroots.py
│   │               │   │   ├── [208K]  polytools.py
│   │               │   │   ├── [ 17K]  polyutils.py
│   │               │   │   ├── [ 26K]  puiseux.py
│   │               │   │   ├── [2.8K]  rationaltools.py
│   │               │   │   ├── [ 58K]  ring_series.py
│   │               │   │   ├── [ 84K]  rings.py
│   │               │   │   ├── [ 63K]  rootisolation.py
│   │               │   │   ├── [ 42K]  rootoftools.py
│   │               │   │   ├── [ 13K]  solvers.py
│   │               │   │   ├── [ 11K]  specialpolys.py
│   │               │   │   ├── [ 19K]  sqfreetools.py
│   │               │   │   ├── [ 86K]  subresultants_qq_zz.py
│   │               │   │   └── [1.3K]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [3.7K]  test_appellseqs.py
│   │               │   │       ├── [7.1K]  test_constructor.py
│   │               │   │       ├── [ 40K]  test_densearith.py
│   │               │   │       ├── [ 21K]  test_densebasic.py
│   │               │   │       ├── [ 26K]  test_densetools.py
│   │               │   │       ├── [3.1K]  test_dispersion.py
│   │               │   │       ├── [7.5K]  test_distributedmodules.py
│   │               │   │       ├── [ 19K]  test_euclidtools.py
│   │               │   │       ├── [ 24K]  test_factortools.py
│   │               │   │       ├── [9.6K]  test_fields.py
│   │               │   │       ├── [ 28K]  test_galoistools.py
│   │               │   │       ├── [ 18K]  test_groebnertools.py
│   │               │   │       ├── [4.2K]  test_heuristicgcd.py
│   │               │   │       ├── [1.1K]  test_hypothesis.py
│   │               │   │       ├── [1.3K]  test_injections.py
│   │               │   │       ├── [8.8K]  test_modulargcd.py
│   │               │   │       ├── [ 11K]  test_monomials.py
│   │               │   │       ├── [9.3K]  test_multivariate_resultants.py
│   │               │   │       ├── [4.2K]  test_orderings.py
│   │               │   │       ├── [6.4K]  test_orthopolys.py
│   │               │   │       ├── [7.7K]  test_partfrac.py
│   │               │   │       ├── [ 14K]  test_polyclasses.py
│   │               │   │       ├── [4.4K]  test_polyfuncs.py
│   │               │   │       ├── [7.2K]  test_polymatrix.py
│   │               │   │       ├── [ 12K]  test_polyoptions.py
│   │               │   │       ├── [ 26K]  test_polyroots.py
```

```
│   │               │   │       ├── [136K]  test_polytools.py
│   │               │   │       ├── [ 11K]  test_polyutils.py
│   │               │   │       ├── [7.1K]  test_puiseux.py
│   │               │   │       ├── [4.0K]  test_pythonrational.py
│   │               │   │       ├── [2.3K]  test_rationaltools.py
│   │               │   │       ├── [ 31K]  test_ring_series.py
│   │               │   │       ├── [ 48K]  test_rings.py
│   │               │   │       ├── [ 32K]  test_rootisolation.py
│   │               │   │       ├── [ 23K]  test_rootoftools.py
│   │               │   │       ├── [ 13K]  test_solvers.py
│   │               │   │       ├── [4.9K]  test_specialpolys.py
│   │               │   │       ├── [4.8K]  test_sqfreetools.py
│   │               │   │       └── [ 13K]  test_subresultants_qq_zz.py
│   │               │   ├── [1.2K]  printing
│   │               │   │   ├── [2.2K]  __init__.py
│   │               │   │   ├── [ 18K]  aesaracode.py
│   │               │   │   ├── [ 26K]  c.py
│   │               │   │   ├── [ 41K]  codeprinter.py
│   │               │   │   ├── [2.5K]  conventions.py
│   │               │   │   ├── [6.0K]  cxx.py
│   │               │   │   ├── [ 135]  defaults.py
│   │               │   │   ├── [8.1K]  dot.py
│   │               │   │   ├── [ 28K]  fortran.py
│   │               │   │   ├── [ 20K]  glsl.py
│   │               │   │   ├── [ 466]  gtk.py
│   │               │   │   ├── [ 12K]  jscode.py
│   │               │   │   ├── [ 23K]  julia.py
│   │               │   │   ├── [8.1K]  lambdarepr.py
│   │               │   │   ├── [121K]  latex.py
│   │               │   │   ├── [ 17K]  llvmjitcode.py
│   │               │   │   ├── [ 10K]  maple.py
│   │               │   │   ├── [ 12K]  mathematica.py
│   │               │   │   ├── [ 75K]  mathml.py
│   │               │   │   ├── [ 21K]  numpy.py
│   │               │   │   ├── [ 25K]  octave.py
│   │               │   │   ├── [5.4K]  precedence.py
│   │               │   │   ├── [ 224]  pretty
│   │               │   │   │   ├── [ 344]  __init__.py
│   │               │   │   │   ├── [103K]  pretty.py
│   │               │   │   │   ├── [ 24K]  pretty_symbology.py
│   │               │   │   │   ├── [ 19K]  stringpict.py
│   │               │   │   │   └── [ 128]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       └── [183K]  test_pretty.py
│   │               │   │   ├── [ 14K]  preview.py
│   │               │   │   ├── [ 15K]  printer.py
│   │               │   │   ├── [ 26K]  pycode.py
│   │               │   │   ├── [3.3K]  python.py
│   │               │   │   ├── [ 10K]  pytorch.py
│   │               │   │   ├── [ 14K]  rcode.py
│   │               │   │   ├── [ 11K]  repr.py
│   │               │   │   ├── [ 20K]  rust.py
│   │               │   │   ├── [ 21K]  smtlib.py
│   │               │   │   ├── [ 32K]  str.py
│   │               │   │   ├── [ 12K]  tableform.py
│   │               │   │   ├── [8.0K]  tensorflow.py
```

```
│   │               │   │   ├── [1.2K]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 21K]  test_aesaracode.py
│   │               │   │   │   ├── [ 30K]  test_c.py
│   │               │   │   │   ├── [2.1K]  test_codeprinter.py
│   │               │   │   │   ├── [5.1K]  test_conventions.py
│   │               │   │   │   ├── [1.8K]  test_cupy.py
│   │               │   │   │   ├── [3.1K]  test_cxx.py
│   │               │   │   │   ├── [4.5K]  test_dot.py
│   │               │   │   │   ├── [ 35K]  test_fortran.py
│   │               │   │   │   ├── [ 28K]  test_glsl.py
│   │               │   │   │   ├── [ 500]  test_gtk.py
│   │               │   │   │   ├── [ 11K]  test_jax.py
│   │               │   │   │   ├── [ 11K]  test_jscode.py
│   │               │   │   │   ├── [ 14K]  test_julia.py
│   │               │   │   │   ├── [6.8K]  test_lambdarepr.py
│   │               │   │   │   ├── [135K]  test_latex.py
│   │               │   │   │   ├── [5.2K]  test_llvmjit.py
│   │               │   │   │   ├── [ 13K]  test_maple.py
│   │               │   │   │   ├── [ 11K]  test_mathematica.py
│   │               │   │   │   ├── [ 97K]  test_mathml.py
│   │               │   │   │   ├── [ 11K]  test_numpy.py
│   │               │   │   │   ├── [ 18K]  test_octave.py
│   │               │   │   │   ├── [4.0K]  test_precedence.py
│   │               │   │   │   ├── [ 988]  test_preview.py
│   │               │   │   │   ├── [ 18K]  test_pycode.py
│   │               │   │   │   ├── [7.9K]  test_python.py
│   │               │   │   │   ├── [ 13K]  test_rcode.py
│   │               │   │   │   ├── [ 13K]  test_repr.py
│   │               │   │   │   ├── [ 12K]  test_rust.py
│   │               │   │   │   ├── [ 22K]  test_smtlib.py
│   │               │   │   │   ├── [ 43K]  test_str.py
│   │               │   │   │   ├── [5.6K]  test_tableform.py
│   │               │   │   │   ├── [ 17K]  test_tensorflow.py
│   │               │   │   │   ├── [ 21K]  test_theanocode.py
│   │               │   │   │   ├── [ 16K]  test_torch.py
│   │               │   │   │   └── [5.9K]  test_tree.py
│   │               │   │   ├── [ 19K]  theanocode.py
│   │               │   │   └── [3.8K]  tree.py
│   │               │   ├── [  23]  release.py
│   │               │   ├── [ 160]  sandbox
│   │               │   │   ├── [ 189]  __init__.py
│   │               │   │   ├── [2.1K]  indexed_integrals.py
│   │               │   │   └── [ 128]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       └── [1.2K]  test_indexed_integrals.py
│   │               │   ├── [ 608]  series
│   │               │   │   ├── [ 766]  __init__.py
│   │               │   │   ├── [3.3K]  acceleration.py
│   │               │   │   ├── [3.1K]  approximants.py
│   │               │   │   ├── [ 255]  aseries.py
│   │               │   │   ├── [ 160]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 173]  bench_limit.py
│   │               │   │   │   └── [ 207]  bench_order.py
│   │               │   │   ├── [ 50K]  formal.py
```

```
│   │               │   │   ├── [ 22K]  fourier.py
│   │               │   │   ├── [ 23K]  gruntz.py
│   │               │   │   ├── [1.7K]  kauers.py
│   │               │   │   ├── [ 13K]  limits.py
│   │               │   │   ├── [7.6K]  limitseq.py
│   │               │   │   ├── [ 19K]  order.py
│   │               │   │   ├── [2.2K]  residues.py
│   │               │   │   ├── [ 35K]  sequences.py
│   │               │   │   ├── [1.8K]  series.py
│   │               │   │   ├── [2.8K]  series_class.py
│   │               │   │   └── [ 576]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [1012]  test_approximants.py
│   │               │   │       ├── [2.3K]  test_aseries.py
│   │               │   │       ├── [4.8K]  test_demidovich.py
│   │               │   │       ├── [ 22K]  test_formal.py
│   │               │   │       ├── [5.8K]  test_fourier.py
│   │               │   │       ├── [ 16K]  test_gruntz.py
│   │               │   │       ├── [1.1K]  test_kauers.py
│   │               │   │       ├── [ 47K]  test_limits.py
│   │               │   │       ├── [5.6K]  test_limitseq.py
│   │               │   │       ├── [1.8K]  test_lseries.py
│   │               │   │       ├── [ 18K]  test_nseries.py
│   │               │   │       ├── [ 17K]  test_order.py
│   │               │   │       ├── [3.1K]  test_residues.py
│   │               │   │       ├── [ 11K]  test_sequences.py
│   │               │   │       └── [ 17K]  test_series.py
│   │               │   ├── [ 384]  sets
│   │               │   │   ├── [1.0K]  __init__.py
│   │               │   │   ├── [7.6K]  conditionset.py
│   │               │   │   ├── [1.8K]  contains.py
│   │               │   │   ├── [ 47K]  fancysets.py
│   │               │   │   ├── [ 352]  handlers
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [1.8K]  add.py
│   │               │   │   │   ├── [1.6K]  comparison.py
│   │               │   │   │   ├── [8.2K]  functions.py
│   │               │   │   │   ├── [ 17K]  intersection.py
│   │               │   │   │   ├── [4.6K]  issubset.py
│   │               │   │   │   ├── [1.8K]  mul.py
│   │               │   │   │   ├── [3.1K]  power.py
│   │               │   │   │   └── [4.1K]  union.py
│   │               │   │   ├── [7.5K]  ordinals.py
│   │               │   │   ├── [2.8K]  powerset.py
│   │               │   │   ├── [2.9K]  setexpr.py
│   │               │   │   ├── [ 79K]  sets.py
│   │               │   │   └── [ 320]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 11K]  test_conditionset.py
│   │               │   │       ├── [1.5K]  test_contains.py
│   │               │   │       ├── [ 51K]  test_fancysets.py
│   │               │   │       ├── [2.6K]  test_ordinals.py
│   │               │   │       ├── [4.7K]  test_powerset.py
│   │               │   │       ├── [ 14K]  test_setexpr.py
│   │               │   │       └── [ 67K]  test_sets.py
│   │               │   ├── [ 640]  simplify
```

```
│   │               │   │   ├── [1.2K]  __init__.py
│   │               │   │   ├── [ 10K]  _cse_diff.py
│   │               │   │   ├── [3.5K]  combsimp.py
│   │               │   │   ├── [ 31K]  cse_main.py
│   │               │   │   ├── [1.6K]  cse_opts.py
│   │               │   │   ├── [9.9K]  epathtools.py
│   │               │   │   ├── [ 61K]  fu.py
│   │               │   │   ├── [ 18K]  gammasimp.py
│   │               │   │   ├── [ 82K]  hyperexpand.py
│   │               │   │   ├── [ 521]  hyperexpand_doc.py
│   │               │   │   ├── [ 26K]  powsimp.py
│   │               │   │   ├── [ 41K]  radsimp.py
│   │               │   │   ├── [7.5K]  ratsimp.py
│   │               │   │   ├── [ 72K]  simplify.py
│   │               │   │   ├── [ 21K]  sqrtdenest.py
│   │               │   │   ├── [ 576]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [2.9K]  test_combsimp.py
│   │               │   │   │   ├── [ 25K]  test_cse.py
│   │               │   │   │   ├── [7.1K]  test_cse_diff.py
│   │               │   │   │   ├── [3.4K]  test_epathtools.py
│   │               │   │   │   ├── [ 19K]  test_fu.py
│   │               │   │   │   ├── [2.1K]  test_function.py
│   │               │   │   │   ├── [5.2K]  test_gammasimp.py
│   │               │   │   │   ├── [ 40K]  test_hyperexpand.py
│   │               │   │   │   ├── [ 14K]  test_powsimp.py
│   │               │   │   │   ├── [ 19K]  test_radsimp.py
│   │               │   │   │   ├── [2.1K]  test_ratsimp.py
│   │               │   │   │   ├── [1.1K]  test_rewrite.py
│   │               │   │   │   ├── [ 41K]  test_simplify.py
│   │               │   │   │   ├── [7.3K]  test_sqrtdenest.py
│   │               │   │   │   └── [ 19K]  test_trigsimp.py
│   │               │   │   ├── [ 409]  traversaltools.py
│   │               │   │   └── [ 46K]  trigsimp.py
│   │               │   ├── [ 544]  solvers
│   │               │   │   ├── [2.3K]  __init__.py
│   │               │   │   ├── [ 128]  benchmarks
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   └── [ 288]  bench_solvers.py
│   │               │   │   ├── [ 17K]  bivariate.py
│   │               │   │   ├── [3.7K]  decompogen.py
│   │               │   │   ├── [ 10K]  deutils.py
│   │               │   │   ├── [ 160]  diophantine
│   │               │   │   │   ├── [ 128]  __init__.py
│   │               │   │   │   ├── [120K]  diophantine.py
│   │               │   │   │   └── [ 128]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       └── [ 42K]  test_diophantine.py
│   │               │   │   ├── [ 32K]  inequalities.py
│   │               │   │   ├── [ 384]  ode
│   │               │   │   │   ├── [ 468]  __init__.py
│   │               │   │   │   ├── [9.8K]  hypergeometric.py
│   │               │   │   │   ├── [ 38K]  lie_group.py
│   │               │   │   │   ├── [ 17K]  nonhomogeneous.py
│   │               │   │   │   ├── [142K]  ode.py
│   │               │   │   │   ├── [ 30K]  riccati.py
```

```
│   │               │   │   │   ├── [107K]  single.py
│   │               │   │   │   ├── [ 16K]  subscheck.py
│   │               │   │   │   ├── [ 70K]  systems.py
│   │               │   │   │   └── [ 288]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [5.2K]  test_lie_group.py
│   │               │   │   │       ├── [ 47K]  test_ode.py
│   │               │   │   │       ├── [ 29K]  test_riccati.py
│   │               │   │   │       ├── [ 98K]  test_single.py
│   │               │   │   │       ├── [ 12K]  test_subscheck.py
│   │               │   │   │       └── [126K]  test_systems.py
│   │               │   │   ├── [ 34K]  pde.py
│   │               │   │   ├── [ 27K]  polysys.py
│   │               │   │   ├── [ 25K]  recurr.py
│   │               │   │   ├── [ 34K]  simplex.py
│   │               │   │   ├── [135K]  solvers.py
│   │               │   │   ├── [148K]  solveset.py
│   │               │   │   └── [ 416]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [8.5K]  test_constantsimp.py
│   │               │   │       ├── [2.9K]  test_decompogen.py
│   │               │   │       ├── [ 21K]  test_inequalities.py
│   │               │   │       ├── [4.6K]  test_numeric.py
│   │               │   │       ├── [9.0K]  test_pde.py
│   │               │   │       ├── [ 15K]  test_polysys.py
│   │               │   │       ├── [ 11K]  test_recurr.py
│   │               │   │       ├── [8.8K]  test_simplex.py
│   │               │   │       ├── [105K]  test_solvers.py
│   │               │   │       └── [145K]  test_solveset.py
│   │               │   ├── [ 768]  stats
│   │               │   │   ├── [8.3K]  __init__.py
│   │               │   │   ├── [7.8K]  compound_rv.py
│   │               │   │   ├── [ 21K]  crv.py
│   │               │   │   ├── [120K]  crv_types.py
│   │               │   │   ├── [ 12K]  drv.py
│   │               │   │   ├── [ 19K]  drv_types.py
│   │               │   │   ├── [3.2K]  error_prop.py
│   │               │   │   ├── [ 16K]  frv.py
│   │               │   │   ├── [ 23K]  frv_types.py
│   │               │   │   ├── [ 16K]  joint_rv.py
│   │               │   │   ├── [ 30K]  joint_rv_types.py
│   │               │   │   ├── [ 21K]  matrix_distributions.py
│   │               │   │   ├── [1.0K]  random_matrix.py
│   │               │   │   ├── [ 15K]  random_matrix_models.py
│   │               │   │   ├── [ 53K]  rv.py
│   │               │   │   ├── [ 14K]  rv_interface.py
│   │               │   │   ├── [ 224]  sampling
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [4.1K]  sample_numpy.py
│   │               │   │   │   ├── [2.9K]  sample_pymc.py
│   │               │   │   │   ├── [6.2K]  sample_scipy.py
│   │               │   │   │   └── [ 192]  tests
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [5.6K]  test_sample_continuous_rv.py
│   │               │   │   │       ├── [3.3K]  test_sample_discrete_rv.py
│   │               │   │   │       └── [3.0K]  test_sample_finite_rv.py
```

```
│   │               │   │   ├── [2.3K]  stochastic_process.py
│   │               │   │   ├── [ 86K]  stochastic_process_types.py
│   │               │   │   ├── [ 10K]  symbolic_multivariate_probability.py
│   │               │   │   ├── [ 23K]  symbolic_probability.py
│   │               │   │   └── [ 512]  tests
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [6.1K]  test_compound_rv.py
│   │               │   │       ├── [ 55K]  test_continuous_rv.py
│   │               │   │       ├── [ 11K]  test_discrete_rv.py
│   │               │   │       ├── [1.9K]  test_error_prop.py
│   │               │   │       ├── [ 20K]  test_finite_rv.py
│   │               │   │       ├── [ 18K]  test_joint_rv.py
│   │               │   │       ├── [8.6K]  test_matrix_distributions.py
│   │               │   │       ├── [3.9K]  test_mix.py
│   │               │   │       ├── [5.7K]  test_random_matrix.py
│   │               │   │       ├── [ 13K]  test_rv.py
│   │               │   │       ├── [ 38K]  test_stochastic_process.py
│   │               │   │       ├── [5.4K]  test_symbolic_multivariate.py
│   │               │   │       └── [9.2K]  test_symbolic_probability.py
│   │               │   ├── [ 352]  strategies
│   │               │   │   ├── [1.4K]  __init__.py
│   │               │   │   ├── [ 224]  branch
│   │               │   │   │   ├── [ 356]  __init__.py
│   │               │   │   │   ├── [2.7K]  core.py
│   │               │   │   │   ├── [ 192]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   ├── [2.2K]  test_core.py
│   │               │   │   │   │   ├── [ 942]  test_tools.py
│   │               │   │   │   │   └── [1.3K]  test_traverse.py
│   │               │   │   │   ├── [ 357]  tools.py
│   │               │   │   │   └── [ 799]  traverse.py
│   │               │   │   ├── [3.9K]  core.py
│   │               │   │   ├── [4.3K]  rl.py
│   │               │   │   ├── [ 256]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [2.1K]  test_core.py
│   │               │   │   │   ├── [1.9K]  test_rl.py
│   │               │   │   │   ├── [ 875]  test_tools.py
│   │               │   │   │   ├── [2.0K]  test_traverse.py
│   │               │   │   │   └── [2.3K]  test_tree.py
│   │               │   │   ├── [1.3K]  tools.py
│   │               │   │   ├── [1.2K]  traverse.py
│   │               │   │   ├── [3.7K]  tree.py
│   │               │   │   └── [ 361]  util.py
│   │               │   ├── [ 320]  tensor
│   │               │   │   ├── [ 870]  __init__.py
│   │               │   │   ├── [ 384]  array
│   │               │   │   │   ├── [8.1K]  __init__.py
│   │               │   │   │   ├── [ 12K]  array_comprehension.py
│   │               │   │   │   ├── [4.7K]  array_derivatives.py
│   │               │   │   │   ├── [ 18K]  arrayop.py
│   │               │   │   │   ├── [6.3K]  dense_ndim_array.py
│   │               │   │   │   ├── [ 480]  expressions
│   │               │   │   │   │   ├── [6.9K]  __init__.py
│   │               │   │   │   │   ├── [ 75K]  array_expressions.py
│   │               │   │   │   │   ├── [6.1K]  arrayexpr_derivatives.py
```

```
│   │           │   │   │   │   ├── [ 445]  conv_array_to_indexed.py
│   │           │   │   │   │   ├── [ 416]  conv_array_to_matrix.py
│   │           │   │   │   │   ├── [ 254]  conv_indexed_to_array.py
│   │           │   │   │   │   ├── [ 250]  conv_matrix_to_array.py
│   │           │   │   │   │   ├── [3.8K]  from_array_to_indexed.py
│   │           │   │   │   │   ├── [ 40K]  from_array_to_matrix.py
│   │           │   │   │   │   ├── [ 11K]  from_indexed_to_array.py
│   │           │   │   │   │   ├── [3.8K]  from_matrix_to_array.py
│   │           │   │   │   │   ├── [ 352]  tests
│   │           │   │   │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   │   │   ├── [ 31K]
test_array_expressions.py
│   │           │   │   │   │   │   ├── [2.4K]
test_arrayexpr_derivatives.py
│   │           │   │   │   │   │   ├── [2.5K]  test_as_explicit.py
│   │           │   │   │   │   │   ├── [2.4K]
test_convert_array_to_indexed.py
│   │           │   │   │   │   │   ├── [ 29K]
test_convert_array_to_matrix.py
│   │           │   │   │   │   │   ├── [8.4K]
test_convert_indexed_to_array.py
│   │           │   │   │   │   │   ├── [4.5K]
test_convert_matrix_to_array.py
│   │           │   │   │   │   │   └── [1.2K]
test_deprecated_conv_modules.py
│   │           │   │   │   │   └── [3.8K]  utils.py
│   │           │   │   │   ├── [ 277]  mutable_ndim_array.py
│   │           │   │   │   ├── [ 19K]  ndim_array.py
│   │           │   │   │   ├── [6.2K]  sparse_ndim_array.py
│   │           │   │   │   └── [ 320]  tests
│   │           │   │   │       ├── [   0]  __init__.py
│   │           │   │   │       ├── [4.4K]  test_array_comprehension.py
│   │           │   │   │       ├── [1.6K]  test_array_derivatives.py
│   │           │   │   │       ├── [ 25K]  test_arrayop.py
│   │           │   │   │       ├── [ 15K]  test_immutable_ndim_array.py
│   │           │   │   │       ├── [ 13K]  test_mutable_ndim_array.py
│   │           │   │   │       ├── [2.2K]  test_ndim_array.py
│   │           │   │   │       └── [ 648]
test_ndim_array_conversions.py
│   │           │   │   ├── [4.1K]  functions.py
│   │           │   │   ├── [ 15K]  index_methods.py
│   │           │   │   ├── [ 24K]  indexed.py
│   │           │   │   ├── [177K]  tensor.py
│   │           │   │   ├── [ 320]  tests
│   │           │   │   │   ├── [   0]  __init__.py
│   │           │   │   │   ├── [1.5K]  test_functions.py
│   │           │   │   │   ├── [6.9K]  test_index_methods.py
│   │           │   │   │   ├── [ 16K]  test_indexed.py
│   │           │   │   │   ├── [ 424]  test_printing.py
│   │           │   │   │   ├── [ 79K]  test_tensor.py
│   │           │   │   │   ├── [ 908]  test_tensor_element.py
│   │           │   │   │   └── [ 18K]  test_tensor_operators.py
│   │           │   │   └── [8.6K]  toperators.py
│   │           │   ├── [ 352]  testing
│   │           │   │   ├── [ 169]  __init__.py
│   │           │   │   ├── [ 216]  matrices.py
```

```
│   │               │   │   ├── [ 13K]  pytest.py
│   │               │   │   ├── [3.4K]  quality_unicode.py
│   │               │   │   ├── [ 562]  randtest.py
│   │               │   │   ├── [ 88K]  runtests.py
│   │               │   │   ├── [ 17K]  runtests_pytest.py
│   │               │   │   ├── [ 288]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [9.3K]  diagnose_imports.py
│   │               │   │   │   ├── [ 19K]  test_code_quality.py
│   │               │   │   │   ├── [ 183]  test_deprecated.py
│   │               │   │   │   ├── [1.4K]  test_module_imports.py
│   │               │   │   │   ├── [6.6K]  test_pytest.py
│   │               │   │   │   └── [5.9K]  test_runtests_pytest.py
│   │               │   │   └── [1.0K]  tmpfiles.py
│   │               │   ├── [ 550]  this.py
│   │               │   ├── [ 224]  unify
│   │               │   │   ├── [ 293]  __init__.py
│   │               │   │   ├── [6.9K]  core.py
│   │               │   │   ├── [1.8K]  rewrite.py
│   │               │   │   ├── [ 192]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [2.0K]  test_rewrite.py
│   │               │   │   │   ├── [5.8K]  test_sympy.py
│   │               │   │   │   └── [3.0K]  test_unify.py
│   │               │   │   └── [3.9K]  usympy.py
│   │               │   ├── [ 768]  utilities
│   │               │   │   ├── [ 840]  __init__.py
│   │               │   │   ├── [ 256]  _compilation
│   │               │   │   │   ├── [ 751]  __init__.py
│   │               │   │   │   ├── [2.8K]  availability.py
│   │               │   │   │   ├── [ 22K]  compilation.py
│   │               │   │   │   ├── [ 10K]  runners.py
│   │               │   │   │   ├── [ 128]  tests
│   │               │   │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   │   └── [3.1K]  test_compilation.py
│   │               │   │   │   └── [8.4K]  util.py
│   │               │   │   ├── [ 42K]  autowrap.py
│   │               │   │   ├── [ 80K]  codegen.py
│   │               │   │   ├── [ 11K]  decorator.py
│   │               │   │   ├── [ 43K]  enumerative.py
│   │               │   │   ├── [ 10K]  exceptions.py
│   │               │   │   ├── [ 89K]  iterables.py
│   │               │   │   ├── [ 56K]  lambdify.py
│   │               │   │   ├── [ 400]  magic.py
│   │               │   │   ├── [ 12K]  matchpy_connector.py
│   │               │   │   ├── [ 128]  mathml
│   │               │   │   │   ├── [3.3K]  __init__.py
│   │               │   │   │   └── [ 192]  data
│   │               │   │   │       ├── [   0]  __init__.py
│   │               │   │   │       ├── [112K]  mmlctop.xsl
│   │               │   │   │       ├── [134K]  mmltex.xsl
│   │               │   │   │       └── [112K]  simple_mmlctop.xsl
│   │               │   │   ├── [1.8K]  memoization.py
│   │               │   │   ├── [ 16K]  misc.py
│   │               │   │   ├── [ 935]  pkgdata.py
│   │               │   │   ├── [ 440]  pytest.py
```

```
│   │               │   │   ├── [ 435]  randtest.py
│   │               │   │   ├── [ 451]  runtests.py
│   │               │   │   ├── [1.1K]  source.py
│   │               │   │   ├── [ 704]  tests
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 15K]  test_autowrap.py
│   │               │   │   │   ├── [ 55K]  test_codegen.py
│   │               │   │   │   ├── [ 18K]  test_codegen_julia.py
│   │               │   │   │   ├── [ 17K]  test_codegen_octave.py
│   │               │   │   │   ├── [ 12K]  test_codegen_rust.py
│   │               │   │   │   ├── [3.6K]  test_decorator.py
│   │               │   │   │   ├── [ 489]  test_deprecated.py
│   │               │   │   │   ├── [6.0K]  test_enumerative.py
│   │               │   │   │   ├── [ 716]  test_exceptions.py
│   │               │   │   │   ├── [ 34K]  test_iterables.py
│   │               │   │   │   ├── [ 72K]  test_lambdify.py
│   │               │   │   │   ├── [4.7K]  test_matchpy_connector.py
│   │               │   │   │   ├── [ 836]  test_mathml.py
│   │               │   │   │   ├── [4.5K]  test_misc.py
│   │               │   │   │   ├── [ 23K]  test_pickling.py
│   │               │   │   │   ├── [ 289]  test_source.py
│   │               │   │   │   ├── [ 337]  test_timeutils.py
│   │               │   │   │   ├── [ 93K]  test_wester.py
│   │               │   │   │   └── [  66]  test_xxe.py
│   │               │   │   ├── [1.9K]  timeutils.py
│   │               │   │   └── [ 450]  tmpfiles.py
│   │               │   └── [ 576]  vector
│   │               │       ├── [1.9K]  __init__.py
│   │               │       ├── [ 12K]  basisdependent.py
│   │               │       ├── [ 36K]  coordsysrect.py
│   │               │       ├── [3.1K]  deloperator.py
│   │               │       ├── [8.4K]  dyadic.py
│   │               │       ├── [ 15K]  functions.py
│   │               │       ├── [ 16K]  implicitregion.py
│   │               │       ├── [6.7K]  integrals.py
│   │               │       ├── [1.8K]  kind.py
│   │               │       ├── [9.4K]  operators.py
│   │               │       ├── [ 12K]  orienters.py
│   │               │       ├── [5.8K]  parametricregion.py
│   │               │       ├── [4.4K]  point.py
│   │               │       ├── [2.0K]  scalar.py
│   │               │       ├── [ 416]  tests
│   │               │       │   ├── [   0]  __init__.py
│   │               │       │   ├── [ 19K]  test_coordsysrect.py
│   │               │       │   ├── [4.8K]  test_dyadic.py
│   │               │       │   ├── [ 14K]  test_field_functions.py
│   │               │       │   ├── [7.9K]  test_functions.py
│   │               │       │   ├── [3.9K]  test_implicitregion.py
│   │               │       │   ├── [5.0K]  test_integrals.py
│   │               │       │   ├── [1.6K]  test_operators.py
│   │               │       │   ├── [3.9K]  test_parametricregion.py
│   │               │       │   ├── [7.5K]  test_printing.py
│   │               │       │   └── [ 10K]  test_vector.py
│   │               │       └── [ 20K]  vector.py
│   │               ├── [ 288]  sympy-1.14.0.dist-info
│   │               │   ├── [   4]  INSTALLER
```

```
│   │               │   ├── [ 13K]  METADATA
│   │               │   ├── [390K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  39]  entry_points.txt
│   │               │   ├── [ 128]  licenses
│   │               │   │   ├── [ 54K]  AUTHORS
│   │               │   │   └── [7.7K]  LICENSE
│   │               │   └── [  13]  top_level.txt
│   │               ├── [ 448]  tenacity
│   │               │   ├── [ 23K]  __init__.py
│   │               │   ├── [2.8K]  _utils.py
│   │               │   ├── [1.6K]  after.py
│   │               │   ├── [ 128]  asyncio
│   │               │   │   ├── [7.6K]  __init__.py
│   │               │   │   └── [4.1K]  retry.py
│   │               │   ├── [1.5K]  before.py
│   │               │   ├── [2.3K]  before_sleep.py
│   │               │   ├── [1.4K]  nap.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [8.8K]  retry.py
│   │               │   ├── [4.0K]  stop.py
│   │               │   ├── [2.1K]  tornadoweb.py
│   │               │   └── [7.9K]  wait.py
│   │               ├── [ 256]  tenacity-9.1.2.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  METADATA
│   │               │   ├── [3.2K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 11K]  LICENSE
│   │               │   └── [   9]  top_level.txt
│   │               ├── [ 320]  tiktoken
│   │               │   ├── [ 345]  __init__.py
│   │               │   ├── [8.0K]  _educational.py
│   │               │   ├── [2.6M]  _tiktoken.cpython-39-darwin.so
│   │               │   ├── [ 17K]  core.py
│   │               │   ├── [5.4K]  load.py
│   │               │   ├── [3.7K]  model.py
│   │               │   ├── [   0]  py.typed
│   │               │   └── [3.2K]  registry.py
│   │               ├── [ 288]  tiktoken-0.9.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [6.5K]  METADATA
│   │               │   ├── [2.3K]  RECORD
│   │               │   ├── [   0]  REQUESTED
│   │               │   ├── [ 107]  WHEEL
│   │               │   └── [  22]  top_level.txt
│   │               ├── [  96]  tiktoken_ext
│   │               │   └── [4.5K]  openai_public.py
│   │               ├── [ 416]  tokenizers
│   │               │   ├── [2.6K]  __init__.py
│   │               │   ├── [ 39K]  __init__.pyi
│   │               │   ├── [ 128]  decoders
│   │               │   │   ├── [ 372]  __init__.py
│   │               │   │   └── [7.2K]  __init__.pyi
```

```
│   │               │   ├── [ 288]  implementations
│   │               │   │   ├── [ 310]  __init__.py
│   │               │   │   ├── [ 14K]  base_tokenizer.py
│   │               │   │   ├── [5.4K]  bert_wordpiece.py
│   │               │   │   ├── [4.2K]  byte_level_bpe.py
│   │               │   │   ├── [5.3K]  char_level_bpe.py
│   │               │   │   ├── [3.6K]  sentencepiece_bpe.py
│   │               │   │   └── [7.4K]  sentencepiece_unigram.py
│   │               │   ├── [ 128]  models
│   │               │   │   ├── [ 176]  __init__.py
│   │               │   │   └── [ 17K]  __init__.pyi
│   │               │   ├── [ 128]  normalizers
│   │               │   │   ├── [ 841]  __init__.py
│   │               │   │   └── [ 20K]  __init__.pyi
│   │               │   ├── [ 128]  pre_tokenizers
│   │               │   │   ├── [ 598]  __init__.py
│   │               │   │   └── [ 26K]  __init__.pyi
│   │               │   ├── [ 128]  processors
│   │               │   │   ├── [ 307]  __init__.py
│   │               │   │   └── [ 11K]  __init__.pyi
│   │               │   ├── [7.5M]  tokenizers.abi3.so
│   │               │   ├── [ 160]  tools
│   │               │   │   ├── [  55]  __init__.py
│   │               │   │   ├── [4.7K]  visualizer-styles.css
│   │               │   │   └── [ 14K]  visualizer.py
│   │               │   └── [ 128]  trainers
│   │               │       ├── [ 248]  __init__.py
│   │               │       └── [5.3K]  __init__.pyi
│   │               ├── [ 192]  tokenizers-0.21.4.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.6K]  METADATA
│   │               │   ├── [5.2K]  RECORD
│   │               │   └── [ 102]  WHEEL
│   │               ├── [ 224]  tomli
│   │               │   ├── [ 314]  __init__.py
│   │               │   ├── [ 25K]  _parser.py
│   │               │   ├── [3.1K]  _re.py
│   │               │   ├── [ 254]  _types.py
│   │               │   └── [  26]  py.typed
│   │               ├── [ 224]  tomli-2.2.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.0K]  LICENSE
│   │               │   ├── [ 10K]  METADATA
│   │               │   ├── [1.3K]  RECORD
│   │               │   └── [  82]  WHEEL
│   │               ├── [ 896]  tqdm
│   │               │   ├── [1.5K]  __init__.py
│   │               │   ├── [  30]  __main__.py
│   │               │   ├── [  23]  _dist_ver.py
│   │               │   ├── [ 283]  _main.py
│   │               │   ├── [3.6K]  _monitor.py
│   │               │   ├── [ 283]  _tqdm.py
│   │               │   ├── [ 287]  _tqdm_gui.py
│   │               │   ├── [ 307]  _tqdm_notebook.py
│   │               │   ├── [ 888]  _tqdm_pandas.py
│   │               │   ├── [ 553]  _utils.py
```

```
│   │               │   ├── [2.7K]  asyncio.py
│   │               │   ├── [ 871]  auto.py
│   │               │   ├── [ 956]  autonotebook.py
│   │               │   ├── [ 11K]  cli.py
│   │               │   ├── [ 946]  completion.sh
│   │               │   ├── [ 352]  contrib
│   │               │   │   ├── [2.4K]  __init__.py
│   │               │   │   ├── [ 837]  bells.py
│   │               │   │   ├── [3.9K]  concurrent.py
│   │               │   │   ├── [5.1K]  discord.py
│   │               │   │   ├── [ 774]  itertools.py
│   │               │   │   ├── [3.7K]  logging.py
│   │               │   │   ├── [3.9K]  slack.py
│   │               │   │   ├── [4.9K]  telegram.py
│   │               │   │   └── [1.2K]  utils_worker.py
│   │               │   ├── [1.3K]  dask.py
│   │               │   ├── [5.4K]  gui.py
│   │               │   ├── [4.3K]  keras.py
│   │               │   ├── [ 11K]  notebook.py
│   │               │   ├── [4.9K]  rich.py
│   │               │   ├── [ 56K]  std.py
│   │               │   ├── [6.5K]  tk.py
│   │               │   ├── [7.7K]  tqdm.1
│   │               │   ├── [ 12K]  utils.py
│   │               │   └── [ 333]  version.py
│   │               ├── [ 288]  tqdm-4.67.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.9K]  LICENCE
│   │               │   ├── [ 56K]  METADATA
│   │               │   ├── [7.7K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  39]  entry_points.txt
│   │               │   └── [   5]  top_level.txt
│   │               ├── [ 608]  typer
│   │               │   ├── [1.6K]  __init__.py
│   │               │   ├── [  30]  __main__.py
│   │               │   ├── [7.2K]  _completion_classes.py
│   │               │   ├── [8.6K]  _completion_shared.py
│   │               │   ├── [1.0K]  _types.py
│   │               │   ├── [2.9K]  _typing.py
│   │               │   ├── [9.5K]  cli.py
│   │               │   ├── [ 430]  colors.py
│   │               │   ├── [4.7K]  completion.py
│   │               │   ├── [ 26K]  core.py
│   │               │   ├── [ 41K]  main.py
│   │               │   ├── [ 17K]  models.py
│   │               │   ├── [ 15K]  params.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 25K]  rich_utils.py
│   │               │   ├── [ 874]  testing.py
│   │               │   └── [7.2K]  utils.py
│   │               ├── [ 256]  typer-0.16.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 15K]  METADATA
│   │               │   ├── [4.1K]  RECORD
│   │               │   ├── [  90]  WHEEL
```

```
│   │               │   ├── [  57]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 224]  typing_extensions-4.14.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.9K]  METADATA
│   │               │   ├── [ 680]  RECORD
│   │               │   ├── [  82]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [ 14K]  LICENSE
│   │               ├── [154K]  typing_extensions.py
│   │               ├── [ 256]  typing_inspect-0.9.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.1K]  LICENSE
│   │               │   ├── [1.4K]  METADATA
│   │               │   ├── [ 743]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   └── [  15]  top_level.txt
│   │               ├── [ 28K]  typing_inspect.py
│   │               ├── [ 224]  typing_inspection
│   │               │   ├── [   0]  __init__.py
│   │               │   ├── [ 22K]  introspection.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 17K]  typing_objects.py
│   │               │   └── [9.0K]  typing_objects.pyi
│   │               ├── [ 224]  typing_inspection-0.4.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.5K]  METADATA
│   │               │   ├── [1.3K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 256]  uritemplate
│   │               │   ├── [ 876]  __init__.py
│   │               │   ├── [2.3K]  api.py
│   │               │   ├── [3.3K]  orderedset.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [4.7K]  template.py
│   │               │   └── [ 18K]  variable.py
│   │               ├── [ 256]  uritemplate-4.2.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [2.5K]  METADATA
│   │               │   ├── [1.7K]  RECORD
│   │               │   ├── [  91]  WHEEL
│   │               │   ├── [  96]  licenses
│   │               │   │   └── [ 196]  LICENSE
│   │               │   └── [  12]  top_level.txt
│   │               ├── [ 576]  urllib3
│   │               │   ├── [6.8K]  __init__.py
│   │               │   ├── [5.4K]  _base_connection.py
│   │               │   ├── [ 17K]  _collections.py
│   │               │   ├── [9.7K]  _request_methods.py
│   │               │   ├── [ 511]  _version.py
│   │               │   ├── [ 42K]  connection.py
│   │               │   ├── [ 42K]  connectionpool.py
│   │               │   ├── [ 192]  contrib
```

```
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 256]  emscripten
│   │               │   │   │   ├── [ 733]  __init__.py
│   │               │   │   │   ├── [8.6K]  connection.py
│   │               │   │   │   ├── [3.6K]  emscripten_fetch_worker.js
│   │               │   │   │   ├── [ 23K]  fetch.py
│   │               │   │   │   ├── [ 566]  request.py
│   │               │   │   │   └── [9.3K]  response.py
│   │               │   │   ├── [ 19K]  pyopenssl.py
│   │               │   │   └── [7.4K]  socks.py
│   │               │   ├── [9.7K]  exceptions.py
│   │               │   ├── [ 11K]  fields.py
│   │               │   ├── [2.3K]  filepost.py
│   │               │   ├── [ 160]  http2
│   │               │   │   ├── [1.7K]  __init__.py
│   │               │   │   ├── [ 12K]  connection.py
│   │               │   │   └── [2.9K]  probe.py
│   │               │   ├── [ 23K]  poolmanager.py
│   │               │   ├── [  93]  py.typed
│   │               │   ├── [ 45K]  response.py
│   │               │   └── [ 480]  util
│   │               │       ├── [1001]  __init__.py
│   │               │       ├── [4.3K]  connection.py
│   │               │       ├── [1.1K]  proxy.py
│   │               │       ├── [8.2K]  request.py
│   │               │       ├── [3.3K]  response.py
│   │               │       ├── [ 18K]  retry.py
│   │               │       ├── [ 19K]  ssl_.py
│   │               │       ├── [5.7K]  ssl_match_hostname.py
│   │               │       ├── [8.6K]  ssltransport.py
│   │               │       ├── [ 10K]  timeout.py
│   │               │       ├── [ 15K]  url.py
│   │               │       ├── [1.1K]  util.py
│   │               │       └── [4.3K]  wait.py
│   │               ├── [ 224]  urllib3-2.5.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.3K]  METADATA
│   │               │   ├── [8.9K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE.txt
│   │               ├── [ 576]  uvicorn
│   │               │   ├── [ 147]  __init__.py
│   │               │   ├── [  62]  __main__.py
│   │               │   ├── [2.7K]  _subprocess.py
│   │               │   ├── [7.6K]  _types.py
│   │               │   ├── [ 21K]  config.py
│   │               │   ├── [1.1K]  importer.py
│   │               │   ├── [ 160]  lifespan
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 332]  off.py
│   │               │   │   └── [5.1K]  on.py
│   │               │   ├── [4.1K]  logging.py
│   │               │   ├── [ 192]  loops
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 301]  asyncio.py
```

```
│   │               │   │   ├── [ 400]  auto.py
│   │               │   │   └── [ 148]  uvloop.py
│   │               │   ├── [ 17K]  main.py
│   │               │   ├── [ 224]  middleware
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 394]  asgi2.py
│   │               │   │   ├── [2.8K]  message_logger.py
│   │               │   │   ├── [5.7K]  proxy_headers.py
│   │               │   │   └── [6.9K]  wsgi.py
│   │               │   ├── [ 192]  protocols
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 224]  http
│   │               │   │   │   ├── [   0]  __init__.py
│   │               │   │   │   ├── [ 403]  auto.py
│   │               │   │   │   ├── [1.7K]  flow_control.py
│   │               │   │   │   ├── [ 20K]  h11_impl.py
│   │               │   │   │   └── [ 21K]  httptools_impl.py
│   │               │   │   ├── [1.8K]  utils.py
│   │               │   │   └── [ 224]  websockets
│   │               │   │       ├── [   0]  __init__.py
│   │               │   │       ├── [ 581]  auto.py
│   │               │   │       ├── [ 15K]  websockets_impl.py
│   │               │   │       ├── [ 17K]  websockets_sansio_impl.py
│   │               │   │       └── [ 15K]  wsproto_impl.py
│   │               │   ├── [   1]  py.typed
│   │               │   ├── [ 13K]  server.py
│   │               │   ├── [ 224]  supervisors
│   │               │   │   ├── [ 507]  __init__.py
│   │               │   │   ├── [3.9K]  basereload.py
│   │               │   │   ├── [7.3K]  multiprocess.py
│   │               │   │   ├── [1.5K]  statreload.py
│   │               │   │   └── [2.8K]  watchfilesreload.py
│   │               │   └── [3.8K]  workers.py
│   │               ├── [ 256]  uvicorn-0.35.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [6.4K]  METADATA
│   │               │   ├── [9.9K]  RECORD
│   │               │   ├── [  87]  WHEEL
│   │               │   ├── [  46]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.5K]  LICENSE.md
│   │               ├── [ 800]  uvloop
│   │               │   ├── [5.1K]  __init__.py
│   │               │   ├── [  86]  _noop.py
│   │               │   ├── [ 15K]  _testbase.py
│   │               │   ├── [ 576]  _version.py
│   │               │   ├── [ 752]  cbhandles.pxd
│   │               │   ├── [ 12K]  cbhandles.pyx
│   │               │   ├── [ 14K]  dns.pyx
│   │               │   ├── [2.7K]  errors.pyx
│   │               │   ├── [ 960]  handles
│   │               │   │   ├── [ 252]  async_.pxd
│   │               │   │   ├── [1.5K]  async_.pyx
│   │               │   │   ├── [1.3K]  basetransport.pxd
│   │               │   │   ├── [9.3K]  basetransport.pyx
│   │               │   │   ├── [ 276]  check.pxd
```

```
│   │               │   │   ├── [1.8K]  check.pyx
│   │               │   │   ├── [ 325]  fsevent.pxd
│   │               │   │   ├── [2.8K]  fsevent.pyx
│   │               │   │   ├── [1.2K]  handle.pxd
│   │               │   │   ├── [ 13K]  handle.pyx
│   │               │   │   ├── [ 274]  idle.pxd
│   │               │   │   ├── [1.8K]  idle.pyx
│   │               │   │   ├── [ 933]  pipe.pxd
│   │               │   │   ├── [7.5K]  pipe.pyx
│   │               │   │   ├── [ 575]  poll.pxd
│   │               │   │   ├── [6.4K]  poll.pyx
│   │               │   │   ├── [2.3K]  process.pxd
│   │               │   │   ├── [ 26K]  process.pyx
│   │               │   │   ├── [1.5K]  stream.pxd
│   │               │   │   ├── [ 31K]  stream.pyx
│   │               │   │   ├── [ 786]  streamserver.pxd
│   │               │   │   ├── [4.5K]  streamserver.pyx
│   │               │   │   ├── [ 892]  tcp.pxd
│   │               │   │   ├── [7.1K]  tcp.pyx
│   │               │   │   ├── [ 440]  timer.pxd
│   │               │   │   ├── [2.4K]  timer.pyx
│   │               │   │   ├── [ 671]  udp.pxd
│   │               │   │   └── [ 12K]  udp.pyx
│   │               │   ├── [ 320]  includes
│   │               │   │   ├── [ 361]  __init__.py
│   │               │   │   ├── [ 843]  consts.pxi
│   │               │   │   ├── [  64]  debug.pxd
│   │               │   │   ├── [ 458]  flowcontrol.pxd
│   │               │   │   ├── [ 846]  python.pxd
│   │               │   │   ├── [6.2K]  stdlib.pxi
│   │               │   │   ├── [2.1K]  system.pxd
│   │               │   │   └── [ 16K]  uv.pxd
│   │               │   ├── [3.6M]  loop.cpython-39-darwin.so
│   │               │   ├── [6.1K]  loop.pxd
│   │               │   ├── [ 10K]  loop.pyi
│   │               │   ├── [116K]  loop.pyx
│   │               │   ├── [2.2K]  lru.pyx
│   │               │   ├── [5.3K]  pseudosock.pyx
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 143]  request.pxd
│   │               │   ├── [2.2K]  request.pyx
│   │               │   ├── [ 394]  server.pxd
│   │               │   ├── [3.5K]  server.pyx
│   │               │   ├── [3.5K]  sslproto.pxd
│   │               │   └── [ 35K]  sslproto.pyx
│   │               ├── [ 288]  uvloop-0.21.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE-APACHE
│   │               │   ├── [1.1K]  LICENSE-MIT
│   │               │   ├── [4.8K]  METADATA
│   │               │   ├── [5.8K]  RECORD
│   │               │   ├── [ 112]  WHEEL
│   │               │   └── [   7]  top_level.txt
│   │               ├── [ 384]  watchfiles
│   │               │   ├── [ 364]  __init__.py
│   │               │   ├── [  59]  __main__.py
```

```
│   │               │   ├── [910K]  _rust_notify.cpython-39-darwin.so
│   │               │   ├── [4.6K]  _rust_notify.pyi
│   │               │   ├── [7.5K]  cli.py
│   │               │   ├── [5.0K]  filters.py
│   │               │   ├── [ 15K]  main.py
│   │               │   ├── [  69]  py.typed
│   │               │   ├── [ 15K]  run.py
│   │               │   └── [  85]  version.py
│   │               ├── [ 256]  watchfiles-1.1.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [4.8K]  METADATA
│   │               │   ├── [2.4K]  RECORD
│   │               │   ├── [ 102]  WHEEL
│   │               │   ├── [  48]  entry_points.txt
│   │               │   └── [  96]  licenses
│   │               │       └── [1.1K]  LICENSE
│   │               ├── [ 576]  websocket
│   │               │   ├── [ 833]  __init__.py
│   │               │   ├── [ 14K]  _abnf.py
│   │               │   ├── [ 24K]  _app.py
│   │               │   ├── [2.3K]  _cookiejar.py
│   │               │   ├── [ 21K]  _core.py
│   │               │   ├── [2.1K]  _exceptions.py
│   │               │   ├── [6.4K]  _handshake.py
│   │               │   ├── [ 13K]  _http.py
│   │               │   ├── [2.2K]  _logging.py
│   │               │   ├── [5.1K]  _socket.py
│   │               │   ├── [1.2K]  _ssl_compat.py
│   │               │   ├── [5.1K]  _url.py
│   │               │   ├── [6.8K]  _utils.py
│   │               │   ├── [6.8K]  _wsdump.py
│   │               │   ├── [   0]  py.typed
│   │               │   └── [ 352]  tests
│   │               │       ├── [   0]  __init__.py
│   │               │       ├── [ 160]  data
│   │               │       │   ├── [ 163]  header01.txt
│   │               │       │   ├── [ 161]  header02.txt
│   │               │       │   └── [ 216]  header03.txt
│   │               │       ├── [ 482]  echo-server.py
│   │               │       ├── [4.5K]  test_abnf.py
│   │               │       ├── [ 12K]  test_app.py
│   │               │       ├── [4.3K]  test_cookiejar.py
│   │               │       ├── [ 12K]  test_http.py
│   │               │       ├── [ 17K]  test_url.py
│   │               │       └── [ 18K]  test_websocket.py
│   │               ├── [ 288]  websocket_client-1.8.0.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 11K]  LICENSE
│   │               │   ├── [7.8K]  METADATA
│   │               │   ├── [6.1K]  RECORD
│   │               │   ├── [  92]  WHEEL
│   │               │   ├── [  50]  entry_points.txt
│   │               │   └── [  10]  top_level.txt
│   │               ├── [ 960]  websockets
│   │               │   ├── [6.9K]  __init__.py
│   │               │   ├── [  62]  __main__.py
```

```
│   │               │   ├── [ 320]  asyncio
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [8.8K]  async_timeout.py
│   │               │   │   ├── [ 31K]  client.py
│   │               │   │   ├── [ 786]  compatibility.py
│   │               │   │   ├── [ 48K]  connection.py
│   │               │   │   ├── [ 11K]  messages.py
│   │               │   │   ├── [6.4K]  router.py
│   │               │   │   └── [ 37K]  server.py
│   │               │   ├── [ 568]  auth.py
│   │               │   ├── [5.2K]  cli.py
│   │               │   ├── [ 13K]  client.py
│   │               │   ├── [ 323]  connection.py
│   │               │   ├── [5.5K]  datastructures.py
│   │               │   ├── [ 13K]  exceptions.py
│   │               │   ├── [ 160]  extensions
│   │               │   │   ├── [  98]  __init__.py
│   │               │   │   ├── [2.8K]  base.py
│   │               │   │   └── [ 25K]  permessage_deflate.py
│   │               │   ├── [ 12K]  frames.py
│   │               │   ├── [ 16K]  headers.py
│   │               │   ├── [ 659]  http.py
│   │               │   ├── [ 15K]  http11.py
│   │               │   ├── [2.7K]  imports.py
│   │               │   ├── [ 352]  legacy
│   │               │   │   ├── [ 276]  __init__.py
│   │               │   │   ├── [6.4K]  auth.py
│   │               │   │   ├── [ 26K]  client.py
│   │               │   │   ├── [1.9K]  exceptions.py
│   │               │   │   ├── [6.2K]  framing.py
│   │               │   │   ├── [5.2K]  handshake.py
│   │               │   │   ├── [6.9K]  http.py
│   │               │   │   ├── [ 62K]  protocol.py
│   │               │   │   └── [ 44K]  server.py
│   │               │   ├── [ 26K]  protocol.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 21K]  server.py
│   │               │   ├── [5.6K]  speedups.c
│   │               │   ├── [ 50K]  speedups.cpython-39-darwin.so
│   │               │   ├── [  55]  speedups.pyi
│   │               │   ├── [4.0K]  streams.py
│   │               │   ├── [ 288]  sync
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [ 22K]  client.py
│   │               │   │   ├── [ 41K]  connection.py
│   │               │   │   ├── [ 12K]  messages.py
│   │               │   │   ├── [6.1K]  router.py
│   │               │   │   ├── [ 27K]  server.py
│   │               │   │   └── [1.1K]  utils.py
│   │               │   ├── [2.0K]  typing.py
│   │               │   ├── [6.8K]  uri.py
│   │               │   ├── [1.1K]  utils.py
│   │               │   └── [3.1K]  version.py
│   │               ├── [ 288]  websockets-15.0.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.5K]  LICENSE
```

```
│   │               │   ├── [6.7K]  METADATA
│   │               │   ├── [ 12K]  RECORD
│   │               │   ├── [ 107]  WHEEL
│   │               │   ├── [  51]  entry_points.txt
│   │               │   └── [  11]  top_level.txt
│   │               ├── [ 768]  werkzeug
│   │               │   ├── [ 165]  __init__.py
│   │               │   ├── [5.4K]  _internal.py
│   │               │   ├── [ 15K]  _reloader.py
│   │               │   ├── [ 416]  datastructures
│   │               │   │   ├── [2.6K]  __init__.py
│   │               │   │   ├── [ 12K]  accept.py
│   │               │   │   ├── [9.8K]  auth.py
│   │               │   │   ├── [9.5K]  cache_control.py
│   │               │   │   ├── [3.7K]  csp.py
│   │               │   │   ├── [3.2K]  etag.py
│   │               │   │   ├── [6.5K]  file_storage.py
│   │               │   │   ├── [ 21K]  headers.py
│   │               │   │   ├── [8.8K]  mixins.py
│   │               │   │   ├── [6.9K]  range.py
│   │               │   │   └── [ 40K]  structures.py
│   │               │   ├── [ 224]  debug
│   │               │   │   ├── [ 20K]  __init__.py
│   │               │   │   ├── [5.9K]  console.py
│   │               │   │   ├── [9.1K]  repr.py
│   │               │   │   ├── [ 256]  shared
│   │               │   │   │   ├── [ 222]  ICON_LICENSE.md
│   │               │   │   │   ├── [ 507]  console.png
│   │               │   │   │   ├── [9.8K]  debugger.js
│   │               │   │   │   ├── [ 191]  less.png
│   │               │   │   │   ├── [ 200]  more.png
│   │               │   │   │   └── [5.9K]  style.css
│   │               │   │   └── [ 13K]  tbtools.py
│   │               │   ├── [ 26K]  exceptions.py
│   │               │   ├── [ 15K]  formparser.py
│   │               │   ├── [ 44K]  http.py
│   │               │   ├── [ 22K]  local.py
│   │               │   ├── [ 288]  middleware
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [2.5K]  dispatcher.py
│   │               │   │   ├── [7.7K]  http_proxy.py
│   │               │   │   ├── [ 14K]  lint.py
│   │               │   │   ├── [5.4K]  profiler.py
│   │               │   │   ├── [6.6K]  proxy_fix.py
│   │               │   │   └── [9.3K]  shared_data.py
│   │               │   ├── [   0]  py.typed
│   │               │   ├── [ 256]  routing
│   │               │   │   ├── [4.7K]  __init__.py
│   │               │   │   ├── [7.1K]  converters.py
│   │               │   │   ├── [4.7K]  exceptions.py
│   │               │   │   ├── [ 36K]  map.py
│   │               │   │   ├── [7.7K]  matcher.py
│   │               │   │   └── [ 32K]  rules.py
│   │               │   ├── [ 256]  sansio
│   │               │   │   ├── [   0]  __init__.py
│   │               │   │   ├── [5.2K]  http.py
```

```
│   │               │   │   ├── [ 11K]  multipart.py
│   │               │   │   ├── [ 19K]  request.py
│   │               │   │   ├── [ 27K]  response.py
│   │               │   │   └── [5.1K]  utils.py
│   │               │   ├── [5.5K]  security.py
│   │               │   ├── [ 39K]  serving.py
│   │               │   ├── [ 52K]  test.py
│   │               │   ├── [6.2K]  testapp.py
│   │               │   ├── [6.3K]  urls.py
│   │               │   ├── [1.4K]  user_agent.py
│   │               │   ├── [ 24K]  utils.py
│   │               │   ├── [ 160]  wrappers
│   │               │   │   ├── [ 138]  __init__.py
│   │               │   │   ├── [ 24K]  request.py
│   │               │   │   └── [ 32K]  response.py
│   │               │   └── [ 20K]  wsgi.py
│   │               ├── [ 224]  werkzeug-3.1.3.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [1.4K]  LICENSE.txt
│   │               │   ├── [3.6K]  METADATA
│   │               │   ├── [ 13K]  RECORD
│   │               │   └── [  82]  WHEEL
│   │               ├── [ 640]  yaml
│   │               │   ├── [ 12K]  __init__.py
│   │               │   ├── [351K]  _yaml.cpython-39-darwin.so
│   │               │   ├── [4.8K]  composer.py
│   │               │   ├── [ 28K]  constructor.py
│   │               │   ├── [3.8K]  cyaml.py
│   │               │   ├── [2.8K]  dumper.py
│   │               │   ├── [ 42K]  emitter.py
│   │               │   ├── [2.5K]  error.py
│   │               │   ├── [2.4K]  events.py
│   │               │   ├── [2.0K]  loader.py
│   │               │   ├── [1.4K]  nodes.py
│   │               │   ├── [ 25K]  parser.py
│   │               │   ├── [6.6K]  reader.py
│   │               │   ├── [ 14K]  representer.py
│   │               │   ├── [8.8K]  resolver.py
│   │               │   ├── [ 50K]  scanner.py
│   │               │   ├── [4.1K]  serializer.py
│   │               │   └── [2.5K]  tokens.py
│   │               ├── [ 416]  yarl
│   │               │   ├── [ 281]  __init__.py
│   │               │   ├── [7.0K]  _parse.py
│   │               │   ├── [1.3K]  _path.py
│   │               │   ├── [3.8K]  _query.py
│   │               │   ├── [1.1K]  _quoters.py
│   │               │   ├── [ 506]  _quoting.py
│   │               │   ├── [142K]  _quoting_c.cpython-39-darwin.so
│   │               │   ├── [ 14K]  _quoting_c.pyx
│   │               │   ├── [6.7K]  _quoting_py.py
│   │               │   ├── [ 54K]  _url.py
│   │               │   └── [  14]  py.typed
│   │               ├── [ 256]  yarl-1.20.1.dist-info
│   │               │   ├── [   4]  INSTALLER
│   │               │   ├── [ 72K]  METADATA
```

```
│   │           │   ├── [2.5K]  RECORD
│   │           │   ├── [ 134]  WHEEL
│   │           │   ├── [ 128]  licenses
│   │           │   │   ├── [ 11K]  LICENSE
│   │           │   │   └── [ 609]  NOTICE
│   │           │   └── [   5]  top_level.txt
│   │           ├── [ 192]  zipp
│   │           │   ├── [ 12K]  __init__.py
│   │           │   ├── [ 575]  _functools.py
│   │           │   ├── [ 192]  compat
│   │           │   │   ├── [   0]  __init__.py
│   │           │   │   ├── [ 783]  overlay.py
│   │           │   │   ├── [ 256]  py310.py
│   │           │   │   └── [ 654]  py313.py
│   │           │   └── [3.3K]  glob.py
│   │           ├── [ 256]  zipp-3.23.0.dist-info
│   │           │   ├── [   4]  INSTALLER
│   │           │   ├── [3.5K]  METADATA
│   │           │   ├── [2.0K]  RECORD
│   │           │   ├── [  91]  WHEEL
│   │           │   ├── [  96]  licenses
│   │           │   │   └── [1.1K]  LICENSE
│   │           │   └── [   5]  top_level.txt
│   │           ├── [ 256]  zstandard
│   │           │   ├── [6.9K]  __init__.py
│   │           │   ├── [ 14K]  __init__.pyi
│   │           │   ├── [825K]  _cffi.cpython-39-darwin.so
│   │           │   ├── [742K]  backend_c.cpython-39-darwin.so
│   │           │   ├── [149K]  backend_cffi.py
│   │           │   └── [   0]  py.typed
│   │           └── [ 256]  zstandard-0.23.0.dist-info
│   │               ├── [   4]  INSTALLER
│   │               ├── [1.4K]  LICENSE
│   │               ├── [2.9K]  METADATA
│   │               ├── [1.3K]  RECORD
│   │               ├── [ 108]  WHEEL
│   │               └── [  10]  top_level.txt
│   ├── [ 104]  pyvenv.cfg
│   └── [  96]  share
│       └── [  96]  man
│           └── [  96]  man1
│               └── [6.5K]  isympy.1
├── [ 11K]  ϕ-activate-final.sh
├── [5.3K]  ϕ-activate-ultra.sh
├── [ 10K]  ϕ-evolve.sh
├── [  80]  ϕ-expand.sh
├── [ 16K]  ϕ-finalize.sh
├── [ 241]  ϕ-first-run.sh
├── [ 274]  ϕ-heartbeat.sh
├── [ 817]  ϕ-query.py
└── [ 623]  ϕ-query.sh

2866 directories, 25138 files
kunzt.freiheit@Mac ϕ-SARIT-EL % python3 tools/policy_smoketest.py ||
echo "Policy-Test fehlgeschlagen"
```

```
[PASS] version.schema present
[PASS] version.last_updated present
[PASS] compliance.illegal_content=block
[PASS] decision log path resolved — logs/policy_decisions.log
[PASS] autonomy_limits.network_access=False
[PASS] autonomy_limits.external_api=False
[PASS] FS write allowed under allow_write — /Users/kunzt.freiheit/ϕ-
SARIT-EL/tmp_ok_write/file.txt
[PASS] FS write denied by deny list — /Users/kunzt.freiheit/.ssh/id_rsa
[PASS] secrets.encryption.algo=AES-256
[PASS] secrets.encryption.kdf present
[PASS] secrets.storage.type=local
[PASS] secrets.storage.path exists
[PASS] access_roles.owner has read/write
[PASS] access_roles.system read-only
[PASS] policy_decisions.log writable — logs/policy_decisions.log
kunzt.freiheit@Mac ϕ-SARIT-EL % bin/phi ask "Punkt 31 Kontext-, Zeit-
und Feldsensitivität" -k 3 --md-out --answer --width 320 || echo "RAG-
Test fehlgeschlagen"
[ASK] Query: Punkt 31 Kontext-, Zeit- und Feldsensitivität
[WARN] rag_filters.yaml konnte nicht geladen werden: No module named
'yaml'

#1  score=16434.000
file: /Users/kunzt.freiheit/ϕ-SARIT-EL/memory/pdf_texts/
Blavatsky_Geheimlehre_II.txt  span: 0-0
snippet: Die Geheimlehre Band II DIE GEHEIMLEHRE VON H. P. BLAVATSKY DIE
VEREINIGUNG VON WISSENSCHAFT RELIGION UND PHILOSOPHIE BAND II
ANTHROPOGENESIS A ZWÖLF STROPHEN AUS DEM BUCHE DES DZYAN VERLAG J.J.
COUVREUR - DEN HAAG - HOLLAND AUS DEM ENGLISCHEN DER DRITTEN AUFLAGE
ÜBERSETZT VON DR. PHIL. ROBERT FROEBE Inhalt http://212.

#2  score=15327.000
file: /Users/kunzt.freiheit/ϕ-SARIT-EL/memory/pdf_texts/ebuch-deutsch-
icke-david-der-lc3b6we-erwacht-2011-957-s-text.txt  span: 0-0
snippet: David Icke DER LÖWE ERWACHT Titel der Originalausgabe: „Human
Race, get off your knees" (second, updated version) Zweite Auflage, 2011
Deutsche Übersetzung: Nina Hawranke Layout: Inna Kralovyetts
www.mosquito-verlag.de © Copyright 2011, Mosquito Verlag Ltd & Co KG,
Immenstadt Nachdrucke oder Kopien dieses Buchs, auch a

#3  score=13492.000
file: /Users/kunzt.freiheit/ϕ-SARIT-EL/memory/pdf_texts/
Blavatsky_Geheimlehre_I.txt  span: 0-0
snippet: Die Geheimlehre Band I DIE GEHEIMLEHRE VON H. P. BLAVATSKY DIE
VEREINIGUNG VON WISSENSCHAFT RELIGION UND PHILOSOPHIE BAND I
KOSMOGENESIS A KOSMISCHE EVOLUTION VERLAG J.J. COUVREUR - DEN HAAG -
HOLLAND AUS DEM ENGLISCHEN DER DRITTEN AUFLAGE ÜBERSETZT VON DR. PHIL.
ROBERT FROEBE Inhalt http://212.88.187.41/FTP/theosophie

[ASK] Markdown -> /Users/kunzt.freiheit/ϕ-SARIT-EL/logs/answers/
ANSWER_20250824-014825.md
kunzt.freiheit@Mac ϕ-SARIT-EL %
```