



OVERALL SCORE

63

SECURITY

52

SEO

42

PERFORMANCE

96

Security

32 checks

Content-Security-Policy

FAIL • MEDIUM

Content-Security-Policy is missing from the main response.

WHY IT MATTERS

A strong CSP reduces exposure to XSS and limits where scripts, frames, and other content can load from.

RECOMMENDATION

Add a Content-Security-Policy header to the main response.

HSTS header

FAIL • MEDIUM

Strict-Transport-Security is missing from the HTTPS response.

WHY IT MATTERS

HSTS helps browsers avoid insecure protocol downgrades after the first secure visit.

RECOMMENDATION

Add a Strict-Transport-Security header on HTTPS responses.

HTTP to HTTPS redirect

FAIL • MEDIUM

The HTTP endpoint did not issue a redirect to HTTPS.

WHY IT MATTERS

Users can still reach insecure endpoints if the plaintext HTTP endpoint does not force an upgrade to HTTPS.

RECOMMENDATION

Configure the HTTP endpoint to redirect directly to the HTTPS URL.

Permissions-Policy

FAIL • LOW

Permissions-Policy is missing from the main response.

WHY IT MATTERS

Permissions-Policy can reduce unnecessary browser capabilities on the page.

RECOMMENDATION

Add a Permissions-Policy header that explicitly declares the browser features you want to allow.

Referrer-Policy

FAIL • LOW

Referrer-Policy is missing from the main response.

WHY IT MATTERS

Referrer policy controls how much URL information is leaked to downstream origins.

RECOMMENDATION

Add a Referrer-Policy header, typically `strict-origin-when-cross-origin``.

X-Content-Type-Options

FAIL • LOW

X-Content-Type-Options is missing from the main response.

WHY IT MATTERS

The `nosniff` policy helps prevent browsers from guessing a different MIME type than intended.

RECOMMENDATION

Set `X-Content-Type-Options: nosniff` on the main response.

HttpOnly cookies

WARNING • LOW

1 of 4 sampled response cookies are missing HttpOnly.

WHY IT MATTERS

HttpOnly prevents client-side scripts from reading sensitive cookies.

RECOMMENDATION

Mark authentication and session cookies as HttpOnly.

SameSite cookies

WARNING • LOW

2 of 4 sampled response cookies are missing SameSite.

WHY IT MATTERS

SameSite reduces cross-site request forgery and cross-site session leakage risk.

RECOMMENDATION

Set SameSite=Lax or Strict where the application permits it.

Secure cookies

WARNING • LOW

1 of 4 sampled response cookies are missing Secure.

WHY IT MATTERS

Sensitive cookies should only be sent over HTTPS to avoid exposure on plaintext channels.

RECOMMENDATION

Mark sensitive cookies with the Secure attribute.

Basic WAF / CDN detection

INFO • INFO

No strong CDN or WAF signatures were detected from the sampled response.

WHY IT MATTERS

Edge infrastructure detection is informational, but it helps explain response headers, caching, and security controls seen in production.

RECOMMENDATION

No action is required unless you expected a CDN or WAF in front of the site.

Cross-Origin-Embedder-Policy

INFO • INFO

Cross-Origin-Embedder-Policy is not present on the main response.

WHY IT MATTERS

Cross-origin isolation headers can tighten process isolation and resource loading behavior for advanced browser security models.

RECOMMENDATION

Add Cross-Origin-Embedder-Policy if the page benefits from stronger cross-origin isolation.

Cross-Origin-Opener-Policy

INFO • INFO

Cross-Origin-Opener-Policy is not present on the main response.

WHY IT MATTERS

Cross-origin isolation headers can tighten process isolation and resource loading behavior for advanced browser security models.

RECOMMENDATION

Add Cross-Origin-Opener-Policy if the page benefits from stronger cross-origin isolation.

Cross-Origin-Resource-Policy

INFO • INFO

Cross-Origin-Resource-Policy is not present on the main response.

WHY IT MATTERS

Cross-origin isolation headers can tighten process isolation and resource loading behavior for advanced browser security models.

RECOMMENDATION

Add Cross-Origin-Resource-Policy if the page benefits from stronger cross-origin isolation.

Technology fingerprinting

INFO • INFO

Detected likely technologies: Server: gws.

WHY IT MATTERS

Technology fingerprinting is informational, but it helps teams understand what their public stack reveals.

RECOMMENDATION

Review whether publicly exposed stack signatures are acceptable for your threat model.

Directory listing

PASS • INFO

No sampled directory listing pages were exposed.

WHY IT MATTERS

Directory listings can leak internal file names, deployment artifacts, and crawlable paths.

RECOMMENDATION

Keep directory listing disabled on public paths.

Domain matches certificate

PASS • INFO

The scanned hostname matches the certificate names.

WHY IT MATTERS

A hostname mismatch causes browser trust failures even when a certificate is otherwise present.

RECOMMENDATION

Keep the certificate SAN/CN entries aligned with the public hostname.

Exposed .env

PASS • INFO

The /.env path was not exposed.

WHY IT MATTERS

Exposed environment files often contain credentials, secrets, and infrastructure details.

RECOMMENDATION

Keep environment artifacts out of the public document root.

Exposed .git

PASS • INFO

The /.git/HEAD path was not exposed.

WHY IT MATTERS

Public Git metadata can leak repository history, internal paths, and sometimes secrets.

RECOMMENDATION

Keep ``.git`` paths blocked from public access.

Exposed backup files

PASS • INFO

No sampled backup-style files were publicly accessible.

WHY IT MATTERS

Public backup artifacts can expose source code, credentials, or stale copies of sensitive data.

RECOMMENDATION

Keep backup artifacts outside the public web root.

HTTPS enabled

PASS • INFO

The target hostname returned a successful HTTPS response.

WHY IT MATTERS

HTTPS protects data in transit and is the baseline for browser trust and secure sessions.

RECOMMENDATION

Keep TLS enabled on the public hostname.

Insecure external resources

PASS • INFO

No external HTTP resources were referenced from the primary page.

WHY IT MATTERS

External HTTP resources break the secure transport guarantee and enlarge supply-chain exposure.

RECOMMENDATION

Keep all external resources on HTTPS.

Insecure form submission

PASS • INFO

All sampled form actions resolve to HTTPS.

WHY IT MATTERS

Submitting forms to HTTP can expose credentials and user input in transit.

RECOMMENDATION

Keep form submissions on HTTPS.

Insecure internal links

PASS • INFO

No HTTP internal links were found in the limited crawl.

WHY IT MATTERS

Internal links that still point to HTTP can route users and crawlers through insecure entrypoints.

RECOMMENDATION

Keep internal linking on HTTPS.

Mixed content

PASS • INFO

No HTTP resources were referenced from the HTTPS page.

WHY IT MATTERS

Mixed content weakens the HTTPS trust boundary and can trigger blocking or downgrade behavior in browsers.

RECOMMENDATION

Keep all referenced resources on HTTPS.

robots.txt presence

PASS • INFO

robots.txt is reachable on the primary origin.

WHY IT MATTERS

robots.txt is not a direct security control, but its presence often reflects baseline operational hygiene.

RECOMMENDATION

Keep robots.txt aligned with the intended crawl policy.

security.txt

PASS • INFO

security.txt is reachable at <https://www.google.com/.well-known/security.txt>.

WHY IT MATTERS

security.txt gives researchers a standard place to find disclosure and contact instructions.

RECOMMENDATION

Keep contact and policy information current.

Server header disclosure

PASS • INFO

Server is set to "gws".

WHY IT MATTERS

Detailed server banners can make stack fingerprinting and version-targeted reconnaissance easier.

RECOMMENDATION

Minimize version detail in the Server header where your hosting stack allows it.

SSL certificate valid

PASS • INFO

The TLS certificate was presented and validated by the client.

WHY IT MATTERS

Invalid certificates break browser trust and can expose users to interception or service outages.

RECOMMENDATION

Keep certificate renewal and issuance automated.

SSL expiration window

PASS • INFO

The certificate expires in 60 days.

WHY IT MATTERS

Certificates that are close to expiry can abruptly break availability and trust for the public site.

RECOMMENDATION

Keep monitoring automated renewals.

Third-party scripts without SRI

PASS • INFO

All sampled third-party scripts expose integrity metadata.

WHY IT MATTERS

Subresource Integrity helps detect unexpected content changes in third-party scripts.

RECOMMENDATION

Keep integrity metadata updated as third-party script versions change.

X-Frame-Options

PASS • INFO

X-Frame-Options is set to "SAMEORIGIN".

WHY IT MATTERS

Frame embedding protections help reduce clickjacking exposure on pages that should not be framed by untrusted origins.

RECOMMENDATION

Prefer `DENY` or `SAMEORIGIN` unless framing is intentionally required.

X-Powered-By disclosure

PASS • INFO

The response does not expose X-Powered-By.

WHY IT MATTERS

Framework disclosure can help attackers fingerprint the stack and prioritize exploit attempts.

RECOMMENDATION

Keep framework disclosure disabled.

Meta description exists

FAIL • MEDIUM

The primary page is missing a meta description.

WHY IT MATTERS

Search engines often use the meta description as the starting point for the visible snippet.

RECOMMENDATION

Add a clear meta description that explains the page purpose.

Meta description length

FAIL • MEDIUM

Description length could not be evaluated because the tag is missing.

WHY IT MATTERS

Descriptions that are too short or too long can lower search snippet quality and click-through behavior.

RECOMMENDATION

Add a meta description before evaluating its length.

Open Graph tags

FAIL • MEDIUM

Found 0 of 3 core Open Graph tags.

WHY IT MATTERS

Open Graph metadata improves how URLs render in messaging apps and social previews.

RECOMMENDATION

Add the core Open Graph tags: ``og:title``, ``og:description``, and ``og:image``.

Viewport meta

FAIL • MEDIUM

The page is missing a viewport meta tag.

WHY IT MATTERS

Mobile-friendly rendering depends on a correct viewport declaration in the document head.

RECOMMENDATION

Add `<meta name="viewport" content="width=device-width, initial-scale=1" />`.

H1 presence

WARNING • MEDIUM

The page contains 0 H1 headings.

WHY IT MATTERS

A clear primary heading helps crawlers and users quickly understand the page topic.

RECOMMENDATION

Use one descriptive H1 and structure supporting content with H2-H6 headings.

Broken external links

WARNING • LOW

2 of 10 sampled external links returned errors.

WHY IT MATTERS

Broken external references hurt user trust and can weaken the perceived quality of the page.

RECOMMENDATION

Update or remove external links that now return errors.

Canonical tag exists

WARNING • LOW

The primary page does not publish a canonical tag.

WHY IT MATTERS

Canonical tags help search engines consolidate duplicate or near-duplicate URLs to a preferred version.

RECOMMENDATION

Add a canonical URL that points to the preferred indexable version of the page.

Canonical validity

WARNING • LOW

The canonical tag is missing, so validity could not be evaluated.

WHY IT MATTERS

A broken or misleading canonical tag can send crawlers to the wrong URL and weaken index consolidation.

RECOMMENDATION

Add a canonical tag before validating its target.

Image alt text

WARNING • LOW

2 of 5 sampled images are missing alt text.

WHY IT MATTERS

Alt text improves accessibility and helps search engines understand the meaning of non-decorative images.

RECOMMENDATION

Add meaningful alt text to informative images and use empty alt values for decorative assets.

Title length

WARNING • LOW

The title is 6 characters long.

WHY IT MATTERS

Very short or very long titles can reduce relevance and snippet clarity in search results.

RECOMMENDATION

Aim for a title that is usually between 20 and 65 characters.

Twitter card tags

WARNING • LOW

Found 0 of 3 core Twitter card tags.

WHY IT MATTERS

Twitter card metadata still influences how many platforms preview shared pages.

RECOMMENDATION

Add at least ``twitter:card``, ``twitter:title``, and ``twitter:description``.

Structured data presence

INFO • INFO

No JSON-LD structured data was detected on the primary page.

WHY IT MATTERS

Structured data can help search engines interpret the page entity and unlock richer search features.

RECOMMENDATION

Add schema.org JSON-LD if it accurately represents the page content.

Broken internal links

PASS • INFO

No broken internal links were detected across 16 sampled internal pages.

WHY IT MATTERS

Broken internal links waste crawl budget, create dead ends, and degrade user trust.

RECOMMENDATION

Keep monitoring internal links as new pages are published.

Duplicate-like metadata

PASS • INFO

No duplicate titles or descriptions were found across 5 crawled pages.

WHY IT MATTERS

Repeated metadata makes pages harder to distinguish in search results and can dilute relevance signals.

RECOMMENDATION

Keep metadata unique as new pages are added.

Heading structure

PASS • INFO

The page has a simple heading outline with no structural jumps.

WHY IT MATTERS

Heading hierarchy helps search engines and assistive technologies understand the structure of the page.

RECOMMENDATION

Keep using a logical H1-H6 outline as the page evolves.

HTML lang attribute

PASS • INFO

The HTML element declares lang="iw".

WHY IT MATTERS

Language metadata helps search engines and assistive technologies interpret the page correctly.

RECOMMENDATION

Keep the language code aligned with the actual page language.

Meta robots policy

PASS • INFO

No meta robots tag was found, so the default crawl policy applies.

WHY IT MATTERS

Unexpected noindex or nofollow directives can remove pages from search or limit link discovery.

RECOMMENDATION

Add a meta robots tag only when you need a page-specific indexing policy.

robots.txt exists

PASS • INFO

robots.txt is reachable on the site root.

WHY IT MATTERS

robots.txt helps search crawlers understand the intended crawl policy and can advertise sitemap locations.

RECOMMENDATION

Keep robots.txt aligned with the crawl policy you want production bots to follow.

Sitemap exists

PASS • INFO

A sitemap endpoint returned a successful response.

WHY IT MATTERS

XML sitemaps help crawlers discover and prioritize URLs, especially on larger or frequently updated sites.

RECOMMENDATION

Keep the sitemap current and reference it from robots.txt.

Title tag exists

PASS • INFO

The primary page includes a title tag.

WHY IT MATTERS

The title tag strongly influences search snippets, relevance signals, and tab/bookmark usability.

RECOMMENDATION

Keep the title unique and aligned with the page intent.

Performance

20 checks

Compression enabled

WARNING • LOW

1 of 2 sampled text responses advertise compression.

WHY IT MATTERS

Compression reduces transfer size for HTML, CSS, JavaScript, SVG, and other text responses.

RECOMMENDATION

Enable Brotli or gzip for HTML, CSS, JavaScript, and other text assets.

Modern image formats

WARNING • LOW

0 of 2 sampled images use modern formats such as WebP or AVIF.

WHY IT MATTERS

Modern image formats typically reduce transfer size compared with older raster formats.

RECOMMENDATION

Prefer WebP or AVIF for heavy photographic assets when browser support permits.

Cache headers

PASS • INFO

2 of 2 sampled static assets expose cache hints.

WHY IT MATTERS

Strong cache headers reduce repeat transfer cost and improve responsiveness on subsequent visits.

RECOMMENDATION

Keep static asset caching long-lived and versioned.

CLS-style hint

PASS • INFO

Sampled images and iframes expose width and height attributes.

WHY IT MATTERS

Missing intrinsic dimensions can contribute to layout shifts during page load.

RECOMMENDATION

Keep reserving layout space for media and embeds.

CSS bundle weight

PASS • INFO

Sampled stylesheet weight is 0 B across 0 stylesheets.

WHY IT MATTERS

Large CSS payloads slow the critical rendering path and can delay first paint.

RECOMMENDATION

Keep stylesheets compact and scoped to what the page needs.

DOM size

PASS • INFO

The primary page contains 88 DOM nodes in the fetched HTML.

WHY IT MATTERS

Large DOMs increase style, layout, and scripting cost and can pressure low-powered devices.

RECOMMENDATION

Keep the DOM size controlled as the page grows.

Fonts optimization

PASS • INFO

0 sampled font assets account for 0 B.

WHY IT MATTERS

Too many or too-heavy fonts increase render delay and can cause text shifts during page load.

RECOMMENDATION

Keep font payloads small and only load the weights you use.

HTML response time

PASS • INFO

The main HTML finished transferring in 265 ms.

WHY IT MATTERS

Slow HTML delivery delays parsing, rendering, and every downstream asset request.

RECOMMENDATION

Keep HTML delivery lightweight and cache-friendly.

Image dimensions vs declared size

PASS • INFO

Sampled images are reasonably aligned with their declared dimensions.

WHY IT MATTERS

Images that are significantly larger than their rendered or declared size waste bandwidth and decode time.

RECOMMENDATION

Keep serving images close to the size they are displayed.

JavaScript bundle weight

PASS • INFO

Sampled JavaScript weight is 0 B across 0 script tags.

WHY IT MATTERS

Large JavaScript bundles increase parse, compile, and main-thread execution cost.

RECOMMENDATION

Keep JavaScript payloads lean and defer non-critical work.

Lazy loading

PASS • INFO

Sampled below-the-fold candidates expose lazy loading hints.

WHY IT MATTERS

Lazy loading reduces transfer and decode cost for content that is not immediately visible.

RECOMMENDATION

Keep using lazy loading for non-critical images and embeds.

LCP-style hint

PASS • INFO

The sampled document and hero asset characteristics do not suggest a strong LCP risk.

WHY IT MATTERS

The largest visible content often determines how quickly users feel the page is usable.

RECOMMENDATION

Keep the main content fast and lightweight.

Main thread pressure hint

PASS • INFO

The sampled JavaScript, DOM size, and blocking patterns suggest manageable main-thread pressure.

WHY IT MATTERS

Heavy main-thread work can delay input responsiveness and make pages feel sluggish even after network requests finish.

RECOMMENDATION

Keep JavaScript and critical-path work under control.

Redirect chains

PASS • INFO

The primary navigation required 0 redirect hops.

WHY IT MATTERS

Each extra redirect adds latency before the final page and assets can begin loading.

RECOMMENDATION

Keep redirect chains short and direct.

Render-blocking resources

PASS • INFO

0 head scripts and 0 stylesheets were found in the initial HTML.

WHY IT MATTERS

Render-blocking CSS and synchronous head scripts delay first paint and interaction readiness.

RECOMMENDATION

Keep the critical path light.

Third-party script weight

PASS • INFO

0 third-party scripts account for 0 B of sampled JavaScript weight.

WHY IT MATTERS

Third-party JavaScript adds network, parse, and reliability cost that is outside your direct deployment control.

RECOMMENDATION

Keep third-party JavaScript limited to what the page truly needs.

Total page weight

PASS • INFO

Known document and asset weight is 88 KB.

WHY IT MATTERS

Heavy pages increase download time, parsing time, and cost on slower networks and mobile devices.

RECOMMENDATION

Keep the initial page weight controlled as assets change.

Total request count

PASS • INFO

The initial HTML references 4 document and asset requests.

WHY IT MATTERS

A high request count increases connection overhead and slows both cold and warm navigations.

RECOMMENDATION

Keep the request graph lean as the page evolves.

TTFB

PASS • INFO

The main document responded in 193 ms.

WHY IT MATTERS

Time to first byte strongly influences perceived speed and the remaining budget for rendering.

RECOMMENDATION

Keep backend, caching, and edge delivery tuned for low latency.

Unoptimized images

PASS • INFO

No sampled images exceeded the large-image threshold.

WHY IT MATTERS

Heavy images increase transfer cost and often become the dominant factor in perceived load speed.

RECOMMENDATION

Keep optimizing new images as they are added.