

1) First of all you need to add new app in AdMob console.






You will get UnitId string like 'ca-app-pub-*******/**********.'

For the next few hours you may get the AdMob errors with codes 0 or 2. Just be patient.


2) Then you need to add new mediation source.



Fill 'Class Name ' field with a 'com.hyperadx.admob.HADInterstitialEvent' string. And a Parameter with your Dispply statement string.



Setup eCPM for new network



3) Now you can setting up your android project. Put Dispply-SDK and AdMob-adapter in 'libs' folder.

4) Add those lines in your build.gradle file:

```
allprojects {
    repositories {
        jcenter()
        flatDir {
            dirs 'libs'
        }
    }

dependencies {
    compile fileTree(dir: 'libs', include: ['*.jar'])
    testCompile 'junit:junit:4.12'
    compile 'com.android.support:appcompat-v7:23.4.0'
    compile(name: 'HAD_SDK-1.2.0', ext: 'aar')
    compile(name: 'Hyperadx_AdMob_Adapter.1.0.1', ext: 'aar')
    compile 'com.google.android.gms:play-services-ads:9.0.0'
    compile 'com.google.android.gms:play-services-base:9.0.0'
}
```

5) Just create AdMob interstitial Ad as usually:

```
package com.hyperadx.admob sample;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.view.View;
import android.widget.Toast;
import com.google.android.gms.ads.AdRequest;
public class MainActivity extends AppCompatActivity {
    private com.google.android.gms.ads.InterstitialAd mAdapterInterstitial;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity main);
        loadInterstitialAd();
    private void loadInterstitialAd() {
        mAdapterInterstitial = new
com.google.android.gms.ads.InterstitialAd(this);
        mAdapterInterstitial.setAdUnitId(
                "ca-app-pub-6172762133617463/5529648238"
        mAdapterInterstitial.setAdListener(new
com.google.android.gms.ads.AdListener() {
            @Override
            public void onAdFailedToLoad(int errorCode) {
                Toast.makeText(MainActivity.this,
                        "Error loading adapter interstitial, code " + errorCode,
                        Toast. LENGTH SHORT) . show();
            @Override
            public void onAdLoaded() {
                Toast.makeText (MainActivity.this,
                        "onAdLoaded()",
                        Toast. LENGTH SHORT) . show();
            @Override
            public void onAdOpened() {
            @Override
            public void onAdClosed() {
                mAdapterInterstitial.loadAd(new AdRequest.Builder().build());
        });
        mAdapterInterstitial.loadAd(new AdRequest.Builder().build());
    public void showInterstitial(View view) {
        if (mAdapterInterstitial.isLoaded())
            mAdapterInterstitial.show();
        else
            Toast.makeText(this, "The Interstitial AD not ready yet. Try
again!", Toast.LENGTH LONG).show();
```