Laravel me Otp send on Mobile par bhejne ka tarika hai

□□ □□□□□□□□□ □□□□□ □□□ □□□□ □□ (Controller □□□ □□□□ HTTP GET □□ □□□□□ □□□□ Laravel □□□ C\# SMS □□□□□ □□ □□□□ □□□□) □□□□ □□□□ **PDF** □□□□□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □□ AI □□□□□□□□□ □□□ □□ □□□ □□□□ PDF □□□□□□ □□□□□ □□ □□□□□ □□□□ □□ □□□□□

□□□□□ □□□ □□□□ □□ □□□□□□□□□ □□ **□□□□□□□□□□□ (formatted) □□□□□ □□** □□□□□□□□ □□ □□□□ □□□, □□□□ □□ □□□□□ □□ **□□□□ (copy) □□□□ □□□□ □□ □□□□□□□ □□□□□ (□□□□ Google Docs, Microsoft Word, □□ Notion) □□□ □□□□□ □□ □□□□ □□□** □□ □□□ □□□ **PDF** □□ □□□ □□□ □□□ (Save as PDF) □□ □□□□ □□□□

□□ □□□ □□□□ □□□□□□□□ □□□□□□□□□ □□ □□□□□□□□ □□ □□□□□□□□□□□ □□□□□□□:

🚀 Laravel □□□ OTP SMS □□□□□ □□ □□□□□ □□□□□ (C\# □□□□□ □□ PHP □□□□□□□□)

□□ □□□□□□□□□ C\# □□ `SMSSender` □□□□□ □□ □□□□□ □□ Laravel □□ □□ **Controller** □□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□ □□□□□ □□, □□□□ □□□□ Service Classes □□ Notifications □□ □□□ □□ □□□□

1\. □□□□□□□□□□□□ □□□ □□□□ (Configuration)

API Keys □□ URL □□ □□□□ □□□ □□□ □□□□ □□ □□□□□

#### 1.1. `.env` □□□□□ □□□:

API Key □□ Gateway □□□□□□□ □□□□□□□

```env
# DIGICODERS CONFIGURATION
DIGICODERS_BASE_URL="http://sms.digicoders.in/api/sendhttp.php"
DIGICODERS_AUTHKEY="370038A9phBOW9czQ68e3ee20P1"
DIGICODERS_TEMPLATE_ID="1307164706435757762"
DIGICODERS_SENDER="DIGICO"
DIGICODERS_ROUTE="4"
DIGICODERS_COUNTRY="91"
```

#### 1.2. `config/services.php` □□□ :

□□ variables □□ □□□□□□□□ □□□ □□ □□□□□□ □□□□ □□ □□□ □□ □□ Key (`digicoders`) □□□□□□□

```php
// config/services.php

// ... [□□□□ □□□□□□□□]
'digicoders' => [
    'base_url' => env('DIGICODERS_BASE_URL'),
    'authkey' => env('DIGICODERS_AUTHKEY'),
    'template_id' => env('DIGICODERS_TEMPLATE_ID'),
    'sender' => env('DIGICODERS_SENDER'),
    'route' => env('DIGICODERS_ROUTE'),
    'country' => env('DIGICODERS_COUNTRY'),
],
```

2\. Controller □□□ OTP □□□□□ □□□□ □□□□

□□ Controller □□□□□ (`php artisan make:controller OtpController`) □□ SMS □□□□□ □□ □□□□ □□□□□ □□□□ □□ □□□□ □□□ □□□□□□

#### `app/Http/Controllers/OtpController.php`

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use Illuminate\Support\Facades\Http; // HTTP □□□□□□□

class OtpController extends Controller
{
    /**
     * OTP □□□□□ □□□□ □□ □□ SMS Gateway □□ □□□□□□ □□ □□□□□ □□□
     */
    public function sendOtpAction(Request $request)
    {
        // 1. □□□□□ □□ OTP
        $mobile = $request->input('mobile'); // □□□□□□: 98xxxxxxxx
        $otp = (string) random_int(100000, 999999);

        // 2. □□□□□ □□ □□□□□□ □□□□ (C# □□□□□ □□ □□□□)
        $message = "Your OTP Code is {$otp}. Do not share it with anyone. From DigiCoders . #TeamDigiCoders";
        $mobile_with_country_code = '91' . $mobile; // □□□ □□□ □□□□□□

        // 3. GET □□□□□□□□□□□
```

```
$params = [
    'authkey' => config('services.digicoders.authkey'),
    'mobiles' => $mobile_with_country_code,
    'message' => $message,
    'sender' => config('services.digicoders.sender'),
    'route' => config('services.digicoders.route'),
    'country' => config('services.digicoders.country'),
    'DLT_TE_ID' => config('services.digicoders.template_id'),
];

try {
    // 4. HTTP GET □□□□□□ □□□□□
    $response = Http::get(config('services.digicoders.base_url'), $params);

    if ($response->successful()) {
        // [□□□□□□□□□□] □□□□ OTP □□ □□□□□□□ □□□ □□□ □□□□

        return response()->json([
            'success' => true,
            'message' => 'OTP □□□□□□□□□□□ □□□□ □□□□'
        ]);
    } else {
        \Log::error('SMS Gateway Failed', ['status' => $response->status(), 'body' => $response->body()]);
        return response()->json(['success' => false, 'message' => 'OTP □□□□□ □□□ □□□□ □□□□'], 500);
    }

} catch (\Exception $e) {
    \Log::error('SMS Connection Error: ' . $e->getMessage());
    return response()->json(['success' => false, 'message' => '□□□□□□□ □□□ □□□□□□□'], 500);
}
```

```
   }
}
```

3\. Route □□□□□□□□ □□□□ （Define Route)

□□ Controller □□□□ □□ □□□ □□□□ □□ □□□ □□ API Route □□□ □□□□□

#### `routes/api.php`

```php
use App\Http\Controllers\OtpController;
use Illuminate\Support\Facades\Route;

// □□ Route □□ POST □□□□□□ □□□□□□ OTP □□□□ □□□□□
Route::post('/send-otp', [OtpController::class, 'sendOtpAction']);
```