```
Query OK. 1 row affected (0.08 sec)
mysql> insert into COMPANY values(5, "NINO PIZZA", "LES VEGAS");
Ouery OK, 1 row affected (0.15 sec)
mysql> insert into COMPANY values(6, "PIZZERIA", "BOSTON");
Query OK, 1 row affected (0.07 sec)
mysal> insert into COMPANY values(7."CHUCK E CHEESE"."CHICAGO"):
Query OK, 1 row affected (0.08 sec)
mysql> CREATE TABLE ITEMS(I_ID int primary key not null,I_NAME varchar(30),UNITSOLD int,foregin key(C_ID) references COMPANY(C_ID));
ERROR 1064 (42000): You have an error in your SOL syntax; check the manual that corresponds to your MySOL server version for the right syntax to use near 'key(C ID) ref
erences COMPANY(C ID))' at line 1
mysql> CREATE TABLE ITEMS(I_ID int primary key not null,I_NAME varchar(30),UNITSOLD int,C_ID int not null,foreign key(C_ID) references COMPANY(C_ID));
Query OK, 0 rows affected (0.30 sec)
mysal> insert into ITEMS values(1."LARGE PIZZA".5.2):
Query OK, 1 row affected (0.11 sec)
mysal> insert into ITEMS values(1."GARIC KNOTS".6.3):
ERROR 1062 (23000): Duplicate entry '1' for key 'items.PRIMARY'
mysql> insert into ITEMS values(2, "GARIC KNOTS", 6, 3);
Query OK, 1 row affected (0.11 sec)
mysql> insert into ITEMS values(3,"LARGE PIZZA",3,3);
Query OK, 1 row affected (0.03 sec)
mysal> insert into ITEMS values(4."MEDIUM PIZZA",8,4);
Query OK, 1 row affected (0.07 sec)
mysal> insert into ITEMS values(5, "BREADSTICKS", 8,4);
Query OK, 1 row affected (0.06 sec)
mysal> insert into ITEMS values(6."MEDIUM PIZZA".11.1);
Query OK, 1 row affected (0.07 sec)
mysal> insert into ITEMS values(7."SMALL PIZZA".9.6):
Query OK, 1 row affected (0.30 sec)
mysql> insert into ITEMS values(8, "SMALL PIZZA", 6, 7);
Ouery OK, 1 row affected (0.09 sec)
mvsal>
```

```
sals CREATE TABLE ITEMS(I ID int primary key not null, I NAME varchar(30), UNITSOLD Int, C_ID INC NOT NULL, TO TELEFICIES CONTAIN (C_ID),
ery OK. 0 rows affected (0.30 sec)
sal> insert into ITEMS values(1,"LARGE PIZZA",5,2);
ery OK, 1 row affected (0.11 sec)
sql> insert into ITEMS values(1, "GARIC KNOTS",6,3);
ROR 1062 (23000): Duplicate entry '1' for key 'items.PRIMARY'
sal> insert into ITEMS values(2, "GARIC KNOTS", 6,3);
ery OK, 1 row affected (0.11 sec)
sql> insert into ITEMS values(3, "LARGE PIZZA",3,3);
ery OK. 1 row affected (0.03 sec)
sal> insert into ITEMS values(4, "MEDIUM PIZZA", 8,4);
ery OK, 1 row affected (0.07 sec)
sql> insert into ITEMS values(5, "BREADSTICKS", 8,4);
ery OK, 1 row affected (0.06 sec)
sql> insert into ITEMS values(6, "MEDIUM PIZZA", 11,1);
ery OK, 1 row affected (0.07 sec)
sql> insert into ITEMS values(7, "SMALL PIZZA", 9, 6);
ery OK. 1 row affected (0.30 sec)
sal> insert into ITEMS values(8, "SMALL PIZZA", 6,7);
ery OK, 1 row affected (0.09 sec)
al> select * from COMPANY:
......
                     C CITY
ID | C NAME
 1 | DOMINOS
                     LOS ANGELES
 2 | PIZZA HUT
                     SAN FRANCISCO
 3 | PAPA JOHNS
                      SAN DIEGO
 4 AH PIZZ
                     FREMONT
 5 | NINO PIZZA
                     LES VEGAS
 6 | PIZZERIA
                     BOSTON
 7 | CHUCK E CHEESE | CHICAGO
ows in set (0.04 sec)
al>_
```

```
ery OK, 1 row affected (0.07 sec)
sal> insert into ITEMS values(5. "BREADSTICKS".8.4):
ery OK, 1 row affected (0.06 sec)
sql> insert into ITEMS values(6, "MEDIUM PIZZA", 11,1);
ery OK, 1 row affected (0.07 sec)
sql> insert into ITEMS values(7, "SMALL PIZZA", 9,6);
ery OK, 1 row affected (0.30 sec)
sql> insert into ITEMS values(8, "SMALL PIZZA", 6,7);
ery OK, 1 row affected (0.09 sec)
sql> select * from COMPANY:
ID | C NAME
                    C CITY
 1 | DOMINOS
                     LOS ANGELES
 2 | PIZZA HUT
                     SAN FRANCISCO
 3 | PAPA JOHNS
                     SAN DIEGO
 4 | AH PIZZ
                     FREMONT
 5 | NINO PIZZA
                     LES VEGAS
 6 | PIZZERIA
                     BOSTON
 7 | CHUCK E CHEESE | CHICAGO
ows in set (0.04 sec)
al> select * from ITEMS:
----
ID | I NAME
                   UNITSOLD | C ID
1 | LARGE PIZZA
2 | GARIC KNOTS
                          6
3 | LARGE PIZZA
    MEDIUM PIZZA
                          8
5 | BREADSTICKS
                          8
6 | MEDIUM PIZZA
                         11
                                 1
    SMALL PIZZA
                          9
                                 6
8 | SMALL PIZZA
ows in set (0.00 sec)
1>_
```

	DOMINOS PIZZA HUT	LOS ANGELES SAN FRANCISCO													
2															
3	PAPA JOHNS														
4	AH PIZZ														
5	NINO PIZZA	LES VEGAS													
6	PIZZERIA	BOSTON													
7	CHUCK E CHEESE		!												
	in set (0.04 sec	·+)	•												
	select • from IT														
	I_NAME	UNITSOLD C_ID	1												
	LARGE PIZZA	5 2	Ĺ												
2		6 3													
3	LARGE PIZZA	3 3	!												
4	MEDIUM PIZZA	8 4	!												
5	BREADSTICKS	8 4	!												
6	MEDIUM PIZZA	11 1	ļ.												
7		9 6	Į.												
	SMALL PIZZA	6 7													
	++ in set (0.00 sec)	+												
mysql> select * from COMPANY as inner join ITEMS as I on C.C_ID=I.I_ID; ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'inner join ITEMS as I on C.C_ID=I.I_ID' at line 1 mysql> select * from COMPANY as C inner join ITEMS as I on C.C_ID=I.I_ID; **														join IT	
	C_NAME	c_city		I_NAME	UNITSOLD										
1	DOMINOS	LOS ANGELES	1 1	LARGE PIZZA	5	2	į								
	PIZZA HUT	SAN FRANCISCO		GARIC KNOTS	6	3									
. 3		SAN DIEGO		LARGE PIZZA] 3	3	!								
4	AH PIZZ	FREMONT	4	The state of the last of the l	8	4									
5		LES VEGAS	5		8	4									
6	PIZZERIA	BOSTON	6	MEDIUM PIZZA	11	1									
	CHUCK E CHEESE		7		9	6									
	in set (0.07 sec)	+	+	+		+:								

+----+

mysal>