CSE2104: PROGRAMMING LANGUAGE LAB

Lab Task Sheet — Array and Functional Problems

SL	Task

1

Write a program to find the largest element in an array. The user will input the size of the array and its elements.

INPUT:

- The first line contains an integer **n** ($1 \le n \le 100$), the size of the array.
- The second line contains **n** integers separated by spaces, representing the elements of the array.

OUTPUT:

- A single integer: the largest element in the array.

Sample Input	Sample Output
`5` `10 2 30 14 25`	`30`

2

Write a program to reverse the elements of an array. The user will input the size of the array and its elements.

INPUT:

- The first line contains an integer **n** ($1 \le n \le 100$), the size of the array.
- The second line contains **n** integers separated by spaces, representing the elements of the array.

OUTPUT:

- A single line containing the reversed array.

Sample Input	Sample Output
`5` `10 2 30 14 25`	`25 14 30 2 10`

3

Write a C program to count how many odd digits are present in a given number.

Sample Input	Sample Output
`24679`	`2`

Welcome to CSE2104!

<table>
<tr><th>SL</th><th>Task</th></tr>
<tr><td>4</td><td>In an HR system, employee IDs are encrypted by adding 5 to each digit of the ID and returning the new number. Write a function to encrypt the employee ID using this logic. If any digit exceeds 9 after addition, take only the last digit (e.g., 13 becomes 3). The input contains a positive integer representing the employee ID.
<table>
<tr><th>Sample Input</th><th>Sample Output</th></tr>
<tr><td><code>Employee ID: 4823</code></td><td><code>9378</code></td></tr>
</table>
</td></tr>
<tr><td>5</td><td>John is working on a weather monitoring system that records temperatures in an array. He wants to shift the last K days temperatures to the front while pushing the rest back. Write a C program that rotates the array to the right by K positions.
<table>
<tr><th>Sample Input</th><th>Sample Output</th></tr>
<tr><td><code>Array size: 6</code>
<code>Array elements: 10 20 30 40 50 60</code>
<code>K: 2</code></td><td><code>50 60 10 20 30 40</code></td></tr>
</table>
</td></tr>
</table>