Tables (25)

Name	Туре	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name"
	1.	varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "info_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL)
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime

Name	Туре	Schema
		NOT NULL)
id	integer	"id" integer NOT NULL
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
info_assign		CREATE TABLE "info_assign" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "class_id_id" varchar(100) NOT NULL REFERENCES "info_class" ("id") DEFERRABLE INITIALLY DEFERRED, "course_id" varchar(50) NOT NULL REFERENCES "info_course" ("id") DEFERRABLE INITIALLY DEFERRED, "teacher_id" varchar(100) NOT NULL REFERENCES "info_teacher" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
class_id_id	varchar(100)	"class_id_id" varchar(100) NOT NULL
course_id	varchar(50)	"course_id" varchar(50) NOT NULL
teacher_id	varchar(100)	"teacher_id" varchar(100) NOT NULL
info_assigntime		CREATE TABLE "info_assigntime" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "period" varchar(50) NOT NULL, "assign_id" integer NOT NULL REFERENCES "info_assign" ("id") DEFERRABLE INITIALLY DEFERRED, "day" varchar(15) NOT NULL)
id	integer	"id" integer NOT NULL
period	varchar(50)	"period" varchar(50) NOT NULL
assign_id	integer	"assign_id" integer NOT NULL
day	varchar(15)	"day" varchar(15) NOT NULL
info_attendance		CREATE TABLE "info attendance" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date" date NOT NULL, "status" bool NOT NULL, "attendanceclass_id" integer NOT NULL REFERENCES "info_attendanceclass" ("id") DEFERRABLE INITIALLY DEFERED, "course_id" varchar(50) NOT NULL REFERENCES "info_course" ("id") DEFERRABLE INITIALLY DEFERED, "student_id" varchar(100) NOT NULL REFERENCES "info_student" ("USN") DEFERRABLE INITIALLY DEFERRABLE INITIALLY
id	integer	"id" integer NOT NULL
date	date	"date" date NOT NULL
status	bool	"status" bool NOT NULL
attendanceclass_id	integer	"attendanceclass_id" integer NOT NULL
course_id	varchar(50)	"course_id" varchar(50) NOT NULL
student_id	varchar(100)	"student_id" varchar(100) NOT NULL
info_attendanceclass		CREATE TABLE "info_attendanceclass" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date" date NOT NULL, "status" integer NOT NULL, "assign_id" integer NOT NULL REFERENCES "info_assign" ("id") DEFERRABLE INITIALLY DEFERRED)

Name	Туре	Schema
id	integer	"id" integer NOT NULL
date	date	"date" date NOT NULL
status	integer	"status" integer NOT NULL
assign_id	integer	"assign_id" integer NOT NULL
info_attendancerange		CREATE TABLE "info_attendancerange" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "start_date" date NOT NULL, "end_date" date NOT NULL)
id	integer	"id" integer NOT NULL
start_date	date	"start_date" date NOT NULL
end_date	date	"end_date" date NOT NULL
info_attendancetotal		CREATE TABLE "info_attendancetotal" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "course_id" varchar(50) NOT NULL REFERENCES "info_course" ("id") DEFERRABLE INITIALLY DEFERRED, "student_id" varchar(100) NOT NULL REFERENCES "info_student" ("USN") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
course_id	varchar(50)	"course_id" varchar(50) NOT NULL
student_id	varchar(100)	"student_id" varchar(100) NOT NULL
info_class		CREATE TABLE "info_class" ("id" varchar(100) NOT NULL PRIMARY KEY, "section" varchar(100) NOT NULL, "sem" integer NOT NULL, "dept_id" varchar(100) NOT NULL REFERENCES "info_dept" ("id") DEFERRABLE INITIALLY DEFERRED)
id	varchar(100)	"id" varchar(100) NOT NULL
section	varchar(100)	"section" varchar(100) NOT NULL
sem	integer	"sem" integer NOT NULL
dept_id	varchar(100)	"dept_id" varchar(100) NOT NULL
info_course		CREATE TABLE "info_course" ("id" varchar(50) NOT NULL PRIMARY KEY, "name" varchar(50) NOT NULL, "shortname" varchar(50) NOT NULL, "dept_id" varchar(100) NOT NULL REFERENCES "info_dept" ("id") DEFERRABLE INITIALLY DEFERRED)
id	varchar(50)	"id" varchar(50) NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
shortname	varchar(50)	"shortname" varchar(50) NOT NULL
dept_id	varchar(100)	"dept_id" varchar(100) NOT NULL
info_dept		CREATE TABLE "info_dept" ("id" varchar(100) NOT NULL PRIMARY KEY, "name" varchar(200) NOT NULL)
id	varchar(100)	"id" varchar(100) NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
info_marks		CREATE TABLE "info_marks" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(50) NOT NULL, "marks1" integer NOT NULL, "studentcourse_id" integer NOT NULL REFERENCES "info_studentcourse" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
marks1	integer	"marks1" integer NOT NULL
studentcourse_id	integer	"studentcourse_id" integer NOT NULL

Name	Туре	Schema
info_marksclass		CREATE TABLE "info_marksclass" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(50) NOT NULL, "status" bool NOT NULL, "assign_id" integer NOT NULL REFERENCES "info_assign" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
status	bool	"status" bool NOT NULL
assign_id	integer	"assign_id" integer NOT NULL
info_student		CREATE TABLE "info_student" ("USN" varchar(100) NOT NULL PRIMARY KEY, "name" varchar(200) NOT NULL, "sex" varchar(50) NOT NULL, "class_id_id" varchar(100) NOT NULL REFERENCES "info_class" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NULL UNIQUE REFERENCES "info_user" ("id") DEFERRABLE INITIALLY DEFERRED, "DOB" date NOT NULL)
USN	varchar(100)	"USN" varchar(100) NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
sex	varchar(50)	"sex" varchar(50) NOT NULL
class_id_id	varchar(100)	"class_id_id" varchar(100) NOT NULL
user_id	integer	"user_id" integer UNIQUE
DOB	date	"DOB" date NOT NULL
info_studentcourse		CREATE TABLE "info_studentcourse" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "course_id" varchar(50) NOT NULL REFERENCES "info_course" ("id") DEFERRABLE INITIALLY DEFERRED, "student_id" varchar(100) NOT NULL REFERENCES "info_student" ("USN") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
course_id	varchar(50)	"course_id" varchar(50) NOT NULL
info_teacher	varchar(100)	"student_id" varchar(100) NOT NULL CREATE TABLE "info_teacher" ("id" varchar(100) NOT NULL PRIMARY KEY, "name" varchar(100) NOT NULL, "sex" varchar(50) NOT NULL, "DOB" date NOT NULL, "user_id" integer NULL UNIQUE REFERENCES "info_user" ("id") DEFERRABLE INITIALLY DEFERRED, "dept_id" varchar(100) NOT NULL REFERENCES "info_dept" ("id") DEFERRABLE INITIALLY DEFERRED)
id	varchar(100)	"id" varchar(100) NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
sex	varchar(50)	"sex" varchar(50) NOT NULL
DOB	date	"DOB" date NOT NULL
user_id	integer	"user_id" integer UNIQUE
dept_id	varchar(100)	"dept_id" varchar(100) NOT NULL
info_user		CREATE TABLE "info_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)

Name	Туре	Schema
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
info_user_groups		CREATE TABLE "info_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "info_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
info_user_user_permissions		CREATE TABLE "info_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "info_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission"
		("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	("id") DEFERRABLE INITIALLY DEFERRED) "id" integer NOT NULL
id user_id	integer integer	
		"id" integer NOT NULL
user_id	integer	"id" integer NOT NULL "user_id" integer NOT NULL
user_id permission_id	integer	"id" integer NOT NULL "user_id" integer NOT NULL "permission_id" integer NOT NULL

Indices (38)

Name	Туре	Schema
auth_group_permissions _group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions _group_id_permission_id _0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b 0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions _permission_id_84c5c92 e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_conten		CREATE INDEX

Name	Туре	Schema
t_type_id_2f476e4b		"auth_permission_content_type_id_2f476e4b" ON
		"auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_conten		CREATE UNIQUE INDEX "auth permission content type id codename 01ab375a uni
t_type_id_codename_01		q" ON "auth_permission" ("content_type_id", "codename")
ab375a_uniq		"Codename")
content_type_id		"content_type_id"
codename		"codename"
django_admin_log_cont		CREATE INDEX "django admin log content type id c4bce8eb" ON
ent_type_id_c4bce8eb		"django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user		CREATE INDEX "django_admin_log_user_id_c564eba6" ON
id c564eba6		"django_admin_log" ("user_id")
user_id		"user id"
django_content_type_ap		CREATE UNIQUE INDEX
p_label_model_76bd3d3		"django_content_type_app_label_model_76bd3d3b_uniq" ON "django content type" ("app label", "model")
I -		django_concent_type (app_tabet , modet)
b_uniq		n 11 m
app_label model		"app_label" "model"
		CREATE INDEX "django session expire date a5c62663" ON
django_session_expire_		"django_session" ("expire_date")
date_a5c62663		
expire_date		"expire_date"
info_assign_class_id_id_		CREATE INDEX "info_assign_class_id_id_97445caa" ON "info assign" ("class id id")
97445caa		_
class_id_id		"class_id_id"
info_assign_course_id_5		CREATE INDEX "info_assign_course_id_50da791d" ON "info assign" ("course id")
0da791d		inio_assign (course_id)
course_id		"course_id"
info assign course id cl		CREATE UNIQUE INDEX
ass id id teacher id fd		<pre>"info_assign_course_id_class_id_id_teacher_id_fd958bf0 uniq" ON "info assign" ("course id", "class id id",</pre>
958bf0_uniq		"teacher_id")
course_id		"course_id"
class_id_id		"dass_id_id"
teacher_id		"teacher_id"
info_assign_teacher_id_		CREATE INDEX "info assign teacher id 4cc729a9" ON
4cc729a9		"info_assign" ("teacher_id")
teacher_id		"teacher_id"
		CREATE INDEX "info assigntime assign id dea972e8" ON
info_assigntime_assign_i		"info_assigntime" ("assign_id")
d_dea972e8		
assign_id		"assign_id"
info_attendance_attenda		CREATE INDEX "info attendance attendanceclass id 165ae557" ON
nceclass_id_165ae557		"info_attendance" ("attendanceclass_id")
attendanceclass_id		"attendanceclass_id"

Name	Туре	Schema
info attendance course		CREATE INDEX "info_attendance_course_id_862fb2a9" ON
id 862fb2a9		"info_attendance" ("course_id")
course id		"course id"
		CREATE INDEX "info attendance student id a3848ef5" ON
info_attendance_student _id_a3848ef5		"info_attendance" ("student_id")
student_id		"student_id"
info_attendanceclass_as sign_id_8241361c		CREATE INDEX "info_attendanceclass_assign_id_8241361c" ON "info_attendanceclass" ("assign_id")
assign_id		"assign_id"
info_attendancetotal_co urse_id_d7c45376		CREATE INDEX "info_attendancetotal_course_id_d7c45376" ON "info_attendancetotal" ("course_id")
course_id		"course_id"
info_attendancetotal_stu dent_id_47e719b1		CREATE INDEX "info_attendancetotal_student_id_47e719b1" ON "info_attendancetotal" ("student_id")
student_id		"student_id"
info_attendancetotal_stu dent_id_course_id_f546 1a1c_uniq		CREATE UNIQUE INDEX "info_attendancetotal_student_id_course_id_f5461a1c_un iq" ON "info_attendancetotal" ("student_id", "course_id")
student_id		"student_id"
course_id		"course_id"
info_class_dept_id_eac7 8ba6		CREATE INDEX "info_class_dept_id_eac78ba6" ON "info_class" ("dept_id")
dept_id		"dept_id"
info_course_dept_id_87 83e216		CREATE INDEX "info_course_dept_id_8783e216" ON "info_course" ("dept_id")
dept_id		"dept_id"
info_marks_studentcour se_id_9db4f113		CREATE INDEX "info_marks_studentcourse_id_9db4f113" ON "info_marks" ("studentcourse_id")
studentcourse_id		"studentcourse_id"
info_marks_studentcour se_id_name_1091fffa_u niq		CREATE UNIQUE INDEX "info_marks_studentcourse_id_name_1091fffa_uniq" ON "info_marks" ("studentcourse_id", "name")
studentcourse_id		"studentcourse_id"
name		"name"
info_marksclass_assign_i d_06c0e888		CREATE INDEX "info_marksclass_assign_id_06c0e888" ON "info_marksclass" ("assign_id")
assign_id		"assign_id"
info_marksclass_assign_i d_name_e0207692_uniq		CREATE UNIQUE INDEX "info_marksclass_assign_id_name_e0207692_uniq" ON "info_marksclass" ("assign_id", "name")
assign_id		"assign_id"
name		"name"
info_student_class_id_id		CREATE INDEX "info_student_class_id_id_49fe47c8" ON "info_student" ("class_id_id")

Name	Туре	Schema
49fe47c8	7,1	
class id id		"dass_id_id"
info_studentcourse_cour		CREATE INDEX "info_studentcourse_course_id_2aac8b3b"
se_id_2aac8b3b		ON "info_studentcourse" ("course_id")
course_id		"course_id"
info_studentcourse_stud ent_id_824a5a25		CREATE INDEX "info_studentcourse_student_id_824a5a25" ON "info_studentcourse" ("student_id")
student_id		"student_id"
info_studentcourse_stud ent_id_course_id_96c68 3ba_uniq		CREATE UNIQUE INDEX "info_studentcourse_student_id_course_id_96c683ba_uniq " ON "info_studentcourse" ("student_id", "course_id")
student_id		"student_id"
course_id		"course_id"
<pre>info_teacher_dept_id_e6 5acdf7</pre>		CREATE INDEX "info_teacher_dept_id_e65acdf7" ON "info_teacher" ("dept_id")
dept_id		"dept_id"
info_user_groups_group _id_40dffdbb		CREATE INDEX "info_user_groups_group_id_40dffdbb" ON "info_user_groups" ("group_id")
group_id		"group_id"
info_user_groups_user_i d_583ab83a		CREATE INDEX "info_user_groups_user_id_583ab83a" ON "info_user_groups" ("user_id")
user_id		"user_id"
info_user_groups_user_i d_group_id_1b352364_u niq		CREATE UNIQUE INDEX "info_user_groups_user_id_group_id_1b352364_uniq" ON "info_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
info_user_user_permissi ons_permission_id_8393 64f4		CREATE INDEX "info_user_user_permissions_permission_id_839364f4" ON "info_user_user_permissions" ("permission_id")
permission_id		"permission_id"
info_user_user_permissi ons_user_id_ffc10b58		CREATE INDEX "info_user_user_permissions_user_id_ffc10b58" ON "info_user_user_permissions" ("user_id")
user_id		"user_id"
info_user_user_permissi ons_user_id_permission _id_86ac821e_uniq		CREATE UNIQUE INDEX "info_user_user_permissions_user_id_permission_id_86ac 821e_uniq" ON "info_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"

Views (0) Name Type Schema

Triggers (0) Name Type Schema