File: spec/fixtures/hello_world/.code2pdf

```
:directories:
- doc
:files:
- .DS_Store
- .code2pdf
- tmp.txt
- gambi.rb
```

File: spec/fixtures/hello_world/doc/created.rid

Fri, 24 Jun 2011 07:21:53 -0300 ./lib/gambi.rb Fri, 24 Jun 2011 07:20:37 -0300 ./lib/goodbye.rb Fri, 24 Jun 2011 07:21:04 -0300 ./lib/hello.rb Fri, 24 Jun 2011 07:21:29 -0300 ./tmp.txt Fri, 24 Jun 2011 07:19:34 -0300

File: spec/fixtures/hello_world/doc/HelloWorld/Gambi.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TB/khtml1/DTD/xhtml1-strict.dtd">
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
<head>
       <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
      <title>Class: HelloWorld::Gambi</title>
10
11
12
      <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
      <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
13
14
15
16
17
18
19
       cnaiset- utr-8"></script>
<script src="../js/quicksearch.js" type="text/javascript"
charset="utf-8"></script>
       <script src="../js/darkfish.js" type="text/javascript"
charset="utf-8"></script>
20
21
22
23
24
25
26
27
28
     </head>
<body class="class">
      31
32
33
34
35
36
        <div id="file-metadata">
  <div id="file-list-section" class="section">
  <h3 class="section-header">In Files</h3>
  <div class="section-body">

37
38
39
40
41
             <1i><a href="../lib/gambi_rb.html?TB_iframe=true&amp;height=550&amp;width=785"</pre>
              class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a>
42
43
44
45
46
47
48
49
50
51
52
53
55
        <div id="class-metadata">
         <!-- Parent Class -->
         <div id="parent-class-section" class="section">
<h3 class="section-header">Parent</h3>
5657
589
601
622
6364
6566
670
712
7374
7577
789
         Object
         <!-- Namespace Contents -->
         <!-- Method Quickref -->
         <!-- Included Modules -->
        <div id="project-metadata">
         <div id="fileindex-section" class="section project-section">
<h3 class="section-header">Files</h3>
            <a href="../tmp_txt.html">tmp.txt</a>
81
82
83
84
85
```

```
<div id="classindex-section" class="section project-section">
<a chapman class="section-header">class Index
<a chapman class="search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-toggle">search-tog
88
91
92
93
94
95
96
                       <legend>Quicksearch</legend>
<input type="text" name="quicksearch" value=""
class="quicksearch-field" />
</fieldset>
97
98
99
                      100
101
                       <a href="../HelloWorld.html">HelloWorld</a>
102
                         <a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a>
                       <a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
105
106
107
108
                      <a href="../HelloWorld/Helo.html">HelloWorld::Helo</a>
109
                     <div id="no-class-search-results" style="display: none;">No matching classes.</div>
110
114
115
             <div id="documentation">
  <h1 class="class">HelloWorld::Gambi</h1>
118
119
120
                <div id="description">
123
                <!-- Constants -->
125
126
               <!-- Attributes -->
127
128
129
               <!-- Methods -->
131
132
133
134
135
136
            <div id="rdoc-debugging-section-dump" class="debugging-section">
137
                Disabled; run with --debug to generate this.
140
141
            142
143
144
145
           </div
146
149
150
```

File: spec/fixtures/hello_world/doc/HelloWorld/Goodbye.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DDD/xhtml1-strict.dtd">
<\html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
4
5
         <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
        <title>Class: HelloWorld::Goodbye</title>
10
11
12
        <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
        <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
         charset= utr-8"></script>
<script src=""../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/quicksearch.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/quicksearch.js" type="text/javascript"</pre>
13
14
15
16
          script src="./js/darkfish.js" type="text/javascript"
charset="utf-8"></script>
18
19
20
21
22
23
      </head>
<body class="class">
        <div id="metadata">
    <div id="home-metadata">
    <div id="home-section" class="section">
26
                27
28
29
30
31
32
33
34
35
36
          <div id="file-metadata">
    <iiv id="file-list-section" class="section">
    <h3 class="section-header">In Files</h3>
    <iu class="section-body">
37
38
39
40
41
               <a href="../lib/goodbye_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
class="thickbox" title="lib/goodbye.rb">lib/goodbye.rb</a>
42
43
```

```
46
47
48
49
50
51
52
53
             <div id="class-metadata">
              <!-- Parent Class -->
54
55
56
57
               <div id="parent-class-section" class="section">
<h3 class="section-header">Parent</h3>
58
59
60
               Object
61
62
63
64
65
66
67
68
69
70
              <!-- Namespace Contents -->
               <!-- Method Ouickref -->
               <div id="method-list-section" class="section">
  <h3 class="section-header">Methods</h3>

71
72
73
74
75
76
77
78
79
                  <a href="#method-i-say">#say</a>
               <!-- Included Modules -->
80
             <div id="project-metadata">
83
84
               85
86
87
88
                  <a href="../tmp_txt.html">tmp.txt</a>
89
90
91
92
93
94
95
96
97
               <div id="classindex-section" class="section project-section">
<a chapman class="section-header">class Index
<a chapman class="search-toggle">class Index
<a chapman class="search-toggle">class Index
<a chapman class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class="search-toggle">class=
98
99
100
101
                 <legend>Quicksearch</legend>
<input type="text" name="quicksearch" value=""</pre>
102
103
                 class="quicksearch-field" />
</fieldset>
</form>
104
105
106
107
                 <a href="../HelloWorld.html">HelloWorld</a>
110
111
                 <a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a>
                 <a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
114
115
116
117
118
                 <a href="../HelloWorld/Helo.html">HelloWorld::Helo</a>

<div id="no-class-search-results" style="display: none;">No matching classes.</div>
</div>
119
120
121
122
123
124
125
          <div id="documentation">
  <hl class="class">HelloWorld::Goodbye</hl>
128
129
            <div id="description">
130
131
132
133
134
            <!-- Constants -->
135
136
137
            <!-- Attributes -->
138
138
139
140
141
142
143
             <!-- Methods -->
             <div id="public-instance-method-details" class="method-section section">
<h3 class="section-header">Public Instance Methods</h3>
144
145
146
              147
148
                 <div class="method-heading">
149
                  <span class="method-name">say</span><span
class="method-args">()</span>
150
151
152
153
154
155
                 <span class="method-click-advice">click to toggle source</span>
156
157
158
                 <div class="method-description">
159
160
                    <div class="method-source-code"
```

```
163 id="say-source">
164 
span class="ruby-ce">
165 <span class="ruby-
                                166 3:
167 4:
  1685:
 169
170
 171
 172
173
 174
175
 176
 177
 179
 180
  181
 182
183
 184
 185
186
                    <div id="rdoc-debugging-section-dump" class="debugging-section">
                          Disabled; run with --debug to generate this.
 187
188
 189 </div>
                  192
 193
 194
 196
197 </body>
 198 </html>
```

File: spec/fixtures/hello_world/doc/HelloWorld/Helo.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
2
                <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
6
7
8
9
                <title>Class: HelloWorld::Helo</title>
10
11
12
                <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
               <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
15
                <script src="../js/quicksearch.js" type="text/javascript"
charset="utf-8"></script>
16
17
18
19
20
                   control of the c
           </head>
<body class="class">
21
22
                <div id="metadata">
                  24
25
26
27
28
29
30
31
33
34
                   <div id="file-metadata">
  <div id="file-list-section" class="section">
  <h3 class="section-header">In Files</h3>
  <div class="section-body">

35
36
37
38
39
40
41
42
43
                           <a href="../lib/hello_rb.html?TB iframe=true&amp;height=550&amp;width=785"
class="thickbox" title="lib/hello.rb">lib/hello.rb</a>
44
45
46
47
48
49
50
51
52
53
                    <div id="class-metadata">
                     <!-- Parent Class -->
54
55
                      <div id="parent-class-section" class="section">
<h3 class="section-header">Parent</h3>
56
57
58
                       Object
59
60
61
62
63
                     <!-- Namespace Contents -->
64
65
66
67
                       <!-- Method Quickref -->
                       <div id="method-list-section" class="section">
<h3 class="section-header">Methods</h3>

68
69
70
71
72
                             <a href="#method-i-say">#say</a>
```

```
74
75
76
77
78
79
      <!-- Included Modules -->
81
82
     <div id="project-metadata">
83
84
85
      86
87
88
89
90
       <a href="../tmp_txt.html">tmp.txt</a>
91
92
93
94
95
96
      97
98
99
100
101
102
103
104
       </fieldset>
105
106
107
       108
109
       <a href="../HelloWorld.html">HelloWorld</a>
110
111
       <a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a>
112
113
      <a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
114
115
116
      <a href="../HelloWorld/Helo.html">HelloWorld::Helo</a>
117
118
      </div
<div id="no-class-search-results" style="display: none;">No matching classes.</div>
</div>
120
121
122
123
124
125
    <div id="documentation">
<h1 class="class">HelloWorld::Helo</h1>
126
127
128
129
130
     <div id="description">
131
132
     <!-- Constants -->
135
136
137
     <!-- Attributes -->
138
     <!-- Methods -->
139
140
     <div id="public-instance-method-details" class="method-section section">
<h3 class="section-header">Public Instance Methods</h3>
141
142
143
144
145
146
147
148
      <div id="say-method" class="method-detail ">
<a name="method-i-say"></a>
       <div class="method-heading">
149
       <span class="method-name">say</span><span
class="method-args">(name)</span>
<span class="method-click-advice">click to toggle source</span>
150
151
153
154
155
156
157
158
       <div class="method-description">
169
170
171
172
175
176
177
180
181
182
184
    <div id="rdoc-debugging-section-dump" class="debugging-section">
185
186
     Disabled; run with --debug to generate this.
189 </div>
```

```
190
div id="validator-badges">
191 <div id="validator-badges">
192 <small><a href="http://validator.w3.org/check/referer">[Validate]</a></small>
193 <small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish Rdoc Generator</a> 1.1.6</small>.
195 </div>
196 /html>
197 </body>
198 </html>
```

File: spec/fixtures/hello_world/doc/HelloWorld.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtmll/DTD/xhtmll-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
      <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
      <title>Module: HelloWorld</title>
9
10
      <link rel="stylesheet" href="./rdoc.css" type="text/css" media="screen" />
11
       <script src="./js/jquery.js" type="text/javascript"
charset="utf-8"></script>
        Escript src="./js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
15
16
17
18
       cnarset="utf-8"></script>
<script src="./js/darkfish.js" type="text/javascript"
charset="utf-8"></script>
19
20
21
22
23
     <body class="module">
24
25
26
      <div id="metadata">
  <div id="home-metadata">
  <div id="home-section" class="section">
           uv ld="home-section" class="section">
    <h3 class="section-header">
        <a href="./index.html"-Home</a>
    <a href="./index.html#classes">Classes</a>
    <a href="./index.html#methods">Methods</a>
    </h3>

27
28
29
30
31
32
33
34
35
       <div id="file-metadata">
<div id="file-list-section" class="section">
<h3 class="section-header">In Files</h3>
<div class="section-body">
36
37
38
40
41
42
43
44
45
           <a href="./lib/gambi rb.html?TB_iframe=true&amp;height=550&amp;width=785"
class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a>
             <a href="./lib/goodbye rb.html?TB_iframe=true&amp;height=550&amp;width=785"
class="thickbox" title="līb/goodbye.rb">lib/goodbye.rb</a>
46
47
48
             <a href="./lib/hello rb.html?TB_iframe=true&amp;height=550&amp;width=785"
class="thickbox" title="lib/hello.rb">lib/hello.rb</a>
49
50
51
52
53
54
55
56
57
58
59
        <div id="class-metadata">
        <!-- Parent Class -->
60
61
62
63
64
65
66
67
68
69
70
        <!-- Namespace Contents -->
         <div id="namespace-list-section" class="section">
          <h3 class="section-header">Namespace</h3>

           <span class="type">CLASS</span> <a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a>
           <1i><span class="type">CLASS</span> <a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
71
72
73
74
75
76
77
78
79
          <span class="type">CLASS</span> <a href="HelloWorld/Helo.html">HelloWorld::Helo</a>
         <!-- Method Ouickref -->
80
81
         <!-- Included Modules -->
82
83
84
85
86
        <div id="project-metadata">
87
         <div id="fileindex-section" class="section project-section">
<h3 class="section-header">Files</h3>

88
89
90
91
92
           <a href="./tmp_txt.html">tmp.txt</a>
93
94
95
96
97
98
99
100
```

```
height="16" width="16" alt="[+]"
title="show/hide quicksearch" /></span></h3>
<form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
<fieldset>
102
103
104
           rledset>
<legend>Quicksearch</legend>
<input type="text" name="quicksearch" value=""
    class="quicksearch-field" />
105
106
107
108
109
110
          111
112
113
114
          <a href="./HelloWorld.html">HelloWorld</a>
          <a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a>
115
116
          <a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
          <a href="./HelloWorld/Helo.html">HelloWorld::Helo</a>
120
121
122
123
        <div id="no-class-search-results" style="display: none;">No matching classes.</div>
</div>
124
125
126
127
128
129 <div id="documentation">
      <h1 class="module">HelloWorld</h1>
130
       <div id="description">
133
134
135
      <!-- Constants -->
138
139
       <!-- Attributes -->
140
141
142
143
      <!-- Methods -->
144
145
146
147
148
     <div id="rdoc-debugging-section-dump" class="debugging-section">
149
      Disabled; run with --debug to generate this.
152 </div>
     <div id="validator-badges">
<small><a href="http://</pre>
        vp><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small>
<small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
Rdoc Generator</a> 1.1.6</small>.

155
156
157
158
159
160
161 </html>
```

File: spec/fixtures/hello_world/doc/index.html

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
          <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
          <title>RDoc Documentation</title>
         <link type="text/css" media="screen" href="rdoc.css" rel="stylesheet" />
12

<script src="js/jquery.js" type="text/javascript" charset="utf-8"></script>
<script src="js/thickbox-compressed.js" type="text/javascript" charset="utf-8"></script>
<script src="js/quicksearch.js" type="text/javascript" charset="utf-8"></script>
<script src="js/darkfish.js" type="text/javascript" charset="utf-8"></script>
<script src="js/darkfish.js" type="text/javascript" charset="utf-8"></script>
</script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script>
16
17
        <body class="indexpage">
20
21
22
          <h1>RDoc Documentation</h1>
23
24
25
          This is the API documentation for 'RDoc Documentation'.
26
29
30
31
          <h2>Files</h2>
<u1>
32
                <a href="tmp txt.html">tmp.txt</a>
36
37
38
39
          <h2 id="classes">Classes/Modules</h2>

40
41
             <a href="HelloWorld.html">HelloWorld</a>
42
43
44
             <a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a>
45
46
              <a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
               <a href="HelloWorld/Helo.html">HelloWorld::Helo</a>
```

File: spec/fixtures/hello_world/doc/lib/gambi_rb.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
     <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
      <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9
10
      <title>File: gambi.rb [RDoc Documentation]</title>
      <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
 11
12
13
14
15
      <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
cmarset="utf-8"></script>
17 <script src="../js/quicksearch.js" type="text/javascript"
18 charset="utf-8"></script>
19 <script src="../js/quicksearch.js" type="text/javascript"
20 charset="utf-8"></script>
21 </head>
22
23
24
     <body class="file file-popup">
<diy id="metadata">
 25
26
          <dt class="modified-date">Last Modified</dt>
<dt class="modified-date">2011-06-24 07:20:37 -0300</dd>

 29
          <dt class="requires">Requires</dt>
<dd class="requires">

 30
31
32
33
 34
35
36
37
 40
 41
42
      <div id="documentation">
        <div class="description">
  <h2>Description</h2>
 44
45
46
47
48
 49
50
51
52
```

File: spec/fixtures/hello_world/doc/lib/goodbye_rb.html

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
                <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
                <title>File: goodbye.rb [RDoc Documentation]</title>
10
11
              <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
               <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
                    cscript src="../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
15
                    cnatset=utf-e >//script>
script src="../js/quicksearch.js" type="text/javascript"
charset="utf-8"></script>
<script src="../js/darkfish.js" type="text/javascript"
charset="utf-8"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script
20
21
              <body class="file file-popup">
    <div id="metadata">
24
25
                         dt class="modified-date">Last Modified</dt>
<dt class="modified-date">2011-06-24 07:21:04 -0300</dd>

27
28
29
30
31
32
33
                          <dt class="requires">Requires</dt>
<dd class="requires">
```

File: spec/fixtures/hello_world/doc/lib/hello_rb.html

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
          <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
                <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9
10
11
12
              <title>File: hello.rb [RDoc Documentation]</title>
            <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
              <script src="../js/jquery.js" type="text/javascript"
charset="utf-8"></script>
              cmarset= utr-8"></script>
<script src="../js/thickbox-compressed.js" type="text/javascript"
charset="utf-8"></script>
 16
                   charset="utf-8"></script>
<script src="../js/quicksearch.js" type="text/javascript"
charset="utf-8"></script>
                  cmarset= utf-6 >//script>
src="./js/darkfish.js" type="text/javascript"
charset="utf-8">//script>
 20 char
21 </head
22 22 3 <br/>
23 <br/>
24 <div id="metadata"> 25 <dl>
25 <dl>
26 <dl>
27 <dl>
28 <dl>
29 <dl>
29 <dl>
20 <dl>

 25
26
                      <dl>
<dt class="modified-date">Last Modified</dt>
<dt class="modified-date">2011-06-24 07:21:29 -0300</dd>

27
28
29
                      <dt class="requires">Requires</dt>
<dd class="requires">

 30
 31
32
 33
34
35
36
37
38
39
40
41
            <div id="documentation">
42
43
44
45
46
47
48
49
50
51
52
                 <div class="description">
<h2>Description</h2>
```

File: spec/fixtures/hello_world/doc/rdoc.css

```
/*
* "Darkfish" Rdoc CSS
1
     * $Id: rdoc.css 54 2009-01-27 01:09:48Z deveiant $
3
     * Author: Michael Granger <ged@FaerieMUD.org>
8
    /* Base Green is: #6C8C22 */
10
11
12
    *{ padding: 0; margin: 0; }
13
14
15
16
17
     background: #efefef;
font: 14px "Helvetica Neue", Helvetica, Tahoma, sans-serif;
         y.class, body.module, body.file {
  margin-left: 40px;
     body.file-popup
font-size: 90%;
margin-left: 0;
20
21
22
23
24
25
26
     font-size: 300%;
     text-shadow: rgba(135,145,135,0.65) 2px 2px 3px;
color: #6C8C22;
   h2, h3, h4 { margin-top: 1.5em; }
```

```
: TTHK
      :visited {
  color: #6C8C22;
  text-decoration: none;
36
        :link:hover
       :visited:hover {
   border-bottom: 1px dotted #6C8C22;
38
40
41
42
43
44
         background: #ddd;
padding: 0.5em 0;
45
46
47
48
49
        /* @group Generic Classes */
         .initially-hidden {
  display: none;
50
51
52
53
         .quicksearch-field {
width: 98%;
background: #ddd;
border: 1px solid #aaa;
height: 1.5em;
54
55
56
57
58
          -webkit-border-radius: 4px;
59
60
61
62
63
         }
.quicksearch-field:focus {
background: #fledba;
64
65
66
67
68
         .missing-docs {
  font-size: 120%;
  background: white url(images/wrench_orange.png) no-repeat 4px center;
  color: #cc;
  line-height: 2em;
  border: lpx solid #d00;
  opacity: 1;
  padding-left: 20px;
  text-indent: 24px;
  letter-spacing: 3px;
  font-weight: bold;
71
72
73
76
77
         -webkit-border-radius: 5px;
-moz-border-radius: 5px;
78
79
80
         target-section {
border: 2px solid #dcce90;
border-left-width: 8px;
81
82
83
84
85
         padding: 0 1em;
background: #fff3c2;
86
87
88
89
90
       /* @end */
       /* @group Index Page, Standalone file pages */
      body.indexpage p,
body.indexpage div,
body.file p {
94
95
96
97
98
99
100 .indexpage ul,
101 .file #documentation ul {
102 line-height: 160%;
103 list-style: none;
104
105
        }
.indexpage ul :link,
.indexpage ul :visited {
font-size: 16px;
108
109
109
110 .indexpage li,
111 .file #documentation li {
112 padding-left: 20px;
113 background: url(images/bullet_black.png) no-repeat left 4px;
background: driftmages/bariet_Drack.pmg) no-repeat left 114 } 115 .indexpage li.module { 116 background: url(images/package.png) no-repeat left 4px; 117 }
        }
.indexpage li.class {
background: url(images/ruby.png) no-repeat left 4px;
118
119
121 .indexpage li.file {
122 background: url(images/page_white_text.png) no-repeat left 4px;
122 background: df1(
123 }
124 .file li p,
125 .indexpage li p {
126 margin: 0 0;
127 }
128
129 /* @end */
130
131 /* @group Top-Level Structure */
132
133 .class #metadata,
134 .file #metadata,
135 .module #metadata {
136 float: left;
137 width: 260px;
138 }
139
140 class #documentation.
140 .class #documentation,
141 .file #documentation,
142 .module #documentation {
143 margin: 2em 1em 5em 300px;
144 min-width: 340px;
145 }
146
147 .file #metadata {
148 margin: 0.8em;
```

```
149 }
150
  151 #validator-badges {
152 clear: both;
153 margin: lem lem 2em;
  154
 155
156 /* @end */
157
  157
158 /* @group Metadata Section */
159 #metadata .section {
159 #metadata section *
159 #metadata .section {
160 background-color: #dedede;
161 -moz-border-radius: 5px;
162 -webkit-border-radius: 5px;
163 border: 1px solid #aaa;
164 margin: 0 8px 16px;
165 font-size: 90%;
166 overflow: hidden;
167 }
168 #metadata h3.section-header {
169 margin: 0;
170 padding: 2px 8px;
171 background: #ccc;
172 color: #666;
173 -moz-border-radius-topleft: 4px;
174 -moz-border-tradius-topright: 4px;
175 -webkit-border-top-left-radius: 4px;
176 -webkit-border-top-right-radius: 4px;
177 border-bottom: 1px solid #aaa;
178 }
  168 #metadata h3.section-header {
 179 #metadata #home-section h3.section-header { 180 border-bottom: 0; 181 }
  182
 183 #metadata ul
184 #metadata dl
185 #metadata p
  186 padding: 8px;
187 list-style: none
 189
190 #file-metadata ul {
191 padding-left: 28px;
192 list-style-image: url(images/page_green.png);
193 }
194
 194
195 dl.svninfo {
196 color: #666;
197 margin: 0;
198 }
199 dl.svninfo dt
 200 font-weight: bold; 201}
 202
203 ul.link-list li {
204 white-space: nowrap
 204 white-space: nowrap;

205 )

206 ul.link-list .type {

207 font-size: 8px;

208 text-transform: uppercase;

209 color: white;

210 background: #969696;

211 padding: 2px 4px;

212 -webkit-border-radius: 5px;
  213
 214
215 /* @end */
  216
 217
218 /* @group Project Metadata Section */
219 #project-metadata {
220 margin-top: 3em;
221 }
 222
 222 .file #project-metadata {
224 margin-top: 0em;
225 }
  226
 227 #project-metadata .section {
228 border: 1px solid #aaa;
229 }
 230 #project-metadata h3.section-header {
231 border-bottom: lpx solid #aaa;
232 position: relative;
233 \( \)
233 }
234 #project-metadata h3.section-header .search-toggle {
235 position: absolute;
236 right: 5px;
237 }
  238
  239
 240 #project-metadata form {
241 color: #777;
242 background: #ccc;
243 padding: 8px 8px 16px;
244 border-bottom: 1px solid #bbb;
 246 #project-metadata fieldset {
247 border: 0;
248 }
  249
 249
250 #no-class-search-results {
251 margin: 0 auto lem;
252 text-align: center;
253 font-size: 14px;
254 font-weight: bold;
255 color: #aaa;
  256
  257
 258 /* @end */
260
261 /* @group Documentation Section */
262 #description {
263 font-size: 100%;
264 color: #333;
265 }
```

```
266 267 #description p { 268 margin: lem 0.4em;
 271 #description li p {
272 margin: 0.*
 272 margin: 0;
273 }
  275 #description ul {
276 margin-left: 1.5em;
  277 #description ul li
279 line-height: 1.4em;
  280 }
281
  282 #description dl
 282 #description d1,
283 #documentation d1 {
284 margin: 8px 1.5em;
285 border: 1px solid #ccc;
286 }
 286 }
287 #description dl
288 font-size: 14px
  289
  290
 291 #description dt,
292 #documentation dt {
293 padding: 2px 4px;
294 font-weight: bold;
 295 background: #ddd;
 296 }
297 #description dd,
298 #documentation d
  299 padding: 2px 12px; 300 }
 301 #description dd + dt,
302 #documentation dd + dt
303 margin-top: 0.7em;
  304
  305
 306 #documentation .section {
307 font-size: 90%;
308 }
 308 }
309 #documentation h3.section-header {
310 margin-top: 2em;
311 padding: 0.75em 0.5em;
312 background-color: #dedede;
313 color: #333;
314 font-size: 150%;
315 border: lpx solid #bbb;
316 -moz-border-radius: 3px;
317 -webkit-border-radius: 3px;
318 }
319
320 #constants-list > dl.
319
320 #constants-list > dl,
321 #attributes-list > dl {
322 margin: lem 0 2em;
323 border: 0;
324 }
325 #acc
 324 }
325 #constants-list > dl dt,
326 #attributes-list > dl dt {
 326 #attributes-list > dl dt {
327 padding-left: 0;
328 font-weight: bold;
329 font-family: Monaco, "Andale Mono";
330 background: inherit;
331 }
 332 #constants-list > dl dt a,
333 #attributes-list > dl dt a {
334 color: inherit;
335 }
 335 }
336 #constants-list > dl dd,
337 #attributes-list > dl dd {
338 margin: 0 0 lem 0;
339 padding: 0;
340 color: #666;
  343 /* @group Method Details */
 344 #documentation .method-source-code { 346 display: none; 347 }
  348
  340 #documentation .method-detail {
350 margin: 0.5em 0;
351 padding: 0.5em 0;
352 cursor: pointer;
 354 #documentation .method-detail:hover {
355 background-color: #fledba;
356 }
  357 #documentation .method-heading {
 357 #documentation .method-heading {
358 position: relative;
359 padding: 2px 4px 0 20px;
360 font-size: 125%;
361 font-weight: bold;
362 color: #333;
363 background: url(images/brick.png) no-repeat left bottom;
364
 304 }
365 #documentation .method-heading :link,
366 #documentation .method-heading :visited
367 color: inherit;
 367 color: innerit;
368 }
369 #documentation .method-click-advice {
370 position: absolute;
371 top: 2px;
372 right: 5px;
373 font-size: 10px;
374 color: #9b9877;
375 visibility: hidden;
376 padding-right: 20px;
377 line-height: 20px;
378 background: url(images/zoom.png) no-repeat right top;
379 }
  380 #documentation .m
                                                         ethod-detail:hover .method-click-advice {
  381 visibility: visible
```

```
384 #documentation .method-alias .method-heading {
385 color: #666:
383
385 color: #666;
386 background: url(images/brick_link.png) no-repeat left bottom
388 #documentation .method-description,
390 #documentation .aliases {
391 margin: 0 20px;
392 line-height: 1.2em;
393 color: #666;
394
395 #documentation
396 padding-top: 4px;
397 font-style: italic;
398 cursor: default;
399
400 #documentation .method-description p {
401 padding: 0;
402 }
403 #documentation .method-description p + p { 404 margin-bottom: 0.5em;
405
405 / 406 documentation .method-description ul { 407 margin-left: 1.5em;
407
409
410 #documentation .attribute-method-heading {
411 background: url(images/tag_green.png) no-repeat left bottom;
412 } 413 #documentation #attribute-method-details .method-detail:hover {
414 background-color: transparent
415 cursor: default;
416
416 #417 #documentation .attribute-access-type {
418 font-size: 60%;
419 text-transform: uppercase;
420 vertical-align: super;
421 padding: 0 2px;
422
423 /* @end */
424
425 /* @end */
426
427
429 /* @group Source Code */
430
431 div.method-source
            // method-source-code {
  background: #262626;
  color: #efefef;
  margin: lem;
  padding: 0.5em;
  border: lpx dashed #999;
  overflow: hidden;
434
435
436
437
438 }
439
440 div.method-source-code pre {
441 background: inherit;
442 padding: 0;
443 color: white;
444 overflow auto
445
446
447 /* @group Ruby keyword styles */
448
448
449 .ruby-constant
450 .ruby-keyword
451 .ruby-ivar
452 .ruby-operator
453 .ruby-identifier
454 .ruby-node
455 .ruby-comment
                                    { color: #7fffd4; background: transparent; { color: #00ffff; background: transparent; { color: #eedd82; background: transparent { color: #00ffee; background: transparent
                                      { color: #ffdead;
{ color: #ffa07a;
{ color: #b22222;
                                                                        background: transparent; }
background: transparent; }
background: transparent; }
font-weight: bold; background: transparent; }
                                   { color: #ffa07a; background: transparent; color: #7fffd4; background: transparent;
456 .ruby-regexp
457 .ruby-value
458
458
459 /* @end */
460 /* @end */
461
462
463 /* @group File Popup Contents */
465 .file #metadata,
466 .file-popup #metadata {
467
471 padding: 0.75em;
472 background-color: #dedede;
473 color: #333;
474 border: 1px solid #bbb;
475
        -moz-border-radius: 3p:
-webkit-border-radius:
476
477
478
        font-weight: bold;
padding-left: 22px;
line-height: 20px;
background: url(images/page_white_width.png) no-repeat left top;
479
480
483
484
485
486
        background: url(images/date.png) no-repeat left top;
       }
.file dt.requires {
background: url(images/plugin.png) no-repeat left top;
487
488
489
       background: url(images/wrench.png) no-repeat left top
492
493
494
494 .file dl dd {
495 margin: 0 0 1em 0;
496
497
496 }
497 .file #metadata dl dd ul {
498 list-style: circle;
499 margin-left: 20px;
```

```
500 padding-top: 0; 501}
          file #metadata dl dd ul li {
  502
  503
  504
  505
506
 506 .file h2 {
507 margin-top: 2em;
508 padding: 0.75em 0.5em;
509 background-color: #dedede;
510 color: #333;
511 font-size: 120%;
512 border: 1px solid #bbb;
  513 -moz-border-radius: 3px
  514 -webkit-border-radius: 3px;
 516
517 /* @end */
  518
519
520
  521
  522 /* @group ThickBox Styles */
523 #TB_window {
524 font: 12px Arial, Helvetica, sans-serif;
525 color: #333333;
  526
 520 ;
527 #TB_secondLine {
529 font: 10px Arial, Helvetica, sans-serif;
530 color:#666666;
531 }
532
533 #TB_window :link,
534 #TB_window :visited { color: #666666; }
535 #TB_window :link:hover,
536 #TB_window :visited:hover { color: #000; }
537 #TB_window :link:active,
538 #TB_window :link:focus,
539 #TB_window :link:focus,
540 #TB_window :visited:focus { color: #666666; }
541
  531
 540 %--_
541
542 #TB_overlay {
 542 #TB_OVERIBY

543 position: fi

544 z-index:100;

545 top: 0px;

546 left: 0px;

547 height:100%;

548 width:100%;
  549
  550
551.TB overlayMacFFBGHack {background: url(images/macFFBgHack.png) repeat;}
  552 .TE
 553 background-color:#000;
554 filter:alpha(opacity=75);
555 -moz-opacity: 0.75;
556 opacity: 0.75;
  557
  558
  556 * html #TB_overlay { /* ie6 hack */
560 position: absolute;
561 height: expression(document.body.scrollHeight  document.body.offsetHeight  document.body.scrollHeight : document.body.
  562
 562 }
563
564 #TB_window {
565 position: fixed;
566 background: #ffffff;
567 z-index: 102;
568 color:#000000;
569 display:none;
 509 display:none;
569 display:none;
571 text-align:left;
572 top:50%;
573 left:50%;
 572
573
574
 574 }
575
576 * html #TB_window { /* ie6 hack */
577 position: absolute;
578 margin-top: expression(0 - parseInt(this.offsetHeight / 2) (TBWindowMargin document.documentElement coument.focumentE
  580
 580 #TB_window img#TB_Image {
582 display:block;
583 margin: 15px 0 0 15px;
584 border-right: 1px solid #ccc;
585 border-bottom: 1px solid #ccc;
586 border-top: 1px solid #666;
  587 border-left: 1px solid #666
  588
  589
 590 #TB_caption{
591 heīght:25px;
592 padding:7px 30px 10px 25px;
593 float:left;
  596 #TB_closeWindow{
  597 height:25px;
598 padding:11px 25px 10px 0;
599 float:right;
  600
601
 602 #TB closeAjaxWindow{
603 padding:7px 10px 5px 0;
604 margin-bottom:1px;
605 text-align:right;
606 float:right;
  607
  608
609 #TB_ajaxWindowTitle{
 610 float:left;
611 padding:7px 0 5px 10px;
612 margin-bottom:1px;
613 font-size: 22px;
 615
616 #mp +:+10
```

```
olo #IB_title;
617 background-color: #6C8C22;
618 color: #dedede;
619 height:40px;
620 }
621 #TB_title :link,
622 #TB_title :visited {
623 color: white !important;
624 border-bottom: 1px dotted #dedede;
625 }
626
627 #TB_ajaxContent{
628 clear:both;
629 padding:2px 15px 15px 15px;
630 overflow:auto;
631 text-align:left;
632 line-height:1.4em
634
635 #TB_ajaxContent.TB_modal{
636 padding:15px;
637 }
638
639 #TB_ajaxContent p{
640 padding:5px 0px 5px 0px;
643 #TB load
644 position: fixed
645 display:none;
646 height:13px;
647 width:208px;
648 z-index:103
649 top: 50%;
650 left: 50%;
651 margin: -6px 0 0 -104px; /* -height/2 0 0 -width/2 */
652
653
654 * html #TB_load { /* ie6 hack */
655 position: absolute;
656 margin-top: expression(0 - parseInt(this.offsetHeight / 2) (TBWindowMargin document.documentElement document.documentE
657
658
659 #TB_HideSelect{
660 z-index:99;
661 position:fixed;
662 top: 0;
663 left: 0;
664 background-color:#fff;
665 border:none;
666 filter:alpha(opacity=0);
667 -moz-opacity:
668 opacity: 0;
669 height:100%;
670 width: 100%:
671 }
672
673 * html #TB_HideSelect { /* ie6 hack */
            position: absolute;
height: expression(document.body scrollHeight document.body offsetHeight document.body scrollHeight: document.body)
674
675
676 }
677
678 #TB_iframeContent{
679 clear:both;
680 border:none;
681 margin-bottom:-1px;
682 margin-top:1px;
683 margin-bottom:1px;
684
685
686 /* @end */
08/
688/* @group Debugging Section */
689
690 #debugging-toggle {
691 text-align: center
692
693 #debugging-toggle img {
694 cursor: pointer;
695 }
696
697 #rdoc-debugging-section-dump {
698 display: none;
699 margin: 0 2em 2em;
700 background: #ccc;
701 border: 1px solid #999;
702
 703
705
706 /* @end */
```

File: spec/fixtures/hello_world/doc/tmp_txt.html

```
charset="utf-8"></script>
</head>
  25
26
27
28
29
30
31
32
33
34
35
36
37
38
   <div id="project-metadata">
    <div id="fileindex-section" class="section project-section">
<h3 class="section-header">Files</h3>

39
40
41
42
43
44
     <a href="./tmp txt.html">tmp.txt</a>
45
46
47
   48
49
50
51
52
53
54
55
56
                           accept-charset="utf-8" class="initially-hidden">
57
58
59
60
61
    62
63
64
65
     <a href="./HelloWorld.html">HelloWorld</a>
     <a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a>
66
67
68
69
70
    <a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a>
     <a href="./HelloWorld/Helo.html">HelloWorld::Helo</a>
    71
72
73
74
75
76
77
78
79
  <div id="documentation">
80
81
  84
87
88
```

File: spec/fixtures/hello_world/lib/gambi.rb

```
1 module HelloWorld
2 class Gambi
3 # ... some ugly code that I don't want to print in PDF file
4 end
5 end
```

File: spec/fixtures/hello_world/lib/goodbye.rb

```
1 module HelloWorld
2 class Goodbye
3 def say
4 'See ya!'
5 end
6 end
7 end
```

File: spec/fixtures/hello_world/lib/hello.rb

```
1 module HelloWorld
2 class Helo
3 def say(name)
4 "Hi, #{name}!"
5 end
6 end
7 end
```

File: spec/fixtures/hello_world/tmp.txt

sample content which should not be included in the generated PDF file