File: spec/fixtures/hello_world/.code2pdf
```
:directories:
- doc
:files:
- .DS_Store
- .code2pdf
- tmp.txt
- gambi.rb
```

File: spec/fixtures/hello_world/doc/created.rid
```
Fri, 24 Jun 2011 07:21:53 -0300
./lib/gambi.rb Fri, 24 Jun 2011 07:20:37 -0300
./lib/goodbye.rb Fri, 24 Jun 2011 07:21:04 -0300
./lib/hello.rb Fri, 24 Jun 2011 07:21:29 -0300
./tmp.txt Fri, 24 Jun 2011 07:19:34 -0300
```

File: spec/fixtures/hello_world/doc/HelloWorld/Gambi.html
```
1   <?xml version="1.0" encoding="utf-8"?>
2   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4   <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5   <head>
6    <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8    <title>Class: HelloWorld::Gambi</title>
9
10   <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
11
12   <script src="../js/jquery.js" type="text/javascript"
13    charset="utf-8"></script>
14   <script src="../js/thickbox-compressed.js" type="text/javascript"
15    charset="utf-8"></script>
16   <script src="../js/quicksearch.js" type="text/javascript"
17    charset="utf-8"></script>
18   <script src="../js/darkfish.js" type="text/javascript"
19    charset="utf-8"></script>
20
21   </head>
22   <body class="class">
23
24    <div id="metadata">
25     <div id="home-metadata">
26      <div id="home-section" class="section">
27       <h3 class="section-header">
28          <a href="../index.html">Home</a>
29          <a href="../index.html#classes">Classes</a>
30          <a href="../index.html#methods">Methods</a>
31       </h3>
32     </div>
33    </div>
34
35    <div id="file-metadata">
36     <div id="file-list-section" class="section">
37      <h3 class="section-header">In Files</h3>
38      <div class="section-body">
39       <ul>
40
41        <li><a href="../lib/gambi_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
42         class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a></li>
43
44       </ul>
45      </div>
46     </div>
47
48
49    </div>
50
51    <div id="class-metadata">
52
53     <!-- Parent Class -->
54
55     <div id="parent-class-section" class="section">
56      <h3 class="section-header">Parent</h3>
57
58      <p class="link">Object</p>
59
60     </div>
61
62
63     <!-- Namespace Contents -->
64
65
66     <!-- Method Quickref -->
67
68
69     <!-- Included Modules -->
70
71    </div>
72
73    <div id="project-metadata">
74
75
76     <div id="fileindex-section" class="section project-section">
77      <h3 class="section-header">Files</h3>
78      <ul>
79
80       <li class="file"><a href="../tmp_txt.html">tmp.txt</a></li>
81
82      </ul>
83     </div>
84
85
86     <div id="classindex-section" class="section project-section">
87      <h3 class="section-header">Class Index
88       <span class="search-toggle"><img src="../images/find.png"
89        height="16" width="16" alt="[+]"
```

```
 90        title="show/hide quicksearch" /></span></h3>
 91      <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
 92      <fieldset>
 93       <legend>Quicksearch</legend>
 94       <input type="text" name="quicksearch" value=""
 95        class="quicksearch-field" />
 96      </fieldset>
 97      </form>
 98
 99      <ul class="link-list">
100
101      <li><a href="../HelloWorld.html">HelloWorld</a></li>
102
103      <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
104
105      <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
106
107      <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>
108
109      </ul>
110      <div id="no-class-search-results" style="display: none;">No matching classes.</div>
111     </div>
112
113
114   </div>
115 </div>
116
117 <div id="documentation">
118  <h1 class="class">HelloWorld::Gambi</h1>
119
120  <div id="description">
121
122  </div>
123
124  <!-- Constants -->
125
126
127  <!-- Attributes -->
128
129
130  <!-- Methods -->
131
132
133 </div>
134
135
136 <div id="rdoc-debugging-section-dump" class="debugging-section">
137
138  <p>Disabled; run with --debug to generate this.</p>
139
140 </div>
141
142 <div id="validator-badges">
143  <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
144  <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
145   Rdoc Generator</a> 1.1.6</small>.</p>
146 </div>
147
148 </body>
149 </html>
150
```

File: spec/fixtures/hello_world/doc/HelloWorld/Goodbye.html

```
 1  <?xml version="1.0" encoding="utf-8"?>
 2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
 3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
 4  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
 5  <head>
 6   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
 7
 8   <title>Class: HelloWorld::Goodbye</title>
 9
10   <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
11
12   <script src="../js/jquery.js" type="text/javascript"
13    charset="utf-8"></script>
14   <script src="../js/thickbox-compressed.js" type="text/javascript"
15    charset="utf-8"></script>
16   <script src="../js/quicksearch.js" type="text/javascript"
17    charset="utf-8"></script>
18   <script src="../js/darkfish.js" type="text/javascript"
19    charset="utf-8"></script>
20
21  </head>
22  <body class="class">
23
24   <div id="metadata">
25    <div id="home-metadata">
26     <div id="home-section" class="section">
27         <h3 class="section-header">
28           <a href="../index.html">Home</a>
29           <a href="../index.html#classes">Classes</a>
30           <a href="../index.html#methods">Methods</a>
31         </h3>
32     </div>
33    </div>
34
35    <div id="file-metadata">
36
37     <div id="file-list-section" class="section">
38      <h3 class="section-header">In Files</h3>
39      <div class="section-body">
40       <ul>
41
42        <li><a href="../lib/goodbye_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
43         class="thickbox" title="lib/goodbye.rb">lib/goodbye.rb</a></li>
44
45       </ul>
46      </div>
47     </div>
48
49
50   </div>
```

```
--
51  <div id="class-metadata">
52
53   <!-- Parent Class -->
54
55   <div id="parent-class-section" class="section">
56    <h3 class="section-header">Parent</h3>
57
58    <p class="link">Object</p>
59
60   </div>
61
62
63   <!-- Namespace Contents -->
64
65
66   <!-- Method Quickref -->
67
68   <div id="method-list-section" class="section">
69    <h3 class="section-header">Methods</h3>
70    <ul class="link-list">
71
72     <li><a href="#method-i-say">#say</a></li>
73
74    </ul>
75   </div>
76
77
78   <!-- Included Modules -->
79
80  </div>
81
82  <div id="project-metadata">
83
84
85   <div id="fileindex-section" class="section project-section">
86    <h3 class="section-header">Files</h3>
87    <ul>
88
89     <li class="file"><a href="../tmp_txt.html">tmp.txt</a></li>
90
91    </ul>
92   </div>
93
94
95   <div id="classindex-section" class="section project-section">
96    <h3 class="section-header">Class Index
97     <span class="search-toggle"><img src="../images/find.png"
98      height="16" width="16" alt="[+]"
99      title="show/hide quicksearch" /></span></h3>
100   <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
101    <fieldset>
102     <legend>Quicksearch</legend>
103     <input type="text" name="quicksearch" value=""
104      class="quicksearch-field" />
105    </fieldset>
106   </form>
107
108   <ul class="link-list">
109
110    <li><a href="../HelloWorld.html">HelloWorld</a></li>
111
112    <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
113
114    <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
115
116    <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>
117
118   </ul>
119   <div id="no-class-search-results" style="display: none;">No matching classes.</div>
120   </div>
121
122
123  </div>
124 </div>
125
126 <div id="documentation">
127  <h1 class="class">HelloWorld::Goodbye</h1>
128
129  <div id="description">
130
131  </div>
132
133  <!-- Constants -->
134
135
136  <!-- Attributes -->
137
138
139  <!-- Methods -->
140
141  <div id="public-instance-method-details" class="method-section section">
142   <h3 class="section-header">Public Instance Methods</h3>
143
144
145   <div id="say-method" class="method-detail ">
146    <a name="method-i-say"></a>
147
148    <div class="method-heading">
149
150     <span class="method-name">say</span><span
151      class="method-args">()</span>
152     <span class="method-click-advice">click to toggle source</span>
153
154    </div>
155
156    <div class="method-description">
157
158
159
160
161
162     <div class="method-source-code"
163      id="say-source">
164 <pre>
165  <span class="ruby-comment cmt"># File lib/goodbye.rb, line 3</span>
166 3:   <span class="ruby-keyword kw">def</span> <span class="ruby-identifier">say</span>
167 4:     <span class="ruby-value str">&quot;See ya!&quot;</span>
```

```
168 5:    <span class="ruby-keyword kw">end</span></pre>
169     </div>
170
171   </div>
172
173
174
175
176   </div>
177
178
179  </div>
180
181
182 </div>
183
184
185 <div id="rdoc-debugging-section-dump" class="debugging-section">
186
187  <p>Disabled; run with --debug to generate this.</p>
188
189 </div>
190
191 <div id="validator-badges">
192  <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
193  <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
194   Rdoc Generator</a> 1.1.6</small>.</p>
195 </div>
196
197 </body>
198 </html>
199
```

File: spec/fixtures/hello_world/doc/HelloWorld/Helo.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5  <head>
6   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8   <title>Class: HelloWorld::Helo</title>
9
10  <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
11
12  <script src="../js/jquery.js" type="text/javascript"
13   charset="utf-8"></script>
14  <script src="../js/thickbox-compressed.js" type="text/javascript"
15   charset="utf-8"></script>
16  <script src="../js/quicksearch.js" type="text/javascript"
17   charset="utf-8"></script>
18  <script src="../js/darkfish.js" type="text/javascript"
19   charset="utf-8"></script>
20
21 </head>
22 <body class="class">
23
24  <div id="metadata">
25   <div id="home-metadata">
26    <div id="home-section" class="section">
27       <h3 class="section-header">
28         <a href="../index.html">Home</a>
29         <a href="../index.html#classes">Classes</a>
30         <a href="../index.html#methods">Methods</a>
31       </h3>
32    </div>
33   </div>
34
35   <div id="file-metadata">
36    <div id="file-list-section" class="section">
37     <h3 class="section-header">In Files</h3>
38     <div class="section-body">
39      <ul>
40
41       <li><a href="../lib/hello_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
42        class="thickbox" title="lib/hello.rb">lib/hello.rb</a></li>
43
44      </ul>
45     </div>
46    </div>
47
48
49   </div>
50
51   <div id="class-metadata">
52
53    <!-- Parent Class -->
54
55    <div id="parent-class-section" class="section">
56     <h3 class="section-header">Parent</h3>
57
58     <p class="link">Object</p>
59
60    </div>
61
62
63    <!-- Namespace Contents -->
64
65
66    <!-- Method Quickref -->
67
68    <div id="method-list-section" class="section">
69     <h3 class="section-header">Methods</h3>
70     <ul class="link-list">
71
72      <li><a href="#method-i-say">#say</a></li>
73
74     </ul>
75    </div>
76
77
78    <!-- Included Modules -->
79
```

```html
79
80    </div>

82    <div id="project-metadata">

85     <div id="fileindex-section" class="section project-section">
86      <h3 class="section-header">Files</h3>
87      <ul>

89       <li class="file"><a href="../tmp_txt.html">tmp.txt</a></li>

91      </ul>
92     </div>


95     <div id="classindex-section" class="section project-section">
96      <h3 class="section-header">Class Index
97       <span class="search-toggle"><img src="../images/find.png"
98        height="16" width="16" alt="[+]"
99        title="show/hide quicksearch" /></span></h3>
100      <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
101      <fieldset>
102       <legend>Quicksearch</legend>
103       <input type="text" name="quicksearch" value=""
104        class="quicksearch-field" />
105      </fieldset>
106      </form>

108      <ul class="link-list">

110       <li><a href="../HelloWorld.html">HelloWorld</a></li>

112       <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>

114       <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>

116       <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>

118      </ul>
119      <div id="no-class-search-results" style="display: none;">No matching classes.</div>
120     </div>


123   </div>
124  </div>

126  <div id="documentation">
127   <h1 class="class">HelloWorld::Helo</h1>

129   <div id="description">

131   </div>

133   <!-- Constants -->


136   <!-- Attributes -->


139   <!-- Methods -->

141   <div id="public-instance-method-details" class="method-section section">
142    <h3 class="section-header">Public Instance Methods</h3>


145    <div id="say-method" class="method-detail ">
146     <a name="method-i-say"></a>

148     <div class="method-heading">

150      <span class="method-name">say</span><span
151       class="method-args">(name)</span>
152      <span class="method-click-advice">click to toggle source</span>

154     </div>

156     <div class="method-description">




162      <div class="method-source-code"
163       id="say-source">
164 <pre>
165   <span class="ruby-comment cmt"># File lib/hello.rb, line 3</span>
166 3:    <span class="ruby-keyword kw">def</span> <span class="ruby-identifier">say</span>(<span class="ruby-identifier">name</span></
167 4:      <span class="ruby-node">&quot;Hi, #{name}!&quot;</span>
168 5:    <span class="ruby-keyword kw">end</span></pre>
169      </div>

171     </div>




176    </div>


179   </div>


182  </div>


185  <div id="rdoc-debugging-section-dump" class="debugging-section">

187   <p>Disabled; run with --debug to generate this.</p>

189  </div>

191  <div id="validator-badges">
192   <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
193   <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
194    Rdoc Generator</a> 1.1.6</small>.</p>
195  </div>
```

```
196
197 </body>
198 </html>
199
```

File: spec/fixtures/hello_world/doc/HelloWorld.html

```
1   <?xml version="1.0" encoding="utf-8"?>
2   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4   <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5   <head>
6    <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8    <title>Module: HelloWorld</title>
9
10   <link rel="stylesheet" href="./rdoc.css" type="text/css" media="screen" />
11
12   <script src="./js/jquery.js" type="text/javascript"
13    charset="utf-8"></script>
14   <script src="./js/thickbox-compressed.js" type="text/javascript"
15    charset="utf-8"></script>
16   <script src="./js/quicksearch.js" type="text/javascript"
17    charset="utf-8"></script>
18   <script src="./js/darkfish.js" type="text/javascript"
19    charset="utf-8"></script>
20
21  </head>
22  <body class="module">
23
24   <div id="metadata">
25    <div id="home-metadata">
26     <div id="home-section" class="section">
27        <h3 class="section-header">
28          <a href="./index.html">Home</a>
29          <a href="./index.html#classes">Classes</a>
30          <a href="./index.html#methods">Methods</a>
31        </h3>
32    </div>
33    </div>
34
35    <div id="file-metadata">
36     <div id="file-list-section" class="section">
37      <h3 class="section-header">In Files</h3>
38      <div class="section-body">
39       <ul>
40
41        <li><a href="./lib/gambi_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
42         class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a></li>
43
44        <li><a href="./lib/goodbye_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
45         class="thickbox" title="lib/goodbye.rb">lib/goodbye.rb</a></li>
46
47        <li><a href="./lib/hello_rb.html?TB_iframe=true&amp;height=550&amp;width=785"
48         class="thickbox" title="lib/hello.rb">lib/hello.rb</a></li>
49
50       </ul>
51      </div>
52     </div>
53
54
55    </div>
56
57    <div id="class-metadata">
58
59     <!-- Parent Class -->
60
61
62     <!-- Namespace Contents -->
63
64     <div id="namespace-list-section" class="section">
65      <h3 class="section-header">Namespace</h3>
66      <ul class="link-list">
67
68       <li><span class="type">CLASS</span> <a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
69
70       <li><span class="type">CLASS</span> <a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
71
72       <li><span class="type">CLASS</span> <a href="HelloWorld/Helo.html">HelloWorld::Helo</a></li>
73
74      </ul>
75     </div>
76
77
78     <!-- Method Quickref -->
79
80
81     <!-- Included Modules -->
82
83    </div>
84
85    <div id="project-metadata">
86
87     <div id="fileindex-section" class="section project-section">
88      <h3 class="section-header">Files</h3>
89      <ul>
90
91       <li class="file"><a href="./tmp_txt.html">tmp.txt</a></li>
92
93      </ul>
94     </div>
95
96
97
98     <div id="classindex-section" class="section project-section">
99      <h3 class="section-header">Class Index
100       <span class="search-toggle"><img src="./images/find.png"
101        height="16" width="16" alt="[+]"
102        title="show/hide quicksearch" /></span></h3>
103      <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
104      <fieldset>
105       <legend>Quicksearch</legend>
106       <input type="text" name="quicksearch" value=""
107        class="quicksearch-field" />
```

```
108    </fieldset>
109    </form>
110
111    <ul class="link-list">
112
113      <li><a href="./HelloWorld.html">HelloWorld</a></li>
114
115      <li><a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
116
117      <li><a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
118
119      <li><a href="./HelloWorld/Helo.html">HelloWorld::Helo</a></li>
120
121    </ul>
122    <div id="no-class-search-results" style="display: none;">No matching classes.</div>
123   </div>
124
125
126  </div>
127 </div>
128
129 <div id="documentation">
130  <h1 class="module">HelloWorld</h1>
131
132  <div id="description">
133
134  </div>
135
136  <!-- Constants -->
137
138
139  <!-- Attributes -->
140
141
142  <!-- Methods -->
143
144
145 </div>
146
147
148 <div id="rdoc-debugging-section-dump" class="debugging-section">
149
150  <p>Disabled; run with --debug to generate this.</p>
151
152 </div>
153
154 <div id="validator-badges">
155  <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
156  <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
157   Rdoc Generator</a> 1.1.6</small>.</p>
158 </div>
159
160 </body>
161 </html>
162
```

File: spec/fixtures/hello_world/doc/index.html

```
1  <?xml version="1.0" encoding="UTF-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
3   "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
4
5  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
6  <head>
7   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9   <title>RDoc Documentation</title>
10
11  <link type="text/css" media="screen" href="rdoc.css" rel="stylesheet" />
12
13  <script src="js/jquery.js" type="text/javascript" charset="utf-8"></script>
14  <script src="js/thickbox-compressed.js" type="text/javascript" charset="utf-8"></script>
15  <script src="js/quicksearch.js" type="text/javascript" charset="utf-8"></script>
16  <script src="js/darkfish.js" type="text/javascript" charset="utf-8"></script>
17
18 </head>
19 <body class="indexpage">
20
21
22  <h1>RDoc Documentation</h1>
23
24
25  <p>This is the API documentation for 'RDoc Documentation'.</p>
26
27
28
29
30  <h2>Files</h2>
31  <ul>
32
33    <li class="file"><a href="tmp_txt.html">tmp.txt</a></li>
34
35  </ul>
36
37
38  <h2 id="classes">Classes/Modules</h2>
39  <ul>
40
41   <li class="module"><a href="HelloWorld.html">HelloWorld</a></li>
42
43   <li class="class"><a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
44
45   <li class="class"><a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
46
47   <li class="class"><a href="HelloWorld/Helo.html">HelloWorld::Helo</a></li>
48
49  </ul>
50
51  <h2 id="methods">Methods</h2>
52  <ul>
53
54   <li><a href="HelloWorld/Goodbye.html#method-i-say">#say &mdash; HelloWorld::Goodbye</a></li>
55
56   <li><a href="HelloWorld/Helo.html#method-i-say">#say &mdash; HelloWorld::Helo</a></li>
```

```
57  </ul>
58  </ul>
59
60  <div id="validator-badges">
61   <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
62   <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
63    Rdoc Generator</a> 1.1.6</small>.</p>
64  </div>
65 </body>
66 </html>
```

File: spec/fixtures/hello_world/doc/lib/gambi_rb.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6  <head>
7   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9   <title>File: gambi.rb [RDoc Documentation]</title>
10
11  <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13  <script src="../js/jquery.js" type="text/javascript"
14   charset="utf-8"></script>
15  <script src="../js/thickbox-compressed.js" type="text/javascript"
16   charset="utf-8"></script>
17  <script src="../js/quicksearch.js" type="text/javascript"
18   charset="utf-8"></script>
19  <script src="../js/darkfish.js" type="text/javascript"
20   charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24  <div id="metadata">
25   <dl>
26    <dt class="modified-date">Last Modified</dt>
27    <dd class="modified-date">2011-06-24 07:20:37 -0300</dd>
28
29
30    <dt class="requires">Requires</dt>
31    <dd class="requires">
32     <ul>
33
34     </ul>
35    </dd>
36
37
38
39   </dl>
40  </div>
41
42  <div id="documentation">
43
44   <div class="description">
45    <h2>Description</h2>
46
47   </div>
48
49  </div>
50 </body>
51 </html>
52
```

File: spec/fixtures/hello_world/doc/lib/goodbye_rb.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6  <head>
7   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9   <title>File: goodbye.rb [RDoc Documentation]</title>
10
11  <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13  <script src="../js/jquery.js" type="text/javascript"
14   charset="utf-8"></script>
15  <script src="../js/thickbox-compressed.js" type="text/javascript"
16   charset="utf-8"></script>
17  <script src="../js/quicksearch.js" type="text/javascript"
18   charset="utf-8"></script>
19  <script src="../js/darkfish.js" type="text/javascript"
20   charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24  <div id="metadata">
25   <dl>
26    <dt class="modified-date">Last Modified</dt>
27    <dd class="modified-date">2011-06-24 07:21:04 -0300</dd>
28
29
30    <dt class="requires">Requires</dt>
31    <dd class="requires">
32     <ul>
33
34     </ul>
35    </dd>
36
37
38
39   </dl>
40  </div>
41
42  <div id="documentation">
43
```

```
44   <div class="description">
45    <h2>Description</h2>
46
47   </div>
48
49  </div>
50 </body>
51 </html>
52
```

File: spec/fixtures/hello_world/doc/lib/hello_rb.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6  <head>
7   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9   <title>File: hello.rb [RDoc Documentation]</title>
10
11  <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13  <script src="../js/jquery.js" type="text/javascript"
14   charset="utf-8"></script>
15  <script src="../js/thickbox-compressed.js" type="text/javascript"
16   charset="utf-8"></script>
17  <script src="../js/quicksearch.js" type="text/javascript"
18   charset="utf-8"></script>
19  <script src="../js/darkfish.js" type="text/javascript"
20   charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24  <div id="metadata">
25   <dl>
26    <dt class="modified-date">Last Modified</dt>
27    <dd class="modified-date">2011-06-24 07:21:29 -0300</dd>
28
29
30    <dt class="requires">Requires</dt>
31    <dd class="requires">
32     <ul>
33
34     </ul>
35    </dd>
36
37
38
39   </dl>
40  </div>
41
42  <div id="documentation">
43
44   <div class="description">
45    <h2>Description</h2>
46
47   </div>
48
49  </div>
50 </body>
51 </html>
52
```

File: spec/fixtures/hello_world/doc/rdoc.css

```
1  /*
2   * "Darkfish" Rdoc CSS
3   * $Id: rdoc.css 54 2009-01-27 01:09:48Z deveiant $
4   *
5   * Author: Michael Granger <ged@FaerieMUD.org>
6   *
7   */
8
9  /* Base Green is: #6C8C22 */
10
11 *{ padding: 0; margin: 0; }
12
13 body {
14   background: #efefef;
15   font: 14px "Helvetica Neue", Helvetica, Tahoma, sans-serif;
16 }
17 body.class, body.module, body.file {
18     margin-left: 40px;
19 }
20 body.file-popup {
21   font-size: 90%;
22   margin-left: 0;
23 }
24
25 h1 {
26   font-size: 300%;
27   text-shadow: rgba(135,145,135,0.65) 2px 2px 3px;
28   color: #6C8C22;
29 }
30 h2,h3,h4 { margin-top: 1.5em; }
31
32 :link,
33 :visited {
34   color: #6C8C22;
35   text-decoration: none;
36 }
37 :link:hover,
38 :visited:hover {
39   border-bottom: 1px dotted #6C8C22;
40 }
41
42 pre {
43   background: #ddd;
44   padding: 0.5em 0;
45 }
```

```css
46
47
48  /* @group Generic Classes */
49
50  .initially-hidden {
51    display: none;
52  }
53
54  .quicksearch-field {
55    width: 98%;
56    background: #ddd;
57    border: 1px solid #aaa;
58    height: 1.5em;
59    -webkit-border-radius: 4px;
60  }
61  .quicksearch-field:focus {
62    background: #f1edba;
63  }
64
65  .missing-docs {
66    font-size: 120%;
67    background: white url(images/wrench_orange.png) no-repeat 4px center;
68    color: #ccc;
69    line-height: 2em;
70    border: 1px solid #d00;
71    opacity: 1;
72    padding-left: 20px;
73    text-indent: 24px;
74    letter-spacing: 3px;
75    font-weight: bold;
76    -webkit-border-radius: 5px;
77    -moz-border-radius: 5px;
78  }
79
80  .target-section {
81    border: 2px solid #dcce90;
82    border-left-width: 8px;
83    padding: 0 1em;
84    background: #fff3c2;
85  }
86
87  /* @end */
88
89
90  /* @group Index Page, Standalone file pages */
91  body.indexpage {
92    margin: 1em 3em;
93  }
94  body.indexpage p,
95  body.indexpage div,
96  body.file p {
97    margin: 1em 0;
98  }
99
100 .indexpage ul,
101 .file #documentation ul {
102   line-height: 160%;
103   list-style: none;
104 }
105 .indexpage ul :link,
106 .indexpage ul :visited {
107   font-size: 16px;
108 }
109
110 .indexpage li,
111 .file #documentation li {
112   padding-left: 20px;
113   background: url(images/bullet_black.png) no-repeat left 4px;
114 }
115 .indexpage li.module {
116   background: url(images/package.png) no-repeat left 4px;
117 }
118 .indexpage li.class {
119   background: url(images/ruby.png) no-repeat left 4px;
120 }
121 .indexpage li.file {
122   background: url(images/page_white_text.png) no-repeat left 4px;
123 }
124 .file li p,
125 .indexpage li p {
126   margin: 0 0;
127 }
128
129 /* @end */
130
131 /* @group Top-Level Structure */
132
133 .class #metadata,
134 .file #metadata,
135 .module #metadata {
136   float: left;
137   width: 260px;
138 }
139
140 .class #documentation,
141 .file #documentation,
142 .module #documentation {
143   margin: 2em 1em 5em 300px;
144   min-width: 340px;
145 }
146
147 .file #metadata {
148   margin: 0.8em;
149 }
150
151 #validator-badges {
152   clear: both;
153   margin: 1em 1em 2em;
154 }
155
156 /* @end */
157
158 /* @group Metadata Section */
159 #metadata .section {
160   background-color: #dedede;
161   -moz-border-radius: 5px;
162   -webkit-border-radius: 5px;
```

```css
163  border: 1px solid #aaa;
164  margin: 0 8px 16px;
165  font-size: 90%;
166  overflow: hidden;
167 }
168 #metadata h3.section-header {
169  margin: 0;
170  padding: 2px 8px;
171  background: #ccc;
172  color: #666;
173  -moz-border-radius-topleft: 4px;
174  -moz-border-radius-topright: 4px;
175  -webkit-border-top-left-radius: 4px;
176  -webkit-border-top-right-radius: 4px;
177  border-bottom: 1px solid #aaa;
178 }
179 #metadata #home-section h3.section-header {
180   border-bottom: 0;
181 }
182
183 #metadata ul,
184 #metadata dl,
185 #metadata p {
186  padding:  8px;
187  list-style: none;
188 }
189
190 #file-metadata ul {
191  padding-left: 28px;
192  list-style-image: url(images/page_green.png);
193 }
194
195 dl.svninfo {
196  color: #666;
197  margin: 0;
198 }
199 dl.svninfo dt {
200  font-weight: bold;
201 }
202
203 ul.link-list li {
204  white-space: nowrap;
205 }
206 ul.link-list .type {
207  font-size: 8px;
208  text-transform: uppercase;
209  color: white;
210  background: #969696;
211  padding: 2px 4px;
212  -webkit-border-radius: 5px;
213 }
214
215 /* @end */
216
217
218 /* @group Project Metadata Section */
219 #project-metadata {
220  margin-top: 3em;
221 }
222
223 .file #project-metadata {
224   margin-top: 0em;
225 }
226
227 #project-metadata .section {
228  border: 1px solid #aaa;
229 }
230 #project-metadata h3.section-header {
231  border-bottom: 1px solid #aaa;
232  position: relative;
233 }
234 #project-metadata h3.section-header .search-toggle {
235  position: absolute;
236  right: 5px;
237 }
238
239
240 #project-metadata form {
241  color: #777;
242  background: #ccc;
243  padding: 8px 8px 16px;
244  border-bottom: 1px solid #bbb;
245 }
246 #project-metadata fieldset {
247  border: 0;
248 }
249
250 #no-class-search-results {
251  margin: 0 auto 1em;
252  text-align: center;
253  font-size: 14px;
254  font-weight: bold;
255  color: #aaa;
256 }
257
258 /* @end */
259
260
261 /* @group Documentation Section */
262 #description {
263  font-size: 100%;
264  color: #333;
265 }
266
267 #description p {
268  margin: 1em 0.4em;
269 }
270
271 #description li p {
272   margin: 0;
273 }
274
275 #description ul {
276  margin-left: 1.5em;
277 }
278 #description ul li {
279  line-height: 1.4em;
```

```css
280 }
281
282 #description dl,
283 #documentation dl {
284   margin: 8px 1.5em;
285   border: 1px solid #ccc;
286 }
287 #description dl {
288   font-size: 14px;
289 }
290
291 #description dt,
292 #documentation dt {
293   padding: 2px 4px;
294   font-weight: bold;
295   background: #ddd;
296 }
297 #description dd,
298 #documentation dd  {
299   padding: 2px 12px;
300 }
301 #description dd + dt,
302 #documentation dd + dt {
303   margin-top: 0.7em;
304 }
305
306 #documentation .section {
307   font-size: 90%;
308 }
309 #documentation h3.section-header {
310   margin-top: 2em;
311   padding: 0.75em 0.5em;
312   background-color: #dedede;
313   color: #333;
314   font-size: 150%;
315   border: 1px solid #bbb;
316   -moz-border-radius: 3px;
317   -webkit-border-radius: 3px;
318 }
319
320 #constants-list > dl,
321 #attributes-list > dl {
322   margin: 1em 0 2em;
323   border: 0;
324 }
325 #constants-list > dl dt,
326 #attributes-list > dl dt {
327   padding-left: 0;
328   font-weight: bold;
329   font-family: Monaco, "Andale Mono";
330   background: inherit;
331 }
332 #constants-list > dl dt a,
333 #attributes-list > dl dt a {
334   color: inherit;
335 }
336 #constants-list > dl dd,
337 #attributes-list > dl dd {
338   margin: 0 0 1em 0;
339   padding: 0;
340   color: #666;
341 }
342
343 /* @group Method Details */
344
345 #documentation .method-source-code {
346   display: none;
347 }
348
349 #documentation .method-detail {
350   margin: 0.5em 0;
351   padding: 0.5em 0;
352   cursor: pointer;
353 }
354 #documentation .method-detail:hover {
355   background-color: #f1edba;
356 }
357 #documentation .method-heading {
358   position: relative;
359   padding: 2px 4px 0 20px;
360   font-size: 125%;
361   font-weight: bold;
362   color: #333;
363   background: url(images/brick.png) no-repeat left bottom;
364 }
365 #documentation .method-heading :link,
366 #documentation .method-heading :visited {
367   color: inherit;
368 }
369 #documentation .method-click-advice {
370   position: absolute;
371   top: 2px;
372   right: 5px;
373   font-size: 10px;
374   color: #9b9877;
375   visibility: hidden;
376   padding-right: 20px;
377   line-height: 20px;
378   background: url(images/zoom.png) no-repeat right top;
379 }
380 #documentation .method-detail:hover .method-click-advice {
381   visibility: visible;
382 }
383
384 #documentation .method-alias .method-heading {
385   color: #666;
386   background: url(images/brick_link.png) no-repeat left bottom;
387 }
388
389 #documentation .method-description,
390 #documentation .aliases {
391   margin: 0 20px;
392   line-height: 1.2em;
393   color: #666;
394 }
395 #documentation .aliases {
396   padding-top: 4px;
```

```css
       ......... ... . ...,
397  font-style: italic;
398  cursor: default;
399 }
400 #documentation .method-description p {
401  padding: 0;
402 }
403 #documentation .method-description p + p {
404  margin-bottom: 0.5em;
405 }
406 #documentation .method-description ul {
407    margin-left: 1.5em;
408 }
409
410 #documentation .attribute-method-heading {
411  background: url(images/tag_green.png) no-repeat left bottom;
412 }
413 #documentation #attribute-method-details .method-detail:hover {
414  background-color: transparent;
415  cursor: default;
416 }
417 #documentation .attribute-access-type {
418  font-size: 60%;
419  text-transform: uppercase;
420  vertical-align: super;
421  padding: 0 2px;
422 }
423 /* @end */
424
425 /* @end */
426
427
428
429 /* @group Source Code */
430
431 div.method-source-code {
432     background: #262626;
433     color: #efefef;
434     margin: 1em;
435     padding: 0.5em;
436     border: 1px dashed #999;
437     overflow: hidden;
438 }
439
440 div.method-source-code pre {
441  background: inherit;
442  padding: 0;
443  color: white;
444  overflow: auto;
445 }
446
447 /* @group Ruby keyword styles */
448
449 .ruby-constant   { color: #7fffd4; background: transparent; }
450 .ruby-keyword    { color: #00ffff; background: transparent; }
451 .ruby-ivar       { color: #eedd82; background: transparent; }
452 .ruby-operator   { color: #00ffee; background: transparent; }
453 .ruby-identifier { color: #ffdead; background: transparent; }
454 .ruby-node       { color: #ffa07a; background: transparent; }
455 .ruby-comment    { color: #b22222; font-weight: bold; background: transparent; }
456 .ruby-regexp     { color: #ffa07a; background: transparent; }
457 .ruby-value      { color: #7fffd4; background: transparent; }
458
459 /* @end */
460 /* @end */
461
462
463 /* @group File Popup Contents */
464
465 .file #metadata,
466 .file-popup #metadata {
467 }
468
469 .file-popup dl {
470  font-size: 80%;
471  padding: 0.75em;
472  background-color: #dedede;
473  color: #333;
474  border: 1px solid #bbb;
475  -moz-border-radius: 3px;
476  -webkit-border-radius: 3px;
477 }
478 .file dt {
479  font-weight: bold;
480  padding-left: 22px;
481  line-height: 20px;
482  background: url(images/page_white_width.png) no-repeat left top;
483 }
484 .file dt.modified-date {
485  background: url(images/date.png) no-repeat left top;
486 }
487 .file dt.requires {
488  background: url(images/plugin.png) no-repeat left top;
489 }
490 .file dt.scs-url {
491  background: url(images/wrench.png) no-repeat left top;
492 }
493
494 .file dl dd {
495  margin: 0 0 1em 0;
496 }
497 .file #metadata dl dd ul {
498  list-style: circle;
499  margin-left: 20px;
500  padding-top: 0;
501 }
502 .file #metadata dl dd ul li {
503 }
504
505
506 .file h2 {
507  margin-top: 2em;
508  padding: 0.75em 0.5em;
509  background-color: #dedede;
510  color: #333;
511  font-size: 120%;
512  border: 1px solid #bbb;
513  -moz-border-radius: 3px;
```

```css
514  -webkit-border-radius: 3px;
515 }
516
517 /* @end */
518
519
520
521
522 /* @group ThickBox Styles */
523 #TB_window {
524  font: 12px Arial, Helvetica, sans-serif;
525  color: #333333;
526 }
527
528 #TB_secondLine {
529  font: 10px Arial, Helvetica, sans-serif;
530  color:#666666;
531 }
532
533 #TB_window :link,
534 #TB_window :visited        { color: #666666; }
535 #TB_window :link:hover,
536 #TB_window :visited:hover  { color: #000;    }
537 #TB_window :link:active,
538 #TB_window :visited:active { color: #666666; }
539 #TB_window :link:focus,
540 #TB_window :visited:focus  { color: #666666; }
541
542 #TB_overlay {
543  position: fixed;
544  z-index:100;
545  top: 0px;
546  left: 0px;
547  height:100%;
548  width:100%;
549 }
550
551 .TB_overlayMacFFBGHack {background: url(images/macFFBgHack.png) repeat;}
552 .TB_overlayBG {
553  background-color:#000;
554  filter:alpha(opacity=75);
555  -moz-opacity: 0.75;
556  opacity: 0.75;
557 }
558
559 * html #TB_overlay { /* ie6 hack */
560      position: absolute;
561      height: expression(document.body.scrollHeight > document.body.offsetHeight ? document.body.scrollHeight : document.body.
562 }
563
564 #TB_window {
565  position: fixed;
566  background: #ffffff;
567  z-index: 102;
568  color:#000000;
569  display:none;
570  border: 4px solid #525252;
571  text-align:left;
572  top:50%;
573  left:50%;
574 }
575
576 * html #TB_window { /* ie6 hack */
577 position: absolute;
578 margin-top: expression(0 - parseInt(this.offsetHeight / 2) + (TBWindowMargin = document.documentElement && document.documentE
579 }
580
581 #TB_window img#TB_Image {
582  display:block;
583  margin: 15px 0 0 15px;
584  border-right: 1px solid #ccc;
585  border-bottom: 1px solid #ccc;
586  border-top: 1px solid #666;
587  border-left: 1px solid #666;
588 }
589
590 #TB_caption{
591  height:25px;
592  padding:7px 30px 10px 25px;
593  float:left;
594 }
595
596 #TB_closeWindow{
597  height:25px;
598  padding:11px 25px 10px 0;
599  float:right;
600 }
601
602 #TB_closeAjaxWindow{
603  padding:7px 10px 5px 0;
604  margin-bottom:1px;
605  text-align:right;
606  float:right;
607 }
608
609 #TB_ajaxWindowTitle{
610  float:left;
611  padding:7px 0 5px 10px;
612  margin-bottom:1px;
613  font-size: 22px;
614 }
615
616 #TB_title{
617  background-color: #6C8C22;
618  color: #dedede;
619  height:40px;
620 }
621 #TB_title :link,
622 #TB_title :visited {
623  color: white !important;
624  border-bottom: 1px dotted #dedede;
625 }
626
627 #TB_ajaxContent{
628  clear:both;
629  padding:2px 15px 15px 15px;
630  overflow:auto;
```

```
630  overflow:auto;
631  text-align:left;
632  line-height:1.4em;
633 }
634
635 #TB_ajaxContent.TB_modal{
636  padding:15px;
637 }
638
639 #TB_ajaxContent p{
640  padding:5px 0px 5px 0px;
641 }
642
643 #TB_load{
644  position: fixed;
645  display:none;
646  height:13px;
647  width:208px;
648  z-index:103;
649  top: 50%;
650  left: 50%;
651  margin: -6px 0 0 -104px; /* -height/2 0 0 -width/2 */
652 }
653
654 * html #TB_load { /* ie6 hack */
655 position: absolute;
656 margin-top: expression(0 - parseInt(this.offsetHeight / 2) + (TBWindowMargin = document.documentElement && document.documentE
657 }
658
659 #TB_HideSelect{
660  z-index:99;
661  position:fixed;
662  top: 0;
663  left: 0;
664  background-color:#fff;
665  border:none;
666  filter:alpha(opacity=0);
667  -moz-opacity: 0;
668  opacity: 0;
669  height:100%;
670  width:100%;
671 }
672
673 * html #TB_HideSelect { /* ie6 hack */
674      position: absolute;
675      height: expression(document.body.scrollHeight > document.body.offsetHeight ? document.body.scrollHeight : document.body.
676 }
677
678 #TB_iframeContent{
679  clear:both;
680  border:none;
681  margin-bottom:-1px;
682  margin-top:1px;
683  _margin-bottom:1px;
684 }
685
686 /* @end */
687
688 /* @group Debugging Section */
689
690 #debugging-toggle {
691  text-align: center;
692 }
693 #debugging-toggle img {
694  cursor: pointer;
695 }
696
697 #rdoc-debugging-section-dump {
698  display: none;
699  margin: 0 2em 2em;
700  background: #ccc;
701  border: 1px solid #999;
702 }
703
704
705
706 /* @end */
```

File: spec/fixtures/hello_world/doc/tmp_txt.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6  <head>
7   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9   <title>File: tmp.txt [RDoc Documentation]</title>
10
11  <link type="text/css" media="screen" href="./rdoc.css" rel="stylesheet" />
12
13  <script src="./js/jquery.js" type="text/javascript"
14   charset="utf-8"></script>
15  <script src="./js/thickbox-compressed.js" type="text/javascript"
16   charset="utf-8"></script>
17  <script src="./js/quicksearch.js" type="text/javascript"
18   charset="utf-8"></script>
19  <script src="./js/darkfish.js" type="text/javascript"
20   charset="utf-8"></script>
21 </head>
22
23 <body class="file">
24  <div id="metadata">
25   <div id="home-metadata">
26    <div id="home-section" class="section">
27        <h3 class="section-header">
28          <a href="./index.html">Home</a>
29          <a href="./index.html#classes">Classes</a>
30          <a href="./index.html#methods">Methods</a>
31        </h3>
32    </div>
33   </div>
34
```

```
35  <div id="project-metadata">
36
37
38    <div id="fileindex-section" class="section project-section">
39     <h3 class="section-header">Files</h3>
40     <ul>
41
42      <li class="file"><a href="./tmp_txt.html">tmp.txt</a></li>
43
44     </ul>
45    </div>
46
47
48    <div id="classindex-section" class="section project-section">
49     <h3 class="section-header">Class Index
50      <span class="search-toggle"><img src="./images/find.png"
51       height="16" width="16" alt="[+]"
52       title="show/hide quicksearch" /></span></h3>
53     <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
54      <fieldset>
55       <legend>Quicksearch</legend>
56       <input type="text" name="quicksearch" value=""
57        class="quicksearch-field" />
58      </fieldset>
59     </form>
60
61     <ul class="link-list">
62
63      <li><a href="./HelloWorld.html">HelloWorld</a></li>
64
65      <li><a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
66
67      <li><a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
68
69      <li><a href="./HelloWorld/Helo.html">HelloWorld::Helo</a></li>
70
71     </ul>
72     <div id="no-class-search-results" style="display: none;">No matching classes.</div>
73    </div>
74
75
76   </div>
77  </div>
78
79  <div id="documentation">
80
81  </div>
82
83  <div id="validator-badges">
84   <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
85   <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
86    Rdoc Generator</a> 1.1.6</small>.</p>
87  </div>
88 </body>
89 </html>
90
```

File: spec/fixtures/hello_world/lib/gambi.rb

```
1 module HelloWorld
2   class Gambi
3     # ... some ugly code that I don't want to print in PDF file
4   end
5 end
```

File: spec/fixtures/hello_world/lib/goodbye.rb

```
1 module HelloWorld
2   class Goodbye
3     def say
4       'See ya!'
5     end
6   end
7 end
```

File: spec/fixtures/hello_world/lib/hello.rb

```
1 module HelloWorld
2   class Helo
3     def say(name)
4       "Hi, #{name}!"
5     end
6   end
7 end
```

File: spec/fixtures/hello_world/tmp.txt

sample content which should not be included in the generated PDF file