

File: spec/fixtures/hello_world/code2pdf

:directories:
- doc
:files:
- .DS_Store
- .code2pdf
- tmp.txt
- gambi.rb

File: spec/fixtures/hello_world/doc/created.rid

Fri, 24 Jun 2011 07:21:53 -0300
./lib/gambi.rb Fri, 24 Jun 2011 07:20:37 -0300
./lib/goodbye.rb Fri, 24 Jun 2011 07:21:04 -0300
./lib/hello.rb Fri, 24 Jun 2011 07:21:29 -0300
./tmp.txt Fri, 24 Jun 2011 07:19:34 -0300

File: spec/fixtures/hello_world/doc/HelloWorld/Gambi.html

```
1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4  <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5  <head>
6    <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8    <title>Class: HelloWorld::Gambi</title>
9
10   <link rel="stylesheet" href="../../rdoc.css" type="text/css" media="screen" />
11
12   <script src="../../js/jquery.js" type="text/javascript"
13     charset="utf-8"></script>
14   <script src="../../js/thickbox-compressed.js" type="text/javascript"
15     charset="utf-8"></script>
16   <script src="../../js/quicksearch.js" type="text/javascript"
17     charset="utf-8"></script>
18   <script src="../../js/darkfish.js" type="text/javascript"
19     charset="utf-8"></script>
20 </head>
21 <body class="class">
22
23   <div id="metadata">
24     <div id="home-metadata">
25       <div id="home-section" class="section">
26         <h3 class="section-header">
27           <a href="../../index.html">Home</a>
28           <a href="../../index.html#classes">Classes</a>
29           <a href="../../index.html#methods">Methods</a>
30         </h3>
31       </div>
32     </div>
33
34     <div id="file-metadata">
35       <div id="file-list-section" class="section">
36         <h3 class="section-header">In Files</h3>
37         <div class="section-body">
38           <ul>
39
40             <li><a href="../../lib/gambi.rb.html?TB_iframe=true&height=550&width=785"
41               class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a></li>
42
43           </ul>
44         </div>
45       </div>
46     </div>
47
48   </div>
49
50   <div id="class-metadata">
51
52     <!-- Parent Class -->
53
54     <div id="parent-class-section" class="section">
55       <h3 class="section-header">Parent</h3>
56
57       <p class="link">Object</p>
58
59     </div>
60
61     <!-- Namespace Contents -->
62
63     <!-- Method Quickref -->
64
65     <!-- Included Modules -->
66
67   </div>
68
69   <div id="project-metadata">
70
71     <div id="fileindex-section" class="section project-section">
72       <h3 class="section-header">Files</h3>
73       <ul>
74
75         <li class="file"><a href="../../tmp_txt.html">tmp.txt</a></li>
76
77       </ul>
78     </div>
79
80     <div id="classindex-section" class="section project-section">
81       <h3 class="section-header">Class Index
82       <span class="search-toggle"></span></h3>
91 <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
92 <fieldset>
93 <legend>Quicksearch</legend>
94 <input type="text" name="quicksearch" value=""
95     class="quicksearch-field" />
96 </fieldset>
97 </form>
98
99 <ul class="link-list">
100
101 <li><a href="../HelloWorld.html">HelloWorld</a></li>
102
103 <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
104
105 <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
106
107 <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>
108
109 </ul>
110 <div id="no-class-search-results" style="display: none;">No matching classes.</div>
111 </div>
112
113
114 </div>
115 </div>
116
117 <div id="documentation">
118 <h1 class="class">HelloWorld::Gambi</h1>
119
120 <div id="description">
121
122 </div>
123
124 <!-- Constants -->
125
126
127 <!-- Attributes -->
128
129
130 <!-- Methods -->
131
132
133 </div>
134
135
136 <div id="rdoc-debugging-section-dump" class="debugging-section">
137
138 <p>Disabled; run with --debug to generate this.</p>
139
140 </div>
141
142 <div id="validator-badges">
143 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
144 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
145   Rdoc Generator</a> 1.1.6</small>.</p>
146 </div>
147
148 </body>
149 </html>
150

```

File: spec/fixtures/hello_world/doc/HelloWorld/Goodbye.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5 <head>
6   <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8   <title>Class: HelloWorld::Goodbye</title>
9
10  <link rel="stylesheet" href="../rdoc.css" type="text/css" media="screen" />
11
12  <script src="../../js/jquery.js" type="text/javascript"
13    charset="utf-8"></script>
14  <script src="../../js/thickbox-compressed.js" type="text/javascript"
15    charset="utf-8"></script>
16  <script src="../../js/quicksearch.js" type="text/javascript"
17    charset="utf-8"></script>
18  <script src="../../js/darkfish.js" type="text/javascript"
19    charset="utf-8"></script>
20
21 </head>
22 <body class="class">
23
24  <div id="metadata">
25    <div id="home-metadata">
26      <div id="home-section" class="section">
27        <h3 class="section-header">
28          <a href="../index.html">Home</a>
29          <a href="../index.html#classes">Classes</a>
30          <a href="../index.html#methods">Methods</a>
31        </h3>
32      </div>
33    </div>
34
35    <div id="file-metadata">
36
37      <div id="file-list-section" class="section">
38        <h3 class="section-header">In Files</h3>
39        <div class="section-body">
40          <ul>
41            <li><a href="../../lib/goodbye_rb.html?TB_iframe=true&height=550&width=785"
42              class="thickbox" title="lib/goodbye.rb">lib/goodbye.rb</a></li>
43          </ul>
44        </div>
45      </div>
46    </div>
47
48  </div>
49
50

```

```

51 <div id="class-metadata">
52
53 <!-- Parent Class -->
54
55 <div id="parent-class-section" class="section">
56 <h3 class="section-header">Parent</h3>
57
58 <p class="link">Object</p>
59
60 </div>
61
62
63 <!-- Namespace Contents -->
64
65
66 <!-- Method Quickref -->
67
68 <div id="method-list-section" class="section">
69 <h3 class="section-header">Methods</h3>
70 <ul class="link-list">
71
72 <li><a href="#method-i-say">#say</a></li>
73
74 </ul>
75 </div>
76
77
78 <!-- Included Modules -->
79
80 </div>
81
82 <div id="project-metadata">
83
84
85 <div id="fileindex-section" class="section project-section">
86 <h3 class="section-header">Files</h3>
87 <ul>
88
89 <li class="file"><a href="../tmp_txt.html">tmp.txt</a></li>
90
91 </ul>
92 </div>
93
94
95 <div id="classindex-section" class="section project-section">
96 <h3 class="section-header">Class Index
97 <span class="search-toggle"></span></h3>
100 <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
101 <fieldset>
102 <legend>Quicksearch</legend>
103 <input type="text" name="quicksearch" value=""
104 class="quicksearch-field" />
105 </fieldset>
106 </form>
107
108 <ul class="link-list">
109
110 <li><a href="../HelloWorld.html">HelloWorld</a></li>
111
112 <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
113
114 <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
115
116 <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>
117
118 </ul>
119 <div id="no-class-search-results" style="display: none;">No matching classes.</div>
120 </div>
121
122 </div>
123 </div>
124 </div>
125
126 <div id="documentation">
127 <h1 class="class">HelloWorld::Goodbye</h1>
128
129 <div id="description">
130
131 </div>
132
133 <!-- Constants -->
134
135
136 <!-- Attributes -->
137
138
139 <!-- Methods -->
140
141 <div id="public-instance-method-details" class="method-section section">
142 <h3 class="section-header">Public Instance Methods</h3>
143
144
145 <div id="say-method" class="method-detail ">
146 <a name="method-i-say"></a>
147
148 <div class="method-heading">
149
150 <span class="method-name">say</span><span
151 class="method-args">()</span>
152 <span class="method-click-advice">click to toggle source</span>
153
154 </div>
155
156 <div class="method-description">
157
158
159
160
161
162 <div class="method-source-code"
163 id="say-source">
164 <pre>
165 <span class="ruby-comment cmt"># File lib/goodbye.rb, line 3</span>
166 3: <span class="ruby-keyword kw">def</span></span> <span class="ruby-identifier">say</span></span>
167 4: <span class="ruby-value str">&quot;See val&quot;</span></span>

```

```

168 5:      <span class="ruby-keyword kw">end</span></pre>
169      </div>
170
171      </div>
172
173
174
175
176      </div>
177
178      </div>
179
180
181
182 </div>
183
184
185 <div id="rdoc-debugging-section-dump" class="debugging-section">
186
187 <p>Disabled; run with --debug to generate this.</p>
188
189 </div>
190
191 <div id="validator-badges">
192 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
193 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
194 Rdoc Generator</a> 1.1.6</small>.</p>
195 </div>
196
197 </body>
198 </html>
199

```

File: spec/fixtures/hello_world/doc/HelloWorld/Helo.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5 <head>
6 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8 <title>Class: HelloWorld::Helo</title>
9
10 <link rel="stylesheet" href="../../rdoc.css" type="text/css" media="screen" />
11
12 <script src="../../js/jquery.js" type="text/javascript"
13 charset="utf-8"></script>
14 <script src="../../js/thickbox-compressed.js" type="text/javascript"
15 charset="utf-8"></script>
16 <script src="../../js/quicksearch.js" type="text/javascript"
17 charset="utf-8"></script>
18 <script src="../../js/darkfish.js" type="text/javascript"
19 charset="utf-8"></script>
20
21 </head>
22 <body class="class">
23
24 <div id="metadata">
25 <div id="home-metadata">
26 <div id="home-section" class="section">
27 <h3 class="section-header">
28 <a href="../../index.html">Home</a>
29 <a href="../../index.html#classes">Classes</a>
30 <a href="../../index.html#methods">Methods</a>
31 </h3>
32 </div>
33 </div>
34
35 <div id="file-metadata">
36 <div id="file-list-section" class="section">
37 <h3 class="section-header">In Files</h3>
38 <div class="section-body">
39 <ul>
40
41 <li><a href="../../lib/hello_rb.html?TB_iframe=true&height=550&width=785"
42 class="thickbox" title="lib/hello.rb">lib/hello.rb</a></li>
43
44 </ul>
45 </div>
46 </div>
47
48 </div>
49
50
51 <div id="class-metadata">
52
53 <!-- Parent Class -->
54
55 <div id="parent-class-section" class="section">
56 <h3 class="section-header">Parent</h3>
57
58 <p class="link">Object</p>
59
60 </div>
61
62 <!-- Namespace Contents -->
63
64
65 <!-- Method Quickref -->
66
67
68 <div id="method-list-section" class="section">
69 <h3 class="section-header">Methods</h3>
70 <ul class="link-list">
71
72 <li><a href="#method-i-say">#say</a></li>
73
74 </ul>
75 </div>
76
77
78 <!-- Included Modules -->
79

```

```

79
80 </div>
81
82 <div id="project-metadata">
83
84
85 <div id="fileindex-section" class="section project-section">
86 <h3 class="section-header">Files</h3>
87 <ul>
88
89 <li class="file"><a href="../tmp_txt.html">tmp.txt</a></li>
90
91 </ul>
92 </div>
93
94
95 <div id="classindex-section" class="section project-section">
96 <h3 class="section-header">Class Index
97 <span class="search-toggle"></span></h3>
100 <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
101 <fieldset>
102 <legend>Quicksearch</legend>
103 <input type="text" name="quicksearch" value=""
104 class="quicksearch-field" />
105 </fieldset>
106 </form>
107
108 <ul class="link-list">
109
110 <li><a href="../HelloWorld.html">HelloWorld</a></li>
111
112 <li><a href="../HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
113
114 <li><a href="../HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
115
116 <li><a href="../HelloWorld/Helo.html">HelloWorld::Helo</a></li>
117
118 </ul>
119 <div id="no-class-search-results" style="display: none;">No matching classes.</div>
120 </div>
121
122
123 </div>
124 </div>
125
126 <div id="documentation">
127 <h1 class="class">HelloWorld::Helo</h1>
128
129 <div id="description">
130
131 </div>
132
133 <!-- Constants -->
134
135
136 <!-- Attributes -->
137
138
139 <!-- Methods -->
140
141 <div id="public-instance-method-details" class="method-section section">
142 <h3 class="section-header">Public Instance Methods</h3>
143
144
145 <div id="say-method" class="method-detail ">
146 <a name="method-i-say"></a>
147
148 <div class="method-heading">
149
150 <span class="method-name">say</span><span
151 class="method-args">(name)</span>
152 <span class="method-click-advice">click to toggle source</span>
153
154 </div>
155
156 <div class="method-description">
157
158
159
160
161
162 <div class="method-source-code"
163 id="say-source">
164 <pre>
165 <span class="ruby-comment cmt"># File lib/hello.rb, line 3</span>
166 3: <span class="ruby-keyword kw">def</span></span> <span class="ruby-identifier">say</span></span>(<span class="ruby-identifier">name</span>
167 4: <span class="ruby-node"><span class="ruby-node">&quot;Hi, #{name}&quot;</span></span>
168 5: <span class="ruby-keyword kw">end</span></span></pre>
169 </div>
170
171 </div>
172
173
174
175
176 </div>
177
178 </div>
179
180
181
182 </div>
183
184
185 <div id="rdoc-debugging-section-dump" class="debugging-section">
186
187 <p>Disabled; run with --debug to generate this.</p>
188
189 </div>
190
191 <div id="validator-badges">
192 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
193 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
194 Rdoc Generator</a> 1.1.6</small></p>
195 </div>

```

```
196
197 </body>
198 </html>
199
```

File: spec/fixtures/hello_world/doc/HelloWorld.html

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
5 <head>
6 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
7
8 <title>Module: HelloWorld</title>
9
10 <link rel="stylesheet" href="/rdoc.css" type="text/css" media="screen" />
11
12 <script src="/js/jquery.js" type="text/javascript"
13 charset="utf-8"></script>
14 <script src="/js/thickbox-compressed.js" type="text/javascript"
15 charset="utf-8"></script>
16 <script src="/js/quicksearch.js" type="text/javascript"
17 charset="utf-8"></script>
18 <script src="/js/darkfish.js" type="text/javascript"
19 charset="utf-8"></script>
20
21 </head>
22 <body class="module">
23
24 <div id="metadata">
25 <div id="home-metadata">
26 <div id="home-section" class="section">
27 <h3 class="section-header">
28 <a href="/index.html">Home</a>
29 <a href="/index.html#classes">Classes</a>
30 <a href="/index.html#methods">Methods</a>
31 </h3>
32 </div>
33 </div>
34
35 <div id="file-metadata">
36 <div id="file-list-section" class="section">
37 <h3 class="section-header">In Files</h3>
38 <div class="section-body">
39 <ul>
40
41 <li><a href="/lib/gambi.rb.html?TB_iframe=true&height=550&width=785"
42 class="thickbox" title="lib/gambi.rb">lib/gambi.rb</a></li>
43
44 <li><a href="/lib/goodbye.rb.html?TB_iframe=true&height=550&width=785"
45 class="thickbox" title="lib/goodbye.rb">lib/goodbye.rb</a></li>
46
47 <li><a href="/lib/hello.rb.html?TB_iframe=true&height=550&width=785"
48 class="thickbox" title="lib/hello.rb">lib/hello.rb</a></li>
49
50 </ul>
51 </div>
52 </div>
53
54 </div>
55
56 <div id="class-metadata">
57
58 <!-- Parent Class -->
59
60
61 <!-- Namespace Contents -->
62
63
64 <div id="namespace-list-section" class="section">
65 <h3 class="section-header">Namespace</h3>
66 <ul class="link-list">
67
68 <li><span class="type">CLASS</span> <a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
69
70 <li><span class="type">CLASS</span> <a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
71
72 <li><span class="type">CLASS</span> <a href="HelloWorld/Helo.html">HelloWorld::Helo</a></li>
73
74 </ul>
75 </div>
76
77
78 <!-- Method Quickref -->
79
80
81 <!-- Included Modules -->
82
83 </div>
84
85 <div id="project-metadata">
86
87
88 <div id="fileindex-section" class="section project-section">
89 <h3 class="section-header">Files</h3>
90 <ul>
91
92 <li class="file"><a href="/tmp_txt.html">tmp.txt</a></li>
93
94 </ul>
95 </div>
96
97
98 <div id="classindex-section" class="section project-section">
99 <h3 class="section-header">Class Index
100 <span class="search-toggle">
102 title="show/hide quicksearch" /></span></h3>
103 <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
104 <fieldset>
105 <legend>Quicksearch</legend>
106 <input type="text" name="quicksearch" value=""
107 class="quicksearch-field" />
```

```

108     </fieldset>
109 </form>
110
111 <ul class="link-list">
112     <li><a href="./HelloWorld.html">HelloWorld</a></li>
113     <li><a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
114     <li><a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
115     <li><a href="./HelloWorld/Helo.html">HelloWorld::Helo</a></li>
116 </ul>
117 <div id="no-class-search-results" style="display: none;">No matching classes.</div>
118 </div>
119
120 <div id="documentation">
121 <h1 class="module">HelloWorld</h1>
122
123 <div id="description">
124
125 </div>
126
127 <!-- Constants -->
128
129 <!-- Attributes -->
130
131 <!-- Methods -->
132
133 </div>
134
135 <div id="rdoc-debugging-section-dump" class="debugging-section">
136
137 <p>Disabled; run with --debug to generate this.</p>
138
139 </div>
140
141 <div id="validator-badges">
142 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
143 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
144 Rdoc Generator</a> 1.1.6</small>.</p>
145 </div>
146
147 </body>
148 </html>
149
150
151
152
153
154
155
156
157
158
159
160
161
162

```

File: spec/fixtures/hello_world/doc/index.html

```

1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
3 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
4
5 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
6 <head>
7 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9 <title>RDoc Documentation</title>
10
11 <link type="text/css" media="screen" href="rdoc.css" rel="stylesheet" />
12
13 <script src="js/jquery.js" type="text/javascript" charset="utf-8"></script>
14 <script src="js/thickbox-compressed.js" type="text/javascript" charset="utf-8"></script>
15 <script src="js/quicksearch.js" type="text/javascript" charset="utf-8"></script>
16 <script src="js/darkfish.js" type="text/javascript" charset="utf-8"></script>
17
18 </head>
19 <body class="indexpage">
20
21 <h1>RDoc Documentation</h1>
22
23 <p>This is the API documentation for 'RDoc Documentation'.</p>
24
25 <h2>Files</h2>
26 <ul>
27 <li class="file"><a href="tmp_txt.html">tmp.txt</a></li>
28 </ul>
29
30 <h2 id="classes">Classes/Modules</h2>
31 <ul>
32 <li class="module"><a href="HelloWorld.html">HelloWorld</a></li>
33
34 <li class="class"><a href="HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
35
36 <li class="class"><a href="HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
37
38 <li class="class"><a href="HelloWorld/Helo.html">HelloWorld::Helo</a></li>
39 </ul>
40
41 <h2 id="methods">Methods</h2>
42 <ul>
43 <li><a href="HelloWorld/Goodbye.html#method-i-say">#say &mdash; HelloWorld::Goodbye</a></li>
44
45 <li><a href="HelloWorld/Helo.html#method-i-sav">#sav &mdash; HelloWorld::Helo</a></li>
46
47
48
49
50
51
52
53
54
55
56

```

```

57
58 </ul>
59
60 <div id="validator-badges">
61 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
62 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
63 Rdoc Generator</a> 1.1.6</small>.</p>
64 </div>
65 </body>
66 </html>

```

File: spec/fixtures/hello_world/doc/lib/gambi_rb.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6 <head>
7 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9 <title>File: gambi.rb [RDoc Documentation]</title>
10
11 <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13 <script src="../../js/jquery.js" type="text/javascript"
14 charset="utf-8"></script>
15 <script src="../../js/thickbox-compressed.js" type="text/javascript"
16 charset="utf-8"></script>
17 <script src="../../js/quicksearch.js" type="text/javascript"
18 charset="utf-8"></script>
19 <script src="../../js/darkfish.js" type="text/javascript"
20 charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24 <div id="metadata">
25 <dl>
26 <dt class="modified-date">Last Modified</dt>
27 <dd class="modified-date">2011-06-24 07:20:37 -0300</dd>
28
29
30 <dt class="requires">Requires</dt>
31 <dd class="requires">
32 <ul>
33
34 </ul>
35 </dd>
36
37
38 </dl>
39 </div>
40
41
42 <div id="documentation">
43
44 <div class="description">
45 <h2>Description</h2>
46
47 </div>
48
49 </div>
50 </body>
51 </html>
52

```

File: spec/fixtures/hello_world/doc/lib/goodbye_rb.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6 <head>
7 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9 <title>File: goodbye.rb [RDoc Documentation]</title>
10
11 <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13 <script src="../../js/jquery.js" type="text/javascript"
14 charset="utf-8"></script>
15 <script src="../../js/thickbox-compressed.js" type="text/javascript"
16 charset="utf-8"></script>
17 <script src="../../js/quicksearch.js" type="text/javascript"
18 charset="utf-8"></script>
19 <script src="../../js/darkfish.js" type="text/javascript"
20 charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24 <div id="metadata">
25 <dl>
26 <dt class="modified-date">Last Modified</dt>
27 <dd class="modified-date">2011-06-24 07:21:04 -0300</dd>
28
29
30 <dt class="requires">Requires</dt>
31 <dd class="requires">
32 <ul>
33
34 </ul>
35 </dd>
36
37
38 </dl>
39 </div>
40
41
42 <div id="documentation">
43
44

```



```

44 <div class="description">
45 <h2>Description</h2>
46
47 </div>
48
49 </div>
50 </body>
51 </html>
52

```

File: spec/fixtures/hello_world/doc/lib/hello_rb.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6 <head>
7 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9 <title>File: hello.rb [RDoc Documentation]</title>
10
11 <link type="text/css" media="screen" href="../rdoc.css" rel="stylesheet" />
12
13 <script src="../js/jquery.js" type="text/javascript"
14 charset="utf-8"></script>
15 <script src="../js/thickbox-compressed.js" type="text/javascript"
16 charset="utf-8"></script>
17 <script src="../js/quicksearch.js" type="text/javascript"
18 charset="utf-8"></script>
19 <script src="../js/darkfish.js" type="text/javascript"
20 charset="utf-8"></script>
21 </head>
22
23 <body class="file file-popup">
24 <div id="metadata">
25 <dl>
26 <dt class="modified-date">Last Modified</dt>
27 <dd class="modified-date">2011-06-24 07:21:29 -0300</dd>
28
29 <dt class="requires">Requires</dt>
30 <dd class="requires">
31 <ul>
32
33 </ul>
34 </dd>
35
36
37
38 </dl>
39 </div>
40
41 <div id="documentation">
42 <div class="description">
43 <h2>Description</h2>
44
45 </div>
46
47 </div>
48
49 </body>
50 </html>
51
52

```

File: spec/fixtures/hello_world/doc/rdoc.css

```

1 /*
2  * "Darkfish" Rdoc CSS
3  * $Id: rdoc.css 54 2009-01-27 01:09:48Z deveiant $
4  *
5  * Author: Michael Granger <ged@FaerieMUD.org>
6  *
7  */
8
9 /* Base Green is: #6C8C22 */
10
11 *{ padding: 0; margin: 0; }
12
13 body {
14 background: #efefef;
15 font: 14px "Helvetica Neue", Helvetica, Tahoma, sans-serif;
16 }
17 body.class, body.module, body.file {
18 margin-left: 40px;
19 }
20 body.file-popup {
21 font-size: 90%;
22 margin-left: 0;
23 }
24
25 h1 {
26 font-size: 300%;
27 text-shadow: rgba(135,145,135,0.65) 2px 2px 3px;
28 color: #6C8C22;
29 }
30 h2,h3,h4 { margin-top: 1.5em; }
31
32 :link,
33 :visited {
34 color: #6C8C22;
35 text-decoration: none;
36 }
37 :link:hover,
38 :visited:hover {
39 border-bottom: 1px dotted #6C8C22;
40 }
41
42 pre {
43 background: #ddd;
44 padding: 0.5em 0;
45 }
46

```

```

46
47
48 /* @group Generic Classes */
49
50 .initially-hidden {
51   display: none;
52 }
53
54 .quicksearch-field {
55   width: 98%;
56   background: #ddd;
57   border: 1px solid #aaa;
58   height: 1.5em;
59   -webkit-border-radius: 4px;
60 }
61 .quicksearch-field:focus {
62   background: #fledba;
63 }
64
65 .missing-docs {
66   font-size: 120%;
67   background: white url(images/wrench_orange.png) no-repeat 4px center;
68   color: #ccc;
69   line-height: 2em;
70   border: 1px solid #d00;
71   opacity: 1;
72   padding-left: 20px;
73   text-indent: 24px;
74   letter-spacing: 3px;
75   font-weight: bold;
76   -webkit-border-radius: 5px;
77   -moz-border-radius: 5px;
78 }
79
80 .target-section {
81   border: 2px solid #dcce90;
82   border-left-width: 8px;
83   padding: 0 1em;
84   background: #fff3c2;
85 }
86
87 /* @end */
88
89
90 /* @group Index Page, Standalone file pages */
91 body.indexpage {
92   margin: 1em 3em;
93 }
94 body.indexpage p,
95 body.indexpage div,
96 body.file p {
97   margin: 1em 0;
98 }
99
100 .indexpage ul,
101 .file #documentation ul {
102   line-height: 160%;
103   list-style: none;
104 }
105 .indexpage ul :link,
106 .indexpage ul :visited {
107   font-size: 16px;
108 }
109
110 .indexpage li,
111 .file #documentation li {
112   padding-left: 20px;
113   background: url(images/bullet_black.png) no-repeat left 4px;
114 }
115 .indexpage li.module {
116   background: url(images/package.png) no-repeat left 4px;
117 }
118 .indexpage li.class {
119   background: url(images/ruby.png) no-repeat left 4px;
120 }
121 .indexpage li.file {
122   background: url(images/page_white_text.png) no-repeat left 4px;
123 }
124 .file li p,
125 .indexpage li p {
126   margin: 0 0;
127 }
128
129 /* @end */
130
131 /* @group Top-Level Structure */
132
133 .class #metadata,
134 .file #metadata
135 .module #metadata {
136   float: left;
137   width: 260px;
138 }
139
140 .class #documentation,
141 .file #documentation,
142 .module #documentation {
143   margin: 2em 1em 5em 300px;
144   min-width: 340px;
145 }
146
147 .file #metadata {
148   margin: 0.8em;
149 }
150
151 #validator-badges {
152   clear: both;
153   margin: 1em 1em 2em;
154 }
155
156 /* @end */
157
158 /* @group Metadata Section */
159 #metadata .section {
160   background-color: #dedede;
161   -moz-border-radius: 5px;
162   -webkit-border-radius: 5px;

```

```

163 border: 1px solid #aaa;
164 margin: 0 8px 16px;
165 font-size: 90%;
166 overflow: hidden;
167 }
168 #metadata h3.section-header {
169   margin: 0;
170   padding: 2px 8px;
171   background: #ccc;
172   color: #666;
173   -moz-border-radius-topleft: 4px;
174   -moz-border-radius-topright: 4px;
175   -webkit-border-top-left-radius: 4px;
176   -webkit-border-top-right-radius: 4px;
177   border-bottom: 1px solid #aaa;
178 }
179 #metadata #home-section h3.section-header {
180   border-bottom: 0;
181 }
182
183 #metadata ul,
184 #metadata dl,
185 #metadata p {
186   padding: 8px;
187   list-style: none;
188 }
189
190 #file-metadata ul {
191   padding-left: 28px;
192   list-style-image: url(images/page_green.png);
193 }
194
195 dl.svninfo {
196   color: #666;
197   margin: 0;
198 }
199 dl.svninfo dt {
200   font-weight: bold;
201 }
202
203 ul.link-list li {
204   white-space: nowrap;
205 }
206 ul.link-list .type {
207   font-size: 8px;
208   text-transform: uppercase;
209   color: white;
210   background: #969696;
211   padding: 2px 4px;
212   -webkit-border-radius: 5px;
213 }
214
215 /* @end */
216
217 /* @group Project Metadata Section */
218 #project-metadata {
219   margin-top: 3em;
220 }
221
222 .file #project-metadata {
223   margin-top: 0em;
224 }
225
226 #project-metadata .section {
227   border: 1px solid #aaa;
228 }
229
230 #project-metadata h3.section-header {
231   border-bottom: 1px solid #aaa;
232   position: relative;
233 }
234 #project-metadata h3.section-header .search-toggle {
235   position: absolute;
236   right: 5px;
237 }
238
239 #project-metadata form {
240   color: #777;
241   background: #ccc;
242   padding: 8px 8px 16px;
243   border-bottom: 1px solid #bbb;
244 }
245
246 #project-metadata fieldset {
247   border: 0;
248 }
249
250 #no-class-search-results {
251   margin: 0 auto 1em;
252   text-align: center;
253   font-size: 14px;
254   font-weight: bold;
255   color: #aaa;
256 }
257
258 /* @end */
259
260 /* @group Documentation Section */
261 #description {
262   font-size: 100%;
263   color: #333;
264 }
265
266 #description p {
267   margin: 1em 0.4em;
268 }
269
270 #description li p {
271   margin: 0;
272 }
273
274 #description ul {
275   margin-left: 1.5em;
276 }
277
278 #description ul li {
279   line-height: 1.4em;

```

```

280 }
281
282 #description dl,
283 #documentation dl {
284   margin: 8px 1.5em;
285   border: 1px solid #ccc;
286 }
287 #description dl {
288   font-size: 14px;
289 }
290
291 #description dt,
292 #documentation dt {
293   padding: 2px 4px;
294   font-weight: bold;
295   background: #ddd;
296 }
297 #description dd,
298 #documentation dd {
299   padding: 2px 12px;
300 }
301 #description dd + dt,
302 #documentation dd + dt {
303   margin-top: 0.7em;
304 }
305
306 #documentation .section {
307   font-size: 90%;
308 }
309 #documentation h3.section-header {
310   margin-top: 2em;
311   padding: 0.75em 0.5em;
312   background-color: #dedede;
313   color: #333;
314   font-size: 150%;
315   border: 1px solid #bbb;
316   -moz-border-radius: 3px;
317   -webkit-border-radius: 3px;
318 }
319
320 #constants-list > dl,
321 #attributes-list > dl {
322   margin: 1em 0 2em;
323   border: 0;
324 }
325 #constants-list > dl dt,
326 #attributes-list > dl dt {
327   padding-left: 0;
328   font-weight: bold;
329   font-family: Monaco, "Andale Mono";
330   background: inherit;
331 }
332 #constants-list > dl dt a,
333 #attributes-list > dl dt a {
334   color: inherit;
335 }
336 #constants-list > dl dd,
337 #attributes-list > dl dd {
338   margin: 0 0 1em 0;
339   padding: 0;
340   color: #666;
341 }
342
343 /* @group Method Details */
344
345 #documentation .method-source-code {
346   display: none;
347 }
348
349 #documentation .method-detail {
350   margin: 0.5em 0;
351   padding: 0.5em 0;
352   cursor: pointer;
353 }
354 #documentation .method-detail:hover {
355   background-color: #fledba;
356 }
357 #documentation .method-heading {
358   position: relative;
359   padding: 2px 4px 0 20px;
360   font-size: 125%;
361   font-weight: bold;
362   color: #333;
363   background: url(images/brick.png) no-repeat left bottom;
364 }
365 #documentation .method-heading :link,
366 #documentation .method-heading :visited {
367   color: inherit;
368 }
369 #documentation .method-click-advice {
370   position: absolute;
371   top: 2px;
372   right: 5px;
373   font-size: 10px;
374   color: #9b9877;
375   visibility: hidden;
376   padding-right: 20px;
377   line-height: 20px;
378   background: url(images/zoom.png) no-repeat right top;
379 }
380 #documentation .method-detail:hover .method-click-advice {
381   visibility: visible;
382 }
383
384 #documentation .method-alias .method-heading {
385   color: #666;
386   background: url(images/brick_link.png) no-repeat left bottom;
387 }
388
389 #documentation .method-description,
390 #documentation .aliases {
391   margin: 0 20px;
392   line-height: 1.2em;
393   color: #666;
394 }
395 #documentation .aliases {
396   padding-top: 4px;

```

```

397 font-style: italic;
398 cursor: default;
399 }
400 #documentation .method-description p {
401 padding: 0;
402 }
403 #documentation .method-description p + p {
404 margin-bottom: 0.5em;
405 }
406 #documentation .method-description ul {
407 margin-left: 1.5em;
408 }
409
410 #documentation .attribute-method-heading {
411 background: url(images/tag_green.png) no-repeat left bottom;
412 }
413 #documentation #attribute-method-details .method-detail:hover {
414 background-color: transparent;
415 cursor: default;
416 }
417 #documentation .attribute-access-type {
418 font-size: 60%;
419 text-transform: uppercase;
420 vertical-align: super;
421 padding: 0 2px;
422 }
423 /* @end */
424
425 /* @end */
426
427
428
429 /* @group Source Code */
430
431 div.method-source-code {
432 background: #262626;
433 color: #efefef;
434 margin: 1em;
435 padding: 0.5em;
436 border: 1px dashed #999;
437 overflow: hidden;
438 }
439
440 div.method-source-code pre {
441 background: inherit;
442 padding: 0;
443 color: white;
444 overflow: auto;
445 }
446
447 /* @group Ruby keyword styles */
448
449 .ruby-constant { color: #7fffd4; background: transparent; }
450 .ruby-keyword { color: #00ffff; background: transparent; }
451 .ruby-ivar { color: #eedd82; background: transparent; }
452 .ruby-operator { color: #00ffee; background: transparent; }
453 .ruby-identifier { color: #ffdead; background: transparent; }
454 .ruby-node { color: #ffa07a; background: transparent; }
455 .ruby-comment { color: #b22222; font-weight: bold; background: transparent; }
456 .ruby-regexp { color: #ffa07a; background: transparent; }
457 .ruby-value { color: #7fffd4; background: transparent; }
458
459 /* @end */
460 /* @end */
461
462
463 /* @group File Popup Contents */
464
465 .file #metadata
466 .file-popup #metadata {
467 }
468
469 .file-popup dl {
470 font-size: 80%;
471 padding: 0.75em;
472 background-color: #dedede;
473 color: #333;
474 border: 1px solid #bbb;
475 -moz-border-radius: 3px;
476 -webkit-border-radius: 3px;
477 }
478 .file dt {
479 font-weight: bold;
480 padding-left: 22px;
481 line-height: 20px;
482 background: url(images/page_white_width.png) no-repeat left top;
483 }
484 .file dt.modified-date {
485 background: url(images/date.png) no-repeat left top;
486 }
487 .file dt.requires {
488 background: url(images/plugin.png) no-repeat left top;
489 }
490 .file dt.scs-url {
491 background: url(images/wrench.png) no-repeat left top;
492 }
493
494 .file dl dd {
495 margin: 0 0 1em 0;
496 }
497 .file #metadata dl dd ul {
498 list-style: circle;
499 margin-left: 20px;
500 padding-top: 0;
501 }
502 .file #metadata dl dd ul li {
503 }
504
505
506 .file h2 {
507 margin-top: 2em;
508 padding: 0.75em 0.5em;
509 background-color: #dedede;
510 color: #333;
511 font-size: 120%;
512 border: 1px solid #bbb;
513 -moz-border-radius: 3px;

```

```

514 -webkit-border-radius: 3px;
515 }
516
517 /* @end */
518
519
520
521
522 /* @group ThickBox Styles */
523 #TB_window {
524 font: 12px Arial, Helvetica, sans-serif;
525 color: #333333;
526 }
527
528 #TB_secondLine {
529 font: 10px Arial, Helvetica, sans-serif;
530 color: #666666;
531 }
532
533 #TB_window :link,
534 #TB_window :visited { color: #666666; }
535 #TB_window :link:hover,
536 #TB_window :visited:hover { color: #000; }
537 #TB_window :link:active,
538 #TB_window :visited:active { color: #666666; }
539 #TB_window :link:focus,
540 #TB_window :visited:focus { color: #666666; }
541
542 #TB_overlay {
543 position: fixed;
544 z-index: 100;
545 top: 0px;
546 left: 0px;
547 height: 100%;
548 width: 100%;
549 }
550
551 .TB_overlayMacFFBGHack {background: url(images/macFFBgHack.png) repeat;}
552 .TB_overlayBG {
553 background-color: #000;
554 filter: alpha(opacity=75);
555 -moz-opacity: 0.75;
556 opacity: 0.75;
557 }
558
559 * html #TB_overlay { /* ie6 hack */
560 position: absolute;
561 height: expression(document.body.scrollHeight > document.body.offsetHeight ? document.body.scrollHeight : document.body.
562 )
563 }
564 #TB_window {
565 position: fixed;
566 background: #ffffff;
567 z-index: 102;
568 color: #000000;
569 display: none;
570 border: 4px solid #525252;
571 text-align: left;
572 top: 50%;
573 left: 50%;
574 }
575
576 * html #TB_window { /* ie6 hack */
577 position: absolute;
578 margin-top: expression(0 - parseInt(this.offsetHeight / 2) + (TBWindowMargin ? document.documentElement.clientHeight - document.documentElement.
579 )
580 )
581 #TB_window img#TB_Image {
582 display: block;
583 margin: 15px 0 0 15px;
584 border-right: 1px solid #ccc;
585 border-bottom: 1px solid #ccc;
586 border-top: 1px solid #666;
587 border-left: 1px solid #666;
588 }
589
590 #TB_caption{
591 height: 25px;
592 padding: 7px 30px 10px 25px;
593 float: left;
594 }
595
596 #TB_closeWindow{
597 height: 25px;
598 padding: 11px 25px 10px 0;
599 float: right;
600 }
601
602 #TB_closeAjaxWindow{
603 padding: 7px 10px 5px 0;
604 margin-bottom: 1px;
605 text-align: right;
606 float: right;
607 }
608
609 #TB_ajaxWindowTitle{
610 float: left;
611 padding: 7px 0 5px 10px;
612 margin-bottom: 1px;
613 font-size: 22px;
614 }
615
616 #TB_title{
617 background-color: #6C8C22;
618 color: #dedede;
619 height: 40px;
620 }
621 #TB_title :link,
622 #TB_title :visited {
623 color: white !important;
624 border-bottom: 1px dotted #dedede;
625 }
626
627 #TB_ajaxContent{
628 clear: both;
629 padding: 2px 15px 15px 15px;
630 }

```

```

630 overflow:auto;
631 text-align:left;
632 line-height:1.4em;
633 }
634
635 #TB_ajaxContent.TB_modal{
636 padding:15px;
637 }
638
639 #TB_ajaxContent p{
640 padding:5px 0px 5px 0px;
641 }
642
643 #TB_load{
644 position: fixed;
645 display:none;
646 height:13px;
647 width:208px;
648 z-index:103;
649 top: 50%;
650 left: 50%;
651 margin: -6px 0 0 -104px; /* -height/2 0 0 -width/2 */
652 }
653
654 * html #TB_load { /* ie6 hack */
655 position: absolute;
656 margin-top: expression(0 - parseInt(this.offsetHeight / 2) + (TBWindowMargin ? document.documentElement.clientHeight - document.documentE
657 }
658
659 #TB_HideSelect{
660 z-index:99;
661 position:fixed;
662 top: 0;
663 left: 0;
664 background-color:#fff;
665 border:none;
666 filter:alpha(opacity=0);
667 -moz-opacity: 0;
668 opacity: 0;
669 height:100%;
670 width:100%;
671 }
672
673 * html #TB_HideSelect { /* ie6 hack */
674 position: absolute;
675 height: expression(document.body.scrollHeight + document.body.offsetHeight + document.body.scrollHeight : document.body.
676 }
677
678 #TB_iframeContent{
679 clear:both;
680 border:none;
681 margin-bottom:-1px;
682 margin-top:1px;
683 _margin-bottom:1px;
684 }
685
686 /* @end */
687
688 /* @group Debugging Section */
689
690 #debugging-toggle {
691 text-align: center;
692 }
693 #debugging-toggle img {
694 cursor: pointer;
695 }
696
697 #rdoc-debugging-section-dump {
698 display: none;
699 margin: 0 2em 2em;
700 background: #ccc;
701 border: 1px solid #999;
702 }
703
704
705
706 /* @end */

```

File: spec/fixtures/hello_world/doc/tmp_txt.html

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4
5 <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
6 <head>
7 <meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
8
9 <title>File: tmp.txt [RDoc Documentation]</title>
10
11 <link type="text/css" media="screen" href="./rdoc.css" rel="stylesheet" />
12
13 <script src="./js/jquery.js" type="text/javascript"
14 charset="utf-8"></script>
15 <script src="./js/thickbox-compressed.js" type="text/javascript"
16 charset="utf-8"></script>
17 <script src="./js/quicksearch.js" type="text/javascript"
18 charset="utf-8"></script>
19 <script src="./js/darkfish.js" type="text/javascript"
20 charset="utf-8"></script>
21 </head>
22
23 <body class="file">
24 <div id="metadata">
25 <div id="home-metadata">
26 <div id="home-section" class="section">
27 <h3 class="section-header">
28 <a href="./index.html">Home</a>
29 <a href="./index.html#classes">Classes</a>
30 <a href="./index.html#methods">Methods</a>
31 </h3>
32 </div>
33 </div>
34

```

```

35 <div id="project-metadata">
36
37
38 <div id="fileindex-section" class="section project-section">
39 <h3 class="section-header">Files</h3>
40 <ul>
41
42 <li class="file"><a href="./tmp_txt.html">tmp.txt</a></li>
43
44 </ul>
45 </div>
46
47
48 <div id="classindex-section" class="section project-section">
49 <h3 class="section-header">Class Index
50 <span class="search-toggle"></span></h3>
53 <form action="#" method="get" accept-charset="utf-8" class="initially-hidden">
54 <fieldset>
55 <legend>Quicksearch</legend>
56 <input type="text" name="quicksearch" value=""
57 class="quicksearch-field" />
58 </fieldset>
59 </form>
60
61 <ul class="link-list">
62
63 <li><a href="./HelloWorld.html">HelloWorld</a></li>
64
65 <li><a href="./HelloWorld/Gambi.html">HelloWorld::Gambi</a></li>
66
67 <li><a href="./HelloWorld/Goodbye.html">HelloWorld::Goodbye</a></li>
68
69 <li><a href="./HelloWorld/Helo.html">HelloWorld::Helo</a></li>
70
71 </ul>
72 <div id="no-class-search-results" style="display: none;">No matching classes.</div>
73 </div>
74
75
76 </div>
77 </div>
78
79 <div id="documentation">
80
81 </div>
82
83 <div id="validator-badges">
84 <p><small><a href="http://validator.w3.org/check/referer">[Validate]</a></small></p>
85 <p><small>Generated with the <a href="http://deveiate.org/projects/Darkfish-Rdoc/">Darkfish
86 Rdoc Generator</a> 1.1.6</small></p>
87 </div>
88 </body>
89 </html>
90

```

File: spec/fixtures/hello_world/lib/gambi.rb

```

1 module HelloWorld
2   class Gambi
3     # ... some ugly code that I don't want to print in PDF file
4   end
5 end

```

File: spec/fixtures/hello_world/lib/goodbye.rb

```

1 module HelloWorld
2   class Goodbye
3     def say
4       'See ya!'
5     end
6   end
7 end

```

File: spec/fixtures/hello_world/lib/hello.rb

```

1 module HelloWorld
2   class Helo
3     def say(name)
4       "Hi, #{name}!"
5     end
6   end
7 end

```

File: spec/fixtures/hello_world/tmp.txt

sample content which should not be included in the generated PDF file