Write a command that puts the following values, in their given order, into the salespeople table: city – San Jose, name – Blanco, comm – NULL, cnum – 1100.

```
KD3_86710_Tanmay@>insert into salespeople(city,Sname,comm,snum) values ('San
jose','Blanca',Null,1100);
Query OK, 1 row affected (0.02 sec)
KD3_86710_Tanmay@>select * from salespeople;
                     city
  Snum
          Sname
                                   comm
          peel
  1001
                     london
                                   0.12
                                   0.13
  1002
          serres
                      san jose
  1004
          motika
                      london
                                   0.11
          rifkin
  1007
                     barcelona
                                   0.15
  1003
          axelrod
                     new york
                                   0.10
  1100
          Blanca
                     San jose
                                   NULL
  rows in set (0.00 sec)
```

Write a command that removes all orders from customer Clemens from the Orders table.

```
{D3_86710_Tanmay@>delete from orders where cnum = (select cnum from customers where cname = 'clemen
Query OK, 2 rows affected (0.01 sec)
KD3_86710_Tanmay@>select * from orders;
                                                           snum
   onum
             amt
                            odate
                                                 cnum
                            1990-10-03
1990-10-03
1990-10-03
1990-10-03
1990-10-04
1990-10-04
             18.69
767.19
1900.10
5160.45
                                                 2008
2001
2007
2003
2008
2008
2004
   3003
                                                            1001
   3002
3005
                                                            1004
1002
                                                            1007
1003
1002
             1098.16
1713.23
75.75
1309.95
   3006
3009
   3010
                             1990-10-06
                                                 2004
                                                            1002
           in set (0.00 sec)
```

Write a command that increases the rating of all customers in Rome by 100.

```
KD3_86710_Tanmay@>update customers set rating=rating+100 where city='rome';
Query OK, 2 rows affected (0.01 sec)
Rows matched: 2 Changed: 2 Warnings: 0
KD3_86710_Tanmay@>select * from customers;
  Cnum
          Cname
                       city
                                    Rating
                                               Snum
  2001
          hoffman
                       london
                                        100
                                               1001
          giovanni
  2002
                       rome
                                        300
                                               1003
  2003
           liu
                       san jose
                                        200
                                               1002
  2004
                       berlin
                                        300
                                               1002
          grass
                                        100
  2006
          clemens
                       london
                                               1001
  2008
          cisneros
                       san jose
                                        300
                                               1007
          pereira
  2007
                                        200
                       rome
                                               1004
7 rows in set (0.00 sec)
```

4. Salesperson Serres has left the company. Assign her customers to Motika.

```
here sname = 'motika') where snum = (select snum from salespeople where sname = 'serres');
Query OK, 2 rows affected (0.04 sec)
Rows matched: 2 Changed: 2 Warnings: 0
KD3_86710_Tanmay@>select * from customers;
  Cnum
          Cname
                      city
                                  Rating
                                            Snum
          hoffman
  2001
                      london
                                      100
                                            1001
  2002
          giovanni
                      rome
                                      200
                                            1003
                      san jose
berlin
  2003
          liu
                                      200
                                            1004
  2004
          grass
                                      300
                                            1004
  2006
          clemens
                      london
                                      100
                                            1001
                                      300
                                            1007
  2008
          cisneros
                      san jose
  2007
          pereira
                      rome
                                      100
                                            1004
 rows in set (0.01 sec)
```