

Create the following tables with the given structures and insert sample data as specified: -

A) SALESPeOPLE Snum int(4) Sname varchar(10) City varchar(10) Comm float(3,2)

```
kd2_ritesh_87173@>use databaseassingment;
Database changed
kd2_ritesh_87173@>create table salespeople(Snum int (4),Sname varchar(10),City varchar(10),Comm float(3,2));
Query OK, 0 rows affected, 2 warnings (0.04 sec)

kd2_ritesh_87173@>insert into salespeople;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1

kd2_ritesh_87173@>insert into salespeople values(1001,'peel','london',.12),(1002,'serres','san jose',.13),(1004,'motika','london',.11),(1007,'rifkin','barcelona',.15),(1003,'axelrod','new york',.10);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

kd2_ritesh_87173@>select * from salespeople;
+-----+-----+-----+-----+
| Snum | Sname  | City    | Comm |
+-----+-----+-----+-----+
| 1001 | peel   | london  | 0.12 |
| 1002 | serres | san jose | 0.13 |
| 1004 | motika | london  | 0.11 |
| 1007 | rifkin | barcelona | 0.15 |
| 1003 | axelrod | new york | 0.10 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

kd2_ritesh_87173@>_
```

B) CUSTOMERS Cnum int(4) Cname varchar(10) City varchar(10) Rating int(4) Snum int(4)

```
kd2_ritesh_87173@>select * from customers;
```

cnum	cname	city	rating	snum
2001	Hoffman	London	100	1001
2002	Giovanni	Rome	200	1003
2003	Liu	San Jose	200	1002
2004	Grass	Berlin	300	1002
2006	Clemens	London	100	1001
2008	Cisneros	San Jose	300	1007
2007	Pereira	Rome	100	1004

```
7 rows in set (0.00 sec)
```

C) ORDERS Onum int(4) Amt float(7,2) Odate date Cnum int(4) Snum int(4)

```
d2_ritesh_87173@>select *from orders;
```

Onum	Cname	Odate	Cnum	Snum
3001	18.69	0000-00-00	2008	1007
3003	767.19	0000-00-00	2001	1001
3002	1900.10	0000-00-00	2007	1004
3005	5160.45	0000-00-00	2003	1002
3006	1098.16	0000-00-00	2008	1007
3009	1713.23	0000-00-00	2002	1003
3007	75.75	0000-00-00	2004	1002
3008	4723.00	0000-00-00	2006	1002
3010	1309.95	0000-00-00	2004	1002
3011	9891.88	0000-00-00	2006	1001

```
0 rows in set (0.00 sec)
```