```
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 27
Server version: 8.0.30 MySQL Community Server - GPL
Copyright (c) 2000, 2022, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> create database h1;
ERROR 1007 (HY000): Can't create database 'h1'; database exists
mysql> create database b1;
Query OK, 1 row affected (0.01 sec)
mysql> create table h1;
ERROR 1046 (3D000): No database selected
mysql> create table b1.emp(empno integer(4),ename char(10),deptno integer(3));
Query OK, 0 rows affected, 2 warnings (0.02 sec)
mysql> describe b1.emp;
                    | Null | Key | Default | Extra
 Field
         Type
                     YES
          int
                                   NULL
 empno
          char(10)
                     YES
 ename
                                   NULL
deptno
          int
                    YES
                                   NULL
3 rows in set (0.01 sec)
mysql> alter table b1.emp add sal float(7,2);
Query OK, 0 rows affected, 1 warning (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 1
mysql> describe b1.emp;
                      | Null | Key | Default | Extra
 Field
          Type
          int
                       YES
                                     NULL
 empno
          char(10)
                       YES
                                     NULL
 ename
                        YES
 deptno
          int
                                     NULL
          float(7,2)
                      YES
                                     NULL
sal
4 rows in set (0.00 sec)
```

Enter password: ********

mysql> alter table b1.emp drop sal;

```
mysql> alter table b1.emp drop sal;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> describe b1.emp;
Field
        Type
                  | Null | Key | Default | Extra
                    YES
 empno
          int
                                 NULL
        char(10) YES
                                 NULL
ename
| deptno | int
                   YES
                                NULL
3 rows in set (0.00 sec)
mysql> alter table b1.emp modify ename char(10);
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> describe b1.emp;
Field
        Type
                  | Null | Key | Default | Extra
empno
         int
                    YES
                                 NULL
                   YES
         char(10)
                                 NULL
 ename
deptno
         int
                    YES
                                 NULL
3 rows in set (0.00 sec)
mysql> insert into b1.emp values(123,'hareesh',203);
Query OK, 1 row affected (0.00 sec)
mysql> select * from b1.emp;
empno ename
                 deptno
   123 | hareesh |
                      203
1 row in set (0.00 sec)
mysql> truncate table b1.emp;
Query OK, 0 rows affected (0.02 sec)
mysql> describe b1.emp;
 Field
        Type
                   | Null | Key | Default | Extra
        int
                    YES
                                 NULL
empno
        char(10)
                    YES
                                 NULL
ename
```

```
mysql> truncate table b1.emp;
Query OK, 0 rows affected (0.02 sec)
mysql> describe b1.emp;
 Field
          Type
                     Null | Key | Default | Extra
 empno
                                   NULL
           int
                      YES
           char(10)
                      YES
                                   NULL
 ename
 deptno
          int
                      YES
                                   NULL
3 rows in set (0.00 sec)
mysql> drop table b1.emp;
Query OK, 0 rows affected (0.01 sec)
mysql> describe b1.emp;
ERROR 1146 (42S02): Table 'b1.emp' doesn't exist
mysql> _
```