

Package ‘spacexr’

April 10, 2022

Type Package

Title SpatialeXpressionR: Cell type identification and cell type-specific differential expression in spatial transcriptomics

Version 2.0.0

Author Dylan Cable

Maintainer <dcable@mit.edu>

Description

cell type identification and cell type-specific differential expression for spatial transcriptomics

Depends R (>= 3.5.0)

License GNU General Public License v3.0.

Encoding UTF-8

LazyData true

Imports readr,

ggplot2,

pals,

Matrix,

parallel,

doParallel,

foreach,

quadprog,

tibble,

dplyr,

reshape2,

knitr,

rmarkdown,

fields,

mgcv,

CompQuadForm

RoxygenNote 7.1.1

VignetteBuilder knitr

R topics documented:

aggregate_cell_types	3
build.designmatrix.nonparam	4

build.designmatrix.regions	4
build.designmatrix.single	5
choose_sigma_c	5
convert.old.RCTD	6
count_cell_types	6
create.RCTD	7
create.RCTD.replicates	8
create_RCTD_plots	10
CSIDE.population.inference	10
exvar.celltocell.interactions	11
exvar.point.density	12
fitBulk	13
fitPixels	13
get_cell_type_info	14
get_decomposed_data	14
get_de_genes	15
get_doublet_weights	16
get_norm_ref	16
get_standard_errors	17
import_weights	17
make_all_de_plots	18
make_de_plots_genes	18
make_de_plots_quant	18
make_de_plots_regions	19
make_de_plots_replicates	19
make_de_plots_spatial	20
merge.RCTD.objects	20
normalize_weights	21
plot_all_cell_types	21
plot_class	22
plot_cond_occur	22
plot_doublets	23
plot_doublets_type	23
plot_doub_occur_stack	24
plot_gene_raw	24
plot_gene_regions	25
plot_gene_two_regions	25
plot_occur_unthreshold	26
plot_prediction_gene	27
plot_puck_continuous	27
plot_puck_wrapper	28
plot_weights	29
plot_weights_doublet	29
plot_weights_unthreshold	30
process_beads_batch	30
process_data	31
RCTD-class	32
RCTD.replicates-class	32
read.SpatialRNA	33
read.VisiumSpatialRNA	34
Reference	34
Reference-class	35

restrict_counts	35
restrict_puck	36
run.CSIDE	36
run.CSIDE.general	38
run.CSIDE.nonparam	40
run.CSIDE.regions	41
run.CSIDE.replicates	43
run.CSIDE.single	44
run.RCTD	46
run.RCTD.replicates	46
save.CSIDE.replicates	47
set_cell_types_assigned	47
set_likelihood_vars	48
spacexr	48
SpatialRNA	49
SpatialRNA-class	49
write_de_summary	50

Index

51

aggregate_cell_types *Aggregates the pixel occurrences for each cell type in the [RCTD](#) object*

Description

The difference with [count_cell_types](#) is that this function does not filter out pixels based on total cell type weight, as occurs in the CSIDE algorithm.

Usage

```
aggregate_cell_types(myRCTD, barcodes, doublet_mode = T)
```

Arguments

barcodes	the barcodes, or pixel names, of the SpatialRNA object to be used when counting cell types.
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
RCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.

Value

a named vector of number of pixel occurrences for each cell type

```
build.designmatrix.nonparam
```

Constructs a design matrix for running CSIDE nonparametrically

Description

The design matrix contains thin plate spline basis functions spanning the space of smooth functions.

Usage

```
build.designmatrix.nonparam(myRCTD, barcodes = NULL, df = 15)
```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
barcodes	(default NULL) the barcodes, or pixel names, of the SpatialRNA object to be used when creating the design matrix.
df	(default 15) the degrees of freedom, or number of basis functions to be used in the design matrix

Value

A design matrix containing the covariates for running CSIDE. The rownames represent pixel names and are a subset of the pixels in the [SpatialRNA](#) object. The columns each represent a covariate for explaining differential expression.

```
build.designmatrix.regions
```

Constructs a design matrix for running CSIDE across a set of regions

Description

The design matrix contains for each region a column of 0s and 1s representing membership in that region.

Usage

```
build.designmatrix.regions(myRCTD, region_list)
```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
region_list	a list of character vectors, where each vector contains pixel names, or barcodes, for a single region. These pixel names should be a subset of the pixels in the SpatialRNA object

Value

A design matrix containing the covariates for running CSIDE. The rownames represent pixel names and are a subset of the pixels in the [SpatialRNA](#) object. The columns each represent a covariate for explaining differential expression.

```
build.designmatrix.single
```

Constructs a design matrix for running CSIDE with a single explanatory variable

Description

The design matrix contains an intercept column and a column of the explanatory variable.

Usage

```
build.designmatrix.single(myRCTD, explanatory.variable)
```

Arguments

myRCTD an [RCTD](#) object with annotated cell types e.g. from the [run.RCTD](#) function.

explanatory.variable a named numeric vector representing the explanatory variable used for explaining differential expression in CSIDE. Names of the variable are the [SpatialRNA](#) pixel names, and values should be standardized between 0 and 1.

Value

A design matrix containing the covariates for running CSIDE. The rownames represent pixel names and are a subset of the pixels in the [SpatialRNA](#) object. The columns each represent a covariate for explaining differential expression.

```
choose_sigma_c
```

Estimates sigma_c by maximum likelihood

Description

Estimates sigma_c by maximum likelihood

Usage

```
choose_sigma_c(RCTD)
```

Arguments

RCTD an [RCTD](#) object after running the [fitBulk](#) function.

Value

Returns an [RCTD](#) with the estimated sigma_c.

<code>convert.old.RCTD</code>	<i>Updates an old RCTD object to be compatible with the current version of spacexr.</i>
-------------------------------	---

Description

Updates an old [RCTD](#) object to be compatible with the current version of spacexr.

Usage

```
convert.old.RCTD(myRCTD)
```

Arguments

`RCTD` an [RCTD](#) object (potentially from an older version).

Value

an [RCTD](#) object updated to be compatible with the current version of spacexr.

<code>count_cell_types</code>	<i>Counts number of pixel occurrences for each cell type to be used in the CSIDE model</i>
-------------------------------	--

Description

The difference with [aggregate_cell_types](#) is that this function does filter out pixels based on total cell type weight, as occurs in the CSIDE algorithm.

Usage

```
count_cell_types(
  myRCTD,
  barcodes,
  cell_types,
  cell_type_threshold = 125,
  doublet_mode = T,
  weight_threshold = NULL
)
```

Arguments

`barcodes` the barcodes, or pixel names, of the [SpatialRNA](#) object to be used when counting cell type\.

`cell_types` the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least ‘`cell_type_threshold`’, as aggregated by [choose_cell_types](#)

`cell_type_threshold` (default 125) min occurrence of number of cells for each cell type to be used, as aggregated by [choose_cell_types](#)

doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
RCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.

Value

a named vector of number of pixel occurrences for each cell type

create.RCTD	<i>Creates an RCTD object from a scRNA-seq reference Reference object and a SpatialRNA object</i>
-------------	---

Description

Creates an [RCTD](#) object from a scRNA-seq reference Reference object and a [SpatialRNA](#) object

Usage

```
create.RCTD(
  spatialRNA,
  reference,
  max_cores = 4,
  test_mode = FALSE,
  gene_cutoff = 0.000125,
  fc_cutoff = 0.5,
  gene_cutoff_reg = 2e-04,
  fc_cutoff_reg = 0.75,
  UMI_min = 100,
  UMI_max = 2e+07,
  UMI_min_sigma = 300,
  class_df = NULL,
  CELL_MIN_INSTANCE = 25,
  cell_type_names = NULL,
  MAX_MULTI_TYPES = 4,
  keep_reference = F,
  cell_type_info = NULL,
  CONFIDENCE_THRESHOLD = 10
)
```

Arguments

spatialRNA	a SpatialRNA object to run RCTD on
reference	a Reference object scRNA-seq reference used for RCTD
max_cores	for parallel processing, the number of cores used. If set to 1, parallel processing is not used. The system will additionally be checked for number of available cores.

gene_cutoff	minimum normalized gene expression for genes to be included in the platform effect normalization step.
fc_cutoff	minimum log-fold-change (across cell types) for genes to be included in the platform effect normalization step.
gene_cutoff_reg	minimum normalized gene expression for genes to be included in the RCTD step.
fc_cutoff_reg	minimum log-fold-change (across cell types) for genes to be included in the RCTD step.
UMI_min	minimum UMI per pixel included in the analysis
UMI_max	maximum UMI per pixel included in the analysis
UMI_min_sigma	minimum UMI per pixel for the choose_sigma_c function
class_df	(optional) if not NULL, then a dataframe mapping each cell type to a cell class, so that RCTD will report confidence on the class level.
CELL_MIN_INSTANCE	minimum number of cells required per cell type. Default 25, can be lowered if desired.
cell_type_names	A list of cell types to be included from the reference. If NULL, uses all cell types
MAX_MULTI_TYPES	(multi-mode only) Default 4, max number of cell types per pixel
keep_reference	(Default FALSE) if true, keeps the reference object stored within the RCTD object
cell_type_info	Default NULL, option to pass in cell_type_info directly
CONFIDENCE_THRESHOLD	(Default 10) the minimum change in likelihood (compared to other cell types) necessary to determine a cell type identity with confidence

Value

an [RCTD](#) object, which is ready to run the [run.RCTD](#) function

```
create.RCTD.replicates
```

Creates an [RCTD.replicates](#) object across multiple [SpatialRNA](#) replicates

Description

Applies the [create.RCTD](#) function for each [SpatialRNA](#) replicate inputted using a scRNA-seq reference Reference object.

Usage

```
create.RCTD.replicates(
  spatialRNA.replicates,
  reference,
  replicate_names,
  group_ids = NULL,
  max_cores = 4,
  test_mode = FALSE,
  gene_cutoff = 0.000125,
  fc_cutoff = 0.5,
  gene_cutoff_reg = 2e-04,
  fc_cutoff_reg = 0.75,
  UMI_min = 100,
  UMI_max = 2e+07,
  UMI_min_sigma = 300,
  class_df = NULL,
  CELL_MIN_INSTANCE = 25,
  cell_type_names = NULL,
  MAX_MULTI_TYPES = 4,
  keep_reference = F
)
```

Arguments

<code>spatialRNA.replicates</code>	a list of multiple SpatialRNA objects to run RCTD on
<code>reference</code>	a Reference object scRNA-seq reference used for RCTD
<code>replicate_names</code>	a character vector of names for each replicate provided in <code>spatialRNA.replicates</code>
<code>group_ids</code>	(default constant across replicates) a named integer vector (length number of replicates) containing the group id for each replicate. Names represent the replicate names, and replicates of the same group will be expected to be more similar than replicates across groups
<code>max_cores</code>	for parallel processing, the number of cores used. If set to 1, parallel processing is not used. The system will additionally be checked for number of available cores.
<code>gene_cutoff</code>	minimum normalized gene expression for genes to be included in the platform effect normalization step.
<code>fc_cutoff</code>	minimum log-fold-change (across cell types) for genes to be included in the platform effect normalization step.
<code>gene_cutoff_reg</code>	minimum normalized gene expression for genes to be included in the RCTD step.
<code>fc_cutoff_reg</code>	minimum log-fold-change (across cell types) for genes to be included in the RCTD step.
<code>UMI_min</code>	minimum UMI per pixel included in the analysis
<code>UMI_max</code>	maximum UMI per pixel included in the analysis
<code>UMI_min_sigma</code>	minimum UMI per pixel for the choose_sigma_c function

class_df	(optional) if not NULL, then a dataframe mapping each cell type to a cell class, so that RCTD will report confidence on the class level.
CELL_MIN_INSTANCE	minimum number of cells required per cell type. Default 25, can be lowered if desired.
cell_type_names	A list of cell types to be included from the reference. If NULL, uses all cell types
MAX_MULTI_TYPES	(multi-mode only) Default 4, max number of cell types per pixel
keep_reference	(Default FALSE) if true, keeps the reference object stored within the RCTD object
cell_type_info	Default NULL, option to pass in cell_type_info directly

Value

an [RCTD.replicates](#) object, which is ready to run the [run.RCTD.replicates](#) function

create_RCTD_plots	<i>Create all plots for an RCTD object after cell types have been assigned</i>
-------------------	--

Description

Create all plots for an RCTD object after cell types have been assigned

Usage

```
create_RCTD_plots(myRCTD, datadir)
```

Arguments

myRCTD	a RCTD object with annotated cell types e.g. from the run.RCTD function.
datadir	directory where plots should be saved

CSIDE.population.inference	<i>Runs population-level differential expression inference for a RCTD.replicates object</i>
----------------------------	---

Description

First, CSIDE must have been run on all replicates using e.g. the [run.CSIDE.replicates](#) function.

Usage

```
CSIDE.population.inference(
  RCTD.replicates,
  use.groups = FALSE,
  MIN.CONV.REPLICATES = 2,
  MIN.CONV.GROUPS = 2,
  CT.PROP = 0.5,
  q_thresh = 0.01,
  log_fc_thresh = 0.4,
  normalize_expr = F
)
```

Arguments

RCTD.replicates	a RCTD.replicates object for which to perform population-level DE inference.
use.groups	(default FALSE) if TRUE, treats the replicates as having multiple groups (e.g. samples) according to the group_ids slot
MIN.CONV.REPLICATES	(default 2) the minimum number of replicates (if not use.groups) for which a gene must converge
MIN.CONV.GROUPS	(default 2) the minimum number of groups (if use.groups) for which a gene must converge
CT.PROP	(default 0.5) minimum ratio of gene expression within cell type compared to other cell types
q_thresh	(default 0.01) false discovery rate
log_fc_thresh	(default 0.4) minimum natural log estimated DE threshold
normalize_expr	(default FALSE) if TRUE, constrains total gene expression to sum to 1 in each condition

Value

an [RCTD.replicates](#) object containing the results of the CSIDE population-level algorithm. See [RCTD.replicates](#) for documentation on the population_de_results, population_sig_gene_list, and population_sig_gene_df objects.

```
exvar.celltocell.interactions
```

Constructs an explanatory variable representing density of a cell type

Description

This explanatory variable can be used with CSIDE to detect cell-to-cell interactions. Density is computing using an exponentially-decaying filter. Currently only works for doublet mode RCTD.

Usage

```
exvar.celltocell.interactions(myRCTD, barcodes, cell_type, radius = 50)
```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
barcodes	the barcodes, or pixel names, of the SpatialRNA object to be used when creating the explanatory variable.
cell_type	the cell type (character) for which to compute density.
radius	(default 50) the radius of the exponential filter. Approximately, the distance considered to be a relevant interaction.

Value

explanatory.variable a named numeric vector representing the explanatory variable used for explaining differential expression in CSIDE. Names of the variable are the [SpatialRNA](#) pixel names, and values are standardized between 0 and 1. This variable represents density of the selected cell type.

exvar.point.density	<i>Constructs an explanatory variable representing density of a set of points</i>
---------------------	---

Description

This explanatory variable can be used with CSIDE to detect DE in the proximity of these points. Density is computing using an exponentially-decaying filter.

Usage

```
exvar.point.density(myRCTD, barcodes, points, radius = 50)
```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
barcodes	the barcodes, or pixel names, of the SpatialRNA object to be used when creating the explanatory variable.
points	a N by 2 matrix containing the locations of the points to be used for computing density. The first column should be the x coordinates while the second column should be the y coordinate.
radius	(default 50) the radius of the exponential filter. Approximately, the distance considered to be a relevant interaction.

Value

explanatory.variable a named numeric vector representing the explanatory variable used for explaining differential expression in CSIDE. Names of the variable are the [SpatialRNA](#) pixel names, and values are standardized between 0 and 1. This variable represents density of the given point set.

fitBulk	<i>Performs Platform Effect Normalization:</i>
---------	--

Description

Estimates bulk cell type composition and uses this to estimate platform effects and normalize cell type proportions

Usage

```
fitBulk(RCTD)
```

Arguments

RCTD an [RCTD](#) object after running the [create.RCTD](#) function.

Value

Returns an [RCTD](#) object normalized for platform effects.

fitPixels	<i>Runs the RCTD algorithm</i>
-----------	--------------------------------

Description

If in doublet mode, fits at most two cell types per pixel. It classifies each pixel as 'singlet' or 'doublet' and searches for the cell types on the pixel. If in full mode, can fit any number of cell types on each pixel. In multi mode, cell types are added using a greedy algorithm, up to a fixed number.

Usage

```
fitPixels(RCTD, doublet_mode = "doublet")
```

Arguments

RCTD an [RCTD](#) object after running the [choose_sigma_c](#) function.
doublet_mode character string, either "doublet", "multi", or "full" on which mode to run RCTD. Please see above description.

Value

an [RCTD](#) object containing the results of the RCTD algorithm.

get_cell_type_info	<i>Computes cell type profiles in a scRNA-seq dataset</i>
--------------------	---

Description

Computes averaged normalized expression (summing to 1) for all cells within a cell type

Usage

```
get_cell_type_info(raw.data, cell_types, nUMI, cell_type_names = NULL)
```

Arguments

raw.data	a Digital Gene Expression matrix, with gene names as rownames and single cells as columns (barcodes for colnames)
cell_types	a named list of cell type assignment for each cell in raw.data
nUMI	a named list of total UMI count for each cell in raw.data

Value

Returns cell_type_info, a list of three elements: (1) cell_type_means (a data_frame (genes by cell types) for mean normalized expression) (2) cell_type_names (a list of cell type names) and (3) the number of cell types

get_decomposed_data	<i>Decomposes SpatialRNA data into individual cells</i>
---------------------	---

Description

Warning: in the current RCTD version, this function is deprecated, and is no longer supported. For differential expression tasks, we instead recommend the RCTDE method.

Usage

```
get_decomposed_data(
  results_df,
  gene_list,
  puck,
  weights_doublet,
  cell_type_info
)
```

Arguments

results_df	a dataframe of RCTD results
gene_list	a list of genes to be used for the decomposition
puck	an object of type SpatialRNA
weights_doublet	a dataframe of predicted weights in doublet mode
cell_type_info	cell type information and profiles of each cell, calculated from the scRNA-seq reference (see get_cell_type_info)

Details

Applied to the output of [gather_results](#). Singlet pixels are left unchanged, and doublet_certain conditions are decomposed into single cells.

Value

An object of type [SpatialRNA](#) representing the decomposed cells

get_de_genes	<i>Returns a list of differentially expressed genes</i>
--------------	---

Description

For each cell type, chooses genes that have a minimum average normalized expression in that cell type, and whose expression is larger in that cell type than the average of all cell types. Filters out mitochondrial genes.

Usage

```
get_de_genes(  
  cell_type_info,  
  puck,  
  fc_thresh = 1.25,  
  expr_thresh = 0.00015,  
  MIN_OBS = 3  
)
```

Arguments

cell_type_info	cell type information and profiles of each cell, calculated from the scRNA-seq reference (see get_cell_type_info)
puck	an object of type SpatialRNA
fc_thresh	minimum log _e fold change required for a gene.
expr_thresh	minimum expression threshold, as normalized expression (proportion out of 1, or counts per 1).
MIN_OBS	the minimum number of occurrences of each gene in the SpatialRNA object.

Value

a list of differentially expressed gene names

get_doublet_weights	<i>Converts RCTD doublet mode results to a weight matrix (across all cell types)</i>
---------------------	--

Description

RCTD must have been run in doublet mode

Usage

```
get_doublet_weights(myRCTD)
```

Arguments

RCTD an [RCTD](#) object with annotated cell types from the [run.RCTD](#) function.

Value

a weights matrix of cell type proportions for each pixel and each cell type.

get_norm_ref	<i>Normalizes cell type profiles to a target dataset</i>
--------------	--

Description

renormalizes cell_type_means to have average the same as the puck. The average for each gene is weighted by cell type proportions given by proportions.

Usage

```
get_norm_ref(puck, cell_type_means, gene_list, proportions)
```

Arguments

puck	an object of type SpatialRNA , the target dataset
cell_type_means	a data_frame (genes by cell types) for mean normalized expression (see get_cell_type_info)
gene_list	a list of genes to be used for the normalization
proportions	a named list (for each cell type) of proportion of the cell type on the bulk dataset (not constrained to sum to 1)

Value

Returns cell_type_means, a data_frame (genes by cell types) for mean normalized cell type expression profiles in which platform effects have been removed to match the [SpatialRNA](#) data.

get_standard_errors	<i>On an RCTD object after running CSIDE, returns an array of standard errors of CSIDE coefficients</i>
---------------------	---

Description

The dimensions of the standard error array is N_genes x N_coefficients x N_cell_types The N_coefficients are the number of explanatory variables in the CSIDE model

Usage

```
get_standard_errors(myRCTD)
```

Arguments

myRCTD	an RCTD object with fitted CSIDE e.g. from the run.CSIDE function.
--------	--

Value

a three-dimensional array representing CSIDE standard errors for each gene, each coefficient, and each cell type.

import_weights	<i>Assigns a cell type ‘weights’ matrix to an RCTD object</i>
----------------	---

Description

Assigns a cell type ‘weights’ matrix to an [RCTD](#) object

Usage

```
import_weights(myRCTD, weights)
```

Arguments

myRCTD	a RCTD object to be assigned weights.
weights	a matrix of weights to be normalized

Value

the [RCTD](#) object with weights assigned.

make_all_de_plots	<i>Makes all CSIDE plots on RCTD object, after running CSIDE</i>
-------------------	--

Description

Makes all CSIDE plots on RCTD object, after running CSIDE

Usage

```
make_all_de_plots(myRCTD, datadir)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
datadir	output directory

make_de_plots_genes	<i>Makes spatial gene CSIDE plots (colored continuously) on RCTD object, after running CSIDE</i>
---------------------	--

Description

Makes spatial gene CSIDE plots (colored continuously) on RCTD object, after running CSIDE

Usage

```
make_de_plots_genes(myRCTD, datadir)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
datadir	output directory

make_de_plots_quant	<i>Makes quantitative CSIDE plots on RCTD object, after running CSIDE</i>
---------------------	---

Description

Makes quantitative CSIDE plots on RCTD object, after running CSIDE

Usage

```
make_de_plots_quant(myRCTD, datadir)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
datadir	output directory

make_de_plots_regions *Makes spatial gene CSIDE plots (colored by discrete regions) on RCTD object, after running CSIDE*

Description

Makes spatial gene CSIDE plots (colored by discrete regions) on RCTD object, after running CSIDE

Usage

```
make_de_plots_regions(myRCTD, datadir)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
datadir	output directory

make_de_plots_replicates *Makes spatial gene CSIDE plots (colored by two discrete regions) on RCTD replicates object, after running CSIDE*

Description

Runs on genes that were identified as significant at the population level

Usage

```
make_de_plots_replicates(RCTD.replicates, datadir)
```

Arguments

RCTD.replicates	a RCTD.replicates object after performing population-level DE inference.
datadir	output directory

Details

These plots are colored by two discrete regions based on high or low explanatory variable values. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.

make_de_plots_spatial	<i>Makes spatial gene CSIDE plots (colored by two discrete regions) on RCTD object, after running CSIDE</i>
-----------------------	---

Description

These plots are colored by two discrete regions based on high or low explanatory variable values. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.

Usage

```
make_de_plots_spatial(myRCTD, datadir)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
datadir	output directory

merge.RCTD.objects	<i>Creates an RCTD.replicates object across multiple RCTD objects</i>
--------------------	---

Description

Creates an [RCTD.replicates](#) object across multiple [RCTD](#) objects

Usage

```
## S3 method for class 'RCTD.objects'
merge(RCTD.reps, replicate_names, group_ids = NULL)
```

Arguments

RCTD.reps	a list of multiple RCTD objects to merge into one RCTD.replicates object.
replicate_names	a character vector of names for each replicate provided in RCTD.reps
group_ids	(default constant across replicates) a named integer vector (length number of replicates) containing the group id for each replicate. Names represent the replicate names, and replicates of the same group will be expected to be more similar than replicates across groups

Value

an [RCTD.replicates](#) object, containing each [RCTD](#) object in RCTD.reps

normalize_weights	<i>Normalizes the 'weights' matrix from the RCTD results object</i>
-------------------	---

Description

Normalizes the 'weights' matrix from the RCTD results object

Usage

```
normalize_weights(weights)
```

Arguments

weights	a matrix of weights to be normalized
---------	--------------------------------------

Value

norm.weights a normalized matrix of weights where rows sum to one.

plot_all_cell_types	<i>Plots all cell types in space</i>
---------------------	--------------------------------------

Description

Plots the first cell type in doublet mode. Saves as 'all_cell_types.pdf'

Usage

```
plot_all_cell_types(results_df, coords, cell_type_names, resultsdir)
```

Arguments

results_df	a dataframe of RCTD results (see gather_results)
coords	a dataframe of coordinates of each pixel
cell_type_names	list of cell type names
resultsdir	output directory

Value

returns [ggplot2](#) object

plot_class	<i>Plots a factor variable in space on the puck</i>
------------	---

Description

Colors points based on class

Usage

```
plot_class(puck, barcodes_cur, my_class, counter_barcodes = NULL, title = NULL)
```

Arguments

puck	an object of type SpatialRNA
barcodes_cur	a list of barcodes to include in the plot
my_class	a named (by barcode) factor list for the coloring

Value

Returns a [ggplot](#) object

plot_cond_occur	<i>Barplot of the confident counts for each cell type</i>
-----------------	---

Description

Plots the number of confident labels in 'full_mode'. Saves as 'cell_type_occur.pdf'

Usage

```
plot_cond_occur(cell_type_names, resultsdir, weights, puck)
```

Arguments

cell_type_names	list of cell type names
resultsdir	output directory
weights	a dataframe of RCTD output weights (see gather_results)
puck	an object of type SpatialRNA

Value

returns [ggplot2](#) object

plot_doublets	<i>Plots all doublets in space</i>
---------------	------------------------------------

Description

saves as 'all_doublets.pdf'

Usage

```
plot_doublets(puck, doublets, resultsdir, cell_type_names)
```

Arguments

puck	an object of type SpatialRNA
doublets	a dataframe of RCTD results restricted to doublets
resultsdir	output directory
cell_type_names	list of cell type names

Value

returns [ggplot2](#) object

plot_doublets_type	<i>Plots doublets of each cell type individually</i>
--------------------	--

Description

Plots the first cell type in doublet mode. Saves as 'all_doublets_type.pdf'

Usage

```
plot_doublets_type(puck, doublets_base, resultsdir, cell_type_names)
```

Arguments

puck	an object of type SpatialRNA
doublets_base	a dataframe of RCTD results restricted to doublets
resultsdir	output directory
cell_type_names	list of cell type names

plot_doub_occur_stack *Plots doublet co-occurrences*

Description

Plots the doublet co-occurrences. Saves as 'doublet_stacked_bar.pdf'

Usage

```
plot_doub_occur_stack(doub_occur, resultsdir, cell_type_names)
```

Arguments

doub_occur	a table of occurrences of doublets
resultsdir	output directory
cell_type_names	list of cell type names

Value

returns [ggplot2](#) object

plot_gene_raw	<i>Makes a spatial plot of continuous gene expression for a particular gene</i>
---------------	---

Description

Units counts per 500

Usage

```
plot_gene_raw(myRCTD, gene, cell_type, ymax = 10)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
gene	gene to be plotted
cell_type	cell_type to be plotted (only single cell type pixels)
ymax	(default 10) maximum expression (in counts per 500) for color scale

Value

gene expression plot

plot_gene_regions	<i>Makes a spatial plot of gene expression for a particular gene This plot is colored by several discrete regions based on a categorical design matrix. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.</i>
-------------------	--

Description

Makes a spatial plot of gene expression for a particular gene This plot is colored by several discrete regions based on a categorical design matrix. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.

Usage

```
plot_gene_regions(
  myRCTD,
  cell_type,
  gene,
  pixel_weight_thresh = 0.8,
  expr_thresh = 0
)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
cell_type	cell_type to be plotted (only single cell type pixels)
gene	gene to be plotted
pixel_weight_thresh	(default 0.8) minimum cell type weight for pixels that are included
expr_thresh	(default 0) the minimum expression threshold to clear to be considered to be expressed

Value

gene expression plot

plot_gene_two_regions	<i>Makes a spatial plot of gene expression for a particular gene This plot is colored by two discrete regions based on high or low explanatory variable values. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.</i>
-----------------------	--

Description

Makes a spatial plot of gene expression for a particular gene This plot is colored by two discrete regions based on high or low explanatory variable values. Bold points represent expressed, whereas unbold points represent pixels not expressing the gene.

Usage

```
plot_gene_two_regions(
  myRCTD,
  gene,
  cell_type,
  min_UMI = 200,
  expr.thresh = 0,
  exvar_thresh = 0.5
)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
gene	gene to be plotted
cell_type	cell_type to be plotted (only single cell type pixels)
min_UMI	(default 200) minimum UMI for pixels that are included
expr.thresh	(default 0) the minimum expression threshold to clear to be considered to be expressed
exvar_thresh	threshold of the explanatory variable in order for points to be sorted into the two regions

Value

gene expression plot

plot_occur_unthreshold

Barplot of the counts for each cell type

Description

Plots the number of (including unconfident) labels in 'full_mode'. Saves as 'cell_type_occur_unthreshold.pdf'

Usage

```
plot_occur_unthreshold(cell_type_info, resultsdir, weights)
```

Arguments

cell_type_info	cell type information and profiles (see get_cell_type_info)
resultsdir	output directory
weights	a dataframe of RCTD output weights (see gather_results)

plot_prediction_gene *Makes a spatial plot of CSIDE fitted gene expression*

Description

Units counts per 500

Usage

```
plot_prediction_gene(myRCTD, cell_type, gene)
```

Arguments

myRCTD	RCTD object containing de_results, after running CSIDE
cell_type	cell_type to be plotted (only single cell type pixels)
gene	gene to be plotted

Value

plot of fitted gene expression

plot_puck_continuous *Plots a continuous value over locations on the puck*

Description

Colors points based on value of the function

Usage

```
plot_puck_continuous(
  puck,
  barcodes,
  plot_val,
  ylimit = c(0, 1),
  title = NULL,
  counter_barcodes = NULL,
  label = F,
  my_pal = NULL,
  xlim = NULL,
  ylim = NULL,
  size = 0.15,
  alpha = 1,
  small_point = F
)
```

Arguments

puck	an object of type SpatialRNA
barcodes	a list of barcodes to include in the plot
plot_val	a named (by barcode) list of values to plot
ylim	minimum and maximum values for the range of plot as a numeric list
xlim	(optional) minimum and maximum value for x coordinate as a numeric list
ylim	(optional) minimum and maximum value for y coordinate as a numeric list
size	numeric size of points
cell_type_info	cell type information and profiles (see get_cell_type_info)

Value

Returns a [ggplot](#) object

plot_puck_wrapper	<i>Plots a continuous value over filtered locations on the puck</i>
-------------------	---

Description

Colors points based on value of the function, filtered for e.g. UMI and cell type

Usage

```
plot_puck_wrapper(
  puck,
  plot_val,
  cell_type = NULL,
  minUMI = 0,
  maxUMI = 2e+05,
  min_val = NULL,
  max_val = NULL,
  title = NULL,
  my_cond = NULL
)
```

Arguments

puck	an object of type SpatialRNA
plot_val	a named (by barcode) list of values to plot
cell_type	string specifying cell type to plot. if NULL, then all cell types are plotted
minUMI	numeric, minimum value for total UMIs to filter pixels
maxUMI	numeric, maximum value for total UMIs to filter pixels
min_val	numeric, minimum value for the range of plot as a numeric list
max_val	numeric, maximum value for the range of plot as a numeric list
cell_type_info	cell type information and profiles (see get_cell_type_info)

Value

Returns a [ggplot](#) object

plot_weights	<i>Spatially plot the confident weights for each cell type</i>
--------------	--

Description

Plots the confident weights for each cell type as in full_mode. Saves as 'cell_type_weights.pdf'

Usage

```
plot_weights(cell_type_names, puck, resultsdir, weights)
```

Arguments

cell_type_names	list of cell type names
puck	an object of type SpatialRNA
resultsdir	output directory
weights	a dataframe of RCTD output weights (see gather_results)

plot_weights_doublet	<i>Spatially plot the weights for each cell type in doublet_mode</i>
----------------------	--

Description

Plots the weights for each cell type as in doublet_mode. Saves as 'cell_type_weights_doublet.pdf'

Usage

```
plot_weights_doublet(
  cell_type_names,
  puck,
  resultsdir,
  weights_doublet,
  results_df
)
```

Arguments

cell_type_names	list of cell type names
puck	an object of type SpatialRNA
resultsdir	output directory
weights_doublet	a dataframe of RCTD output weights for doublets (see gather_results)
results_df	dataframe of RCTD results (see gather_results)

plot_weights_unthreshold

Spatially plot all weights for each cell type

Description

Plots all weights for each cell type as in full_mode. Saves as 'cell_type_weights_unthreshold.pdf'

Usage

```
plot_weights_unthreshold(cell_type_names, puck, resultsdir, weights)
```

Arguments

cell_type_names	list of cell type names
puck	an object of type SpatialRNA
resultsdir	output directory
weights	a dataframe of RCTD output weights (see gather_results)

process_beads_batch	<i>Runs RCTD in doublet mode on puck</i>
---------------------	--

Description

Then, computes cell type proportions for each pixel in puck. Classifies each pixel as 'singlet' or 'doublet' and searches for the cell types on the pixel

Usage

```
process_beads_batch(
  cell_type_info,
  gene_list,
  puck,
  class_df = NULL,
  constrain = T,
  MAX_CORES = 8,
  MIN_CHANGE = 0.001,
  CONFIDENCE_THRESHOLD = 10
)
```

Arguments

cell_type_info	cell type information and profiles of each cell, calculated from the scRNA-seq reference (see get_cell_type_info)
gene_list	a list of genes to be used for RCTD
puck	an object of type SpatialRNA , the target dataset
class_df	A dataframe returned by get_class_df to map cell types to classes

constrain	logical whether to constrain the weights to sum to one on each pixel
CONFIDENCE_THRESHOLD	(Default 10) the minimum change in likelihood (compared to other cell types) necessary to determine a cell type identity with confidence
max_cores	number of cores to use (will use parallel processing if more than one).

Value

Returns results, a list of RCTD results for each pixel, which can be organized by feeding into [gather_results](#)

process_data	<i>Runs RCTD in full mode on puck</i>
--------------	---------------------------------------

Description

Renormalizes cell_type_means to have average the same as the puck if proportions is given. Then, computes cell type proportions for each pixel in puck.

Usage

```
process_data(
  puck,
  gene_list,
  cell_type_info,
  proportions = NULL,
  trust_model = FALSE,
  constrain = T,
  OLS = F
)
```

Arguments

puck	an object of type SpatialRNA , the target dataset
gene_list	a list of genes to be used for RCTD
cell_type_info	cell type information and profiles of each cell, calculated from the scRNA-seq reference (see get_cell_type_info)
proportions	(optional) If given, a named list (for each cell type) of proportion of the cell type on the bulk dataset (not constrained to sum to 1)
constrain	logical whether to constrain the weights to sum to one on each pixel

Value

Returns test_results, a list of three items: (1) conf_mat a confusion matrix (not relevant) (2) weights a dataframe of predicted weights (3) a named list of predicted cell types

RCTD-class

*An S4 class used to run the RCTD and CSIDE algorithms***Description**

Created using the `create.RCTD` function, a user can run RCTD using the `run.RCTD` function.

Slots

`spatialRNA` a `SpatialRNA` object containing the Spatial RNA dataset to be used for RCTD

`originalSpatialRNA` a `SpatialRNA` object containing the Spatial RNA dataset with all genes

`reference` a `Reference` object containing the cell type-labeled single cell reference

`config` a list of configuration options, set using the `create.RCTD` function

`cell_type_info` a named list of cell type profiles (means), containing two elements: `info`, directly calculated from the scRNA-seq reference, and `renorm`, renormalized the match the `SpatialRNA` dataset.

`internal_vars` a list of internal variables used by RCTD's computation

`results` (created after running RCTD) a list of `results_df` (a dataframe of RCTD results in doublet mode), `weights` (a dataframe of RCTD predicted weights in full mode), and `weights_doublet` (a dataframe of predicted weights in doublet mode, with cell type information in `results_df`).
 In doublet-mode, The results of 'doublet_mode' are stored in '@results\$results_df' and '@results\$weights_doublet', the weights of each cell type. More specifically, the 'results_df' object contains one column per pixel (barcodes as rownames). Important columns are: * 'spot_class', a factor variable representing RCTD's classification in doublet mode: "singlet" (1 cell type on pixel), "doublet_certain" (2 cell types on pixel), "doublet_uncertain" (2 cell types on pixel, but only confident of 1), "reject" (no prediction given for pixel). * Next, the 'first_type' column gives the first cell type predicted on the bead (for all spot_class conditions except "reject"). * The 'second_type' column gives the second cell type predicted on the bead for doublet spot_class conditions (not a confident prediction for "doublet_uncertain").
 Note that in multi-mode, results consists of a list of results for each pixel, which contains `all_weights` (weights from full mode), `cell_type_list` (cell types on multi mode), `conf_list` (which cell types are confident on multi mode) and `sub_weights` (proportions of cell types on multi mode).

`de_results` results of the CSIDE algorithm. Contains 'gene_fits', which contains the results of fits on individual genes, whereas 'res_gene_list' is a list, for each cell type, of significant genes detected by CSIDE.

`internal_vars_de` a list of variables that are used internally by CSIDE

 RCTD.replicates-class *An S4 class used to store multiple replicates as `SpatialRNA` objects.*

Description

By storing multiple `SpatialRNA` replicates in this one object, it is convenient to run RCTD and CSIDE across all replicates. Finally, multiple replicates can be combined with population-level differential expression inference using the `CSIDE.population.inference` function

Details

Created using the `create.RCTD.replicates` or `merge.RCTD.objects` functions. One can run RCTD using the `run.RCTD.replicates` function, and one can run CSIDE using the `run.CSIDE.replicates` function.

Slots

`RCTD.reps` a list of `RCTD` objects, one for each replicate

`population_de_results` A list, indexed by cell type, of dataframes summarizing population-level differential expression for each genes. Relevant columns include: `tau`, variance across replicates; `log_fc_est`, the estimated differential expresison; `sd_est`, the standard error of estimated DE

`population_sig_gene_list` A list, indexed by cell type, of vectors of significant genes

`population_sig_gene_df` A list, indexed by cell type, of dataframe summarizing population-level differential expression for each significant gene, similar to `population_de_results`. Additionally, contains `p` (representing p-values) and `q_val` (representing q-values).

`groups_ids` a named integer vector (length number of replicates) containing the group id for each replicate. Names represent the replicate names, and replicates of the same group will be expected to be more similar than replicates across groups

<code>read.SpatialRNA</code>	<i>Creates a SpatialRNA object from a coords and counts file</i>
------------------------------	--

Description

Warning: this function is provided out of convenience for experienced users, but we can not provide direct support for debugging file input errors. If you are obtaining errors from this method, we recommend a less error-prone procedure of loading in your coords and counts matrices in first and then using the `'SpatialRNA'` constructor function, which will systematically check for errors in the inputs.

Usage

```
read.SpatialRNA(datadir, count_file = "counts.csv", coords_file = "coords.csv")
```

Arguments

<code>datadir</code>	(character) full path to input directory
<code>count_file</code>	(character) file name of the counts csv file (genes by pixels matrix)
<code>coord_file</code>	(character) file name of the coords csv file (pixels by (barcodes, x, y) matrix)

Details

The coords matrix needs to be formatted as columns (barcodes, x, y)

Value

Returns a `SpatialRNA` object containing the coordinates and counts from the input files

<code>read.VisiumSpatialRNA</code>	<i>Creates a SpatialRNA object from a 10x Genomics Visium ‘outs’ directory</i>
------------------------------------	--

Description

Given a [SpatialRNA](#) directory 10x Genomics Visium ‘outs’ directory and returns a [SpatialRNA](#) object.

Usage

```
read.VisiumSpatialRNA(datadir)
```

Arguments

<code>datadir</code>	(string) full path to the 10x Genomics Visium ‘outs’ directory
----------------------	--

Value

Returns a [SpatialRNA](#) object containing the coordinates and counts from the input files

Reference	<i>constructor of Reference object</i>
-----------	--

Description

constructor of [Reference](#) object

Usage

```
Reference(
  counts,
  cell_types,
  nUMI = NULL,
  require_int = TRUE,
  n_max_cells = 10000
)
```

Arguments

<code>counts</code>	A matrix (or dgCmatrix) representing Digital Gene Expression (DGE). Row-names should be genes and colnames represent barcodes/cell names.
<code>cell_types</code>	A named (by cell barcode) factor of cell type for each cell. The ‘levels’ of the factor would be the possible cell type identities.
<code>nUMI</code>	Optional, a named (by cell barcode) list of total counts or UMI’s appearing at each pixel. If not provided, nUMI will be assumed to be the total counts appearing on each pixel. Counts should be untransformed count-level data

Value

Returns a [Reference](#) object containing the counts matrix, cell type labels, and UMI vector from the input files

Reference-class	<i>An S4 class to represent Single-Cell RNA-seq reference</i>
-----------------	---

Description

An S4 class to represent Single-Cell RNA-seq reference

Slots

cell_types a factor of cell type identities for each cell
 counts a sparse matrix of raw counts for each gene (rowname) and each cell (colnames or bar-codes)
 nUMI an atomic vector of numeric UMI counts per cell

restrict_counts	<i>Restricts a SpatialRNA object to a subset of genes (and applies a UMI threshold)</i>
-----------------	---

Description

Restricts a SpatialRNA object to a subset of genes (and applies a UMI threshold)

Usage

```
restrict_counts(puck, gene_list, UMI_thresh = 1, UMI_max = 20000)
```

Arguments

puck	a SpatialRNA object
gene_list	a list of gene names
UMI_thresh	minimum UMI per pixel
UMI_max	maximum UMI per pixel

Value

Returns a [SpatialRNA](#) with counts filtered based on UMI threshold and gene list

restrict_puck	<i>Restricts a SpatialRNA object to a subset of pixels</i>
---------------	--

Description

Given a [SpatialRNA](#) object and a list of barcodes (pixels), will return a [SpatialRNA](#) object restricted to the barcodes.

Usage

```
restrict_puck(puck, barcodes)
```

Arguments

puck	a SpatialRNA object
barcodes	a list of barcode names, a subset of rownames(puck@coords)

Value

Returns a [SpatialRNA](#) object subsampled to the barcodes

run.CSIDE	<i>Runs cell type specific CSIDE on a RCTD object with a general design matrix</i>
-----------	--

Description

Identifies cell type specific differential expression (DE) across a general design matrix of covariates. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE. The type of test is determined by `test_mode`, and the parameters tested is determined by `params_to_test`.

Usage

```
run.CSIDE(
  myRCTD,
  X,
  barcodes,
  cell_types,
  gene_threshold = 5e-05,
  cell_type_threshold = 125,
  doublet_mode = T,
  test_mode = "individual",
  weight_threshold = NULL,
  sigma_gene = T,
  PRECISION.THRESHOLD = 0.01,
  cell_types_present = NULL,
  test_genes_sig = T,
  fdr = 0.01,
```

```

    cell_type_specific = NULL,
    params_to_test = NULL,
    normalize_expr = F,
    logs = F
)

```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
X	a matrix containing the covariates for running CSIDE. The rownames represent pixel names and should be a subset of the pixels in the SpatialRNA object. The columns each represent a covariate for explaining differential expression and need to be linearly independent.
barcodes	the barcodes, or pixel names, of the SpatialRNA object to be used when fitting the model.
cell_types	the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least 'cell_type_threshold', as aggregated by choose_cell_types
gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
cell_type_threshold	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
test_mode	(default 'individual') if 'individual', tests for DE individually for each parameter. If 'categorical', then tests for differences across multiple categorical parameters
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
test_genes_sig	(default TRUE) logical controlling whether genes will be tested for significance
fdr	(default 0.01) false discovery rate for hypothesis testing
normalize_expr	(default FALSE) if TRUE, constrains total gene expression to sum to 1 in each condition. Setting normalize_expr = TRUE is only valid for testing single parameters with test_mode = 'individual'.
logs	(default FALSE) if TRUE, writes progress to logs/de_logs.txt
cell_type_specific:	(default TRUE for all covariates). A logical vector of length the number of covariates indicating whether each covariate's DE parameters should be cell type-specific or shared across all cell types.

params_to_test:

(default 2 for test_mode = 'individual', all parameters for test_mode = 'categorical'). An integer vector of parameter indices to test. For example c(1,4,5) would test only parameters corresponding to columns 1, 4, and 5 of the design matrix.

Value

an [RCTD](#) object containing the results of the CSIDE algorithm. Contains objects `de_results`, which contain the results of the CSIDE algorithm including 'gene_fits', which contains the results of fits on individual genes, in addition 'sig_gene_list', a list, for each cell type, of significant genes detected by CSIDE. Additionally, the object contains 'internal_vars_de' a list of variables that are used internally by CSIDE

run.CSIDE.general	<i>Runs CSIDE on a RCTD object with a general design matrix</i>
-------------------	---

Description

Identifies differential expression (DE) across a general design matrix of covariates. DE parameters can be cell type-specific or shared across all cell types. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE. The type of test is determined by `test_mode`, and the parameters tested is determined by `params_to_test`.

Usage

```
run.CSIDE.general(
  myRCTD,
  X1,
  X2,
  barcodes,
  cell_types,
  gene_threshold = 5e-05,
  cell_type_threshold = 125,
  doublet_mode = T,
  test_mode = "individual",
  weight_threshold = NULL,
  sigma_gene = T,
  PRECISION.THRESHOLD = 0.01,
  cell_types_present = NULL,
  test_genes_sig = T,
  fdr = 0.01,
  params_to_test = NULL,
  normalize_expr = F,
  logs = F
)
```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
X1	a matrix containing the covariates shared across all cell types. The rownames represent pixel names and should be a subset of the pixels in the SpatialRNA object. The columns each represent a covariate for explaining differential expression and need to be linearly independent.
X2	a matrix containing the cell type-specific covariates. The rownames represent pixel names and should be a subset of the pixels in the SpatialRNA object. The columns each represent a covariate for explaining differential expression and need to be linearly independent.
barcodes	the barcodes, or pixel names, of the SpatialRNA object to be used when fitting the model.
cell_types	the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least 'cell_type_threshold', as aggregated by choose_cell_types
gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
cell_type_threshold	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
test_mode	(default 'individual') if 'individual', tests for DE individually for each parameter. If 'categorical', then tests for differences across multiple categorical parameters
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
test_genes_sig	(default TRUE) logical controlling whether genes will be tested for significance
fdr	(default 0.01) false discovery rate for hypothesis testing
normalize_expr	(default FALSE) if TRUE, constrains total gene expression to sum to 1 in each condition. Setting normalize_expr = TRUE is only valid for testing single parameters with test_mode = 'individual'.
logs	(default FALSE) if TRUE, writes progress to logs/de_logs.txt
params_to_test:	(default 2 for test_mode = 'individual', all parameters for test_mode = 'categorical'). An integer vector of parameter indices to test. For example c(1,4,5) would test only parameters corresponding to columns 1, 4, and 5 of the design matrix X2.

Value

an [RCTD](#) object containing the results of the CSIDE algorithm. Contains objects `de_results`, which contain the results of the CSIDE algorithm including 'gene_fits', which contains the results of fits on individual genes, in addition 'sig_gene_list', a list, for each cell type, of significant genes detected by CSIDE, whereas 'all_gene_list' is the analogous list for all genes (including nonsignificant). Additionally, the object contains 'internal_vars_de' a list of variables that are used internally by CSIDE

<code>run.CSIDE.nonparam</code>	<i>Runs CSIDE on a RCTD object to detect nonparametric smooth gene expression patterns</i>
---------------------------------	--

Description

Identifies cell type specific smooth gene expression patterns. The design matrix contains thin plate spline basis functions spanning the space of smooth functions. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE.

Usage

```
run.CSIDE.nonparam(
  myRCTD,
  df = 15,
  barcodes = NULL,
  cell_types = NULL,
  cell_type_threshold = 125,
  gene_threshold = 5e-05,
  doublet_mode = T,
  weight_threshold = NULL,
  sigma_gene = T,
  PRECISION.THRESHOLD = 0.01,
  cell_types_present = NULL,
  fdr = 0.01,
  test_genes_sig = T,
  logs = F
)
```

Arguments

<code>myRCTD</code>	an RCTD object with annotated cell types e.g. from the run.RCTD function.
<code>df</code>	(default 15) the degrees of freedom, or number of basis functions to be used in the model.
<code>barcodes</code>	the barcodes, or pixel names, of the SpatialRNA object to be used when fitting the model.
<code>cell_types</code>	the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least 'cell_type_threshold', as aggregated by choose_cell_types
<code>cell_type_threshold</code>	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types

gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
fdr	(default 0.01) false discovery rate for hypothesis testing
test_genes_sig	(default TRUE) logical controlling whether genes will be tested for significance
logs	(default FALSE) if TRUE, writes progress to logs/de_logs.txt

Value

an [RCTD](#) object containing the results of the CSIDE algorithm. Contains objects `de_results`, which contain the results of the CSIDE algorithm including 'gene_fits', which contains the results of fits on individual genes, in addition 'sig_gene_list', a list, for each cell type, of significant genes detected by CSIDE. Additionally, the object contains 'internal_vars_de' a list of variables that are used internally by CSIDE

run.CSIDE.regions	<i>Runs CSIDE on a RCTD object for DE across multiple discrete regions</i>
-------------------	--

Description

Identifies cell type specific differential expression (DE) across multiple discrete regions The design matrix contains for each region a column of 0s and 1s representing membership in that region. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE. Tests for differences in gene expression across regions.

Usage

```
run.CSIDE.regions(
  myRCTD,
  region_list,
  cell_types = NULL,
  cell_type_threshold = 125,
  gene_threshold = 5e-05,
  doublet_mode = T,
  weight_threshold = NULL,
```

```

sigma_gene = T,
PRECISION.THRESHOLD = 0.01,
cell_types_present = NULL,
fdr = 0.01,
test_genes_sig = T,
logs = F
)

```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
region_list	a list of character vectors, where each vector contains pixel names, or barcodes, for a single region. These pixel names should be a subset of the pixels in the SpatialRNA object
cell_types	the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least 'cell_type_threshold', as aggregated by choose_cell_types
cell_type_threshold	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types
gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
fdr	(default 0.01) false discovery rate for hypothesis testing
test_genes_sig	(default TRUE) logical controlling whether genes will be tested for significance
logs	(default FALSE) if TRUE, writes progress to logs/de_logs.txt

Value

an [RCTD](#) object containing the results of the CSIDE algorithm. Contains objects `de_results`, which contain the results of the CSIDE algorithm including 'gene_fits', which contains the results of fits on individual genes, in addition 'sig_gene_list', a list, for each cell type, of significant genes detected by CSIDE. Additionally, the object contains 'internal_vars_de' a list of variables that are used internally by CSIDE

run.CSIDE.replicates *Runs CSIDE on a [RCTD.replicates](#) object*

Description

Identifies cell type specific differential expression (DE) as a function of the explanatory variable for each replicate. The design matrix contains an intercept column and a column of the explanatory variable. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE.

Usage

```
run.CSIDE.replicates(
  RCTD.replicates,
  explanatory.variable.replicates,
  cell_types,
  cell_type_threshold = 125,
  gene_threshold = 5e-05,
  doublet_mode = T,
  weight_threshold = NULL,
  sigma_gene = T,
  PRECISION.THRESHOLD = 0.01,
  cell_types_present = NULL,
  fdr = 0.01,
  population_de = T,
  replicate_index = NULL,
  normalize_expr = F
)
```

Arguments

RCTD.replicates	an RCTD.replicates object with annotated cell types e.g. from the run.RCTD.replicates function.
explanatory.variable.replicates	a list of the named numeric vectors representing for each replicate the explanatory variable used for explaining differential expression in CSIDE. Names of the vectors are the SpatialRNA pixel names, and values should be standardized between 0 and 1.
cell_types	the cell types used for CSIDE. Each cell type must occur at least 'cell_type_threshold', as aggregated by choose_cell_types
cell_type_threshold	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types
gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights

weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
fdr	(default 0.01) false discovery rate for hypothesis testing
population_de	whether population-level DE should be run (can also be run later using the CSIDE.population.inference function.)
replicate_index	(default all replicates) integer list of replicate indices (subset of 1:N_replicates) to be run for CSIDE
normalize_expr	(default FALSE) if TRUE, constrains total gene expression to sum to 1 in each condition.

Value

an [RCTD.replicates](#) object containing the results of the CSIDE algorithm. See [RCTD.replicates](#) for documentation on the population_de_results, population_sig_gene_list, and population_sig_gene_df objects.

run.CSIDE.single	<i>Runs CSIDE on a RCTD object with a single explanatory variable</i>
------------------	---

Description

Identifies cell type specific differential expression (DE) as a function of the explanatory variable. The design matrix contains an intercept column and a column of the explanatory variable. Uses maximum likelihood estimation to estimate DE and standard errors for each gene and each cell type. Selects genes with significant nonzero DE.

Usage

```
run.CSIDE.single(
  myRCTD,
  explanatory.variable,
  cell_types = NULL,
  cell_type_threshold = 125,
  gene_threshold = 5e-05,
  doublet_mode = T,
  weight_threshold = NULL,
  sigma_gene = T,
  PRECISION.THRESHOLD = 0.01,
```

```

    cell_types_present = NULL,
    fdr = 0.01,
    test_genes_sig = T,
    normalize_expr = F,
    logs = F
  )

```

Arguments

myRCTD	an RCTD object with annotated cell types e.g. from the run.RCTD function.
explanatory.variable	a named numeric vector representing the explanatory variable used for explaining differential expression in CSIDE. Names of the variable are the SpatialRNA pixel names, and values should be standardized between 0 and 1.
cell_types	the cell types used for CSIDE. If null, cell types will be chosen with aggregate occurrences of at least 'cell_type_threshold', as aggregated by choose_cell_types
cell_type_threshold	(default 125) min occurrence of number of cells for each cell type to be used, as aggregated by choose_cell_types
gene_threshold	(default 5e-5) minimum average normalized expression required for selecting genes
doublet_mode	(default TRUE) if TRUE, uses RCTD doublet mode weights. Otherwise, uses RCTD full mode weights
weight_threshold	(default NULL) the threshold of total normalized weights across all cell types in cell_types per pixel to be included in the model. Default 0.99 for doublet_mode or 0.95 for full_mode.
sigma_gene	(default TRUE) if TRUE, fits gene specific overdispersion parameter. If FALSE, overdispersion parameter is same across all genes.
PRECISION.THRESHOLD	(default 0.01) for checking for convergence, the maximum parameter change per algorithm step
cell_types_present	cell types (a superset of 'cell_types') to be considered as occurring often enough to consider for gene expression contamination during the step filtering out marker genes of other cell types.
fdr	(default 0.01) false discovery rate for hypothesis testing
test_genes_sig	(default TRUE) logical controlling whether genes will be tested for significance
normalize_expr	(default FALSE) if TRUE, constrains total gene expression to sum to 1 in each condition.
logs	(default FALSE) if TRUE, writes progress to logs/de_logs.txt

Value

an [RCTD](#) object containing the results of the CSIDE algorithm. Contains objects `de_results`, which contain the results of the CSIDE algorithm including 'gene_fits', which contains the results of fits on individual genes, in addition 'sig_gene_list', a list, for each cell type, of significant genes detected by CSIDE. Additionally, the object contains 'internal_vars_de' a list of variables that are used internally by CSIDE

run.RCTD	<i>Runs the RCTD pipeline on a RCTD object</i>
----------	--

Description

Equivalent to sequentially running the functions [fitBulk](#), [choose_sigma_c](#), and [fitPixels](#)

Usage

```
run.RCTD(RCTD, doublet_mode = "doublet")
```

Arguments

RCTD an [RCTD](#) object created using the [create.RCTD](#) function.

Details

If in doublet mode, fits at most two cell types per pixel. It classifies each pixel as 'singlet' or 'doublet' and searches for the cell types on the pixel. If in full mode, can fit any number of cell types on each pixel. In multi mode, cell types are added using a greedy algorithm, up to a fixed number.

Value

an [RCTD](#) object containing the results of the RCTD algorithm. Please see [RCTD](#) documentation for more information on interpreting the content of the RCTD object.

run.RCTD.replicates	<i>Runs the RCTD pipeline on a RCTD.replicates object</i>
---------------------	---

Description

For each [SpatialRNA](#) replicate in the RCTD.replicates object, runs the [run.RCTD](#) function to assign cell types.

Usage

```
run.RCTD.replicates(RCTD.replicates, doublet_mode = "doublet")
```

Arguments

RCTD.replicates an [RCTD.replicates](#) object created using the [create.RCTD.replicates](#) function.

doublet_mode character string, either "doublet", "multi", or "full" on which mode to run RCTD. Please see above description.

Details

If in doublet mode, fits at most two cell types per pixel. It classifies each pixel as 'singlet' or 'doublet' and searches for the cell types on the pixel. If in full mode, can fit any number of cell types on each pixel. In multi mode, cell types are added using a greedy algorithm, up to a fixed number.

Value

an [RCTD.replicates](#) object containing the results of the RCTD algorithm. Please see [RCTD.replicates](#) and [RCTD](#) documentation for more information on interpreting the content of this object.

save.CSIDE.replicates *Saves the CSIDE population-level differential expression results for a [RCTD.replicates](#) object*

Description

First, CSIDE must have been run on all replicates at the population level using e.g. the [run.CSIDE.replicates](#) function.

Usage

```
save.CSIDE.replicates(RCTD.replicates, resultsdir)
```

Arguments

`RCTD.replicates` a [RCTD.replicates](#) object containing population-level DE inference results.
`resultsdir` a directory where to save the significant gene matrices for each cell type.

`set_cell_types_assigned`
If cell types have been assigned to the RCTD object, running this function will toggle the cell_types_assigned variable, which enables CSIDE to be run.

Description

If cell types have been assigned to the RCTD object, running this function will toggle the cell_types_assigned variable, which enables CSIDE to be run.

Usage

```
set_cell_types_assigned(myRCTD)
```

Arguments

`myRCTD` an [RCTD](#) object with annotated cell types from the [run.RCTD](#) function.

Value

the 'myRCTD' object with cell_types_assigned set to TRUE

set_likelihood_vars	<i>Sets Precomputed Probabilities as Global Variable</i>
---------------------	--

Description

Given a matrix, Q_mat, of $P(y|x)$, under the Poisson-Lognormal model. Sets this as a global variable for fast computations in the future.

Usage

```
set_likelihood_vars(Q_mat_loc, X_vals)
```

Arguments

Q_mat_loc	Matrix of precomputed probabilities, as previously computed by get_Q_mat
X_vals	the x-values used for computing the likelihood functions.

spacexr	<i>spacexr: an R package for assigning cell types and cell type specific differential expression to spatial transcriptomics data.</i>
---------	---

Running RCTD

To get started, create a [SpatialRNA](#) object (called puck here) for the spatial transcriptomics data and a [Reference](#) object (called reference here) for the scRNA-seq data. Then simply run RCTD as:

```
myRCTD <- create.RCTD(puck, reference)
```

```
myRCTD <- run.RCTD(myRCTD)
```

Running CSIDE

After running RCTD, create an explanatory variable ('explanatory.variable') representing a covariate hypothesized to explain gene expression. Then, to detect cell type-specific differential expression, simply run CSIDE as:

```
myRCTD <- run.CSIDE.single(puck, explanatory.variable)
```

SpatialRNA	<i>constructor of SpatialRNA object</i>
------------	---

Description

constructor of SpatialRNA object

Usage

```
SpatialRNA(
  coords,
  counts,
  nUMI = NULL,
  use_fake_coords = FALSE,
  require_int = TRUE
)
```

Arguments

coords	A data.frame (or matrix) representing the spatial pixel locations. rownames are barcodes/pixel names, and there should be two columns for 'x' and for 'y'.
counts	A matrix (or dgCmatrix) representing Digital Gene Expression (DGE). Row-names should be genes and colnames represent barcodes/pixel names.
nUMI	Optional, a named (by pixel barcode) list of total counts or UMI's appearing at each pixel. If not provided, nUMI will be assumed to be the total counts appearing on each pixel.
use_fake_coords	logical, FALSE by default. If true, the 'coords' parameter will be ignored, and replaced with a placeholder coords matrix.
require_int	logical, TRUE by default. If true, requires counts and nUMI to be integers. Counts should be untransformed count-level data

Value

Returns a [SpatialRNA](#) object containing the coordinates and counts from the input files

SpatialRNA-class	<i>An S4 class to represent Spatial Transcriptomic data</i>
------------------	---

Description

An S4 class to represent Spatial Transcriptomic data

Slots

`coords` a dataframe with x and y coordinates of each pixel
`counts` a sparse matrix of raw counts for each gene (rowname) and each pixel (colnames or barcodes)
`n_cell_type` the number of cell types
`cell_type_names` a list of cell type names
`nUMI` a named list (by barcode) of total UMIs per pixel
`cell_labels` a factor of cell type labels for each pixel

<code>write_de_summary</code>	<i>Saves to csv the CSIDE significant gene dataframes after running CSIDE</i>
-------------------------------	---

Description

Saves to csv the CSIDE significant gene dataframes after running CSIDE

Usage

```
write_de_summary(myRCTD, datadir)
```

Arguments

<code>myRCTD</code>	RCTD object containing <code>de_results</code> , after running CSIDE
<code>datadir</code>	output directory

Index

aggregate_cell_types, 3, 6

build.designmatrix.nonparam, 4
build.designmatrix.regions, 4
build.designmatrix.single, 5

choose_cell_types, 6, 37, 39, 40, 42, 43, 45
choose_sigma_c, 5, 8, 9, 13, 46
convert.old.RCTD, 6
count_cell_types, 3, 6
create.RCTD, 7, 8, 13, 32, 46
create.RCTD.replicates, 8, 33, 46
create_RCTD_plots, 10
CSIDE.population.inference, 10, 32, 44

exvar.celltocell.interactions, 11
exvar.point.density, 12

fitBulk, 5, 13, 46
fitPixels, 13, 46

gather_results, 15, 21, 22, 26, 29–31
get_cell_type_info, 14, 14, 15, 16, 26, 28, 30, 31
get_class_df, 30
get_de_genes, 15
get_decomposed_data, 14
get_doublet_weights, 16
get_norm_ref, 16
get_Q_mat, 48
get_standard_errors, 17
ggplot, 22, 28
ggplot2, 21–24

import_weights, 17

make_all_de_plots, 18
make_de_plots_genes, 18
make_de_plots_quant, 18
make_de_plots_regions, 19
make_de_plots_replicates, 19
make_de_plots_spatial, 20
merge.RCTD.objects, 20, 33

normalize_weights, 21

plot_all_cell_types, 21
plot_class, 22
plot_cond_occur, 22
plot_doub_occur_stack, 24
plot_doublets, 23
plot_doublets_type, 23
plot_gene_raw, 24
plot_gene_regions, 25
plot_gene_two_regions, 25
plot_occur_unthreshold, 26
plot_prediction_gene, 27
plot_puck_continuous, 27
plot_puck_wrapper, 28
plot_weights, 29
plot_weights_doublet, 29
plot_weights_unthreshold, 30
process_beads_batch, 30
process_data, 31

RCTD, 3–8, 10, 12, 13, 16–20, 24–27, 33, 36–42, 44–47, 50
RCTD-class, 32
RCTD.replicates, 8, 10, 11, 19, 20, 43, 44, 46, 47
RCTD.replicates-class, 32
read.SpatialRNA, 33
read.VisiumSpatialRNA, 34
Reference, 7, 9, 32, 34, 34, 35, 48
Reference-class, 35
restrict_counts, 35
restrict_puck, 36
run.CSIDE, 17, 36
run.CSIDE.general, 38
run.CSIDE.nonparam, 40
run.CSIDE.regions, 41
run.CSIDE.replicates, 10, 33, 43, 47
run.CSIDE.single, 44
run.RCTD, 3–5, 7, 8, 10, 12, 16, 32, 37, 39, 40, 42, 45, 46, 46, 47
run.RCTD.replicates, 10, 33, 43, 46

save.CSIDE.replicates, 47
set_cell_types_assigned, 47
set_likelihood_vars, 48

spacexr, [48](#)
SpatialRNA, [3–9](#), [12](#), [14–16](#), [22](#), [23](#), [28–37](#),
[39](#), [40](#), [42](#), [43](#), [45](#), [46](#), [48](#), [49](#), [49](#)
SpatialRNA-class, [49](#)
write_de_summary, [50](#)