

Marn — Architecture

Module map, phase status, and current screens across web and mobile

Marn — companion app for physical rehab and pain relief

Architecture overview

Module → code map and phase status. Status reflects what's actually in the repo today, not the blueprint's roadmap — see `docs/blueprint/marn-blueprint.md` for the aspirational shape. Keep this current: when a module's status changes, update its row in the same change.

Status key: not started · in progress · done (done = the blueprint's P1 scope for that module is implemented; it does not mean "matches the full blueprint spec").

Repo split (2026-08-10, see `docs/adr/0005-prototype-product-split.md`): the disposable, no-real-auth build described by this table was relocated to `prototype/` — every code path below is relative to `prototype/`, e.g. `"components/Member.tsx"` is `prototype/components/Member.tsx`. The repo root is now reserved for the real customer product and currently holds only a bare Next.js + MUI shell (`app/layout.tsx`, `app/page.tsx`, `theme/theme.ts`) with no feature code — every row below is **not started** from the root product's point of view until it's rebuilt there against real auth and a real schema. `docs/`, `CLAUDE.md`, and `AGENTS.md` stay at root and govern both trees.

Module	What it does	Code path (under <code>prototype/</code>)	Status
Member app	Scores/progress, body map, booking, home programme, session history, PAR-Q	<code>components/Member.tsx</code> , <code>components/ParqForm.tsx</code> , <code>app/member/page.tsx</code>	in progress — see deviations
Coach console	Floor schedule, request inbox, assessment capture, session logging, flags, programme prescription	<code>components/Coach.tsx</code> , <code>app/coach/page.tsx</code>	in progress — see deviations
Corporate portal	Employer accounts, pooled credits, aggregate cohort reporting	—	not started — no route, no <code>organisations</code> / <code>orgMembers</code> tables, nothing in the schema
Administration	Studio overview, coach roster, member CRM, service/price/resource management, credit administration with audit trail	<code>components/Admin.tsx</code> , <code>app/admin/page.tsx</code>	in progress — see deviations
Measurement domain	Scoring engine, assessment/measurement capture	<code>lib/scoring.ts</code> , <code>db/schema.ts</code> (<code>assessments</code> , <code>measurements</code>), <code>lib/reference.ts</code> (<code>MUSCLES</code>)	in progress — see deviations
BodyMap adapter	Anti-corruption layer between the (unknown) BodyMap device format and the app's canonical measurement shape	<code>lib/adapters/bodymap.ts</code>	in progress , matches blueprint intent — <code>fromManualEntry</code> and the demo <code>simulateDeviceRead</code> work; <code>fromDeviceApi</code> / <code>fromExportFile</code> are stubs, correctly blocked on vendor contact info the team doesn't have yet
Booking & scheduling	Service-based booking, availability, confirm/decline	<code>app/api/[...path]/route.ts</code> (<code>/bookings</code> , <code>/availability</code>), <code>db/schema.ts</code> (<code>bookings</code>)	in progress — see deviations
Credits & payments	Session credit tracking, package purchase, payment processing	<code>members.credits</code> (plain integer column)	not started for anything the blueprint actually asks for — see deviations
Notifications	Push + WhatsApp booking/session confirmations	—	not started — API responses claim <code>notified: ['push', 'whatsapp']</code> but nothing is sent; see deviations
Identity / session	Who's using the app right now	<code>lib/session.ts</code> , <code>app/api/session/route.ts</code>	prototype only — a plain identity cookie, not authentication. See <code>docs/adr/0002-prototype-auth-gap.md</code>
Design system	MUI theme, tokens	<code>theme/theme.ts</code> (root: real brand tokens; <code>prototype/theme/theme.ts</code> : prototype's unrelated bone/ink palette), <code>docs/design/design-system.md</code>	root: token layer done (palette light/dark, Petrona/Figtree typography, shape/radius, focus ring, tabular numerals — sourced from <code>Marn wellness brand design system/</code>), no screens built against it yet ; ambient wash and elevation shadows documented but not encoded (no consuming component). Prototype unchanged.
Hosting / data residency	UAE-region production hosting	—	not started — prototype runs on Vercel + Neon, which the blueprint explicitly allows only because it holds no real member data (\$8.2)

Root product status (real build, not the prototype)

Started 2026-08-11: the first vertical slice at the repo root, staff-side only (coach console, studio manager console, and — added later the same day — a superadmin console spanning every site: `docs/adr/0008-studio-manager-role.md`, `docs/adr/0011-superadmin-role-and-cash-ledger.md`). **Update, later the same day:** the three remaining Phase 1 items — readiness screening, scoring engine, and the read-only member portal (`docs/adr/0013-member-portal-access-link.md`) — were built to close out Phase 1 at root. Phase 1 (blueprint §11) is now **done end to end at root**: schema, coach auth, member roster, readiness screening, assessment capture, session logging, safety flags, scoring engine, manual booking entry, and a read-only member portal. Code paths below are relative to the repo root, not `prototype/`. **Verified working end-to-end against a live database, browser-driven, at every stage** — not just `tsc / build`: logged in as the seeded studio manager, created a member and a coach account through the real UI, signed in as that coach (both consoles render correctly with zero console errors); separately, verified the booking-overlap guard, the shift-aware slot picker, the floor-view day timeline and reschedule/reassign actions, the member detail drawer, the superadmin console's cross-site dashboard and cash ledger, and a full create-site → create-manager → sign-in-as-that-manager → confirm-site-isolation loop — see `docs/decisions.md` entries dated 2026-08-11 for what each check actually exercised. **The readiness screening / scoring / member portal pass below is also fully browser-verified**, via Playwright driven against a throwaway site/manager/coach (created and deleted for the check, not left live) — including a genuine onboarding deadlock this verification pass caught and fixed (a coach couldn't reach a first-time member to screen them; see `docs/decisions.md`'s later 2026-08-11 entry for the bug and the fix in `lib/authz.ts` / `lib/actions/members.ts`). Database is Neon, temporarily — `docs/adr/0010-neon-interim-production-database.md`.

Module	Code path	Status
Schema	<code>db/schema.ts</code> , <code>db/auth-schema.ts</code> , <code>drizzle.config.ts</code> , <code>drizzle/0000_loud_namorita.sql</code> , <code>drizzle/0001_freezing_groot.sql</code> , <code>drizzle/0002_giant_beyonder.sql</code> , <code>drizzle/0003_aromatic_la_nuit.sql</code>	done and pushed — 18 tables live in the <code>me</code> <code>docs/adr/0011</code> , <code>docs/adr/0012</code> , <code>docs/a</code>

Module	Code path	Status
Staff auth	<code>lib/auth.ts</code> , <code>app/api/auth/[...all]/route.ts</code> , <code>db/seed.ts</code> , <code>app/login/page.tsx</code> , <code>lib/auth-client.ts</code>	done and verified live — better-auth err first studio manager (<code>manager@marn.studio</code> default); everyone else is created by an auth locked) or superadmin (<code>createStaffAccount</code>
Brand theme	<code>theme/theme.ts</code> , <code>app/layout.tsx</code>	done, two real bugs fixed 2026-08-11 — <code>[data-dark]</code> attribute instead of the literal <code>ThemeProvider</code> was missing its own default attribute post-hydration). Both silently rendered. See <code>docs/decisions.md</code>
Authorization layer	<code>lib/authz.ts</code>	done — <code>StaffSession</code> is a discriminated union; <code>superadmin</code> carries <code>null</code> ; <code>requireStaff</code> / <code>requireCoach</code> / <code>requireStaff</code> resolve the better-auth session to a <code>staff</code> id; scoped call sites needed no changes. <code>assertCoach/manager/superadmin</code> data split; <code>role</code> <code>getRealStaffSession()</code> (signed-in human <code>docs/adr/0012</code> . <code>assertMemberInScope</code> / <code>PAR-Q</code> screened, until an ordinary booking/s clearing coach out of their own panel mid-view
Superadmin impersonation	<code>lib/actions/impersonation.ts</code> , <code>components/ImpersonationSwitcher.tsx</code> , <code>components/StaffChrome.tsx</code>	done — "View as" dropdown in the chrome <code>marn_act_as</code> cookie, re-verified against a list narrows access (superadmins aren't impersonating the real superadmin (<code>staff_impersonated</code> <code>docs/adr/0012</code> for that trade-off and its re
Scheduling math	<code>lib/scheduling.ts</code>	done — pure functions (<code>computeFreeSlots</code> truth for coach availability, reused by the over <code>scripts/test-scheduling.ts</code> (plain <code>asse</code>
BodyMap adapter	<code>lib/integrations/bodymap/index.ts</code>	done , manual-entry only — <code>fromDeviceApi</code> Independently written, not a port (<code>docs/adr</code>
Data / server actions layer	<code>lib/actions/{members,bookings,assessments,sessions,flags,shifts,staff,dashboard,coachWorkload,cashLedger}.ts</code>	done for this slice — every action authorizes <code>createBooking</code> / <code>rescheduleBooking</code> / <code>re</code> <code>docs/decisions.md</code> for the judgment calls
Coach console	<code>app/coach/page.tsx</code> , <code>components/coach/*</code>	done — read-only today's schedule, roster s list level (2026-08-11, product owner request <code>ins/sessions/measurements/flags</code>), inline (not centralised in <code>components/coach/copy.ts</code>
Studio manager console	<code>app/studio/page.tsx</code> , <code>components/studio/*</code>	done — dashboard stat tiles, floor view for a day timeline (<code>DayTimeline.tsx</code>), manual booking (<code>TimeSlotPicker.tsx</code> , <code>getCoachDayAvailability</code> sharing the same overlap guard as booking console roster with a detail drawer (session history, <code>getMemberContext</code> rather than duplicating
Superadmin console	<code>app/superadmin/page.tsx</code> , <code>components/superadmin/*</code>	done — cross-site dashboard (platform total sessions completed last 7 — shared action w manual entries, superadmin-recorded for non-staff-at-any-site. Strings centralised in <code>comp</code>
Readiness screening	<code>db/schema.ts</code> (<code>parqScreenings</code>), <code>lib/reference.ts</code> (<code>PARQ_QUESTIONS</code>), <code>lib/actions/parq.ts</code> , <code>components/coach/CaptureForms.tsx</code> (<code>ParqScreeningForm</code>)	done, browser-verified — PAR-Q-derived q self-service exception in <code>docs/adr/0001</code> <code>members.parqCleared</code> false and shows a p screening clears the member immediately, st refuses an uncleared member — "cleared me wording. Session logging is not separately g: <code>assertMemberInScope</code> / <code>getCoachMembers</code> visible to any coach at the site, not just an as them (caught via browser verification, see <code>di</code>
Scoring engine	<code>lib/scoring.ts</code> , <code>lib/scores.ts</code>	done for Flexibility and Mobility (blueprint <code>docs/adr/0005</code> 's precedent); Recovery is re streak are hardcoded to <code>0</code> — both are h: root (Phase 2), so the function doesn't estimate reason as the prototype's own documented <code>l</code> still isn't implemented, same pre-existing gap <code>scripts/test-scoring.ts</code> (<code>npx tsx</code> , <code>ma</code>
Member portal	<code>app/m/[token]/page.tsx</code> , <code>components/member/*</code> , <code>lib/actions/memberPortal.ts</code> , <code>lib/actions/memberAccess.ts</code> , <code>db/schema.ts</code> (<code>memberAccessTokens</code>)	done , read-only — scores, priority areas, a re below), and session history. No member auth (<code>docs/adr/0013</code>). Generated/copied/revoked in <code>MemberDetailDrawer.tsx</code>) — coach can send the link with (<code>docs/adr/0008</code>)

Phase 2, slice 1 (2026-08-12): member auth + self-service booking

Blueprint Phase 2 (§11) is large — member auth, self-service booking, the resource model, payments/credit ledger, notifications, home programmes, a mobile app, cancellation policy. This slice covers the two pieces the user picked first, after two scope questions resolved with the user and recorded in the approved plan and `docs/decisions.md`: booking stays on the existing coach+service model (not the full resource model — that's a separably large rewrite, still deferred, see below), and self-registration is true self-service (no staff step), matching the blueprint's literal exit criterion. **Fully browser-verified**, Playwright, throwaway data created and deleted for the check — see `docs/decisions.md`'s 2026-08-12 entry for exactly what was walked through, including the accepted cross-domain session edge case (`docs/adr/0014`) confirmed safe rather than assumed.

Module	Code path	Status
Member auth	<code>lib/memberAuth.ts</code> , <code>lib/actions/memberAuth.ts</code> , <code>app/join/page.tsx</code> , <code>app/member/login/page.tsx</code>	done, browser-verified — reuses the staff <code>better-auth</code> instance (<code>docs/adr/0014</code>), no new plugin or vendor. Self-registration is two steps: <code>authClient.signIn.email</code> client-side (so the browser gets the session cookie), then <code>completeMemberRegistration</code> (server action) inserts the <code>members</code> row against the live session. <code>members.authUserId</code> (new, plain unique text column, not a DB FK — same pattern as <code>staff.authUserId</code>) and <code>members.addedByStaffId</code> (now nullable) distinguish the two ways onto the roster
Self-service booking	<code>lib/actions/bookings.ts</code> (<code>createSelfBooking</code> , <code>getMemberAvailability</code> , <code>getActiveCoachesAtSite</code> , <code>getMemberOwnBookings</code> , <code>cancelSelfBooking</code> , <code>approveBooking</code>), <code>components/member/{BookingForm,MyBookings,MemberConsole}.tsx</code>	done, browser-verified — reuses <code>lib/scheduling.ts</code> and the existing overlap guard unchanged; a member picks from the same conflict-free slot set a studio manager would see. Lands as <code>requested</code> , not auto-confirmed, per existing precedent already written into <code>createBooking</code> 's doc comment; <code>approveBooking</code> (new, <code>declineBooking</code> 's sibling) is how a studio manager confirms it, wired into <code>components/studio/FloorPanel.tsx</code> 's existing <code>requested / confirmed</code> row actions. <code>cancelSelfBooking</code> now enforces the real 24h cancellation policy (below) — the "bare cancel, no policy" note here was accurate on 2026-08-12 morning, superseded the same day
Member home	<code>app/member/page.tsx</code> , <code>components/member/MemberConsole.tsx</code> , <code>lib/actions/memberSelf.ts</code>	done, browser-verified — three tabs (Overview/Book/My bookings), all mounted (not conditional render, matching <code>StudioConsole.tsx</code> 's own pattern). Overview reuses Phase 1's <code>MemberPortal.tsx</code> presentational component unchanged, fed by <code>getMyPortalData()</code> instead of the token-based action — same shape, different source. Book tab shows the readiness-pending or referred-to-a-doctor state (<code>session.referredToDoctor</code> , new — distinguishes "never screened" from "screened and flagged," both of which read as <code>parqCleared: false</code> alone) instead of a dead-end form when unscreened
Shared <code>TimeSlotPicker</code>	<code>components/shared/TimeSlotPicker.tsx</code>	done — generalized from the studio-only version (now deleted, no other references existed) to accept a <code>fetchSlots</code> function prop instead of importing a specific server action, so the studio booking form (<code>getCoachDayAvailability</code>) and the member booking form (<code>getMemberAvailability</code>) share one ~95-line component instead of two near-identical copies

Completing Phase 2 (2026-08-12): everything except the resource model

Blueprint Phase 2 is now done at root except the full resource model (deliberately deferred — a rewrite of the already-verified booking engine, not additive to it, same reasoning as slice 1's scope call). **Fully browser-verified**, both trees — see `docs/decisions.md`'s 2026-08-12 "Completing Phase 2" entry for exactly what was walked through, including two real bugs this pass's verification caught and fixed (one cross-platform cookie-handling bug in the mobile app, one authorization gap where clearing a member's PAR-Q briefly locked their own coach out — same root-cause shape as the bug Phase 1's verification caught, a second instance of it).

Module	Code path	Status
Credit ledger + payments	<code>db/schema.ts</code> (<code>creditLedger</code>), <code>lib/integrations/payments/index.ts</code> , <code>lib/actions/creditLedger.ts</code>	done, browser-verified — append-only, 8 entry types exactly matching blueprint Appendix D's list, balance always derived (<code>sum(credits)</code>), never stored (<code>docs/adr/0016</code>). Payment goes through a swappable port (<code>docs/adr/0015</code>) — <code>chargeManual</code> (implemented, payment collected outside the system) is the only one anything calls; <code>chargeStripe</code> / <code>chargeUaeGateway</code> are stubs. <code>purchasePackage</code> is studio-manager-only, no member self-checkout without a real gateway. Booking writes a <code>consumption</code> entry unconditionally but does not gate on balance this pass (explicit, user-confirmed trade-off — see <code>docs/decisions.md</code> , 2026-08-12 slice-1 entry)
Cancellation policy	<code>lib/actions/bookings.ts</code> (<code>cancelSelfBooking</code> , <code>declineBooking</code>)	done, browser-verified — 24h notice: ≥24h before the appointment refunds the consumed credit, <24h forfeits it (no refund entry). The blueprint names this item with zero concrete numbers (confirmed by direct reading, not just under-documented) — 24h was the number chosen, recorded in <code>docs/adr/0016</code> . A studio-manager decline always refunds unconditionally regardless of timing — the member didn't cause it
Home programmes + adherence	<code>db/schema.ts</code> (<code>programs</code>), <code>lib/actions/programs.ts</code> , <code>lib/scoring.ts</code> (<code>consistencyScore</code>), <code>lib/scores.ts</code>	done, browser-verified — coach prescribes one fixed template (matches the existing single-template precedent for session-programme prescription); member marks days complete, idempotent per day. <code>consistencyScore()</code> — the blueprint's fourth composite, previously unimplemented at root — is real now, and <code>getMemberScores</code> 's adherence stops being a hardcoded <code>0</code> . Cadence-per-week is derived from <code>moves.length</code> (judgment call, no dedicated cadence field in the blueprint's schema — <code>docs/decisions.md</code>)
Pre-session check-in	<code>lib/actions/checkins.ts</code> , <code>components/member/CheckinForm.tsx</code>	done, browser-verified — <code>checkins</code> table already existed (Phase 1); this is the first write path to it. Idempotent per day, same app-level pattern as programme completions. Pain areas are a region chip list (Lower/Core/Upper), not an interactive body diagram — matches the same scope call already made and documented for the member portal's body map
Notifications	<code>db/schema.ts</code> (<code>notifications</code> , new), <code>lib/integrations/notifications/index.ts</code>	done, browser-verified — swappable port (<code>docs/adr/0015</code>), <code>notifyRecorded</code> (implemented, writes a row) wired into six trigger points: booking requested/confirmed/declined/cancelled, readiness cleared/referred, welcome. <code>notifyExpoPush</code> / <code>notifyWhatsApp</code> are stubs. No inbox UI — the table is

Module	Code path	Status
		correctly populated but nothing renders it yet, deliberately, since there's no real channel to make an inbox meaningful
Mobile app	<code>mobile/</code> (new Expo/TypeScript workspace), <code>app/api/mobile/*/route.ts</code> , <code>lib/mobileApi.ts</code> , <code>middleware.ts</code> (new), <code>lib/auth.ts</code> (<code>bearer()</code> / <code>expo()</code> plugins)	done, browser-verified via Expo web — mirrors the web member console's feature set exactly (sign-in, sign-up, Overview, Book, My bookings, Programme, Check-in), no new business logic, only a new client + a thin REST layer wrapping the same server actions the web app calls (<code>docs/adr/0017</code>). Verification constraint, real not glossed over: this environment has no Xcode/iOS Simulator/Android SDK — verified via <code>expo start --web</code> (Metro bundles clean, screens render and the full auth—booking loop works against the real API) plus <code>tsc</code> , not a real device or simulator

Phase 2 completion deviations (2026-08-12)

- **Still no resource model.** Booking stays on the coach+service model — same deferral as slice 1, unchanged.
- **members.credits (the old plain integer) is now definitively dead**, superseded by the credit ledger. Left in the schema, not deleted, per CLAUDE.md — mention dead columns, don't drop them on a pass that didn't create them.
- **No credit-balance gate on booking.** `createSelfBooking` never refuses at zero or negative balance — explicit, user-confirmed scope choice so slice 1's self-booking stayed testable without first requiring a studio manager to grant credits. The natural next step, clearly flagged, not silently deferred.
- **No notification inbox UI.** The `notifications` table is correct and complete; nothing reads it yet.
- **Mobile app has no offline support, background sync, or real push registration** — `notifyExpoPush` is still a stub, and none of that was in scope for a first client that mirrors the web console.

Root product deviations (2026-08-11)

Deliberately scoped out of this pass, not silently trimmed:

- **Shift-boundedness is a picker-level guarantee, not a server-level one.** `TimeSlotPicker` / `getCoachDayAvailability` (and now `getMemberAvailability`, same underlying `computeCoachAvailability` helper) only ever offer a coach's assigned-shift times, but `assertNoOverlap` (the actual write-path guard in `createBooking` / `createSelfBooking` / `rescheduleBooking` / `reassignCoach`) does not independently re-check the shift — only studio hours and existing-booking overlap. Neither a manager nor a member can hit this gap through the console; a hand-crafted request could. See `docs/decisions.md`.
- **Cash-ledger manual entries are superadmin-only.** `recordCashEntry` is `requireSuperadmin`-gated; a studio manager cannot record a walk-in payment or refund at their own site without going through a superadmin. Flagged as a likely next ask, not built ahead of it being asked for.
- **cash_ledger is a manual-movement log, not a payments/POS system.** Booking revenue still only ever derives from `bookings.aed` — there is no real transaction processor, consistent with the "Booking and POS are ours" Iron Rule (in-house when built, not built now). See `docs/adr/0011`.
- **No studio-hours override per site.** `STUDIO_HOURS` (`lib/reference.ts`) is one constant (8am–10pm) for every site — a second site with different opening hours isn't representable yet.
- **getCoachWorkload's "last 7 days completed" only counts logged sessions rows**, not completed bookings without a session logged against them — matches the existing `sessions` / `bookings` split elsewhere in the schema, not a new inconsistency, but worth knowing when the two numbers don't visually reconcile.
- **The member portal's "body map" is a region-grouped bar list, not an anatomical figure.** Matches the coach console's own `MeasurementsSection`, which uses the same grid-not-figure presentation — this pass didn't introduce a new visual pattern, and building/sourcing an anatomical SVG (the prototype's, per `docs/adr/0004`, or a new one) was treated as separable polish, not required for the Phase 1 exit criterion ("every member can see their results").
- **lib/actions/members.ts's setMemberParqCleared is now clearly superseded, pre-existing dead code.** It was already unused before this pass (a raw boolean toggle with no structured screening data, no red-flag distinction); `submitParqScreening` (`lib/actions/parq.ts`) is the real path now. Left in place per CLAUDE.md ("mention pre-existing dead code, don't delete it") rather than removed as a drive-by cleanup.

Phase 2, slice 1 deviations (2026-08-12)

Deliberately scoped out of this pass, agreed with the user before building (see the approved plan and `docs/decisions.md`), not silently trimmed:

- **Booking still isn't on the resource model** (blueprint §4.1.3). Member self-booking reuses the exact coach+service model Phase 1 built — equipment (compression boots, oxygen chamber, sound room) still isn't independently bookable. This was an explicit scope call: the full resource model means rewriting the overlap guard, slot picker, day timeline, and coach workload across all three staff consoles, which is its own slice, not bundled into "add member self-service."
- **Cancellation is bare — no policy.** `cancelSelfBooking` has no fee or notice-window logic; a member can cancel anything active, any time. The blueprint's "cancellation policy" item is still unbuilt; this is only the walkable-journey minimum (a member who can book but never cancel is an incomplete journey).
- **No payments, no credit ledger.** `createSelfBooking's aed` is still a revenue proxy derived from the price list, same as staff-created bookings — nothing is actually charged. Blueprint Phase 2's payments/ credit-ledger item is unbuilt.
- **No notifications.** A member booking, or a manager approving one, sends nothing — no push, no WhatsApp. Same gap Phase 1 already documented for staff-created bookings, now also true of self-bookings.
- **No home programmes.** `lib/scores.ts's` Recovery score still can't use real `adherence` / `streak` data — unchanged from the Phase 1 gap.
- **No mobile app.** Member surfaces are responsive web only.
- **Phase 1's token-link member portal (`app/m/[token]`) is untouched, not retired.** It's still how a staff-added member (no login) sees their data; real member auth is additive, not a replacement, this pass.

Deviations from the blueprint, by module

Member app

- Pre-session check-in (§4.1.7) posts a hardcoded payload (`sleep:3`, `pain:5`, `areas:['lower back','right shoulder']`, `note:'Slept badly...'`) from a single button in `Member.tsx` — not the "two taps on a body diagram" form the blueprint describes. The `checkins` table and API route are real; the UI to fill it dynamically isn't built.
- Readiness screening (§4.1.10, §1.5) is self-service and auto-clearing rather than "completed with a coach" and cleared by "a named person" — a deliberate, documented exception. See `docs/adr/0001-parq-self-service.md`.
- Community (§4.1.4) and milestones (§4.1.5) are not built — no `friendships`, no `milestones` table.

- Wearable connection (§4.1.9) is a label only (`members.wearable` stores a provider name); no HRV/sleep/strain data is ever fetched from Whoop or Apple Health. `recoveryScore()` in `lib/scoring.ts` gives a flat +8 bonus for having *any* provider linked, exactly as the blueprint names as a placeholder (§5.4) — this one is working as documented, not a bug.

Coach console

- Coach outcome metrics (§4.2.7) and capacity/utilisation (§4.2.8) were deliberately removed from the coach view during the Material UI migration and moved to Administration — the product owner did not want coaches seeing studio-wide business data. This is a narrower scope than the blueprint's Phase 3 intent (which has coaches seeing their *own* outcome metrics as a coaching tool); currently a coach sees none of it.
- Coach data (bookings, roster) is scoped to the logged-in coach client-side only (`lib/reference.ts` 's `scopeSnapshotForCoach`), not enforced server-side — see `docs/adr/0002-prototype-auth-gap.md`.
- Programme prescription (§4.2.6) offers one fixed template ("Desk Reset — Block 3"), not a template library.

Administration

- Not a blueprint-named module until §4.4 (marked P2/P3); it was built now, ahead of that sequencing, specifically to give business data somewhere to live once it was pulled out of the coach console.
- Covers studio overview, roster, and member CRM. Does **not** cover service/price editing, resource/site management, or credit administration with an audit trail — `lib/reference.ts` 's `SERVICES / ADDONS` are still static, with a comment noting "becomes admin-editable tables later."

Measurement domain

- The blueprint's §4.1.1 table specifies four composite scores (Flexibility, Mobility, Recovery, **Consistency**). Only three are implemented — `lib/scoring.ts` has no `consistencyScore()`, and `scoreDays` has no `consistency` column.
- Bilateral capture: §5.3 states "the schema carries a `side` field from day one." It doesn't — `measurements` in `db/schema.ts` has no `side` column. Every measurement is unilateral today.
- Per-measurement provenance (`instrument`, `protocol_version`, `measured_by` on each row) isn't in the schema — `assessments` carries `source / coachId / capturedAt / deviceId` at the assessment level, but individual `measurements` rows carry none of it.
- Target arcs are a single global constant per muscle group (`MUSCLES` in `lib/reference.ts`) — no age/sex adjustment, matching the blueprint's own **OPEN** note (§5.2).

Booking & scheduling

- Modelled on services and a single coach per booking, not the resource model (§4.1.3) the blueprint calls "the modelling error that would force a rewrite" if skipped. No `resources / resourceBookings` tables — compression boots, the oxygen chamber, and the sound room aren't independently bookable.

Credits & payments

- `members.credits` is exactly the "sessions_remaining integer that gets edited" pattern the blueprint calls out by name as "where booking systems' data integrity reliably dies" (§9.4). No credit ledger, no purchase/expiry/freeze/refund/gift entry types. Payments are entirely unbuilt (blueprint marks this **OPEN** anyway).


Notifications

- `POST /bookings/:id/confirm`, `/decline`, and `/sessions` all return a `notified: ['push', 'whatsapp']` field in the API response, but no push or WhatsApp integration exists anywhere in the codebase — this is simulated for the demo, not a real send. Worth knowing before anyone reads that field as evidence the feature works.


Not modeled at all yet: `sites`, `resourceBookings`, `creditLedger`, `consents`, `auditLog`, `friendships`, `milestones`, `organisations`, `orgMembers` — all named in the blueprint's Appendix A "Not yet built" list and still accurate.

Appendix — Screenshots


Staff surfaces




Staff sign-in




Studio manager — Floor view



Studio manager — member detail drawer, credit ledger



Studio manager — staff & shifts



Superadmin dashboard

Marn
Coach
Your day
Alex Coach
Sign out

TODAY
Nothing booked for you today. Pick a member below to review their record or record a measurement.

YOUR MEMBERS
1 in your care

Filter by name

Amira Al Farsi

Awaiting readiness screening

Amira Al Farsi
Readiness cleared
Re-screen
Record measurements
Log session
Close

Prescribe a home programme
One standard template — completion feeds their consistency and recovery scores.

Programme prescribed.

Desk Reset — daily mobility
Hip flexor stretch — Kneeling lunge stretch, both sides. (3 min)
Thoracic rotation — Seated or standing, both directions. (3 min)
Neck and shoulder release — Slow rolls and side stretches. (2 min)

Prescribe this programme

CURRENT PROGRAMME
Desk Reset — daily mobility
0 completions in the last 28 days

OPEN SAFETY FLAGS
No open safety flags.

Raise a flag

Raise

LATEST MEASUREMENTS
Captured 12 Aug 2026 Entered by a coach

Hamstrings
82° / 90°
91% of target

Hip Flexors
18° / 20°
90% of target

Thoracic Spine
40° / 45°
89% of target

Shoulders
165° / 180°
92% of target

RECENT CHECK-INS
No check-ins yet.

PAST SESSIONS
12 Aug 2026 30 min Reported pain 5 → 3
Member reads: Great range through the hips and shoulders today. Keep up the daily stretch routine — we should see the hamstring numbers climb next visit.

Rendering ...

Coach console — member context, PAR-Q, measurements, session log, programme prescription

Member web console

MARN

Join Marn

Full name *

Layla Hassan

Phone *

0503334444

Email *

layla.demo@marn.studio

Password *

.....

At least 8 characters.

Studio *

Marn — Documentation Demo — Dubai ▾

Create account

Already have an account? [Sign in](#)

N

Member self-registration

Marn

Layla Hassan

Sign out

Overview

Book

My bookings

Programme

Check out

Layla Hassan

YOUR SCORES

Your scores start after your first assessment with a coach.

RANGE BY AREA


No measurements on record yet — your first session with a coach starts this.

SESSION HISTORY


No sessions yet. Once you attend one, your coach's summary appears here.

Rendering ...


Member Overview — first-run empty state




Member Overview — with scores and session history



Member — Book a session



Member — My bookings



Member — Programme (home stretches)

Marn

Layla HassanSign out

Review

Book

My bookings

Programme

Check-in

Before you arrive

Two taps: how you slept, your current pain, and any areas bothering you.

Sleep quality

0246810

Current pain

0246810

Areas

Lower

Core

Upper


Note (optional)

Send check-in


N

Member — Pre-session check-in

Mobile app (Expo, iOS/Android/web)



Mobile — sign in



Mobile — Overview

Book

Book a session

SERVICE

Assisted Stretch

Assisted Stretch — Long

Compression Recovery

Oxygen Reset

COACH

Alex Coach

DATE (YYYY-MM-DD)

2026-08-15

TIME

REQUEST BOOKING

Overview

Book

My bookings

Programme

Check-in

Mobile — Book a session

My bookings

My bookings

No bookings yet.

Overview

Book

My bookings

Programme

Check-in

Mobile — My bookings

Programme

Programme

Loading...

Overview

Book

My bookings

Programme

Check-in

Mobile — Programme

Check-in

Before you arrive

Sleep quality: 6

Current pain: 2

Areas

LowerCoreUpper

Note (optional)

SEND CHECK-IN

Overview

Book

My bookings

Programme

Check-in

Mobile — Check-in