



Créer un utilisateur


1 Cliquez sur "Credentials"



2 Cliquez sur "Local Users"



3 Cliquez sur "Add"



4

Renseignez un nom pour votre utilisateur. Nous allons remplir tous les champs obligatoires, marqués d'une astérisque "*"


The screenshot shows the 'Add User' interface in the ix systems application. On the left, there is a sidebar with a 'Built-in' section containing 'true' and 'false' options. The main area is titled 'Add User' and contains an 'Identification' section. The 'Full Name' field is highlighted with a blue circle. The 'Disable Password' toggle is also visible. Below the 'Full Name' field are fields for 'Username', 'Email', 'Password', and 'Confirm Password'.

5

Renseignez un mot de passe et sa confirmation

The screenshot shows the 'Add User' interface in the ix systems application. The 'Full Name' field is now filled with 'test user'. The 'Username' field is filled with 'tuser'. The 'Password' field is highlighted with a blue circle. The 'Confirm Password' field is also visible. The 'Disable Password' toggle is still present. Below the 'Identification' section is the 'User ID and Groups' section, which includes fields for 'UID' and 'Auxiliary Groups'.

6 Cliquez sur "Save"



7 Cliquez sur votre user dans la liste des local users. Vous retrouvez ici un récapitulatif des informations de l'utilisateur.

