

```

const http = require('http');
const { WebSocketServer } = require('ws');

/* ----- Game helpers (all game logic runs on the server) ----- */
const RK = ['2','3','4','5','6','7','8','9','10','J','Q','K','A'];
const CATN = ['High card','Pair','Color','Sequence','Pure sequence','Trail'];
function deck() {
  const d = [];
  for (let s = 0; s < 4; s++) for (let r = 0; r < 13; r++) d.push({ r, s });
  for (let i = 51; i > 0; i--) { const j = Math.floor(Math.random() * (i + 1)); [
    return d;
  }
}
function score(h) {
  const v = h.map(c => c.r + 2).sort((a, b) => b - a);
  const flush = h.every(c => c.s === h[0].s);
  const a23 = v[0] === 14 && v[1] === 3 && v[2] === 2;
  const seq = a23 || (v[0] - v[1] === 1 && v[1] - v[2] === 1);
  const trail = v[0] === v[2];
  const pair = !trail && (v[0] === v[1] || v[1] === v[2]);
  let cat, t;
  if (trail) { cat = 5; t = [v[0]]; }
  else if (seq && flush) { cat = 4; t = [a23 ? 13.5 : v[0]]; }
  else if (seq) { cat = 3; t = [a23 ? 13.5 : v[0]]; }
  else if (flush) { cat = 2; t = v; }
  else if (pair) { cat = 1; const p = v[0] === v[1] ? v[0] : v[2]; t = [p, v.find
    else { cat = 0; t = v; }
  return cat * 1e6 + t[0] * 1e4 + (t[1] || 0) * 100 + (t[2] || 0);
}
const catOf = h => Math.floor(score(h) / 1e6);

/* ----- Rooms ----- */
const rooms = {};
function newCode() {
  let c;
  do { c = Array.from({ length: 4 }, () => 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'[Math.floor(
    return c;
  }
}
const alive = r => r.players.filter(p => p.active);
const cost = (r, p) => (p.seen ? r.stake * 2 : r.stake);
function nextActive(r, from) {
  const n = r.players.length; let i = from;
  do { i = (i + 1) % n; } while (!r.players[i].active);
  return i;
}

```

```

function send(p, obj) { if (p.ws && p.ws.readyState === 1) p.ws.send(JSON.stringify
function broadcast(r) {
  r.players.forEach((me, idx) => {
    send(me, {
      code: r.code, phase: r.phase, pot: r.pot, stake: r.stake, turn: r.turn, log
      rank: me.hand && (me.seen || r.reveal) ? CATN[catOf(me.hand)] : '',
      players: r.players.map((q, i) => ({
        name: q.name, chips: q.chips, seen: q.seen, active: q.active,
        hand: q.hand && ((i === idx && (q.seen || r.reveal)) || (r.reveal && q.ac
        hasCards: !!q.hand && r.phase !== 'lobby'
      )))
    });
  });
}
function deal(r) {
  const d = deck(); r.pot = 0; r.stake = 10; r.reveal = false;
  r.players.forEach(p => {
    p.hand = [d.pop(), d.pop(), d.pop()]; p.seen = false; p.active = p.chips >= 1
    if (p.active) { p.chips -= 10; r.pot += 10; }
  });
  r.dealer = (r.dealer + 1) % r.players.length;
  r.turn = nextActive(r, r.dealer);
  r.phase = 'play';
  r.log = 'Boot 10 lag gaya. ' + r.players[r.turn].name + ' ki chaal.';
}
function finish(r, w, why) {
  const p = r.players[w];
  p.chips += r.pot;
  r.log = p.name + ' jeet gaya! ' + why + ' (' + r.pot + ')';
  r.pot = 0; r.reveal = true; r.phase = 'over';
}
function advance(r) {
  if (alive(r).length === 1) { finish(r, r.players.findIndex(p => p.active), 'Baq
  r.turn = nextActive(r, r.turn);
}
function act(r, i, a) {
  const p = r.players[i];
  if (r.phase !== 'play' || r.turn !== i || !p.active) return;
  if (a === 'see') { p.seen = true; r.log = p.name + ' ne cards dekhe.'; return;
  if (a === 'pack') { p.active = false; r.log = p.name + ' ne pack kiya.'; advanc
  if (a === 'show') {
    if (alive(r).length !== 2) return;
    const oi = r.players.findIndex((q, k) => q.active && k !== i);
    const amt = Math.min(cost(r, p), p.chips); p.chips -= amt; r.pot += amt;
    const win = score(p.hand) > score(r.players[oi].hand) ? i : oi;
    finish(r, win, r.players[win].name + ': ' + CATN[catOf(r.players[win].hand)]
    return;
  }
}

```

```

    }
    if (a === 'raise' && r.stake < 160) r.stake *= 2;
    if (a !== 'raise' && a !== 'chaal') return;
    const amt = Math.min(cost(r, p), p.chips); p.chips -= amt; r.pot += amt;
    r.log = p.name + (a === 'raise' ? ' ne double kiya: ' : ' ne chaal chali: ') +
    advance(r);
  }

  /* ----- Server ----- */
  const server = http.createServer((req, res) => {
    res.writeHead(200, { 'Content-Type': 'text/html; charset=utf-8' });
    res.end(PAGE);
  });

  const wss = new WebSocketServer({ server });

  wss.on('connection', ws => {
    let room = null, me = null;
    ws.on('message', raw => {
      let m; try { m = JSON.parse(raw); } catch { return; }
      if (m.t === 'join') {
        const name = String(m.name || 'Player').trim().slice(0, 12) || 'Player';
        let code = String(m.code || '').trim().toUpperCase();
        if (!code) { code = newCode(); rooms[code] = { code, players: [], phase: '1' };
        const r = rooms[code];
        if (!r) return ws.send(JSON.stringify({ err: 'Room nahi mila. Code check ka' }));
        if (r.phase === 'play') return ws.send(JSON.stringify({ err: 'Is room mein' }));
        if (r.players.length >= 5) return ws.send(JSON.stringify({ err: 'Room full' }));
        me = { name, ws, chips: 1000, hand: null, seen: false, active: false, conn: ws };
        r.players.push(me); room = r;
        r.log = name + ' shamil hua.';
        broadcast(r);
      } else if (room && me) {
        const idx = room.players.indexOf(me);
        if (m.t === 'start' && idx === 0 && room.phase !== 'play') {
          if (room.players.filter(p => p.chips >= 10 && p.connected).length < 2) {
            deal(room); broadcast(room);
          } else if (m.t === 'act') { act(room, idx, m.a); broadcast(room); }
        }
      }
    });
    ws.on('close', () => {
      if (!room || !me) return;
      me.connected = false; me.ws = null;
      if (room.phase === 'play') {
        const idx = room.players.indexOf(me);
        if (me.active) { if (room.turn === idx) act(room, idx, 'pack'); else { me.a = null; } }
      } else {
        room.players = room.players.filter(p => p !== me);
      }
    });
  });

```

```

    }
    if (room.players.every(p => !p.connected)) { delete rooms[room.code]; return;
    broadcast(room);
  });
});
});

```

```

const PORT = process.env.PORT || 3000;
server.listen(PORT, () => console.log('Teen Patti chal raha hai, port ' + PORT));

```

```

/* ----- Client page ----- */

```

```

const PAGE = `<!DOCTYPE html><html lang="ur"><head><meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, viewport-fit=
<style>
:root{--felt:#0f3d3e;--deep:#0a2627;--gold:#e8b84a;--card:#f7f3ea;--red:#c0392b;-
*{box-sizing:border-box}
body{margin:0;background:var(--deep);color:#f2ead3;font-family:'Trebuchet MS',sys
.wrap{max-width:480px;margin:0 auto;padding:12px;display:flex;flex-direction:colu
h1{font-family:Georgia,serif;font-size:26px;margin:0;color:var(--gold)}
.top{display:flex;justify-content:space-between;align-items:baseline}
.table{background:radial-gradient(ellipse at center,#16595a,var(--felt));border:3
.opps{display:flex;flex-wrap:wrap;gap:8px}
.p{flex:1 1 40%;background:#0a2627aa;border-radius:12px;padding:8px;text-align:ce
.p.turn{outline:2px solid var(--gold)}.p.out{opacity:.45}
.ch{color:var(--gold)}.nm{font-weight:700}
.hand{display:flex;justify-content:center;gap:5px;margin-top:6px}
.c{width:40px;height:56px;border-radius:6px;background:var(--card);color:var(--in
.c.r{color:var(--red)}
.c.b{background:repeating-linear-gradient(45deg,#7a1f2b,#7a1f2b 5px,#5c1620 5px,#
.me .c{width:64px;height:90px;font-size:24px}
.msg{min-height:40px;text-align:center;font-size:14px;padding:6px 8px;background:
.rank{text-align:center;font-size:13px;color:var(--gold);min-height:18px}
.btns{display:grid;grid-template-columns:1fr 1fr;gap:8px}
button{font:inherit;font-weight:700;padding:13px 6px;border-radius:12px;border:0;
button.alt{background:#1d5b5c;color:#f2ead3}button.no{background:#7a1f2b;color:#f
button.disabled{opacity:.35}
input{font:inherit;padding:13px;border-radius:12px;border:2px solid #1d5b5c;backg
.form{display:flex;flex-direction:column;gap:10px;margin-top:20px}
.code{font-size:34px;letter-spacing:6px;color:var(--gold);text-align:center;font-
.info{font-size:12px;opacity:.7;text-align:center}
</style></head><body><div class="wrap" id="app"></div>
<script>
var s=null,ws=null,SU='♠♥♦♣',RK=${JSON.stringify(RK)};
var app=document.getElementById('app');
function connect(msg){
  ws=new WebSocket((location.protocol==='https:'?'wss://'':'ws://')+location.host)
  ws.onopen=function(){ws.send(JSON.stringify(msg))};
  ws.onmessage=function(e){var m=JSON.parse(e.data);if(m.err){alert(m.err);return

```

```

    ws.onclose=function(){if(s){s=null;alert('Connection toot gaya. Page dobara kho
}
function send(o){ws.send(JSON.stringify(o))}
function card(c,hide,){
    if(hide||!c)return '<div class="c b"></div>';
    return '<div class="c'+(c.s===1||c.s===2?' r':'')+'"><span>'+RK[c.r]+'</span><s
}
function home(){
    app.innerHTML='<h1>Teen Patti Online</h1><div class="form"><input id="nm" place
    '<button id="cr">Naya room banayein</button><input id="cd" placeholder="Ya dost
    '<button class="alt" id="jn">Room mein jayein</button></div><div class="info">F
    document.getElementById('cr').onclick=function(){connect({t:'join',name:documen
    document.getElementById('jn').onclick=function(){var c=document.getElementById(
}
function render(){
    if(!s)return home();
    var me=s.players[s.you];
    if(s.phase==='lobby'){
        app.innerHTML='<h1>Room</h1><div class="code">'+s.code+'</div><div class="inf
        s.players.map(function(p){return '<div class="p"><span class="nm">'+p.name+'<
        (s.host?'<button id="st">Game shuru karein</button>':<div class="info">Host
        if(s.host)document.getElementById('st').onclick=function(){send({t:'start'})}
        return;
    }
    var mine=s.turn===s.you&&s.phase==='play'&&me.active;
    var n=s.players.filter(function(p){return p.active}).length;
    var cost=me.seen?s.stake*2:s.stake;
    var opps=s.players.map(function(p,i){return {p:p,i:i}}).filter(function(o){retu
    app.innerHTML='<div class="top"><h1>Room '+s.code+'</h1><div>Pot <b class="ch"
    '<div class="table"><div class="opps">'+opps.map(function(o){var p=o.p;
        return '<div class="p'+(s.turn===o.i&&s.phase==='play'? ' turn':'')+ (p.active?
    '<div class="msg">'+s.log+'</div><div class="me"><div class="p'+(mine?' turn':'
    '<div class="hand">'+[0,1,2].map(function(k){return card(me.hand&&me.hand[k],!m
    var b=document.createElement('div');b.className='btns';
    if(s.phase==='over'){
        b.innerHTML=s.host?'<button style="grid-column:1/3" id="nx">Agla hath</button
    }else{
        b.innerHTML='<button class="alt" data-a="see"'+(mine&&!me.seen?'':' disabled'
        '<button class="no" data-a="pack"'+(mine?'':' disabled')+>Pack</button>'+
        '<button data-a="chaal"'+(mine?'':' disabled')+>Chaal '+cost+'</button>'+
        '<button data-a="raise"'+(mine&&s.stake<160?'':' disabled')+>Double '+s.sta
        '<button class="alt" style="grid-column:1/3" data-a="show"'+(mine&&n===2?'':'
    }
    app.appendChild(b);
    var nx=document.getElementById('nx');if(nx)nx.onclick=function(){send({t:'start
    b.querySelectorAll('button[data-a]').forEach(function(x){x.onclick=function(){s
}

```

```
render();  
</script></body></html>`;
```