

APPENDIX

LISTING OF SLIP SYMBOLIC DECK
JOSEPH WEIZENBAUM - GENERAL ELECTRIC COMPUTER LABORATORY
P.O. BOX 1285
SUNNYVALE, CALIFORNIA

```

C      SUBROUTINE INITAS(M,N)
C
C      COMMON AVSL,X(100)
C      DIMENSION W(200),M(2)
C      DO 1 I=1,100
C        J=2*I-1
C      CALL STRDIR(STRDIR(STRDIR(0,X(I)),W(J)),W(J+1))
C      CALL SETDIR(0,MADOV(W(J)),MADOV(W(J)),X(I))
C      CALL SETDIR(2,MADOV(W(J)),MADOV(W(J)),W(J))
C      1 CALL SETDIR(-1,-1,4095,W(J+1))
C      DO 2 I=1,N
C        M(I) = 0
C        K = N-2
C      DO 3 J=1,K,2
C      3 CALL SETDIR(-1,-1,MADOV(M(I+2)),M(I))
C      CALL SETDIR(0,MADOV(M(N-1)),MADOV(M(1)),AVSL)
C      RETURN
C      END
C      FUNCTION NUCELL(X)
C
C      COMMON AVSL
C      M = LNKR(AVSL)
C      IF (M)1,2,1
C      2 PRINT 901
C      STOP
C      1 IF (ID(CONT(M))-1)3,4,3
C      4 CALL IRALST(CONT(M+1))
C      3 CALL SETDIR(-1,-1,LNKR(CONT(M)),AVSL)
C      CALL STRIND(0,M)
C      CALL STRIND(0,M+1)
C      NUCELL = M
C      RETURN
C      901 FORMAT (1H1,6X,55HLIST OF AVAILABLE SPACE EXHAUSTED - PROGRAM TERM
C      INATED )
C      END
C      SUBROUTINE RCELL(CELL)
C
C      COMMON AVSL
C      CALL SETIND(-1,-1,CELL,LNKL(AVSL))
C      CALL SETDIR(-1,CELL,-1,AVSL)
C      CALL SETIND(-1,-1,0,CELL)
C      RETURN
C      END
C      FUNCTION LIST(K)
C
C      LIST = NUCELL(Z)
C      CALL SETDIR(0,LIST,LIST,LIST)
C      CALL SETIND(2,LIST,LIST,LIST)
C      IF (K-9)2,1,2
C      2 CALL SETIND(-1,-1,1,LIST+1)
C      K = LIST
C      1 RETURN

```

A1

```

END
FUNCTION MTLIST(P)
C
C      COMMON AVSL
C      M = LOCT(P)
C      IF (LISTMT(P))3,4,3
C      3 LR = LNKR(CONT(M))
C      LL = LNKL(CONT(M))
C      CALL SETIND(-1,M,M,M)
C      CALL SETIND(-1,-1,LR,LNKL(AVSL))
C      CALL SETDIR(-1,LL,-1,AVSL)
C      CALL SETIND(-1,-1,0,LNKL(AVSL))
C      4 MTLIST = M
C      RETURN
C      END
C      FUNCTION IRALST(P)
C
C      L = LOCT(P)
C      CALL SETIND(-1,-1,LCNTR(L)-1,L+1)
C      IRALST = LCNTR(L)
C      IF (IRALST)1,2,1
C      2 CALL MTLIST(P)
C      N = LNKL(CONT(L+1))
C      IF (N)3,4,3
C      3 NEW = NUCELL(Z)
C      CALL SETIND(1,-1,-1,NEW)
C      CALL SETIND(-1,N,N,NEW+1)
C      CALL RCELL(NEW)
C      4 CALL RCELL(L)
C      1 RETURN
C      END
C      FUNCTION NULSTL(LNKP,LNKH)
C
C      NULSTL = LIST(9)
C      IF (ID(CONT(LNKP))-2)1,2,1
C      2 CALL SETIND(2,NULSTL,NULSTL,NULSTL)
C      RETURN
C      1 LTOP = LNKR(CONT(LNKH))
C      LSUC = LNKR(CONT(LNKP))
C      CALL SETIND(-1,-1,LSUC,LNKH)
C      CALL SETIND(-1,LNKH,-1,LSUC)
C      CALL SETIND(2,LNKP,LTOP,NULSTL)
C      CALL SETIND(-1,-1,NULSTL,LNKP)
C      CALL SETIND(-1,NULSTL,-1,LTOP)
C      RETURN
C      END
C      FUNCTION NULSTR(LNKP,LNKH)
C
C      NULSTR = LIST(9)
C      IF (ID(CONT(LNKP))-2)1,2,1
C      2 CALL SETIND(2,NULSTR,NULSTR,NULSTR)
C      RETURN
C      1 LBOT = LNKL(CONT(LNKH))
C      LPRE = LNKL(CONT(LNKP))
C      CALL SETIND(-1,LPRE,-1,LNKH)
C      CALL SETIND(-1,-1,LNKH,LPRE)
C      CALL SETIND(2,LBOT,LNKP,NULSTR)
C      CALL SETIND(-1,NULSTR,-1,LNKP)
C      CALL SETIND(-1,-1,NULSTR,LBOT)
C      RETURN

```

A2

END		108
FUNCTION NEWTOP(P,Q)		109
C	4/1/63	110
NEWTOP = NXTRGT(P,LOCT(Q))		111
RETURN		112
END		113
FUNCTION NEWBOT(P,Q)		114
C	4/1/63	115
NEWBOT = NXTLFT(P,LOCT(Q))		116
RETURN		117
END		118
FUNCTION NXTLFT(M,A)		119
C	4/1/63	120
IL = NUCELL(Z)		121
NXTLFT = IL		122
LL = LNKL(CONT(A))		123
CALL SETIND(-1,-1,IL,LL)		124
CALL SETIND(-1,IL,-1,A)		125
CALL SETIND(0,LL,A,IL)		126
IF (NAMTST(M))1,2,1		127
2 CALL SETIND(1,-1,-1,IL)		128
CALL SETIND(-1,-1,LCNTR(M)+1,M+1)		129
1 CALL STRIND(M,IL+1)		130
RETURN		131
END		132
FUNCTION NXTRGT(M,A)		133
C	4/1/63	134
IR = NUCELL(Z)		135
NXTRGT = IR		136
LR = LNKR(CONT(A))		137
CALL SETIND(-1,IR,-1,LR)		138
CALL SETIND(-1,-1,IR,A)		139
CALL SETIND(0,A,LR,IR)		140
IF (NAMTST(M))1,2,1		141
2 CALL SETIND(1,-1,-1,IR)		142
CALL SETIND(-1,-1,LCNTR(M)+1,M+1)		143
1 CALL STRIND(M,IR+1)		144
RETURN		145
END		146
FUNCTION INLSTL(M,N)		147
C	4/1/63	148
L = LOCT(M)		149
ITOP = LNKR(CONT(L))		150
IBOT = LNKL(CONT(L))		151
INLSTL = L		152
CALL SETIND(-1,L,L,L)		153
IPRE = LNKR(CONT(N))		154
CALL SETIND(-1,IBOT,-1,N)		155
CALL SETIND(-1,-1,ITOP,IPRE)		156
CALL SETIND(-1,IPRE,-1,ITOP)		157
CALL SETIND(-1,-1,N,IBOT)		158
RETURN		159
END		160
FUNCTION INLSTR(M,N)		161
C	4/1/63	162
L = LOCT(M)		163
ITOP = LNKR(CONT(L))		164
IBOT = LNKL(CONT(L))		165
INLSTR = L		166
CALL SETIND(-1,L,L,L)		167

A3

ISUC = LNKR(CONT(N))		168
CALL SETIND(-1,-1,ITOP,N)		169
CALL SETIND(-1,IBOT,-1,ISUC)		170
CALL SETIND(-1,N,-1,ITOP)		171
CALL SETIND(-1,-1,ISUC,IBOT)		172
RETURN		173
END		174
FUNCTION SUBST(D,N)		175
C	4/1/63	176
LBACK = LNKL(CONT(N))		177
SUBST = DELETE(N)		178
CALL NXTRGT(D,LBACK)		179
RETURN		180
END		181
FUNCTION SUBSTP(DAT,LST)		182
C	4/1/63	183
SUBSTP = SUBST(DAT,LNKR(CONT(LST)))		184
RETURN		185
END		186
FUNCTION SUBSBT(DAT,LST)		187
C	4/1/63	188
SUBSBT = SUBST(DAT,LNKL(CONT(LST)))		189
RETURN		190
END		191
FUNCTION TOP(P)		192
C	4/1/63	193
TOP = CONT(LNKR(CONT(LOCT(P)))+1)		194
RETURN		195
END		196
FUNCTION BOT(P)		197
C	4/1/63	198
BOT = CONT(LNKL(CONT(LOCT(P)))+1)		199
RETURN		200
END		201
FUNCTION POPTOP(P)		202
C	4/1/63	203
POPTOP = DELETE(LNKR(CONT(LOCT(P))))		204
RETURN		205
END		206
FUNCTION POPBOT(P)		207
C	4/1/63	208
POPBOT = DELETE(LNKL(CONT(LOCT(P))))		209
RETURN		210
END		211
FUNCTION ADVLL(LR,J,K)		212
C	4/1/63	213
CLR = CONT(LR)		214
5 LK = LNKL(CONT(LNKL(CLR)))		215
CAND = CONT(LK)		216
CALL SETDIR(-1,LK,-1,CLR)		217
IF (ID(CAND)-2)1,2,1		218
1 IF (ID(CAND)-J)3,4,3		219
3 IF (ID(CAND)-K)5,4,5		220
4 ADVLL = 0.		221
GOTO 6		222
2 ADVLL = -1,0		223
6 CALL STRIND(CLR,LR)		224
RETURN		225
END		226
FUNCTION ADVLR(LR,J,K)		227

A4

```

      CLR = CONT(LR)
5  LK = LNKR(CONT(LNKL(CLR)))
      CAND = CONT(LK)
      CALL SETDIR(-1,LK,-1,CLR)
        IF (ID(CAND)-2)1.2.1
1    IF (ID(CAND)-J)3.4.3
3    IF (ID(CAND)-K)5.4.5
4  ADVLR = 0.
      GOTO 6
2  ADVLR = -1.0
6  CALL STRIND(CLR,LR)
      RETURN
      END
      FUNCTION ADVSR(L,J,K)
        R = CONT(L)
        CAND = CONT(LNKL(R))
        IF (ID(CAND)-1)1.6.1
1  LCP = LNKR(CAND)
      CALL SETDIR(-1,LCP,-1,R)
      CAND = CONT(LCP)
        IF (ID(CAND)-2)3.4.3
3    IF (ID(CAND)-J)7.8.7
7    IF (ID(CAND)-K)5.8.5
5    IF (ID(CAND)-1)1.6.1
6  M=NUCELL(Z)
      CALL STRIND(R,M)
      CALL STRIND(CONT(L+1),M+1)
      CALL SETIND(-1,INHALT(LCP+1),LCNTR(L)+1,L+1)
      CALL SETDIR(-1,-1,M,R)
      CAND = CONT(INHALT(LNKL(R)+1))
      GOTO 1
4  IF (LCNTR(L))9.10.9
10 ADVSR = -1.0
      GOTO 12
9  LK = LNKR(R)
      R = CONT(LK)
      CALL STRIND(CONT(LK+1),L+1)
      CAND = CONT(LNKL(R))
      CALL RCELL(LK)
      GOTO 1
8  ADVSR = 0.
12 CALL STRIND(R,L)
      RETURN
      END
      FUNCTION ADVSL(L,J,K)
        R = CONT(L)
        CAND = CONT(LNKL(R))
        IF (ID(CAND)-1)1.6.1
1  LCP = LNKL(CAND)
      CALL SETDIR(-1,LCP,-1,R)
      CAND = CONT(LCP)
        IF (ID(CAND)-2)3.4.3
3    IF (ID(CAND)-J)7.8.7
7    IF (ID(CAND)-K)5.8.5
5    IF (ID(CAND)-1)1.6.1
6  M = NUCELL(Z)
      CALL STRIND(R,M)
      CALL STRIND(CONT(L+1),M+1)
      CALL SETIND(-1,INHALT(LCP+1),LCNTR(L)+1,L+1)
      CALL SETDIR(-1,-1,M,R)

```

```

228 CAND = CONT(INHALT(LNKL(R)+1))
229 GOTO 1
230 4 IF (LCNTR(L))9.10.9
231 10 ADVSL = -1.0
232 GOTO 12
233 9 LK = LNKR(R)
234 R = CONT(LK)
235 CALL STRIND(CONT(LK+1),L+1)
236 CAND = CONT(LNKL(R))
237 CALL RCELL(LK)
238 GOTO 1
239 8 ADVSL = 0.
240 12 CALL STRIND(R,L)
241 RETURN
242 END
243 FUNCTION ADVLNR(LR,A)
244 A = ADVLR(LR,1.1)
245 IF (A)1.2.1
246 2 ADVLNR = REED(LR)
247 1 RETURN
248 END
249 FUNCTION ADVLER(LR,A)
250 A = ADVLR(LR,0.0)
251 IF (A)1.2.1
252 2 ADVLER = REED(LR)
253 1 RETURN
254 END
255 FUNCTION ADVLWR(LR,A)
256 A = ADVLR(LR,1.0)
257 IF (A)1.2.1
258 2 ADVLWR = REED(LR)
259 1 RETURN
260 END
261 FUNCTION ADVSNR(LR,A)
262 A = ADVSR(LR,1.1)
263 IF (A)1.2.1
264 2 ADVSNR = REED(LR)
265 1 RETURN
266 END
267 FUNCTION ADVSER(LR,A)
268 A = ADVSR(LR,0.0)
269 IF (A)1.2.1
270 2 ADVSER = REED(LR)
271 1 RETURN
272 END
273 FUNCTION ADVSWR(LR,A)
274 A = ADVSR(LR,1.0)
275 IF (A)1.2.1
276 2 ADVSWR = REED(LR)
277 1 RETURN
278 END
279 FUNCTION ADVLNL(LR,A)
280 A = ADVLL(LR,1.1)
281 IF (A)1.2.1
282 2 ADVLNL = REED(LR)
283 1 RETURN
284 END
285 FUNCTION ADVLEL(LR,A)
286 A = ADVLL(LR,0.0)
287 IF (A)1.2.1

```

288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347

```

2 ADVLEL = REED(LR)
1 RETURN
END
FUNCTION ADVLWL(LR,A)
A = ADVLL(LR,1,0)
IF(A)1,2,1
2 ADVLWL = REED(LR)
1 RETURN
END
FUNCTION ADVSNL(LR,A)
A = ADVSL(LR,1,1)
IF(A)1,2,1
2 ADVSNL = REED(LR)
1 RETURN
END
FUNCTION ADVSEL(LR,A)
A = ADVSL(LR,0,0)
IF(A)1,2,1
2 ADVSEL = REED(LR)
1 RETURN
END
FUNCTION ADVSWL(LR,A)
A = ADVSL(LR,1,0)
IF(A)1,2,1
2 ADVSWL = REED(LR)
1 RETURN
END
FUNCTION REED(K)
C
REED = CONT(LNKL(CONT(K))+1)
RETURN
END
FUNCTION DELETE(K)
C
IF(1D(CONT(K))-2)1,2,1
2 PRINT 901
DELETE = 0.
RETURN
901 FORMAT (1H1,98HAN ATTEMPT HAS BEEN MADE TO DELETE A HEADER - ZERO
1HAS BEEN DELIVERED AND THE PROGRAM CONTINUED. )
1 DELETE = CONT(K+1)
LL = LNKL(CONT(K))
LR = LNK(RCONT(K))
CALL RCELL(K)
CALL SETIND(-1,-1,LR,LL)
CALL SETIND(-1,LL,-1,LR)
RETURN
END
FUNCTION LRDRGV(P)
C
LRDRGV = NUCELL(Z)
CALL SETIND(3,LOCT(P),0,LRDRGV)
CALL SETIND(0,P,0,LRDRGV+1)
RETURN
END
FUNCTION LOFRDR(K)
C
L = LNKL(CONT(K+1))
CALL SETDIR(0,L,L,L)
LOFRDR = L

```

A7

```

348
349
350
351 C
352 LCNTR = LNK(RCONT(K+1))
353 RETURN
354 END
355 FUNCTION LPNTR(K)
356 C
357 LPNTR = LNKL(CONT(K))
358 RETURN
359 END
360 FUNCTION LVLVRT(K)
361 C
362 LVLVRT = K
363 1 IF (CONT(LVLVRT+1))2,3,2
364 3 RETURN
365 2 L = LNK(RCONT(LVLVRT))
366 CALL STRIND(CONT(L),LVLVRT)
367 CALL STRIND(CONT(L+1),LVLVRT+1)
368 CALL RCELL(L)
369 GOTO 1
370 END
371 FUNCTION LVLRV1(K)
372 C
373 LVLRV1 = K
374 IF (CONT(LVLRV1+1))2,3,2
375 3 RETURN
376 2 L = LNK(RCONT(LVLRV1))
377 CALL STRIND(CONT(L),LVLRV1)
378 CALL STRIND(CONT(L+1),LVLRV1+1)
379 CALL RCELL(L)
380 RETURN
381 END
382 FUNCTION INITRD(K)
383 C
384 CALL SETIND(-1,LNKL(K+1),-1,K)
385 INITRD = K
386 RETURN
387 END
388 FUNCTION IRARDR(K)
389 C
390 IRARDR = LCNTR(K)
391 M = K
392 3 N = LNK(RCONT(M))
393 CALL RCELL(M)
394 IF (N)1,2,1
395 1 M = N
396 GOTO 3
397 2 RETURN
398 END
399 FUNCTION LRDRCP(K)
400 C
401 LRDRCP = NUCELL(Z)
402 NEWR = LRDRCP
403 NOW = K
404 3 CALL STRIND(CONT(NOW),NEWR)
405 CALL STRIND(CONT(NOW+1),NEWR+1)
406 NOW = LNK(RCONT(NOW))
407 IF (NOW)1,2,1

```

A8

```

1 NEW = NUCELL(Z)
CALL SETIND(-1,-1,NEW,NEW)
NEW = NEW
GOTO 3
2 RETURN
END
FUNCTION MADNTP(P,N)
C
L = LOCT(P)
DO 1 I=1,N
1 L = LNKR(CONT(L))
IF (ID(CONT(L))-2)2,3,2
3 CALL SETDIR(0,L,L,L)
2 MADNTP = L
RETURN
END
FUNCTION MADNBT(P,N)
C
L = LOCT(P)
DO 1 I=1,N
1 L = LNKL(CONT(L))
IF (ID(CONT(L))-2)2,3,2
3 CALL SETDIR(0,L,L,L)
2 MADNBT=L
RETURN
END
FUNCTION MADLFT(K)
C
MADLFT = LNKL(CONT(K))
IF (ID(CONT(MADLFT))-2)1,2,1
2 CALL SETDIR(0,MADLFT,MADLFT,MADLFT)
1 RETURN
END
FUNCTION MADRGT(K)
C
MADRGT = LNKR(CONT(K))
IF (ID(CONT(MADRGT))-2)1,2,1
2 CALL SETDIR(0,MADRGT,MADRGT,MADRGT)
1 RETURN
END
FUNCTION NAMTST(K)
C
IF (LNKL(K)-LNKR(K))1,4,1
4 IF (ID(CONT(K))-2)1,2,1
2 IF (CONT(LNKR(CONT(LNKL(CONT(K))))) - CONT(K))1,3,1
3 NAMTST = 0
RETURN
1 NAMTST = -1
RETURN
END
FUNCTION LISTMT(P)
C
L = LOCT(P)
IF (EQUAL(CONT(L),CONT(LNKR(CONT(L)))))3,4,3
4 LISTMT = 0
RETURN
3 LISTMT = -1
RETURN
END
FUNCTION LSTEQL(LA,LB)

```

A9

```

468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
C
COMMON A,W(100)
ASSIGN 100 TO LOCO
LSTEQL = INTGER(VISIT(LOCO,PARMT2(LRDROV(LA),LRDROV(LB))))
RETURN
100 LRA = INTGER(TOP(W(1)))
LRB = INTGER(TOP(W(2)))
8 XA = ADVLWR(LRA,KA)
XB = ADVLWR(LRB,KB)
IF (KA)1,2,1
1 IF (KB)3,4,3
2 IF (KB)4,6,4
6 IF (EQUAL(XA,XB))7,8,7
7 IF (NAMTST(XA))4,9,4
9 IF (NAMTST(XB))4,10,4
10 LSTEQL = INTGER(VISIT(LOCO,PARMT2(LRDROV(XA),LRDROV(XB))))
IF (LSTEQL)4,100,4
3 CALL RCELL(LRA)
CALL RCELL(LRB)
CALL TERM(0,RESTOR(2))
4 CALL RCELL(LRA)
CALL RCELL(LRB)
CALL TERM(-1,RESTOR(2))
END
FUNCTION LSSCPY(LA)
C
COMMON A,W(100)
ASSIGN 100 TO LOCO
LSSCPY = INTGER(VISIT(LOCO,PARMT2(LRDROV(LA),LIST(9))))
RETURN
100 LC = INTGER (TOP(W(2)))
LR = INTGER(TOP(W(1)))
5 X = ADVLWR(LR,K)
IF (K)1,2,1
1 CALL RCELL(LR)
CALL TERM(LC,RESTOR(2))
2 IF (NAMTST(X))3,4,3
3 CALL NEWBOT(X,LC)
GOTO 5
4 CALL NEWBOT(VISIT(LOCO,PARMT2(LRDROV(X),LIST(9))),TOP(W(2)))
GOTO 100
END
FUNCTION LSTPRO(L,K)
C
NEXT = K
3 IF (LNKL(NEXT+1)-LNKR(L))1,2,1
1 NEXT = LNKL(NEXT)
IF (NEXT)3,4,3
2 LSTPRO = 0
RETURN
4 LSTPRO = -1
RETURN
END
FUNCTION LPURGE(LST)
C
K = LRDROV(LST)
LPURGE = 0
3 X = ADVSWR(K,J)
6 IF (J)1,2,1
1 IF (NAMTST(X))3,4,3

```

A10

```

4/1/63
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
4/1/63
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
4/1/63
571
572
573
574
575
576
577
578
579
580
581
4/1/63
582
583
584
585
586
587

```

```

4 IF (LSTPRO(X,K))3.5.3
5   L = LPNTR(K)
   X = ADVLWR(K,J)
   CALL DELETE(L)
   LPURGE = LPURGE+1
   GOTO 6
2 CALL IRARDR(K)
  RETURN
END
SUBROUTINE PRESRV(N)
C
COMMON AVSL,W(100)
DO 1 I=1,N
1 CALL NEWTOP(TOP(W(I)),W(I))
  RETURN
END
SUBROUTINE RESTOR(N)
C
COMMON AVSL,W(100)
DO 1 I=1,N
1 CALL POPTOP(W(I))
  RETURN
END
FUNCTION LOCT(K)
C
  IF(NAMTST(K))1.2.1
2   LOCT = K
  RETURN
1   PRINT 901
  STOP
901 FORMAT (1H1.94HA LIST WAS REQUIRED AS AN OPERAND BUT WAS NOT FOUND
1- THE PROGRAM WAS REGRETFULLY TERMINATED . )
END
FUNCTION PARMT2(A,B)
C
COMMON X,W(100)
CALL NEWTOP(A,W(1))
CALL NEWTOP(B,W(2))
PARMT2 = A
RETURN
END
FUNCTION NOATVL(AT,LST)
  M = MADATR(AT,LST)
  IF(M+1)2.1.2
2 NOATVL = INTEGER(DELETE(LNKR(CONT(M))))
  CALL DELETE(M)
  RETURN
1 NOATVL = 0
  RETURN
END
FUNCTION NEWVAL(AT,VAL,LST)
  M = MADATR(AT,LST)
  IF(M+1)2.1.2
2 NEWVAL = INTEGER(SUBST(VAL,LNKR(CONT(M))))
  RETURN
1 CALL LDATVL(AT,VAL,LST)
  NEWVAL = 0
  RETURN
END
FUNCTION ITSVAL(AT,LST)

```

A11

```

588   IF(LNKL(CONT(LST+1)))3.4.3
589   M = MADATR(AT,LST)
590   IF (M+1)1.2.1
591   1 ITSVAL = INHALT(LNKR(CONT(M))+1)
592   RETURN
593   4 CALL DERROR(LST)
594   2 ITSVAL = 0
595   RETURN
596   END
597   FUNCTION MTDLST(LST)
598     MTDLST = LST
599     K = LNKL(CONT(LOCT(LST)+1))
600     IF(K)1.2.1
601     1 CALL SETDIR(0,K,K,X)
602     CALL MTLIST(X)
603     2 RETURN
604     END
605     FUNCTION MAKEDL(L,M)
606     CALL MTDLST(M)
607     MAKEDL = M
608     N = LOCT(M)
609     K = LOCT(L)
610     CALL SETIND(-1,K,-1,N+1)
611     CALL SETIND(-1,-1,LCNTR(L)+1,K+1)
612     RETURN
613     END
614     FUNCTION NAMEDL(L)
615     NAMEDL = LNKL(LOCT(L)+1)
616     RETURN
617     END
618     FUNCTION LDATVL(AT,VL,LST)
619     IF(LNKL(CONT(LST+1)))1.2.1
620     2 LDATVL = LISTAV(LST)
621     1 CALL NXTRGT(VL,NXTLFT(AT,LNKL(CONT(LST+1))))
622     RETURN
623     END
624     FUNCTION LISTAV(LST)
625     LISTAV = LIST(0)
626     CALL SETIND(-1,LNKR(LISTAV),-1,LST+1)
627     RETURN
628     END
629     FUNCTION MADATR(AT,LST)
630     LSTDES = LNKL(CONT(LST+1))
631     IF(LSTDES)1.4.1
632     1 MADATR = LNKR(CONT(LSTDES))
633     8 IF (ID(CONT(MADATR))-2)3.4.3
634     3 IF (EQUAL(CONT(MADATR+1),AT))5.6.5
635     M = LNKR(CONT(MADATR))
636     IF (ID(CONT(M))-2)7.4.7
637     7 MADATR = LNKR(CONT(M))
638     GOTO 8
639     4 MADATR = -1
640     RETURN
641     END
642     SUBROUTINE DERROR(LST)
643     PRINT 900,LST
644     PRINT 901
645     RETURN
900 FORMAT (1H1.20X.05)
901 FORMAT (20X.44HATTRIBUTE-VALUE LIST REQUIRED BUT NOT FOUND )

```

A12

```

END
FUNCTION MRKLST(M,LST)
MRKLST = LST
CALL SETIND(M,-1,-1,LOCT(LST)+1)
RETURN
END
FUNCTION MRKLSS(M,LST)
MRKLSS = LST
LR = LRDRGV(MRKLST(M,LST))
3 X = ADVSNR(LR,K)
IF(K)1,2,1
2 CALL SETIND(M,-1,-1,LNKR(X)+1)
GOTO 3
1 CALL RCELL(LR)
RETURN
END
FUNCTION RDLSTA(Z)
C
DIMENSION CRDBUF(10)
COMMON /XTRCT/ CP(8),BLANK,NULL,ZERO,LP,RP
80 FORMAT (10A8)
ASSIGN 13 TO START
ASSIGN 20 TO NEWLST
CALL LIST(STACK)
IS = 1
WORD = BLANK
KOUNT = 0
PLACE = BLANK
12 READ 80,CRDBUF
PRINT 80,(CRDBUF(J),J=1,9)
IW = 1
10 IC = 1
9 SYMBOL = SQIN(CP(8),SQOUT(CP(1C),CRDBUF(IW)),PLACE)
IF (EQUAL(SYMBOL,BLANK))1,2,1
1 IF (EQUAL(SYMBOL,LP))3,4,3
3 IF (EQUAL(SYMBOL,RP))5,6,5
13 IF (IC - 8) 7,8,7
7 IC = IC + 1
GOTO 9
8 IF (IW - 9) 11,12,11
11 IW = IW + 1
GOTO 10
4 IF (KOUNT)40,44,40
44 CALL NXTRGT(LIST(NEW),STACK)
KOUNT = 1
CALL VISIT(START)
RDLSTA = POPTOP(STACK)
CALL MTLIST(STACK)
CALL RCELL(STACK)
RETURN
40 IF (EQUAL(WORD,BLANK))41,42,41
41 CALL NXTLFT(LANORM(WORD),TOP(STACK))
WORD = BLANK
IS = 1
42 CALL VISIT(NEWLST)
CALL POPTOP(STACK)
GOTO 13
NEWLST
20 CALL NXTLFT(LIST(NEW),TOP(STACK))
CALL NXTRGT(NEW,STACK)

```

4/1/63

629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672

```

GOTO 13
C NON-BLANK SYMBOL NOT LP OR RP
5 CALL SHIN(6,SYMBOL,WORD)
IF (IS - 8)51,52,51
51 IS = IS + 1
GOTO 13
52 IS = 1
21 CALL NXTLFT(LANORM(WORD),TOP(STACK))
WORD = BLANK
IS = 1
GOTO 13
2 IF (EQUAL(WORD,BLANK))21,13,21
C RIGHT PARENTHESIS
6 IF (EQUAL(WORD,BLANK))61,62,61
61 CALL NXTLFT(LANORM(WORD),TOP(STACK))
WORD = BLANK
IS = 1
62 CALL TERM(Z)
END
SUBROUTINE PRLSTS(OUTLST,I)
C
EQUIVALENCE (KOUT,OUT)
900 FORMAT (1H1,20X,10HBEGIN LIST)
901 FORMAT (21X,8HEND LIST)
902 FORMAT (21X,114)
903 FORMAT (21X,13HBEGIN SUBLIST)
904 FORMAT(21X,13HEND SUBLIST )
905 FORMAT (21X,A8)
906 FORMAT (21X,F10,4)
907 FORMAT (21X,13HEMPTY SUBLIST)
PRINT 900
LR = LRDRGV(OUTLST)
LEVEL = 0
7 X = ADVSWR(LR,K)
IF(K)1,2,1
2 IF (LEVEL - LCNTR(LR))21,22,23
22 IF (NAMTST(X))3,4,3
4 IF (LISTMT(X))5,6,5
6 PRINT 907
GOTO 7
5 PRINT 903
LEVEL = LEVEL+1
GOTO 7
3 GOTO(11,12,13)1
11 OUT = X
PRINT 902,KOUT
GOTO 7
12 OUT = X
PRINT 905,KOUT
GOTO 7
13 PRINT 906,X
GOTO 7
23 PRINT 904
LEVEL = LEVEL - 1
GOTO 2
1 IF (LEVEL - LCNTR(LR))21,32,33
33 PRINT 904
LEVEL = LEVEL - 1
GOTO 1
32 PRINT 901

```

4/1/63

673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732