Date formats

This example file parses and formats some of the supported date formats and demonstrates the output options. See the source for details. You can change the options in the source file and this document will show you the options chosen.

Options used to format this test document

datecirca=1 dateuncertain=1 dateera=secular dateerauto=600 datezeros=0timezeros=1timezones=0seconds = 0 $labeldate = \mathbf{short}$ date=short eventdate = shortorigdate = shorturldate=short labeldatetime= time = 12heventtime=12horigtime = 12hurltime = 12h

Example Citation Formats

Author1 (100–44 BCE), Author2 (ca. 1723?), Author3 (ca. 1934–ca. 1936), Author4 (2004), Author5 (1723), Author6 (nodate), Author7 (1900–1999), Author8 (1 CE), and Author9 (1066)

Author1 100–44 BCE Author2 ca. 1723? Author3 ca. 1934–ca. 1936 Author4 2004 Author5 1723 Author6 nodate Author7 1900–1999 Author8 1 CE Author9 1066

Example Bibliography Formats

Years with implicit era labeldate = 7/11/100 BCE-3/13/44 BCE date = 7/11/100 BCE-3/13/44 BCE origidate = 478 BCE

eventdate = 477 CE-566 CEurldate = 21 BCE-100 CE

Dates with circa and uncertain markers

 $\begin{array}{l} \textbf{labeldate} = \text{ca. } 1723? \\ \textbf{date} = \text{ca. } 1723? \end{array}$

origdate = ca. 2/1934eventdate = 1976? urldate = ca. 1922

Date ranges

labeldate = ca. 1934-ca. 1936 date = ca. 1934-ca. 1936 origdate = ca. 1723eventdate = 1976?urldate = 1976-

Times

labeldate = 4/25/2004-4/5/2004labeltime = 2:34 PM-2:37 PMdate = 4/25/2004-4/5/2004time = 2:34 PM-2:37 PMorigdate = 4/25/2004-4/5/2004origtime = 2:34 PM-2:34 PMeventdate = 4/25/2004-4/5/2004eventtime = 2:34 PM-3:34 PMurldate = 4/25/2004-4/5/2004urltime = 2:34 PM-3:00 PM

Seasons

labeldate = Spr. 1723 date = Spr. 1723

origdate = ca. Win. 1934

eventdate = Sum. 1934-Aut. 1934

Date from literal/localisation string labeldate = n.d.

 ${\it Unspecified}$

labeldate = 1900-1999 date = 20th Century date = The 90s

Astronomical year era labeldate = 1 CE date = 1 CE origdate = 1 BCE eventdate = 2 BCEurldate = 380 BCE

 $\begin{array}{l} {\it Automatic~era~setting} \\ {\it labeldate} = 1066 \\ {\it date} = 1066 \\ {\it origdate} = 876 \\ {\it eventdate} = 402~{\rm CE} \\ {\it urldate} = 383~{\rm BCE} \end{array}$