








PlateLoop survey: key findings

Students, canteen and kitchen staff, hospital staff and office workers.

Demo data. These results come from synthetic responses (students 120, kitchen 24, hospital 36, office 80) generated to demonstrate the analysis. They are not real survey results and should not be quoted as evidence. The questionnaires and analysis workbook are ready for real responses.



Figures computed from the demo responses in plateloop-survey-analysis-DEMO.xlsx.

Findings and what they mean for PlateLoop

- 1

Portion size is the top reason for leaving food: 35% chose it, and 52% would take a smaller portion if they could ask easily.

→ The before scan and right-portion rewards in Loopi: a small plate finished counts fully.
- 2

More students prefer food groups (44%) than calories (23%).

→ Loopi shows food groups by default; calories stay optional.

-
- 3** A virtual pet appeals more to secondary students (average 3.9/5) than to university students (3.5/5).
→ Lead with the Loopi pet in schools; emphasise nutrition feedback on campuses.
-
- 4** Only 43% of students are comfortable with face sign-in.
→ Keep the class-and-number alternative; face sign-in stays optional.
-
- 5** Most kitchen staff plan by experience or headcount (83%), and only 21% know accurately which dishes come back.
→ Kitchen dashboard: waste by dish and a forecast from real eating data.
-
- 6** Staff estimate 21% of cooked food is thrown away, and spend 34 minutes a day planning quantities.
→ A suggested order for tomorrow saves planning time and cuts over-preparation.
-
- 7** A suggested order is rated useful by 75% and waste by dish by 67%, but 42% worry about extra workload.
→ Measurement is automatic: no forms or manual entry for kitchen staff.
-
- 8** Only 22% of hospital staff trust their intake records, and they spend 30 minutes a shift documenting intake.
→ Loopi Care records every tray automatically.
-
- 9** Patients who stop eating are noticed the same day in only 14% of cases.
→ Nurse-station alerts after poor meals, the same day.
-
- 10** Automatic intake records are rated useful by 83%; 61% say patients would benefit from choosing tomorrow's meals.
→ Loopi Care: per-tray intake and patient meal choice.
-
- 11** Only 15% of office workers know the nutrients in their lunch, and 43% feel an afternoon energy dip often or daily.
→ Loopi Work: nutrients per lunch and a 3 pm energy check-in.
-
- 12** 64% would pre-order lunch to skip a typical 10-minute queue.
→ Pre-ordering in Loopi Work; kitchens cook to orders.
-
- 13** Only 13% would share meal data with their employer; 56% would share anonymous totals only.
→ Private by default: employers see team totals, never names.