



A106-5

ELECTRIC-HYDRAULIC OPERATING TABLE

Registration code: SKT-C



SAIKANG / Medical

Healthier
your life

A106-5

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxWxH):	2150x550x(600-1100)mm ± 10mm
▪ Forward Tilt/Backward Tilt:	30° ± 3° / 30° ± 3°
▪ Left Tilt/Right Tilt:	22° ± 3° / 22° ± 3°
▪ Backrest (Up/Down):	85° ± 3° / 45° ± 3°
▪ Head Section (Up/Down):	50° ± 3° / 90° ± 3°
▪ Leg Section (Up/Down):	80° ± 3° / 90° ± 3°
▪ Leg Section Outward:	90° ± 3°
▪ Kidney Bridge (Electric):	100 mm ± 10 mm
▪ Horizontal Sliding:	300 mm ± 10 mm

Function Configurations

▪ Electric Brake
▪ Dual Head Section
▪ Dual Articulated Leg Section
▪ Head/Leg Section Interchangeable with Automatic Recognition
▪ 8 Groups of Posture Memory
▪ Carbon Fiber Table Panel

Technical configuration

☒ Anesthesia Screen	1 unit
☒ Shoulder Supports	1 pair
☒ Arm Rests	1 pair
☒ Lumbar Supports	1 pair
☒ Leg Supports	1 pair

Design

Human-centric overall design, meeting both patients' demands for product functionality and comfort.




Material

The table is constructed of aluminum alloy and 304 stainless steel, ensuring aesthetics, durability, shock resistance, anti-breakage, and corrosion resistance while remaining lightweight. It has a strong weight-bearing capacity of up to 360kg.



Welding | Craftsmanship

The table surface is treated with electrostatic spraying using imported powder coating, anti-aging, rust-resistant, and environmentally friendly with antibacterial properties.



Mattress

Made with a special layered foam sponge core (polyurethane memory foam) that naturally molds to the patient's body temperature and shape, preventing pressure sores during extended surgeries. Seam sealed for excellent integrity. X-ray transparent, anti-static, leak-proof, modular




Base

The table base is vacuum molded in one piece, durable, corrosion-resistant, and easy-to-clean.




Electro-hydraulic system

Powered by microcomputer control and electric hydraulic transmission technology, it undergoes electromagnetic compatibility (EMC) testing, ensuring smooth and uniform operation.



Tabletop

Equipped with a translucent X-ray projection board for orthopedic and other X-ray imaging needs.



Casters

Polyurethane medical casters with a 100mm diameter for easy mobility.




Modular tabletop and unified interfaces

Customizable configurations between the headboard, leg board, and backrest to achieve complex positions with simple steps. The system can automatically recognize the direction of the head and leg boards after swapping.



Visual hand controller

Visual hand controller with real-time feedback on action functions and battery power displayed on the LCD screen. Bilingual menu in Chinese and English for clearer operation.




Intelligent operating system

4 sets of intelligent operating systems: backup panel, wired LCD controller, optional wireless Bluetooth LCD controller (with wireless charging capability for Bluetooth controller), optional foot pedal controller, facilitating easy positioning for medical staff.



One-click reset

One-click composite positioning button for horizontal, flexed, extended, and beach chair positions. It features 12 position memory settings that can be easily customized.



Dual-joint headboard

The dual-joint headboard design enhances the flexibility of the surgical bed and improves patient comfort during lateral positioning surgeries.

Two-section split legboard

During electric adjustments, the left and right legs can operate independently or simultaneously, offering abduction and knee flexion functions to meet various lower limb surgery requirements.

Battery

The surgical table is equipped with a battery and battery backup system to ensure uninterrupted surgery in case of AC power outage, automatically recharging when plugged in. Power requirements: 220V/50Hz.

Anesthesia screen frame

Equipped with a stainless steel anesthesia screen frame for hanging anesthesia curtains, used to shield and cover the patient's head during use.

Shoulder support

Polyurethane support frame, adjustable in angle, used to stabilize the patient's body.

Body support

Polyurethane support frame, adjustable in angle, used to stabilize the patient's body.

Arm rest

Polyurethane widened armrest board with attached straps, providing stable performance and versatile applications.

Leg rest

Manual multi-angle adjustment for easy use.

Foot plate

Be used to support patient's feet.

Professional functions

Lowest position of table top
600_{mm}



Highest position of table top
1100_{mm}



Back plate upward
0°-85°



Back plate downward
0°-45°



Reversed trendelenburg
0°-30°



Trendelenburg
0°-30°



Left lateral tilt
0°-22°



Right lateral tilt
0°-22°



Leg plate up
0°-80°



Leg plate up/down
0°-90°



Leg plate up/down
0°-90°




Calf board up/down
0°-90°



Head plate up
0°-50°



Head plate down
0°-90°



Horizontal sliding
0-300_{mm}




Kidney bridge elevation
0-100_{mm}





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

European Branch

**Saikang Medical Portugal
Office**
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

South America Branch

**Saikang Medical
Technology, INC**
Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

**Saikang Medical
Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
 +86 18021231901 ·  24/7
 export@saikangmedical.com
 www.saikangmedical.com



Company video



General catalogue