



A2000

ELECTRIC OPERATING TABLE

Registration code: SKL-A



SAIKANG/Medical

Healthier
your life

A2000

FEATURES AND HIGHLIGHTS



Technical parameters

▪ Length/Width:	2050 × 480 mm ± 10 mm
▪ Height Elevating/Lowering:	680-930 mm ± 10 mm
▪ Forward Tilt/Backward Tilt:	20° ± 3° / 18° ± 3°
▪ Left Tilt/Right Tilt:	15° ± 3° / 15° ± 3°
▪ Backrest (Up/Down):	45° ± 3° / 15° ± 3°
▪ Head Section (Up/Down):	45° ± 3° / 90° ± 3°
▪ Leg Section Downward:	90° ± 3°
▪ Leg Section Outward:	90° ± 3°
▪ Kidney Bridge:	100 mm ± 10 mm

Technical configuration


☒ Anesthesia Screen:	1 unit
☒ Shoulder Supports:	1 pair
☒ Arm Rests:	1 pair
☒ Lumbar Supports:	1 pair
☒ Leg Supports:	1 pair
☒ Foot Plates:	1 pair

Material

The base material for the table is high thickness 304 stainless steel, seamless welding by robot, with modern appearance and more stable.

**Mattress**

Removable memory mattress, good rebound resilience, anti-static electricity and anti-microbial.

**Brake**

Pedal brake, easy to move and lock.

**Safety**

The table is provided with an emergency stop switch on the base column, help to stop the operating table running in case of emergency situation, ensure the safety of operation.

**Leg plate**


Leg plate with imported gas spring for easy control.

**Kidney bridge**

Manual kidney bridge, more convenience.

**Battery could support**

Battery could support about 50-80 complete operation cycles. Working time could be last for one week according to useage and help to keep the operating table running in the event of power failure.

**Armrest****Anesthesia Frame****Leg Crutches****Shoulder Support****Body Supporter**

Professional functions

Lowest position of table top

680mm



Highest position of table top

930mm



Back plate up

0°-45°



Back plate down

0°-15°



Reversed trendelenburg

0°-20°



Trendelenburg

0°-18°



Right lateral tilt

0°-15°



Left lateral tilt

0°-15°



Head plate upward

0°-45°



Head plate downward

0°-90°



Leg section evagination

0°-90°



Leg plate down

0°-90°




Kidney bridge elevation

0-100mm





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

European Branch

**Saikang Medical Portugal
Office**
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919) 300-00-06

South America Branch

**Saikang Medical
Technology, INC**
Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

**Saikang Medical
Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, Nairobi, Kenya
TEL: +254714084806

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 🕒 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue