



A501

ELECTRIC-HYDRAULIC OPERATING TABLE



SAIKANG / Medical

Healthier
your life

A501

FEATURES AND HIGHLIGHTS

Technical parameters

▪ Length/Width:	2125 × 550 mm ± 10 mm
▪ Height Elevating/Lowering:	630-980 mm ± 10 mm
▪ Forward Tilt/Backward Tilt:	20° ± 3° / 15° ± 3°
▪ Left Tilt/Right Tilt:	15° ± 3° / 15° ± 3°
▪ Backrest (Up/Down):	85° ± 3° / 35° ± 3°
▪ Head Section (Up/Down):	55° ± 3° / 90° ± 3°
▪ Leg Section (Up/Down):	15° ± 3° / 90° ± 3°
▪ Leg Section Outward:	90° ± 3°
▪ Kidney Bridge:	120 mm ± 10 mm
▪ Horizontal Sliding:	320 mm ± 10 mm
▪ Tabletop Horizontal Rotation:	180° ± 3°

Technical configuration

☒ Anesthesia Screen	1 unit
☒ Shoulder Supports	1 pair
☒ Arm Rests	1 pair
☒ Lumbar Supports	1 pair
☒ Leg Supports	1 pair



Purpose

This electric-hydraulic operating table is suitable for various surgical procedures, including thoracic-abdominal surgery, neurosurgery, ENT (Ear, Nose & Throat) surgery, obstetrics and gynecology, urology, and orthopedics.

The material is 304 stainless steel, and the tabletop is made of high-strength composite board, which is radiolucent (X-ray transparent).




Control System

Dual independent control systems (hand-controller and side controller) operate the table. If one system fails, the other maintains full operation without interrupting surgery.

Automatic lock engages after prolonged inactivity to prevent accidental manipulation.

Electric-hydraulic control ensures simple operation, low noise, heavy load capacity, and stable/reliable performance.

Electrically controlled casters enable movement without foot pedals.



Material

The base cover, column cover, side panels, and rails are all constructed with high-quality 304 stainless steel, corrosion resistance and easy cleaning.

**Special Functions**

Built-in emergency power supply with auto-charging. Automatically activates during mains power failure.
180° tabletop horizontal rotation.

**Special Functions**

Integrated kidney bridge for ergonomic operation and aesthetic design.

**Mattress**


PU leather upholstery: Anti-yellowing, mold-proof, withstands 100,000 flex cycles.
5cm thickness memory foam mattress.

**Maintenance**


Easily removable stainless steel covers for convenient maintenance.

**Safety**

Emergency stop switch.

**Professional functions**

Overall height adjustment
630-980_{mm}



Backward tilt
≥15°



Forward tilt
≥20°



Lateral tilt (L/R)
15°/15°



Head section uplift/downward
55°/90°



Back section uplift/downward
-35°/85°



Leg section up/down
15°/90°




Kidney bridge lift
120mm





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

European Branch

Saikang Medical Portugal Office

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'

454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

South America Branch

Saikang Medical Technology, INC

Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

SAIKANG Medical (Thailand) Co., Ltd.

Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

Healthward Technology, INC

17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@saikangmedical.com

🌐 www.saikangmedical.com



Company video



General catalogue