



K3k

MANUAL BED

Registration code: SK-CD1





SAIKANG Medical

Healthier
your life

K3k

FEATURES AND HIGHLIGHTS




Technical parameters

▪ External size (LxW):	2160x980 mm
▪ Mattress platform:	1930x830±10mm
▪ Safe working load:	200 kg
▪ Height adjustment:	400-710mm
▪ Back-rest adjustment:	0-85° (±10°)
▪ Knee-rest adjustment:	0-45° (±10°)

Technical configuration

☒ Manual Crank	3 pcs
☒ 5" Covered Castors	4 pcs
☒ Foldable Side Rail	1 set
☒ PP Bed Ends with Safe Lock	1set
☒ IV Pole	1set
☒ IV Pole Prevision	4pcs
☒ Drainage Hook	2pcs
☒ ABS Mattress Retainer	2pcs

Optional color (MOQ100pcs- color changing)



QUALITY CONTROL

SAIKANG medical, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. SAIKANG adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee SAIKANG's commitment on quality



Design

The design is both modern and practical. The head and foot boards feature a beautiful and elegant shape. The use of a hollow protective wrap angle, combined with a barrel-type bumper, makes the product instantly recognizable.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized at a temperature of 100°C and has a tensile strength of up to 30MPa. 11 Process epoxy painting with a thickness of 0.12mm and a brightness of 60°, which is capable of resisting impacts of up to 50kg.

Accessories



Head & foot board

The head and foot boards feature "integrated protective corners" with hollow design, which are combined with barrel-type bumper wheels that have a diameter of 60mm.

This design not only minimizes the overall space occupied by the bed but also provides protection.

Additionally, the head and foot boards are effortless to disassemble and clean.



Castors

5" covered castors.

PR material, walks 30KM with no wear and tear. Precision-designed anti-winding shell with no screws.

Pass Dynamic test: withstand a weight of 120kg, walk 30KM, and pass through 500 obstacles without any deformation or damage.

Platform

Stamping forming bed platform features a robot-welded surface that has been polished to perfection, leaving no welding scars. Bearing 200kg.

Siderail

The siderails are made of aluminium alloy horizontal bar, 6 vertical stainless steel poles and a plastic handle.

Hand Cranks

Three retractable hand cranks to control back-rest, knee-rest and height. The hand cranks remain intact after 100,000 uses.

Drainage Hooks

ABS drainage hook *2pcs

IV Pole

The infusion pole is made of stainless steel and has four plastic hooks that can bear up to 15 kg of weight.



Back-rest adjustment

$85^{\circ} \pm 10^{\circ}$



Knee-rest adjustment

$45^{\circ} \pm 10^{\circ}$




Height adjustment

$400-710\text{mm} \pm 10_{\text{mm}}$



CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

South America Branch

Saikang Medical Technology, Inc
W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

Saikang Medical (Philippines) Company Limited
Manila, The Philippines
TEL: +63 953 044 7864

US Branch

Healthward Technology, INC
I7800 CASTLETON ST STE 180.
CITY OF INDUSTRY CA 91748
TEL: +1 (603)416-3063

Russia Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies (Mid East) LLC
Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 🕒 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue