



# SK-EM211

## INFUSION PUMP



**SAIKANG** Medical

Healthier  
your life

# SK-EM211

## FEATURES AND HIGHLIGHTS

### Technical parameters

- Product weight gross weight 3.2kg net weight 2.3kg
- Mode selection drop mode, volume mode, time mode
- Medicine library function, comes with 210 kinds of medicine for users to choose.
- The history function can store up to a maximum of 1500 records.
- Adjustment range of infusion drops one drop/min~400 drops(The increase per level is 1 drop per minute)
- Adjustment range of flow rate 1ml/h ~ 1200ml/h (1ml/h~99.9ml/h per hour, the increase per level is 0.1ml/h; more than 99.90.1ml/h per hour, the increase per level is 1ml/h)
- Speed accuracy within  $\pm 3\%$  (choose a high-quality infusion set or a calibrated common infusion set)
- Mechanical precision of the pump within  $\pm 2\%$ .
- Fast forward rate 800ml/h
- KVO rate 1ml/h (infusion rate: 1ml/h ~ 300ml/h); 3ml/h (infusion rate greater than 300ml/h).
- Infusion volume range 1ml ~ 9999.9ml(the increase per level is 1ml/h)
- Maximum cumulative amount 9999.9ml
- Infusion time range 1min ~ 9999.9min (the increase per level is 1min)
- Blocking alarm threshold:  
High: 800mmHg  $\pm$  200mmHg (106kPa  $\pm$  26.7kPa)
- Blocking alarm threshold:  
Middle: 500mmHg  $\pm$  100mmHg (66.7kPa  $\pm$  13.3kPa)
- Blocking alarm threshold:  
Low: 300mmHg  $\pm$  100mmHg (40.7kPa  $\pm$  13.3kPa)
- Working environment temperature temperature:  $+5^{\circ}\text{C} \sim +40^{\circ}\text{C}$
- Relative humidity 20%~ 90%
- Atmospheric pressure 860hPa~1060hPa

#### Other Features

- Bolus infusion technology, it is close to the clinical needs and relieves the discomfort of patients.
- Ultrasonic bubble detection technology, intently monitor bubbles in the infusion tube.



### Design

Humanized integrated design, exquisite appearance. It has obvious advantage in rescuing critically patients and reducing the workload of nurses.



### Shell Material

New ABS engineering plastic injection molding.



### Screen Design

4.3 inches, resolution 272×480 TFT screen, support multi-language, equipped with backlight, suitable for various environments, clearly display all working status on the same screen.



### Internal Structure

The aluminum-magnesium alloy bracket is stable and reliable, has good shock resistance and is easy to move.



### Handle

Fixed handle design, comfortable, stable and easy to move.



### Hanger

The stable screw hanger can fix the infusion pump on the wall or pole.



### Battery

Built-in with a large capacity lithium-ion battery, ensuring a continuous operation of up to five hours in case of AC power interruption.



### Infusion Line

Excellent KVO function (Keep vessels open) keeps the infusion pipeline unobstructed.



### Operation Interface

Interface display content: time, battery capacity, infusion condition, mode, rate, infusion volume, cumulative amount, infusion time, volume level, department, and bed number.



### Remote Control Function

It can remotely control devices, directly input numbers to adjust parameters such as speed, infusion time, and medicine volume, which can save time and effort for medical staff.



### Alarm Function

The triple alarm system of sound, light and screen has a prominent function.





## **CONSTANT INNOVATION**



Design



Research



Manufacturing



Maintenance



Service

## **WORLDWIDE BRANCHES**

### South America Branch

**Saikang Medical Technology, Inc**  
W3400 Corrientes, Argentina  
TEL: +55 (11) 2758-0438  
Rua Universal, Hollywood,  
São Bernardo do Campo,  
Brazil  
TEL: +55 (11) 2758-0438

### East Africa Branch

**Saikang Medical Technology Ltd**  
Mezzanine Floor, Taj Tower,  
upper hill, nairobi, Kenya  
TEL: +254714084806

### South East Asia Branch

**Saikang Medical Technology Ltd**  
Sala Thammasop Subdistrict  
Thawi  
Watthana District  
Bangkok Thailand  
TEL: +66 642741046

### UK Branch

**Uk Healthward International Limited**  
DEPT 111,  
196 High Road Wood Green,  
London, N22 8HH  
United Kingdom  
TEL: +31 (0) 2021111106

### Russia Branch

**LLC 'SAIKANG'**  
454004, Russian Federation,  
Chelyabinsk,  
Universitetskaya  
Naberezhnaya, Russia  
TEL: +7 (919)300-00-06

### Mid East Branch

**Saikang Medical Supplies (Mid East) LLC**  
Musaffah  
P.O Box 53200, Abu Dhabi,  
UAE  
Tel: +971 585710652

**SAIKANG** Medical

Jiangsu Saikang Medical Equipment Co., Ltd.  
STOCK CODE: 870098

 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China  
 +86 18021231901 · 24/7  
 export@saikangmedical.com  
 www.saikangmedical.com



Company video



General catalogue