



SAIKANG Medical

Healthier your life

STOCK CODE: 870098

SK-PB021

ELECTRIC SPINAL
THERAPY BED



SK-PB021

FEATURES AND HIGHLIGHTS

Technical parameters

▪ Bed Body Dimensions (mm)	L1740*W550*H550~780
▪ Extended Ankle Cushion Dimensions (mm)	150
▪ Mattress Thickness(mm)	80
▪ Lifting distance(mm)	230
▪ Load-Bearing Capacity(kg)	200
▪ PProduct Net Weight(kg)	110
▪ Power input requirements	AC220V, 50Hz
▪ PProduct Net Weight(kg)	110
▪ Drop Function Areas	neck/chest/waist/pelvis/legs




Design

The appearance is simple and elegant, designed ergonomically to fit the human body's curves, making it the preferred product for those engaged in long-term spinal treatment and care.



Base

Selected high-quality Baosteel from Fortune Global 500 with specifications of 40*40mm, 40*80mm, and 25*50mm respectively, with a wall thickness of 1.5mm. Manually welded in one piece, with smooth weld seams, capable of bearing up to 200 kilograms.



Coating

The surface is coated with high-hardness powder, making it environmentally friendly, economical, and durable.

Bed surface

The bed surface is made of high-quality PU leather that is anti-fouling, flame-retardant, and mildew-resistant, with high density sponge with a thickness of up to 8cm. The base is supported by a high-density board. Available bed surface colors: black, blue, red.

Foot pedal

The bed surface is controlled by a foot pedal for lifting and lowering. The black knurled handle operation knob adjusts the bed surface preload. The foot lever can manually adjust the spacing, with five levels of adjustment, up to a maximum spacing of 90 mm.

Foot Controller

Dual control foot controller for overall lifting and lowering. The foot controller has a magnet, allowing it to be moved and repositioned.

Motor

CE-certified domestic motor with a powerful push rod, providing a thrust of 8000N. The shortest installation hole distance is 328mm, with a stroke length of 120mm. It adjusts the lifting of the intermittent compression bed, providing gentle and soothing massages to the body, enhancing relaxation and comfort.

Foot pads

Non-slip foot pads, silent and slip-resistant, wear-resistant and floor-friendly.

Headrest adjustment

The headrest is equipped with a gas spring, allowing for vertical movement and angle adjustment. The headrest can move forward and backward by 2 cm, with a vertical movement range of 0-10 cm. The maximum tilt angle of the headrest is 23 degrees upward and 18 degrees downward.

Side flexion device

This function allows doctors to adjust the angle of the patient's wedge-shaped vertebral body in the neck before adjustment, in order to improve the effectiveness of cervical spine adjustment. The lateral flexion device locking handle (as shown in the diagram) enables the headrest to rotate freely around the pivot. Once the desired position is reached, turn the handle clockwise to secure the headrest in place.

Head drop mechanism

The head drop device allows for two types of movement: (1) forward and downward, (2) backward and downward. These drop functions are achieved by slightly lifting the top plate of the head device and rocking it forward or backward.

Armrest

The armrest bracket is a fixed bracket, designed to fit the natural downward position of the arms, providing comfort and relaxation. Load capacity: 15 kg. The dimension of the armrest: L36 cm * W11 cm * H5 cm.

Five-section drop function

Five-section drop function: includes drop functions for the head, neck, chest, lumbar pelvis, and legs. The bed surface can be raised using a foot pedal and pressed down to achieve the drop function. The pressure is controlled by rotating a knob.

Extended Ankle Cushion

To accommodate people of different heights, the extended ankle cushion features a retractable design that can extend up to a maximum of 15 cm when pulled out.



CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

South America Branch

Saikang Medical Technology, Inc

W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

Saikang Medical Technology Ltd

Sala Thammasop Subdistrict
Thawi
Watthana District
Bangkok Thailand
TEL: +66 642741046

US Branch

Healthward Technology, INC

17800 CASTLETON ST STE
180,
CITY OF INDUSTRY CA 91748
TEL: +1 (603)416-3063

Russia Branch

LLC 'SAIKANG'

454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies (Mid East) LLC

Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@saikangmedical.com

🌐 www.saikangmedical.com



Company video



General catalogue