



SKB037(A)

PATIENT TROLLEY

Registration code: SKM-C



SAIKANG Medical

Healthier
your life

SKB037(A)

FEATURES AND HIGHLIGHTS

Technical parameters

- External size (LxWxH) 1960x600x810 mm



Leather

Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance.



Sponge

Flame retardant, 4 cm thickness, high-density foam, density 30 kg/m³.



Metal Material

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth wedding.



Bedstead | Bearing

The main frame used high quality S.S. with the Mirror surface polishing 200kg limit loading capacity.




Side Rail

Side rail is foldable.



Design

Separated into two parts: stretcher and trolley.




IV Pole

stainless steel I.V pole, diameter Φ16*1, load capacity: 15KG.



Castors

5" covered caster. Advanced protection universal brake wheel, easy to move, simple to operate, reliable performance.




Oxygen bottle rack (stainless steel).





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

USA

Saikang Medical Technology, Inc.
17800 Castleton St Ste 180,
City of Industry, 91748, California.
Tel.: +1 949648 2776

United Kingdom

UK Healthward International Ltd.
Dept. 111, 196 High Road Wood
Green, N22 8HH, London.
Tel.: +44 2032399738

Russia

Saikang Medical Russia LLC
Truda 174,
454080 Chelyabinsk.
Tel.: +7 (351) 214 5566 / 8811 / 1516

East Africa

Saikang Medical Solutions Ltd.
Viraj Complex Unit 3, Mombasa
Road, P.O. Box 14262-00800, Nairobi.
Kenya.
Tel.: +254 733 704 690

Middle East

Saikang Medical Supplies LLC
X22-S03 England Cluster,
International City, Dubai.
United Arab Emirates.
Tel.: +20 128 8962497

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 📞 24/7
✉ sales@chinasaikang.com
🌐 www.saikangmedical.com



Company video



General catalogue