



SKB041-10

PATIENT TRANSPORTATION TROLLEY

Registration code: SKV-BE



SAIKANG Medical

Healthier
your life

SKB041-10


FEATURES AND HIGHLIGHTS

Technical parameters

▪ External size (LxW)	2150x830 mm (±10 mm)
▪ Table height adjustment	560-890 mm (±10 mm)
▪ Back plate adjustment	0-75°(±5°)
▪ Knee-rest adjustment	0-40°(±5°)
▪ Reverse trendelenburg	0-18°(±2°)
▪ Trendelenburg	0-18°(±2°)
▪ Static Load Capacity	220 kg

Technical configuration

☒ 8-inch Central Control Casters	4 pcs
☒ Hydraulic Pumps	2 pcs
☒ PP Guardrails with angle display	2pcs
☒ Stainless Steel Infusion Pole	1 pc
☒ Infusion Stand Holes	4 pcs
☒ Back Lifting Gas Springs	2 pcs
☒ Leg Lifting Crank Handle	1 pc
☒ Anti-collision Wheels	4 pcs
☒ Foot Pedals	2sets
☒ Central Control Brakes	4pcs
☒ Fifth Castor	1pc
☒ Bottom Plastic Cover	1 pc
☒ 7cm PU Mattress	1 pc
☐ Instrument Platform	1 pc




Guardrail

Side-rail can be Fixed at Horizontal Level Fixable at horizontal level, where patient's arm can be placed on for the administration of IV or other treatment.

**One direction moving**

Proper procedure needs to be exercised to safely transfer the patient from the stretcher to the bed. An innovative side-rail design allows medical personnel to carry out this action efficiently and with greater ease. Side-rail can be laid out on a bed positioned next to the stretcher to act as a transfer board, creating zero gap for easy and quick transfer.

**Degree indicator**

Scale on guardrail, shows the backrest degree.

**T-shaped gap**

T-shaped design allows tubes to pass through side-rail for improved fluid drainage.

**Hydraulic system**

American brand hydraulic pump, providing strong support for the functions of height adjustment, trendelenburg/reversed trendelenburg.

**Bumper**

Equipped with bumper at four corners.

**Foldable handle**

Equipped with foldable handle.

**Center Wheel**


Can be engaged to facilitate direction control, enabling users to navigate the stretcher easily in hectic and dynamic environments.

**Castor**

8" controlled castors.

**I.V pole**

Full SS IV pole, bearing 15kg.


**Mattress**

Water proof mattress.





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

Portugal Showroom

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom

Rua Lauro Muller 116, Sala
1503 - Botafogo, Rio de
Janeiro - RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

Indian Showroom

1460 M.I.E, Bahadurgarh,
Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.
com

China Headquarter

No.35 Lehong Road,
Zhangjiagang City,
Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@
saikangmedical.com

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 📞 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue