



SKB041-2

PATIENT TRANSPORTATION TROLLEY

Registration code: SKV-BC



SAIKANG Medical

Healthier
your life

SKB041-2


FEATURES AND HIGHLIGHTS

Technical parameters

▪ External size (LxW):	1910x640 mm (± 10 mm)
▪ Table height adjustment:	650-960 mm (± 10 mm)
▪ Back plate adjustment:	0-75° ($\pm 10^\circ$)
▪ Reverse Trendelenburg:	0-15° ($\pm 2^\circ$)
▪ Trendelenburg:	0-15° ($\pm 2^\circ$)
▪ Static Load Capacity:	250 kg
▪ Dynamic Load Capacity:	135 kg

Technical configuration

☒ 8-inch Central Control Castors	4 pcs
☒ Hydraulic Pumps	2 pcs
☒ Stainless Steel Infusion Pole	1 pc
☒ Infusion Stand Holes	2 pcs
☒ PP Guardrails	2 pcs
☒ Back Gas Spring	1 pc
☒ Foot Pedals	2 sets
☒ Central Control Brakes	2 pcs
☒ Fifth Castor	1 pc
☒ Bottom Plastic Cover	1 pc
☒ 2cm Oxford Cloth Mattress	1 pc



Metal material

Baosteel from Fortune Global 500
Panasonic Robotic ensure 360° full
smooth wedding.

**Plastic**

Environmental plastic can be
sterilized in 100°C, tensile upto
30MPa.

**Steels | Painting**

11 Process epoxy painting, ASTM
testing anti-bacterial, paint thickness
0.12 mm, brightness 60°, paint can
resist 50 kg impact.

**Brake**

Break spring keep qualified after
10,000times uninteruped break.

**Hydraulic pumps**

Height adjustment, trendelenburg
and revised tendelenburg through
two USA hydraulic pumps.

**Center wheel**

Can be engaged to facilitate direction
control, enabling users to navigate
the stretcher easily in hectic and
dynamic environments.

**Rising**

Hydraulic treadle for rise.

**Falling**

① Leg section lows down to make
head higher.
② Back section lows down to make
leg section higher.
③ Step on the middle of the pedal,
make the bed base fall down steadily.

**Castors**

Four double side casters of 8 inch
diameter, simultaneously lockable by
the step pedal at both sides.
TPR tire no worn out after running
30KM, save anti-winding hard shell,
united forming without bolts.

**Mattress**


Water proof mattress with 2 belts.

**Side rail**

Bed platform and guardrail are made
of high quality PP material.


**IV pole**

Stainless Steel Column with plastic
hook.





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

Portugal Showroom

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom

Rua Lauro Muller 116, Sala
1503 - Botafogo, Rio de
Janeiro - RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

Indian Showroom

1460 M.I.E, Bahadurgarh,
Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.
com

China Headquarter

No.35 Lehong Road,
Zhangjiagang City,
Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@
saikangmedical.com

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 📞 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue