



# SKE011-2

## TREAT-WAITING CHAIR



**SAIKANG**/Medical

Healthier  
your life

# SKE011-2

## FEATURES AND HIGHLIGHTS

**Design:** Simple overall design, ergonomically designed to prevent deformation from prolonged sitting.

**Seat and backrest:** The main material is a co-polymer of polyurethane (PU), molded in one piece, durable and sturdy. The PU seat and backrest are made with an integral board design. The inner layer material is made of  $\geq 1.5\text{mm}$  cold-rolled steel plate. The exterior is made of 100% pure high-density polyurethane (PU) that completely wraps the chair seat and backrest (no exposed steel frame in the seat and backrest design), and no other substances are filled inside the seat and backrest. The overall thickness of the seat's PU edge is not less than 30mm.

### Technical parameters

|                                    |                         |
|------------------------------------|-------------------------|
| Overall dimensions (3-seater)      | 1780*710*900 $\pm$ 10mm |
| Center distance                    | 570mm $\pm$ 10mm        |
| Seat width                         | 520-565mm $\pm$ 10mm    |
| Seat depth                         | 475m $\pm$ 10mm         |
| Seat height from the ground        | 420mm $\pm$ 10mm        |
| Seat top depth                     | 710mm $\pm$ 10mm        |
| Seat top height from ground        | 900mm $\pm$ 10mm        |
| Armrest top height from the ground | 595 $\pm$ 10mm          |
| Weight                             | 52.5KG/roll             |



#### Support frame

The side brackets of the seat and backrest are made of  $\geq 1.5\text{mm}$  cold-rolled square steel, with a load-bearing capacity of up to 250kg.



#### Armrest leg

High-strength aluminum alloy integrally formed die-casting, with a surface coated with wear-resistant electrostatic epoxy powder. The installation of armrests does not affect the width space of the seat. The length of the armrests is appropriate, with smooth curves, which can prevent clothing from getting caught on the armrests and causing safety hazards.



#### Crossbar

Made of  $\geq 330*1.2\text{mm}$  steel plate, with no less than 7 pieces of  $\geq 150*110*1.5\text{mm}$  reinforcing plates welded on. Mounting holes are punched on the crossbar, and the ends of the crossbar are sealed with plastic plugs.



#### Design

The seat and backrest are designed in a continuous manner, with a certain inclination when installed. The gaps between the seat panels are set reasonably, controlled between 4mm and 6mm, ensuring the overall aesthetics of the seat, avoiding debris accumulation, and facilitating cleaning to prevent children's hands and feet from getting stuck in the gaps between seats. Adjacent seat backrests are spaced apart, taking into account aesthetic requirements.



#### PU

Regular color of PU color card is optional.





## CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service



## WORLDWIDE BRANCHES

### South America Branch

#### Saikang Medical Technology, Inc

W3400 Corrientes, Argentina  
TEL: +55 (11) 2758-0438  
Rua Universal, Hollywood,  
São Bernardo do Campo,  
Brazil  
TEL: +55 (11) 2758-0438

### East Africa Branch

#### Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower,  
upper hill, nairobi, Kenya  
TEL: +254714084806

### South East Asia Branch

#### Saikang Medical Technology Ltd

Sala Thammasop Subdistrict  
Thawi  
Watthana District  
Bangkok Thailand  
TEL: +66 642741046

### UK Branch

#### Uk Healthward International Limited

DEPT 111,  
196 High Road Wood Green,  
London, N22 8HH  
United Kingdom  
TEL: +31 (0) 2021111106

### Russia Branch

#### LLC 'SAIKANG'

454004, Russian Federation,  
Chelyabinsk,  
Universitetskaya  
Naberezhnaya, Russia  
TEL: +7 (919)300-00-06

### Mid East Branch

#### Saikang Medical Supplies (Mid East) LLC

Musaffah  
P.O Box 53200, Abu Dhabi,  
UAE  
Tel: +971 585710652

# SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.  
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@saikangmedical.com

🌐 www.saikangmedical.com



Company video



General catalogue