



V3k

MANUAL BED

Registration code: SK-CD1




SAIKANG Medical

Healthier
your life

V3k

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW):	2130x995 mm
▪ Mattress platform:	1925x900 mm
▪ Safe working load:	200 kg
▪ Height adjustment:	420-730mm
▪ Back-rest adjustment:	0-70° (±10°)
▪ Knee-rest adjustment:	0-38° (±10°)


Technical configuration

☑ Manual crank	3 pcs
☑ 5" covered castors	4 pcs
☑ Foldable side rail	1 set
☑ PP bed ends with safe lock with Ø65 bumper wheels	1 set
☑ PP bed platform with integrated mattress retainer	1 set
☑ IV pole 4 hooks	1 set
☑ IV pole prevision	4 pcs
☑ Drainage hook	2 pcs

Optional

- ☐ Auto-regression function (back section)
- ☐ Utility shelf
- ☐ Trapeze bracket/pole

Optional color (MOQ100pcs- color changing)



QUALITY CONTROL

SAIKANG medical, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. SAIKANG adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operator, rigorous quality control, only to guarantee SAIKANG's commitment on quality



Design

The unique germ-free design meets hospitals' strict infection control requirement. Seamless PP head and foot board and platform ensure the instant and sufficient sterilization.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized in 100°C, tensile upto 30MPa.
11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.

Accessories



Platform

Integrated PP bed platform, adopting advanced manufacturing technology. 4-5 section platform, enables independent installation and easy maintenance.

Enlarge the seat area when back part is raised, providing more comforts for the patients.

Reduce the depression of the sponge at the seat panel.



Castors

5" covered castors. TPR tire no worn out after running 10 km.

Anti-winding hard shell cover, united forming without bolts.

Pass dynamic test: pass obstacles 40000 times, under the standard 200kg load of the whole bed.

Head & Foot Board


LG Chem fresh PP material, Plug in type.
Equipped with the bumpers wheel, diameter 65mm, preventing collision.

**Mattress Retainer**


Platform integrated mattress retainer at the both sides of the back and leg section, with a boarder of 33mm height.

**Guardrail**

Aluminum alloy side rail, 6-staff, collapsed type with safe lock.

**Wall bumper wheel**

Horizontal corner bumpers at the outermost periphery of the bed to protect the bed and wall.

**Drainage Hooks**

Mobile plastic drainage hooks.


**IV Pole**

SS IV pole, bearing 15kg.



Back-rest adjustment

70°



Knee-rest adjustment

38°




Height adjustment

420-730_{mm}



CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

Portugal Showroom

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom

Rua Lauro Muller 116, Sala
1503 - Botafogo, Rio de
Janeiro - RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

Indian Showroom

1460 M.I.E, Bahadurgarh,
Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.
com

China Headquarter

No.35 Lehong Road,
Zhangjiagang City,
Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@
saikangmedical.com

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 🕒 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue