



X36

EXAMINATION TABLE

Registration code: SKD-A




SAIKANG Medical

Healthier
your life

X36

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External Size (LxWxH)	1830 x 680 x 470-910mm $\pm$ 10 mm
▪ Head up/down	85°/40°
▪ Leg up/down	48°/45°
▪ Bearing Capacity	$\geq$ 150kg
▪ Headrest Hole	150 mm
▪ Input Voltage	110-230v
▪ Output Power	24W



Technical configuration

☒ Motor	1pc
☒ Pillow	1pc
☒ Gas Spring	2pcs
☒ Brake Pedal	4pcs
☒ 3" Double Wheel	4pcs
☒ Manual Operator	1pc



Optional

☐ Bed Surface Foot Lift	1pc
☐ Roll Up Tissue Holder	1pc




Bed Frame

The bed frame surface is painted with 1.5mm powder coated steel, and welded by Panasonic Robotic seamlessly. Strong corrosion resistance, environmentally-friendly, bright surface, maintain an overall beautiful appearance. With this structure, the whole bed maintains more stable and makes patients feel more safe.



Mattress

The bed platform is integrally made of the high-end composite leather and hand-made cotton mattress, of which the curve design is ergonomic, elastic and soft, breathable, environmentally-friendly, easy to be cleaned, anti-bacterial, impact-resistant.



Pneumatic Pole Support

Two air springs are equipped on the back and legs to provide users with a quiet and safe environment during diagnosis and avoid interference.



Control System

CE certified linear actuator motor, one-button free lift, low noise, and long service life. Manual (foot control) electric overall lifting, manual back-rest lifting, leg-rest lifting adjustment, height adjustment.



Hand Controller

The bed is equipped with Hand-held controller, so that the optimal height is easy to be adjusted by pressing the single button gently. The hook on the back is convenient to take down for patients and nurses.



Bed foot equipment

Equipped with 4pcs 3-inch double-sided wheels, 2 functions side brake with 4 pedals, which are convenient to move and fix. The design of 360° rotating pulley made of polyurethane PU is strong, durable, non-slip, strong in pressure resistance, and good in stability.



Assorted Pillow

The neoteric design of the pillow is narrow on the top and wide on the bottom. Its well-shaped and elegant design matches with modern aesthetic ideas and can blend into the environment harmoniously. Pillow can be disassembled according to demand.



Round Covered Edge

The bed platform was covered in 360°. The soft-touch of surface would be safer for users.




Design

Bed surface two fold three ergonomic design, adjust the height according to the patient's height, personalized design help diagnosis. Dual use of bed and chair, high bearing lasting stability, no fear of heavy pressure impact, to ensure safe use.





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

European Branch

**Saikang Medical Portugal
Office**
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919) 300-00-06

South America Branch

**Saikang Medical
Technology, INC**
Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

**Saikang Medical
Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
 +86 18021231901 · 24/7
 export@saikangmedical.com
 www.saikangmedical.com



Company video



General catalogue