

X42


ELECTRIC EXAMINATION TABLE

Registration code: SKD-A



X42

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW)	1910x650mm (±10mm)
▪ Height adjustment	520-960mm (±10mm)
▪ Headrest size	460x650mm (±10mm)
▪ Seat size	510x650mm (±10mm)
▪ Legrest size	940x650mm (±10mm)
▪ Headrest adjustment	-38°~+75°
▪ Seatrest adjustment	0°~+25°
▪ Legrest adjustment	0°~+75°
▪ Voltage	AC220V, 50Hz
▪ Power	500VA
▪ Load capacity	180kg
▪ Net weight	75kg

Design

Ergonomic multi-position examination bed for comfortable patient positioning and flexible operation.



Material

High-quality steel bed frame, 1.5-2.0mm thick, sturdy and stable with hooks for remote control and cables.



Technical configuration

☒ Motor	2 pcs
☒ Gas spring	2 pcs
☒ 3" Castor	4 pcs
☒ Brake Pedal	4 pcs
☒ Hand Controller	1 pc
☒ Manual Operator	1 pc

Paintwork | Welding

The surface of the bed frame is made of Eco-friendly, antibacterial, anti-static powder coating, resistant to acid, alkali, corrosion, and fading. Manual welding with smooth and clean seams.



Motor

Low-noise domestic brand linear actuator motors, dual-motor control, 4-button handset for bed height adjustment

Hand Controller

Controls lifting and angle adjustment.

Breather Hole

Removable for prone-position patient comfort.

Headrest

Adjustable headrest angle (-38°~+75°) with 2pcs gas springs for flexible positioning.

Seatrest

The seat board can be electrically controlled to adjust the angle and adjustment range is 0-25°

Legrest

Adjustable legrest angle (0°~75°) with dual gas springs.

Lowest Position

520mm height for easy patient seating.

Mattress

Antibacterial leather with high-density slow-rebound foam with 7cm thick for patient comfortable.

Linkage Brakes


High-quality caster lift switch with four-corner linkage brakes allows easy switching between fixed and mobile modes regardless of which side of the bed you are on. Press the right side of the switch to raise the caster for fixed use; press the left side to lower the caster for mobile use.

Castors

Plastic medical castors with 180kg load capacity, 3-inch, no brake (lifted by foot pedal).



CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

European Branch

Saikang Medical Portugal Office

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'

454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

South America Branch

Saikang Medical Technology, INC

Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower,
upper hill, Nairobi, Kenya
TEL: +254714084806

South East Asia Branch

SAIKANG Medical (Thailand) Co., Ltd.

Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

Healthward Technology, INC

17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@saikangmedical.com

🌐 www.saikangmedical.com



Company video



General catalogue