



A99-5

ELECTRIC OBSTETRIC BED



SAIKANG Medical

Healthier
your life

A99-5

FEATURES AND HIGHLIGHTS

Technical parameters

▪ Size(L × W × H):	1985×665×675 mm±10 mm
▪ Height Adjustment Stroke:	675-975mm±10mm
▪ Back Plate Up:	55°±3°
▪ Back Plate Down:	10°±3°
▪ Seat Plate Up:	20°±3°
▪ Seat Plate Down:	10°±3°
▪ Leg board evagination:	90± 3°
▪ Safe Working Load:	≥135kg

Technical configuration

☑ Arm Supports with Cushions	2 pcs
☑ Hand Grips (Side Rails)	2 pcs
☑ Leg Supports with Cushions	2 pcs
☑ Stainless Steel Waste Basin	1 pc
☑ Hand Controller	1 pc
☑ Foot Controller (Pedal Switch)	1 pc


Material

The chassis cover is made of high-quality 304 stainless steel by robot seamless welding molding, with an elegant design that ensures both stability and durability.



Mattress

The tabletop features seamless upholstery, while the mattress is made of high-density memory foam with a seamless, one-piece molding process. The ergonomic design conforms to the body's natural curves, offering gentle elasticity, easy cleaning, antibacterial properties, and impact resistance.



Control system

Equipped with high-quality domestic motors, all operations are controlled by hand controller and foot pedals.



Braking system

The braking function of the casters is controlled by the foot pedal.



Arm Support

The arm support could be adjusted into multiple angles with the straps, it can be used to comfortably fix the patient's arm at various angles.



Handle

Both sides of the delivery bed are equipped with collapsible handle, which is convenient for the patient to get on and off the bed. The handrails are molded with foam for comfort, with anti-slip lines, to prevent slipping when the force is applied. The pink color matches the overall bed.



Leg Support

The leg support is integrated with the stirrup function, and the delivery bed is equipped with an independent stirrup. The leg support is equipped with straps for better stabilization.

Auxiliary Table

The auxiliary table can be folded 90° outwards, used as an instrument table, detachable, and adapted to a variety of surgical environments.

Professional functions

Bed surface length

1985_{mm}



Height adjustment

665-975_{mm}



Seat plate up/down folding

20°/10°



Leg plate abduction

≥90°



Back plate up/down folding

55°/10°




Load Bearing

≥135kg





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

Portugal Showroom

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom

Rua Lauro Muller 116, Sala
1503 - Botafogo, Rio de
Janeiro - RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

Indian Showroom

1460 M.I.E, Bahadurgarh,
Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.
com

China Headquarter

No.35 Lehong Road,
Zhangjiagang City,
Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@
saikangmedical.com

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 🕒 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue