

CELEBRATING
ANNIVERSARY

24th

· 2002-2026 ·



Healthier your life

Alnno L21

ELECTRIC DOUBLE-ARM
PENDANT

www.saikangmedical.com

SAIKANG Medical®


Alnno L21

Suitable for
emergency
department,
operating room,
and ICU

ELECTRIC DOUBLE-ARM PENDANT

The Alnno L21 electric double-arm pendant features a lightweight and minimalist design, providing flexible operation and covering a larger treatment radius. It is compatible with various medical devices, saving space and enhancing operational efficiency in the operating room.

The design is lightweight and simple, with flexible dual-arm that can be adjusted and positioned within a 1400mm range based on surgical and nursing needs. The overall sealed design has no sharp edges to prevent collisions while meeting hospital laminar flow requirements. The streamlined shape enhances safety.



450_{mm}

ELECTRICAL SYSTEM

Use well-known motor brand
TIMOTION to ensure stable
quality, strong lifting force,
low noise, and easy operation
through a control handle,
meeting various surgical needs.

Height adjustment: 450mm



1400_{mm}

ROTATING ARM

With dual arms that can rotate,
compact size, and lightweight mobility,
it can be adjusted to meet clinical
demands, with a maximum coverage
treatment radius of 1400mm.

1400_{mm}

340°

SUSPENSION SYSTEM

Both the tower and arms can
rotate 340°, with built-in limit
devices to prevent drift.



MEDICAL GAS

Convenient storage

Waterproof, dustproof, and dirt-resistant design. The power terminal is made of one-piece ABS, available in orange and green to prevent misconnection. The gas terminal is transparently sealed convenient for gas source identification and with three status indicators (on, off, unplugged). The sockets can withstand over 20,000 insertions/removals and allow for gas maintenance.



INSTRUMENT PLATFORM


The all-aluminum alloy panel is formed in one piece, with high strength, easy to disinfect and clean, and no risk of rust; the table top adopts recessed anti-slip design to ensure that the instruments are placed smoothly and safely; platform size: 530×500mm, adjustable, and load-bearing $\geq 80\text{KG}$;



TELESCOPIC EXTENSION ARMS

There are two sections of telescopic extension arms, which can be used with infusion rods and infusion pump stands, and can be flexibly adjusted to meet diversified needs and optimize the use of space.

Total maximum load capacity: 30kg.



CABLE MANAGEMENT

The side of the box features an internal power supply for both strong and weak electricity, allowing for convenient access to power. The hub allows for excess cable storage, reflecting 6S site management principles for a neat and organized setup.



DRAWER


Silent self-priming slide rails remain smooth after 10,000 push-pull tests, can bear 30kg.

Optional sensor drawer light, more convenient to use.




OPTIONAL

An integrated lighting solution includes adjustable contour lights, overhead lights, and floor lights, allowing for flexible combinations to accommodate various scenarios and facilitating nighttime observation and operations by medical staff.



Contour Lights



Overhead Lights



Stainless steel basket



Suction tube box



Drawer divider box



Computer keyboard drawer



Flashlight + flashlight placement box



Stethoscope + stethoscope holder

DETAILED PARAMETERS

Model	Alnno L21
Operating Power Supply	AC220V, 50Hz
Input Power	6KVA
Mechanical Arm Length	800mm±10mm
Electric Arm Length	800mm±10mm
Horizontal Cabinet Length	1000mm±10mm
Cantilever Rotation Angle	340°
Cabinet Rotation Angle	340°
Pendant Load Capacity	180kg
Instrument Platform Load Capacity	80kg
Instrument Platform Dimension	Length 530±10mm × Width 500±10mm
Electric Lift Travel	360mm
Horizontal Cabinet	1 unit
Rotating Cantilevers	2 units
Brake System	Damping Brake
Gas Terminals	Oxygen*1, Suction*1, Air*1
Instrument Platforms	2 layers
Power Sockets	6 units (220V/10A)
Equipotential Grounding Terminals	4 units
Drawers	1 unit
Combined Pump Rack with Double Extension Arm and IV Pole	1 set
Cable Clip	1 unit

Gas terminal: On/Off/Disconnect three states, insertion/extraction cycles up to 120,000 times, compliant with British, German, Japanese, Chinese, and American standards.

Gas hose: Imported from Italy, inner layer made of food-grade material, working pressure 2 MPa, burst pressure 6 MPa.

Power socket: French Legrand, 10A and 16A, compliant with European, American, Japanese, and Chinese standards.

Power cable: 2.5 mm², 3C certification (China Compulsory Certification), 31 kW.

OPTIONAL ACCESSORIES

1. Basket – stainless steel basket.

2. Medical gas outlets: British standard, American standard, German standard, French standard, Japanese standard, etc.

3. Different standards for medical gas outlets and adapters: British standard, French standard, German standard, Diss, Ohmeda, Chemetron, etc.

4. Inhaler – various oxygen inhalers (disposable, simple, external, etc.)

5. Negative pressure regulating valve
6. Waste liquid collection device (external)

7. Suction tube box;

8. Drawer divider boxes;

9. Lighting systems;

10. Computer keyboard drawer;


11. Monitor stands + monitors;

12. Flashlight + flashlight placement box;

13. Stethoscope + stethoscope holder.



CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

European Branch

**Saikang Medical Portugal
Office**
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

South America Branch

**Saikang Medical
Technology, INC**
Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

**Saikang Medical
Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
 +86 18021231901 ·  24/7
 export@saikangmedical.com
 www.saikangmedical.com



Company video



General catalogue