

CELEBRATING
ANNIVERSARY

24th

· 2002-2026 ·



Alnno X71

ICU MEDICAL BRIDGE
CEILING PENDANT

(SEPARATE WET AND DRY AREAS)

www.saikangmedical.com

SAIKANG Medical®


Alno X71

Suitable for
ICU, NICU, PICU, EICU
room

Alno 71 ICU medical bridge ceiling pendant features modern streamlined design, which meets the requirements of hospital laminar flow, and electrical separation design in function to ensure safety; the product is configured with multi-layer and large-size instrument platforms, which can be adapted to a wide range of equipments, optimize medical space and improve the efficiency of medical staff.

APPEARANCE DESIGN

Featuring a modern streamlined design that meets hospital laminar flow requirements, it is lightweight and aesthetically pleasing; it saves floor space with a fully sealed design, no sharp corners, and prevents collisions.



WET AND DRY AREAS SEPERATED

By arranging strong power, weak power and gas piping separately, it makes the layout of each system clearer, which can reduce electrical interference, effectively avoid contact between electric arcs and combustible gases, and reduce the risk of fire or explosion, thus guaranteeing the safety of the medical environment.

500_{mm}

TRANSLATION SYSTEM

Use knob switch, easy and flexible operation, translation distance $\geq 500\text{mm}$; Horizontal translation of dry and wet areas, accurate positioning without drift, to meet the needs of multi-directional care.



340°

SUSPENSION SYSTEM

Both the tower and arms can rotate 340°, with built-in limit devices to prevent drift.



MEDICAL GAS

Convenient storage

Waterproof, dustproof, and dirt-resistant design. The power terminal is made of one-piece ABS, available in orange and green to prevent misconnection. The gas terminal is transparently sealed convenient for gas source identification and with three status indicators (on, off, unplugged). The sockets can withstand over 20,000 insertions/removals and allow for gas maintenance.



INSTRUMENT PLATFORM

The all-aluminum alloy panel is formed in one piece, with high strength, easy to disinfect and clean, and no risk of rust; the table top adopts recessed anti-slip design to ensure that the instruments are placed smoothly and safely; platform size: 530×500mm, adjustable, and load-bearing $\geq 80\text{KG}$;



TELESCOPIC EXTENSION ARMS

There are two sections of telescopic extension arms, which can be used with infusion rods and infusion pump stands, and can be flexibly adjusted to meet diversified needs and optimize the use of space.

Total maximum load capacity: 30kg.



DRAWER

Silent self-priming slide rails remain smooth after 10,000 push-pull tests, can bear 30kg.

Optional sensor drawer light, more convenient to use.



RICH ACCESSORIES ARE
USED TOGETHER TO EXTEND
CLINICAL APPLICABILITY



Infusion Pump Cable
Management




Cable Hub



Stainless steel basket



Suction tube box
(Optional)



Drawer divider box
(Optional)



Computer keyboard drawer
(Optional)



Flashlight + flashlight
placement box (Optional)



Stethoscope + stethoscope
hanger (Optional)

INFORMATION SCREEN (OPTIONAL)

The bridge is equipped with a built-in bed information display, allowing medical staff to check patient information at any time to improve work efficiency.



ZONE LIGHTING (OPTIONAL)

Integrated ICU lighting solution with head lighting, body lighting, and reading lighting. The brightness of top lighting, floor lighting, and contour lighting is adjustable, allowing for flexible combinations to meet different scenarios, facilitating nighttime observation and operations for medical staff. One-touch operation through a touch control panel enables smart and convenient management and control.



Head Lighting




Body Lighting



Reading Lighting



Ambient Lighting



Floor Lighting



Contour Lighting

DETAILED PARAMETERS

Model	Alnno X71
Operating Power Supply	AC220V, 50Hz
Input Power	6KVA
Bridge Length	3000mm
Horizontal Cabinet Length	1000mm±10mm
Vertical Cabinet Length	1000mm±10mm
Horizontal Translation Travel	400mm±10mm
Cabinet Rotation Angle	340°
Bridge Load Capacity	300kg
Instrument Platform Load Capacity	80kg
Instrument Platform Dimension	Length 530±10mm × Width 500±10mm
Horizontal Cabinet	1 unit
Vertical Cabinet	1 unit
Instrument Platforms	5 layers
Brake System	Mechanical Brake
Gas Terminals	Oxygen*3, Suction*2, Air*2
Power Sockets	12 units (220V/10A)
Grounding Terminals	8 units
RJ45 Network Interface	1 unit
Drawers	2 units
Combined Pump Rack with Double Extension Arm and IV Pole	1 set
Cable Clip	1 unit
Basket	1 unit

Gas terminal: On/Off/Disconnect three states, insertion/extraction cycles up to 120,000 times, compliant with British, German, Japanese, Chinese, and American standards.

Gas hose: Imported from Italy, inner layer made of food-grade material, working pressure 2 MPa, burst pressure 6 MPa.

Power socket: French Legrand, 10A and 16A, compliant with European, American, Japanese, and Chinese standards.

Power cable: 2.5 mm², 3C certification (China Compulsory Certification), 31 kW.

OPTIONAL ACCESSORIES

1. bridge ceiling pendant lighting system

2. Information screen

3. Medical gas outlets: British standard, American standard, German standard, French standard, Japanese standard, etc.

4. Different standards for medical gas outlets and adapters: British standard, French standard, German standard, Diss, Ohmeda, Chemetron, etc.

5. Inhaler – various oxygen inhalers (disposable, simple, external, etc.)
6. Waste liquid collection device (external)

7. Suction tube box;

8. Drawer divider boxes;

9. Computer keyboard drawer;

10. Monitor stand + monitor;


11. Flashlight + flashlight placement box;

12. Stethoscope + stethoscope hanger;

13. Boom hub.



CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

European Branch

**Saikang Medical Portugal
Office**
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Russian Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

South America Branch

**Saikang Medical
Technology, INC**
Rua Lauro Muller 116, Sala
1503 - Botafogo,
Rio de Janeiro -
RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

East Africa Branch

**Saikang Medical
Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (603) 416-3063

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
 +86 18021231901 ·  24/7
 export@saikangmedical.com
 www.saikangmedical.com



Company video



General catalogue