



SKB041-7

PATIENT TRANSPORTATION TROLLEY (WHOLE BODY X-RAY)

Registration code: SKV-BE




SAIKANG Medical

Healthier
your life

SKB041-7

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW):	2200x770mm (±10 mm)
▪ Table height adjustment:	600-910mm (±10 mm)
▪ Back plate adjustment:	0-85° (±5°)
▪ Knee-rest adjustment:	0-50° (±5°)
▪ Reverse Trendelenburg:	0-15° (±2°)
▪ Trendelenburg:	0-15° (±2°)
▪ Static Load Capacity:	250 kg
▪ Dynamic Load Capacity:	135 kg

Optional

- ☐ Oxygen Tanks Holder
- ☐ Paper Holder
- ☐ Foot-Board & Monitor Holder
- ☐ Monitor Holder
- ☐ Debris Basket
- ☐ Weighting System
- ☐ Pluggable Mobile IV pole

Technical configuration

☒ 8-inch Central Control Castors	4 pcs
☒ Hydraulic Pumps	2 pcs
☒ 5-speed Foldable Guardrails	1 pair
☒ Stainless Steel Infusion Pole	1 pc
☒ Infusion Stand Holes	4 pcs
☒ Back Lifting Gas Springs	2 pcs
☒ Back Angle Displays	2 pcs
☒ Patient Restraints/Straps	2 pcs
☒ Leg Lifting Crank Handle	1 pc
☒ Anti-collision Wheels	4 pcs
☒ Foot Pedals	2 sets
☒ Central Control Brakes with side brake structure	4 pcs
☒ Fifth Castor	1 pc
☒ Bottom Plastic Cover	1 pc
☒ 8cm Mattress, made of PU fabric, with antibacterial, flame-retardant and leak-proof functions	1 pc


Design

Multi-functional, ergonomic, suitable for transporting and moving patients, and provide patients and medical staff comfortable experience.




Structure

Composed of the trolley body, two hydraulic cylinders, the back gas spring mechanism, the leg rocker mechanism and the foot pedal, these systems which can realize adjustment of trolley's position.




Plastic | Painting

Environmentally friendly plastic is non-toxic and tasteless, and can be sterilized at temperatures above 100°C. Vivid color.



Hydraulic system

Two hydraulic cylinders provide strong support for the lifting and trendelenburg/reversed trendelenburg of the trolley.



Platform

Phenolic resin bed board with cassette holder meets radiographic requirements.

X-ray holder

X-ray holder on the back with a movable X-ray film cassette.

Guardrail

Foldable high-strength 5-gears guardrail to maintain patient safety;
Guardrail use method: Open the guardrail switch, push guardrail to the direction of the leg; Pull up the guardrail, lock the guardrail with the guardrail switch, and keep the guardrail standing.

Bumper

4 built-in removable and durable bumper wheels, diameter $75\text{mm} \pm 1\text{mm}$.

Base cover

PP base cover which can place items and oxygen cylinder.

Castors

Four 200mm diameter central locking castors, the dust-proof can prevent hair into the caster to cause the inconvenience of movement, both sides with central locking casters, one pedal control all 4 castors.

The fifth wheel

The diameter of the fifth wheel is 125mm, which can control the trolley go straight when it is lowered, and the trolley can go in all directions when it is retracted.

IV Pole



IV Pole prevision in the head part, equipped with retractable stainless steel with 4 hooks.

Mattress stopper

Both the head and the end of the bed are equipped with mattress stopper to prevent the mattress from sliding.

Hand bars

Head of equipped with 2 hand bars for convenience of medical staff.



Static load capacity

250_{kg}

Back-rest adjustment

85°



Knee-rest adjustment

50°



Height adjustment

600-910_{mm}

Reverse trendelenburg






15°



Trendelenburg


15°

Options Accessories





CONSTANT INNOVATION




Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

Portugal Showroom

Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom

Rua Lauro Muller 116, Sala
1503 - Botafogo, Rio de
Janeiro - RJ, 22290-160
E-mail: mehecobrasil@
gmail.com

Indian Showroom

1460 M.I.E, Bahadurgarh,
Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.
com

China Headquarter

No.35 Lehong Road,
Zhangjiagang City,
Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@
saikangmedical.com

South East Asia Branch

**SAIKANG Medical
(Thailand) Co., Ltd.**
Ample Tower 909 Room 11/3
Debaratana Road,
Bangna Nuea, Bangkok
10260 Thailand
TEL: +66-936-569469

US Branch

**Healthward Technology,
INC**
17800 castleton st ste 180,
Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
☎ +86 18021231901 · 🕒 24/7
✉ export@saikangmedical.com
🌐 www.saikangmedical.com



Company video



General catalogue