

Formulation Compounding Center

PEPTIDE Catalog V 0326

Available Peptides	Popular Dosage Forms	Strengths
<u>5-Amino 1 MQ</u> (5-Amino-1methylquinolinium Iodide)	Oral capsules (veggie)	250mcg 500mcg
<u>AOD-9604</u> (Anti-Obesity Drug-9604)	Sublingual options Topical application	Varies / in combo RX
<u>Glutathione</u>	Sterile Injectables	200mg/mL
<u>Larazotide</u> (AT-1001)	Oral capsules (veggie)	0.25mg & 0.5mg
<u>Oxytocin</u>	Oral dosage forms Nasal Sprays & Sterile Injectables	Varies & is in combination compounds
<u>Pentadeca Arginate</u> (PDA)	Oral Capsules (veggie) Sterile Injectables	0.5mg& 1mg 7.5mg/mL
<u>PT-141</u> (Bremelanotide)	Oral dosage forms Nasal Sprays & Sterile Injectables	Varies & is in combination compounds
<u>Retatrutide</u>	Sterile Injectables (includes B-6)	10mg/10mg/mL 24mg/10mg/mL
<u>Semaglutide</u>	Sublingual options Sterile Injectables (includes B-6)	Varies 2.5mg/10mg/mL

Available Peptides	Popular Dosage Forms	Strengths
<u>Selank</u> (TP-7)	Nasal Spray	7500mcg/ml
<u>Sermorelin</u>	Sublingual options & Sterile Injectables	Varies & is in combination compounds
<u>SLU-PP-332</u>	Oral Capsules (veggie)	250mcg
<u>SS-31</u> (Elamipretide)	Sterile Injectables	16mg/mL
<u>Tesamorelin</u>	Sterile Injectables	5mg/mL
<u>Thymosin Beta-4 Acetate</u> (non-fragmented) (<u>TB-500</u>)	Sterile Injectables	2.5mg/mL
<u>Tirzepatide</u>	Sublingual options Sterile Injectables (includes B-6)	Varies 12.5mg/10mg/mL

FCC Available Peptides v 0326

Comprehensive guide to functions, dosing, and combination protocol

Cardiovascular & Longevity Stack

Pentadeca Arginate SS-31 Semaglutide/Tirzepatide Glutathione

Rationale

PDA for vascular health and NO production, SS-31 for cardiac mitochondrial protection, GLP-1 for cardiovascular outcomes and metabolic health, Glutathione for overall antioxidant protection

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- PDA: ____ mg daily
- SS-31: ____mg daily
- Semaglutide: 1 mg weekly (or Tirzepatide 5-10 mg weekly)
- Glutathione: dosing can vary

Duration Ongoing with regular monitoring

Monitoring

Lipid panel, HbA1c, blood pressure, cardiovascular risk markers, carotid IMT (optional)

Gut Health & Inflammation Protocol

Larazotide Thymosin Beta-4 Acetate Glutathione Selank

Rationale

Larazotide for tight junction repair, Thymosin Beta-4 Acetate for gut tissue healing, Glutathione for oxidative stress and detox, Selank for gut-brain axis and immune modulation

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- Larazotide: _____mg oral 3x daily with meals
- Thymosin Beta-4 Acetate _____mg 2x weekly
- Glutathione: _____ mg SC daily
- Selank: _____mcg intranasal 2x daily

Duration 12-16 weeks

Monitoring GI symptoms, inflammatory markers, food sensitivity tracking

Sexual Wellness Stack

PT-141 Oxytocin Sermorelin

Rationale

PT-141 for libido and arousal, Oxytocin for bonding and intimacy, Sermorelin for overall vitality and hormone optimization

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- PT-141: ____mg SC 45–60 min before activity (as needed)
- Oxytocin: ____ IU intranasal before intimacy
- Sermorelin: ____mcg before bed daily (baseline support)

Duration

Ongoing as needed

Monitoring Patient-reported outcomes, general health monitoring

Cognitive Enhancement Protocol

Selank SS-31 Sermorelin Glutathione

Rationale

Selank for anxiolytic and BDNF effects, SS-31 for neuroprotection, Sermorelin for sleep and cognitive support, Glutathione for brain antioxidant defense

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- Selank: ____mcg intranasal 2x daily
- SS-31: ____mg SC daily
- Sermorelin: ____mcg before bed
- Glutathione: dosing 2x weekly

Duration

8–16 weeks **Monitoring** Cognitive assessments, mood scales, sleep quality tracking

Mitochondrial Optimization Stack

SS-31 5-Amino-1MQ Pentadeca Arginate Glutathione

Rationale

SS-31 directly protects mitochondrial membranes, 5-Amino-1MQ increases NAD+ availability, PDA enhances mitochondrial function, Glutathione provides antioxidant protection

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- SS-31: ____mg SC daily
- 5-Amino-1MQ: ____mg daily
- PDA: ____mg daily
- Glutathione: ____mg dosing 3x weekly

Duration 12+ weeks (may be ongoing)

Monitoring

Energy levels, comprehensive metabolic panel, optional: oxidative stress markers

Performance & Recovery Protocol

Thymosin Beta-4 Acetate Sermorelin Pentadeca Arginate Glutathione

Rationale

Thymosin Beta 4 Acetate for tissue repair and recovery, Sermorelin for GH optimization and sleep, PDA for cardiovascular support and mitochondrial function, Glutathione for oxidative stress protection

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- Thymosin Beta 4 Acetate (non fragmented) : ____mg 2x weekly for 4-6 weeks
- Sermorelin: ____mcg before bed daily (multiple dosing options available)
- PDA: ____mg 3x weekly
- Glutathione: dosing can vary SC daily or IM or IV weekly

Duration 8-12 weeks **Monitoring** IGF-1 levels, recovery metrics, injury assessment

Ultimate Weight Loss Stack

Semaglutide/Tirzepatide/Retatrutide

AOD-9604 5-Amino-1MQ Tesamorelin

Rationale

GLP-1 base for appetite and glucose control, AOD-9604 for direct lipolysis, 5-Amino-1MQ for metabolic enhancement and NAD⁺ preservation, Tesamorelin specifically targets visceral fat

- All dosing is for reference only; **individualize based on patient response and monitoring**

Dosing Protocol

- Choose ONE GLP-1: Start low, titrate weekly
- AOD-9604: 300 mcg AM fasted (FCC has oral dosing available)
- 5-Amino-1MQ: _____mg daily
- Tesamorelin: _____mg before bed

Duration 12-24 weeks with monitoring

Monitoring

Weekly weight, monthly metabolic panel, HbA1c, lipids, body composition

Important Clinical Notes

- All dosing is for reference only;
individualize based on patient response and monitoring
- SC = Subcutaneous injection, IV = Intravenous, IM = Intramuscular
- Many peptides require cycling to prevent receptor desensitization
- Source peptides from reputable compounding pharmacies only
- Obtain informed consent discussing off-label use and potential risks
- Monitor for injection site reactions, allergies, and systemic effects

FCC Available Peptide Reference Chart

Comprehensive guide to functions, dosing, and combination protocols

Peptide	Category	Functions	Generalized Dosing	Notes
Pentadeca Arginate (PDA)	Cardiovascular/ Metabolic Anti-Aging Healing/ Recovery	Cardioprotection, improves mitochondrial function, enhances nitric oxide production, supports vascular health	250mcg SC 1 - 2 x daily OR 500mcg or 1000mcg oral capsule/day	Often combined with NAD+ for cardiovascular support
Thymosin Beta-4 Acetate (non-fragmented)	Healing/ Recovery	Tissue repair, wound healing, reduces inflammation, promotes angiogenesis, hair growth	1 mg to 2.5mg SC 2x weekly for 4-6 weeks, then maintenance 2mg every 2 weeks	Synergistic with Pentadeca Arginate (PDA) for injury recovery
SS-31 (Elamipretide)	Mitochondrial/ Anti-Aging	Mitochondrial function, cardiolipin protection, reduces oxidative stress, neuroprotection	(4mg SC) 5-40 mg SC daily (clinical trials used IV)	Powerful for mitochondrial diseases, heart failure, neurodegenerative conditions
Sermorelin	Growth Hormone	Stimulates natural GH production, improves sleep, body composition, recovery	200mcg - 500 mcg SC before bed daily	Often combined with GHRP-2, GHRP-6, or Ipamorelin for synergy

Peptide	Category	Functions	Generalized Dosing	Notes
Tesamorelin	Growth Hormone/ Metabolic	Reduces visceral adipose tissue, improves lipid profiles, cognitive benefits	1-2 mg SC daily	FDA approved for HIV-associated lipodystrophy; superior for visceral fat
AOD-9604	Weight Loss/Metabolic	Stimulates lipolysis, inhibits lipogenesis, no effect on blood sugar or IGF-1	500mcg Sublingual dosing daily, OR 300mcg SC preferably fasted AM	Fragment of GH (hGH 176-191); safe for diabetics
Retatrutide	Weight Loss/Metabolic	Triple agonist (GIP/GLP-1/glucagon), significant weight loss, metabolic improvement	Starting 2 mg SC weekly, titrate to 4-12 mg weekly	Most potent of GLP-1 class; superior weight loss vs Tirzepatide
Tirzepatide	Weight Loss/Metabolic	Dual GIP/GLP-1 agonist, weight loss, glucose control, cardiovascular benefits	Starting at 2.5 mg SC weekly, titrate up to 15 mg weekly	FDA approved ; superior to semaglutide for weight loss
Semaglutide	Weight Loss/Metabolic	GLP-1 agonist, appetite suppression, weight loss, glucose control, cardiovascular protection	Starting 0.25 mg SC weekly, titrate to 1-2.4 mg weekly	FDA approved ; well-studied cardiovascular benefits

Peptide	Category	Functions	Dosing	Notes
PT-141 (Bremelanotide)	Sexual Health	Increases sexual desire and arousal in both men and women, melanocortin receptor agonist	0.5mg-2 mg SC or intranasal 45-60 min before sexual activity	FDA approved for female hypoactive sexual desire; works centrally unlike sildenafil
Oxytocin	Sexual Health/Mood	Bonding, trust, intimacy, anxiolytic, may improve orgasm quality, social cognition	10IU-40 IU intranasal or 100mcg -200 mcg SC (VARIES)	Effects are context-dependent; sublingual/ intranasal most common
Selank	Cognitive/Anxiolytic	Anxiolytic, cognitive enhancement, BDNF elevation, immune modulation, mood stabilization	250mcg -750 mcg intranasal 1-3x daily	Synthetic analogue of tuftsin; non-sedating anxiolytic
Larazotide (AT-1001)	Gut Health	Tight junction regulator, reduces intestinal permeability (leaky gut), gluten sensitivity support	0.5mg - 12 mg orally up to 3x daily with meals	Zonulin antagonist; promising for celiac disease and leaky gut Higher dosing (clinical trials)
Glutathione	Antioxidant/Detox	Master antioxidant, detoxification, immune support, skin brightening, neuroprotection	200mg - 1-3x weekly	Liposomal oral or IV most effective; SC gaining popularity IM dosing/ SC dosing

Peptide	Category	Functions	Dosing	Notes
5-Amino-1MQ	Weight Loss/Metabolic	NNMT inhibitor, increases NAD+, enhances fat burning, metabolic optimization	50-100 mg daily (oral capsules available)	<i>Emerging peptide; blocks enzyme that depletes NAD+</i>
SLU-PP-332	Performance/ Metabolic	Exercise mimetic, increases endurance, mitochondrial biogenesis, muscle oxidative capacity	Research compound - dosing not established for human use	<i>ERR agonist; shows promise but limited human data currently</i>

Important Clinical Notes

- All dosing is for reference only;
individualize based on patient response and monitoring
- SC = Subcutaneous injection, IV = Intravenous, IM = Intramuscular
- Many peptides require cycling to prevent receptor desensitization
- Source peptides from reputable compounding pharmacies only
- Obtain informed consent discussing off-label use and potential risks
- Monitor for injection site reactions, allergies, and systemic effects
- SLU-PP-332 is investigational with limited human safety data