# nHentai to PDF

- 1. General
- 2. How to Set Up
  - 2.1. Firefox
  - 2.2. Google Chrome
- 3. How to Use

### 1. General

This is the nHentai downloader I wrote to archive as much of the english nHentai library as I can. That's why from the beginning it has been designed with big data sizes in mind and, for example, uses multithreaded downloads to download more than 1 image at once. Still, I wanted to keep it as simple code-wise and as easy to use as I can; hope I succeeded with that.

Big thanks go out to h3nTa1m4st3r\_xx69, who helped me using nhentai's completely undocumented API. Without him this project could not have been reactivated.

I'm happy about anyone who finds my software useful and feedback is also always welcome. Happy downloading~

구FS 1/4

## 2. How to Set Up

#### 2.1. Firefox

- 1. Execute the program once. This will create a default ./config/config.json.
  - 1. Set library\_path to the directory you want to download to. By default, it will download to ./hentai/.
  - 2. Set library\_split if you want to split your library into sub-directories. The number specifies the maximum number of hental to allow per sub-directory. Set "O" if you want to disable splitting your library into sub-directories. It is disabled by default and only recommended if the number of hental in 1 directory starts to affect file explorer performance. This should not affect you if you have 10.000 files or less in 1 directory.
- 2. Execute the program again. This will create a default ./.env.
  - 1. Go to https://nhentai.net/. Clear the cloudflare prompt.
  - 2. Open the developer console with F12.
  - 3. Go to the tab "Storage". On the left side expand "Cookies". Click on "https://nhentai.net".
  - 4. Copy the cookie values into the ./.env.
  - 5. Go to https://www.whatismybrowser.com/detect/what-is-my-user-agent/and copy your user agent into ./.env.

### 2.2. Google Chrome

- 1. Execute the program once. This will create a default ./config/config.json.
  - 1. Set library\_path to the directory you want to download to. By default, it will download to ./hentai/.
  - 2. Set library\_split if you want to split your library into sub-directories. The number specifies the maximum number of hental to allow per sub-directory. Set "O" if you want to disable splitting your library into sub-directories. It is disabled by default and only recommended if the number of hental in 1 directory starts to affect file explorer performance. This should not affect you if you have 10.000 files or less in 1 directory.
- 2. Execute the program again. This will create a default ./.env.
  - 1. Go to https://nhentai.net/. Clear the cloudflare prompt.
  - 2. Open the developer console with F12.
  - 3. Go to the tab "Application". On the left side under "Storage", expand "Cookies". Click on "https://nhentai.net".
  - 4. Copy the cookie values into the ./.env.

구FS 2 / 4

5. Go to https://www.whatismybrowser.com/detect/what-is-my-user-agent/and copy your user agent into ./.env.



Setting cookies seems to be required daily nowadays.

구FS 3 / 4

## 3. How to Use

Choose hental by nHental ID to download and convert to PDF. You can either load ID from a ./config/downloadme.txt seperated by linebreaks or directly enter ID into the console separated by spaces.

구FS 4 / 4