

Bharat MCP as a Claude Connector

How Bharat MCP becomes something any Claude.ai user can discover, connect to, and order food through — directly inside a normal Claude conversation, with no Reward360 app in between.

"I found a restaurant connector called Bharat MCP — want to connect it?"

Contents

- 1 What "Being a Connector" Actually Means
- 2 The Cast of Characters
- 3 The Big Picture — How a Connector Fits In
- 4 Getting Listed — From Server to Directory
- 5 How a Person Actually Connects Bharat MCP
 - 5.1 Discovery — Claude finds Bharat MCP on the person's behalf
 - 5.2 The Connect card and the consent screen
 - 5.3 What gets stored, and where
- 6 A Day in the Life, After Connecting
- 7 What Bharat MCP's Engineering Team Must Build
- 8 What the Business Side Must Prepare
- 9 Risks & Limits Specific to This Path
- 10 Glossary of Terms
- 11 Frequently Asked Questions

1 What "Being a Connector" Actually Means

The earlier handbook explained what happens once an AI agent is already talking to Bharat MCP. This handbook covers the step before that — **how Bharat MCP gets into that position in the first place**, for the specific case where the "AI agent" is Claude.ai or a Claude app, used directly by an ordinary person, with no Reward360 website or app involved at all.

THINK OF IT THIS WAY

Imagine an app store, except instead of downloading an app onto your phone, you're giving your AI assistant permission to use a new skill. Someone chatting with Claude says "order me food from Spice Route." Claude doesn't have that skill built in — but it knows there's a directory of skills other companies have published, it looks there, finds "Bharat MCP," and offers it to the person as something they can switch on with one tap. That entire journey — from Bharat MCP being just a piece of software Reward360 runs, to being a tappable option inside someone else's chat with Claude — is what this handbook walks through.

This is one of two ways Bharat MCP can reach an end user. The other — Reward360 building its own app or WhatsApp bot with Claude wired in behind the scenes — is a separate, simpler path covered elsewhere. This document is only about the connector path: the one where Bharat MCP shows up *inside Claude itself*.

A NOTE ON ACCURACY

Some details in this handbook — the exact submission process for Anthropic's connector directory, review timelines, and whether any commercial terms apply — are things Anthropic controls and can change. Wherever this handbook describes something that should be double-checked before you plan around it, it's marked clearly, and the answer is: confirm at **docs.claude.com** before committing engineering time to it. Everything about the technical connection mechanics (MCP protocol, OAuth, tool calls) is stable, documented, and safe to build against.

2 The Cast of Characters

A few new characters join the ones from the first handbook — all specific to how discovery and connection work.

CHARACTER	WHAT IT ACTUALLY IS	WHAT IT DOES IN THIS STORY
The Person	Any ordinary Claude.ai or Claude app user	Types a normal request into Claude — never visits a Reward360 website
Claude	The AI assistant itself	Notices it needs an outside capability, looks for one, and offers it
Connector Directory	A catalog Anthropic maintains of registered outside services	Where Bharat MCP gets listed so Claude can find it when relevant
Bharat MCP Server	The same server from the first handbook	Must now also handle sign-in requests, not just tool calls
Consent Screen	A one-time permission page the person sees	Where the person agrees to let Claude use Bharat MCP on their behalf
Access Token	A small digital "pass" issued after sign-in	Proves to Bharat MCP, on every later tool call, that this specific person is genuinely connected

3 The Big Picture — How a Connector Fits In

Compare this to the diagram in the first handbook. The difference is a new box on the left — the Connector Directory — and a new relationship: before any tool can be called, the person has to connect Bharat MCP, once.




Fig 1. The new step, compared to the first handbook: Claude checks the Connector Directory, offers a Connect card, and only then reaches Bharat MCP.

| The one-time cost, and the ongoing benefit

Connecting happens **once per person**. After that, every future conversation that person has with Claude — tomorrow, next week, next month — can use Bharat MCP without repeating the sign-in step, until they choose to disconnect it or the access token expires and needs refreshing.

4 Getting Listed — From Server to Directory

Before any person can connect to Bharat MCP, it has to exist as an entry in the Connector Directory in the first place. This section walks through that setup, done once by the Bharat MCP team, not by each end user.

1 Bharat MCP is built to speak the MCP protocol properly

This part is already specified correctly in the existing Bharat MCP documents: a server reachable over HTTPS, using the Streamable HTTP transport, exposing the six tools (`search_restaurants` , `get_menu` , and so on) with clearly defined inputs and outputs.

2 Bharat MCP adds a sign-in layer (OAuth)

Unlike a server-to-server integration, a consumer connector needs to know *which specific person* is talking to it, so it can, for example, send order confirmations to the right phone number. This means Bharat MCP needs to implement — or plug into — an OAuth 2.1 authorization flow: a login/consent page, and the ability to issue and check access tokens.

3 Bharat MCP is submitted for listing in the Connector Directory

This is a business/registration step with Anthropic, separate from the engineering work — similar in spirit to submitting an app to an app store. It typically involves describing what the connector does, what data it needs, and agreeing to platform terms.

CONFIRM BEFORE PLANNING AROUND THIS

The exact requirements for directory listing — what needs to be disclosed, whether there's a review queue, how long approval takes, and whether any commercial terms apply — should be checked directly at docs.claude.com before this is built into the pilot timeline. This is exactly the same category of external, not-fully-controllable dependency that the pilot's own Non-Technical Requirements document already flags for the other AI platforms — budget schedule slack here rather than assuming a fixed timeline.

4 Bharat MCP becomes findable

Once listed, Bharat MCP exists as an entry Claude can search for by relevance — the same way a search engine finds a webpage. It isn't shown to anyone yet; it's simply now capable of being found.

5 How a Person Actually Connects Bharat MCP

This is the part an ordinary end user experiences. Using the same example from the first handbook — someone wants to order Paneer Butter Masala — here is what happens the very first time, before they've ever connected Bharat MCP.

5.1 Discovery — Claude finds Bharat MCP on the person's behalf

1 The person asks a normal question

"Check if Paneer Butter Masala is available at Spice Route in Bangalore, and order it if it is." Nothing about this phrasing mentions Bharat MCP by name — the person may never have heard of it.

2 Claude recognizes it has no built-in way to do this

Checking a specific restaurant's live menu and placing a real order isn't something Claude can do from general knowledge — it requires a live, authoritative source. This is Claude's cue to look for a connector rather than guess.

3 Claude searches the Connector Directory

Using the intent behind the request (food ordering, restaurant availability, Bangalore), Claude searches the directory the same way you'd search any catalog by keyword, and Bharat MCP — now listed, per Section 4 — comes back as a relevant match.

5.2 The Connect card and the consent screen

4 Claude shows the person a Connect option

Rather than silently trying to use Bharat MCP, Claude surfaces it as a card the person can see: "I found a restaurant ordering connector called Bharat MCP — want to connect it?" Nothing happens until the person actively chooses to.

5 The person taps Connect

This is the moment equivalent to logging into a new app for the first time.

6 The person is shown Bharat MCP's own consent screen

This screen belongs to Bharat MCP, not Claude — the same way tapping "Sign in with Google" on some other app takes you to a page that belongs to Google. It states plainly what's being shared (for instance: name, phone number, order history) and what Bharat MCP will be allowed to do on the person's behalf.

7 The person approves

Bharat MCP issues an access token — a piece of digital proof, tied to this one person, that consent was given. Claude receives this token and stores it securely for future use; the person is never shown the token itself.




Fig 2. This entire sequence happens once. It is not repeated on the person's next visit.

5.3 What gets stored, and where

The access token is held by Claude on the person's behalf and sent along with every Bharat MCP tool call after this point, so Bharat MCP knows which person it's talking to without asking them to sign in again. The person can revoke this connection at any time from their own settings — at which point the token stops working and Bharat MCP can no longer act for them until they reconnect.

6 A Day in the Life, After Connecting

Once connected, using Bharat MCP feels exactly like the walkthrough in the first handbook — because from this point on, it *is* that same flow. The only difference is there's no more "Connect" card; Claude already has permission.

MOMENT	WHAT HAPPENS
Next week, same person	They simply say "order me the same thing from Spice Route again" — no reconnecting, no consent screen. Claude uses the stored access token.
The token expires	Access tokens are typically time-limited for security. Claude silently requests a refreshed token using a longer-lived refresh token, invisible to the person, unless something requires them to sign in again.
The person disconnects Bharat MCP	All future requests fail until they reconnect — Claude will offer the Connect card again if they ask for food ordering.
A different person, first time	They go through the exact discovery-and-connect sequence in Section 5, independently — one person's connection never carries over to another.

7 What Bharat MCP's Engineering Team Must Build

Everything in this table is additional to what the existing infra plan and FRD already specify — this is specifically the extra work needed to support the connector path, on top of the core ordering system.

REQUIREMENT	WHY IT'S NEEDED
OAuth 2.1 authorization server	To issue and validate access tokens per person — either built in-house or delegated to an existing identity provider Reward360 already trusts
A consent screen	Shown to the person the first time they connect — must clearly state what data is shared and what actions are being authorized
Token storage and expiry logic	Access tokens need a defined lifetime, and refresh tokens need secure storage and rotation
Per-person rate limiting	Prevents one connected person, or one compromised token, from overwhelming the system
Revocation handling	When a person disconnects, their token must stop working immediately, not just in Claude's own memory
A written tool manifest	Precise descriptions of each of the six tools, so Claude — and the directory listing itself — understands exactly what Bharat MCP does before anyone connects it

8 What the Business Side Must Prepare

REQUIREMENT	WHY IT'S NEEDED
Directory listing submission	The formal step of registering Bharat MCP with Anthropic so it can be found at all — timeline outside Reward360's control
A clear data-sharing disclosure	What the consent screen actually tells the person — this needs to match what Reward360's own privacy policy promises, so the two don't contradict each other
Support for "why is this here" questions	Since a person may discover Bharat MCP with no prior awareness of Reward360, a short explanation of who's behind it should be reachable from the consent screen itself
A decision on regional scope	The pilot is Bangalore-only; the connector directory has no inherent concept of "only show this to Bangalore users" — this needs to be handled deliberately (e.g., the tools themselves reject out-of-area requests gracefully) rather than assumed away

CONFIRM BEFORE PLANNING AROUND THIS

Whether Anthropic's directory listing process supports any form of regional restriction, staged/limited rollout, or an invite-only listing (rather than a fully public one) is a real, practical question for a discreet, regionally-scoped pilot — and should be asked directly during the submission conversation rather than assumed either way.

9 Risks & Limits Specific to This Path

DISCOVERY ISN'T GUARANTEED

Being listed in the directory doesn't mean Claude will always surface Bharat MCP — it depends on Claude recognizing the request as something outside its own knowledge, and on Bharat MCP's listing being a good match for the phrasing someone happens to use. A person who never mentions food or a specific restaurant by name may simply never see it offered.

NO CONTROL OVER PRESENTATION

Unlike Path B (Reward360's own app), the person experiences this entirely inside Claude's own interface. Reward360 cannot add its own branding, screens, or upsells around the ordering experience — the Connect card and consent screen are the only two Bharat-MCP-authored moments the person actually sees.

THIS REACHES ANYONE, NOT JUST THE PILOT'S INTENDED AUDIENCE

Once listed, in principle any Claude.ai user anywhere could discover and attempt to connect Bharat MCP — not just people in Bangalore. Section 8's point about regional scope matters here: without a deliberate design decision, a curious user in another city could connect it and get confusing "not available in your area" responses, which is a worse first impression than not being found at all.

A SECOND, INDEPENDENT INTEGRATION EFFORT

Everything in this handbook is specific to Claude. ChatGPT and Gemini each have their own separate connector/plugin ecosystems, with their own submission processes, their own consent-screen conventions, and their own timelines — as the pilot's own Non-Technical Requirements document already correctly anticipated. Being listed with one platform does not carry over to the others.

10 Glossary of Terms

Connector

An outside service — like Bharat MCP — that Claude can discover and use on a person's behalf, once that person has agreed to connect it.

Connector Directory

The searchable catalog of registered connectors that Claude looks through when it needs a capability it doesn't have built in.

OAuth

A widely-used, standard way for one service (Bharat MCP) to let a person grant limited permission to another service (Claude) to act on their behalf — without ever sharing their password.

Consent Screen

The one-time page, shown by Bharat MCP itself, where a person sees exactly what's being shared and what they're authorizing before anything happens.

Access Token

A piece of digital proof, issued after consent, that lets Bharat MCP recognize a specific person on every future request without asking them to sign in again each time.

Refresh Token

A longer-lived credential used to quietly obtain a new access token once the old one expires, so the person isn't asked to reconnect constantly.

Revocation

The act of a person withdrawing their consent — after which their access token stops working immediately.

Tool Manifest

The written, structured description of everything Bharat MCP can do (its six tools), used both by Claude and by the directory listing itself to understand what the connector offers.

11 Frequently Asked Questions

Q: Does the person need a Reward360 account to use Bharat MCP this way?

Not necessarily a pre-existing one — the consent screen in Section 5.2 can itself be the moment an account is created, the same way some apps let you sign up during your first login rather than beforehand. This is a product decision Reward360 would need to make deliberately.

Q: What if the person disconnects Bharat MCP halfway through an order?

Disconnecting revokes future access, but shouldn't be assumed to cancel an order already placed — this needs the same kind of explicit handling as any other order-cancellation scenario covered in the first handbook.

Q: Is this path faster or slower to launch than Reward360 building its own app with Claude behind it?

Slower to depend on for a controlled pilot launch date, generally — because the directory listing and OAuth work are both real additional effort, and the listing step depends on a timeline outside Reward360's control. It's a stronger long-term reach play (any Claude user, potentially) than a fast, controlled pilot mechanism.

Q: Can Reward360 limit this connector to only the 500 pilot restaurants and Bangalore?

The restaurant and city scope is enforced by Bharat MCP itself, the same way it already is in the core system — the tools simply won't return results outside the pilot's data. What's less certain is whether the connector's *visibility* in the directory can itself be limited to a specific region or a specific set of invited users; this is one of the open questions flagged in Section 8 to confirm directly with Anthropic.

Q: Does this handbook replace the first handbook?

No — the first handbook (How an AI Agent Orders Food) explains what happens once Claude is already talking to Bharat MCP, tool by tool. This handbook explains everything that has to happen before that point, specifically for the connector path. Read together, they cover the full journey.