Azure Learning Map

| `Cloud Comparisons | https://docs.microsoft.com/en-us/azure/architecture/aws-professional/services |
|---------------------------------|--|
| | https://endjincdn.blob.core.windows.net/assets/endjin-cloud-platform-comparison.pdf |
| | http://8kmiles.com/azure-virtual-network-vs-aws-virtual-private-cloud/ |
| Tools to Create Azure Resources | |
| Portal | https://portal.azure.com |
| Cli | https://docs.microsoft.com/en-us/cli/azure/install-azure-cli |
| Cloud Shell | |
| PowerShell | |
| SDK | https://azure.microsoft.com/en-in/downloads/ |
| Storage Explorer | http://azurestorageexplorer.codeplex.com/ |
| Resource Explorer | https://resources.azure.com |
| IAAS | |
| VM | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-manage-vm |
| Network | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-virtual-network |
| cloud-init | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-automate-vm-deployment |
| Availability Set | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-availability-sets |
| Scale Set | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-create-vmss |
| | https://docs.microsoft.com/en-us/azure/monitoring-and-diagnostics/monitoring-overview-autoscale |
| | https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-virtual-machine-scale-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/virtual-sets/v |
| Vertical Scale | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/vertical-scaling-automation?toc=%2fazure%2fvirtual-machines%2flinux%2ftoc.json |
| disk | https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-manage-disks |

| https://docs.microsoft.com/en-us/azure/virtual-machines/linux/quick-create-powershell Azure Low priority VM (preview) IP address https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-ip-addresses overview-arm Availability Zones https://social.technet.microsoft.com/wiki/contents/articles/51828.azure-vms-availability-zones.aspx?Redirected=true Containers Container Service https://docs.microsoft.com/en-us/azure/container-service/container-service-kubernetes-walkthrough https://docs.docker.com/get-started/part2/#pull-and-run-the-image-from-the-remote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-container-service-power-and-container-ser | ed-ilb- | |
|--|------------|--|
| IP address https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-ip-addresses overview-arm https://social.technet.microsoft.com/wiki/contents/articles/51828.azure-vms-availabisets-and-availability-zones.aspx?Redirected=true Containers Container Service https://docs.microsoft.com/en-us/azure/container-service/container-service/kubernetes-walkthrough https://docs.docker.com/get-started/part2/#pull-and-run-the-image-from-theremote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-container-service/conta | - | |
| Container Service https://docs.microsoft.com/en-us/azure/container-service/container-service/kubernetes-walkthrough https://docs.docker.com/get-started/part2/#pull-and-run-the-image-from-the remote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-container-service/containe | <u>}-</u> | |
| Container Service https://docs.microsoft.com/en-us/azure/container-service/container-service/kubernetes-walkthrough https://docs.docker.com/get-started/part2/#pull-and-run-the-image-from-theremote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-container-service/container | ility- | |
| kubernetes-walkthrough https://docs.docker.com/get-started/part2/#pull-and-run-the-image-from-the remote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-contail | | |
| remote-repository https://blogs.msdn.microsoft.com/uk_faculty_connection/2016/09/23/getting-started-with-docker-and-contain | | |
| |) <u>-</u> | |
| services/ | iner- | |
| https://docs.microsoft.com/en-us/azure/container-service/container-service/kubernetes-load-balancing | = | |
| https://www.tutorialspoint.com/kubernetes/kubernetes_tutorial.pdf | | |
| Microsoft's Azure Container Service (ACS) is now Azure Kubernetes Services (AKS) | | |
| Note: If your account doesn't have the Azure AD and subscription permiss | sions | |
| to create a service principal, the command generates an error similar | ar | |
| to Insufficient privileges to complete the operatio | n. | |
| data platform | | |
| | | |
| Blob https://docs.microsoft.com/en-us/azure/storage/blobs/storage-quickstart-blobs-cli | | |
| https://azure.microsoft.com/en-in/documentation/articles/storage-dotnet-how-to-use | e-blobs/ | |
| Block (file upload) vs page- IAAS (random read,write) blob, append blob (Eg. loggin auditing) | ng, | |
| SnapShot | | |

| File | smb protocol https://azure.microsoft.com/en-in/documentation/articles/storage-dotnet-how-to-use-files/ |
|---------------|---|
| Azure Storage | classic https://docs.microsoft.com/en-us/azure/storage/storage-powershell-guide-full |
| | RM https://artofshell.com/2016/05/automate-azure-blob-storage-powershell/ |
| | java : https://azure.microsoft.com/en-us/documentation/articles/java-download-azure-sdk/ |
| throughput | https://docs.microsoft.com/en-us/azure/storage/storage-scalability-targets check list https://docs.microsoft.com/en-us/azure/storage/storage-performance-checklist https://docs.microsoft.com/en-us/rest/api/storageservices/deciding-when-to-use-azure-blobsazure-filesor-azure-data-disks shared disk https://stackoverflow.com/questions/19620645/shared-drive-between-azure-virtual-machines |
| Table | https://azure.microsoft.com/en-in/documentation/articles/storage-dotnet-how-to-use-tables/ https://github.com/azure/azure-storage-java |
| Sql Azure | https://azure.microsoft.com/en-in/documentation/articles/sql-database-get-started/ |

| Cosmos | https://docs.microsoft.com/en-us/azure/cosmos-db/multi-region-writers |
|-------------|---|
| | Throughput: Azure Cosmos DB Table API gives highly scalable throughput which is backed with SLAs and its upper bound support is up to >10 million operations per table. On the other hand, variable throughput model in Azure Storage Table has |
| | scalability limit 20,000 per operations. |
| | easy to create a geographic performance by having Cosmos DB replicate data to another region You just indicate the region and data are replicated in real-time. And better yet, you can keep communicating with your app as you did before and Cosmos DB will figure out which database in which region is the most performant for you. Keep in mind though, that replicas are always read-only replicas, and you only have one writable node. |
| | performance. takes care of indexes automatically. There is no need for you to tune your database, this happens automatically. On top of this, performance is part of the SLA, where Microsoft promises a maximum of 10ms latency for reading operations and 15ms latency for write operations. |
| | different APIs to talk to it. You can use the original (SQL-like) DocumentDB query language, JavaScript, Gremlin, MongoDB and Table Storage. |
| | Consistency: Five well-defined consistency levels are available in ACDTA which can turn on and off automatically. Consistency is strong only in primary region and eventual in other regions when it comes to AST. |
| | https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels |
| | SLAs: 99.99% availability is given on AVDTA while you can increase availability by adding more regions. The same level of SLAs availability is given on Azure Storage Table. |
| Cosmos | https://scalegrid.io/blog/cassandra-vs-mongodb/ |
| D | |
| Document | https://russellyoung.net/2016/06/18/managing-documentdb-with-powershell/https://docs.microsoft.com/en-us/azure/documentdb/documentdb-manage-account-with-powershellhttps://docs.microsoft.com/en-in/azure/documentdb/documentdb-get-started |
| Graph | https://blogs.msdn.microsoft.com/tsmatsuz/2017/07/04/azure-cosmos-db-gremlin-graph-tutorial/ |
| | https://docs.microsoft.com/en-us/azure/cosmos-db/create-graph-gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/current/reference/#gremlin-consolehttps://tinkerpop.apache.org/docs/docs/docs/docs/docs/docs/docs/docs |
| Azure Batch | https://docs.microsoft.com/en-us/azure/batch/batch-account-create-portal |

https://docs.microsoft.com/en-us/azure/batch/batch-dotnet-get-started

MySQL (preview)

| Postgres (Preview) | |
|------------------------------|---|
| Analytical data | |
| Azure Data Lake Store | https://docs.microsoft.com/en-us/azure/data-lake-store/data-lake-store-get-started-cli-2.0 Data Lake vs Blob https://www.codit.eu/blog?tag=big%20data pricing https://azure.microsoft.com/en-in/pricing/details/data-lake-store/ https://azure.microsoft.com/en-us/resources/videos/data-lake-billing-model/ compari |
| Azure Data Lake Analytics | https://docs.microsoft.com/en-us/azure/data-lake-analytics/data-lake-analytics-get-started-cli2 https://docs.microsoft.com/en-us/azure/data-lake-analytics/data-lake-analytics-get-started-portal USQL https://docs.microsoft.com/en-us/azure/data-lake-analytics/data-lake-analytics-u-sql-get-started https://msdn.microsoft.com/en-us/library/mt706196.aspx https://raw.githubusercontent.com/Azure/Azure-DataFactory/master/Samples/U-SQL%20Sample%20Input%20File/SearchLog.tsv U-SQL vs Spark SQL https://stackoverflow.com/questions/35575080/azure-spark-sql-vs-u-sql case study https://docs.microsoft.com/en-us/azure/machine-learning/machine-learning-data-science-process-data-lake-walkthrough |

Azure Data Factory

https://docs.microsoft.com/en-us/azure/data-factory/quickstart-create-data-factory-powershell

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-azure-blob-connector

 $\underline{https://docs.microsoft.com/en-us/azure/data-factory/data-factory-copy-activity-tutorial-using-azure-portal}\\$

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-build-your-first-pipeline

 $\underline{\text{https://docs.microsoft.com/en-us/azure/data-factory/data-factory-build-your-first-pipelineusing-editor}\\$

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-copy-activity-tutorial-using-azure-portal

http://www.winwire.com/wp-content/uploads/2017/02/Step-by-Step-Azure-Data-Factory-Tutorials-1.pdf

Data Factory vs SSIS

http://www.radacad.com/wp-content/uploads/2016/05/

SqlBits2016_RezaRad_ADFvsSSIS.pdf

http://www.jamesserra.com/archive/2017/03/azure-data-factory-and-ssis-compared/

Azure SQL Data Warehouse

 $\underline{\text{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-get-started-tutorial}\\$

loading data

 $\underline{\text{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-overview-load}}$

 $\frac{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-load-with-data-factory}{}$

MPP vs Map Reduce

https://www.flydata.com/blog/introduction-to-massively-parallel-processing/

Sql server vs warehouse

https://key2consulting.com/comparison-of-azure-sql-database-to-azure-sql-datawarehouse/

Lake vs warehouse

https://www.blue-granite.com/blog/bid/402596/top-five-differences-between-data-lakes-and-data-warehouses

 $\frac{https://azure.microsoft.com/en-in/resources/videos/build-2016-azure-data-lake-and-azure-data-warehouse-applying-modern-practices-to-your-app/$

Machine Learning

https://azure.microsoft.com/en-in/documentation/articles/machine-learning-create-experiment/

https://docs.microsoft.com/en-in/azure/machine-learning/machine-learning-publish-a-machine-learning-web-service

PROCESS BLOB DATA

 $\frac{https://docs.microsoft.com/en-us/azure/machine-learning/machine-learning-data-science-process-data-blob}{}$

Azure Data Factory

https://docs.microsoft.com/en-us/azure/data-factory/quickstart-create-data-factory-powershell

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-azure-blob-connector

 $\underline{https://docs.microsoft.com/en-us/azure/data-factory/data-factory-copy-activity-tutorial-using-azure-portal}\\$

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-build-your-first-pipeline

 $\underline{\text{https://docs.microsoft.com/en-us/azure/data-factory/data-factory-build-your-first-pipelineusing-editor}\\$

https://docs.microsoft.com/en-us/azure/data-factory/data-factory-copy-activity-tutorial-using-azure-portal

http://www.winwire.com/wp-content/uploads/2017/02/Step-by-Step-Azure-Data-Factory-Tutorials-1.pdf

Data Factory vs SSIS

http://www.radacad.com/wp-content/uploads/2016/05/

SqlBits2016_RezaRad_ADFvsSSIS.pdf

http://www.jamesserra.com/archive/2017/03/azure-data-factory-and-ssis-compared/

Azure SQL Data Warehouse

 $\underline{\text{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-get-started-tutorial}\\$

loading data

 $\underline{\text{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-overview-load}}$

 $\frac{https://docs.microsoft.com/en-us/azure/sql-data-warehouse/sql-data-warehouse-load-with-data-factory}{}$

MPP vs Map Reduce

https://www.flydata.com/blog/introduction-to-massively-parallel-processing/

Sql server vs warehouse

https://key2consulting.com/comparison-of-azure-sql-database-to-azure-sql-datawarehouse/

Lake vs warehouse

https://www.blue-granite.com/blog/bid/402596/top-five-differences-between-data-lakes-and-data-warehouses

 $\frac{https://azure.microsoft.com/en-in/resources/videos/build-2016-azure-data-lake-and-azure-data-warehouse-applying-modern-practices-to-your-app/$

Machine Learning

https://azure.microsoft.com/en-in/documentation/articles/machine-learning-create-experiment/

https://docs.microsoft.com/en-in/azure/machine-learning/machine-learning-publish-a-machine-learning-web-service

PROCESS BLOB DATA

 $\frac{https://docs.microsoft.com/en-us/azure/machine-learning/machine-learning-data-science-process-data-blob}{}$

| HDInsight (Spark) | https://azure.microsoft.com/en-in/documentation/articles/hdinsight-apache-spark-jupyter-spark-sql/ |
|--|---|
| Power BI | |
| | Streaming data |
| Event Hub | https://azure.microsoft.com/en-in/documentation/articles/event-hubs-csharp-ephcs-getstarted/ https://docs.microsoft.com/en-us/azure/event-hubs/event-hubs-dotnet-standard- getstarted-receive-eph csv: https://stackoverflow.com/questions/30868467/how-to-send-data-as-csv-on- eventhub-for-azure-stream-analytics/30870640 Java: works with only java 8 |
| Kafka (preview) | |
| Stream Analytics | https://www.codit.eu/blog/2015/01/azure-stream-analytics-getting-started/ https://docs.microsoft.com/en-us/azure/stream-analytics/stream-analytics-real-time-fraud-detection SELECT System.TimeStamp AS WindowEnd, Name, COUNT(*) INTO output1 FROM input1 where Age > 25 GROUP BY Name , TUMBLINGWINDOW(minute, 1) |
| Azure HDInsight (Storm, Spark streaming) | |
| | Messaging |
| Queue | https://azure.microsoft.com/en-in/documentation/articles/storage-dotnet-how-to-use-queues/ |
| Service Bus Queue | https://gist.github.com/rberrelleza/2221610 https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-manage-with-ps https://azure.microsoft.com/en-in/documentation/articles/service-bus-dotnet-get-started-with-queues/ |
| Service Bus Topic | https://azure.microsoft.com/en-in/documentation/articles/service-bus-dotnet-how-to-use-topics-subscriptions/ |
| Notification Hub | |

| Event Grid | https://docs.microsoft.com/en-us/azure/event-grid/custom-event-quickstart https://azurebiztalkread.wordpress.com/2018/05/19/azure-service-bus-topic-vs-azure- |
|-------------|--|
| Patterns | event-grid-topic/ Command Message(Queue) http://www.enterpriseintegrationpatterns.com/patterns/messaging/CommandMessage.html Request-Reply (Queue) http://www.enterpriseintegrationpatterns.com/patterns/messaging/RequestReply.html Event Message (Queue) http://www.enterpriseintegrationpatterns.com/patterns/messaging/EventMessage.html |
| | |
| | Computation |
| Web App | http://almirvuk.blogspot.in/2015/12/how-to-upload-web-site-to-azure-with.html Auto Scale: https://blogs.msdn.microsoft.com/devschool/2015/05/24/azure-how-to-auto-scale-your-web-apps-web-sites/ deployment slots: https://azure.microsoft.com/en-in/documentation/articles/web-sites-staged-publishing/ After a swap, the slot with previously staged app now has the previous production app. If the changes swapped into the production slot are not as you expected, you can perform the same swap immediately to get your "last known good site" back. Scale Up: https://azure.microsoft.com/en-in/documentation/articles/web-sites-scale/ Load Test https://www.visualstudio.com/en-us/docs/test/performance-testing/app-service-web-app-performance-test |
| CDN Cache | https://azure.microsoft.com/en-us/documentation/articles/cdn-create-a-storage-account-with-cdn/ http:// <storageacountlabel>.blob.core.windows.net/<mycontainer>/myblob http://<endpointname>.azureedge.net/<mycontainer>/myblob</mycontainer></endpointname></mycontainer></storageacountlabel> |
| Redis Cache | https://azure.microsoft.com/en-in/documentation/articles/cache-dotnet-how-to-use-azure-redis-cache/ |
| Web Job | https://azure.microsoft.com/en-in/documentation/articles/web-sites-create-web-jobs/ |
| Function | https://docs.microsoft.com/en-us/azure/azure-functions/functions-create-storage-blob-triggered-function https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-event-hubs https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-event-hubs https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-event-hubs https://www.hanselman.com/blog/WhatIsServerlessComputingExploringAzureFunctions.aspx http://flgmwt.github.io/azure/azure-functions/c-sharp/2016/04/04/azure-fns-with-ci.html https://www.codeproject.com/Articles/1110663/Azure-Functions-Tutorial-SQL-Database |

Service Fabric

replacing cloud service

install:

https://blog.geist.no/azure-service-fabric-introduction-getting-it-running/

https://azure.microsoft.com/en-us/documentation/articles/service-fabric-get-started/

https://azure.microsoft.com/en-in/documentation/articles/service-fabric-reliable-services-quick-start/https://rahulrai.in/post/hands-on-with-azure-service-fabric-reliable-services/

nttps://ranuirai.in/post/nanos-on-witn-azure-service-rapric-reliable-s

Services packaged into Windows or Linux containers managed by Docker.Guest

executables

an arbitrary executable, written in any language, existing app, do not benefit from the full set of features the platform offers, such as custom health and load reporting, service endpoint registration, and stateful compute.

Reliable Services

Reliable Services is a light-weight framework for writing services that integrate with the Service Fabric platform and benefit from the full set of platform features.

Reliable Actors

https://mikhail.io/2016/01/fire-and-forget-in-service-fabric-actors/

https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-reliable-actors-get-started

Facade

Application GateWay

The Application Gateway uses Azure Load Balancer at the transport level and then applies the routing rules to support layer-7 (HTTP) load balancing.

features

https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-introduction

getting started

https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-create-gateway-portal

with ilb

 $\underline{\text{https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-ilb-arm}}$

Ubuntu VM Scale Set with Application Gateway Integration

https://github.com/Azure/azure-quickstart-templates/tree/master/201-vmss-ubuntu-app-gateway

content based routing

https://vincentlauzon.com/2017/05/08/url-routing-with-azure-application-gateway/

Relay

https://azure.microsoft.com/en-in/documentation/articles/service-bus-relay-tutorial/

Traffic Manager

https://blogs.technet.microsoft.com/canitpro/2015/02/09/step-by-step-managing-traffic-for-workloads-in-azure/

| Api Management | get started https://docs.microsoft.com/en-us/azure/api-management/api-management-get-started limit https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-product- with-rules cache https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-cache vnet https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet azure ad https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect- backend-with-aad https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-aad oauth https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-oauth2 |
|-----------------------------|--|
| | Security |
| | https://docs.microsoft.com/en-us/azure/security/azure-security-services-technologies |
| role based access (RBAC) | https://docs.microsoft.com/en-us/azure/active-directory/role-based-access-control-configure https://docs.microsoft.com/en-us/azure/active-directory/role-based-access-built-in-roles |
| User Principal | https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/add-users-azure-active-directory |
| Managed Service Identity | https://docs.microsoft.com/en-us/azure/app-service/app-service-managed-service-identity A system-assigned identity is tied to your application and is deleted if your app is deleted. An app can only have one system-assigned identity. System-assigned identity support is generally available for Windows apps. A user-assigned identity is a standalone Azure resource which can be assigned to your app. An app can have multiple user-assigned identities. User-assigned identity support is in preview for all app types. https://joonasw.net/view/azure-ad-managed-service-identity https://blog.kloud.com.au/2018/04/13/demystifying-managed-service-identities-on-azure/ |
| Service Principal | https://docs.microsoft.com/en-us/cli/azure/create-an-azure-service-principal-azure-cli?view=azure-cli-latest https://markheath.net/post/create-service-principal-azure-cli https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-create-service-principal-portal azure ad app create —display-name "climanager"homepage "http://localhost/climanager"password "spielpassword" az ad sp create-for-rbacname "jack"password "spielpassword" https://docs.microsoft.com/en-us/cli/azure/create-an-azure-service-principal-azure-cli |

| Shared Access Signature | https://buildazure.com/2017/05/23/azure-cli-2-0-generate-sas-token-for-blob-in-azure-storage/ https://azure.microsoft.com/en-in/documentation/articles/storage-dotnet-shared-access-signature-part-2/ GetBlobSasUriWithPolicy CloudBlockBlob cloudBlockBlob = new CloudBlockBlob("http://127.0.0.1:/temp/sastest.txt"); cloudBlockBlob.Delete(); java: https://blog.persistent.com/index.php/2012/06/22/windows-azure-and-java-working-with-blob-storage/ |
|-------------------------------------|--|
| Storage Service Encryption (SSE) | https://docs.microsoft.com/en-us/azure/storage/storage-service-encryption https://docs.microsoft.com/en-us/azure/storage/common/storage-service-encryption-customer-managed-keys? toc=%2fazure%2fstorage%2fblobs%2ftoc.json |
| Azure Disk Encryption (ADE) | https://docs.microsoft.com/en-us/azure/virtual-machines/scripts/virtual-machines-linux-cli-sample-encrypt-vm |
| Security Center | https://docs.microsoft.com/en-us/azure/security-center/security-center-intro https://docs.microsoft.com/en-us/azure/security-center/security-center-get-started https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-azure-security |
| key vault | https://docs.microsoft.com/en-us/azure/key-vault/key-vault-manage-with-cli https://docs.microsoft.com/en-us/azure/key-vault/key-vault-get-started |
| Client Side Encryption | https://docs.microsoft.com/en-us/azure/storage/storage-encrypt-decrypt-blobs-key-vault |
| best practices | https://docs.microsoft.com/en-us/azure/storage/storage-security-guide |
| web app - service environment | https://docs.microsoft.com/en-us/azure/app-service-web/app-service-app-service-environment-intro |

Network Security

list of features

https://docs.microsoft.com/en-us/azure/virtual-network/resource-groups-networking

 $\underline{https://opbuildstorageprod.blob.core.windows.net/output-pdf-files/en-us/Azure.azure-documents/live/virtual-network.pdf}$

UDR

are applied to traffic leaving subnet from any resource (eg.nic attached to vm). you cannot create routes to specify how traffic enters a subnet.

https://campus.barracuda.com/product/nextgenfirewallf/article/NGF62/AzureARMUDRWebPortal/

 $\underline{https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-create-udr-arm-ps}$

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview

practice

 $\underline{\text{https://docs.microsoft.com/en-us/azure/security/azure-security-network-security-best-practices}}$

https://docs.microsoft.com/en-us/azure/best-practices-network-security?toc=%2fazure%2fvirtual-network%2ftoc.json

https://blogs.msdn.microsoft.com/igorpag/2016/05/14/azure-network-security-groups-nsg-best-practices-and-lessons-learned/

case Study

 $\frac{\text{https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-vnet-plan-design-arm?toc=\%2fazure\%2fnetworking\%2ftoc.json}{}$

VPN

point to site

https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-point-to-site-resource-manager-portal

https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-point-to-site-rm-ps

site to site

https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-site-to-site-resource-manager-cli

http://www.rebeladmin.com/2016/12/step-step-guide-configure-site-site-vpn-gateway-connection-azure-premises-network/

https://blogs.technet.microsoft.com/canitpro/2016/01/11/step-by-step-connect-your-aws-and-azure-environments-with-a-vpn-tunnel/

site to multisite

vnet to vnet

https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-vnet-vnet-cli

express route

https://docs.microsoft.com/en-us/azure/expressroute/expressroute-connectivity-models

When you create a gateway subnet, it must be named 'GatewaySubnet'. If you name it something else, you create a subnet, but Azure won't treat it as a gateway subnet.

Management

| Template | Create https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-create-first-template deploy https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-quickstart-deploy export https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-export-template-cli linked https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-linked-templates copy https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-create-multiple dependancy https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-define-dependencies best practices http://utkarshcloudnet.blogspot.in/2016/05/Azure-Rerource-Manager-Template-ARM-Azure-best-practices-tips.html deployment from portal https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-template-deploy-portal |
|----------------------|--|
| Monitoring | https://docs.microsoft.com/en-us/azure/monitoring-and-diagnostics/monitoring-get-started https://try.newrelic.com/rs/newrelic/images/Azure Getting-Started-Guide FINAL.pdf https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-monitoring diagnostic logs https://docs.microsoft.com/en-us/azure/monitoring-and-diagnostics/monitoring-overview-of-diagnostic-logs activity logs https://docs.microsoft.com/en-us/azure/monitoring-and-diagnostics/monitoring-overview-activity-logs |
| Azure Automation DSC | https://docs.microsoft.com/en-us/azure/automation/automation-dsc-getting-started logs https://docs.microsoft.com/en-us/azure/automation/automation-runbook-output-and-messages |
| Chef DSC | https://www.opsgility.com/blog/2016/01/19/using-chef-on-azure/ https://tryazuremarketplace.com/pdfs/Chef_on_Azure.pdf https://vishwanathsrikanth.wordpress.com/2015/01/11/desired-state-configuration-using-chef-knife-on-azure-part-2/ |

| Automation | https://codehollow.com/2016/07/automatically-shutdown-virtual-machines-azure/ http://www.nullfactory.net/2016/11/scheduling-the-uptime-of-an-azure-virtual-machine/ http://theithollow.com/2016/09/19/get-started-azure-automation/ logs https://msdn.microsoft.com/en-us/powershell/dsc/logresource https://msdn.microsoft.com/en-us/powershell/dsc/debugresource |
|-------------------------------|--|
| CI/CD | https://docs.microsoft.com/en-us/azure/jenkins/java-deploy-webapp-tutorial https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-jenkins-github-docker-cicd https://docs.microsoft.com/en-us/azure/container-service/container-service-kubernetes-jenkins https://docs.microsoft.com/en-us/azure/virtual-machines/windows/chef-automation http://carolynvanslyck.com/blog/2013/02/setting-up-jenkins-on-azure/ https://www.visualstudio.com/en-us/docs/build/get-started/aspnet-4-ci-cd-azure-automatic |
| Backup and Recovery | Backup Vault (classic) Recovery Service (RM) Intro https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-introduction backup https://docs.microsoft.com/en-us/azure/virtual-machines/linux/tutorial-backup- Recovery service https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-first-look-arm disaster recovery https://docs.microsoft.com/en-us/azure/storage/storage-redundancy |
| Pricing | https://stackify.com/lower-azure-pricing-optimize-costs/ https://azure.microsoft.com/en-in/pricing/ https://azure.microsoft.com/en-in/pricing/calculator/ |
| Visual Studio Team Service | http://www.c-sharpcorner.com/article/getting-started-with-visual-studio-team-services/ https://mitra.computa.asia/article/msdn-getting-started-using-visual-studio-team-services-vsts-source-control |

A Key Vault is dedicated to one specific region and thus you will not be able to consult data from within a different region. All the secrets and keys will be stored in physical HSMs in that specific region, **the data will never leave that geographic region**. This limitation can cause some headaches when you are planning for disaster recovery.

If your data size is > 10 TB and you want to move it to Azure, we recommend that you use our disk shipping service

If you have a small amount of data you can use bcp to load directly into Azure SQL Data Warehouse.

Use AZCopy (recommended for < 10 TB data)