

## Selectors

<b>Basics</b>	<b>Attribute</b>
*	[name  = "value"]
.class	[name* = "value"]
element	[name ~ = "value"]
#id	[name \$ = "value"]
selector1, selectorN, ...	[name = "value"]
	[name != "value"]
	[name ^ = "value"]
	[name]
	[name = "value"][name2 = "value2"]
<b>Hierarchy</b>	
parent > child	
ancestor descendant	
prev + next	
prev ~ siblings	
<b>Basic Filters</b>	<b>Child Filters</b>
:animated	:first-child
:eq()	:last-child
:even	:nth-child()
:first	:only-child
:gt()	<b>Forms</b>
:header	:button
:last	:checkbox
:lt()	:checked
:not()	:disabled
:odd	:enabled
	:focus
	:file
<b>Content Filters</b>	:image
:contains()	:input
:empty	:password
:has()	:radio
:parent	:reset
	:selected
<b>Visibility Filters</b>	:submit
:hidden	:text
:visible	

## Attributes / CSS

- Attributes**
  - .attr()
  - .prop()
  - .removeAttr()
  - .removeProp()
  - .val()
- CSS**
  - .addClass()
  - .css()
  - jQuery.cssHooks
  - .hasClass()
  - .removeClass()
  - .toggleClass()
- Dimensions**
  - .height()
  - .innerHeight()
  - .innerWidth()
  - .outerHeight()
  - .outerWidth()
  - .width()
- Offset**
  - .offset()
  - .offsetParent()
  - .position()
  - .scrollLeft()
  - .scrollTop()
- Data**
  - jQuery.data()
  - .data()
  - jQuery.hasData()
  - jQuery.removeData()
  - .removeData()

# Manipulation

- Copying**
  - `.clone()`
- DOM Insertion, Around**
  - `.wrap()`
  - `.wrapAll()`
  - `.wrapInner()`
- DOM Insertion, Inside**
  - `.append()`
  - `.appendTo()`
  - `.html()`
  - `.prepend()`
  - `.prependTo()`
  - `.text()`
- DOM Insertion, Outside**
  - `.after()`
  - `.before()`
  - `.insertAfter()`
  - `.insertBefore()`
- DOM Removal**
  - `.detach()`
  - `.empty()`
  - `.remove()`
  - `.unwrap()`
- DOM Replacement**
  - `.replaceAll()`
  - `.replaceWith()`

## Traversing

## Filtering

- .eq()
- .filter()
- .first()
- .has()
- .is()
- .last()
- .map()
- .not()
- .slice()

## Miscellaneous Traversing

- .add()
- .andSelf()
- .contents()
- .end()

## Tree Traversal

- .children()
- .closest()
- .find()
- .next()
- .nextAll()
- .nextUntil()
- .parent()
- .parents()
- .parentsUntil()
- .prev()
- .prevAll()
- .prevUntil()
- .siblings()

## Events

<b>Browser Events</b>	<b>Mouse Events</b>
<code>.error()</code>	<code>.click()</code>
<code>.resize()</code>	<code>.dblclick()</code>
<code>.scroll()</code>	<code>.focusin()</code>
	<code>.focusout()</code>
<b>Document Loading</b>	<code>.hover()</code>
<code>.holdReady()</code>	<code>.mousedown()</code>
<code>.load()</code>	<code>.mouseenter()</code>
<code>.ready()</code>	<code>.mouseleave()</code>
<code>.unload()</code>	<code>.mousemove()</code>
	<code>.mouseout()</code>
<b>Event Handler Attachment</b>	<code>.mouseover()</code>
<code>.bind()</code>	<code>.mouseup()</code>
<code>.delegate()</code>	<code>.toggle()</code>
<code>.die()</code>	
<code>.live()</code>	<b>Event Object</b>
<code>.off()</code>	<code>event.currentTarget</code>
<code>.on()</code>	<code>event.data</code>
<code>.one()</code>	<code>event.isDefaultPrevented()</code>
<code>.trigger()</code>	<code>event.isImmediatePropagationStopped()</code>
<code>.triggerHandler()</code>	<code>event.isPropagationStopped()</code>
<code>.unbind()</code>	<code>event.namespace</code>
<code>.undelegate()</code>	<code>event.pageX</code>
	<code>event.pageY</code>
<b>Form Events</b>	<code>event.preventDefault()</code>
<code>.blur()</code>	<code>event.relatedTarget</code>
<code>.change()</code>	<code>event.result</code>
<code>.focus()</code>	<code>event.stopImmediatePropagation()</code>
<code>.select()</code>	<code>event.stopPropagation()</code>
<code>.submit()</code>	<code>event.target</code>
	<code>event.timeStamp</code>
<b>Keyboard Events</b>	<code>event.type</code>
<code>.keydown()</code>	<code>event.which</code>
<code>.keypress()</code>	
<code>.keyup()</code>	

## Effects

- Basics**
  - .hide()
  - .show()
  - .toggle()
- Custom**
  - .animate()
  - .clearQueue()
  - .delay()
  - .dequeue()
  - jQuery.dequeue()
  - jQuery.fx.interval
  - jQuery.fx.off
  - .queue()
  - jQuery.queue()
  - .stop()
- Fading**
  - .fadeIn()
  - .fadeOut()
  - .fadeTo()
  - .fadeToggle()
- Sliding**
  - .slideDown()
  - .slideToggle()
  - .slideUp()

## Ajax

## Global Ajax Event Handlers

- .ajaxComplete()
- .ajaxError()
- .ajaxSend()
- .ajaxStart()
- .ajaxStop()
- .ajaxSuccess()

## Helper Functions

- jQuery.param()
- .serialize()
- .serializeArray()

## Low-Level Interface

- jQuery.ajax()
- jQuery.ajaxSetup()

## Shorthand Methods

- jQuery.get()
- jQuery.getJSON()
- jQuery.getScript()
- .load()
- jQuery.post()

## Core

<b>jQuery Object</b>	<b>Internals</b>
jQuery()	.jquery
jQuery.noConflict()	.context
jQuery.sub()	jQuery.error
jQuery.when()	.length
	.pushStack()
	.selector
<b>Utilities</b>	<b>Deferred Object</b>
jQuery.browser	deferred.always()
jQuery.contains()	deferred.done()
each	deferred.fail()
jQuery.each()	deferred.isRejected()
jQuery.extend()	deferred.isResolved()
jQuery.globalEval()	deferred.notify()
jQuery.grep()	deferred.notifyWith()
jQuery.inArray()	deferred.pipe()
jQuery.isArray()	deferred.progress()
jQuery.isEmptyObject()	deferred.promise()
jQuery.isFunction()	deferred.reject()
jQuery.isNumeric()	deferred.rejectWith()
jQuery.isPlainObject()	deferred.resolve()
jQuery.isWindow()	deferred.resolveWith()
jQuery.isXMLDoc()	deferred.state()
jQuery.makeArray()	deferred.then()
jQuery.map()	.promise()
jQuery.merge()	
jQuery.noop()	
jQuery.now()	
jQuery.parseJSON()	<b>Callbacks Object</b>
jQuery.parseXML()	jQuery.Callbacks()
jQuery.proxy()	callbacks.add()
jQuery.support	callbacks.disable()
jQuery.trim()	callbacks.empty()
jQuery.type()	callbacks.fire()
jQuery.unique()	callbacks.fired()
	callbacks.fireWith()
	callbacks.has()
	callbacks.lock()
	callbacks.locked()
	callbacks.remove()
<b>DOM Element Methods</b>	
.get()	
.index()	
.size()	
toArray()	