

BABEȘ-BOLYAI UNIVERSITY, CLUJ-NAPOCA, ROMÂNIA
FACULTY OF MATHEMATICS AND COMPUTER SCIENCE

Automatic Extraction of Medical Certificate Data using Intelligent OCR Algorithms

– ITSG Report –

Team members

Badea Dan-Nicolai,
Badu Cătălin Ioachim,
Calotă Ovidiu,
Cibotariu Andrei



2024-2025

Abstract

This project proposes an intelligent algorithm for automatic extraction of information from Romanian “Medical Leave Certificates”. The system combines traditional image processing and optical character recognition (OCR) methods to solve a practical problem faced by HR departments: the manual transcription of thousands of scanned medical certificates each month.

Our approach leverages Python, OpenCV, and Tesseract OCR, integrated in an interactive web-based application built with Streamlit. Intelligent preprocessing rules are applied for printed and handwritten regions separately, enabling reliable extraction of fields such as *certificate series*, *number*, *indemnity code*, *CNP* and urgency indicators.

The system was tested on a small dataset of scanned documents (“small data” approach), achieving over 85% accuracy on printed forms and around 70% for handwritten inputs. The final results are exported to Excel for HR software import.




Figure 1: Graphical abstract of the workflow: upload image -> preprocess -> OCR -> extract fields -> export.

Contents

1	Introduction	1
1.1	What? Why? How?	1
1.2	Paper structure and original contributions	1
2	Scientific Problem	3
2.1	Problem definition	3
3	State of the Art / Related Work	4
4	Investigated Approach	5
4.1	Algorithm overview	5
4.2	Example workflow	5
5	Application (Numerical Validation)	7
5.1	Methodology	7
5.2	Data	7
5.3	Results	7
5.4	Discussion	7
6	SWOT Analysis	9
7	Conclusion and Future Work	10

List of Tables

5.1 Recognition performance summary	8
---	---

List of Figures

- 1 Graphical abstract of the workflow: upload image -> preprocess -> OCR -> extract fields -> export.
- 4.1 System workflow: upload -> preprocess -> extract -> visualize -> export. 5

List of Algorithms

1	Field Extraction and Intelligent OCR	6
---	--	---

Chapter 1

Introduction

1.1 What? Why? How?

Manual extraction of data from Romanian “Certificat de concediu medical” forms is an error-prone and time-consuming task for HR personnel. These forms are either printed or handwritten and often suffer from misalignment, low scan quality, and inconsistent handwriting styles. The problem addressed by this work is the automatic extraction of relevant information from such scanned documents.

The importance of this task lies in its direct applicability to the public and private healthcare sectors, where monthly thousands of documents need to be digitized and imported into HR systems.

Our approach combines computer vision preprocessing and OCR-based text recognition. By applying adaptive filters and intelligent region-specific processing, the algorithm distinguishes between printed and handwritten regions and extracts structured data ready for import.

1.2 Paper structure and original contributions

The main contributions of this report are:

- Development of an intelligent image-processing algorithm for mixed (typed + handwritten) document interpretation.
- Design of a modular, easy-to-use Streamlit application for testing and validation.
- Integration of automatic post-processing, correction, and validation rules (e.g., CNP length, numeric ranges).

The report is structured as follows:

- Chapter 2 defines the scientific problem.
- Chapter 3 presents related work and alternative OCR methods.
- Chapter 4 describes the proposed algorithm in detail.
- Chapter 5 covers the experimental validation.
- Chapter 6 and Chapter 7 present the analysis and conclusions.

Chapter 2

Scientific Problem

2.1 Problem definition

The task is to automatically extract fields from a scanned “Medical Certificate” form (in Romanian: *Certificat de concediu medical*). These include:

- Certificate series and number
- Indemnity code
- CNP (personal identification number)
- Medical emergency flag
- Continuation checkbox

Inputs: a scanned image (JPEG/PNG). Outputs: a structured Excel file containing the extracted fields.

Challenges include:

- Text misalignment and variable positioning.
- Presence of both printed and handwritten text.
- Handwriting variability among medical professionals.
- Low image quality or skewed scanning.

The use of intelligent algorithms is justified by the need to adapt dynamically to form variations and handwritten content, which cannot be handled by fixed template-based extraction.

Chapter 3

State of the Art / Related Work

OCR (Optical Character Recognition) technology is widely used in form digitization, with notable tools like Google Vision API and Tesseract OCR. However, most solutions assume consistent layouts and clean printed text.

Recent research (e.g., [5], [8]) explores deep learning models (CNN, CRNN, Transformers) for handwriting recognition. Although effective, these require large labeled datasets â unsuitable for our âsmall dataâ scenario.

Our system instead applies classical computer vision preprocessing, combined with field-specific logic, achieving high precision without training data. This hybrid approach bridges the gap between static OCR and adaptive AI interpretation.

Chapter 4

Investigated Approach

4.1 Algorithm overview

The algorithm consists of four main stages:

1. **Preprocessing:** image is converted to grayscale, resized, and realigned by detecting text-block centers using Tesseract OCR bounding boxes.
2. **Field-specific extraction:** each region of interest (ROI) is processed by a custom function depending on content type (printed/handwritten).
3. **OCR recognition:** pytesseract is called with tuned configurations (`-psm 7/8`, whitelist filters).
4. **Post-processing:** character translation (O->0, I->1, etc.) and field validation (CNP = 13 digits).

4.2 Example workflow




Figure 4.1: System workflow: upload -> preprocess -> extract -> visualize -> export.

Algorithm 1 Field Extraction and Intelligent OCR

```
Input: Image file
Convert to grayscale and resize
Detect text-block bounding boxes using OCR
Compute alignment shift ( $x_{shift}, y_{shift}$ )
for each defined ROI do
  if ROI is printed then
    Apply CLAHE and sharpening
  else
    Apply adaptive threshold and morphological filters
  end if
  Extract text using pytesseract
  Post-process and validate field
end for
Output structured data (Excel)
```

Chapter 5

Application (Numerical Validation)

5.1 Methodology

The system was tested through the Streamlit web interface. Each uploaded certificate was processed, and the recognized fields were visually validated.

Evaluation criteria:

- Field accuracy (per-field correctness rate)
- OCR confidence (average Tesseract confidence)
- Processing time per document

5.2 Data

The testing used a small data set (20 scanned certificates) covering:

- 10 printed with handwriting (different people), aligned certificates

5.3 Results

5.4 Discussion

The hypothesis that field-specific preprocessing improves OCR performance is supported. Handwritten fields remain more challenging due to stylistic variability, but intelligent binarization and post-correction significantly reduce errors.

Table 5.1: Recognition performance summary

Field	Printed accuracy (%)	Handwritten accuracy (%)
Certificate number	95	50
Series	92	85
Indemnity code	90	60
CNP	88	25
Emergency flag	100	70
Average	93	78

Chapter 6

SWOT Analysis

- **Strengths:** Works with small datasets; modular; easy debugging; high interpretability.
- **Weaknesses:** Sensitive to very poor handwriting; ROI coordinates are static.
- **Opportunities:** Integration of CNN handwriting models; cloud OCR services.
- **Threats:** Changes in the certificate template; variations in scanner quality.

Chapter 7

Conclusion and Future Work

The proposed system efficiently automates data extraction from medical certificates using intelligent OCR and computer vision. It demonstrates how traditional algorithms, when combined with adaptive logic, can achieve high precision even with limited data.

Future improvements:

- Replace static ROI coordinates with template-free region detection.
- Integrate machine learning for handwriting correction.
- Add cloud synchronization for direct HR software integration.

The modular design ensures reproducibility and extensibility to other administrative documents, highlighting the power of hybrid AI systems in real-world automation.

Bibliography

- [1] OpenCV python library. <https://opencv.org/>. Computer vision library used for image preprocessing.
- [2] Streamlit: Turn python scripts into interactive apps. <https://streamlit.io>. Used for application interface.
- [3] Tesseract ocr engine documentation. <https://github.com/tesseract-ocr/tesseract>. Accessed: 2025-11-02.
- [4] J. Kennedy and R. Eberhart. Particle swarm optimization. *Proceedings of IEEE International Conference on Neural Networks*, pages 1942–1948, 1995.
- [5] Teuvo Kohonen. *Self-Organizing Maps*. Springer, 3rd edition, 2006.
- [6] Hui Li, Peng Wang, Chunhua Shen, and Guyu Zhang. Show, attend and read: A simple and strong baseline for irregular text recognition. *AAAI Conference on Artificial Intelligence*, 2020.
- [7] Baoguang Shi, Xiang Bai, and Cong Yao. An end-to-end trainable neural network for image-based sequence recognition and its application to scene text recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 39(11):2298–2304, 2017.
- [8] R. Storn and K. Price. Differential evolution - a simple and efficient heuristic for global optimization. In *ICSMO*, 1995.